

UNIVERSITY OF
LIBRARY
CHAMPAIGN
STACKS

CENTRAL CIRCULATION BOOKSTACKS

The person charging this material is responsible for its renewal or its return to the library from which it was borrowed on or before the **Latest Date** stamped below. **The Minimum Fee for each Lost Book is \$50.00.**

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

TO RENEW CALL TELEPHONE CENTER, 333-8400

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

AUG 23 1994

JUL 27 1994

When renewing by phone, write new due date below previous due date.

L162

614.1
2611v
1970

211-163

UTD

STATISTICS
IS

DP-2

HERTZBERG — NEW METHOD, INC.

EAST VANDALIA ROAD,

JACKSONVILLE, ILL. 62650

TITLE NO.

I-0141.0000

07200-211

CM 72- 163 M

42-6 ILLINOIS * DEPT. OF * PUBLIC HEALTH * BUREAU
OF * STATISTICS * 43-12 VITAL * STATISTICS * ILLI
NOIS *

43-24 1970-75*

614.1*11611v*

1970-75*


CLOTH COLOR

CHARGING INFORMATION SPECIAL WORK AND PREP.

STUBBING	FRONT COVER	HAND ADHESIVE	MAP POCKET PAPER
HAND SEW	NO TRIM	LENGTHWISE	MAP POCKET CLOTH
THRU SEW	PAGES LAMINATED	FOREIGN TITLE	SPECIAL WORK
THRU SEW ON TAPE	EXTRA THICKNESS	LINES OF LETTERING	REMOVE TATTLE TAPE
HEIGHT	PICA	WRAP	

STX4
HEIGHT

11 1/8



THE LIBRARY OF THE
JUN 5 1973
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

DISK-D940608 REC.-091 FONT-4/216 PAGE-- 77
I6LJL
I-0141.0000 07200-211 CM 72- 163 M
42-6 ILLINOIS * DEPT. OF * PUBLIC HEALTH * BUREAU
OF * STATISTICS* 43-12 VITAL * STATISTICS * ILLI
NOIS *

43-24 1970-75*
42-28 614.1*11611v*
1970-75*
0057 WATCH MARGINS*BIND AS IS*

FOIL- WHITE STX4
11 11 1/8
8 T-3/8

1
11v

Ref

211-163

VITAL STATISTICS ILLINOIS 1970

SPRINGFIELD, ILLINOIS



THE LIBRARY OF THE

JUN 5 1973

UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

The person charging this material is responsible for its return to the library from which it was withdrawn on or before the **Latest Date** stamped below.

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

APR 5 1979

APR 6 1979

JUN 5 1979

MAY 8 1983
JUN 1 1983

APR 25 1980

JUN 11 1990

NOV 23 1992

DEC 08 1992


L161—O-1096

VITAL STATISTICS ILLINOIS

1970 **SPRINGFIELD,
ILLINOIS**

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

MARCH, 1973



Chicago Skyline

Chicago's new multi-billion dollar skyline represents the vitality of the nation's second largest city since 1890. The opening of New York's Erie Canal in 1825 and the completion of the Illinois-Michigan Canal in 1848 provided for several decades a continuous water trade route from New York City through Chicago to New Orleans. Now-a-days, ocean-going vessels traversing the St. Lawrence Seaway daily pass the site of the fur-trading post established in 1772 by Jean Du Sable, the first resident within the limits of the present city. By 1885, the city had become a major rail terminal. And by mid-twentieth century, it had also become one of the world's busiest air terminals.

(Photo courtesy Chicago Association of Commerce and Industry.)

STATE OF ILLINOIS
DEPARTMENT OF PUBLIC HEALTH

Springfield, Illinois 62761

March, 1973

EXPLANATION OF SYMBOLS

QUANTITY ZERO IN FREQUENCY TABLES — —

RATE OR PERCENT MORE THAN 0 BUT LESS THAN 0.05 0.0

FIGURES WITHIN PARENTHESIS NOT INCLUDED IN TOTALS ()

RATE ZERO CORRESPONDING TO — — ON FREQUENCY TABLE —0—

TABLE OF CONTENTS

PART I -- HALF CENTURY OF ILLINOIS VITAL STATISTICS	1
Introduction	1
Population	2
Specific Birth and Death Rates	3
Adjusted Birth and Death Rates	5
PART II -- Description of 1970 Illinois Vital Events ..	7
Live births	7
Prenatal care	8
Fetal, perinatal and infant mortality	8
Maternal mortality.	9
Certification and classification of cause of death ..	10
Deaths	11
Violent deaths	12
Other causes of deaths	13
Notifiable disease Case reports	13
Marriage and divorce	14

TEXT TABLES

PART I

Table	Page
I -- Net population changes due to natural increase and migration in Illinois from 1960 to 1970	2
II -- Thirty year summary of population change in Illinois, Chicago Metropolitan Area, and remainder of the State: 1940 to 1970	3
III -- Total population, percent distribution by age, and median age, Illinois, at each Census 1875 to 1970	3
IV -- Specific live birth rates by race and age of mother, Illinois: 1970, 1960, 1950, 1940, 1930 and 1922	3
V -- Age Specific death rates with percent decline, Illinois: 1970, 1960, 1950, 1940 1930 and 1920	4
VI -- Death rates by race for selected causes of death, Illinois: 1970, 1960, 1950, 1940, 1930 and 1920	4
VII -- Observed and adjusted live birth rates by race, Illinois: 1970, 1960, 1950, 1940, 1930 and 1922	5
VIII -- Observed and age - adjusted death rates, United States and Illinois 1970, 1960, 1950, 1940, 1930 and 1920	5

TABLE OF CONTENTS -- Continued

TEXT TABLES

PART II

Table	Page
A. -- Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1970	7
B. -- Causes of fetal death among infants born to Illinois mothers in 1970	8
C. -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1970	9
D. -- Ten leading causes of infant deaths, by age, Illinois residents: 1970	10
E. -- Ten leading causes of deaths among white and nonwhite races, Illinois residents: 1970	10
F. -- Components of resident heart disease deaths, Illinois: 1970	11
G. -- Resident cancer deaths by site and age, Illinois: 1970	11
H. -- Resident deaths due to cerebrovascular disease, Illinois: 1970	12
I. -- Deaths and rates from the principal diseases affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965 and 1970	12
J. -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1970	13
K. -- Marital status of bride and groom at time of marriage, Illinois: 1970	14
L. -- Divorces and annulments classified by the duration of marriage, Illinois: 1970	14

MAP AND CHART

Crude Mortality rates for selected causes of deaths, Illinois: 1920 -- 1970	37
Map of population by counties: 1970	6

TABULAR SECTION

Table	Page
1. -- Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 -- 1970	15
2A. -- Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of Illinois counties: 1970	16
2B. -- Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of Illinois counties: 1970	18

TABLE OF CONTENTS -- Continued

TABULATION SECTION -- Continued

Table	Page
3A. -- Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 1970	20
3B. -- Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 1970	22
4. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1970	24
5. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1970	26
6. -- Fetal deaths by weight among residents of Illinois counties: 1970	28
7. -- Fetal deaths by weight among residents of the larger cities of Illinois: 1970	30
8A. -- Live births by birth weight among residents of Illinois counties: 1970	32
8B. -- Live births by birth weight among residents of the larger cities of Illinois: 1970	34
8C. -- Resident live births by birth weight, sex and color, Illinois, Chicago and Downstate: 1970	36
8D. -- Selected data on live births and fetal deaths by place of residents, Illinois, Chicago and Downstate: 1970	37
9A. -- The twelve leading causes of death by age and color, among residents of Illinois, Chicago and Downstate: 1970	38
9B. -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago and Downstate: 1970	41
10A. -- Deaths from important causes among residents of Illinois counties: 1970	44
10B. -- Death rates for important causes among residents of Illinois counties: 1970	48

TABLE OF CONTENTS -- Continued

TABULATION SECTION -- Continued

Table	Page
11A. -- Death from important causes among residents of the larger cities of Illinois: 1970	52
11B. -- Death rates for important causes among residents of the larger cities of Illinois: 1970	56
12. -- Ten leading causes of deaths in selected age groups, Illinois: 1970	60
13. -- Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago and Downstate: 1960 to 1970	61
14. -- Marriages classified by sex and age, Illinois: 1970	64
15. -- Divorces classified by sex and age, Illinois: 1970	64
16. -- Number of previous marriages of bride and groom, Illinois: 1970	64
17. -- Female population at census, age-specific live birth rates for total resident live births and illegitimate resident live births by age of mother, Illinois: 1970.	65
18. -- Distribution of prenatal care visits by trimester, frequency and color: Illinois, Chicago and Downstate, 1970.	65
19. -- Summary of prenatal visits by color and age of mother for all live births and first births: Illinois residents, 1970	66

PART I

- A HALF CENTURY OF ILLINOIS VITAL STATISTICS

INTRODUCTION

About 500,000 persons annually are directly affected by the Illinois vital statistics system through either supplying new documents or amending old documents. Additional millions are indirectly affected through the use of vital data in helping to locate schools and shopping centers and to show the need for providing many kinds of specialized services and health care facilities.

The vital statistics system is composed of three inseparable parts: registration, tabulation and analysis. The strength of the system lies in the interplay of these components.

The first statewide registration system for births and deaths was included in the legislation that established the State Board of Health in 1877. Before a decade had passed, the system had failed because of the lack of central legal control of the data collection process. After several attempts, a law embodying the elements of an efficient system became effective on January 1, 1916. This was modified slightly over the years. The current law with several important new items added became effective on January 1, 1962. Central registration of marriages and divorces began on the same date. Before 1962, an annual count of marriages and divorces by county was made for the period 1867 to 1906 and for a few later time periods.

The original birth and death certificates are collected by 130 local registrars of vital records who are appointed by, and are under the direct supervision of, the State Registrar of Vital Records. Before a certificate can be accepted for permanent filing it must be closely scrutinized for legibility, completeness, internal consistency of contents, and promptness of filing after the event has occurred. This complete inspection of each record is mandatory to protect the legal interests of the Illinois citizen who needs it and to avoid costly problems and inconveniences for him later. Full inspection at time of filing, together with an intensive querying program to clarify inconsistent entries and to obtain additional information on the cause of death, also eliminates expensive computer time needed later to locate errors and to reprocess the corrected records.

Unique to Illinois is the coroner's physician who is required to make the medical investigation, and the autopsy when necessary, for the coroner to use as a part of the death certification of a person

involved in a motor vehicle accident, a fall or other form of violence, or for a person found dead. Programs relating to boating, recreational gun usage, highway safety, hazardous substance control, drug abuse, hospital and nursing home construction, home safety and pesticide control depend on the coroner's physician and the coroner carrying out their duties in full under this 1957 law.

Also included in the registration process are amendment of birth and death certificates, preparation of new documents for adopted and legitimated children, preservation, storage and retrieval of the 22 million records now on file and the certification of the contents of a record when a citizen needs it to protect his interest.

The lack of power to certify the contents of marriage, divorce and annulment certificates and the lack of adequate statutory control over their preparation and filing have seriously hampered efforts to provide the same highly effective system as now exists for births and deaths. Specific examples of the current poor quality of marriage, divorce and annulment records are given on page 64.

The frequency of entries appearing in the "not answered" and "unknown" categories in vital statistics tabulations not only reveals the quality level of the registration process but also affects the outcome of analytical studies. The listing of symptoms and conditions found at autopsy rather than specifying the appropriate diseases and incomplete or inadequate certification of the cause of death on fetal death and infant death certificates are still quite common.

Facts collected about a person at the time that the vital record concerning him is prepared provide one item in the continuous account of the demographic characteristics in his community of residence. When these items are aggregated they become one of the bases for planning and evaluation in every phase of life. These aggregates are related each decade to the findings of the United States Decennial Census. From them and the Census, extensive analyses are made. The very process of making the analyses indicates how successfully the registration function has been carried out and how well the tabulations portray meaningful aggregations.

Vital statistics analyses not only are made to show changes over a period of time but also for comparing communities with each other and with a standard. The comparison of the extent of vaccinations for German measles (Rubella) and the trend

in infant mortality rate over a period of years is an example. Removing each characteristic as age, sex, race and socioeconomic status, either singly or in combinations, from the observed vital rates for two communities by adjusting one to the other or both to a common standard is another. In both cases, the results measure progress and help establish program priorities.

POPULATION

As of April 1, 1970 there were 11,113,976 people in Illinois. They were divided into White—9,600,381, Black—1,425,674, Japanese—17,299, Chinese—14,474, Filipino—12,654, American Indian—11,413, and others—32,081. The increase since 1960 was 1,032,818, or 10.2 percent. Increases by race were white—590,129 or 6.5 percent, black—388,204 or 37.4 percent and others—54,485 or 163.0 percent.

Of the 53 counties that increased between 1960 and 1970, the 19 metropolitan counties and 16 others increased all three decades since 1940. Generally, the steadily increasing counties were in the northern third of the state. Of the remaining 49 counties, 32 have decreased all three decades. These are found

primarily in areas where mining has declined and where the farmland is generally marginal under current economic conditions. Reflecting the movement of young people into them, the steadily increasing counties tend to have higher birth rates and lower death rates than the others.

The city of Chicago continues to lose population, dropping from 3,620,962 in 1950 to 3,369,359 in 1970. The current figure is below the 3,376,438 reported in 1930. Especially important is the change in age and race composition during this period. These changes affect the birth and death rates and can lead to misinterpretations if they are not taken into account in trend analyses. The median age in years in Chicago at the Census in 1930 was 28.9, in 1940—32.8, in 1950—33.6, in 1960—32.9, and in 1970—29.6. The percentage non-white in 1930 was—6.9 black and 0.2 other, in 1940—8.2 black and 0.1 other, in 1950—13.6 black and 0.5 other, in 1960—22.9 black and 0.7 other, and in 1970—32.7 black and 1.7 other.

Table I reflects the sources of population change in the state, in the nine metropolitan areas and in the remainder of the state between 1960 and 1970.

Table I — NET POPULATION CHANGES DUE TO NATURAL INCREASE AND MIGRATION IN ILLINOIS FROM 1960 to 1970

Area	Counties	Population		Percent Change	Source of population change		
		1970	1960		Total	Excess births over deaths	Migration
ILLINOIS	102	11,113,976	10,081,158	10.2	1,032,818	1,060,569	-27,751
Inside Metropolitan Areas:							
Total	19	8,903,065	7,933,031	10.9	970,034	938,040	31,994
Chicago	6	6,978,947	6,220,913	12.2	758,034	737,855	20,179
Bloomington-Normal	1	104,389	83,877	24.5	20,512	8,082	12,430
Champaign-Urbana	1	163,281	132,436	23.3	30,845	17,823	13,017
Decatur	1	125,010	118,257	5.7	6,753	12,110	-5,357
East St. Louis*	2	536,110	487,198	10.0	48,912	57,567	-8,655
Peoria	3	341,979	313,412	9.1	28,567	36,354	-7,787
Rockford	2	272,063	230,091	18.2	41,972	34,178	7,794
Rock Island*	2	219,951	200,308	9.8	19,643	20,701	-1,058
Springfield	1	161,335	146,539	10.1	14,796	13,365	1,431
Outside Metropolitan Areas:							
Total	83	2,210,911	2,148,127	2.9	62,784	122,895	-60,111
Increasing counties	34	1,302,543	1,202,683	8.3	99,860	91,725	8,135
Decreasing counties	49	908,368	945,444	-3.9	-37,076	31,170	-68,246
Residence unknown**	—	—	—	—	—	-366	+366

*Illinois part of a two-state metropolitan area.

**During the decade there were 26 live births and 392 deaths for which the county of residence could not be determined. The difference of 366 is subtracted and added to provide the state totals shown.

Table II provides a 30-year summary of the components of population change in Chicago, in the remainder of the Chicago metropolitan area and in the remainder of the state. Here, the increasingly heavier out migration from Chicago city is apparent.

Table II -- THIRTY YEAR SUMMARY OF POPULATION CHANGE IN ILLINOIS, CHICAGO METROPOLITAN AREA, AND REMAINDER OF THE STATE: 1940 to 1970

Item	Illinois	Chicago metropolitan area*		Remainder of state
		Chicago	Remainder	
Population on April 1, 1940	7,897,241	3,396,808	1,172,835	3,327,598
Excess live births over deaths+	708,208	299,980	123,340	284,888
Net migration	106,727	-75,826	260,731	-78,178
Population on April 1, 1950	8,712,176	3,620,962	1,556,906	3,534,308
Excess live births over deaths+	1,224,039	448,712	332,171	443,156
Net migration	144,943	-519,270	781,432	-117,219
Population on April 1, 1960	10,081,158	3,550,404	2,670,509	3,860,245
Excess live births over deaths+	1,060,569	344,771	393,084	322,714
Net migration	-27,751	-528,218	548,397	-47,930
Population on April 1, 1970	11,113,976	3,366,957	3,611,990	4,135,029

*Cook, DuPage, Kane, Lake, McHenry, and Will counties.
+Includes live births and deaths for which county of residence is unknown.

Table III carries a summary of the Illinois population from 1870 to 1970 distributed into broad age groups. The effects of the steadily increasing birth rates from 1950 to 1959 and the steadily decreasing birth rates from 1960 to 1969 are very evident in the proportions of the population under 5 years of age in 1960 and 1970. The increasing proportion of the population ages 65 years and over is the result of both the steady outward migration of young persons over the century and the lengthening of life expectancy at birth from about 45 years in 1870 to about 71 years in 1970.

Of the 1,262 incorporated places in Illinois that reported population at the 1970 Census, 25 reported less than 100 persons and only Chicago (3,369,359), Rockford (147,370) and Peoria (126,963) reported more than 100,000. Panola (Woodford County), population 30, was the smallest.

Table III -- TOTAL POPULATION, PERCENT DISTRIBUTION BY AGE, AND MEDIAN AGE, ILLINOIS, AT EACH CENSUS: 1870 to 1970

(The median age is the age that divides the total population into two equal parts)

Year	Total population	Percent of total							Median (years)
		All ages	Under 5	5 to 19	20 to 44	45 to 64	65 and over	Unknown age	
1870	11,113,976	100.0	8.4	29.2	31.5	21.1	9.8	—	28.6
1880	10,081,158	100.0	11.2	25.4	32.2	21.5	9.7	—	31.2
1890	8,712,176	100.0	9.7	20.6	38.3	22.7	8.7	—	32.7
1900	7,897,241	100.0	6.9	23.2	40.6	22.1	7.2	—	31.5
1910	7,630,654	100.0	8.1	26.8	41.2	18.3	5.5	0.1	28.7
1920	6,485,280	100.0	10.1	27.5	40.7	17.0	4.6	0.1	27.0
1930	5,638,591	100.0	10.6	28.6	41.2	15.0	4.3	0.3	25.2
1940	4,821,550	100.0	11.4	31.1	40.0	13.3	4.0	0.2	23.9
1950	3,827,352	100.0	12.3	32.5	38.5	12.9	3.6	0.2	22.5
1960	3,077,871	100.0	13.5	35.2	36.2	12.3	2.8	—	20.6
1970	2,539,891	100.0	15.4	36.3	35.6	10.6	2.1	—	19.2

SPECIFIC BIRTH AND DEATH RATES

Specific rates and ratios are used to measure more precisely the contributions of various segments of the population to the total live birth rate and the total death rate. A true birth rate or death rate is the ratio of the number of births or deaths occurring during a calendar year to the actual population exposed to the risk of having children or dying. Because of the difficulties in determining the population at risk, the specific rate based on the best available population must be substituted.

Table IV gives the age-specific live birth rates per 1,000 females for white and other races at six different times. The rates for 1940 and 1950 have been adjusted for under-counts of live births. These adjustments were made as the result of special nationwide birth registration tests conducted at the time of the Censuses. Since 1950, birth registration has been assumed to be virtually complete. The trend in specific rates over the decades for a given age group shows the changing fertility patterns. The rate shown for the range 15 to 44 years in the table is usually taken as the fertility rate in the general population.

Table IV -- SPECIFIC LIVE BIRTH RATES BY RACE AND AGE OF MOTHER, ILLINOIS 1970, 1960, 1950, 1940, 1930 and 1922.

(Corrected for underregistration of live births in 1940 and 1950. Rates are per 1,000 female population in each class as enumerated at nearest census)

Race and Age	1970	1960	1950 ^a	1940 ^a	1930	1922 ^b
ALL RACES:						
Ages 15 to 44 years	88.6	118.6	96.7	65.3	67.2	84.2
10 to 14 years	1.3	0.7	0.6	{ 20.0 ^c }	0.2	0.2
15 to 19 years	68.1	82.6	66.8	{ 112.3 }	37.5	41.9
20 to 24 years	164.5	260.7	184.1	112.3	111.2	125.1
25 to 29 years	148.9	204.0	159.7	109.2	105.2	127.2
30 to 34 years	78.5	117.1	97.6	71.1	75.6	97.3
35 to 39 years	34.6	57.7	46.4	35.5	45.6	63.8
40 to 44 years	8.6	14.9	11.6	10.5	16.6	24.2
45 to 49 years	0.5	0.8	0.7	1.0	1.6	2.6
WHITE						
Ages 15 to 44 years	83.3	113.0	94.9	65.2	67.7	85.7
10 to 14 years	0.3	0.2	0.3	{ 17.8 ^c }	0.1	0.1
15 to 19 years	50.7	69.6	57.4	{ 110.7 }	35.0	40.0
20 to 24 years	157.1	253.7	179.6	110.7	111.3	125.5
25 to 29 years	151.5	202.2	161.7	111.2	108.2	129.2
30 to 34 years	77.4	114.7	98.9	72.7	77.6	99.1
35 to 39 years	33.0	56.5	46.9	36.3	46.8	65.1
40 to 44 years	8.0	14.6	11.7	10.7	17.0	24.7
45 to 49 years	0.4	0.7	0.7	1.0	1.6	2.6
NON-WHITE						
Ages 15 to 44 years	118.3	160.4	115.2	67.6	59.2	68.7
10 to 14 years	5.9	4.4	4.5	{ 61.0 ^c }	2.0	2.4
15 to 19 years	162.7	195.7	172.4	{ 144.4 }	104.0	112.4
20 to 24 years	206.4	307.0	225.6	144.4	108.2	116.3
25 to 29 years	135.5	214.9	141.7	76.1	62.1	77.7
30 to 34 years	84.2	133.4	84.4	47.3	44.5	51.0
35 to 39 years	42.8	67.5	41.5	25.4	25.7	30.5
40 to 44 years	12.3	18.3	10.3	8.0	9.1	9.9
45 to 49 years	0.7	0.9	1.2	1.7	0.9	0.8

^aPercent completeness of registration in 1940: all races - 96.9, white - 97.3, non-white - 90.6, in 1950: all races - 99.0, white - 99.2, non-white - 96.6.

^bRates for 1922 are based on the Census taken on January 1, 1920.

^cAges 10 to 19 combined.

Sources: 1970 - Illinois Department of Public Health tabulations.
1960, 1950, 1940 - Vital Statistics Rates in the United States, 1940-1960, Table 22, Public Health Service Publication Number 1677(1968).
1930 - Vital Statistics Rates in the United States, 1900-1940, Table 47, U.S. Bureau of the Census, 1943.
1922 - Computed from tabulations in Birth, Stillbirth and Infant Mortality Statistics, U.S. Bureau of the Census, 1922.

The age-specific death rates for Illinois for the period 1920 to 1970 are shown in Table V. The final column gives the percentage declines in the rates since 1920. These specific rates increased from 1960 to 1970 in the age range 15 to 44 years. Two important contributing factors in this reversal were accidents and homicides. On the other hand, there was a substantial decrease in the rate from 1960 to 1970 for the age group 85 years and over, reflecting the major decline in the death rate from diseases of the circulatory system, excluding arteriosclerotic heart disease.

Age-specific death rates by race for selected causes of death for Illinois, Chicago and Downstate for 1970 are shown in Table 9B, pages 41 to 43

Table VI presents the death rates by race from 1920 to 1970 for a group of diseases selected to emphasize the changes during this period. Since most of the contagious diseases cause deaths at the early ages, their almost complete extinction has led to the present high rates for the chronic diseases. They have also brought accidents and suicides into greater prominence, even though the rates for these in 1970 were much lower than they were in 1920. The series of charts on page 37 show the trends in rates for ten diseases over the decades.

Table V -- AGE SPECIFIC DEATH RATES WITH PERCENT DECLINE, ILLINOIS: 1970, 1960, 1950, 1940, 1930 and 1920

Age Group	Deaths per 100,000 population at census						Percent Decline*
	1970	1960	1950	1940	1930	1920	
All ages	994	1,022	1,059	1,128	1,095	1,269	22
Under 1 year	2,344	2,574	2,925	4,232	6,031	9,460	75
1 to 4 years	83	105	122	223	497	982	92
5 to 14 years	40	44	56	107	187	280	86
15 to 24 years	127	99	117	185	291	459	72
25 to 34 years	162	143	167	287	409	650	75
35 to 44 years	330	307	361	522	665	789	58
45 to 54 years	757	777	909	1,106	1,205	1,233	39
55 to 64 years	1,724	1,800	2,038	2,325	2,460	2,415	29
65 to 74 years	3,772	4,047	4,356	5,101	5,183	5,333	29
75 to 84 years	8,452	9,024	9,843	11,752	11,260	11,770	28
85 years and over	16,986	20,766	20,546	20,689	22,502	24,788	31

*Percent decline in rate from 1920 to 1970.

Table VI -- DEATH RATES BY RACE FOR SELECTED CAUSES OF DEATH, ILLINOIS: 1970, 1960, 1950, 1940, 1930, AND 1920.
(Deaths per 100,000 population by race as enumerated at census; by residence, 1970, 1960 and 1950, by occurrence, 1940, 1930, and 1920)

Selected causes of death	Total						White						Nonwhite					
	1970	1960	1950	1940	1930	1920	1970	1960	1950	1940	1930	1920	1970	1960	1950	1940	1930	1920
ALL CAUSES	994.0	1,022.1	1,061.6	1,117.2	1,094.6	1,235.2	1,005.7	1,025.8	1,052.8	1,093.4	1,063.8	1,211.1	920.1	990.7	1,168.6	1,572.4	1,762.8	2,022.5
Cardiovascular-renal diseases	572.5	596.3	599.3	550.2	426.5	357.5	594.3	611.0	602.2	544.3	n.a.	n.a.	435.6	472.2	564.2	663.1	n.a.	n.a.
Heart diseases	429.1	444.2	438.1	350.7	223.8	158.9	446.7	456.0	440.8	346.4	219.8	n.a.	317.4	344.8	405.2	432.3	309.3	n.a.
Vascular lesions of central nervous system	98.7	106.6	106.1	85.1	76.9	75.6	101.2	108.4	107.0	84.7	76.6	n.a.	83.2	91.6	95.6	92.9	84.4	n.a.
Chronic nephritis and renal sclerosis	3.7	7.0	20.6	92.4	102.6	84.7	3.4	6.8	19.8	91.1	100.1	n.a.	5.9	8.9	30.8	115.5	156.4	n.a.
Residual	40.9	38.5	34.5	22.0	23.2	38.3	43.0	39.8	34.6	22.1	n.a.	n.a.	29.1	27.0	32.6	22.4	n.a.	n.a.
Cancer, all sites	172.3	168.7	166.6	144.1	112.3	89.9	178.5	173.0	168.7	145.0	113.4	90.1	132.9	132.4	141.1	127.2	89.8	82.5
Respiratory system	35.3	25.8	17.0	9.5	3.8	n.a.*	36.2	26.5	17.5	9.6	n.a.	n.a.	29.2	20.0	11.1	9.2	n.a.	n.a.
Digestive Organs	53.6	61.6	68.7	68.2	58.1	49.0	55.3	62.9	69.9	69.0	58.9	49.4	43.1	51.1	54.3	53.7	40.9	35.4
Other sites	83.4	81.3	80.9	66.4	50.4	n.a.	87.0	83.6	81.3	66.4	n.a.	n.a.	60.6	61.3	75.7	64.3	n.a.	n.a.
All accidents	46.6	43.8	57.6	73.2	78.6	69.5	45.4	43.2	56.7	73.0	77.9	n.a.	53.8	48.3	78.3	77.6	92.8	n.a.
Motor Vehicle	22.0	18.2	23.4	29.4	28.9	10.9	23.0	18.7	23.4	29.4	29.0	n.a.	15.8	13.6	23.9	30.0	25.8	n.a.
Other accidents	24.6	25.6	34.2	43.8	49.7	58.6	22.4	24.5	33.3	43.6	48.9	n.a.	38.1	34.6	44.4	47.6	67.0	n.a.
Influenza and pneumonia	31.1	41.5	29.1	53.4	79.9	209.0	29.5	35.9	27.3	50.3	76.0	202.3	41.2	88.8	51.9	113.7	164.7	426.6
Diabetes mellitus	18.0	14.9	19.5	34.1	22.2	17.5	18.3	14.8	20.1	34.1	22.2	17.6	16.1	15.9	12.0	34.3	21.0	17.2
Cirrhosis of liver	16.8	12.9	11.5	11.4	10.1	8.5	16.3	13.2	11.9	11.5	10.1	8.5	20.2	10.0	7.5	9.4	8.9	8.6
Congenital malformations	8.4	10.4	12.2	9.4	12.3	16.0	8.1	10.3	12.2	9.4	12.5	n.a.	10.4	11.7	12.8	8.4	8.6	n.a.
Suicide	9.2	9.7	11.7	14.6	18.1	11.4	9.9	10.4	12.2	15.0	18.6	11.5	5.0	3.9	5.6	6.9	9.5	8.6
Ulcers of stomach and duodenum	4.9	7.7	5.8	7.5	7.2	4.0	5.1	7.8	6.9	7.6	7.1	n.a.	3.7	6.9	5.0	6.6	10.7	n.a.
Tuberculosis, all forms	2.6	6.2	24.5	46.2	63.2	98.6	2.1	5.1	18.6	37.0	52.9	90.6	5.4	16.1	95.3	220.3	285.6	358.3
Typhoid and paratyphoid fever	6.0	0.0	0.0	0.5	2.0	5.7	0.0	0.0	0.0	0.5	1.9	5.6	0.0	0.0	0.0	1.0	3.6	10.6
Whooping cough	6.0	0.0	0.2	0.8	2.4	8.3	0.0	0.0	0.2	0.8	2.2	7.8	0.0	0.2	0.6	1.3	7.1	23.3
Epidemic typhus	0.0	0.0	0.0	1.1	7.1	16.9	0.0	0.0	0.0	1.0	6.9	17.1	0.0	0.0	0.2	2.3	11.3	11.1
Hepatitis	0.2	0.8	4.9	13.4	16.0	18.6	0.2	0.6	4.1	10.7	13.2	n.a.	0.5	2.6	14.6	64.1	75.6	n.a.
Homicide	15.4	5.0	4.8	4.6	10.5	7.2	4.0	2.6	2.3	2.6	7.9	6.0	51.2	25.6	34.7	42.5	66.7	45.0
Sexually transmitted diseases and all defined causes	0.1	0.1	2.6	2.9	5.2	8.6	0.1	0.1	2.6	2.9	5.2	n.a.	0.1	0.1	2.0	3.3	5.0	n.a.
	1.8	2.2	2.4	2.6	6.6	3.4	1.7	2.0	2.5	2.5	5.7	3.2	1.9	3.2	2.3	4.3	26.7	11.6

Source: Adapted from Vital Statistics, rates in the United States, 1900 - 1940. Mortality Statistics (United States), 1920, 1930, and 1940.

Vital Statistics, United States, 1950.

Statistics on Illinois Department of Public Health, 1960, 1970.

*Cancer of respiratory system death rate in United States in 1920 was 1.7.

n.a. - Not available.

ADJUSTED BIRTH AND DEATH RATES

Vital rates are one device used to evaluate public health programs. Because the observed rates include both population composition and specific rates, they must be standardized or adjusted to isolate the effects of one or the other or both. Since the age composition of a population usually has the greatest influence on a vital rate, an adjustment for this is often the only one made. In theory, any population distribution can be used. Tables VII and VIII use the 1940 United States Census.

The observed birth rate dropped 22 percent from 31.5 for 1,000 population in 1960 to 18.5 in 1970. After the adjustment for population changes, the rate referred to the selected standard population dropped from 31.5 to 21.3, or 32 percent.

In Table VIII, the impact of the changing age distribution on the observed death rates for the five decades is readily apparent; the improvement being much greater than the observed rates would indicate. Table V shows a 22 percent decline in the observed death rate in Illinois since 1920. The adjusted

Table VII -- OBSERVED AND ADJUSTED LIVE BIRTH RATES BY RACE, ILLINOIS: 1970, 1960, 1950, 1940, 1930 and 1922

(Adjusted for underregistration of live births in 1940 and 1950. Resident rates, 1970, 1960, 1950, 1940; occurrence rates, 1930 and 1922)

YEAR	ALL RACES		WHITE		NON-WHITE	
	Observed*	Adjusted**	Observed*	Adjusted**	Observed*	Adjusted**
1970	18.5	21.3	16.9	20.2	28.1	31.0
1960	23.7	31.5	22.3	30.0	35.7	44.6
1950	22.0	24.4	21.3	23.4	30.9	32.6
1940	16.2	16.2	16.1	15.7	19.3	20.3
1930	16.8	16.5	16.7	16.5	17.9	17.0
1922	20.7	19.9	20.7	20.0	20.2	19.1

*Live births per 1,000 population at nearest census.

**Live births per 1,000 population after age and sex adjustment (direct method) using United States Census population by race in 1940 as standard. United States live birth rates, in 1940, corrected for underregistration, were -- all races - 19.4, white - 18.6 and non-white - 26.7.

rate shows a decline from 14.2 per 1,000 population in the standard to 7.5, or 47 percent, indicating that the fast-aging population is masking many of the improvements that have been lengthening the lives of Illinois citizens.

Table VIII -- OBSERVED AND AGE-ADJUSTED DEATH RATES, UNITED STATES AND ILLINOIS: 1970, 1960, 1950, 1940, 1930 and 1920

(Resident rates, 1970, 1960, 1950, and 1940; occurrence rates, 1930 and 1920)

Year	UNITED STATES						ILLINOIS					
	All races		White		Non-white		All Races		White		Non-white	
	Observed Rate*	Adjusted Rate**	Observed Rate*	Adjusted Rate**	Observed Rate*	Adjusted Rate**	Observed Rate*	Adjusted Rate**	Observed Rate*	Adjusted Rate**	Observed Rate*	Adjusted Rate**
1970	9.4	7.3	9.4	6.7	9.5	10.4	9.9	7.5	10.1	7.0	9.2	10.6
1960	9.5	7.6	9.5	7.3	10.1	10.4	10.2	7.8	10.3	7.5	9.9	10.8
1950	9.6	8.4	9.5	8.0	11.2	12.3	10.6	8.7	10.5	8.4	11.6	12.8
1940	10.8	10.8	10.4	10.2	13.8	16.3	11.3	10.8	11.0	10.4	15.8	17.4
1930	11.3	12.5	10.8	11.7	16.3	20.1	11.0	12.2	10.6	11.7	17.8	22.4
1920	13.0	14.2	12.6	13.7	17.7	20.6	12.7	14.2	12.4	13.9	21.5	25.5

*Deaths per 1,000 population at Census.


**Deaths per 1,000 population after age adjustment (direct method) using United States Census population, all races, in 1940 as standard. 1970 United States rates, both observed and adjusted, are provisional.

POPULATION BY COUNTIES: 1970

POPULATION BY COUNTIES
AS OF APRIL 1, 1970

TOTAL: 11,113,976

CHICAGO: 3,366,957



SOURCE:
ILLINOIS DEPARTMENT OF PUBLIC HEALTH

PART II

DESCRIPTION OF 1970 ILLINOIS VITAL EVENTS

LIVE BIRTHS

In 1970 there were 205,203 resident live births in Illinois. Of these, 4,882 were born elsewhere in the United States or in Canada. In contrast, of the 202,522 live births occurring in the state, 2,201 were to mothers residing outside of the state.

In Table A are listed several characteristics associated with the resident live births in Illinois in 1970. Of the live births, 42,554 were among the non-white races. The proportion of non-white births in the state has increased from 10.5 percent in 1950 to 16.0 percent in 1960 and 20.7 percent in 1970. From 1950 to 1970, the proportion of live births occurring outside of hospitals has declined from 17 percent to 0.9 percent. Most of the non-hospital

babies were delivered by the physicians connected with the Chicago Maternity Center. Of the 34,742 mothers under 20 years of age, 20 were under age 13.

At the 1970 Census, there were 717,379 girls 13 through 19 years of age. By race, 603,403 were white, 109,223 negro and 4,753 other races. The white birth rate in this age group was 35.8 per 1,000, negro - 119.9, and other races - 14.1. For all races, the rate was 48.4. Two out of 10, or 20.3 percent, of the white children; 7 out of 10, or 71.3 percent, of the negro children; and 1 out of 6, or 16.4 percent, of the children of other races were illegitimate. Table 17, page 65, presents a summary of the white and non-white illegitimate birth rates per 1,000 population by five-year age groups.

TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER
ILLINOIS, CHICAGO, AND DOWNSTATE: 1970

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
TOTAL BIRTHS. . .	205,203	162,649	40,689	1,865	69,568	37,220	31,188	1,160	135,635	125,429	9,501	705
SEX												
MALE.	105,527	83,917	20,682	928	35,499	19,109	15,816	574	70,028	64,808	4,866	354
FEMALE.	99,676	78,732	20,007	937	34,069	18,111	15,372	586	65,607	60,621	4,635	351
LEGITIMACY												
LEGITIMATE. . .	177,548	153,186	22,531	1,831	51,878	33,958	16,787	1,133	125,670	119,228	5,744	698
ILLEGITIMATE. .	27,655	9,463	18,158	34	17,690	3,262	14,401	27	9,965	6,201	3,757	7
PLACE OF BIRTH AND ATTENDANT												
HOSPITAL. . . .	203,405	161,661	39,889	1,855	68,121	36,526	30,443	1,152	135,284	125,135	9,446	703
NON-HOSPITAL. .	1,798	988	800	10	1,447	694	745	8	351	294	55	2
PHYSICIAN. . . .	1,716	921	785	10	1,423	680	735	8	293	241	50	2
MIDWIFE.	1	1	--	--	--	--	--	--	1	1	--	--
OTHER.	81	66	15	--	24	14	10	--	57	52	5	--
AGE OF MOTHER												
TOTAL	205,203	162,649	40,689	1,865	69,568	37,220	31,188	1,160	135,635	125,429	9,501	705
10 - 14 YEARS. .	704	143	561	--	462	36	426	--	242	107	135	--
15 - 19 YEARS. .	34,038	21,434	12,537	67	14,518	4,897	9,587	34	19,520	16,537	2,950	33
20 - 24 YEARS. .	74,194	60,212	13,545	437	24,407	13,800	10,335	272	49,787	46,412	3,210	165
25 - 29 YEARS. .	56,981	48,821	7,354	806	17,031	10,797	5,710	524	39,950	38,024	1,644	282
30 - 34 YEARS. .	25,482	20,948	4,116	418	8,324	4,882	3,192	250	17,158	16,066	924	168
35 - 39 YEARS. .	10,706	8,595	1,993	118	3,732	2,159	1,504	69	6,974	6,436	489	49
40 - 44 YEARS. .	2,899	2,329	551	19	1,030	611	408	11	1,869	1,718	143	8
45 AND OVER. . .	161	132	29	--	46	23	23	--	115	109	6	--
UNSTATED. . . .	38	35	3	--	18	15	3	--	20	20	--	--
LEGITIMATE												
10 - 14 YEARS. .	35	31	4	--	11	10	1	--	24	21	3	--
15 - 19 YEARS. .	20,984	17,171	3,757	56	6,359	3,640	2,692	27	14,625	13,531	1,065	29
20 - 24 YEARS. .	65,825	56,912	8,488	425	19,199	12,631	6,306	262	46,626	44,281	2,182	163
25 - 29 YEARS. .	53,952	47,782	5,373	797	14,919	10,316	4,087	516	39,033	37,466	1,286	281
30 - 34 YEARS. .	23,969	20,519	3,034	416	7,239	4,681	2,310	248	16,730	15,838	724	168
35 - 39 YEARS. .	9,921	8,354	1,449	118	3,208	2,061	1,078	69	6,713	6,293	371	49
40 - 44 YEARS. .	2,687	2,260	408	19	892	582	299	11	1,795	1,678	109	8
45 AND OVER. . .	147	130	17	--	36	23	13	--	111	107	4	--
UNSTATED. . . .	28	27	1	--	15	14	1	--	13	13	--	--

Table 2A, page 16 , and Table 3A, page 20 , show the number of resident live births in each of the 102 counties and the 152 cities which have a population of 10,000 or more. The corresponding rates are in Table 2B, page 18 , and Table 3B, page 22 .

Table 8A, page 32 , and Table 8B, page 34 , give the number of live births by birthweight for the counties and cities. Tables 4, page 24 , and 5, page 26 , show these by the number and percent weighing less than 2,501 grams (premature). Table 8C, page 36 , distributes the live births by birthweight, sex and race in Illinois, Chicago and Downstate. Of the 205,203 live-born children, 16,874, or 8.22 percent, were classified as "premature" according to the definition of the First World Health Assembly. Of the white children, 10,804, or 6.6 percent, and of the children of other races, 6,070, or 14.3 percent, were so classified. Of the 201,016 single births, 14,476 or 7.2 percent, were premature and of the 4,187 multiple births, 2,398 or 57.3 percent, were premature. The corresponding figures for the white race were 9,074, or 5.7 percent, premature among 159,453 single births and 1,730, or 54.1 percent, among the multiple births and for the other races, 5,402 or 13.0 percent among the 41,563 single births and 668 or 67.4 percent, among the 991 multiple births.

PRENATAL CARE

Of the 205,203 live-born children, 27,574, or 13.4 percent, had mothers who had no prenatal care or received their first care during the third trimester of pregnancy according to Table 18, page 65. The distribution by race was 15,951 or 9.8 percent of the white children and 11,623 or 27.3 percent of the non-white children. In contrast, 50,919 or 24.8 percent of all children, 46,651, or 28.7 percent, of the white children and 4,268, or 10.0 percent of children of other races were born to mothers who had 12 or more visits beginning with the first trimester of pregnancy.

Frequently, adequate prenatal care begun early in pregnancy can bring dangerous complications under control. The teenage mother involved in her first pregnancy needs to begin her prenatal visits as soon as she is aware of her status. In 1970, there were 26,242 first births among the 34,742 children whose mothers were under 20 years of age at the time of delivery. Of the 26,242, there were 6,133 whose mothers had no prenatal care or only during the third trimester and 9,929 whose mothers

had 7 or more visits beginning with the first trimester or unknown trimester.

Of the 13,723 illegitimate live-born children whose mothers were teenagers, 10,756 were first born. Of these latter, 3,941 or 28.7 percent were born to mothers who had no previous prenatal care or only during the third trimester of pregnancy. In contrast, for 2,203 illegitimate children, the mothers had 7 or more visits beginning with the first or unknown trimester. Table 19, page 66, presents a summary covering total and first births by legitimacy status for age groups "under 20 years", "20 to 34 years" and "35 years and over" for white and other races.

FETAL, PERINATAL AND INFANT MORTALITY

A child who dies before or during delivery is classified as a fetal death. Not only is complete reporting of fetal deaths necessary, but for each one very detailed information, including an autopsy, is also needed to establish or to rule out links between a fetal loss and heredity or environment.

In Table B are shown the causes of the 2,811 resident fetal deaths classified according to the Eighth Revision of the "International List". Table C presents fetal deaths by sex and race for Illinois, Chicago and Downstate. Table 2A, page 16 , and Table 3A, page 20 , give the number of white and non-white fetal deaths by county and city of residence. Tables 2B, page 18 , and 3B, page 22 , give the corresponding ratios per 1,000 resident live births. Table 6, page 28 , and Table 7, page 30 , give the number by birth weight by county and city.

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1970

CAUSE	NUMBER	PERCENT
ALL CAUSES	2,811	100.0
CONGENITAL ANOMALIES		
NERVOUS SYSTEM	114	4.1
HEART & CIRCULATORY	14	0.5
OTHER	51	1.8
MATERNAL NOT RELATED TO PREGNANCY		
CIRCULATORY & G.U. DISEASES	31	1.1
OTHER	140	5.0
TOXEMIAS OF PREGNANCY	142	5.1
MATERNAL INFECTION	30	1.1
BIRTH INJURY		
DIFFICULT LABOR	147	5.2
OTHER	364	12.9
COMPLICATIONS OF PREGNANCY	243	8.6
PLACENTAL CONDITIONS	698	24.8
CORD CONDITIONS	369	13.1
HEMOLYTIC DISEASES	78	2.8
IMMATURITY UNQUALIFIED	109	3.9
OTHER FETAL CONDITIONS	26	0.9
CAUSE UNKNOWN	247	8.8
ALL OTHER CAUSES	8	0.3

Since many of the causes of fetal death and deaths of live-born infants soon after delivery are the same, these losses are combined into one figure. The time period for measuring these perinatal losses depends on the availability of the data. In this report, the perinatal period covers from the twentieth week of pregnancy through the sixth day of life. Perinatal deaths, with ratios by sex and race are shown in Table C for Illinois, Chicago and Downstate. The number of deaths under the age of seven days for each county and city is given in Table 4, page 24, and Table 5, page 26. From these figures and the number of live births and fetal deaths in Tables 2A and 3A, the perinatal death ratio can be constructed by the formula shown in the footnote to Table C. The perinatal mortality ratio in Illinois has declined from 62.9 per 1,000 (live births plus fetal deaths) in 1925 to 28.5 in 1970.

In 1970, there were 4,415 deaths of children under the age of one year. The infant death rate of 21.5 per 1,000 live births is the lowest on record. During the first twenty-four hours following de-

livery, 2,143 died, during the next six days, 973. The race and sex distribution of these 3,116 deaths is shown in Table C. During the remainder of the neonatal period (under age of 28 days) there were 272 additional deaths, of which 179 were white and 93 other races. During the remainder of the first year, the post neonatal period, 632 white children and 395 children of other races died. The principal causes of death in Table D reflect the effect of the external environment as the child ages.

Since 1950, the infant death rate has fallen from 25.6 per 1,000 live births to 21.5 in 1970 for all races; from 24.4 to 18.4 for the white race and from 35.7 to 33.6 for the other races. Asphyxia and atelectasis accounted for 21.9 percent of the infant deaths in 1950 and 26.0 percent in 1970. Immaturity without mention of any other cause accounted for 16.4 percent in 1950 and 6.7 percent in 1970. Assignment of a death to either of these titles frequently results from not consolidating all of the reports on the mother and child before the death record is released to the funeral director.

TABLE C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1970
(THIS TABLE INCLUDES 75 FETAL DEATHS OF LESS THAN 20 WEEKS' GESTATION)

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
BOTH SEXES												
FETAL DEATHS	2811	1915	883	13	1222	511	701	10	1589	1404	182	3
DEATHS UNDER 1 WEEK OF AGE	3116	2174	925	17	1251	523	717	11	1865	1651	208	6
TOTAL	5927	4089	1808	30	2473	1034	1418	21	3454	3055	390	9
LIVE BIRTHS AND FETAL DEATHS	208014	164564	41572	1878	70790	37731	31889	1170	137224	126833	9683	708
RATIO*	28.5	24.8	43.5	16.0	34.9	27.4	44.5	17.9	25.2	24.1	40.3	12.7
MALE												
FETAL DEATHS	1445	977	459	9	617	252	358	7	828	725	101	2
DEATHS UNDER 1 WEEK OF AGE	1818	1270	536	12	730	307	415	8	1088	963	121	4
TOTAL	3263	2247	995	21	1347	559	773	15	1916	1688	222	6
LIVE BIRTHS AND FETAL DEATHS	106972	84894	21141	937	36116	19361	16174	581	70856	65533	4967	356
RATIO*	30.5	26.5	47.1	22.4	37.3	28.9	47.8	25.8	27.0	25.8	44.7	16.9
FEMALE												
FETAL DEATHS	1366	938	424	4	605	259	343	3	761	679	81	1
DEATHS UNDER 1 WEEK OF AGE	1298	904	389	5	521	216	302	3	777	688	87	2
TOTAL	2664	1842	813	9	1126	475	645	6	1538	1367	168	3
LIVE BIRTHS AND FETAL DEATHS	101042	79670	20431	941	34674	18370	15715	589	66368	61300	4716	352
RATIO*	26.4	23.1	39.8	9.6	32.5	25.9	41.0	10.2	23.2	22.3	35.6	8.5

*PERINATAL MORTALITY RATIO IS 1,000 TIMES (FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER PLUS DEATHS UNDER 1 WEEK OF AGE) DIVIDED BY (LIVE BIRTHS PLUS FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER). SEE TABLE A FOR LIVE BIRTHS.

MATERNAL MORTALITY

The 57 maternal deaths among residents of Illinois in 1970 matches the previous low number in 1966. The rate per 10,000 live births was 2.8 in 1970, 3.3 in 1969 and 2.8 in 1966. In 1970, deaths by race were 29 white, 27 negro and 1 among other races. In 1969, the corresponding figures were 41, 23 and 1. In Chicago the 30 maternal deaths in 1970 were divided into 5 white, 24 negro and 1 among other races. In 1969 in Chicago, there were 17

white and 19 negro maternal deaths. Statewide, 6 of the white maternal deaths and 10 of the negro maternal deaths were among mothers 30 years of age or older. The death rate for the white older mothers was 1.9 per 10,000 live births and for the negro older mothers, 14.9.

The principal causes of maternal death were hemorrhage (15), toxemias (17), and infections (11). In 1969, the corresponding numbers were 21, 10 and 16.

Table D. -- TEN LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1970
(See Footnote)

CAUSE	INFANT	NEONATAL			POST NEONATAL
	Under 1 Year	Total	Under 7 Days	7 to 27 Days	28 Days & Over
ALL CAUSES	4,415	3,388	3,116	272	1,027
1. Asphyxia, unspecified 776.9	1,150	1,145	1,115	30	5
2. Congenital anomalies 740-759	605	415	323	92	190
a. Heart (746)	(255)	(156)	(114)	(42)	(99)
b. Nervous system (740-743)	(132)	(101)	(86)	(15)	(31)
3. Influenza and pneumonia 470-474, 480-486	350	126	85	41	224
4. Immaturity, unqualified 777	296	295	291	4	1
5. Bronchitis, all forms 466, 490, 491	274	35	3	32	239
6. Member of multiple pregnancy 769.4	237	237	232	5	--
7. Hyaline membrane disease 776.1	219	219	215	4	--
8. Respiratory distress syndrome 776.2	193	190	186	4	3
9. Birth injury 764.0-764.3, 765.0-765.3					
. 766.0-766.3, 767.0-767.3					
. 768.0-768.3, 772	111	111	109	2	--
10. Accidents	101	6	2	4	95
a. Suffocation in bed E913.0	(23)	--	--	--	(23)
b. Motor vehicle E810-E823	(22)	(1)	--	(1)	(21)
c. Suffocation from food E911	(15)	(2)	--	(2)	(13)
d. Fire and flames E890-E899	(9)	--	--	--	(9)

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

CERTIFICATION AND CLASSIFICATION OF CAUSE OF DEATH

Health practices current at a given time are mirrored in the terms used in listing the causes of death. The varied terminology of the physicians is collected together into a statistical classification that is revised and updated each decade. The basic purpose of this classification is the prevention of disease or injury. To accomplish this, the physician or coroner lists on the death certificate the disease immediately causing death first. He follows this with the antecedent cause. He now ends the certifi-

cation with the underlying cause. The underlying cause started the chain of events that led to the death. If he has supplementary information not related to the underlying cause of death, he places this in a separate part of the certificate. Any nosologist around the world will assign the same number to the underlying cause for such a properly prepared certificate.

In this report, only the underlying cause of death as determined from the United States adaptation of the Eighth International Classification of Diseases (1965) is tabulated.

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1970
(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1970)

WHITE				NONWHITE			
CAUSE	NUMBER	RATE	PERCENT	CAUSE	NUMBER	RATE	PERCENT
ALL CAUSES	96,548	1,005.7	100.0	ALL CAUSES	13,926	920.1	100.0
1. HEART DISEASE	42,886	446.7	44.4	1. HEART DISEASE	4,804	317.4	34.5
2. MALIGNANT NEOPLASMS	17,134	178.5	17.7	2. MALIGNANT NEOPLASMS	2,011	132.9	14.4
3. CEREBROVASCULAR DISEASE	9,714	101.2	10.1	3. CEREBROVASCULAR DISEASE	1,260	83.2	9.0
4. ACCIDENTS	4,362	45.4	4.5	4. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	1,017	67.2	7.3
5. PNEUMONIA AND INFLUENZA	2,834	29.5	2.9	5. ACCIDENTS	815	53.8	5.9
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,610	27.2	2.7	6. HOMICIDE	775	51.2	5.6
7. OTHER CIRCULATORY DISEASES	1,816	18.9	1.9	7. PNEUMONIA AND INFLUENZA	623	41.2	4.5
8. DIABETES MELLITUS	1,757	18.3	1.8	8. CIRRHOSIS OF LIVER	305	20.2	2.2
9. GENERAL ARTERIOSCLEROSIS	1,721	17.9	1.8	9. DIABETES MELLITUS	243	16.1	1.7
10. CIRRHOSIS OF LIVER	1,567	16.3	1.6	10. OTHER CIRCULATORY DISEASES	227	15.0	1.6

DEATHS

In 1970, of the 108,248 persons dying in Illinois, 2,214 were non-residents. On the other hand, 4,440 of the 110,474 Illinois resident deaths occurred outside of the state.

The five leading causes of death in 1970 were heart disease (47,690), cancer (19,145) cerebrovascular disease (10,974), accidents (5,177) and congenital anomalies and diseases of early infancy (3,627). Table 9A shows these and the next seven leading causes tabulated for selected age groups by white and non-white categories for Illinois, Chicago and Downstate. Table 9B gives the corresponding rates. Table 10A and 11A present the

number of deaths from a selected group of causes for each county and large city. The rates are shown in Tables 10B and 11B.

Table D presents the leading causes of death among infants and Table E gives the ten leading causes of death for the white and non-white races separately. The lower non-white death rate for all causes and the differences in ranking reflect the younger age distribution of the non-white group. Tables F, G, H and J provide the number of deaths for selected age groups and subdivisions for each of the four leading causes of death. Deaths from the principal diseases of respiratory system are shown in Table I for each fifth year from 1950 to 1970. In Table 12, page 60, are listed the ten leading causes of death for six age groups.

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1970

AGE	TOTAL	HEART DISEASES									
		CHRONIC RHEU- MATIC	ARTERIO- SCLER- OTIC INCLUD- ING CORONARY	OTHER IS- CHEMIC HEART	ACUTE AND SUBACUTE BACTER- IAL ENDOCAR- DITIS	ACUTE MYOCAR- DITIS NOT SPECI- FIED AS RHEU- MATIC	ACUTE PERICAR- DITIS SPECI- FIED AS NONRHEU- MATIC	FUNC- TIONAL DISEASE	CONGES- TIVE HEART FAILURE	HYPER- TENSIVE	OTHER AND UNSPEC- IFIED
ALL AGES	47,690	715	42,857	27	47	44	5	244	210	1,243	2,298
UNDER 1 YEAR. .	57	1	--	--	2	3	--	--	--	--	51
1 - 4 YEARS . .	11	--	1	--	--	--	1	--	--	--	9
5 - 14 YEARS . .	13	1	--	--	1	--	--	1	1	1	8
15 - 24 YEARS . .	67	13	12	--	3	3	--	5	2	1	28
25 - 44 YEARS . .	1,396	84	943	3	6	13	1	16	9	95	226
45 - 54 YEARS . .	3,614	129	2,959	2	11	7	1	21	18	140	326
55 - 64 YEARS . .	7,866	213	6,854	8	10	5	--	48	38	209	481
65 - 74 YEARS . .	12,129	182	11,018	6	9	1	1	63	40	274	535
75 - 84 YEARS . .	14,857	68	13,871	5	5	9	1	66	65	342	425
85 & OVER . . .	7,680	24	7,199	3	--	3	--	24	37	181	209

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1970

AGE	TOTAL	SITE										
		BUCCAL CAVITY AND PHARYNX	STOMACH	DIGES- TIVE ORGANS EXCEPT STOMACH	BRON- CHUS, TRACH- EA, LUNG	OTHER SITES, RESPIR- ATORY SYSTEM*	BREAST	GENITAL ORGANS	NERVOUS SYSTEM, INCL. BRAIN	OTHER AND UNSPEC- IFIED SITES	LEUKE- MIA & ALEUKE- MIA	OTHER LYM- PHATIC
ALL AGES	19,145	439	998	4,959	3,672	290	1,807	2,384	446	2,252	798	1,100
UNDER 1 YEAR.	12	--	--	--	--	--	--	--	7	1	4	--
1 - 4 YEARS	67	--	--	--	1	--	--	2	21	13	28	2
5 - 14 YEARS	133	1	--	1	1	--	--	3	26	20	62	19
15 - 24 YEARS	155	3	1	13	2	1	--	16	10	34	42	33
25 - 44 YEARS	1,004	31	32	134	165	20	155	151	53	105	68	90
45 - 54 YEARS	2,527	85	88	503	583	51	371	290	95	242	82	137
55 - 64 YEARS	4,690	131	199	1,115	1,197	72	474	478	124	525	116	259
65 - 74 YEARS	5,329	97	311	1,512	1,090	76	424	652	92	620	158	297
75 - 84 YEARS	4,125	70	282	1,312	540	54	295	614	17	533	190	218
85 & OVER	1,103	21	85	369	93	16	88	178	1	159	48	45

* INCLUDES 40 DEATHS FROM NEOPLASMS OF RESPIRATORY SYSTEM, SPECIFIED AS SECONDARY.

TABLE H. -- RESIDENT DEATHS DUE TO CEREBROVASCULAR DISEASE,
ILLINOIS: 1970

AGE	TOTAL	TYPE OF VASCULAR LESION				
		SUPRACORTICAL HEMORRHAGE	CEREBRAL HEMORRHAGE	CEREBRAL THROMBOSIS	CEREBRAL EMBOLISM	OTHER
ALL AGES	10,974	498	2,835	3,283	51	4,307
UNDER 1 YEAR	10	3	4	--	--	3
1 - 4 YEARS	6	2	1	--	--	3
5 - 14 YEARS	12	3	9	--	--	--
15 - 24 YEARS	24	9	11	--	--	4
25 - 44 YEARS	308	120	106	20	--	53
45 - 54 YEARS	532	133	211	55	2	132
55 - 64 YEARS	1,207	104	423	262	2	416
65 - 74 YEARS	2,577	77	727	786	14	973
75 - 84 YEARS	4,049	30	936	1,381	18	1,684
85 AND OVER	2,248	8	407	779	15	1,039

VIOLENT DEATHS

Homicides (1,161) and suicides (1,026) ranked second and third to accidents (5,177) in 1970 among the violent deaths. Of the 904 deaths from all causes in the school-age range, 5 to 14 years, 430 deaths were due to accidents, 133 to cancer and 60 to congenital anomalies. There were 36 homicides and 3 suicides. In the range 15 to 24 years, of the 2,356 deaths, 1,155 were due to accidents, 346 to homicides, 155 to cancer and 133 to suicides.

From 4,452 accidental deaths in 1919, the number increased to 7,843 in 1936, of which 1,361 were due to heat, and declined to 4,380 in 1961. There were 5,487 accidental deaths in 1969, of which

2,683 were due to motor vehicles. Of the 5,177 deaths in 1970, motor vehicles caused 2,448.

Suicide rates increased from 11.4 per 100,000 population in 1920 to 18.5 in 1932 and declined rather steadily to 8.9 in 1969, except for slight rises in 1957 and 1963. The rate was 9.2 in 1970. In 1970, the suicide rate in the age group 15 to 24 years was 7.2 per 100,000 population. It was 6.1 in 1969, 7.3 in 1920 and 11.7 in 1910.

From the highest rate of 12.0 per 100,000 population in 1925, the homicide rate declined to 4.0 in 1943. In 1969 the rate was 9.2 and in 1970, it was 10.4.

The Eighth Revision of the International Classification of Diseases provides for a special tabulation of deaths from violence not determined as to accident, suicide or homicide. Of the 366 deaths so classified, 118 were not further identified, 76 involved firearms, 37 were due to drowning, 49 involved drugs and 40 involved gas, except domestic.

Drugs and medicaments, excluding therapeutic misadventure, accounted for 338 resident deaths in 1970. Of these, 195 were classified as accidental, 94 suicidal, and 49 undetermined. Of these deaths, 93 were among persons 15 to 24 years of age - 66 from accidents, 15 from suicides and 12 from undetermined violence. There were three deaths under the age of 15 years, all due to accidents.

Table I. -- DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM,
ILLINOIS: 1950, 1955, 1960, 1965 AND 1970.

DISEASE	List Number*	Number of Deaths 1970	List Number**	NUMBER OF DEATHS				DEATHS PER 100,000 POPULATION				
				1965	1960	1955	1950	1970	1965	1960	1955	1950
Tuberculosis	010-012	285	001-008	389	579	827	1,950	2.6	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160-163	3,922	160-165	3,304	2,602	2,070	1,499	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea and lung, primary	(162)	(3,672)	(162)	(1,364)	(1,106)	(1,245)	(580)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma	493	124	241	218	305	329	228	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	460-465	29	470-475	23	38	34	70	0.3	0.2	0.4	0.4	0.8
Influenza	470-474	97	480-483	80	170	66	126	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480-486	3,360	490-493	3,837	4,003	3,300	2,340	30.2	36.0	39.6	35.0	26.7
a. Pneumonia, 4 weeks +		(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(126)	763	(306)	(253)	(253)	(143)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute & chronic	466, 490-491	655	500, 501, 502.1	184	182	204	163	2.8	1.7	1.8	2.3	1.9
Bronchiectasis	518	60	526	79	104	87	98	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,199		991	467	161	63	10.8	9.3	4.6	1.7	0.7
a. With bronchitis	(Not tabulated)		502.0	132	66	13	18		1.2	0.7	0.1	0.2
b. Other	492	1,199	527.1	859	401	148	45	10.8	8.1	4.0	1.6	0.5
Other respiratory	500-517, 519	485	510-525, 527.0, 527.2	322	308	293	235	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision

**International Classification of Diseases, 1955 Revision

TABLE J. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1970

TABLE 3. - ACCIDENT DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEASED, 1970																						
AGE	TOTAL	TRANSPORT ACCIDENTS										NON - TRANSPORT ACCIDENTS										
		MOTOR VEHICLE								OTHER TRANSPORT		POISONING	FALLS	FIRE AND EXPLOSION	MECHANICAL SUFFOCATION	DROWNING	OTHER TRANSPORT	THERMAL - ELECTRIC	COMPLICATIONS			
		COLLISION				NON-COLLISION				OTHER ROAD	WATER											
		PED-ESTRIAN	OTHER MOTOR VEHICLE	R. R. TRAIN	R. R. CYCLE	FIREFIGHTER	OTHER COLLISION	RUNNING OFF ROAD	OTHER TRAFFIC											NON-TRAFFIC		
NUMBER																						
ALL AGES . . .	5177	410	1019	122	27	367	6	293	160	44	12	58	37	66	392	806	382	38	136	270	511	21
UNDER 1 YEAR . .	101	--	12	1	--	1	--	5	3	--	--	--	--	--	1	7	9	--	43	3	16	--
1 - 4 YEARS . .	201	25	10	3	--	3	--	1	1	5	--	1	--	--	10	27	47	2	15	27	24	--
5 - 14 YEARS . .	430	105	43	14	23	4	--	5	9	4	6	11	--	8	10	15	47	4	13	71	38	--
15 - 24 YEARS . .	1155	43	322	37	2	163	--	130	60	7	2	13	9	12	108	24	28	13	7	86	86	3
25 - 44 YEARS . .	1137	50	227	30	--	106	3	85	35	14	2	13	23	13	177	79	78	12	20	45	120	5
45 - 54 YEARS . .	572	31	123	15	--	40	--	29	19	3	2	10	2	12	43	91	44	3	9	15	79	2
55 - 64 YEARS . .	527	40	106	9	2	31	1	23	17	6	--	6	1	12	25	106	42	3	13	9	74	1
65 - 74 YEARS . .	463	44	110	8	--	12	--	12	9	4	--	3	2	5	13	139	45	--	4	9	40	4
75 - 84 YEARS . .	415	62	60	5	--	5	1	2	6	1	--	1	--	3	5	194	29	1	11	5	19	5
85 & OVER . . .	176	10	6	--	--	2	1	1	1	--	--	--	--	1	--	124	13	--	1	--	15	1
RATE*																						
ALL AGES . . .	46.6	3.7	9.2	1.1	0.2	3.3	0.1	2.6	1.4	0.4	0.1	0.5	0.3	0.6	3.5	7.3	3.4	0.3	1.2	2.4	4.6	0.2
UNDER 1 YEAR . .	53.6	-0-	6.4	0.5	-0-	0.5	-0-	2.7	1.6	-0-	-0-	-0-	-0-	-0-	0.5	3.7	4.8	-0-	22.8	1.6	8.5	-0-
1 - 4 YEARS . .	26.9	3.3	1.3	0.4	-0-	0.4	-0-	0.1	0.1	0.7	-0-	0.1	-0-	-0-	1.3	3.6	6.3	0.3	2.0	3.6	3.2	-0-
5 - 14 YEARS . .	19.3	4.7	1.9	0.6	1.0	0.2	-0-	0.2	0.4	0.2	0.3	0.5	-0-	0.4	0.4	0.7	2.1	0.2	0.6	3.2	1.7	-0-
15 - 24 YEARS . .	62.3	2.3	17.4	2.0	0.1	8.8	-0-	7.0	3.2	0.4	0.1	0.7	6.5	0.6	5.8	1.3	1.5	0.7	0.4	4.6	4.6	0.2
25 - 44 YEARS . .	42.9	1.9	8.6	1.1	-0-	4.0	0.1	3.2	1.3	0.5	0.1	0.5	0.9	0.5	6.7	3.0	2.9	0.5	0.8	1.7	4.5	0.2
45 - 54 YEARS . .	44.1	2.4	9.5	1.2	-0-	3.1	-0-	2.2	1.5	0.2	0.2	0.8	0.2	0.9	3.3	7.0	3.4	0.2	0.7	1.2	6.1	0.2
55 - 64 YEARS . .	50.4	3.8	10.1	0.9	0.2	3.0	0.1	2.2	1.6	0.6	-0-	0.6	0.1	1.1	2.4	10.1	4.0	0.3	1.2	0.9	7.1	0.1
65 - 74 YEARS . .	68.9	6.5	16.4	1.2	-0-	1.8	-0-	1.8	1.3	0.6	-0-	0.4	0.3	0.7	1.9	20.7	6.7	-0-	0.6	1.3	5.9	0.6
75 - 84 YEARS . .	122.0	18.2	17.6	1.5	-0-	1.5	0.3	0.6	1.8	0.3	-0-	0.3	-0-	0.9	1.5	57.0	8.5	0.3	3.2	1.5	5.6	1.5
85 & OVER . . .	216.8	12.3	7.4	-0-	-0-	2.5	1.2	1.2	1.2	-0-	-0-	-0-	-0-	1.2	-0-	52.7	16.0	-0-	1.2	-0-	18.5	1.2

* DEATHS PER 100,000 POPULATION.

OTHER CAUSES OF DEATH

Suicide (1,026), hypertension without mention of heart disease (635), ulcer of the stomach and duodenum (549), hernia and intestinal obstruction (428), chronic nephritis and renal sclerosis (416), kidney infections (430), tuberculosis (285) and bronchitis (314) supplement the 12 leading causes of death shown in Table 9A.

Causes of death for selected infective and parasitic diseases, except tuberculosis, during 1970 were infectious hepatitis (61), meningococcal infections (18), syphilis (25), acute infectious encephalitis (14), fungus infections (19 - including four histoplasmosis and seven moniliasis), tetanus (5), chickenpox (4), measles (12) and 1 death each from infectious mononucleosis, mumps, typhoid fever, trichinellosis and diphtheria, and 3 deaths from streptococcal sore throat. There were 2 deaths each from poliomyelitis and whooping cough and no deaths

from German measles, Rocky Mountain spotted fever, malaria or tularemia. Late effects of poliomyelitis accounted for 7 deaths and acute rheumatic fever for 18. Dysentery, Salmonella infections, and other infectious diseases commonly arising in the intestinal tract caused 25 deaths.

NOTIFIABLE DISEASE CASE REPORTS

Table 13, page 61, lists the number of cases of the diseases commonly reported to the Illinois Department of Public Health for the period 1960 to 1970 for Illinois, Chicago and Downstate. Infections involving food have risen from 156 cases in 1960 to 1,372 in 1970. Gonorrhea cases (51,668) have almost tripled during the decade. Tuberculosis cases (2,138) and chickenpox cases (4,374) are still declining. There were 37 diphtheria cases and carriers reported in 1970. One was reported in 1969.

MARRIAGE AND DIVORCE

There were 115,554 marriages, 36,177 divorces, and 396 annulments reported to the Illinois Department of Public Health as having occurred in 1970.

Among the 115,478 marriage reports received on time for these tabulations, there were 2,195 on which both parties failed to state that they were legally free to marry (Table K). In Table 16, page 64, 74,306 or 64.3 percent of the brides and grooms indicated that neither were married previously; in Table K, the number never married is 74,064. (The number of never married and the number reporting no previous marriage should have been the same in Tables K and 16.)

Table K. — MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE, ILLINOIS: 1970

	BRIDE		GROOM				
	Total	Never Married	Widowed	Divorced	Annulled	Unknown	
TOTAL	115,478	82,786	5,071	25,057	156	2,408	
Never Married	83,310	74,064	729	8,319	83	115	
Widowed	5,914	963	2,567	2,363	11	10	
Divorced	23,578	7,456	1,744	14,239	52	87	
Annulled	143	68	13	53	8	1	
Unknown	2,533	235	18	83	2	2,195	

There were 46 brides and 15 grooms under the age of 15 years, according to Table 14, page 64. Of these, 8 brides and 6 grooms had been married previously. The most common ages in 1970 were 20 years for the bride (12,488) and 22 years for the groom (12,047). Among the first marriages, the most common age for the bride was 19 years and for the groom, 22 years. Of the first marriages, 42.9 percent of the brides were from 19 to 21 years old and 40.6 percent of the grooms were from 21 to 23 years old. On 54,800 marriage reports, the race of both the bride and the groom was omitted. In 1,778 of these, nothing was known of the previous marital status.

Of the 36,054 divorce reports received in time for these tabulations, the husband and wife had been married less than 5 years in 13,021 or 36.1 percent of the cases, according to Table L. Of the 26 divorced women stated to be under 15 years of age, 7 had mates 35 years of age or older. Of the 12 divorced men under the age of 15 years, 4 had mates aged 35 years or older. There were 380 divorces where both parties were at least 60 years old. The most frequent ages at divorce were 23

for the wife (2,107) and 27 years for the husband (1,684). On 4,185 divorce reports and 53 annulment reports, the race of both husband and wife was omitted.

So much essential data are still being omitted from marriage and divorce reports that trend analyses of social patterns cannot be made. Inconsistencies in age reporting and previous marital status not only create problems in making social analyses, but they also create problems for the parties involved in legal disputes.

Table L. — DIVORCES AND ANNULMENTS CLASSIFIED BY THE DURATION OF MARRIAGE, ILLINOIS: 1970

Years Married	Divorces	Annulments
TOTAL	36,054	396
Under 1 year	1,802	206
1 year	1,592	60
2 years	3,450	55
3 years	3,299	24
4 years	2,878	10
Under 5 years	13,021	355
5 years	2,492	5
6 years	2,158	6
7 years	1,843	5
8 years	1,528	2
9 years	1,364	3
5 - 9 years	9,385	21
10 - 14 years	5,038	7
15 - 19 years	3,292	4
20 - 24 years	2,706	4
25 - 29 years	1,241	--
30 - 34 years	586	--
35 - 39 years	221	--
40 - 44 years	102	1
45 - 49 years	40	--
50 years and over	11	--
Unknown years	411	4

Table M. — MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN ILLINOIS: 1958 to 1970

(Rates are per 1,000 population estimated as of July 1.)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annulments
1958	83,400	8.5	20,870	2.1	20,719	151
1959	87,281	8.8	22,700	2.3	22,566	134
1960	88,029	8.7	21,870	2.2	21,652	218
1961	88,692	8.6	25,973	2.5	25,712	261
1962	87,645	8.5	18,820*	1.8	18,634	186
1963	93,240	9.0	20,765*	2.0	20,519	246
1964	97,171	9.2	21,283*	2.0	21,050	233
1965	100,978	9.5	24,654	2.3	24,326	328
1966	102,622	9.6	27,862	2.6	27,488	374
1967	105,295	9.7	28,473	2.6	28,147	326
1968	112,449	10.2	32,119	2.9	31,713	406
1969	116,532	10.5	35,974	3.3	35,558	416
1970	115,478	10.4	36,450	3.3	36,054	396

*Reporting known to be incomplete.

Table 1. - - LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS, WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1970

(Live birth rates and death rates per 1,000 estimated midyear population. Infant and neonatal death rates and fetal death ratios per 1,000 live births. Maternal death rates per 10,000 live births)

Year	Estimated population	Live births		Deaths		Infant deaths		Neonatal deaths		Maternal deaths		Fetal deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1970*	11,113,976	205,203		110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,050,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,991,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,850,000	195,644	18.0	110,030	10.2	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,715,000	201,284	18.8	111,155	10.4	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,650,000	208,063	19.5	108,138	10.2	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,500,000	222,259	21.2	106,802	10.2	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,400,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,330,000	230,484	22.3	104,695	10.1	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,258,000	237,051	23.1	101,696	9.9	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,113,000	238,760	23.6	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949†	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948†	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947†	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946†	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945†	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944†	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943†	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942†	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941†	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940†	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939†	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938†	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937†	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936†	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935†	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934†	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933†	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932†	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931†	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930†	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929†	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928†	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927†	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926†	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925†	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924†	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923†	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922†	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921†	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920†	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919†	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918†	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950 - 1970: Resident data from tabulations in the Illinois Department of Public Health. (1953 - 1954 Maternal deaths from Vital Statistics of the United States)

† 1940 - 1949: Resident data from Vital Statistics of the United States for each year.

‡ 1918 - 1939: Occurrence data from United States Bureau of the Census publications.

n.a. (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: 1960 - 1969 by the Illinois Department of Public Health; 1970, U.S. Census as of April 1.

1950 - 1959 from United States Bureau of Census Series P-25, No. 304, and 1918 - 1949 from Series P-25, No. 139.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ILLINOIS. . .	205,203	162,649	42,554	4,415	2,985	1,430	3,388	2,353	1,035	2,811	1,915	896
ADAMS	1,223	1,180	43	31	28	3	27	24	3	25	25	--
ALEXANDER	200	108	92	6	3	3	4	3	1	4	--	4
BOND	212	210	2	2	2	--	2	2	--	2	2	--
BOONE	548	542	6	9	9	--	7	7	--	6	6	--
BROWN	67	67	--	3	3	--	2	2	--	--	--	--
BUREAU	635	632	3	14	14	--	10	10	--	6	6	--
CALHOUN	98	98	--	2	2	--	1	1	--	--	--	--
CARROLL	354	352	2	6	5	1	4	3	1	4	4	--
CASS	234	233	1	1	1	--	1	1	--	3	3	--
CHAMPAIGN	3,087	2,707	380	51	41	10	38	30	8	28	26	2
CHRISTIAN	600	600	--	8	8	--	8	8	--	6	6	--
CLARK	238	238	--	4	4	--	4	4	--	3	3	--
CLAY	222	222	--	5	5	--	5	5	--	5	5	--
CLINTON	496	494	2	10	10	--	7	7	--	8	8	--
COLES	735	725	10	12	11	1	8	8	--	8	8	--
COOK	106,053	71,076	34,977	2,453	1,270	1,183	1,851	1,000	851	1,604	850	754
CRAWFORD	277	277	--	6	6	--	5	5	--	1	1	--
CUMBERLAND	189	189	--	1	1	--	1	1	--	1	1	--
DE KALB	1,176	1,158	18	14	14	--	10	10	--	12	10	2
DE WITT	265	265	--	11	11	--	9	9	--	2	2	--
DOUGLAS	278	277	1	5	5	--	4	4	--	5	5	--
DU PAGE	8,623	8,517	106	133	129	4	99	99	--	71	71	--
EDGAR	362	362	--	8	8	--	5	5	--	3	3	--
EDWARDS	100	100	--	2	2	--	2	2	--	1	1	--
EFFINGHAM	401	400	1	8	8	--	7	7	--	5	5	--
FAYETTE	276	275	1	12	12	--	10	10	--	2	2	--
FORD	233	233	--	3	3	--	2	2	--	3	3	--
FRANKLIN	520	518	2	13	13	--	10	10	--	4	4	--
FULTON	654	645	9	19	19	--	18	18	--	9	9	--
GALLATIN	121	120	1	2	2	--	2	2	--	--	--	--
GREENE	283	283	--	6	6	--	6	6	--	5	5	--
GRUNDY	530	530	--	15	15	--	13	13	--	9	9	--
HAMILTON	106	106	--	1	1	--	1	1	--	1	1	--
HANCOCK	341	341	--	5	5	--	3	3	--	5	5	--
HARDIN	89	89	--	--	--	--	--	--	--	--	--	--
HENDERSON	123	123	--	1	1	--	--	--	--	2	2	--
HENRY	868	847	21	16	16	--	12	12	--	10	9	1
IRDOUOIS	507	496	11	9	9	--	5	5	--	7	7	--
JACKSON	946	846	100	15	12	3	12	9	3	14	9	5
JASPER	160	159	1	1	1	--	1	1	--	2	2	--
JEFFERSON	476	436	40	7	5	2	5	4	1	6	5	1
JERSEY	294	292	2	5	5	--	4	4	--	--	--	--
JO DAVIESS	350	350	--	6	6	--	6	6	--	2	2	--
JOHNSON	97	95	2	1	1	--	1	1	--	--	--	--
KANE	5,278	4,932	346	108	98	10	82	73	9	86	77	9
KANKAKEE	1,923	1,581	342	47	40	7	34	29	5	27	18	9
KENDALL	494	491	3	12	12	--	9	9	--	4	4	--
KNOX	968	925	43	25	24	1	18	17	1	10	10	--
LAKE	7,012	6,416	596	139	125	14	102	91	11	84	76	8
LA SALLE	1,784	1,778	6	38	38	--	26	26	--	27	27	--

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LAWRENCE. . . .	281	277	4	--	--	--	--	--	--	3	3	--
LEE.	587	576	11	10	10	--	8	8	--	13	12	1
LIVINGSTON. . .	627	624	3	19	19	--	15	15	--	5	5	--
LOGAN.	420	413	7	6	6	--	5	5	--	9	9	--
MCDONOUGH. . .	514	508	6	3	3	--	1	1	--	8	8	--
MCHENRY. . . .	1,995	1,984	11	29	29	--	27	27	--	26	26	--
MCLEAN.	1,837	1,782	55	35	32	3	32	29	3	29	29	--
MACON.	2,290	1,955	335	35	30	5	24	21	3	26	22	4
MACOUPIN. . . .	699	695	4	11	11	--	8	8	--	11	11	--
MADISON.	4,561	4,150	411	89	75	14	72	63	9	57	46	11
MARION.	676	636	40	9	7	2	7	5	2	5	5	--
MARSHALL. . . .	202	202	--	5	5	--	4	4	--	2	2	--
MASON.	248	248	--	7	7	--	6	6	--	5	5	--
MASSAC.	189	170	19	7	7	--	6	6	--	1	1	--
MENARD.	140	139	1	5	5	--	4	4	--	2	2	--
MERCER.	278	278	--	3	3	--	1	1	--	4	4	--
MONROE.	314	314	--	8	8	--	4	4	--	4	4	--
MONTGOMERY. . .	427	425	2	11	11	--	9	9	--	2	2	--
MORGAN.	541	517	24	11	11	--	8	8	--	10	10	--
MOULTRIE. . . .	191	191	--	3	3	--	2	2	--	2	2	--
OGLE.	789	786	3	15	15	--	13	13	--	4	4	--
PEORIA.	3,691	3,129	562	78	57	21	60	44	16	48	35	13
PERRY.	317	308	9	5	3	2	5	3	2	8	8	--
PIATT.	229	228	1	6	6	--	4	4	--	3	3	--
PIKE.	336	336	--	11	11	--	11	11	--	6	6	--
POPE.	40	39	1	1	1	--	1	1	--	--	--	--
PULASKI.	116	67	49	4	1	3	4	1	3	4	2	2
PUTNAM.	96	95	1	3	3	--	3	3	--	--	--	--
RANDOLPH. . . .	478	470	8	9	9	--	8	8	--	5	5	--
RICHLAND. . . .	267	267	--	3	3	--	3	3	--	2	2	--
ROCK ISLAND. . .	3,016	2,795	221	60	53	7	46	42	4	34	33	1
ST. CLAIR. . . .	5,114	3,232	1,882	128	71	57	94	53	41	87	50	37
SALINE.	383	372	11	7	7	--	7	7	--	4	4	--
SANGAMON. . . .	2,815	2,571	244	65	50	15	51	41	10	32	26	6
SCHUYLER. . . .	111	109	2	--	--	--	--	--	--	2	2	--
SCOTT.	84	84	--	1	1	--	1	1	--	3	3	--
SHELBY.	358	357	1	7	7	--	5	5	--	5	5	--
STARK.	86	86	--	2	2	--	2	2	--	1	1	--
STEPHENSON. . .	904	812	92	21	17	4	20	17	3	9	7	2
TAZEWELL. . . .	2,326	2,320	6	40	40	--	32	32	--	35	35	--
UNION.	235	233	2	7	6	1	6	5	1	--	--	--
VERMILION. . . .	1,785	1,600	185	34	31	3	28	25	3	22	20	2
WABASH.	197	196	1	3	3	--	2	2	--	6	6	--
WARREN.	323	315	8	13	11	2	11	9	2	4	4	--
WASHINGTON. . .	199	198	1	5	5	--	5	5	--	2	2	--
WAYNE.	255	254	1	2	2	--	2	2	--	5	5	--
WHITE.	235	233	2	6	6	--	5	5	--	3	3	--
WHITESIDE. . . .	1,219	1,202	17	21	20	1	15	15	--	17	16	1
WILL.	4,740	4,220	520	117	88	29	96	72	24	52	43	9
WILLIAMSON. . .	786	769	17	16	16	--	15	15	--	10	9	1
WINNEBAGO. . . .	5,097	4,495	602	94	76	18	76	62	14	39	28	11
WOODFORD. . . .	451	449	2	12	12	--	9	9	--	3	3	--
UNSPECIFIED. . .	2	2	--	2	1	1	2	1	1	--	--	--

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1970. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	LIVE BIRTHS TOTAL	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ILLINOIS. . .	18.5	21.5	18.4	33.6	16.5	14.5	24.3	13.7	11.8	21.1
ADAMS	17.3	25.3	23.7	69.8	22.1	20.3	69.8	20.4	21.2	-0-
ALEXANDER	16.6	30.0	27.8	32.6	20.0	27.8	10.9	20.0	-0-	43.5
ANDERSON	15.1	9.4	9.5	-0-	9.4	9.5	-0-	9.4	9.5	-0-
ARIZONA	21.5	16.4	16.6	-0-	12.8	12.9	-0-	10.9	11.1	-0-
BROWN	12.0	44.8	44.8	-0-	29.9	29.9	-0-	-0-	-0-	-0-
BUREAU	16.5	22.0	22.2	-0-	15.7	15.8	-0-	9.4	9.5	-0-
CALHOUN	17.3	20.4	20.4	-0-	10.2	10.2	-0-	-0-	-0-	-0-
CARROLL	18.4	16.9	14.2	500.0	11.3	8.5	500.0	11.3	11.4	-0-
CASS	16.5	4.3	4.3	-0-	4.3	4.3	-0-	12.8	12.9	-0-
CHAMPAIGN	18.9	16.5	15.1	26.3	12.3	11.1	21.1	9.1	9.6	5.3
CHRISTIAN	16.7	13.3	13.3	-0-	13.3	13.3	-0-	10.0	10.0	-0-
CLARK	14.7	16.8	16.8	-0-	16.8	16.8	-0-	12.6	12.6	-0-
CLAY	15.1	22.5	22.5	-0-	22.5	22.5	-0-	22.5	22.5	-0-
CLINTON	17.5	20.2	20.2	-0-	14.1	14.2	-0-	16.1	16.2	-0-
COLES	15.4	16.3	15.2	100.0	10.9	11.0	-0-	10.9	11.0	-0-
COOK	19.3	23.1	17.9	33.8	17.5	14.1	24.3	15.1	12.0	21.6
CRAWFORD	14.0	21.7	21.7	-0-	18.1	18.1	-0-	3.6	3.6	-0-
CUMBERLAND	19.3	5.3	5.3	-0-	5.3	5.3	-0-	5.3	5.3	-0-
DE KALB	16.4	11.9	12.1	-0-	8.5	8.6	-0-	10.2	8.6	111.1
DE WITT	15.6	41.5	41.5	-0-	34.0	34.0	-0-	7.5	7.5	-0-
DOUGLAS	14.6	18.0	18.1	-0-	14.4	14.4	-0-	18.0	18.1	-0-
DUPAGE	17.5	15.4	15.1	37.7	11.5	11.6	-0-	8.2	8.3	-0-
EDGAR	16.8	22.1	22.1	-0-	13.8	13.8	-0-	8.3	8.3	-0-
EDWARDS	14.1	20.0	20.0	-0-	20.0	20.0	-0-	10.0	10.0	-0-
EFFINGHAM	16.3	20.0	20.0	-0-	17.5	17.5	-0-	12.5	12.5	-0-
FAYETTE	13.3	43.5	43.6	-0-	36.2	36.4	-0-	7.2	7.3	-0-
FORD	14.2	12.9	12.9	-0-	8.6	8.6	-0-	12.9	12.9	-0-
FRANKLIN	13.6	25.0	25.1	-0-	19.2	19.3	-0-	7.7	7.7	-0-
FULTON	15.6	29.1	29.5	-0-	27.5	27.9	-0-	13.8	14.0	-0-
GALLATIN	16.3	16.5	16.7	-0-	16.5	16.7	-0-	-0-	-0-	-0-
GREENE	16.6	21.2	21.2	-0-	21.2	21.2	-0-	17.7	17.7	-0-
GRUNDY	20.0	28.3	28.3	-0-	24.5	24.5	-0-	17.0	17.0	-0-
HAMILTON	12.2	9.4	9.4	-0-	9.4	9.4	-0-	9.4	9.4	-0-
HANCOCK	14.4	14.7	14.7	-0-	8.8	8.8	-0-	14.7	14.7	-0-
HARDIN	18.1	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
HENDERSON	14.6	8.1	8.1	-0-	-0-	-0-	-0-	16.3	16.3	-0-
HENRY	16.3	18.4	18.9	-0-	13.8	14.2	-0-	11.5	10.6	47.6
IRROQUOIS	15.1	17.8	18.1	-0-	9.9	10.1	-0-	13.8	14.1	-0-
JACKSON	17.2	15.9	14.2	30.0	12.7	10.6	30.0	14.8	10.6	50.0
JASPER	14.9	6.3	6.3	-0-	6.3	6.3	-0-	12.5	12.6	-0-
JEFFERSON	15.1	14.7	11.5	50.0	10.5	9.2	25.0	12.6	11.5	25.0
JERSEY	15.9	17.0	17.1	-0-	13.6	13.7	-0-	-0-	-0-	-0-
JO DAVIESS	16.1	17.1	17.1	-0-	17.1	17.1	-0-	5.7	5.7	-0-
JOHNSON	12.8	10.3	10.5	-0-	10.3	10.5	-0-	-0-	-0-	-0-
KANE	21.0	20.5	19.9	28.9	15.5	14.8	26.0	16.3	15.6	26.0
KANKAKEE	19.8	24.4	25.3	20.5	17.7	18.3	14.6	14.0	11.4	26.3
KENDALL	18.7	24.3	24.4	-0-	18.2	18.3	-0-	8.1	8.1	-0-
KNOX	15.8	25.8	25.9	23.3	18.6	18.4	23.3	10.3	10.8	-0-
LAKE	18.3	19.8	19.5	23.5	14.5	14.2	18.5	12.0	11.8	13.4
LA SALLE	16.0	21.3	21.4	-0-	14.6	14.6	-0-	15.1	15.2	-0-

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1970. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LAWRENCE	16.0	-0-	-0-	-0-	-0-	-0-	-0-	10.7	10.8	-0-
LEE	15.5	17.0	17.4	-0-	13.6	13.9	-0-	22.1	20.8	90.9
LIVINGSTON . . .	15.4	30.3	30.4	-0-	23.9	24.0	-0-	8.0	8.0	-0-
LOGAN	12.5	14.3	14.5	-0-	11.9	12.1	-0-	21.4	21.8	-0-
MCDONOUGH . . .	14.0	5.8	5.9	-0-	1.9	2.0	-0-	15.6	15.7	-0-
MCHENRY	17.9	14.5	14.6	-0-	13.5	13.6	-0-	13.0	13.1	-0-
MCLEAN	17.6	19.1	18.0	54.5	17.4	16.3	54.5	15.8	16.3	-0-
MACON	18.3	15.3	15.3	14.9	10.5	10.7	9.0	11.4	11.3	11.9
MACOUPIN	15.7	15.7	15.8	-0-	11.4	11.5	-0-	15.7	15.8	-0-
MADISON	18.2	19.5	18.1	34.1	15.8	15.2	21.9	12.5	11.1	26.8
MARION	17.3	13.3	11.0	50.0	10.4	7.9	50.0	7.4	7.9	-0-
MARSHALL	15.2	24.8	24.8	-0-	19.8	19.8	-0-	9.9	9.9	-0-
MASON	15.3	28.2	28.2	-0-	24.2	24.2	-0-	20.2	20.2	-0-
MASSAC	13.6	37.0	41.2	-0-	31.7	35.3	-0-	5.3	5.9	-0-
MENARD	14.5	35.7	36.0	-0-	28.6	28.8	-0-	14.3	14.4	-0-
MERCER	16.1	10.8	10.8	-0-	3.6	3.6	-0-	14.4	14.4	-0-
MONROE	16.7	25.5	25.5	-0-	12.7	12.7	-0-	12.7	12.7	-0-
MONTGOMERY . . .	14.1	25.8	25.9	-0-	21.1	21.2	-0-	4.7	4.7	-0-
MORGAN	15.0	20.3	21.3	-0-	14.8	15.5	-0-	18.5	19.3	-0-
MOULTRIE	14.4	15.7	15.7	-0-	10.5	10.5	-0-	10.5	10.5	-0-
OGLE	18.4	19.0	19.1	-0-	16.5	16.5	-0-	5.1	5.1	-0-
PEORIA	18.9	21.1	18.2	37.4	16.3	14.1	28.5	13.0	11.2	23.1
PERRY	16.0	15.8	9.7	222.2	15.8	9.7	222.2	25.2	26.0	-0-
PIATT	14.8	26.2	26.3	-0-	17.5	17.5	-0-	13.1	13.2	-0-
PIKE	17.5	32.7	32.7	-0-	32.7	32.7	-0-	17.9	17.9	-0-
POPE	10.4	25.0	25.6	-0-	25.0	25.6	-0-	-0-	-0-	-0-
PULASKI	13.3	34.5	14.9	61.2	34.5	14.9	61.2	34.5	29.9	40.8
PUTNAM	19.2	31.3	31.6	-0-	31.3	31.6	-0-	-0-	-0-	-0-
RANDOLPH	15.2	18.8	19.1	-0-	16.7	17.0	-0-	10.5	10.6	-0-
RICHLAND	15.9	11.2	11.2	-0-	11.2	11.2	-0-	7.5	7.5	-0-
ROCK ISLAND . . .	18.1	19.9	19.0	31.7	15.3	15.0	18.1	11.3	11.8	4.5
ST. CLAIR	17.9	25.0	22.0	30.3	18.4	16.4	21.8	17.0	15.5	19.7
SALINE	14.9	18.3	18.8	-0-	18.3	18.8	-0-	10.4	10.8	-0-
SANGAMON	17.4	23.1	19.4	61.5	18.1	15.9	41.0	11.4	10.1	24.6
SCHUYLER	13.6	-0-	-0-	-0-	-0-	-0-	-0-	18.0	18.3	-0-
SCOTT	13.8	11.9	11.9	-0-	11.9	11.9	-0-	35.7	35.7	-0-
SHELBY	15.8	19.6	19.6	-0-	14.0	14.0	-0-	14.0	14.0	-0-
STARK	11.5	23.3	23.3	-0-	23.3	23.3	-0-	11.6	11.6	-0-
STEPHENSON . . .	18.5	23.2	20.9	43.5	22.1	20.9	32.6	10.0	8.6	21.7
TAZEWELL	19.6	17.2	17.2	-0-	13.8	13.8	-0-	15.0	15.1	-0-
UNION	14.6	29.8	25.8	500.0	25.5	21.5	500.0	-0-	-0-	-0-
VERMILION	18.4	19.0	19.4	16.2	15.7	15.6	16.2	12.3	12.5	10.8
WARASH	15.3	15.2	15.3	-0-	10.2	10.2	-0-	30.5	30.6	-0-
WARREN	15.0	40.2	34.9	250.0	34.1	28.6	250.0	12.4	12.7	-0-
WASHINGTON . . .	14.4	25.1	25.3	-0-	25.1	25.3	-0-	10.1	10.1	-0-
WAYNE	15.0	7.8	7.9	-0-	7.8	7.9	-0-	19.6	19.7	-0-
WHITE	13.6	25.5	25.8	-0-	21.3	21.5	-0-	12.8	12.9	-0-
WHITESIDE	19.4	17.2	16.6	58.8	12.3	12.5	-0-	13.9	13.3	58.8
WILL	19.0	24.7	20.9	55.8	20.3	17.1	46.2	11.0	10.2	17.3
WILLIAMSON . . .	16.0	20.4	20.8	-0-	19.1	19.5	-0-	12.7	11.7	58.8
WINNEBAGO	20.7	18.4	16.9	29.9	14.9	13.8	23.3	7.7	6.2	18.3
WOODFORD	16.1	26.6	26.7	-0-	20.0	20.0	-0-	6.7	6.7	-0-

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970

CITY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	652	649	3	14	14	--	13	13	--	6	6	--
ALSIP	343	343	--	8	8	--	6	6	--	4	4	--
ALTON	790	581	209	24	18	6	19	15	4	13	5	8
ARLINGTON HEIGHTS	1,026	1,017	9	19	19	--	12	12	--	11	11	--
AURORA	1,831	1,636	195	43	35	8	32	25	7	32	26	6
BELLEVILLE	655	646	9	19	19	--	15	15	--	7	7	--
BELLWOOD	342	331	11	2	2	--	2	2	--	4	4	--
BELVIDERE	339	333	6	6	6	--	4	4	--	4	4	--
BENSENVILLE	310	308	2	3	3	--	3	3	--	3	3	--
BERWYN	710	702	8	8	8	--	7	7	--	7	7	--
BLOOMINGTON	808	761	47	21	20	1	19	18	1	14	14	--
BLUE ISLAND	610	582	28	11	9	2	8	6	2	10	10	--
BRIDGEVIEW	298	297	1	5	5	--	5	5	--	6	6	--
BROOKFIELD	303	301	2	4	4	--	4	4	--	--	--	--
BUFFALO GROVE	342	342	--	7	7	--	6	6	--	1	1	--
CAHOKIA	380	377	3	10	10	--	8	8	--	6	6	--
CALUMET CITY	653	651	2	11	11	--	10	10	--	13	12	1
CALUMET PARK	154	152	2	2	2	--	1	1	--	1	1	--
CANTON	231	226	5	6	6	--	6	6	--	2	2	--
CARBONDALE	300	235	65	6	5	1	5	4	1	2	--	2
CARPENTERSVILLE	531	528	3	9	9	--	5	5	--	4	4	--
CENTRALIA	353	315	38	6	4	2	4	2	2	3	3	--
CENTREVILLE	170	25	145	6	--	6	4	--	4	1	--	1
CHAMPAIGN	841	682	159	12	8	4	10	6	4	6	6	--
CHARLESTON	223	220	3	4	3	1	3	3	--	3	3	--
CHICAGO	69,568	37,220	32,348	1,860	744	1,116	1,371	568	803	1,222	511	711
CHICAGO HEIGHTS	962	703	259	22	14	8	18	11	7	15	8	7
CICERO	1,163	1,158	5	11	11	--	7	7	--	9	9	--
COLLINSVILLE	328	319	9	10	9	1	8	7	1	3	3	--
CRYSTAL LAKE	297	296	1	6	6	--	6	6	--	4	4	--
DANVILLE	927	762	165	23	20	3	19	16	3	13	11	2
DE KALB	448	430	18	3	3	--	2	2	--	3	3	--
DECATUR	1,799	1,465	334	32	27	5	22	19	3	19	15	4
DEERFIELD	314	312	2	5	5	--	5	5	--	3	3	--
DES PLAINES	1,265	1,254	11	25	25	--	18	18	--	17	17	--
DIXON	273	263	10	5	5	--	3	3	--	5	4	1
DOLTON	417	414	3	5	5	--	5	5	--	5	5	--
DOWNERS GROVE	646	637	9	7	7	--	4	4	--	3	3	--
EAST MOLINE	365	326	39	7	5	2	5	4	1	7	7	--
EAST PEORIA	409	408	1	7	7	--	6	6	--	7	7	--
EAST ST LOUIS	1,943	374	1,569	63	13	50	43	7	36	46	11	35
EDWARDSVILLE	151	141	10	2	1	1	1	1	--	4	4	--
ELGIN	1,214	1,108	106	27	24	3	21	19	2	22	19	3
ELK GROVE	367	364	3	7	7	--	7	7	--	2	2	--
ELMHURST	677	667	10	17	17	--	13	13	--	7	7	--
ELMWOOD PARK	426	425	1	4	4	--	4	4	--	3	3	--
EVANSTON	1,289	962	327	26	18	8	22	14	8	9	5	4
EVERGREEN PARK	215	214	1	3	3	--	2	2	--	4	4	--
FAIRVIEW HEIGHTS	109	109	--	1	1	--	1	1	--	2	2	--
FOKEST PARK	302	292	10	5	5	--	4	4	--	4	4	--
FRANKLIN PARK	360	355	5	6	6	--	5	5	--	6	6	--
FREEPORT	548	459	89	16	12	4	15	12	3	4	3	1
GALESBURG	570	529	41	12	11	1	9	8	1	6	6	--
GLEN ELLYN	407	405	2	2	2	--	1	1	--	5	5	--
GLENCOE	78	71	7	2	2	--	2	2	--	1	1	--
GLENDALE HEIGHTS	278	276	2	5	5	--	3	3	--	1	1	--
GLENVIEW	503	496	7	5	5	--	4	4	--	3	3	--
GRANITE CITY	780	776	4	18	18	--	18	18	--	10	10	--
HANOVER PARK	321	320	1	7	7	--	6	6	--	3	3	--
HARVEY	848	457	391	26	18	8	21	17	4	7	4	3
HAZEL CREST	197	195	2	5	5	--	3	3	--	4	4	--
HICKORY HILLS	348	347	1	6	6	--	6	6	--	4	4	--
HIGHLAND PARK	360	351	9	6	6	--	4	4	--	2	1	1
HINSDALE	228	220	8	3	3	--	1	1	--	4	4	--
HOFFMAN ESTATES	571	567	4	8	8	--	7	7	--	8	8	--
HOMERWOOD	216	213	3	5	5	--	5	5	--	4	4	--
JACKSONVILLE	312	289	23	6	6	--	4	4	--	9	9	--
JOLIET	1,585	1,252	333	42	24	18	32	18	14	17	11	6
KANKAKEE	699	510	189	19	14	5	13	9	4	10	5	5
KEWANEE	263	242	21	3	3	--	2	2	--	2	1	1
LA GRANGE	291	269	22	4	4	--	4	4	--	3	2	1
LA GRANGE PARK	204	203	1	2	2	--	1	1	--	4	4	--
LA SALLE	184	184	--	7	7	--	2	2	--	5	5	--
LAKE FOREST	123	122	1	2	2	--	1	1	--	--	--	--
LANSING	447	446	1	8	8	--	8	8	--	10	10	--

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970--CONTINUED

CITY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LIBERTYVILLE.	224	222	2	2	2	--	1	1	--	3	3	--
LINCOLN.	251	245	6	5	5	--	4	4	--	4	4	--
LINCOLNWOOD.	65	63	2	1	1	--	--	--	--	1	1	--
LOMBARD.	632	628	4	10	10	--	8	8	--	3	3	--
LOVES PARK.	259	259	--	3	3	--	2	2	--	3	3	--
LYONS.	193	191	2	--	--	--	--	--	--	3	3	--
MACOMB.	219	214	5	2	2	--	1	1	--	6	6	--
MARION.	186	178	8	3	3	--	3	3	--	2	2	--
MARKHAM.	281	101	180	6	1	5	5	1	4	3	--	3
MATTOON.	332	325	7	6	6	--	3	3	--	3	3	--
MAYWOOD.	593	239	354	16	8	8	15	8	7	10	2	8
MELROSE PARK.	669	654	15	4	4	--	3	3	--	12	12	--
MIDLOTHIAN.	336	334	2	9	9	--	9	9	--	4	4	--
MOLINE.	843	823	20	13	13	--	9	9	--	8	7	1
MONMOUTH.	179	171	8	8	6	2	7	5	2	1	1	--
MORTON GROVE.	252	245	7	1	--	1	1	--	1	1	1	--
MORTON.	185	184	1	3	3	--	2	2	--	2	2	--
MOUNT PROSPECT.	598	591	7	6	6	--	4	4	--	3	3	--
MOUNT VERNON.	281	241	40	4	2	2	3	2	1	3	2	1
MUNDELEIN.	353	352	1	7	7	--	7	7	--	3	3	--
MURPHYSBORO.	156	135	21	3	2	1	3	2	1	3	1	2
NAPERVILLE.	298	297	1	3	3	--	3	3	--	3	3	--
NILES.	432	427	5	7	6	1	5	4	1	2	2	--
NORMAL.	325	319	6	7	5	2	6	4	2	--	--	--
NORRIDGE.	186	185	1	5	5	--	4	4	--	1	1	--
NORTH CHICAGO.	357	201	156	13	8	5	9	5	4	4	4	--
NORTH LAKE.	235	234	1	2	2	--	2	2	--	1	1	--
NORTHBROOK.	452	448	4	10	10	--	7	7	--	4	4	--
OAK FOREST.	501	501	--	8	8	--	8	8	--	2	2	--
OAK LAWN.	1,174	1,165	9	18	18	--	16	16	--	13	13	--
OAK PARK.	901	880	21	16	16	--	14	14	--	10	10	--
OTTAWA.	284	284	--	5	5	--	4	4	--	--	--	--
PALATINE.	576	573	3	11	11	--	9	9	--	11	11	--
PARIS.	197	197	--	5	5	--	3	3	--	1	1	--
PARK FOREST.	689	651	38	8	8	--	6	6	--	3	3	--
PARK RIDGE.	393	392	1	4	4	--	4	4	--	2	2	--
PEKIN.	655	654	1	12	12	--	9	9	--	12	12	--
PEORIA.	2,538	1,986	552	56	35	21	42	26	16	37	24	13
PERU.	171	171	--	4	4	--	3	3	--	1	1	--
QUINCY.	779	742	37	16	13	3	15	12	3	11	11	--
RANTOUL.	632	569	63	8	7	1	7	6	1	5	5	--
RIVER FOREST.	166	163	3	2	2	--	2	2	--	--	--	--
RIVER GROVE.	244	244	--	1	1	--	--	--	--	1	1	--
RIVERDALE.	308	300	8	4	4	--	3	3	--	1	1	--
RIVERSIDE.	121	121	--	1	1	--	1	1	--	--	--	--
ROCK FALLS.	249	246	3	3	3	--	3	3	--	5	4	1
ROCK ISLAND.	862	704	158	20	15	5	14	11	3	6	6	--
ROCKFORD.	3,323	2,784	539	68	51	17	55	42	13	30	20	10
ROLLING MEADOWS.	480	471	9	9	9	--	7	7	--	5	4	1
ROMEDEVILLE.	217	215	2	4	4	--	4	4	--	2	2	--
SCHAUMBURG.	508	504	4	5	5	--	5	5	--	1	1	--
SCHILLER PARK.	255	254	1	3	3	--	3	3	--	3	3	--
SKOKIE.	705	692	13	11	10	1	9	8	1	3	3	--
SOUTH HOLLAND.	328	326	2	7	7	--	6	6	--	1	1	--
SPRINGFIELD.	1,715	1,480	235	45	30	15	36	26	10	23	17	6
ST CHARLES.	237	233	4	2	2	--	2	2	--	6	6	--
STERLING.	302	293	9	6	6	--	4	4	--	4	4	--
STREAMWOOD.	501	498	3	7	7	--	6	6	--	6	6	--
STREATOR.	286	282	4	4	4	--	4	4	--	4	4	--
SUMMIT.	299	226	73	9	5	4	5	4	1	5	3	2
TAYLORVILLE.	179	179	--	3	3	--	3	3	--	2	2	--
TINLEY PARK.	366	365	1	6	6	--	5	5	--	4	4	--
URBANA.	606	474	132	13	9	4	9	6	3	6	4	2
VILLA PARK.	497	490	7	5	5	--	4	4	--	2	2	--
WAUKEGAN.	1,572	1,289	283	30	23	7	19	13	6	14	9	5
WEST CHICAGO.	236	232	4	7	7	--	7	7	--	2	2	--
WESTCHESTER.	172	172	--	2	2	--	2	2	--	--	--	--
WESTERN SPRINGS.	131	131	--	2	2	--	2	2	--	--	--	--
WHEATON.	500	481	19	7	6	1	4	4	--	9	9	--
WHEELING.	320	319	1	2	2	--	1	1	--	8	8	--
WILMETTE.	315	310	5	4	4	--	3	3	--	2	2	--
WINNETKA.	123	122	1	1	1	--	1	1	--	1	1	--
WOOD RIVER.	273	272	1	2	2	--	1	1	--	3	3	--
WOODRIDGE.	267	263	4	1	1	--	1	1	--	4	4	--
WOODSTOCK.	217	215	2	5	5	--	5	5	--	1	1	--
WORTH.	318	318	--	3	3	--	3	3	--	4	4	--
ZION.	510	427	83	15	14	1	8	8	--	11	9	2

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1970. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	L I V E B I R T H S T O T A L S	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ADDISON	26.6	21.5	21.6	-0-	19.9	20.0	-0-	9.2	9.2	-0-
ALSIP	30.8	23.3	23.3	-0-	17.5	17.5	-0-	11.7	11.7	-0-
ALTON	19.9	30.4	31.0	28.7	24.1	25.8	19.1	16.5	8.6	38.3
ARLINGTON HEIGHTS	15.8	18.5	18.7	-0-	11.7	11.8	-0-	10.7	10.8	-0-
AURORA	24.7	23.5	21.4	41.0	17.5	15.3	35.9	17.5	15.9	30.8
BELLEVILLE	15.7	29.0	29.4	-0-	22.9	23.2	-0-	10.7	10.8	-0-
BELLWOOD	15.5	5.8	6.0	-0-	5.8	6.0	-0-	11.7	12.1	-0-
BELVIDERE	24.1	17.7	18.0	-0-	11.8	12.0	-0-	11.8	12.0	-0-
BENSENVILLE	24.2	9.7	9.7	-0-	9.7	9.7	-0-	9.7	9.7	-0-
BERWYN	13.5	11.3	11.4	-0-	9.9	10.0	-0-	9.9	10.0	-0-
BLOOMINGTON	20.2	26.0	26.3	21.3	23.5	23.7	21.3	17.3	18.4	-0-
BLUE ISLAND	26.6	18.0	15.5	71.4	13.1	10.3	71.4	16.4	17.2	-0-
BRIDGEVIEW	23.8	16.8	16.8	-0-	16.8	16.8	-0-	20.1	20.2	-0-
BROOKFIELD	14.9	13.2	13.3	-0-	13.2	13.3	-0-	-0-	-0-	-0-
BUFFALO GROVE	29.0	20.5	20.5	-0-	17.5	17.5	-0-	2.9	2.9	-0-
CAHOKIA	18.4	26.3	26.5	-0-	21.1	21.2	-0-	15.8	15.9	-0-
CALUMET CITY	19.8	16.8	16.9	-0-	15.3	15.4	-0-	19.9	18.4	500.0
CALUMET PARK	15.3	13.0	13.2	-0-	6.5	6.6	-0-	6.5	6.6	-0-
CANTON	16.2	26.0	26.5	-0-	26.0	26.5	-0-	8.7	8.8	-0-
CARBONDALE	13.1	20.0	21.3	15.4	16.7	17.0	15.4	6.7	-0-	30.8
CARPENTERSVILLE	22.1	16.9	17.0	-0-	9.4	9.5	-0-	7.5	7.6	-0-
CENTRALIA	23.2	17.0	12.7	52.6	11.3	6.3	52.6	8.5	9.5	-0-
CENTREVILLE	14.9	35.3	-0-	41.4	23.5	-0-	27.6	5.9	-0-	6.9
CHAMPAIGN	14.9	14.3	11.7	25.2	11.9	8.8	25.2	7.1	8.8	-0-
CHARLESTON	13.6	17.9	13.6	333.3	13.5	13.6	-0-	13.5	13.6	-0-
CHICAGO	20.7	26.7	20.0	34.5	19.7	15.3	24.8	17.6	13.7	22.0
CHICAGO HEIGHTS	23.5	22.9	19.9	30.9	18.7	15.6	27.0	15.6	11.4	27.0
CICERO	17.3	9.5	9.5	-0-	6.0	6.0	-0-	7.7	7.8	-0-
COLLINSVILLE	16.8	30.5	28.2	111.1	24.4	21.9	111.1	9.1	9.4	-0-
CRYSTAL LAKE	20.4	20.2	20.3	-0-	20.2	20.3	-0-	13.5	13.5	-0-
DANVILLE	21.8	24.8	26.2	18.2	20.5	21.0	18.2	14.0	14.4	12.1
DE KALB	13.6	6.7	7.0	-0-	4.5	4.7	-0-	6.7	7.0	-0-
DECATUR	19.9	17.8	18.4	15.0	12.2	13.0	9.0	10.6	10.2	12.0
DEERFIELD	16.6	15.9	16.0	-0-	15.9	16.0	-0-	9.6	9.6	-0-
DES PLAINES	22.1	19.8	19.9	-0-	14.2	14.4	-0-	13.4	13.6	-0-
DIXON	15.0	18.3	19.0	-0-	11.0	11.4	-0-	18.3	15.2	100.0
DULTON	16.1	12.0	12.1	-0-	12.0	12.1	-0-	12.0	12.1	-0-
DOWNERS GROVE	19.7	10.8	11.0	-0-	6.2	6.3	-0-	4.6	4.7	-0-
EAST MOLINE	17.5	19.2	15.3	51.3	13.7	12.3	25.6	19.2	21.5	-0-
EAST PEORIA	22.2	17.1	17.2	-0-	14.7	14.7	-0-	17.1	17.2	-0-
EAST ST LOUIS	27.8	32.4	34.8	31.9	22.1	18.7	22.9	23.7	29.4	22.3
EDWARDSVILLE	13.6	13.2	7.1	100.0	6.6	7.1	-0-	26.5	28.4	-0-
ELGIN	21.8	22.2	21.7	28.3	17.3	17.1	18.9	18.1	17.1	28.3
ELK GROVE	15.0	19.1	19.2	-0-	19.1	19.2	-0-	5.4	5.5	-0-
ELMHURST	13.4	25.1	25.5	-0-	19.2	19.5	-0-	10.3	10.5	-0-
ELMWOOD PARK	16.3	9.4	9.4	-0-	9.4	9.4	-0-	7.0	7.1	-0-
EVANSTON	16.2	20.2	18.7	24.5	17.1	14.6	24.5	7.0	5.2	12.2
EVERGREEN PARK	8.4	14.0	14.0	-0-	9.3	9.3	-0-	18.6	18.7	-0-
FAIRVIEW HEIGHTS	10.7	9.2	9.2	-0-	9.2	9.2	-0-	18.3	18.3	-0-
FOREST PARK	19.5	16.6	17.1	-0-	13.2	13.7	-0-	13.2	13.7	-0-
FRANKLIN PARK	17.6	16.7	16.9	-0-	13.9	14.1	-0-	16.7	16.9	-0-
FREEPORT	19.8	29.2	26.1	44.9	27.4	26.1	33.7	7.3	6.5	11.2
GALESBURG	15.7	21.1	20.8	24.4	15.8	15.1	24.4	10.5	11.3	-0-
GLEN ELLYN	18.6	4.9	4.9	-0-	2.5	2.5	-0-	12.3	12.3	-0-
GLENCOE	7.4	25.6	28.2	-0-	25.6	28.2	-0-	12.8	14.1	-0-
GLENDALE HEIGHTS	24.4	18.0	18.1	-0-	10.8	10.9	-0-	3.6	3.6	-0-
GLENVIEW	20.2	9.9	10.1	-0-	8.0	8.1	-0-	6.0	6.0	-0-
GRANITE CITY	19.3	23.1	23.2	-0-	23.1	23.2	-0-	12.8	12.9	-0-
HANOVER PARK	26.9	21.8	21.9	-0-	18.7	18.8	-0-	9.3	9.4	-0-
HARVEY	24.5	30.7	39.4	20.5	24.8	37.2	10.2	8.3	8.8	7.7
HAZEL CREST	19.1	25.4	25.6	-0-	15.2	15.4	-0-	20.3	20.5	-0-
HICKORY HILLS	26.4	17.2	17.3	-0-	17.2	17.3	-0-	11.5	11.5	-0-
HIGHLAND PARK	11.2	16.7	17.1	-0-	11.1	11.4	-0-	5.6	2.8	111.1
HINSDALE	14.3	13.2	13.6	-0-	4.4	4.5	-0-	17.5	18.2	-0-
HOFFMAN ESTATES	25.7	14.0	14.1	-0-	12.3	12.3	-0-	14.0	14.1	-0-
HOMEWOOD	11.4	23.1	23.5	-0-	23.1	23.5	-0-	18.5	18.8	-0-
JACKSONVILLE	15.2	19.2	20.8	-0-	12.8	13.8	-0-	28.8	31.1	-0-
JOLIET	19.7	26.5	19.2	54.1	20.2	14.4	42.0	10.7	8.8	18.0
KANKAKEE	22.6	27.2	27.5	26.5	18.6	17.6	21.2	14.3	9.8	26.5
KEWANEE	16.7	11.4	12.4	-0-	7.6	8.3	-0-	7.6	4.1	47.6
LA GRANGE	17.3	13.7	14.9	-0-	13.7	14.9	-0-	10.3	7.4	45.5
LA GRANGE PARK	13.1	9.8	9.9	-0-	4.9	4.9	-0-	19.6	19.7	-0-
LA SALLE	17.1	38.0	38.0	-0-	10.9	10.9	-0-	27.2	27.2	-0-
LAKE FOREST	7.9	16.3	16.4	-0-	8.1	8.2	-0-	-0-	-0-	-0-
LANSING	17.3	17.9	17.9	-0-	17.9	17.9	-0-	22.4	22.4	-0-

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1970. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	LIVE BIRTHS TOTALS	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LIBERTYVILLE	19.2	8.9	9.0	-0-	4.5	4.5	-0-	13.4	13.5	-0-
LINCOLN	14.3	19.9	20.4	-0-	15.9	16.3	-0-	15.9	16.3	-0-
LINCOLNWOOD	5.0	15.4	15.9	-0-	-0-	-0-	-0-	15.4	15.9	-0-
LOMBARD	17.6	15.8	15.9	-0-	12.7	12.7	-0-	4.7	4.8	-0-
LOVES PARK	20.9	11.6	11.6	-0-	7.7	7.7	-0-	11.6	11.6	-0-
LYONS	17.3	-0-	-0-	-0-	-0-	-0-	-0-	15.5	15.7	-0-
MACOMB	11.1	9.1	9.3	-0-	4.6	4.7	-0-	27.4	28.0	-0-
MARION	15.9	16.1	16.9	-0-	16.1	16.9	-0-	10.8	11.2	-0-
MARKHAM	17.6	21.4	9.9	27.8	17.8	9.9	22.2	10.7	-0-	16.7
MATTOON	16.9	18.1	18.5	-0-	9.0	9.2	-0-	9.0	9.2	-0-
MAYWOOD	19.7	27.0	33.5	22.6	25.3	33.5	19.8	16.9	8.4	22.6
MELROSE PARK	29.5	6.0	6.1	-0-	4.5	4.6	-0-	17.9	18.3	-0-
MIDLOTHIAN	21.1	26.8	26.9	-0-	26.8	26.9	-0-	11.9	12.0	-0-
MOBILE	18.2	15.4	15.8	-0-	10.7	10.9	-0-	9.5	8.5	50.0
MONMOUTH	16.2	44.7	35.1	250.0	39.1	29.2	250.0	5.6	5.8	-0-
MORTON GROVE	9.6	4.0	-0-	142.9	4.0	-0-	142.9	4.0	4.1	-0-
MORTON	17.8	16.2	16.3	-0-	10.8	10.9	-0-	10.8	10.9	-0-
MOUNT PROSPECT	17.1	10.0	10.2	-0-	6.7	6.8	-0-	5.0	5.1	-0-
MOUNT VERNON	17.6	14.2	8.3	50.0	10.7	8.3	25.0	10.7	8.3	25.0
MUNDELEIN	21.9	19.8	19.9	-0-	19.8	19.9	-0-	8.5	8.5	-0-
MURPHYSBORO	15.6	19.2	14.8	47.6	19.2	14.8	47.6	19.2	7.4	95.2
NAPERVILLE	12.5	10.1	10.1	-0-	10.1	10.1	-0-	10.1	10.1	-0-
NILES	13.7	16.2	14.1	200.0	11.6	9.4	200.0	4.6	4.7	-0-
NORMAL	12.3	21.5	15.7	333.3	18.5	12.5	333.3	-0-	-0-	-0-
NORRIDGE	11.0	26.9	27.0	-0-	21.5	21.6	-0-	5.4	5.4	-0-
NORTH CHICAGO	7.6	36.4	39.8	32.1	25.2	24.9	25.6	11.2	19.9	-0-
NORTH LAKE	16.5	8.5	8.5	-0-	8.5	8.5	-0-	4.3	4.3	-0-
NORTHBROOK	16.6	22.1	22.3	-0-	15.5	15.6	-0-	8.8	8.9	-0-
OAK FOREST	28.0	16.0	16.0	-0-	16.0	16.0	-0-	4.0	4.0	-0-
OAK LAWN	19.5	15.3	15.5	-0-	13.6	13.7	-0-	11.1	11.2	-0-
OAK PARK	14.4	17.8	18.2	-0-	15.5	15.9	-0-	11.1	11.4	-0-
OTTAWA	15.2	17.6	17.6	-0-	14.1	14.1	-0-	-0-	-0-	-0-
PALATINE	22.2	19.1	19.2	-0-	15.6	15.7	-0-	19.1	19.2	-0-
PARIS	19.8	25.4	25.4	-0-	15.2	15.2	-0-	5.1	5.1	-0-
PARK FOREST	22.5	11.6	12.3	-0-	8.7	9.2	-0-	4.4	4.6	-0-
PARK RIDGE	9.3	10.2	10.2	-0-	10.2	10.2	-0-	5.1	5.1	-0-
PEKIN	20.9	18.3	18.3	-0-	13.7	13.8	-0-	18.3	18.3	-0-
PEORIA	20.0	22.1	17.6	38.0	16.5	13.1	29.0	14.6	12.1	23.6
PERU	14.5	23.4	23.4	-0-	17.5	17.5	-0-	5.8	5.8	-0-
QUINCY	17.2	20.5	17.5	81.1	19.3	16.2	81.1	14.1	14.8	-0-
RANTOUL	24.7	12.7	12.3	15.9	11.1	10.5	15.9	7.9	8.8	-0-
RIVER FOREST	12.4	12.0	12.3	-0-	12.0	12.3	-0-	-0-	-0-	-0-
RIVER GROVE	21.3	4.1	4.1	-0-	-0-	-0-	-0-	4.1	4.1	-0-
RIVERDALE	19.5	13.0	13.3	-0-	9.7	10.0	-0-	3.2	3.3	-0-
RIVERSIDE	11.6	8.3	8.3	-0-	8.3	8.3	-0-	-0-	-0-	-0-
ROCK FALLS	24.2	12.0	12.2	-0-	12.0	12.2	-0-	20.1	16.3	333.3
ROCK ISLAND	17.2	23.2	21.3	31.6	16.2	15.6	19.0	7.0	8.5	-0-
ROCKFORD	22.5	20.5	18.3	31.5	16.6	15.1	24.1	9.0	7.2	18.6
ROLLING MEADOWS	25.0	18.8	19.1	-0-	14.6	14.9	-0-	10.4	8.5	11.1
ROMEDEVILLE	17.1	18.4	18.6	-0-	18.4	18.6	-0-	9.2	9.3	-0-
SCHAUMBURG	27.1	9.8	9.9	-0-	9.8	9.9	-0-	2.0	2.0	-0-
SCHILLER PARK	20.1	11.8	11.8	-0-	11.8	11.8	-0-	11.8	11.8	-0-
SKOKIE	10.3	15.6	14.5	76.9	12.8	11.6	76.9	4.3	4.3	-0-
SOUTH HOLLAND	13.7	21.3	21.5	-0-	18.3	18.4	-0-	3.0	3.1	-0-
SPRINGFIELD	18.7	26.2	20.3	63.8	21.0	17.6	42.6	13.4	11.5	25.5
ST CHARLES	18.3	8.4	8.6	-0-	8.4	8.6	-0-	25.3	25.8	-0-
STERLING	18.7	19.9	20.5	-0-	13.2	13.7	-0-	13.2	13.7	-0-
STREAMWOOD	27.6	14.0	14.1	-0-	12.0	12.0	-0-	12.0	12.0	-0-
STREATOR	18.3	14.0	14.2	-0-	14.0	14.2	-0-	14.0	14.2	-0-
SUMMIT	25.8	30.1	22.1	54.8	16.7	17.7	13.7	16.7	13.3	27.4
TAYLORVILLE	16.8	16.8	16.8	-0-	16.8	16.8	-0-	11.2	11.2	-0-
TINLEY PARK	29.6	16.4	16.4	-0-	13.7	13.7	-0-	10.9	11.0	-0-
URBANA	18.5	21.5	19.0	30.3	14.9	12.7	22.7	9.9	8.4	15.2
VILLA PARK	19.2	10.1	10.2	-0-	8.0	8.2	-0-	4.0	4.1	-0-
WAUKEGAN	24.1	19.1	17.8	24.7	12.1	10.1	21.2	8.9	7.0	17.7
WEST CHICAGO	23.3	29.7	30.2	-0-	29.7	30.2	-0-	8.5	8.6	-0-
WESTCHESTER	8.6	11.6	11.6	-0-	11.6	11.6	-0-	-0-	-0-	-0-
WESTERN SPRINGS	10.8	15.3	15.3	-0-	15.3	15.3	-0-	-0-	-0-	-0-
WHEATON	16.1	14.0	12.5	52.6	8.0	8.3	-0-	18.0	18.7	-0-
WHEELING	21.7	6.3	6.3	-0-	3.1	3.1	-0-	25.0	25.1	-0-
WILMETTE	9.8	12.7	12.9	-0-	9.5	9.7	-0-	6.3	6.5	-0-
WINNETKA	8.7	8.1	8.2	-0-	8.1	8.2	-0-	8.1	8.2	-0-
WOOD RIVER	20.7	7.3	7.4	-0-	3.1	3.7	-0-	11.0	11.0	-0-
WOODRIDGE	24.2	3.7	3.8	-0-	3.7	3.8	-0-	15.0	15.2	-0-
WOODSTOCK	21.2	23.0	23.3	-0-	23.0	23.3	-0-	4.6	4.7	-0-
WORTH	26.5	9.4	9.4	-0-	9.4	9.4	-0-	12.6	12.6	-0-
ZION	29.5	29.4	32.8	12.0	15.7	18.7	-0-	21.6	21.1	24.1

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
ILLINOIS. . .	205,203	16,874	8.22	203,405	99.12	3,116	15.2	272	1.3	1,027	5.0	57
ADAMS	1,223	97	7.93	1,219	99.67	26	21.3	1	0.8	4	3.3	--
ALEXANDER	200	18	9.00	198	99.00	4	20.0	--	-0-	2	10.0	--
BOND	212	11	5.19	211	99.53	2	9.4	--	-0-	--	-0-	--
BOONE	548	49	8.94	548	100.00	6	10.9	1	1.8	2	3.6	--
BROWN	67	4	5.97	67	100.00	1	14.9	1	14.9	1	14.9	--
BUREAU.	635	43	6.77	634	99.84	9	14.2	1	1.6	4	6.3	--
CALHOUN	98	5	5.10	98	100.00	1	10.2	--	-0-	1	10.2	--
CARROLL	354	26	7.34	351	99.15	4	11.3	--	-0-	2	5.6	--
CASS.	234	8	3.42	232	99.15	1	4.3	--	-0-	--	-0-	--
CHAMPAIGN	3,087	221	7.16	3,082	99.84	36	11.7	2	0.6	13	4.2	1
CHRISTIAN	600	38	6.33	600	100.00	8	13.3	--	-0-	--	-0-	--
CLARK	238	19	7.98	238	100.00	4	16.8	--	-0-	--	-0-	--
CLAY	222	8	3.60	222	100.00	5	22.5	--	-0-	--	-0-	--
CLINTON	496	43	8.67	495	99.80	7	14.1	--	-0-	3	6.0	--
COLES	735	41	5.58	733	99.73	6	8.2	2	2.7	4	5.4	--
COOK.	106,053	9,813	9.25	104,491	98.53	1,696	16.0	155	1.5	602	5.7	35
CRAWFORD. . . .	277	16	5.78	276	99.64	5	18.1	--	-0-	1	3.6	--
CUMBERLAND. . . .	189	9	4.76	189	100.00	--	-0-	1	5.3	--	-0-	--
DE KALB	1,176	79	6.72	1,175	99.91	10	8.5	--	-0-	4	3.4	--
DE WITT	265	23	8.68	263	99.25	9	34.0	--	-0-	2	7.5	--
DOUGLAS	278	14	5.04	276	99.28	3	10.8	1	3.6	1	3.6	--
DU PAGE	8,623	486	5.64	8,600	99.73	88	10.2	11	1.3	34	3.9	2
EDGAR	362	31	8.56	362	100.00	5	13.8	--	-0-	3	8.3	--
EDWARDS	100	7	7.00	100	100.00	2	20.0	--	-0-	--	-0-	--
EFFINGHAM	401	25	6.23	400	99.75	6	15.0	1	2.5	1	2.5	--
FAYETTE	276	31	11.23	276	100.00	10	36.2	--	-0-	2	7.2	--
FORD.	233	8	3.43	232	99.57	2	8.6	--	-0-	1	4.3	--
FRANKLIN.	520	39	7.50	519	99.81	10	19.2	--	-0-	3	5.8	--
FULTON.	654	51	7.80	654	100.00	16	24.5	2	3.1	1	1.5	--
GALLATIN.	121	4	3.31	121	100.00	2	16.5	--	-0-	--	-0-	--
GREENE.	283	18	6.36	281	99.29	6	21.2	--	-0-	--	-0-	--
GRUNDY.	530	35	6.60	528	99.62	12	22.6	1	1.9	2	3.8	--
HAMILTON.	106	9	8.49	104	98.11	1	9.4	--	-0-	--	-0-	--
HANCOCK	341	18	5.28	338	99.12	3	8.8	--	-0-	2	5.9	--
HARDIN.	89	6	6.74	89	100.00	--	-0-	--	-0-	--	-0-	--
HENDERSON	123	6	4.88	123	100.00	--	-0-	--	-0-	1	8.1	--
HENRY	868	55	6.34	865	99.65	12	13.8	--	-0-	4	4.6	2
IRROQUOIS. . . .	507	39	7.69	503	99.21	4	7.9	1	2.0	4	7.9	--
JACKSON	946	62	6.55	943	99.68	12	12.7	--	-0-	3	3.2	1
JASPER.	160	12	7.50	160	100.00	1	6.3	--	-0-	--	-0-	--
JEFFERSON	476	24	5.04	476	100.00	5	10.5	--	-0-	2	4.2	--
JERSEY.	294	15	5.10	294	100.00	4	13.6	--	-0-	1	3.4	--
JO DAVIESS. . . .	350	19	5.43	348	99.43	4	11.4	2	5.7	--	-0-	--
JOHNSON	97	7	7.22	97	100.00	1	10.3	--	-0-	--	-0-	--
KANE.	5,278	412	7.81	5,265	99.75	76	14.4	6	1.1	26	4.9	3
KANKAKEE.	1,923	163	8.48	1,914	99.53	33	17.2	1	0.5	13	6.8	--
KENDALL	494	36	7.29	493	99.80	9	18.2	--	-0-	3	6.1	--
KNOX.	968	63	6.51	968	100.00	17	17.6	1	1.0	7	7.2	1
LAKE.	7,012	526	7.50	6,995	99.76	90	12.8	12	1.7	37	5.3	--
LA SALLE.	1,784	115	6.45	1,779	99.72	21	11.8	5	2.8	12	6.7	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.

NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
LAWRENCE. . . .	281	15	5.34	280	99.64	--	-0-	--	-0-	--	-0-	--
LEE	587	37	6.30	587	100.00	8	13.6	--	-0-	2	3.4	--
LIVINGSTON. . .	627	49	7.81	627	100.00	14	22.3	1	1.6	4	6.4	--
LOGAN	420	25	5.95	419	99.76	5	11.9	--	-0-	1	2.4	--
MCDONOUGH . . .	514	33	6.42	512	99.61	1	1.9	--	-0-	2	3.9	--
MCHENRY	1,995	139	6.97	1,989	99.70	24	12.0	3	1.5	2	1.0	--
MCLEAN	1,837	123	6.70	1,836	99.95	29	15.8	3	1.6	3	1.6	--
MACON	2,290	158	6.90	2,286	99.83	23	10.0	1	0.4	11	4.8	--
MACOUPIN. . . .	699	46	6.58	698	99.86	8	11.4	--	-0-	3	4.3	--
MADISON	4,561	302	6.62	4,557	99.91	64	14.0	8	1.8	17	3.7	2
MARION.	676	55	8.14	676	100.00	7	10.4	--	-0-	2	3.0	--
MARSHALL. . . .	202	12	5.94	202	100.00	4	19.8	--	-0-	1	5.0	--
MASON	248	15	6.05	248	100.00	6	24.2	--	-0-	1	4.0	--
MASSAC.	189	18	9.52	188	99.47	6	31.7	--	-0-	1	5.3	--
MENARD.	140	9	6.43	140	100.00	4	28.6	--	-0-	1	7.1	--
MERCER.	278	12	4.32	276	99.28	1	3.6	--	-0-	2	7.2	--
MONROE.	314	21	6.69	314	100.00	4	12.7	--	-0-	4	12.7	--
MONTGOMERY. . .	427	23	5.39	425	99.53	8	18.7	1	2.3	2	4.7	--
MORGAN.	541	44	8.13	539	99.63	8	14.8	--	-0-	3	5.5	--
MOULTRIE. . . .	191	18	9.42	190	99.48	2	10.5	--	-0-	1	5.2	--
OGLE.	789	50	6.34	786	99.62	10	12.7	3	3.8	2	2.5	--
PEORIA.	3,691	288	7.80	3,684	99.81	52	14.1	8	2.2	18	4.9	--
PERRY	317	29	9.15	316	99.68	5	15.8	--	-0-	--	-0-	1
PIATT	229	16	6.99	228	99.56	4	17.5	--	-0-	2	8.7	--
PIKE.	336	30	8.93	336	100.00	11	32.7	--	-0-	--	-0-	1
POPE.	40	2	5.00	40	100.00	1	25.0	--	-0-	--	-0-	--
PULASKI	116	11	9.48	112	96.55	4	34.5	--	-0-	--	-0-	--
PUTNAM.	96	8	8.33	96	100.00	3	31.3	--	-0-	--	-0-	--
RANDOLPH. . . .	478	27	5.65	477	99.79	8	16.7	--	-0-	1	2.1	--
RICHLAND.	267	17	6.37	267	100.00	3	11.2	--	-0-	--	-0-	--
ROCK ISLAND . .	3,016	224	7.43	3,003	99.57	45	14.9	1	0.3	14	4.6	1
ST. CLAIR. . . .	5,114	529	10.34	5,095	99.63	88	17.2	6	1.2	34	6.6	1
SALINE.	383	22	5.74	383	100.00	7	18.3	--	-0-	--	-0-	1
SANGAMON. . . .	2,815	205	7.28	2,810	99.82	48	17.1	3	1.1	14	5.0	--
SCHUYLER.	111	2	1.80	111	100.00	--	-0-	--	-0-	--	-0-	--
SCOTT	84	6	7.14	84	100.00	1	11.9	--	-0-	--	-0-	--
SHELBY.	358	29	8.10	358	100.00	5	14.0	--	-0-	2	5.6	--
STARK	86	5	5.81	86	100.00	2	23.3	--	-0-	--	-0-	--
STEPHENSON. . .	904	55	6.08	902	99.78	18	19.9	2	2.2	1	1.1	--
TAZEWELL.	2,326	147	6.32	2,322	99.83	27	11.6	5	2.1	8	3.4	--
UNION	235	22	9.36	234	99.57	6	25.5	--	-0-	1	4.3	1
VERMILION. . . .	1,785	143	8.01	1,783	99.89	25	14.0	3	1.7	6	3.4	1
WARASH.	197	17	8.63	195	98.98	2	10.2	--	-0-	1	5.1	--
WARREN.	323	25	7.74	323	100.00	11	34.1	--	-0-	2	6.2	--
WASHINGTON. . .	199	9	4.52	197	98.99	4	20.1	1	5.0	--	-0-	1
WAYNE	255	18	7.06	255	100.00	2	7.8	--	-0-	--	-0-	--
WHITE	235	18	7.66	234	99.57	4	17.0	1	4.3	1	4.3	--
WHITESIDE. . . .	1,219	73	5.99	1,218	99.92	15	12.3	--	-0-	6	4.9	--
WILL.	4,740	361	7.62	4,733	99.85	89	18.8	7	1.5	21	4.4	1
WILLIAMSON. . . .	786	53	6.74	786	100.00	14	17.8	1	1.3	1	1.3	--
WINNEBAGO	5,097	346	6.79	5,084	99.74	70	13.7	6	1.2	18	3.5	1
WOODFORD.	451	26	5.76	451	100.00	9	20.0	--	-0-	3	6.7	--
UNSPECIFIED . . .	2	--	-0-	2	100.00	2	1000.0	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
 NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
 RATES PER 1,000 LIVE BIRTHS.

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970

CITY	L I V E B I R T H S I N F A N T D E A T H S B Y A G E										M A T E R N A L S	
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER		RATE
ADDISON	652	42	6.44	651	99.85	12	18.4	1	1.5	1	1.5	--
ALSIP	343	19	5.54	343	100.00	5	14.6	1	2.9	2	5.8	--
ALTON	790	61	7.72	789	99.87	16	20.3	3	3.8	5	6.3	--
ARLINGTON HEIGHTS	1,026	66	6.43	1,024	99.81	12	11.7	--	-0-	7	6.8	--
AURORA	1,831	152	8.30	1,828	99.84	30	16.4	2	1.1	11	6.0	1
BELLEVILLE	655	51	7.79	655	100.00	13	19.8	2	3.1	4	6.1	--
BELLWOOD	342	23	6.73	340	99.42	2	5.8	--	-0-	--	-0-	--
BELVIDERE	339	29	8.55	339	100.00	3	8.8	1	2.9	2	5.9	--
BENSENVILLE	310	18	5.81	309	99.68	3	9.7	--	-0-	--	-0-	--
BERWYN	710	50	7.04	709	99.86	7	9.9	--	-0-	1	1.4	--
BLOOMINGTON	808	62	7.67	807	99.88	17	21.0	2	2.5	2	2.5	--
BLUE ISLAND	610	42	6.89	609	99.84	8	13.1	--	-0-	3	4.9	--
BRIDGEVIEW	298	23	7.72	298	100.00	3	10.1	2	6.7	--	-0-	--
BROOKFIELD	303	20	6.60	302	99.67	4	13.2	--	-0-	--	-0-	--
BUFFALO GROVE	342	27	7.89	342	100.00	5	14.6	1	2.9	1	2.9	--
CAHOKIA	380	24	6.32	379	99.74	8	21.1	--	-0-	2	5.3	--
CALUMET CITY	653	43	6.58	652	99.85	9	13.8	1	1.5	1	1.5	--
CALUMET PARK	154	10	6.49	154	100.00	1	6.5	--	-0-	1	6.5	--
CANTON	231	19	8.23	231	100.00	5	21.6	1	4.3	--	-0-	--
CARBONDALE	300	17	5.67	300	100.00	5	16.7	--	-0-	1	3.3	--
CARPENTERSVILLE	531	43	8.10	531	100.00	5	9.4	--	-0-	4	7.5	--
CENTRALIA	353	37	10.48	353	100.00	4	11.3	--	-0-	2	5.7	--
CENTREVILLE	170	22	12.94	170	100.00	4	23.5	--	-0-	2	11.8	--
CHAMPAIGN	841	50	5.95	840	99.88	8	9.5	2	2.4	2	2.4	1
CHARLESTON	223	8	3.59	223	100.00	3	13.5	--	-0-	1	4.5	--
CHICAGO	69,568	7,433	10.68	68,121	97.92	1,251	18.0	120	1.7	489	7.0	30
CHICAGO HEIGHTS	962	72	7.48	962	100.00	18	18.7	--	-0-	4	4.2	--
CICERO	1,163	70	6.02	1,159	99.66	7	6.0	--	-0-	4	3.4	--
COLLINSVILLE	328	32	9.76	328	100.00	8	24.4	--	-0-	2	6.1	--
CRYSTAL LAKE	297	17	5.72	296	99.66	5	16.8	1	3.4	--	-0-	--
DANVILLE	927	88	9.49	925	99.78	18	19.4	1	1.1	4	4.3	1
DE KALB	448	38	8.48	448	100.00	2	4.5	--	-0-	1	2.2	--
DECATUR	1,799	128	7.12	1,795	99.78	21	11.7	1	0.6	10	5.6	--
DEERFIELD	314	10	3.18	314	100.00	5	15.9	--	-0-	--	-0-	--
DES PLAINES	1,265	75	5.93	1,257	99.37	16	12.6	2	1.6	7	5.5	--
DIXON	273	23	8.42	273	100.00	3	11.0	--	-0-	2	7.3	--
DULTON	417	23	5.52	413	99.04	5	12.0	--	-0-	--	-0-	--
DOWNERS GROVE	646	29	4.49	644	99.69	3	4.6	1	1.5	3	4.6	1
EAST MOLINE	365	26	7.12	364	99.73	4	11.0	1	2.7	2	5.5	--
EAST PEORIA	409	24	5.87	408	99.76	5	12.2	1	2.4	1	2.4	--
EAST ST LOUIS	1,943	268	13.79	1,928	99.23	41	21.1	2	1.0	20	10.3	1
EDWARDSVILLE	151	8	5.30	151	100.00	--	-0-	1	6.6	1	6.6	--
ELGIN	1,214	99	8.15	1,213	99.92	18	14.8	3	2.5	6	4.9	--
ELK GROVE	367	21	5.72	365	99.46	7	19.1	--	-0-	--	-0-	--
ELMHURST	677	39	5.76	675	99.70	13	19.2	--	-0-	4	5.9	--
ELMWOOD PARK	426	19	4.46	424	99.53	4	9.4	--	-0-	--	-0-	--
EVANSTON	1,289	82	6.36	1,287	99.84	20	15.5	2	1.6	4	3.1	--
EVERGREEN PARK	215	9	4.19	214	99.53	2	9.3	--	-0-	1	4.7	--
FAIRVIEW HEIGHTS	109	8	7.34	109	100.00	1	9.2	--	-0-	--	-0-	--
FOREST PARK	302	18	5.96	301	99.67	4	13.2	--	-0-	1	3.3	--
FRANKLIN PARK	360	25	6.94	358	99.44	4	11.1	1	2.8	1	2.8	--
FREEPORT	548	37	6.75	546	99.64	13	23.7	2	3.6	1	1.8	--
GALESBURG	570	41	7.19	570	100.00	9	15.8	--	-0-	3	5.3	--
GLEN ELLYN	407	20	4.91	405	99.51	1	2.5	--	-0-	1	2.5	--
GLENCOE	78	7	8.97	78	100.00	2	25.6	--	-0-	--	-0-	--
GLENDALE HEIGHTS	278	15	5.40	278	100.00	3	10.8	--	-0-	2	7.2	--
GLENVIEW	503	27	5.37	501	99.60	4	8.0	--	-0-	1	2.0	--
GRANITE CITY	780	54	6.92	778	99.74	18	23.1	--	-0-	--	-0-	--
HANOVER PARK	321	19	5.92	320	99.69	6	18.7	--	-0-	1	3.1	--
HARVEY	848	98	11.56	847	99.88	20	23.6	1	1.2	5	5.9	1
HAZEL CREST	197	14	7.11	195	98.98	3	15.2	--	-0-	2	10.2	--
HICKORY HILLS	348	16	4.60	348	100.00	6	17.2	--	-0-	--	-0-	--
HIGHLAND PARK	360	24	6.67	358	99.44	4	11.1	--	-0-	2	5.6	--
HINSDALE	228	13	5.70	228	100.00	1	4.4	--	-0-	2	8.8	--
HOFFMAN ESTATES	571	35	6.13	570	99.82	7	12.3	--	-0-	1	1.8	--
HOMewood	216	16	7.41	214	99.07	5	23.1	--	-0-	--	-0-	--
JACKSONVILLE	312	26	8.33	311	99.68	4	12.8	--	-0-	2	6.4	--
JOLIET	1,585	135	8.52	1,585	100.00	31	19.6	1	0.6	10	6.3	--
KANKAKEE	699	64	9.16	696	99.57	13	18.6	--	-0-	6	8.6	--
KEWANEE	263	25	9.51	262	99.62	2	7.6	--	-0-	1	3.8	2
LA GRANGE	291	17	5.84	291	100.00	4	13.7	--	-0-	--	-0-	--
LA GRANGE PARK	204	9	4.41	204	100.00	1	4.9	--	-0-	1	4.9	--
LA SALLE	184	18	9.78	184	100.00	1	5.4	1	5.4	5	27.2	--
LAKE FOREST	123	4	3.25	122	99.19	1	8.1	--	-0-	1	8.1	--
LANSING	447	20	4.47	447	100.00	7	15.7	1	2.2	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
 NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
 RATES PER 1,000 LIVE BIRTHS.

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

CITY	L I V E B I R T H S I N F A N T D E A T H S B Y A G E										M A T E R N A L D E A T H S	
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER		RATE
LIBERTYVILLE	224	11	4.91	224	100.00	1	4.5	--	-0-	1	4.5	--
LINCOLN	251	14	5.58	251	100.00	4	15.9	--	-0-	1	4.0	--
LINCOLNWOOD	65	2	3.08	65	100.00	--	-0-	--	-0-	1	15.4	--
LOMBARD	632	27	4.27	632	100.00	7	11.1	1	1.6	2	3.2	I
LOVES PARK	259	19	7.34	258	99.61	2	7.7	--	-0-	1	3.9	--
LYONS	193	11	5.70	193	100.00	--	-0-	--	-0-	--	-0-	--
MACOMB	219	12	5.48	217	99.09	1	4.6	--	-0-	1	4.6	--
MARION	186	14	7.53	186	100.00	3	16.1	--	-0-	--	-0-	--
MARKHAM	281	41	14.59	279	99.29	5	17.8	--	-0-	1	3.6	--
MATTOON	332	23	6.93	330	99.40	2	6.0	1	3.0	3	9.0	--
MAYWOOD	593	56	9.44	589	99.33	13	21.9	2	3.4	1	1.7	--
MELROSE PARK	669	51	7.62	667	99.70	3	4.5	--	-0-	1	1.5	--
MIDLOTHIAN	336	17	5.06	336	100.00	7	20.8	2	6.0	--	-0-	--
MOLINE	843	49	5.81	839	99.53	9	10.7	--	-0-	4	4.7	--
MONMOUTH	179	16	8.94	179	100.00	7	39.1	--	-0-	1	5.6	--
MORTON GROVE	252	11	4.37	251	99.60	1	4.0	--	-0-	--	-0-	--
MORTON	185	8	4.32	185	100.00	2	10.8	--	-0-	1	5.4	--
MOUNT PROSPECT	598	30	5.02	598	100.00	4	6.7	--	-0-	2	3.3	--
MOUNT VERNON	281	15	5.34	281	100.00	3	10.7	--	-0-	1	3.6	--
MUNDELEIN	353	23	6.52	351	99.43	6	17.0	1	2.8	--	-0-	--
MURPHYSBORO	156	14	8.97	156	100.00	3	19.2	--	-0-	--	-0-	--
NAPERVILLE	298	18	6.04	297	99.66	3	10.1	--	-0-	--	-0-	--
NILES	432	25	5.79	432	100.00	4	9.3	1	2.3	2	4.6	--
NORMAL	325	18	5.54	325	100.00	6	18.5	--	-0-	1	3.1	--
NORRIDGE	186	7	3.76	186	100.00	4	21.5	--	-0-	1	5.4	--
NORTH CHICAGO	357	48	13.45	355	99.44	7	19.6	2	5.6	4	11.2	--
NORTH LAKE	235	21	8.94	235	100.00	2	8.5	--	-0-	--	-0-	--
NORTHBROOK	452	28	6.19	450	99.56	7	15.5	--	-0-	3	6.6	--
OAK FOREST	501	43	8.58	500	99.80	8	16.0	--	-0-	--	-0-	--
OAK LAWN	1,174	70	5.96	1,174	100.00	16	13.6	--	-0-	2	1.7	2
OAK PARK	901	54	5.99	889	98.67	13	14.4	1	1.1	2	2.2	--
OTTAWA	284	9	3.17	284	100.00	3	10.6	1	3.5	1	3.5	--
PALATINE	576	37	6.42	573	99.48	9	15.6	--	-0-	2	3.5	--
PARIS	197	17	8.63	197	100.00	3	15.2	--	-0-	2	10.2	--
PARK FOREST	689	39	5.66	689	100.00	6	8.7	--	-0-	2	2.9	--
PARK RIDGE	393	16	4.07	389	98.98	4	10.2	--	-0-	--	-0-	--
PEKIN	655	44	6.72	653	99.69	8	12.2	1	1.5	3	4.6	--
PEORIA	2,538	213	8.39	2,532	99.76	39	15.4	3	1.2	14	5.5	--
PERU	171	13	7.60	171	100.00	3	17.5	--	-0-	1	5.8	--
QUINCY	779	58	7.45	777	99.74	14	18.0	1	1.3	1	1.3	--
RANTOUL	632	41	6.49	630	99.68	7	11.1	--	-0-	1	1.6	--
RIVER FOREST	166	9	5.42	163	98.19	1	6.0	1	6.0	--	-0-	--
RIVER GROVE	244	14	5.74	243	99.59	--	-0-	--	-0-	1	4.1	--
RIVERDALE	308	19	6.17	307	99.68	2	6.5	1	3.2	1	3.2	--
RIVERSIDE	121	4	3.31	121	100.00	1	8.3	--	-0-	--	-0-	--
ROCK FALLS	249	21	8.43	249	100.00	3	12.0	--	-0-	--	-0-	--
ROCK ISLAND	862	86	9.98	858	99.54	14	16.2	--	-0-	6	7.0	1
ROCKFORD	3,323	245	7.37	3,313	99.70	51	15.3	4	1.2	13	3.9	--
ROLLING MEADOWS	480	38	7.92	479	99.79	6	12.5	1	2.1	2	4.2	--
ROMEOVILLE	217	17	7.83	217	100.00	3	13.8	1	4.6	--	-0-	--
SCHAUMBURG	508	30	5.91	508	100.00	4	7.9	1	2.0	--	-0-	--
SCHILLER PARK	255	9	3.53	253	99.22	3	11.8	--	-0-	--	-0-	--
SKOKIE	705	54	7.66	702	99.57	8	11.3	1	1.4	2	2.8	--
SOUTH HOLLAND	328	17	5.18	327	99.70	5	15.2	1	3.0	1	3.0	--
SPRINGFIELD	1,715	137	7.99	1,713	99.88	33	19.2	3	1.7	9	5.2	--
ST CHARLES	237	13	5.49	237	100.00	2	8.4	--	-0-	--	-0-	1
STERLING	302	26	8.61	301	99.67	4	13.2	--	-0-	2	6.6	--
STREAMWOOD	501	35	6.99	496	99.00	5	10.0	1	2.0	1	2.0	--
STREATOR	286	24	8.39	284	99.30	4	14.0	--	-0-	--	-0-	--
SUMMIT	299	26	8.70	298	99.67	4	13.4	1	3.3	4	13.4	--
TAYLORVILLE	179	14	7.82	179	100.00	3	16.8	--	-0-	--	-0-	--
TINLEY PARK	366	23	6.28	366	100.00	5	13.7	--	-0-	1	2.7	--
URBANA	606	44	7.26	606	100.00	9	14.9	--	-0-	4	6.6	--
VILLA PARK	497	29	5.84	495	99.60	3	6.0	1	2.0	1	2.0	--
WAUKEGAN	1,572	134	8.52	1,571	99.94	18	11.5	1	0.6	11	7.0	--
WEST CHICAGO	236	15	6.36	235	99.58	5	21.2	2	8.5	--	-0-	--
WESTCHESTER	172	11	6.40	172	100.00	2	11.6	--	-0-	--	-0-	--
WESTERN SPRINGS	131	4	3.05	131	100.00	2	15.3	--	-0-	--	-0-	--
WHEATON	500	18	3.60	498	99.60	3	6.0	1	2.0	3	6.0	--
WHEELING	320	19	5.94	319	99.69	1	3.1	--	-0-	1	3.1	--
WILMETTE	315	21	6.67	315	100.00	3	9.5	--	-0-	1	3.2	--
WINNETKA	123	8	6.50	123	100.00	--	-0-	1	8.1	--	-0-	--
WOOD RIVER	273	11	4.03	273	100.00	1	3.7	--	-0-	1	3.7	--
WOODRIDGE	267	18	6.74	266	99.63	1	3.7	--	-0-	--	-0-	--
WOODSTOCK	217	20	9.22	216	99.54	5	23.0	--	-0-	--	-0-	--
WORTH	318	23	7.23	318	100.00	3	9.4	--	-0-	--	-0-	--
ZION	510	40	7.84	507	99.41	7	13.7	1	2.0	7	13.7	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	FETUS WEIGHT IN GRAMS										
	TOTAL FETAL DEATHS	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ILLINOIS.	2,811	828	345	308	154	179	288	279	159	62	47
ADAMS	25	10	4	2	2	1	1	1	2	--	1
ALEXANDER	4	--	--	--	1	--	1	1	--	--	1
BOND	2	--	--	--	--	--	1	--	--	--	--
BOONE	6	2	1	--	--	2	--	--	--	1	--
BROWN	--	--	--	--	--	--	--	--	--	--	--
BUREAU	6	--	2	--	--	--	2	--	1	--	--
CALHOUN	--	--	--	--	--	--	--	--	--	--	--
CARROLL	4	1	--	--	--	--	--	1	--	--	--
CASS	3	2	1	--	--	--	--	--	--	--	--
CHAMPAIGN	28	3	4	3	--	4	9	1	2	--	1
CHRISTIAN	6	2	1	1	--	1	--	--	--	1	--
CLARK	3	--	1	--	--	--	1	--	--	--	--
CLAY	5	1	--	2	--	--	1	--	--	--	--
CLINTON	8	3	2	--	--	--	1	1	1	--	--
COLES	8	2	1	--	1	--	2	--	--	1	--
COOK	1,604	543	204	187	80	90	170	152	76	32	18
CRAWFORD	1	--	--	--	--	--	--	--	--	--	--
CUMBERLAND	1	--	--	--	1	--	--	--	--	--	--
DE KALB	12	4	2	--	--	1	1	1	1	--	--
DE WITT	2	1	1	--	--	--	--	--	--	--	--
DOUGLAS	5	--	--	1	1	--	--	1	--	--	--
DU PAGE	71	22	9	5	6	4	8	9	2	--	1
EDGAR	3	1	--	--	--	--	--	--	1	--	--
EDWARDS	1	--	--	--	--	1	--	--	--	--	--
EFFINGHAM	5	1	--	2	1	--	--	1	--	--	--
FAYETTE	2	--	--	--	2	--	--	--	--	--	--
FORD	3	1	--	--	1	--	--	--	--	--	--
FRANKLIN	4	2	--	1	--	1	--	--	--	--	--
FULTON	9	1	2	1	1	1	1	1	--	--	--
GALLATIN	--	--	--	--	--	--	--	--	--	--	--
GREENE	5	--	1	--	--	1	1	--	1	--	1
GRUNDY	9	1	1	--	1	--	--	--	1	--	--
HAMILTON	1	--	--	--	--	--	--	--	--	--	--
HANCOCK	5	--	--	--	--	--	--	3	1	--	--
HARDIN	--	--	--	--	--	--	--	--	--	--	--
HENDERSON	2	--	--	--	--	--	--	1	--	--	--
HENRY	10	2	--	--	3	--	--	1	2	--	1
IROQUOIS	7	2	--	--	--	--	--	1	3	1	--
JACKSON	14	3	3	3	1	--	--	1	--	1	--
JASPER	2	1	--	1	--	--	--	--	--	--	--
JEFFERSON	6	2	--	3	--	--	--	1	--	--	--
JERSEY	--	--	--	--	--	--	--	--	--	--	--
JO DAVIESS	2	--	--	--	1	1	--	--	--	--	--
JOHNSON	--	--	--	--	--	--	--	--	--	--	--
KANE	86	23	5	8	4	8	8	7	3	5	2
KANKAKEE	27	12	2	1	1	2	1	3	1	1	1
KENDALL	4	--	1	--	--	--	1	--	1	--	--
KNOX	10	2	--	1	--	2	1	2	1	--	--
LAKE	84	20	8	11	5	10	6	11	7	1	1
LA SALLE	27	4	2	4	2	2	4	3	2	2	1

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	FETUS WEIGHT IN GRAMS										
	TOTAL FETAL DEATHS	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LANSING	10	1	2	--	2	--	1	1	1	--	--
LIBERTYVILLE	3	--	--	1	--	1	1	--	--	--	--
LINCOLN	4	2	--	--	--	--	--	1	1	--	--
LINCOLNWOOD	1	--	--	--	--	--	--	--	--	1	--
LOMBARD	3	2	--	--	--	1	--	--	--	--	--
LOVES PARK	3	--	--	--	--	2	--	1	--	--	--
LYONS	3	1	1	1	--	--	--	--	--	--	--
MACOMB	6	2	1	1	2	--	--	--	--	--	--
MARION	2	--	1	--	--	--	1	--	--	--	--
MARKHAM	3	1	--	1	--	--	--	1	--	--	--
MATTOON	3	--	1	--	--	--	1	--	--	--	--
MAYWOOD	10	5	--	--	--	1	1	1	1	--	--
MELROSE PARK	12	4	1	2	--	1	1	2	--	--	--
MIDLOTHIAN	4	2	--	--	--	--	2	--	--	--	--
MOLINE	8	1	1	2	--	1	--	--	2	--	--
MONMOUTH	1	--	--	--	--	--	--	--	--	--	1
MORTON GROVE	1	--	--	--	--	--	--	--	1	--	--
MORTON	2	--	1	--	--	--	1	--	--	--	--
MOUNT PROSPECT	3	3	--	--	--	--	--	--	--	--	--
MOUNT VERNON	3	2	--	1	--	--	--	--	--	--	--
MUNDELEIN	3	--	1	--	--	--	1	--	--	--	--
MURPHYSBORO	3	--	2	1	--	--	--	--	--	--	--
NAPERVILLE	3	1	1	--	1	--	--	--	--	--	--
NILES	2	--	--	1	--	--	1	--	--	--	--
NORMAL	--	--	--	--	--	--	--	--	--	--	--
NORRIDGE	1	--	--	--	--	--	1	--	--	--	--
NORTH CHICAGO	4	1	1	--	--	--	--	--	2	--	--
NORTH LAKE	1	--	1	--	--	--	--	--	--	--	--
NORTHBROOK	4	--	--	--	--	1	--	1	--	1	--
OAK FOREST	2	--	--	--	--	1	--	--	1	--	--
OAK LAWN	13	3	1	3	--	--	3	1	--	--	2
OAK PARK	10	5	2	--	--	--	1	--	1	1	--
OTTAWA	--	--	--	--	--	--	--	--	--	--	--
PALATINE	11	3	--	1	--	--	4	--	1	--	--
PARIS	1	--	--	--	--	--	--	--	1	--	--
PARK FOREST	3	2	1	--	--	--	--	--	--	--	--
PARK RIDGE	2	2	--	--	--	--	--	--	--	--	--
PEKIN	12	5	2	2	--	--	1	1	--	1	--
PEORIA	37	13	4	6	2	3	1	5	2	--	--
PERU	1	--	--	--	--	--	--	1	--	--	--
QUINCY	11	6	1	--	1	1	--	1	--	--	1
RANTOUL	5	--	--	--	--	--	3	1	1	--	--
RIVER FOREST	--	--	--	--	--	--	--	--	--	--	--
RIVER GROVE	1	1	--	--	--	--	--	--	--	--	--
RIVERDALE	1	--	--	--	--	--	1	--	--	--	--
RIVERSIDE	--	--	--	--	--	--	--	--	--	--	--
ROCK FALLS	5	1	1	--	--	--	1	2	--	--	--
ROCK ISLAND	6	--	2	--	1	1	--	1	1	--	--
ROCKFORD	30	5	4	2	4	3	6	1	4	1	--
ROLLING MEADOWS	5	1	1	2	--	--	1	--	--	--	--
ROMEOVILLE	2	1	--	--	--	--	--	--	--	1	--
SCHAUMBURG	1	1	--	--	--	--	--	--	--	--	--
SCHILLER PARK	3	1	--	1	--	--	1	--	--	--	--
SKOKIE	3	--	--	--	--	--	2	1	--	--	--
SOUTH HOLLAND	1	--	--	--	--	1	--	--	--	--	--
SPRINGFIELD	23	6	4	5	--	3	1	1	2	--	1
ST CHARLES	6	1	--	1	1	1	1	1	--	--	--
STERLING	4	1	1	--	1	--	--	1	--	--	--
STREAMWOOD	6	--	--	2	--	1	1	1	--	--	--
STREATOR	4	--	1	1	--	--	2	--	--	--	--
SUMMIT	5	2	--	--	--	2	--	1	--	--	--
TAYLORVILLE	2	1	--	--	--	1	--	--	--	--	--
TINLEY PARK	4	1	--	--	--	--	1	1	--	1	--
URBANA	6	2	--	--	--	2	2	--	--	--	--
VILLA PARK	2	1	--	--	--	1	--	--	--	--	--
WAUKEGAN	14	3	--	1	--	5	--	4	1	--	--
WEST CHICAGO	2	2	--	--	--	--	--	--	--	--	--
WESTCHESTER	--	--	--	--	--	--	--	--	--	--	--
WESTERN SPRINGS	--	--	--	--	--	--	--	--	--	--	--
WHEATON	9	3	1	--	1	1	1	1	--	--	1
WHEELING	8	4	2	--	--	--	1	--	1	--	--
WILMETTE	2	--	--	--	--	--	2	--	--	--	--
WINNETKA	1	1	--	--	--	--	--	--	--	--	--
WOOD RIVER	3	2	--	--	--	--	1	--	--	--	--
WOODRIDGE	4	2	--	1	--	--	--	--	--	--	--
WOODSTOCK	1	--	--	--	--	--	--	--	1	--	--
WORTH	4	3	--	1	--	--	--	--	--	--	--
ZION	11	3	--	1	--	1	2	--	1	1	--

TABLE 8A. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS. . .	205,203	1,323	1,427	3,312	3,483	7,329	38,715	77,851	53,873	15,038	2,728
ADAMS	1,223	9	9	24	19	36	214	447	340	99	25
ALEXANDER	200	2	3	2	3	8	45	73	48	14	2
BOND	212	1	--	--	4	6	32	77	64	22	6
BOONE	548	5	1	12	9	22	84	213	143	51	8
BROWN	67	--	--	1	1	2	9	29	18	7	--
BUREAU	635	3	--	8	13	19	88	249	176	66	11
CALHOUN	98	1	2	--	1	1	11	31	39	10	2
CARROLL	354	3	2	9	5	7	57	115	109	38	9
CASS	234	--	1	1	4	2	46	85	67	25	3
CHAMPAIGN	3,087	11	12	50	53	95	573	1,235	828	199	30
CHRISTIAN	600	2	--	3	6	27	97	240	170	41	14
CLARK	238	--	--	4	5	10	31	87	78	20	3
CLAY	222	1	2	2	1	2	31	96	61	24	2
CLINTON	496	5	3	5	14	16	61	162	163	60	7
COLES	735	1	6	7	16	11	139	286	193	67	9
COOK	106,053	803	852	1,924	2,015	4,219	21,850	40,742	25,756	6,654	1,181
CRAWFORD	277	3	--	2	2	9	47	98	84	27	5
CUMBERLAND	189	--	--	1	2	6	27	79	53	14	7
DE KALB	1,176	3	4	14	18	40	170	404	382	118	22
DE WITT	265	4	2	10	1	6	37	103	73	23	5
DOUGLAS	278	1	3	2	2	6	45	99	91	23	5
DU PAGE	8,623	44	39	98	85	220	1,438	3,293	2,514	754	138
EDGAR	362	1	1	8	8	13	62	131	92	41	5
EDWARDS	100	--	--	1	1	5	16	34	30	11	2
EFFINGHAM	401	1	2	3	1	18	54	162	113	37	10
FAYETTE	276	2	6	6	6	11	33	98	79	27	7
FORD	233	--	1	1	1	5	29	77	87	24	8
FRANKLIN	520	2	1	13	5	18	94	168	152	58	9
FULTON	654	8	3	10	7	23	119	242	167	65	6
GALLATIN	121	1	--	1	--	2	25	52	31	9	--
GREENE	283	4	3	1	3	7	47	117	76	18	7
GRUNDY	530	5	3	7	2	18	76	196	159	44	12
HAMILTON	106	--	2	2	1	4	16	40	28	11	2
HANCOCK	341	1	2	3	5	7	61	131	95	30	6
HARDIN	89	--	1	1	1	3	10	44	22	7	--
HENDERSON	123	--	--	--	2	4	20	42	39	11	5
HENRY	868	2	5	16	10	22	123	319	266	88	15
IRROQUOIS	507	2	1	7	7	22	67	185	148	61	7
JACKSON	946	1	3	17	14	27	157	360	272	81	14
JASPER	160	1	--	3	6	2	30	57	45	16	--
JEFFERSON	476	1	1	5	7	10	77	200	140	29	5
JERSEY	294	1	2	1	2	9	48	96	98	25	12
JO DAVIES	350	2	1	3	3	10	56	123	108	40	4
JOHNSON	97	--	1	--	3	3	13	32	32	12	1
KANE	5,278	27	31	92	86	176	901	2,006	1,441	432	83
KANKAKEE	1,923	16	17	23	30	77	360	719	527	133	20
KENDALL	494	5	5	5	7	14	80	178	140	48	11
KNOX	968	5	9	10	13	26	149	361	288	87	18
LAKE	7,012	29	42	101	123	231	1,270	2,660	1,917	571	66
LA SALLE	1,784	3	9	23	17	63	329	700	458	142	38

TABLE 8A. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970 --CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
AWRENCE. . . .	281	--	1	4	4	6	48	112	72	31	3
EE	587	2	3	7	8	17	82	232	176	54	6
IVINGSTON. . .	627	8	6	12	4	19	114	238	179	39	7
OGAN	420	2	--	2	5	16	58	173	126	33	5
CDONOUGH . . .	514	--	--	10	9	14	84	188	156	47	5
CHENRY	1,995	10	10	26	27	66	371	721	555	171	36
CLEAN	1,837	9	7	30	29	48	287	710	541	146	29
ACON	2,290	5	14	39	31	69	406	862	649	184	31
ACOUPI.	699	5	2	8	11	20	110	245	224	64	10
ADISON	4,561	33	17	69	65	118	838	1,727	1,277	349	67
ARION.	676	2	3	14	9	27	135	240	165	68	12
MARSHALL. . . .	202	3	--	1	4	4	33	86	53	17	1
ASON	248	3	2	2	1	7	48	97	66	17	3
ASSAC.	189	--	2	5	4	7	26	79	48	14	3
ENARD.	140	1	1	1	1	5	28	52	38	12	1
ERCER.	278	--	2	2	1	7	44	97	94	25	6
ONROE.	314	2	4	2	3	10	57	113	90	26	7
ONTGOMERY. . . .	427	2	3	4	7	7	64	146	129	52	12
ORGAN.	541	3	4	8	13	16	79	182	179	46	11
OUTRIE.	191	1	1	4	7	5	26	75	58	13	1
GLE.	789	7	1	11	11	20	116	297	224	84	18
GORIA.	3,691	18	29	53	62	126	640	1,397	991	317	58
GERRY.	317	2	1	7	7	12	44	121	87	31	5
IATT.	229	--	2	2	4	8	31	86	76	15	4
IKE.	336	6	1	12	5	6	45	127	99	24	11
OPE.	40	--	1	--	--	1	10	15	6	5	2
ULASKI.	116	1	--	2	3	5	25	48	26	6	--
UTNAM.	96	--	1	1	--	6	15	34	27	12	--
ANDOLPH.	478	2	2	6	5	12	68	170	150	55	8
ICHLAND.	267	1	1	3	4	8	40	94	85	25	6
OCK ISLAND . . .	3,016	14	21	44	44	101	482	1,095	919	258	37
T. CLAIR	5,114	35	51	90	118	235	1,073	1,928	1,198	305	72
ALINE.	383	1	1	2	7	11	58	144	112	38	8
ANGAMON.	2,815	11	17	48	38	91	478	1,065	806	217	44
CHUYLER.	111	--	--	--	--	2	13	39	42	13	2
COTT.	84	--	1	3	1	1	10	29	23	11	5
ELBY.	358	1	1	2	6	19	60	98	121	42	7
ARK.	86	--	--	2	--	3	9	30	35	6	1
EPHENSON. . . .	904	10	8	9	8	20	166	337	259	74	13
AZEWELL.	2,326	12	7	18	33	77	370	869	686	208	42
ION.	235	1	2	3	5	11	32	77	77	24	3
ERMILION.	1,785	12	10	24	36	61	321	667	480	148	25
ABASH.	197	--	2	3	4	8	25	71	66	15	3
ARREN.	323	6	4	--	6	9	48	110	102	31	7
ASHINGTON. . . .	199	--	--	1	--	8	23	71	66	24	6
YNE.	255	2	1	3	3	9	35	98	84	17	2
ITE.	235	--	4	3	3	8	38	92	63	22	2
ITESIDE.	1,219	3	7	18	13	32	159	462	363	134	28
LL.	4,740	39	27	70	67	158	823	1,779	1,304	394	76
LLIAMSON. . . .	786	6	7	6	15	19	136	250	263	74	10
NNEBAGO.	5,097	17	39	69	76	145	859	1,838	1,518	442	94
ODFORD.	451	3	3	5	6	9	71	164	140	44	6
ISPECIFIED . . .	2	--	--	--	--	--	--	1	--	1	--

TABLE 88. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ADDISON	652	7	1	7	7	20	117	235	200	52	6
ALSIP	343	1	3	4	2	9	62	132	102	24	4
ALTON	790	12	5	9	14	21	158	305	207	52	7
ARLINGTON HEIGHTS	1,026	7	8	13	13	25	143	409	317	80	11
AURORA	1,831	11	13	28	33	67	319	686	495	148	31
BELLEVILLE	655	2	4	8	17	20	107	262	170	47	14
BELLWOOD	342	--	1	4	6	12	55	139	98	23	4
BELVIDERE	339	3	1	8	4	13	56	141	82	25	6
BENSENVILLE	310	3	1	5	2	7	44	123	89	30	6
BERWYN	710	4	7	5	7	27	129	294	181	48	8
BLOOMINGTON	808	6	3	17	16	20	139	305	231	60	11
BLUE ISLAND	610	4	3	7	10	18	115	231	165	46	11
BRIDGEVIEW	298	2	1	2	3	15	51	106	94	19	5
BROOKFIELD	303	2	1	2	6	9	41	108	104	26	4
BUFFALO GROVE	342	3	2	5	2	15	60	137	90	25	3
CAHOKIA	380	2	2	3	6	11	69	140	116	24	7
CALUMET CITY	653	5	1	11	6	20	105	241	190	59	12
CALUMET PARK	154	--	--	3	--	7	24	61	45	11	3
CANTON	231	2	2	4	3	8	41	86	59	20	3
CARBONDALE	300	--	1	4	5	7	65	110	86	20	2
CARPENTERSVILLE	531	1	1	7	12	22	86	216	137	42	6
CENTRALIA	353	1	4	10	5	17	80	137	70	24	5
CENTREVILLE	170	--	3	4	3	12	47	62	32	7	--
CHAMPAIGN	841	1	2	18	9	20	180	341	202	60	7
CHARLESTON	223	1	--	1	3	3	54	81	60	20	--
CHICAGO	69,568	625	679	1,494	1,546	3,089	15,477	26,506	15,565	3,840	711
CHICAGO HEIGHTS	962	4	9	10	16	33	203	374	243	56	14
CICERO	1,163	3	4	6	17	40	188	447	357	87	13
COLLINSVILLE	328	5	2	5	5	15	59	119	85	27	6
CRYSTAL LAKE	297	3	1	3	3	7	53	103	86	28	10
DANVILLE	927	10	5	16	23	34	170	342	251	60	15
DE KALB	448	--	3	7	9	19	67	170	131	38	4
DECATUR	1,799	5	13	30	29	51	324	692	504	128	23
DEERFIELD	314	--	3	--	5	2	58	126	94	25	1
DES PLAINES	1,265	5	4	6	20	40	251	498	330	94	17
DIXON	273	--	3	4	5	11	36	118	73	22	1
DOLTON	417	3	--	5	1	14	68	163	117	32	11
DOWNERS GROVE	646	--	--	7	9	13	115	235	206	56	5
EAST MOLINE	365	3	3	6	6	8	58	140	106	28	7
EAST PEORIA	409	3	2	2	5	12	64	154	131	32	3
EAST ST LOUIS	1,943	23	19	50	59	117	513	715	342	83	19
EDWARDSVILLE	151	--	--	3	--	5	31	59	47	4	2
ELGIN	1,214	9	7	30	14	39	232	460	311	89	21
ELK GROVE	367	5	--	5	3	8	54	143	113	28	8
ELMHURST	677	6	7	9	8	9	109	250	200	61	18
ELMWOOD PARK	426	2	--	--	4	13	76	170	127	26	8
EVANSTON	1,289	7	4	17	15	39	257	536	333	69	10
EVERGREEN PARK	215	4	1	1	1	2	33	70	77	21	5
FAIRVIEW HEIGHTS	109	--	2	2	1	3	24	34	32	11	--
FOREST PARK	302	3	--	3	4	8	60	108	91	25	--
FRANKLIN PARK	360	1	2	10	5	7	60	148	100	20	7
FREEPORT	548	7	6	8	5	11	108	202	147	45	9
GALESBURG	570	3	7	5	9	17	86	221	166	46	10
GLEN ELLYN	407	--	2	2	1	15	56	164	133	30	4
GLENCOE	78	--	1	--	2	4	14	29	20	8	--
GLENDALE HEIGHTS	278	1	3	2	3	6	39	121	67	32	4
GLENVIEW	503	--	3	5	2	17	83	203	147	38	5
GRANITE CITY	780	3	4	17	14	16	143	294	216	60	13
HANOVER PARK	321	2	2	1	7	7	49	118	96	33	6
HARVEY	848	8	5	26	18	41	179	334	185	45	7
HAZEL CREST	197	--	2	2	3	7	35	69	55	23	--
HICKORY HILLS	348	4	1	1	2	8	62	125	107	35	3
HIGHLAND PARK	360	2	2	5	5	10	69	144	92	28	3
HINSDALE	228	--	1	6	2	4	47	82	70	14	2
HOFFMAN ESTATES	571	5	2	8	9	11	105	214	157	45	15
HOMewood	216	--	2	3	3	8	29	78	66	26	--
JACKSONVILLE	312	3	3	5	7	8	49	111	101	18	7
JOLIET	1,585	13	9	26	25	62	303	584	414	130	18
KANKAKEE	699	6	6	10	11	31	140	267	181	38	9
KEWANEE	263	1	2	9	4	9	28	100	82	22	6
LA GRANGE	291	--	--	4	4	9	46	121	75	27	5
LA GRANGE PARK	204	--	1	--	2	6	33	68	64	28	2
LA SALLE	184	1	1	5	1	10	39	67	51	8	1
LAKE FOREST	123	--	--	--	1	3	13	59	33	14	--
LANSING	447	4	1	2	3	10	66	169	135	51	6
LIBERTYVILLE	224	--	3	3	1	4	45	75	64	26	3

TABLE 88. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED												
CITY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT										
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER	
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS						
LINCOLN	251	2	--	--	2	10	33	111	71	19	3	
LINCOLNWOOD	65	--	--	--	1	1	13	25	19	5	1	
LOMBARD	632	2	2	8	3	12	118	231	186	58	12	
LOVES PARK	259	--	3	7	--	9	34	89	84	27	6	
LYONS	193	--	2	2	2	5	34	69	60	16	3	
MACOMB	219	--	--	5	4	3	37	77	73	16	3	
MARION	186	3	1	2	3	5	28	66	63	14	1	
MARKHAM	281	2	4	10	9	16	51	111	58	14	6	
MATTOON	332	--	3	5	12	3	60	135	81	30	3	
MAYWOOD	593	6	4	8	13	25	140	242	111	37	7	
MELROSE PARK	669	2	3	4	8	34	117	251	186	56	8	
MIDLOTHIAN	336	3	1	5	3	5	53	119	111	31	5	
MOLINE	843	--	2	12	8	27	126	331	246	79	12	
MONMOUTH	179	4	4	--	2	6	25	56	61	16	5	
MORTON GROVE	252	--	1	1	4	5	53	107	68	13	--	
MORTON	185	1	--	2	2	3	33	68	54	19	3	
MOUNT PROSPECT	598	--	3	6	4	17	96	236	179	47	9	
MOUNT VERNON	281	1	--	4	4	6	55	115	79	13	3	
MUNDELEIN	353	1	3	4	5	10	56	138	103	29	4	
MURPHYSBORO	156	--	--	4	2	8	27	59	43	9	4	
NAPERVILLE	298	2	3	4	5	4	42	110	93	27	8	
NILES	432	2	1	5	2	15	67	186	118	31	5	
NORMAL	325	2	2	2	4	8	46	137	96	25	3	
NORRIDGE	186	3	1	1	1	1	35	76	51	14	3	
NORTH CHICAGO	357	1	1	7	18	21	81	115	94	19	--	
NORTH LAKE	235	1	--	7	5	3	47	98	49	16	4	
NORTHBROOK	452	2	2	6	6	12	76	185	119	43	1	
OAK FOREST	501	3	2	12	9	17	89	190	128	46	5	
OAK LAWN	1,174	7	2	12	17	32	201	461	328	100	14	
OAK PARK	901	7	7	7	9	24	141	364	269	52	21	
OTTAWA	284	1	--	2	--	6	58	99	86	22	9	
PALATINE	576	3	2	5	7	20	84	233	164	48	10	
PARIS	197	--	1	3	6	7	34	74	52	20	--	
PARK FOREST	689	1	2	10	4	22	95	268	209	65	12	
PARK RIDGE	393	--	2	2	5	7	65	142	125	38	7	
PEKIN	655	5	1	6	9	23	112	245	191	50	13	
PEORIA	2,538	17	23	43	42	88	471	941	655	222	36	
PERU	171	--	2	1	6	4	31	68	42	14	3	
QUINCY	779	4	7	9	9	29	144	288	214	61	13	
RANTOUL	632	2	3	6	13	17	118	260	168	39	6	
RIVER FOREST	166	--	--	1	2	6	26	58	55	17	1	
RIVER GROVE	244	--	2	1	3	8	46	101	63	18	2	
RIVERDALE	308	1	--	5	--	13	52	121	82	32	2	
RIVERSIDE	121	1	--	--	--	3	23	45	43	5	1	
ROCK FALLS	249	1	2	5	4	9	35	102	63	24	4	
ROCK ISLAND	862	7	6	14	20	39	155	301	246	68	6	
ROCKFORD	3,323	11	20	50	59	105	577	1,234	935	276	56	
ROLLING MEADOWS	480	2	4	9	9	14	76	186	133	43	4	
ROMEOVILLE	217	2	--	4	3	8	37	85	62	15	1	
SCHAUMBURG	508	1	--	2	4	23	92	206	145	30	5	
SCHILLER PARK	255	1	1	1	2	4	42	117	74	10	3	
SKOKIE	705	2	6	5	12	29	138	279	187	38	7	
SOUTH HOLLAND	328	2	2	3	4	6	43	105	122	37	4	
SPRINGFIELD	1,715	8	10	35	25	59	305	645	487	120	21	
ST CHARLES	237	1	--	3	2	7	40	93	70	16	5	
STERLING	302	--	3	5	5	13	34	121	82	32	7	
STREAMWOOD	501	--	6	7	7	15	84	182	137	53	10	
STREATOR	286	--	--	4	4	16	59	135	48	18	2	
SUMMIT	299	3	2	4	9	8	53	130	73	15	2	
TAYLORVILLE	179	--	--	1	2	11	27	81	42	11	4	
TINLEY PARK	366	2	2	5	4	10	57	141	108	31	6	
URBANA	606	2	4	6	11	21	117	248	158	32	7	
VILLA PARK	497	2	1	1	5	20	82	200	141	42	3	
WAUKEGAN	1,572	10	9	22	29	64	302	593	418	110	15	
WEST CHICAGO	236	2	2	4	1	6	39	103	57	17	5	
WESTCHESTER	172	1	1	4	2	3	30	66	51	14	--	
WESTERN SPRINGS	131	--	--	1	1	2	17	58	37	15	--	
WHEATON	500	--	1	5	4	8	91	201	135	44	11	
WHEELING	320	1	1	3	4	10	53	129	90	22	7	
WILMETTE	315	1	1	6	7	6	56	138	79	17	4	
WINNETKA	123	--	--	3	1	4	24	44	31	15	1	
WOOD RIVER	273	2	--	3	2	4	61	98	77	19	7	
WOODRIDGE	267	--	--	7	4	7	43	95	80	30	1	
WOODSTOCK	217	2	1	4	3	10	40	76	67	13	1	
WORTH	318	--	1	6	6	10	47	121	89	34	4	
ZION	510	2	3	8	11	16	92	212	126	38	2	

TABLE 8C. -- RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1970

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T ¹									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS											
TOTAL . . .	205,203	1,323	1,427	3,312	3,483	7,329	38,715	77,851	53,873	15,038	2,728
WHITE . . .	162,649	777	867	2,105	2,239	4,816	27,507	61,767	46,478	13,542	2,448
NONWHITE	42,554	546	560	1,207	1,244	2,513	11,208	16,084	7,395	1,496	280
MALE	105,527	699	713	1,651	1,655	3,237	16,995	38,354	30,658	9,638	1,864
WHITE . . .	83,917	397	459	1,030	1,046	2,147	12,003	30,056	26,373	8,669	1,688
NONWHITE	21,610	302	254	621	609	1,090	4,992	8,298	4,285	969	176
FEMALE . . .	99,676	624	714	1,661	1,828	4,092	21,720	39,497	23,215	5,400	864
WHITE . . .	78,732	380	408	1,075	1,193	2,669	15,504	31,711	20,105	4,873	760
NONWHITE	20,944	244	306	586	635	1,423	6,216	7,786	3,110	527	104
DOWNSTATE											
TOTAL . . .	135,635	698	748	1,818	1,937	4,240	23,238	51,345	38,308	11,198	2,017
WHITE . . .	125,429	587	645	1,557	1,657	3,659	20,537	47,481	36,440	10,836	1,948
NONWHITE	10,206	111	103	261	280	581	2,701	3,864	1,868	362	69
MALE	70,028	359	397	899	921	1,853	10,178	25,013	21,775	7,196	1,394
WHITE . . .	64,808	299	352	751	780	1,610	8,968	23,018	20,683	6,953	1,354
NONWHITE	5,220	60	45	148	141	243	1,210	1,995	1,092	243	40
FEMALE . . .	65,607	339	351	919	1,016	2,387	13,060	26,332	16,533	4,002	623
WHITE . . .	60,621	288	293	806	877	2,049	11,569	24,463	15,757	3,883	594
NONWHITE	4,986	51	58	113	139	338	1,491	1,869	776	119	29
CHICAGO											
TOTAL . . .	69,568	625	679	1,494	1,546	3,089	15,477	26,506	15,565	3,840	711
WHITE . . .	37,220	190	222	548	582	1,157	6,970	14,286	10,038	2,706	500
NONWHITE	32,348	435	457	946	964	1,932	8,507	12,220	5,527	1,134	211
MALE	35,499	340	316	752	734	1,384	6,817	13,341	8,883	2,442	470
WHITE . . .	19,109	98	107	279	266	537	3,035	7,038	5,690	1,716	334
NONWHITE	16,390	242	209	473	468	847	3,782	6,303	3,193	726	136
FEMALE . . .	34,069	285	363	742	812	1,705	8,660	13,165	6,682	1,398	241
WHITE . . .	18,111	92	115	269	316	620	3,935	7,248	4,348	990	166
NONWHITE	15,958	193	248	473	496	1,085	4,725	5,917	2,334	408	75

¹EQUIVALENTS OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1,000 GRAMS OR LESS = 2 LB. 3 OZ. OR LESS.

1,001 - 1,500 GRAMS = 2 LB. 4 OZ. - 3 LB. 4 OZ.

1,501 - 2,000 GRAMS = 3 LB. 5 OZ. - 4 LB. 6 OZ.

2,001 - 2,500 GRAMS = 4 LB. 7 OZ. - 5 LB. 8 OZ.

2,501 - 3,000 GRAMS = 5 LB. 9 OZ. - 6 LB. 9 OZ.

3,001 - 3,500 GRAMS = 6 LB. 10 OZ. - 7 LB. 11 OZ.

3,501 - 4,000 GRAMS = 7 LB. 12 OZ. - 8 LB. 13 OZ.

4,001 - 4,500 GRAMS = 8 LB. 14 OZ. - 9 LB. 14 OZ.

4,501 - 5,000 GRAMS = 9 LB. 15 OZ. - 11 LB. 0 OZ.


5,001 GRAMS OR MORE = 11 LB. 1 OZ. OR MORE.

CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATHS, ILLINOIS: 1920 - 1970

The Revisions of the International List of Causes of Death used were: The 2nd for 1920, 3rd for 1925, 4th for 1930 and 1935, 5th for 1940 and 1945, both 5th and 6th for 1950, 7th for 1955 through 1968 and 8th for 1970. The width of the break in the trend at 1950 shows the effect of the change in classification procedures from the 5th to the 6th Revision.

Data for 1920 through 1935 refers to deaths which occurred in Illinois; 1940 and later rates refer to deaths among residents of Illinois, irrespective of the place of death.

(All death rates are per 100,000 population estimated as of midyear)



These are RATIO charts; equal vertical distances represent equal PERCENTAGE changes in rate.

TABLE 5A. — THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE, 1970

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	110,474	5,038	904	2,356	6,425	27,846	54,116	13,789
WHITE	96,548	3,419	696	1,715	4,325	23,489	49,800	13,104
NONWHITE	13,926	1,619	208	641	2,100	4,357	4,316	685
1. HEART DISEASE	47,690	68	13	67	1,396	11,480	26,986	7,680
WHITE	42,886	31	8	40	855	9,700	24,951	7,301
NONWHITE	4,804	37	5	27	541	1,780	2,035	379
2. ARTERIOSCLEROTIC	42,857	1	--	12	943	9,813	24,889	7,199
WHITE	39,310	1	--	6	631	8,546	23,265	6,861
NONWHITE	3,547	--	--	6	312	1,267	1,624	338
3. OTHER	4,833	67	13	55	453	1,667	2,097	481
WHITE	3,576	30	8	34	224	1,154	1,686	440
NONWHITE	1,257	37	5	21	229	513	411	41
4. MALIGNANT NEOPLASMS	19,145	79	133	155	1,004	7,217	9,454	1,103
WHITE	17,134	69	115	133	784	6,299	8,698	1,036
NONWHITE	2,011	10	18	22	220	918	756	67
5. CEREBROVASCULAR DISEASE	10,974	16	12	24	308	1,740	6,626	2,248
WHITE	9,714	12	10	17	191	1,369	5,987	2,128
NONWHITE	1,260	4	2	7	117	371	639	120
6. ACCIDENTS	5,177	302	430	1,155	1,137	1,099	878	176
WHITE	4,362	216	343	995	880	943	818	167
NONWHITE	815	86	87	160	257	156	60	9
7. MOTOR VEHICLE	2,448	70	207	764	550	495	341	21
WHITE	2,209	58	173	715	475	450	318	20
NONWHITE	239	12	34	49	75	45	23	1
8. OTHER	2,729	232	223	391	587	604	537	155
WHITE	2,153	158	170	280	405	493	500	147
NONWHITE	576	74	53	111	182	111	37	8
9. PNEUMONIA AND INFLUENZA	3,457	420	39	63	251	632	1,461	591
WHITE	2,834	273	24	44	146	477	1,307	563
NONWHITE	623	147	15	19	105	155	154	28
10. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	3,627	3,377	60	41	48	69	30	2
WHITE	2,610	2,389	46	36	45	63	29	2
NONWHITE	1,017	988	14	5	3	6	1	--
11. OTHER CIRCULATORY DISEASES	2,043	3	2	14	94	487	1,237	206
WHITE	1,816	1	2	4	62	406	1,139	202
NONWHITE	227	2	--	10	32	81	98	4
12. DIABETES MELLITUS	2,000	5	11	17	103	573	1,136	155
WHITE	1,757	4	11	15	80	456	1,041	150
NONWHITE	243	1	--	2	23	117	95	5
13. CIRRHOSIS OF LIVER	1,872	3	5	7	376	1,023	436	22
WHITE	1,567	1	3	6	236	896	404	21
NONWHITE	305	2	2	1	140	127	32	1
14. GENERAL ARTERIOSCLEROSIS	1,800	--	--	--	3	97	985	715
WHITE	1,721	--	--	--	1	88	929	703
NONWHITE	79	--	--	--	2	9	56	12
15. EMPHYSEMA	1,199	1	1	--	14	361	767	55
WHITE	1,138	1	--	--	11	335	740	51
NONWHITE	61	--	1	--	3	26	27	4
16. HOMICIDE	1,161	30	36	346	453	237	54	5
WHITE	886	13	11	74	155	94	36	3
NONWHITE	275	17	25	272	298	143	18	2

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF CHICAGO, CHICAGO, AND DOWNSTATE ILLINOIS--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	41,411	2,097	296	876	3,172	11,634	19,557	3,779
WHITE.	30,389	836	134	349	1,426	8,126	16,223	3,295
NONWHITE.	11,022	1,261	162	527	1,746	3,508	3,334	484
1. HEART DISEASE.	18,700	47	7	40	822	5,099	10,374	2,311
WHITE.	14,811	18	2	17	345	3,624	8,762	2,043
NONWHITE.	3,889	29	5	23	477	1,475	1,612	268
A. ARTERIOSCLEROTIC.	16,125	1	--	7	509	4,066	9,360	2,182
WHITE.	13,325	1	--	2	239	3,034	8,104	1,945
NONWHITE.	2,800	--	--	5	270	1,032	1,256	237
B. OTHER.	2,575	46	7	33	313	1,033	1,014	129
WHITE.	1,486	17	2	15	106	590	658	98
NONWHITE.	1,089	29	5	18	207	443	356	31
2. MALIGNANT NEOPLASMS.	6,889	26	37	39	369	2,734	3,365	319
WHITE.	5,322	18	20	22	196	1,999	2,799	268
NONWHITE.	1,567	8	17	17	173	735	566	51
3. CEREBROVASCULAR DISEASE.	3,476	6	4	9	154	741	2,040	522
WHITE.	2,532	2	2	2	60	452	1,570	444
NONWHITE.	944	4	2	7	94	289	470	78
4. ACCIDENTS.	1,548	102	122	275	418	342	262	27
WHITE.	917	33	57	146	209	231	219	22
NONWHITE.	631	69	65	129	209	111	43	5
A. MOTOR VEHICLE.	467	13	48	92	120	95	92	7
WHITE.	307	5	22	60	71	68	75	6
NONWHITE.	160	8	26	32	49	27	17	1
B. OTHER.	1,081	89	74	183	298	247	170	20
WHITE.	610	28	35	86	138	163	144	16
NONWHITE.	471	61	39	97	160	84	26	4
5. PNEUMONIA AND INFLUENZA.	1,383	151	20	31	163	329	560	129
WHITE.	883	59	7	14	71	201	425	106
NONWHITE.	500	92	13	17	92	128	135	23
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,416	1,326	25	15	14	27	9	--
WHITE.	632	564	14	11	12	23	8	--
NONWHITE.	784	762	11	4	2	4	1	--
7. OTHER CIRCULATORY DISEASES.	642	1	1	6	37	170	388	39
WHITE.	470	--	1	2	11	106	313	37
NONWHITE.	172	1	--	4	26	64	75	2
8. DIABETES MELLITUS.	824	1	4	8	47	260	454	50
WHITE.	638	1	4	6	28	175	379	45
NONWHITE.	186	--	--	2	19	85	75	5
9. CIRRHOSIS OF LIVER.	991	2	2	2	257	530	190	8
WHITE.	735	--	1	1	136	426	164	7
NONWHITE.	256	2	1	1	121	104	26	1
10. GENERAL ARTERIOSCLEROSIS.	526	--	--	--	3	42	341	140
WHITE.	474	--	--	--	1	36	303	134
NONWHITE.	52	--	--	--	2	6	38	6
11. EMPHYSEMA.	279	1	--	--	7	87	171	13
WHITE.	240	1	--	--	5	70	153	11
NONWHITE.	39	--	--	--	2	17	18	2
12. HOMICIDE.	864	19	24	284	326	179	29	3
WHITE.	206	5	2	44	84	53	17	1
NONWHITE.	658	14	22	240	242	126	12	2

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1970--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	69,063	2,941	608	1,480	3,253	16,212	34,559	10,010
WHITE.	66,159	2,583	562	1,366	2,899	15,363	33,577	9,809
NONWHITE.	2,904	358	46	114	354	849	982	201
1. HEART DISEASE.	28,990	21	6	27	574	6,381	16,612	5,369
WHITE.	28,075	13	6	23	510	6,076	16,189	5,258
NONWHITE.	915	8	--	4	64	305	423	111
A. ARTERIOSCLEROTIC.	26,732	--	--	5	434	5,747	15,529	5,017
WHITE.	25,985	--	--	4	392	5,512	15,161	4,916
NONWHITE.	747	--	--	1	42	235	368	101
B. OTHER.	2,258	21	6	22	140	634	1,083	352
WHITE.	2,090	13	6	19	118	564	1,028	342
NONWHITE.	168	8	--	3	22	70	55	10
2. MALIGNANT NEOPLASMS.	12,256	53	96	116	635	4,483	6,089	784
WHITE.	11,812	51	95	111	588	4,300	5,899	768
NONWHITE.	444	2	1	5	47	183	190	16
3. CEREBROVASCULAR DISEASE.	7,498	10	8	15	154	999	4,586	1,726
WHITE.	7,182	10	8	15	131	917	4,417	1,684
NONWHITE.	316	--	--	--	23	82	169	42
4. ACCIDENTS.	3,629	200	308	880	719	757	616	149
WHITE.	3,445	183	286	849	671	712	599	145
NONWHITE.	184	17	22	31	48	45	17	4
A. MOTOR VEHICLE.	1,981	57	159	672	430	400	249	14
WHITE.	1,902	53	151	655	404	382	243	14
NONWHITE.	79	4	8	17	26	18	6	--
B. OTHER.	1,648	143	149	208	289	357	367	135
WHITE.	1,543	130	135	194	267	330	356	131
NONWHITE.	105	13	14	14	22	27	11	4
5. PNEUMONIA AND INFLUENZA.	2,074	269	19	32	88	303	901	462
WHITE.	1,951	214	17	30	75	276	882	457
NONWHITE.	123	55	2	2	13	27	19	5
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	2,211	2,051	35	26	34	42	21	2
WHITE.	1,978	1,825	32	25	33	40	21	2
NONWHITE.	233	226	3	1	1	2	--	--
7. OTHER CIRCULATORY DISEASES.	1,401	2	1	8	57	317	849	167
WHITE.	1,346	1	1	2	51	300	826	165
NONWHITE.	55	1	--	6	6	17	23	2
8. DIABETES MELLITUS.	1,176	4	7	9	56	313	682	105
WHITE.	1,119	3	7	9	52	281	662	105
NONWHITE.	57	1	--	--	4	32	20	--
9. CIRRHOSIS OF LIVER.	881	1	3	5	119	493	246	14
WHITE.	832	1	2	5	100	470	240	14
NONWHITE.	49	--	1	--	19	23	6	--
10. GENERAL ARTERIOSCLEROSIS.	1,274	--	--	--	--	55	644	575
WHITE.	1,247	--	--	--	--	52	626	569
NONWHITE.	27	--	--	--	--	3	18	6
11. EMPHYSEMA.	920	--	1	--	7	274	596	42
WHITE.	898	--	--	--	6	265	587	40
NONWHITE.	22	--	1	--	1	9	9	2
12. HOMICIDE.	297	11	12	62	127	58	25	2
WHITE.	180	8	9	30	71	41	19	2
NONWHITE.	117	3	3	32	56	17	6	--

TABLE 9B.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE, 1970

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1970)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	994.0	537.7	40.5	127.0	242.2	1,188.7	5,344.9	16,985.5
WHITE	1,005.7	444.1	37.5	108.3	190.6	1,112.2	5,329.6	17,378.2
NONWHITE	920.1	968.7	55.1	236.6	547.4	1,889.7	5,528.6	11,859.4
1. HEART DISEASE	429.1	7.3	0.6	3.6	52.6	490.1	2,665.4	9,460.3
WHITE	446.7	4.0	0.4	2.5	37.7	459.3	2,670.3	9,682.4
NONWHITE	317.4	22.1	1.3	10.0	141.0	772.0	2,606.7	6,561.6
A. ARTERIOSCLEROTIC	385.6	0.1	-0-	0.6	35.5	418.9	2,458.2	8,867.8
WHITE	409.5	0.1	-0-	0.4	27.8	404.6	2,489.8	9,098.9
NONWHITE	234.3	-0-	-0-	2.2	81.3	549.5	2,080.3	5,851.8
B. OTHER	43.5	7.2	0.6	3.0	17.1	71.2	207.1	592.5
WHITE	37.2	3.9	0.4	2.1	9.9	54.6	180.4	583.5
NONWHITE	83.0	22.1	1.3	7.8	59.7	222.5	526.5	709.8
2. MALIGNANT NEOPLASMS	172.3	8.4	6.0	8.4	37.8	308.1	933.8	1,358.7
WHITE	178.5	9.0	6.2	8.4	34.6	298.2	930.9	1,373.9
NONWHITE	132.9	6.0	4.8	8.1	57.3	398.2	968.4	1,160.0
3. CEREBROVASCULAR DISEASE	98.7	1.7	0.5	1.3	11.6	74.3	654.4	2,769.1
WHITE	101.2	1.6	0.5	1.1	8.4	64.8	640.7	2,822.1
NONWHITE	83.2	2.4	0.5	2.6	30.5	160.9	818.5	2,077.6
4. ACCIDENTS	46.6	32.2	19.3	62.3	42.9	46.9	86.7	216.8
WHITE	45.4	28.1	18.5	62.8	38.8	44.6	87.5	221.5
NONWHITE	53.8	51.5	23.0	59.1	67.0	67.7	76.9	155.8
A. MOTOR VEHICLE	22.0	7.5	9.3	41.2	20.7	21.1	33.7	25.9
WHITE	23.0	7.5	9.3	45.1	20.9	21.3	34.0	26.5
NONWHITE	15.8	7.2	9.0	18.1	19.6	19.5	29.5	17.3
B. OTHER	24.6	24.8	10.0	21.1	22.1	25.8	53.0	190.9
WHITE	22.4	20.5	9.2	17.7	17.8	23.3	53.5	194.9
NONWHITE	38.1	44.3	14.0	41.0	47.4	48.1	47.4	138.5
5. PNEUMONIA AND INFLUENZA	31.1	44.8	1.7	3.4	9.5	27.0	144.3	728.0
WHITE	29.5	35.5	1.3	2.8	6.4	22.6	139.9	746.6
NONWHITE	41.2	88.0	4.0	7.0	27.4	67.2	197.3	484.8
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	32.6	360.4	2.7	2.2	1.8	2.9	3.0	2.5
WHITE	27.2	310.3	2.5	2.3	2.0	3.0	3.1	2.7
NONWHITE	67.2	591.1	3.7	1.8	0.8	2.6	1.3	-0-
7. OTHER CIRCULATORY DISEASES	18.4	0.3	0.1	0.8	3.5	20.8	122.2	253.8
WHITE	18.9	0.1	0.1	0.3	2.7	19.2	121.9	267.9
NONWHITE	15.0	1.2	-0-	3.7	8.3	35.1	125.5	69.3
8. DIABETES MELLITUS	18.0	0.5	0.5	0.9	3.9	24.5	112.2	190.9
WHITE	18.3	0.5	0.6	0.9	3.5	21.6	111.4	198.9
NONWHITE	16.1	0.6	-0-	0.7	6.0	50.7	121.7	86.6
9. CIRRHOSIS OF LIVER	16.8	0.3	0.2	0.4	14.2	43.7	43.1	27.1
WHITE	16.3	0.1	0.2	0.4	10.4	42.4	43.2	27.8
NONWHITE	20.2	1.2	0.5	0.4	36.5	55.1	41.0	17.3
10. GENERAL ARTERIOSCLEROSIS	16.2	-0-	-0-	-0-	0.1	4.1	97.3	880.7
WHITE	17.9	-0-	-0-	-0-	0.0	4.2	99.4	932.3
NONWHITE	5.2	-0-	-0-	-0-	0.5	3.9	71.7	207.8
11. EMPHYSEMA	10.8	0.1	0.0	-0-	0.5	15.4	75.8	67.7
WHITE	11.9	0.1	-0-	-0-	0.5	15.9	79.2	67.6
NONWHITE	4.0	-0-	0.3	-0-	0.8	11.3	34.6	69.3
12. HOMICIDE	10.4	3.2	1.6	18.7	17.1	10.1	5.3	6.2
WHITE	4.0	1.7	0.6	4.7	6.8	4.5	3.9	4.0
NONWHITE	51.2	10.2	6.6	100.4	77.7	62.0	23.1	34.6

TABLE 98.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE; 1970--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1970)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	1,229.9	740.7	47.4	157.6	395.6	1,558.2	5,866.8	17,218.0
WHITE.	1,376.5	533.0	40.0	98.7	284.5	1,430.2	5,904.2	18,375.0
NONWHITE	950.8	998.9	56.0	260.5	580.9	1,965.8	5,691.3	12,051.8
1. HEART DISEASE.	555.4	16.6	1.1	7.2	102.5	683.0	3,112.0	10,529.4
WHITE.	670.9	11.5	0.6	4.8	68.8	637.9	3,188.9	11,393.0
NONWHITE	335.5	23.0	1.7	11.4	158.7	826.5	2,751.7	6,673.3
A. ARTERIOSCLEROTIC.	478.9	0.4	-0-	1.3	63.5	544.6	2,807.9	9,941.7
WHITE.	603.6	0.6	-0-	0.6	47.7	534.0	2,949.4	10,846.5
NONWHITE	241.5	-0-	-0-	2.5	89.8	578.3	2,144.0	5,901.4
B. OTHER	76.5	16.2	1.1	5.9	39.0	138.4	304.2	587.8
WHITE.	67.3	10.8	0.6	4.2	21.1	103.8	239.5	546.5
NONWHITE	93.9	23.0	1.7	8.9	68.9	248.2	607.7	771.9
2. MALIGNANT NEOPLASMS.	204.6	9.2	5.9	7.0	46.0	366.2	1,009.4	1,453.4
WHITE.	241.1	11.5	6.0	6.2	39.1	351.8	1,018.7	1,494.5
NONWHITE	135.2	6.3	5.9	8.4	57.6	411.9	966.2	1,269.9
3. CEREBROVASCULAR DISEASE.	103.2	2.1	0.6	1.6	19.2	99.2	612.0	2,378.3
WHITE.	114.7	1.3	0.6	0.6	12.0	79.6	571.4	2,476.0
NONWHITE	81.4	3.2	0.7	3.5	31.3	161.9	802.3	1,942.2
4. ACCIDENTS.	46.0	36.0	19.5	49.5	52.1	45.8	78.6	123.0
WHITE.	41.5	21.0	17.0	41.3	41.7	40.7	79.7	122.7
NONWHITE	54.4	54.7	22.5	63.8	69.5	62.2	73.4	124.5
A. MOTOR VEHICLE	13.9	4.6	7.7	16.6	15.0	12.7	27.6	31.9
WHITE.	13.9	3.2	6.6	17.0	14.2	12.0	27.3	33.5
NONWHITE	13.8	6.3	9.0	15.8	16.3	15.1	29.0	24.9
B. OTHER	32.1	31.4	11.9	32.9	37.2	33.1	51.0	91.1
WHITE.	27.6	17.9	10.4	24.3	27.5	28.7	52.4	89.2
NONWHITE	40.6	48.3	13.5	48.0	53.2	47.1	44.4	99.6
5. PNEUMONIA AND INFLUENZA.	41.1	53.3	3.2	5.6	20.3	44.1	168.0	587.8
WHITE.	40.0	37.6	2.1	4.0	14.2	35.4	154.7	591.1
NONWHITE	43.1	72.9	4.5	8.4	30.6	71.7	230.5	572.7
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	42.1	468.4	4.0	2.7	1.7	3.6	2.7	-0-
WHITE.	28.6	359.6	4.2	3.1	2.4	4.0	2.9	-0-
NONWHITE	67.6	603.6	3.8	2.0	0.7	2.2	1.7	-0-
7. OTHER CIRCULATORY DISEASES	19.1	0.4	0.2	1.1	4.6	22.8	116.4	177.7
WHITE.	21.3	-0-	0.3	0.6	2.2	18.7	113.9	206.3
NONWHITE	14.8	0.8	-0-	2.0	8.7	35.9	128.0	49.8
8. DIABETES MELLITUS.	24.5	0.4	0.6	1.4	5.9	34.8	136.2	227.8
WHITE.	28.9	0.6	1.2	1.7	5.6	30.8	137.9	250.9
NONWHITE	16.0	-0-	-0-	1.0	6.3	47.6	128.0	124.5
9. CIRRHOSIS OF LIVER	29.4	0.7	0.3	0.4	32.1	71.0	57.0	36.4
WHITE.	33.3	-0-	0.3	0.3	27.1	75.0	59.7	39.0
NONWHITE	22.1	1.6	0.3	0.5	40.3	58.3	44.4	24.9
10. GENERAL ARTERIOSCLEROSIS	15.6	-0-	-0-	-0-	0.4	5.6	102.3	637.9
WHITE.	21.5	-0-	-0-	-0-	0.2	6.3	110.3	747.3
NONWHITE	4.5	-0-	-0-	-0-	0.7	3.4	64.9	149.4
11. EMPHYSEMA.	8.3	0.4	-0-	-0-	0.9	11.7	51.3	59.2
WHITE.	10.9	0.6	-0-	-0-	1.0	12.3	55.7	61.3
NONWHITE	3.4	-0-	-0-	-0-	0.7	9.5	30.7	49.8
12. HOMICIDE	25.7	6.7	3.8	51.1	40.7	24.0	8.7	13.7
WHITE.	9.3	3.2	0.6	12.4	16.8	9.3	6.2	5.6
NONWHITE	56.8	11.1	7.6	118.7	80.5	70.6	20.5	49.8

TABLE 98.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE; 1970--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1970)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	891.5	449.8	37.8	113.9	175.7	1,015.8	5,088.8	16,899.4
WHITE.	894.9	421.4	37.0	111.0	164.0	995.1	5,090.2	17,067.1
NONWHITE	819.4	875.4	52.0	166.0	426.2	1,629.2	5,039.5	11,420.5
1. HEART DISEASE.	374.2	3.2	0.4	2.1	31.0	399.8	2,446.1	9,064.2
WHITE.	379.8	2.1	0.4	1.9	28.8	393.6	2,454.2	9,148.6
NONWHITE	258.2	19.6	-0-	5.8	77.1	585.3	2,170.8	6,306.8
A. ARTERIOSCLEROTIC.	345.1	-0-	-0-	0.4	23.4	360.1	2,286.6	8,469.9
WHITE.	351.5	-0-	-0-	0.3	22.2	357.0	2,298.4	8,553.6
NONWHITE	210.8	-0-	-0-	1.5	50.6	450.9	1,888.5	5,738.6
B. OTHER	29.1	3.2	0.4	1.7	7.6	39.7	159.5	594.3
WHITE.	28.3	2.1	0.4	1.5	6.7	36.5	155.8	595.1
NONWHITE	47.4	19.6	-0-	4.4	26.5	134.3	282.3	568.2
2. MALIGNANT NEOPLASMS.	158.2	8.1	6.0	8.9	34.3	280.9	896.6	1,323.6
WHITE.	159.8	8.3	6.2	9.0	33.3	278.5	894.3	1,336.3
NONWHITE	125.3	4.9	1.1	7.3	56.6	351.2	975.1	909.1
3. CEREBROVASCULAR DISEASE.	96.8	1.5	0.5	1.2	8.3	62.6	675.3	2,913.9
WHITE.	97.2	1.6	0.5	1.2	7.4	59.4	669.6	2,930.1
NONWHITE	89.2	-0-	-0-	-0-	27.7	157.4	867.3	2,386.4
4. ACCIDENTS.	46.8	30.6	19.1	67.7	38.8	47.4	90.7	251.5
WHITE.	46.6	29.9	18.8	69.0	38.0	46.1	90.8	252.3
NONWHITE	51.9	41.6	24.9	45.2	57.8	86.4	87.2	227.3
A. MOTOR VEHICLE	25.6	8.7	9.9	51.7	23.2	25.1	36.7	23.6
WHITE.	25.7	8.6	9.9	53.2	22.9	24.7	36.8	24.4
NONWHITE	22.3	9.8	9.0	24.8	31.3	34.5	30.8	-0-
B. OTHER	21.3	21.9	9.3	16.0	15.6	22.4	54.0	227.9
WHITE.	20.9	21.2	8.9	15.8	15.1	21.4	54.0	227.9
NONWHITE	29.6	31.8	15.8	20.4	26.5	51.8	56.5	227.3
5. PNEUMONIA AND INFLUENZA.	26.8	41.1	1.2	2.5	4.8	19.0	132.7	780.0
WHITE.	26.4	34.9	1.1	2.4	4.2	17.9	133.7	795.2
NONWHITE	34.7	134.5	2.3	2.9	15.7	51.8	97.5	284.1
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	28.5	313.7	2.2	2.0	1.8	2.6	3.1	3.4
WHITE.	26.8	297.7	2.1	2.0	1.9	2.6	3.2	3.5
NONWHITE	65.7	552.6	3.4	1.5	1.2	3.8	-0-	-0-
7. OTHER CIRCULATORY DISEASES	18.1	0.3	0.1	0.6	3.1	19.9	125.0	281.9
WHITE.	18.2	0.2	0.1	0.2	2.9	19.4	125.2	287.1
NONWHITE	15.5	2.4	-0-	8.7	7.2	32.6	118.0	113.6
8. DIABETES MELLITUS.	15.2	0.6	0.4	0.7	3.0	19.6	100.4	177.3
WHITE.	15.1	0.5	0.5	0.7	2.9	18.2	100.4	182.7
NONWHITE	16.1	2.4	-0-	-0-	4.8	61.4	102.6	-0-
9. CIRRHOSIS OF LIVER	11.4	0.2	0.2	0.4	6.4	30.9	36.2	23.6
WHITE.	11.3	0.2	0.1	0.4	5.7	30.4	36.4	24.4
NONWHITE	13.8	-0-	1.1	-0-	22.9	44.1	30.8	-0-
10. GENERAL ARTERIOSCLEROSIS	16.4	-0-	-0-	-0-	-0-	3.4	94.8	970.7
WHITE.	16.9	-0-	-0-	-0-	-0-	3.4	94.9	990.0
NONWHITE	7.6	-0-	-0-	-0-	-0-	5.8	92.4	340.9
11. EMPHYSEMA.	11.9	-0-	0.1	-0-	0.4	17.2	87.8	70.9
WHITE.	12.1	-0-	-0-	-0-	0.3	17.2	89.0	69.6
NONWHITE	6.2	-0-	1.1	-0-	1.2	17.3	46.2	113.6
12. HOMICIDE	3.8	1.7	0.7	4.8	6.9	3.6	3.7	3.4
WHITE.	2.4	1.3	0.6	2.4	4.0	2.7	2.9	3.5
NONWHITE	33.0	7.3	3.4	46.6	67.4	32.6	30.8	-0-

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							✓ EMPHY- SFMA
		TOTAL ✓	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	110,474	63,142	42,857	4,833	10,974	1,800	635	2,043	1,199
ADAMS	957	566	394	13	116	16	7	20	15
ALEXANDER	215	122	82	5	25	1	1	8	3
BOND	156	93	70	5	15	1	--	2	2
BOONE	230	124	78	16	24	2	1	3	4
BROWN	97	59	49	--	9	1	--	--	2
BUREAU	448	280	202	16	45	10	3	4	9
CALHOUN	86	54	32	5	12	1	--	4	2
CARROLL	230	134	83	11	26	5	2	7	1
CASS	203	136	87	5	38	2	2	2	2
CHAMPAIGN	929	490	313	24	107	22	4	20	10
CHRISTIAN	491	292	186	14	61	14	6	11	12
CLARK	260	159	92	10	38	7	--	12	4
CLAY	218	133	100	10	16	2	--	5	7
CLINTON	252	145	92	7	34	3	2	7	5
COLES	502	297	184	13	75	10	6	9	10
COOK	57,034	32,437	22,286	3,085	5,046	735	340	945	416
CRAWFORD	272	175	98	21	47	3	3	3	3
CUMBERLAND	111	70	48	1	16	2	1	2	1
DE KALB	471	261	187	13	40	6	2	13	8
DE WITT	203	119	79	13	16	6	2	3	6
DOUGLAS	222	133	97	7	22	3	--	4	6
DU PAGE	2,839	1,524	1,002	141	275	26	11	69	38
EDGAR	272	166	107	6	43	5	--	5	5
EDWARDS	112	73	50	11	8	--	--	4	--
EFFINGHAM	267	138	88	11	32	4	--	3	2
FAYETTE	284	166	105	7	29	16	1	8	3
FORD	202	113	82	4	16	6	2	3	4
FRANKLIN	707	454	329	17	74	23	5	6	4
FULTON	537	315	223	14	54	6	1	17	8
GALLATIN	126	82	51	3	20	4	1	3	2
GREENE	235	137	84	18	21	11	--	3	5
GRUNDY	266	129	86	9	27	2	4	1	5
HAMILTON	137	100	70	--	26	2	--	2	3
HANCOCK	294	198	140	10	37	8	2	1	2
HARDIN	71	43	30	--	11	--	1	1	2
HENDERSON	81	48	35	3	8	--	1	1	--
HENRY	539	316	224	12	57	10	1	12	7
IRROUOIS	336	199	148	7	30	3	1	10	4
JACKSON	497	301	209	9	67	2	5	9	8
JASPER	147	92	68	4	16	3	--	1	1
JEFFERSON	420	246	145	23	53	16	--	9	12
JERSEY	192	99	61	9	19	4	--	6	3
JO DAVIESS	254	133	92	11	23	2	--	5	5
JOHNSON	97	57	38	2	14	1	1	1	--
KANE	2,000	1,115	753	55	230	22	14	41	23
KANKAKEE	879	482	356	30	58	19	5	14	17
KENDALL	167	82	52	4	20	3	--	3	4
KNOX	715	430	306	16	72	16	11	9	10
LAKE	2,439	1,313	909	62	243	35	15	49	39
LA SALLE	1,302	749	476	45	169	32	7	20	23

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDF
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	19,145	5,177	2,448	2,729	3,457	2,694	933	2,000	1,872	1,026
ADAMS.	160	36	18	18	35	22	7	12	6	9
ALEXANDER. . . .	28	17	6	11	10	4	--	6	3	1
ANDERSON.	24	10	6	4	5	2	--	3	--	--
ARNO.	47	16	9	7	5	6	3	5	2	3
BROWN.	23	4	1	3	1	1	1	--	1	1
BUREAU.	76	19	12	7	12	7	9	7	3	3
CALHOUN.	7	3	1	2	2	2	--	2	4	1
CARROLL.	39	16	6	10	6	2	6	--	3	1
CASS.	23	13	5	8	7	1	--	--	2	1
CHAMPAIGN. . . .	181	59	38	21	31	33	6	13	12	13
CHRISTIAN.	98	20	10	10	9	7	2	7	2	5
CLARK.	52	10	8	2	2	2	2	1	1	3
CLAY.	28	10	7	3	7	5	--	6	1	3
CLINTON.	45	14	12	2	3	7	2	5	3	1
COLES.	82	21	14	7	17	5	6	14	6	8
COOK.	9,999	2,170	781	1,389	1,809	1,484	454	1,092	1,268	480
CRAWFORD.	44	17	8	9	4	6	--	3	5	--
CUMBERLAND. . . .	20	5	5	--	4	--	--	1	1	--
DE KALB.	70	35	23	12	19	7	5	8	7	8
DE WITT.	31	8	5	3	9	7	4	2	--	1
DOUGLAS.	36	15	11	4	12	3	--	5	--	--
DUPAGE.	520	158	88	70	100	79	49	40	45	41
EDGAR.	40	14	9	5	12	3	1	3	5	3
EDWARDS.	11	2	--	2	4	2	--	2	--	1
EFFINGHAM.	49	17	11	6	16	5	4	4	4	2
FAYETTE.	48	19	12	7	6	8	6	4	2	2
FORD.	35	12	5	7	6	2	--	2	2	4
FRANKLIN.	124	32	12	20	10	6	5	14	4	2
FULTON.	87	40	21	19	15	13	6	6	3	4
GALLATIN.	14	13	8	5	--	1	1	2	1	--
GREENE.	38	16	8	8	4	6	--	6	5	1
GRUNDY.	49	19	12	7	3	12	1	12	2	6
HAMILTON.	19	5	4	1	3	1	--	2	--	--
HAMCOCK.	43	14	5	9	8	3	--	1	1	2
HARDIN.	10	3	2	1	3	--	--	1	--	4
HENDERSON.	14	6	2	4	3	--	--	1	--	1
HENRY.	101	27	13	14	11	9	3	13	3	2
IRROQUOIS.	61	17	11	6	14	4	1	6	4	4
JACKSON.	71	21	7	14	18	11	3	4	8	3
JASPER.	23	9	6	3	6	1	--	2	1	--
JEFFERSON.	70	22	11	11	14	4	1	8	5	5
JERSEY.	38	13	8	5	11	4	--	5	--	2
JO DAVIESS.	51	25	14	11	13	3	2	3	1	1
JOHNSON.	21	5	3	2	2	1	1	--	--	3
KANE.	337	136	75	61	59	67	20	26	27	19
KANKAKEE.	186	43	25	18	15	30	9	23	6	3
KENDALL.	26	8	4	4	5	8	4	7	1	3
KNOX.	125	33	19	14	35	11	6	4	3	5
LAKE.	429	154	84	70	72	68	39	43	38	29
LA SALLE.	233	73	30	43	47	16	18	23	15	16

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE.	246	150	99	7	28	4	3	9	3
LEE.	391	213	140	15	40	9	1	8	9
LIVINGSTON. . . .	421	241	155	14	45	18	--	9	6
LOGAN.	345	206	150	9	30	12	2	3	1
MCDONOUGH. . . .	345	210	152	7	35	5	4	7	7
MCHENRY.	1,044	602	414	24	120	18	5	21	10
MCLEAN.	961	583	408	20	105	16	3	31	12
MACON.	1,113	644	396	39	149	36	5	19	25
MACOUPIN.	655	404	273	25	72	20	4	10	11
MADISON.	2,247	1,282	848	98	237	42	8	49	20
MARION.	528	315	213	13	63	10	6	10	8
MARSHALL.	163	107	70	7	20	4	1	5	5
MASON.	203	125	97	6	16	1	--	5	1
MASSAC.	210	132	76	8	41	1	3	3	4
MCNIARD.	103	70	53	1	10	2	--	4	--
MERCER.	216	127	99	5	19	1	2	1	2
MONROE.	174	96	69	3	13	8	1	2	3
MONTGOMERY. . . .	432	266	180	16	53	3	8	6	9
MORGAN.	435	284	190	17	54	9	4	10	8
MOULTRIE.	150	89	62	1	23	1	1	1	1
OGLE.	433	245	146	19	69	6	1	4	6
PEORIA.	1,912	1,056	680	42	234	48	8	44	28
PERRY.	268	164	126	5	23	1	1	8	3
PIATT.	178	96	62	4	14	9	--	7	2
PIKE.	278	175	105	4	32	29	--	5	6
POPE.	53	27	12	2	8	2	--	3	2
PULASKI.	130	73	49	3	17	1	2	1	2
PUTNAM.	62	29	15	3	9	1	--	1	--
RANDOLPH.	337	212	138	17	34	12	1	10	8
RICHLAND.	193	116	87	1	19	7	--	2	3
ROCK ISLAND. . . .	1,569	921	660	47	159	28	6	21	29
ST. CLAIR.	2,801	1,574	1,002	127	336	54	10	45	23
SALINE.	430	279	190	11	57	14	3	4	5
SANGAMON.	1,793	1,036	702	33	212	23	10	56	29
SCHUYLER.	94	70	57	--	11	--	--	2	--
SCOTT.	66	39	24	--	10	2	1	2	2
SHELBY.	282	170	91	28	39	3	4	5	3
STARK.	91	51	37	3	6	4	1	--	3
STEPHENSON. . . .	511	293	191	18	57	7	9	11	6
TAZEWELL.	831	449	283	32	72	30	4	28	10
UNION.	248	137	91	1	30	11	--	4	3
VERMILION.	1,138	642	386	55	135	28	2	36	30
WARASH.	170	105	68	8	20	6	--	3	5
WARREN.	269	159	98	13	33	4	4	7	5
WASHINGTON. . . .	210	129	104	6	14	3	--	2	--
WAYNE.	176	110	80	5	17	1	2	5	2
WHITE.	263	159	108	6	25	4	6	10	--
WHITESIDE.	604	316	209	16	58	15	5	13	5
WILL.	1,882	1,030	709	70	175	34	7	35	17
WILLIAMSON. . . .	602	372	285	12	59	8	2	6	16
WINNEBAGO.	1,924	1,020	651	62	211	41	11	44	30
WOODFORD.	277	156	104	8	24	11	3	6	4
UNSPECIFIED. . . .	16	7	5	--	2	--	--	--	--

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE	35	17	7	10	10	--	--	4	2	1
LEE	58	27	14	13	19	5	6	13	1	4
LIVINGSTON . . .	81	27	15	12	5	15	2	5	4	--
LOGAN	75	14	10	4	7	4	2	8	3	4
MCDONOUGH . . .	53	13	7	6	9	--	2	18	5	5
MCHENRY	169	65	41	24	31	21	7	15	24	10
MCLEAN	159	46	28	18	22	23	12	7	16	7
MACON	183	61	33	28	31	22	4	29	5	15
MACOUPIN	109	37	23	14	18	8	2	6	7	9
MADISON	354	146	82	64	76	54	19	47	30	10
MARION	92	24	11	13	22	6	2	13	4	5
MARSHALL	20	11	7	4	3	4	1	4	--	2
MASON	33	16	12	4	7	6	--	1	--	2
MASSAC	28	11	4	7	11	6	--	1	2	4
MENARD	15	7	3	4	2	2	2	--	1	--
MERCER	28	14	9	5	12	1	1	8	2	1
MONROE	34	10	9	1	6	3	3	3	1	1
MONTGOMERY . . .	80	21	10	11	9	7	1	5	4	6
MORGAN	62	26	18	8	10	7	4	4	4	4
MOULTRIE	27	6	4	2	5	2	--	4	1	2
OGLE	83	34	18	16	10	12	5	2	5	3
PEORIA	363	92	49	43	60	43	21	27	28	23
PERRY	41	14	7	7	9	5	1	7	3	1
PIATT	36	14	12	2	6	3	--	3	1	3
PIKE	41	9	2	7	8	11	1	6	1	4
POPE	15	2	1	1	1	1	--	1	--	--
PULASKI	24	7	7	--	2	4	1	4	1	2
PUTNAM	14	--	--	--	3	1	3	2	2	1
RANDOLPH	51	20	14	6	9	7	1	7	2	--
RICHLAND	35	9	5	4	9	3	--	2	1	1
ROCK ISLAND . . .	283	68	29	39	56	38	13	18	17	20
ST. CLAIR	492	177	103	74	74	70	24	45	32	19
SALINE	62	19	6	13	14	6	1	5	8	1
SANGAMON	305	102	52	50	43	43	13	25	21	20
SCHUYLER	8	3	1	2	5	--	--	2	--	--
SCOTT	9	7	4	3	1	--	1	--	--	--
SHELBY	41	19	11	8	14	5	1	--	1	8
STARK	12	6	4	2	4	2	--	4	--	--
STEPHENSON . . .	93	27	17	10	15	16	2	9	7	10
TAZEWELL	150	48	27	21	30	21	12	17	9	6
UNION	39	18	16	2	13	6	1	7	1	3
VERMILION	204	60	31	29	29	21	7	19	18	12
WABASH	25	8	2	6	2	3	--	1	2	1
WARREN	38	10	5	5	9	11	1	6	2	7
WASHINGTON . . .	34	10	4	6	10	2	2	2	2	3
WAYNE	25	10	7	3	7	1	2	5	1	--
WHITE	46	12	7	5	10	2	3	9	2	3
WHITESIDE	120	40	25	15	32	12	3	11	6	5
WILL	324	102	53	49	44	74	33	49	30	23
WILLIAMSON	99	20	9	11	16	10	6	4	6	5
WINNEBAGO	317	112	58	54	63	63	17	37	35	35
WOODFORD	34	24	20	4	7	9	1	10	--	5
UNSPECIFIED . . .	1	1	--	1	3	2	--	--	1	--

TABLE 10R. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCU- LATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	994.0	568.1	385.6	43.5	98.7	16.2	5.7	18.4	10.8
ADAMS	1,350.5	798.7	556.0	18.3	163.7	22.6	9.9	28.2	21.2
ALEXANDER . . .	1,789.4	1,015.4	682.5	41.6	208.1	8.3	8.3	66.6	25.0
BOND	1,113.3	663.7	499.6	35.7	107.1	7.1	-0-	14.3	14.3
BOONE	904.1	487.4	306.6	62.9	94.3	7.9	3.9	11.8	15.7
BROWN	1,736.5	1,056.2	877.2	-0-	161.1	17.9	-0-	-0-	35.8
BUREAU	1,162.4	726.5	524.1	41.5	116.8	25.9	7.8	10.4	23.4
CALHOUN	1,515.4	951.5	563.9	88.1	211.5	17.6	-0-	70.5	35.2
CARROLL	1,193.2	695.2	430.6	57.1	134.9	25.9	10.4	36.3	5.2
CASS	1,427.7	956.5	611.9	35.2	267.2	14.1	14.1	14.1	14.1
CHAMPAIGN . . .	569.0	300.1	191.7	14.7	65.5	13.5	2.4	12.2	6.1
CHRISTIAN . . .	1,365.9	812.3	517.4	38.9	169.7	38.9	16.7	30.6	33.4
CLARK	1,603.4	980.5	567.3	61.7	234.3	43.2	-0-	74.0	24.7
CLAY	1,479.5	902.6	678.7	67.9	108.6	13.6	-0-	33.9	47.5
CLINTON	890.0	512.1	324.9	24.7	120.1	10.6	7.1	24.7	17.7
COLES	1,049.9	621.1	384.8	27.2	156.9	20.9	12.5	18.8	20.9
COOK	1,038.4	590.6	405.8	56.2	91.9	13.4	6.2	17.2	7.6
CRAWFORD . . .	1,372.1	882.8	494.4	105.9	237.1	15.1	15.1	15.1	15.1
CUMBERLAND . .	1,135.9	716.3	491.2	10.2	163.7	20.5	10.2	20.5	10.2
DE KALB	657.3	364.3	261.0	18.1	55.8	8.4	2.8	18.1	11.2
DE WITT	1,195.9	701.0	465.4	76.6	94.3	35.3	11.8	17.7	35.3
DOUGLAS	1,168.6	700.1	510.6	36.8	115.8	15.8	-0-	21.1	31.6
DU PAGE	577.2	309.8	203.7	28.7	55.9	5.3	2.2	14.0	7.7
EDGAR	1,259.8	768.8	495.6	27.8	199.2	23.2	-0-	23.2	23.2
EDWARDS	1,579.7	1,029.6	705.2	155.1	112.8	-0-	-0-	56.4	-0-
EFFINGHAM . . .	1,085.0	560.8	357.6	44.7	130.0	16.3	-0-	12.2	8.1
FAYETTE	1,368.5	799.9	506.0	33.7	139.7	77.1	4.8	38.6	14.5
FORD	1,233.1	689.8	500.5	24.4	97.7	36.6	12.2	18.3	24.4
FRANKLIN	1,844.6	1,184.5	858.4	44.4	193.1	60.0	13.0	15.7	10.4
FULTON	1,281.9	752.0	532.3	33.4	128.9	14.3	2.4	40.6	19.1
GALLATIN	1,698.6	1,105.4	687.5	40.4	269.6	53.9	13.5	40.4	27.0
GREENE	1,381.2	805.2	493.7	105.8	123.4	64.7	-0-	17.6	29.4
GRUNDY	1,002.4	486.2	324.1	33.9	101.8	7.5	15.1	3.8	18.8
HAMILTON	1,581.1	1,154.1	807.8	-0-	300.1	23.1	-0-	23.1	34.6
HANCOCK	1,243.4	837.4	592.1	42.3	156.5	33.8	8.5	4.2	8.5
HARDIN	1,444.9	875.1	610.5	-0-	223.9	-0-	20.4	20.4	40.7
HENDERSON . . .	958.5	568.0	414.2	35.5	94.7	-0-	11.8	11.8	-0-
HENRY	1,012.8	593.8	420.9	22.5	107.1	18.8	1.9	22.5	13.2
IROQUOIS	1,002.0	593.5	441.4	20.9	89.5	8.9	3.0	29.8	11.9
JACKSON	903.5	547.2	379.9	16.4	121.8	3.6	9.1	16.4	14.5
JASPER	1,368.6	856.5	633.1	37.2	149.0	27.9	-0-	9.3	9.3
JEFFERSON . . .	1,335.6	782.3	461.1	73.1	168.5	50.9	-0-	28.6	38.2
JERSEY	1,038.3	535.4	329.9	48.7	102.7	21.6	-0-	32.4	16.2
JO DAVIES	1,167.0	611.0	422.7	50.5	105.7	9.2	-0-	23.0	23.0
JOHNSON	1,284.8	755.0	503.3	26.5	185.4	13.2	13.2	13.2	-0-
KANE	796.8	444.2	300.0	21.9	91.6	8.8	5.6	16.3	9.2
KANKAKEE	903.9	495.6	366.1	30.8	59.6	19.5	5.1	14.4	17.5
KENDALL	633.2	310.9	197.2	15.2	75.8	11.4	-0-	11.4	15.2
KNOX	1,166.8	701.7	499.3	26.1	117.5	26.1	18.0	14.7	16.3
LAKE	637.4	343.1	237.6	16.2	63.5	9.1	3.9	12.8	10.2
LA SALLE	1,168.7	672.3	427.3	40.4	151.7	28.7	6.3	18.0	20.6

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDF
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	172.3	46.6	22.0	24.6	31.1	24.2	8.4	18.0	16.8	9.2
ADAMS	225.8	50.8	25.4	25.4	49.4	31.0	9.9	16.9	8.5	12.7
ALEXANDER	233.0	141.5	49.9	91.6	83.2	33.3	-0-	49.9	25.0	8.3
ANDERSON	171.3	71.4	42.8	28.5	35.7	14.3	-0-	21.4	-0-	-0-
ARNO	184.7	62.9	35.4	27.5	19.7	23.6	11.8	19.7	7.9	11.8
BROWN	411.7	71.6	17.9	53.7	17.9	17.9	17.9	-0-	17.9	17.9
BUREAU	197.2	49.3	31.1	18.2	31.1	18.2	23.4	18.2	7.8	7.8
CALHOUN	123.3	52.9	17.6	35.2	35.2	35.2	-0-	35.2	70.5	17.6
CARROLL	202.3	83.0	31.1	51.9	31.1	10.4	31.1	-0-	15.6	5.2
CASS	161.8	91.4	35.2	56.3	49.2	7.0	-0-	-0-	14.1	7.0
CHAMPAIGN	110.9	36.1	23.3	12.9	19.0	20.2	3.7	8.0	7.3	8.0
CHRISTIAN	272.6	55.6	27.8	27.8	25.0	19.5	5.6	19.5	5.6	13.9
CLARK	320.7	61.7	49.3	12.3	12.3	12.3	12.3	6.2	6.2	18.5
CLAY	190.0	67.9	47.5	20.4	47.5	33.9	-0-	40.7	6.8	20.4
CLINTON	158.9	49.4	42.4	7.1	10.6	24.7	7.1	17.7	10.6	3.5
COLES	171.5	43.9	29.3	14.6	35.6	10.5	12.5	29.3	12.5	16.7
COOK	182.1	39.5	14.2	25.3	32.9	27.0	8.3	19.9	23.1	8.7
CRAWFORD	222.0	85.8	40.4	45.4	20.2	30.3	-0-	15.1	25.2	-0-
CUMBERLAND	204.7	51.2	51.2	-0-	40.9	-0-	-0-	10.2	10.2	-0-
DE KALB	97.7	48.8	32.1	16.7	26.5	9.8	7.0	11.2	9.8	11.2
DE WITT	182.6	47.1	29.5	17.7	53.0	41.2	23.6	11.8	-0-	5.9
DOUGLAS	189.5	79.0	57.9	21.1	63.2	15.8	-0-	26.3	-0-	-0-
DU PAGE	105.7	32.1	17.9	14.2	20.3	16.1	10.0	8.1	9.1	8.3
EDGAR	185.3	64.8	41.7	23.2	55.6	13.9	4.6	13.9	23.2	13.9
EDWARDS	155.1	28.2	-0-	28.2	56.4	28.2	-0-	28.2	-0-	14.1
EFFINGHAM	199.1	69.1	44.7	24.4	65.0	20.3	16.3	16.3	16.3	8.1
FAYETTE	231.3	91.6	57.8	33.7	28.9	38.6	28.9	19.3	9.6	9.6
FORD	213.6	73.3	30.5	42.7	36.6	12.2	-0-	12.2	12.2	24.4
FRANKLIN	323.5	83.5	31.3	52.2	26.1	15.7	13.0	36.5	10.4	5.2
FULTON	207.7	95.5	50.1	45.4	35.8	31.0	14.3	14.3	7.2	9.5
GALLATIN	188.7	175.2	107.8	67.4	-0-	13.5	13.5	27.0	13.5	-0-
GREENE	223.3	94.0	47.0	47.0	23.5	35.3	-0-	35.3	29.4	5.9
GRUNDY	184.7	71.6	45.2	26.4	11.3	45.2	3.8	45.2	7.5	22.6
HAMILTON	219.3	57.7	46.2	11.5	34.6	11.5	-0-	23.1	-0-	-0-
HANCOCK	181.9	59.2	21.1	38.1	33.8	12.7	-0-	4.2	4.2	8.5
HARDIN	203.5	61.1	40.7	20.4	61.1	-0-	-0-	20.4	-0-	81.4
HENDERSON	165.7	71.0	23.7	47.3	35.5	-0-	-0-	11.8	-0-	11.8
HENRY	189.8	50.7	24.4	26.3	20.7	16.9	5.6	24.4	5.6	3.8
IRROQUOIS	181.9	50.7	32.8	17.9	41.8	11.9	3.0	17.9	11.9	11.9
JACKSON	129.1	38.2	12.7	25.5	32.7	20.0	5.5	7.3	14.5	5.5
JASPER	214.1	83.8	55.9	27.9	55.9	9.3	-0-	18.6	9.3	-0-
JEFFERSON	222.6	70.0	35.0	35.0	44.5	12.7	3.2	25.4	15.9	15.9
JERSEY	205.5	70.3	43.3	27.0	59.5	21.6	-0-	27.0	-0-	10.8
JO DAVIESS	234.3	114.9	64.3	50.5	59.7	13.8	9.2	13.8	4.6	4.6
JOHNSON	278.1	66.2	39.7	26.5	26.5	13.2	13.2	-0-	-0-	39.7
KANE	134.3	54.2	29.9	24.3	23.5	26.7	8.0	10.4	10.8	7.6
KANKAKEE	191.3	44.2	25.7	18.5	15.4	30.8	9.3	23.7	6.2	3.1
KENDALL	98.6	30.3	15.2	15.2	19.0	30.3	15.2	26.5	3.8	11.4
KNOX	204.0	53.9	31.0	22.8	57.1	18.0	9.8	6.5	4.9	8.2
LAKE	112.1	40.2	22.0	18.3	18.8	17.8	10.2	11.2	9.9	7.6
LA SALLE	209.1	65.5	26.9	38.6	42.2	14.4	16.2	20.6	13.5	14.4

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							3 EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADAMS	1,403.9	856.1	565.0	39.9	159.8	22.8	17.1	51.4	17.1
ALTA	1,030.4	561.3	368.9	39.5	105.4	23.7	2.6	21.1	23.7
ANDERSON	1,034.7	592.3	380.9	34.4	110.6	44.2	-0-	22.1	14.7
ANGUISH	1,028.7	614.2	447.3	26.8	89.5	35.8	6.0	8.9	3.0
ARMONK	941.3	572.9	414.7	19.1	95.5	13.6	10.9	19.1	19.1
ASHLAND	935.9	539.6	371.1	21.5	107.6	16.1	4.5	18.8	9.0
ASHLEY	920.6	558.5	390.8	19.2	100.6	15.3	2.9	29.7	11.5
BARRETT	890.3	515.2	316.8	31.2	119.2	28.8	4.0	15.2	20.0
BELLEVILLE	1,470.0	906.7	612.7	56.1	161.6	44.9	9.0	22.4	24.7
BELLEVUE	895.5	510.9	337.9	39.1	94.4	16.7	3.2	19.5	8.0
BELLEVILLE	1,354.3	808.0	546.3	33.3	161.6	25.7	15.4	25.7	20.5
BELLEVILLE	1,225.4	804.4	526.2	52.6	150.4	30.1	7.5	37.6	37.6
BELLEVILLE	1,256.1	773.5	600.2	37.1	99.0	6.2	-0-	30.9	6.2
BELLEVILLE	1,512.0	950.4	547.2	57.6	295.2	7.2	21.6	21.6	28.8
BELLEVILLE	1,063.5	722.8	547.2	10.3	103.3	20.7	-0-	41.3	-0-
BELLEVILLE	1,249.0	734.4	572.5	28.9	109.9	5.8	11.6	5.8	11.6
BELLEVILLE	924.0	509.8	366.4	15.9	69.0	42.5	5.3	10.6	15.9
BELLEVILLE	1,427.6	879.0	594.8	52.9	175.1	9.9	26.4	19.8	29.7
BELLEVILLE	1,202.5	785.1	525.2	47.0	149.3	24.9	11.1	27.6	27.1
BELLEVILLE	1,131.0	671.0	467.5	7.5	173.4	7.5	7.5	7.5	7.5
BELLEVILLE	1,010.1	571.5	340.6	44.3	161.0	14.0	2.3	9.3	14.0
BELLEVILLE	978.9	540.7	348.2	21.5	119.8	24.6	4.1	22.5	14.3
BELLEVILLE	1,356.5	830.1	637.7	25.3	116.4	5.1	5.1	40.5	15.2
BELLEVILLE	1,147.7	619.0	399.8	25.8	90.3	58.0	-0-	45.1	12.9
BELLEVILLE	1,449.0	912.2	547.3	20.8	166.8	151.2	-0-	26.1	31.3
BELLEVILLE	1,374.1	700.0	311.1	51.9	207.4	51.9	-0-	77.8	51.9
BELLEVILLE	1,487.2	835.1	560.6	34.3	194.5	11.4	22.9	11.4	22.9
BELLEVILLE	1,238.3	579.2	299.6	59.9	179.7	20.0	-0-	20.0	-0-
BELLEVILLE	1,074.0	675.6	439.8	54.2	108.4	38.2	3.2	31.9	25.5
BELLEVILLE	1,146.8	689.3	517.0	5.9	112.9	41.6	-0-	11.9	17.8
BELLEVILLE	941.0	552.4	395.8	28.2	95.4	16.8	3.6	12.6	17.4
BELLEVILLE	982.2	551.9	351.4	44.5	117.8	18.9	3.5	15.8	8.1
BELLEVILLE	1,671.8	1,084.7	738.7	42.8	221.6	54.4	11.7	15.6	19.4
BELLEVILLE	1,111.4	642.1	435.1	20.5	131.4	14.3	6.2	34.7	18.0
BELLEVILLE	1,155.5	860.5	700.7	-0-	135.2	-0-	-0-	24.6	-0-
BELLEVILLE	1,082.7	639.8	393.7	-0-	164.0	32.8	16.4	32.8	32.8
BELLEVILLE	1,248.4	752.6	402.9	124.0	172.7	13.3	17.7	22.1	13.3
BELLEVILLE	1,211.7	679.1	492.7	39.9	79.9	53.3	13.3	-0-	39.9
BELLEVILLE	1,045.8	599.7	390.9	36.8	116.7	14.3	18.4	22.5	12.3
BELLEVILLE	700.4	378.4	238.5	27.0	60.7	25.3	3.4	23.6	8.4
BELLEVILLE	1,543.2	852.5	566.2	6.2	186.7	68.4	-0-	24.9	18.7
BELLEVILLE	1,172.6	661.5	397.7	56.7	139.1	28.9	2.1	37.1	30.9
BELLEVILLE	1,323.9	817.7	529.6	62.3	155.8	46.7	-0-	23.4	38.9
BELLEVILLE	1,245.7	736.3	453.8	60.2	152.8	18.5	18.5	32.4	23.2
BELLEVILLE	1,523.9	936.1	754.7	43.5	101.6	21.8	-0-	14.5	-0-
BELLEVILLE	1,035.1	646.9	470.5	29.4	100.0	5.9	11.8	29.4	11.8
BELLEVILLE	1,519.2	918.4	623.8	34.7	144.4	23.1	34.7	57.8	-0-
BELLEVILLE	960.6	502.6	332.4	25.4	92.2	23.9	8.0	20.7	8.0
BELLEVILLE	754.3	412.8	284.2	28.1	70.1	13.6	2.8	14.0	6.8
BELLEVILLE	1,228.0	758.9	581.4	24.5	120.4	16.3	4.1	12.2	32.6
BELLEVILLE	780.1	413.6	264.0	25.1	85.6	16.6	4.5	17.8	12.2
BELLEVILLE	988.9	556.9	371.3	28.6	85.7	39.3	10.7	21.4	14.3

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1970--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

COUNTY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUICIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE	199.7	97.0	39.9	57.1	57.1	-0-	-0-	22.8	11.4	5.7
LEFF	152.8	71.2	36.9	34.3	50.1	13.2	15.8	34.3	2.6	10.5
LIVINGSTON . . .	199.1	66.4	36.9	29.5	12.3	36.9	4.9	12.3	9.8	-0-
LOGAN	223.6	41.7	29.8	11.9	20.9	11.9	6.0	23.9	8.9	11.9
MCDONOUGH . . .	144.6	35.5	19.1	16.4	24.6	-0-	5.5	49.1	13.6	13.6
MCHENRY	151.5	58.3	36.8	21.5	27.8	18.8	6.3	13.4	21.5	9.0
MCLEAN	152.3	44.1	26.8	17.2	21.1	22.0	11.5	6.7	15.3	6.7
MACON	146.4	48.8	26.4	22.4	24.8	17.6	3.2	23.2	4.0	12.0
MACOUPIN	244.6	83.0	51.6	31.4	40.4	18.0	4.5	13.5	4.5	20.2
MADISON	141.1	58.2	32.7	25.5	30.3	21.5	7.6	18.7	12.0	4.0
MARION	236.0	61.6	28.2	33.3	56.4	15.4	5.1	33.3	10.3	12.8
MARSHALL	150.4	82.7	52.6	30.1	22.6	30.1	7.5	30.1	-0-	15.0
MASSON	204.2	99.0	74.3	24.8	43.3	37.1	-0-	6.2	-0-	12.4
MASSAC	201.6	79.2	28.8	50.4	79.2	43.2	-0-	7.2	14.4	28.8
MCNEARD	154.9	72.3	31.0	41.3	20.7	20.7	20.7	-0-	10.3	-0-
MERCER	161.9	81.0	52.0	28.9	69.4	5.8	5.8	46.3	11.6	5.8
MONROE	180.6	53.1	47.8	5.3	31.9	15.9	15.9	15.9	5.3	5.3
MONTGOMERY . . .	264.4	69.4	33.0	36.4	29.7	23.1	3.3	16.5	13.2	19.8
MORGAN	171.4	71.9	49.8	22.1	27.6	19.4	11.1	11.1	11.1	11.1
MOULTRIE	203.6	45.2	30.2	15.1	37.7	15.1	-0-	30.2	7.5	15.1
MORGAN	193.6	79.3	42.0	37.3	23.3	28.0	11.7	4.7	11.7	7.0
PEORIA	185.9	47.1	25.1	22.0	30.7	22.0	10.8	13.8	14.3	11.8
PERRY	207.5	70.9	35.4	35.4	45.6	25.3	5.1	35.4	15.2	5.1
PIATT	232.1	90.3	77.4	12.9	38.7	19.3	-0-	19.3	6.4	19.3
PIKE	213.7	46.9	10.4	36.5	41.7	57.3	5.2	31.3	5.2	20.8
POPE	388.9	51.9	25.9	25.9	25.9	25.9	-0-	25.9	-0-	-0-
PULASKI	274.6	80.1	80.1	-0-	22.9	45.8	11.4	45.8	11.4	22.9
POTNAM	279.6	-0-	-0-	-0-	59.9	20.0	59.9	39.9	39.9	20.0
RANDOLPH	162.5	63.7	44.6	19.1	28.7	22.3	3.2	22.3	6.4	-0-
RICHLAND	208.0	53.5	29.7	23.8	53.5	17.8	-0-	11.9	5.9	5.9
ROCK ISLAND . . .	169.7	40.8	17.4	23.4	33.6	22.8	7.8	10.8	10.2	12.0
ST. CLAIR	172.5	62.1	36.1	25.9	25.9	24.5	8.4	15.8	11.2	6.7
SALINE	241.0	73.9	23.3	50.5	54.4	23.3	3.9	19.4	31.1	3.9
SANGAMON	189.0	63.2	32.2	31.0	26.7	26.7	8.1	15.5	13.0	12.4
SCHUYLER	98.3	36.9	12.3	24.6	61.5	-0-	-0-	24.6	-0-	-0-
SCOTT	147.6	114.8	65.6	49.2	16.4	-0-	16.4	-0-	-0-	-0-
SHELBY	181.5	84.1	48.7	35.4	62.0	22.1	4.4	-0-	4.4	35.4
STARK	159.8	79.9	53.3	26.6	53.3	26.6	-0-	53.3	-0-	-0-
STEPHENSON . . .	190.3	55.3	34.8	20.5	30.7	32.7	4.1	18.4	14.3	20.5
TAZEWELL	126.4	40.5	22.8	17.7	25.3	17.7	10.1	14.3	7.6	5.1
UNION	242.7	112.0	99.6	12.4	80.9	37.3	6.2	43.6	6.2	18.7
VERMILION	210.2	61.8	31.9	29.9	29.9	21.6	7.2	19.6	18.5	12.4
WARASH	194.7	62.3	15.6	46.7	15.6	23.4	-0-	7.8	15.6	7.8
WARREN	176.0	46.3	23.2	23.2	41.7	50.9	4.6	27.8	9.3	32.4
WASHINGTON . . .	246.7	72.6	29.0	43.5	72.6	14.5	14.5	14.5	14.5	21.8
WAYNE	147.0	58.8	41.2	17.6	41.2	5.9	11.8	29.4	5.9	-0-
WHITE	265.7	69.3	40.4	28.9	57.8	11.6	17.3	52.0	11.6	17.3
WHITESIDE	190.8	63.6	39.8	23.9	50.9	19.1	4.8	17.5	9.5	8.0
WILL	129.9	40.9	21.2	19.6	17.6	29.7	13.2	19.6	12.0	9.2
WILLIAMSON . . .	202.0	40.8	18.4	22.4	32.6	20.4	12.2	8.2	12.2	10.2
WINNEBAGO	128.5	45.4	23.5	21.9	25.5	25.5	6.9	15.0	14.2	14.2
WOODFORD	121.4	85.7	71.4	14.3	25.0	32.1	3.6	35.7	-0-	17.8

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	97	38	25	3	8	--	1	1	3
ALSIP	65	30	24	1	3	--	--	2	--
ALTON	470	271	166	32	44	13	2	14	5
ARLINGTON HEIGHTS	334	193	145	10	27	3	1	7	3
AURORA	732	401	265	24	82	6	6	18	12
BELLEVILLE	624	390	263	19	84	9	2	13	5
BELLWOOD	166	94	70	4	12	1	1	6	--
BELVIDERE	154	90	59	13	13	1	1	3	--
BENSENVILLE	123	71	33	5	23	2	--	8	1
BERWYN	724	447	328	21	70	8	3	17	3
BLOOMINGTON	478	287	199	9	52	8	2	17	4
BLUE ISLAND	272	157	116	4	25	3	2	7	1
BRIDGEVIEW	55	28	17	4	5	--	1	1	--
BROOKFIELD	208	120	95	6	13	2	1	3	--
BUFFALO GROVE	27	11	8	--	3	--	--	--	1
CAHOKIA	97	49	33	3	9	3	--	1	--
CALUMET CITY	255	143	103	13	24	1	--	2	2
CALUMET PARK	85	45	27	1	13	--	1	3	2
CANTON	175	97	65	6	19	3	--	4	2
CARBONDALE	151	85	56	2	20	1	1	5	1
CARPENTERSVILLE	83	30	24	--	2	2	1	1	2
CENTRALIA	229	137	89	8	25	3	4	8	3
CENTREVILLE	67	29	16	5	7	--	--	1	--
CHAMPAIGN	353	192	108	13	49	10	3	9	6
CHARLESTON	144	91	56	4	28	2	--	1	2
CHICAGO	41,411	23,602	16,125	2,575	3,476	526	258	642	279
CHICAGO HEIGHTS	337	180	105	14	51	2	2	6	5
CICERO	800	487	346	31	86	7	4	13	7
COLLINSVILLE	196	111	75	5	22	3	2	4	--
CRYSTAL LAKE	146	78	47	5	20	2	--	4	1
DANVILLE	621	348	207	31	71	19	1	19	15
DE KALB	131	69	51	5	8	--	--	5	3
DECATUR	930	540	329	34	126	29	5	17	18
DEERFIELD	87	34	24	1	9	--	--	--	3
DES PLAINES	452	256	184	15	31	5	2	19	5
DIXON	217	114	74	8	22	5	1	4	5
DOLTON	151	91	69	5	13	2	1	1	--
DOWNERS GROVE	299	156	100	13	26	6	1	10	4
EAST MOLINE	176	102	71	2	23	3	--	3	2
EAST PEORIA	147	77	47	7	16	4	--	3	4
EAST ST LOUIS	1,082	583	351	70	118	23	6	15	7
EDWARDSVILLE	135	94	67	4	16	--	1	6	2
ELGIN	566	340	230	14	72	6	4	14	5
ELK GROVE	80	38	23	4	7	1	--	3	1
ELMHURST	353	192	119	25	34	2	--	12	6
ELMWOOD PARK	254	158	124	6	24	2	--	2	3
EVANSTON	876	510	330	18	113	17	8	4	8
EVERGREEN PARK	241	155	112	7	28	3	2	3	2
FAIRVIEW HEIGHTS	17	8	5	--	2	--	--	1	--
FOREST PARK	242	143	100	11	19	5	1	7	3
FRANKLIN PARK	128	70	52	2	14	--	--	2	3
FREEDPORT	330	194	120	12	42	5	8	7	5
GALESBURG	426	259	183	12	45	7	5	7	8
GLEN ELLYN	138	87	63	5	15	1	--	3	3
GLENCOE	64	34	23	--	8	--	--	3	--
GLENDALE HEIGHTS	28	7	6	1	--	--	--	--	--
GLENVIEW	202	112	81	4	18	3	1	5	2
GRANITE CITY	376	216	146	18	33	12	--	7	2
HANDOVER PARK	40	7	7	--	--	--	--	--	--
HARVEY	335	177	127	14	25	2	1	8	4
HAZEL CREST	65	36	26	4	2	3	--	1	2
HICKORY HILLS	71	40	28	2	8	1	1	--	--
HIGHLAND PARK	194	119	80	4	24	2	2	7	5
HINSDALE	136	75	57	1	15	--	--	2	2
HOFFMAN ESTATES	60	26	20	--	6	--	--	--	--
HOMERWOOD	174	100	70	5	17	5	2	1	2
JACKSONVILLE	285	186	127	13	33	7	3	3	7
JOLIET	923	540	371	35	93	20	5	16	10
KANKAKEE	369	227	167	16	30	9	--	5	7
Kewanee	204	119	78	4	28	3	--	6	2
LA GRANGE	175	113	80	7	18	4	2	2	2
LA GRANGE PARK	148	80	47	3	22	3	1	4	1
LA SALLE	170	103	65	7	21	4	1	5	2
LAKE FOREST	108	62	37	4	11	2	1	7	3
LANSING	156	79	58	4	14	1	1	1	2

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	17	6	4	2	3	12	2	2	--	1
ALSIP	17	1	--	1	1	5	2	--	2	1
ALTON	70	22	8	14	19	16	2	9	8	3
ARLINGTON HEIGHTS	58	20	8	12	9	10	3	6	6	3
AURORA	128	50	25	25	27	26	6	12	9	4
BELLEVIEW	109	28	19	9	17	7	6	9	8	5
BELLWOOD	39	7	4	3	5	2	1	2	3	2
BELVIDERE	33	8	5	3	2	3	3	3	2	2
BENSENVILLE	13	4	1	3	8	3	2	4	3	1
BERWYN	149	14	3	11	18	6	2	16	14	5
BLOOMINGTON	82	17	8	9	14	12	7	--	12	3
BLUE ISLAND	57	10	6	4	8	5	4	3	5	1
BRIDGEVIEW	8	2	1	1	3	1	3	2	1	2
BROOKFIELD	42	5	3	2	3	3	1	7	4	4
BUFFALO GROVE	3	1	--	1	1	4	1	--	--	--
CAHOKIA	19	10	6	4	2	7	1	--	--	1
CALUMET CITY	38	14	9	5	6	9	1	8	9	5
CALUMET PARK	15	3	2	1	2	1	--	3	3	2
CANTON	29	12	9	3	6	4	2	3	2	1
CARBONDALE	28	7	2	5	6	5	--	--	5	1
CARPENTERSVILLE	10	13	6	7	1	6	1	2	3	1
CENTRALIA	37	7	2	5	14	3	1	6	2	1
CENTREVILLE	10	10	4	6	4	3	--	1	1	--
CHAMPAIGN	70	17	11	6	15	8	3	3	2	3
CHARLESTON	26	6	4	2	3	1	2	6	1	1
CHICAGO	6,889	1,548	467	1,081	1,383	1,111	305	824	991	284
CHICAGO HEIGHTS	65	14	5	9	8	16	1	10	6	2
CICERO	137	26	14	12	22	7	2	21	17	8
COLLINSVILLE	26	14	9	5	7	7	2	4	1	1
CRYSTAL LAKE	24	12	7	5	6	5	2	--	5	3
DANVILLE	107	31	14	17	13	15	5	8	16	7
DE KALB	27	11	7	4	5	--	2	1	1	1
DECATUR	152	43	21	22	27	20	3	27	5	13
DEERFIELD	23	4	3	1	3	5	--	2	--	3
DES PLAINES	87	19	7	12	13	13	12	7	7	2
DIXON	33	16	9	7	14	2	3	4	1	2
DOLTON	33	6	2	4	3	5	--	--	2	--
DOWNERS GROVE	64	14	4	10	14	2	5	6	6	6
EAST MOLINE	32	7	3	4	7	3	3	4	3	3
EAST PEORIA	23	10	2	8	3	6	--	3	1	1
EAST ST LOUIS	170	60	29	31	33	34	9	20	12	4
EDWARDSVILLE	19	6	5	1	3	--	1	4	2	--
ELGIN	84	33	22	11	17	17	5	5	7	8
ELK GROVE	18	5	4	1	1	7	--	--	1	2
ELMHURST	63	13	9	4	14	12	4	4	8	3
ELMWOOD PARK	40	2	--	2	5	4	--	5	9	2
EVANSTON	154	18	6	12	31	15	11	12	4	21
EVERGREEN PARK	49	6	3	3	--	2	2	2	3	4
FAIRVIEW HEIGHTS	4	1	--	1	--	--	1	2	--	--
FOREST PARK	48	7	4	3	9	4	1	3	6	--
FRANKLIN PARK	22	5	2	3	4	5	1	3	4	2
FREEPORT	58	15	9	6	12	11	2	3	6	6
GALESBURG	71	19	8	11	17	6	3	3	3	3
GLEN ELLYN	23	5	2	3	3	1	--	2	2	1
GLENCOE	16	4	2	2	3	2	--	--	1	1
GLENDALE HEIGHTS	3	6	4	2	1	2	2	--	1	2
GLENVIEW	43	11	7	4	4	3	3	4	4	5
GRANITE CITY	65	21	10	11	5	15	4	8	5	2
HANOVER PARK	12	5	4	1	2	5	2	2	1	1
HARVEY	63	16	7	9	11	18	2	3	4	5
HAZEL CREST	12	4	1	3	1	3	1	1	1	1
HICKORY HILLS	10	6	3	3	--	6	1	2	1	--
HIGHLAND PARK	37	5	2	3	7	3	5	--	1	3
HINSDALE	23	7	3	4	4	--	4	2	1	6
HOFFMAN ESTATES	10	5	4	1	--	5	2	1	1	3
HOMERIDGE	38	9	8	1	--	4	3	3	5	3
JACKSONVILLE	43	14	9	5	8	4	1	3	2	2
JOLIET	163	38	13	25	17	26	14	21	16	7
KANKAKEE	69	9	4	5	5	10	5	6	5	1
KEWANEE	44	8	5	3	3	2	1	5	1	1
LA GRANGE	27	7	5	2	6	2	1	4	2	1
LA GRANGE PARK	35	6	5	1	2	1	--	4	4	2
LA SALLE	30	10	5	5	5	1	3	3	4	2
LAKE FOREST	24	5	4	1	2	--	1	3	2	--
LANSING	31	10	4	6	5	6	1	5	3	1

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

MUNICIPAL DEATHS OF ALLIED RESIDENTS OCCURRING OUTSIDE THE STATE										
CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E								EMPHY-SEMA
		TOTAL	HEART DISEASE		CEREBRO-VASCULAR DISEASE	GENERAL ARTERIO-SCLEROSIS	HYPER-TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES		
			ARTERIO-SCLEROTIC	OTHER						
LIBERTYVILLE.	101	61	48	1	7	2	1	2	1	
LINCOLN.	185	113	81	4	19	7	--	2	1	
LINCOLNWOOD.	101	54	41	3	9	--	--	1	1	
LOMBARD.	241	137	90	16	25	2	1	3	2	
LOVES PARK.	73	42	24	2	13	--	--	3	1	
LYONS.	100	63	45	5	11	1	--	1	2	
MACOMB.	143	91	64	4	17	1	1	4	3	
MARION.	160	91	62	3	20	3	1	2	3	
MARKHAM.	91	45	28	1	12	--	1	3	--	
MATTOON.	233	136	88	6	29	5	4	4	6	
MAYWOOD.	278	152	104	17	21	3	2	5	6	
MELROSE PARK.	226	126	93	3	20	3	3	4	1	
MIDLOTHIAN.	119	71	54	4	11	--	1	1	2	
MOLINE.	500	311	228	16	46	12	3	6	11	
MONMOUTH.	148	86	47	10	20	3	3	3	2	
MORTON GROVE.	152	88	61	7	12	4	--	4	2	
MORTON.	51	30	19	--	6	5	--	--	--	
MOUNT PROSPECT.	175	89	69	3	15	1	--	1	2	
MOUNT VERNON.	253	149	87	14	34	9	--	5	10	
MUNDELEIN.	95	52	36	2	10	1	1	2	1	
MURPHYSBORO.	143	94	59	3	28	--	1	3	1	
NAPERVILLE.	134	72	43	3	15	5	1	5	--	
NILES.	211	112	79	5	18	3	2	5	4	
NORMAL.	115	69	47	2	16	1	--	3	--	
NORRIDGE.	118	69	50	8	10	--	--	1	2	
NORTH CHICAGO.	111	50	38	3	6	1	1	1	2	
NORTH LAKE.	115	60	42	2	11	1	1	3	2	
NORTHBROOK.	160	83	51	3	22	1	--	6	1	
OAK FOREST.	90	37	23	3	9	1	--	1	2	
OAK LAWN.	523	299	223	11	44	4	4	13	6	
OAK PARK.	764	469	309	34	98	10	4	14	3	
OTTAWA.	227	130	84	5	27	11	--	3	5	
PALATINE.	190	89	66	1	14	7	--	1	3	
PARIS.	136	77	55	2	15	2	--	3	3	
PARK FOREST.	114	71	51	5	10	3	1	1	--	
PARK RIDGE.	329	204	132	16	39	3	1	13	2	
PEKIN.	269	137	87	8	19	8	4	11	4	
PEORIA.	1,353	753	486	36	160	31	6	34	21	
PERU.	144	88	51	5	23	4	3	2	1	
QUINCY.	710	434	303	6	91	11	7	16	11	
RANTOUL.	68	32	23	--	6	2	--	1	1	
RIVER FOREST.	141	88	59	8	15	2	1	3	2	
RIVER GROVE.	80	43	26	1	11	3	--	2	1	
RIVERDALE.	161	96	70	5	14	3	1	3	3	
RIVERSIDE.	121	74	50	4	19	1	--	--	--	
ROCK FALLS.	109	65	46	3	11	2	--	3	1	
ROCK ISLAND.	556	333	233	22	60	9	2	7	10	
ROCKFORD.	1,422	760	498	39	159	28	8	28	22	
ROLLING MEADOWS.	71	35	23	4	6	--	--	2	--	
ROMEDEVILLE.	28	11	4	2	4	1	--	--	--	
SCHAUMBURG.	25	11	9	1	1	--	--	--	1	
SCHILLER PARK.	73	32	22	3	4	2	--	1	1	
SKOKIE.	453	241	178	8	32	6	1	16	--	
SOUTH HOLLAND.	141	75	48	5	16	2	2	2	1	
SPRINGFIELD.	1,239	735	491	22	160	17	8	37	22	
ST CHARLES.	107	71	44	2	22	1	--	2	--	
STERLING.	161	94	58	7	19	5	3	2	2	
STREAMWOOD.	35	12	6	1	4	--	--	1	--	
STREATOR.	233	125	69	12	36	5	--	3	6	
SUMMIT.	118	63	41	8	11	2	--	1	--	
TAYLORVILLE.	154	88	55	3	19	3	3	5	3	
TINLEY PARK.	110	61	46	4	7	2	1	1	1	
URBANA.	212	97	63	5	19	5	--	5	2	
VILLA PARK.	192	102	66	13	20	1	--	2	3	
WAUKEGAN.	538	293	197	14	64	12	2	4	9	
WEST CHICAGO.	77	30	19	1	8	--	1	1	2	
WESTCHESTER.	136	69	46	5	11	3	--	4	2	
WESTERN SPRINGS.	87	55	34	5	14	1	--	1	2	
WHEATON.	187	108	71	11	20	--	1	5	2	
WHEELING.	64	38	23	4	7	--	1	3	--	
WILMETTE.	236	130	77	8	30	9	2	4	2	
WINNETKA.	115	57	31	4	17	2	--	3	1	
WOOD RIVER.	112	61	36	7	13	2	--	3	2	
WOODRIDGE.	23	12	8	1	2	--	--	1	--	
WOODSTOCK.	132	86	61	2	15	3	4	1	--	
WORTH.	80	39	28	1	10	--	--	--	2	
ZION.	175	94	58	6	23	6	--	1	--	

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LIBERTYVILLE	17	2	1	1	4	1	1	4	3	1
LINCOLN	37	7	6	1	3	4	1	5	3	3
LINCOLNWOOD	29	5	2	3	1	--	--	--	3	1
LOMBARD	49	13	6	7	5	6	4	4	2	3
LOVES PARK	10	4	2	2	4	2	--	1	--	2
LYONS	14	6	3	3	3	--	--	1	3	--
MACOMB	24	2	1	1	2	--	1	7	1	3
MARION	29	7	2	5	4	3	--	--	3	1
MARKHAM	19	3	2	1	4	5	--	3	2	--
MATTOON	38	12	9	3	10	2	3	4	2	2
MAYWOOD	45	11	3	8	6	9	5	8	12	2
MELROSE PARK	47	5	3	2	5	2	--	6	4	--
MIDLOTHIAN	15	4	2	2	4	6	4	2	5	1
MOLINE	81	17	9	8	16	7	4	6	2	9
MONMOUTH	22	5	3	2	6	7	1	3	2	2
MORTON GROVE	38	6	4	2	5	--	--	1	4	--
MORTON	6	5	5	--	1	1	1	1	2	--
MOUNT PROSPECT . . .	38	14	6	8	6	4	2	1	2	2
MOUNT VERNON	43	11	5	6	9	3	--	3	2	4
MUNDELEIN	12	7	4	3	2	4	1	1	1	3
MURPHYSBORO	19	4	1	3	9	2	--	--	2	--
NAPERVILLE	26	10	8	2	5	2	1	2	2	1
NILES	42	12	6	6	7	2	3	6	2	4
NORMAL	23	5	3	2	2	6	1	--	1	1
NORRIDGE	28	2	2	--	3	4	--	--	1	--
NORTH CHICAGO	17	7	3	4	4	7	2	2	5	1
NORTH LAKE	24	5	3	2	3	1	2	4	2	2
NORTHBROOK	37	8	6	2	4	6	3	1	3	1
OAK FOREST	25	2	1	1	3	7	2	--	2	1
OAK LAWN	123	16	10	6	12	14	6	6	9	4
OAK PARK	155	16	4	12	22	12	5	11	10	5
OTTAWA	38	14	4	10	11	3	1	5	2	2
PALATINE	38	8	5	3	17	8	2	5	2	6
PARIS	20	5	4	1	7	1	1	2	4	2
PARK FOREST	18	3	2	1	1	5	1	1	2	2
PARK RIDGE	57	12	7	5	14	3	2	2	2	4
PEKIN	58	15	6	9	13	8	2	7	2	1
PEORIA	242	64	32	32	43	34	11	19	20	17
PERU	26	2	1	1	2	3	5	5	1	3
QUINCY	115	26	13	13	29	11	6	10	5	4
RANTOUL	14	4	2	2	1	6	--	1	--	1
RIVER FOREST	27	3	2	1	4	1	1	1	3	1
RIVER GROVE	18	4	3	1	1	--	3	2	3	--
RIVERDALE	35	5	--	5	4	1	2	4	3	2
RIVERSIDE	26	3	2	1	2	1	1	8	--	--
ROCK FALLS	20	8	8	--	2	3	1	2	1	--
ROCK ISLAND	104	19	6	13	21	14	1	4	5	5
ROCKFORD	241	71	35	36	51	45	12	22	28	23
ROLLING MEADOWS . . .	12	4	3	1	2	5	2	--	3	2
ROMEOVILLE	5	5	4	1	--	2	2	1	1	1
SCHAUMBURG	5	1	1	--	--	4	1	--	--	1
SCHILLER PARK	22	6	3	3	1	3	--	--	1	3
SKOKIE	118	16	10	6	20	7	2	1	6	5
SOUTH HOLLAND	21	5	3	2	6	4	3	2	2	5
SPRINGFIELD	211	58	23	35	28	32	6	19	15	10
ST CHARLES	17	7	3	4	1	2	--	--	2	1
STERLING	28	11	5	6	8	2	1	--	--	1
STREAMWOOD	10	3	2	1	--	4	--	--	--	1
STREATOR	46	9	1	8	8	2	2	3	6	3
SUMMIT	19	10	5	5	3	5	1	1	2	1
TAYLORVILLE	36	9	4	5	2	3	--	--	--	1
TINLEY PARK	26	6	4	2	1	3	1	1	2	1
URBANA	48	17	13	4	6	9	--	3	3	4
VILLA PARK	40	9	8	1	10	3	1	1	1	2
WAUKEGAN	78	33	20	13	15	13	10	12	8	2
WEST CHICAGO	17	4	4	--	2	6	--	3	3	--
WESTCHESTER	36	5	4	1	3	2	--	2	2	2
WESTERN SPRINGS . . .	15	3	--	3	2	1	1	2	--	1
WHEATON	34	13	6	7	5	3	1	1	1	2
WHEELING	12	5	5	--	1	1	--	2	--	1
WILMETTE	52	8	5	3	7	3	--	5	4	2
WINNETKA	32	3	1	2	3	--	--	3	2	3
WOOD RIVER	25	5	3	2	3	1	1	3	--	--
WOODRIDGE	6	1	--	1	--	1	--	--	--	1
WOODSTOCK	18	8	6	2	2	4	--	1	2	--
WORTH	17	4	1	3	--	2	--	--	4	2
ZION	29	16	10	6	4	7	4	1	3	--

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	396.2	155.2	102.1	12.3	32.7	-0-	4.1	4.1	12.3
ALSIP	583.4	269.3	215.4	9.0	26.9	-0-	-0-	18.0	-0-
ALTON	1,183.9	682.6	418.1	80.6	110.8	32.7	5.0	35.3	12.6
ARLINGTON HEIGHTS . .	514.8	297.5	223.5	15.4	41.6	4.6	1.5	10.8	4.6
AURORA	986.8	540.6	357.2	32.4	110.5	8.1	8.1	24.3	16.2
BELLEVILLE	1,496.4	935.3	630.7	45.6	201.4	21.6	4.8	31.2	12.0
BELLWOOD	751.3	425.4	316.8	18.1	54.3	4.5	4.5	27.2	-0-
BELVIDERE	1,095.2	640.1	419.6	92.5	92.5	7.1	7.1	21.3	-0-
BENSENVILLE	958.5	553.3	257.1	39.0	179.2	15.6	-0-	62.3	7.8
BERWYN	1,379.0	851.4	624.7	40.0	133.3	15.2	5.7	32.4	5.7
BLOOMINGTON	1,195.2	717.6	497.6	22.5	130.0	20.0	5.0	42.5	10.0
BLUE ISLAND	1,184.8	683.9	505.3	17.4	108.9	13.1	8.7	30.5	4.4
BRIDGEVIEW	439.2	223.6	135.8	31.9	39.9	-0-	8.0	8.0	-0-
BROOKFIELD	1,025.4	591.6	468.3	29.6	64.1	9.9	4.9	14.8	-0-
BUFFALO GROVE	228.8	93.2	67.8	-0-	25.4	-0-	-0-	-0-	8.5
CAHOKIA	469.8	237.3	159.8	14.5	43.6	14.5	-0-	4.8	-0-
CALUMET CITY	773.8	433.9	312.5	39.4	72.8	3.0	-0-	6.1	6.1
CALUMET PARK	844.2	446.9	268.1	9.9	129.1	-0-	9.9	29.8	19.9
CANTON	1,230.9	682.3	457.2	42.2	133.6	21.1	-0-	28.1	14.1
CARBONDALE	661.8	372.5	245.4	8.8	87.7	4.4	4.4	21.9	4.4
CARPENTERSVILLE . . .	345.0	124.7	99.8	-0-	8.3	8.3	4.2	4.2	8.3
CENTRALIA	1,504.9	900.3	584.9	52.6	164.3	19.7	26.3	52.6	19.7
CENTREVILLE	588.9	254.9	140.6	43.9	61.5	-0-	-0-	8.8	-0-
CHAMPAIGN	624.4	339.6	191.0	23.0	86.7	17.7	5.3	15.9	10.6
CHARLESTON	876.9	554.2	341.0	24.4	170.5	12.2	-0-	6.1	12.2
CHICAGO	1,229.9	701.0	478.9	76.5	103.2	15.6	7.7	19.1	8.3
CHICAGO HEIGHTS	824.0	440.1	256.7	34.2	124.7	4.9	4.9	14.7	12.2
CICERO	1,193.0	726.2	516.0	46.2	128.2	10.4	6.0	19.4	10.4
COLLINSVILLE	1,001.7	567.3	383.3	25.6	112.4	15.3	10.2	20.4	-0-
CRYSTAL LAKE	1,004.1	536.4	323.2	34.4	137.5	13.8	-0-	27.5	6.9
DANVILLE	1,458.8	817.5	486.3	72.8	166.8	44.6	2.3	44.6	35.2
DE KALB	397.6	209.4	154.8	15.2	24.3	-0-	-0-	15.2	9.1
DECATUR	1,028.8	597.4	364.0	37.6	139.4	32.1	5.5	18.8	19.9
DEERFIELD	459.1	179.4	126.7	5.3	47.5	-0-	-0-	-0-	15.8
DES PLAINES	789.7	447.2	321.5	26.2	54.2	8.7	3.5	33.2	8.7
DIXON	1,195.8	628.2	407.8	44.1	121.2	27.6	5.5	22.0	27.6
DOLTON	582.2	350.9	266.0	19.3	50.1	7.7	3.9	3.9	-0-
DOWNERS GROVE	912.9	476.3	305.3	39.7	79.4	18.3	3.1	30.5	12.2
EAST MOLINE	844.9	489.6	340.8	9.6	110.4	14.4	-0-	14.4	9.6
EAST PEORIA	796.5	417.2	254.7	37.9	86.7	21.7	-0-	16.3	21.7
EAST ST LOUIS	1,545.8	832.9	501.5	100.0	168.6	32.9	8.6	21.4	10.0
EDWARDSVILLE	1,219.5	849.1	605.2	36.1	144.5	-0-	9.0	54.2	18.1
ELGIN	1,016.3	610.5	413.0	25.1	129.3	10.8	7.2	25.1	9.0
ELK GROVE	326.3	155.0	93.8	16.3	28.6	4.1	-0-	12.2	4.1
ELMHURST	698.4	379.8	235.4	49.5	67.3	4.0	-0-	23.7	11.9
ELMWOOD PARK	970.9	604.0	474.0	22.9	91.7	7.6	-0-	7.6	11.5
EVANSTON	1,097.6	639.0	413.5	22.6	141.6	21.3	10.0	30.1	10.0
EVERGREEN PARK	945.6	608.2	439.4	27.5	109.9	11.8	7.8	11.8	7.8
FAIRVIEW HEIGHTS	166.1	78.2	48.9	-0-	19.5	-0-	-0-	9.8	-0-
FOREST PARK	1,564.1	924.3	646.3	71.1	122.8	32.3	6.5	45.2	19.4
FRANKLIN PARK	624.5	341.5	253.7	9.8	68.3	-0-	-0-	9.8	14.6
FREEPORT	1,189.8	699.5	432.7	43.3	151.4	18.0	28.8	25.2	18.0
GALESBURG	1,173.9	713.7	504.3	33.1	124.0	19.3	13.8	19.3	22.0
GLEN ELLYN	629.9	397.1	287.6	22.8	68.5	4.6	-0-	13.7	13.7
GLENCOE	607.1	322.5	218.2	-0-	75.9	-0-	-0-	28.5	-0-
GLENDALE HEIGHTS	245.5	61.4	52.6	8.8	-0-	-0-	-0-	-0-	-0-
GLENVIEW	811.9	450.2	325.6	16.1	72.3	12.1	4.0	20.1	8.0
GRANITE CITY	929.8	534.1	361.0	44.5	81.6	29.7	-0-	17.3	4.9
HANOVER PARK	335.7	58.7	58.7	-0-	-0-	-0-	-0-	-0-	-0-
HARVEY	967.2	511.0	366.7	40.4	72.2	5.8	2.9	23.1	11.5
HAZEL CREST	629.3	348.5	251.7	38.7	19.4	29.0	-0-	9.7	19.4
HICKORY HILLS	538.9	303.6	212.5	15.2	60.7	7.6	7.6	-0-	-0-
HIGHLAND PARK	601.3	368.8	248.0	12.4	74.4	6.2	6.2	21.7	15.5
HINSDALE	854.4	471.2	358.1	6.3	94.2	-0-	-0-	12.6	12.6
HOFFMAN ESTATES	269.8	116.9	89.9	-0-	27.0	-0-	-0-	-0-	-0-
HOMERIDGE	922.0	529.9	370.9	26.5	90.1	26.5	10.6	5.3	10.6
JACKSONVILLE	1,386.7	905.0	617.9	63.3	160.6	34.1	14.6	14.6	34.1
JOLIET	1,148.3	671.8	461.6	43.5	115.7	24.9	6.2	19.9	12.4
KANKAKEE	1,192.5	733.6	539.7	51.7	96.9	29.1	-0-	16.2	22.6
Kewanee	1,294.3	755.0	494.9	25.4	177.6	19.0	-0-	38.1	12.7
LA GRANGE	1,043.3	673.7	477.0	41.7	107.3	23.8	11.9	11.9	11.9
LA GRANGE PARK	947.1	512.0	300.8	19.2	140.8	19.2	6.4	25.6	6.4
LA SALLE	1,583.5	959.4	605.4	65.2	195.6	37.3	9.3	46.6	18.6
LAKE FOREST	690.4	396.4	236.5	25.6	70.3	12.8	6.4	44.8	19.2
LANSING	604.5	306.1	224.8	15.5	54.3	3.9	3.9	3.9	7.8

TABLE 110. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS, 1973
--CONTINUED--

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	69.4	24.5	16.3	8.2	12.3	49.0	8.2	8.2	-0-	4.1
ALSIP	152.6	9.0	-0-	9.0	9.0	44.9	18.0	-0-	18.0	9.0
ALTON	176.3	55.4	20.2	35.3	47.9	40.3	5.0	22.7	20.2	7.6
ARLINGTON HEIGHTS	89.4	30.8	12.3	18.5	13.9	15.4	4.6	9.2	9.2	4.6
AURORA	172.5	67.4	33.7	33.7	36.4	35.0	8.1	16.2	12.1	5.4
BELLEVIEW	261.4	67.1	45.6	21.6	40.8	16.8	14.4	21.6	19.2	12.0
BELLWOOD	176.5	31.7	18.1	13.6	22.6	9.1	4.5	9.1	13.6	9.1
BELVIDERE	234.7	56.9	35.6	21.3	14.2	21.3	21.3	21.3	14.2	14.2
BENSENVILLE	101.3	31.2	7.8	23.4	62.3	23.4	15.6	31.2	23.4	7.8
BERWYN	283.8	26.7	5.7	21.0	34.3	11.4	3.8	30.5	26.7	9.5
BLOOMINGTON	205.0	42.5	20.0	22.5	35.0	30.0	17.5	-0-	30.0	7.5
BLUE ISLAND	248.3	43.6	26.1	17.4	34.8	21.8	17.4	13.1	21.8	4.4
BRIDGEVIEW	63.9	16.0	8.0	8.0	24.0	8.0	24.0	16.0	8.0	16.0
BROOKFIELD	207.1	24.6	14.8	9.9	14.8	14.8	4.9	34.5	19.7	19.7
BUFFALO GROVE	25.4	8.5	-0-	8.5	8.5	33.9	8.5	-0-	-0-	-0-
CAHOKIA	92.0	48.4	29.1	19.4	9.7	33.9	4.8	-0-	-0-	4.8
CALUMET CITY	115.3	42.5	27.3	15.2	18.2	27.3	3.0	24.3	27.3	15.2
CALUMET PARK	149.0	29.8	19.9	9.9	19.9	9.9	-0-	29.8	29.8	19.9
CANTON	204.0	84.4	63.3	21.1	42.2	28.1	14.1	21.1	14.1	7.0
CARBONDALE	122.7	30.7	8.8	21.9	26.3	21.9	-0-	-0-	21.9	4.4
CARPENTERSVILLE	41.6	54.0	24.9	29.1	4.2	24.9	4.2	8.3	12.5	4.2
CENTRALIA	243.1	46.0	13.1	32.9	92.0	19.7	6.6	39.4	13.1	6.6
CENTREVILLE	87.9	87.9	35.2	52.7	35.2	26.4	-0-	8.8	8.8	-0-
CHAMPAIGN	123.8	30.1	19.5	10.6	26.5	14.2	5.3	5.3	3.5	5.3
CHARLESTON	158.3	36.5	24.4	12.2	18.3	6.1	12.2	36.5	6.1	6.1
CHICAGO	204.6	46.0	13.9	32.1	41.1	33.0	9.1	24.5	29.4	8.4
CHICAGO HEIGHTS	158.9	34.2	12.2	22.0	19.6	39.1	2.4	24.4	14.7	4.9
CICERO	204.3	38.8	20.9	17.9	32.8	10.4	3.0	31.3	25.4	11.9
COLLINSVILLE	132.9	71.5	46.0	25.6	35.8	35.8	10.2	20.4	5.1	5.1
CRYSTAL LAKE	165.1	82.5	48.1	34.4	41.3	34.4	13.8	-0-	34.4	20.6
DANVILLE	251.4	72.8	32.9	39.9	30.5	35.2	11.7	18.8	37.6	16.4
DE KALB	81.9	33.4	21.2	12.1	15.2	-0-	6.1	3.0	3.0	3.0
DECATUR	168.1	47.6	23.2	24.3	29.9	22.1	3.3	29.9	5.5	14.4
DEERFIELD	121.4	21.1	15.8	5.3	15.8	26.4	-0-	10.6	-0-	15.8
DES PLAINES	152.0	33.2	12.2	21.0	22.7	22.7	21.0	12.2	12.2	3.5
DIXON	181.8	88.2	49.6	38.6	77.1	11.0	16.5	22.0	5.5	11.0
DOLTON	127.2	23.1	7.7	15.4	11.6	19.3	-0-	-0-	7.7	-0-
DOWNERS GROVE	195.4	42.7	12.2	30.5	42.7	6.1	15.3	18.3	18.3	18.3
EAST MOLINE	153.6	33.6	14.4	19.2	33.6	14.4	14.4	19.2	14.4	14.4
EAST PEORIA	124.6	54.2	10.8	43.3	16.3	32.5	-0-	16.3	5.4	5.4
EAST ST LOUIS	242.9	85.7	41.4	44.3	47.1	48.6	12.9	28.6	17.1	5.7
EDWARDSVILLE	171.6	54.2	45.2	9.0	27.1	-0-	9.0	36.1	18.1	-0-
ELGIN	150.8	59.3	39.5	19.8	30.5	30.5	9.0	9.0	12.6	14.4
ELK GROVE	73.4	20.4	16.3	4.1	4.1	28.6	-0-	-0-	4.1	8.2
ELMHURST	124.6	25.7	17.8	7.9	27.7	23.7	7.9	7.9	15.8	5.9
ELMWOOD PARK	152.9	7.6	-0-	7.6	19.1	15.3	-0-	19.1	34.4	7.6
EVANSTON	193.0	22.6	7.5	15.0	38.8	18.8	13.8	15.0	5.0	26.3
EVERGREEN PARK	192.3	23.5	11.8	11.8	-0-	7.8	7.8	7.8	11.8	15.7
FAIRVIEW HEIGHTS	39.1	9.8	-0-	9.8	-0-	-0-	9.8	19.5	-0-	-0-
FOREST PARK	310.2	45.2	25.9	19.4	58.2	25.9	6.5	19.4	38.8	-0-
FRANKLIN PARK	107.3	24.4	9.8	14.6	19.5	24.4	4.9	14.6	19.5	9.8
FREEPORT	209.1	54.1	32.4	21.6	43.3	39.7	7.2	10.8	21.6	21.6
GALESBURG	195.6	52.4	22.0	30.3	46.8	16.5	8.3	8.3	8.3	8.3
GLEN ELLYN	105.0	22.8	9.1	13.7	13.7	4.6	-0-	9.1	9.1	4.6
GLENCOE	151.8	37.9	19.0	19.0	28.5	19.0	-0-	-0-	9.5	9.5
GLENDALE HEIGHTS	26.3	52.6	35.1	17.5	8.8	17.5	-0-	-0-	8.8	17.5
GLENVIEW	172.8	44.2	28.1	16.1	16.1	12.1	12.1	16.1	16.1	20.1
GRANITE CITY	160.7	51.9	24.7	27.2	12.4	37.1	9.9	19.8	12.4	4.9
HANDOVER PARK	100.7	42.0	33.6	8.4	16.8	42.0	16.8	16.8	8.4	8.4
HARVEY	181.9	46.2	20.2	26.0	31.8	52.0	5.8	8.7	11.5	14.4
HAZEL CREST	116.2	38.7	9.7	29.0	9.7	29.0	9.7	9.7	9.7	9.7
HICKORY HILLS	75.9	45.5	22.8	22.8	-0-	45.5	7.6	15.2	7.6	-0-
HIGHLAND PARK	114.7	15.5	6.2	9.3	21.7	9.3	15.5	-0-	3.1	9.3
HINSDALE	144.5	44.0	18.8	25.1	25.1	-0-	25.1	12.6	6.3	37.7
HOFFMAN ESTATES	45.0	22.5	18.0	4.5	-0-	22.5	9.0	4.5	4.5	13.5
HOMERIDGE	201.4	47.7	42.4	5.3	-0-	21.2	15.9	15.9	26.5	15.9
JACKSONVILLE	209.2	68.1	43.8	24.3	38.9	19.5	4.9	14.6	9.7	9.7
JOLIET	202.8	47.3	16.2	31.1	21.2	32.3	17.4	26.1	19.9	8.7
KANKAKEE	223.0	29.1	12.9	16.2	16.2	32.3	16.2	19.4	16.2	3.2
KEWANEE	279.2	50.8	31.7	19.0	19.0	12.7	6.3	31.7	6.3	6.3
LA GRANGE	161.0	41.7	29.8	11.9	35.8	11.9	6.0	23.8	11.9	6.0
LA GRANGE PARK	224.0	38.4	32.0	6.4	12.8	-0-	-0-	25.6	25.6	12.8
LA SALLE	279.4	93.1	46.6	46.6	46.6	9.3	27.9	27.9	37.3	18.6
LAKE FOREST	153.4	32.0	25.6	6.4	12.8	-0-	6.4	19.2	12.8	-0-
LANSING	120.1	38.8	15.5	23.3	19.4	23.3	3.9	19.4	11.6	3.9

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
LIBERTYVILLE.	864.4	522.1	410.8	8.6	59.9	17.1	8.6	17.1	8.6
LINCOLN.	1,052.2	642.7	460.7	22.8	108.1	39.8	-0-	11.4	5.7
LINCOLNWOOD.	781.2	417.7	317.1	23.2	69.6	-0-	-0-	7.7	7.7
LOMBARD.	669.9	380.8	250.2	44.5	69.5	5.6	2.8	8.3	5.6
LOVES PARK.	589.2	339.0	193.7	16.1	104.9	-0-	-0-	24.2	8.1
LYONS.	899.0	566.3	404.5	44.9	98.9	9.0	-0-	9.0	18.0
MACOMB.	728.0	463.3	325.8	20.4	86.5	5.1	5.1	20.4	15.3
MARION.	1,364.7	776.2	528.8	25.6	170.6	25.6	8.5	17.1	25.6
MARKHAM.	569.2	281.5	175.1	6.3	75.1	-0-	6.3	18.8	-0-
MATTOON.	1,183.9	691.0	447.1	30.5	147.4	25.4	20.3	20.3	30.5
MAYWOOD.	925.6	506.1	346.3	56.6	69.9	10.0	6.7	16.6	20.0
MELROSE PARK.	995.3	554.9	409.6	13.2	88.1	13.2	13.2	17.6	4.4
MIDLOTHIAN.	746.6	445.4	338.8	25.1	69.0	-0-	6.3	6.3	12.5
MOLINE.	1,081.4	672.6	493.1	34.6	99.5	26.0	6.5	13.0	23.8
MONMOUTH.	1,342.8	780.3	426.4	90.7	181.5	27.2	27.2	27.2	18.1
MORTON GROVE.	576.4	333.7	231.3	26.5	45.5	15.2	-0-	15.2	7.6
MORTON.	489.5	287.9	182.4	-0-	57.6	48.0	-0-	-0-	-0-
MOUNT PROSPECT.	500.1	254.3	197.2	8.6	42.9	2.9	-0-	2.9	5.7
MOUNT VERNON.	1,583.2	932.4	544.4	87.6	212.8	56.3	-0-	31.3	62.6
MUNDELEIN.	589.0	322.4	223.2	12.4	62.0	6.2	6.2	12.4	6.2
MURPHYSBORO.	1,428.1	938.8	589.2	30.0	279.6	-0-	10.0	30.0	10.0
NAPERVILLE.	561.0	301.4	180.0	12.6	62.8	20.9	4.2	20.9	-0-
NILES.	671.3	356.3	251.3	15.9	57.3	9.5	6.4	15.9	12.7
NORMAL.	435.7	261.4	178.1	7.6	60.6	3.8	-0-	11.4	-0-
NORRIDGE.	699.1	408.8	296.2	47.4	59.2	-0-	-0-	5.9	11.8
NORTH CHICAGO.	234.8	105.8	80.4	6.3	12.7	2.1	2.1	2.1	4.2
NORTH LAKE.	809.2	422.2	295.5	14.1	77.4	7.0	7.0	21.1	14.1
NORTHBROOK.	586.1	304.1	186.8	11.0	80.6	3.7	-0-	22.0	3.7
OAK FOREST.	503.6	207.1	128.7	16.8	50.4	5.6	-0-	5.6	11.2
OAK LAWN.	867.3	495.8	369.8	18.2	73.0	6.6	6.6	21.6	9.9
OAK PARK.	1,222.2	750.3	494.3	54.4	156.8	16.0	6.4	22.4	4.8
OTTAWA.	1,212.9	694.6	448.8	26.7	144.3	58.8	-0-	16.0	26.7
PALATINE.	733.5	343.6	254.8	3.9	54.0	27.0	-0-	3.9	11.6
PARIS.	1,364.0	772.2	551.6	20.1	150.4	20.1	-0-	30.1	30.1
PARK FOREST.	372.1	231.7	166.5	16.3	32.6	9.8	3.3	3.3	-0-
PARK RIDGE.	774.7	480.4	310.8	37.7	91.8	7.1	2.4	30.6	4.7
PEKIN.	857.4	436.7	277.3	25.5	60.6	25.5	12.7	35.1	12.7
PEORIA.	1,065.7	593.1	382.8	28.4	126.0	24.4	4.7	26.8	16.5
PERU.	1,223.2	747.5	433.2	42.5	195.4	34.0	25.5	17.0	8.5
QUINCY.	1,567.7	958.3	669.1	13.2	200.9	24.3	15.5	35.3	24.3
RANTOUL.	266.0	125.2	90.0	-0-	23.5	7.8	-0-	3.9	3.9
RIVER FOREST.	1,052.1	656.6	440.2	59.7	111.9	14.9	7.5	22.4	14.9
RIVER GROVE.	697.8	375.1	226.8	8.7	95.9	26.2	-0-	17.4	8.7
RIVERDALE.	1,018.6	607.4	442.9	31.6	88.6	19.0	6.3	19.0	19.0
RIVERSIDE.	1,159.9	709.4	479.3	38.3	182.1	9.6	-0-	-0-	-0-
ROCK FALLS.	1,059.6	631.9	447.2	29.2	106.9	19.4	-0-	29.2	9.7
ROCK ISLAND.	1,108.3	663.8	464.5	43.9	119.6	17.9	4.0	14.0	19.9
ROCKFORD.	964.9	515.7	337.9	26.5	107.9	19.0	5.4	19.0	14.9
ROLLING MEADOWS.	370.2	182.5	119.9	20.9	31.3	-0-	-0-	10.4	-0-
ROMEDEVILLE.	220.9	86.8	31.6	15.8	31.6	7.9	-0-	-0-	-0-
SCHAUMBURG.	133.5	58.7	48.1	5.3	5.3	-0-	-0-	-0-	5.3
SCHILLER PARK.	574.3	251.7	173.1	23.6	31.5	15.7	-0-	7.9	7.9
SKOKIE.	660.1	351.2	259.4	11.7	46.6	8.7	1.5	23.3	-0-
SOUTH HOLLAND.	589.2	313.4	200.6	20.9	66.9	8.4	8.4	8.4	4.2
SPRINGFIELD.	1,350.4	801.1	535.1	24.0	174.4	18.5	8.7	40.3	24.0
ST CHARLES.	827.7	549.2	340.3	15.5	170.2	7.7	-0-	15.5	-0-
STERLING.	999.2	583.4	360.0	43.4	117.9	31.0	18.6	12.4	12.4
STREAMWOOD.	192.6	66.0	33.0	5.5	22.0	-0-	-0-	5.5	-0-
STREATOR.	1,493.6	801.3	442.3	76.9	230.8	32.1	-0-	19.2	38.5
SUMMIT.	1,020.0	544.6	354.4	69.2	95.1	17.3	-0-	8.6	-0-
TAYLORVILLE.	1,446.8	826.8	516.7	28.2	178.5	28.2	28.2	47.0	28.2
TINLEY PARK.	888.4	492.7	371.5	32.3	56.5	16.2	8.1	8.1	8.1
URBANA.	646.3	295.7	192.1	15.2	57.9	15.2	-0-	15.2	6.1
VILLA PARK.	741.6	394.0	254.9	50.2	77.2	3.9	-0-	7.7	11.6
WAUKEGAN.	824.3	448.9	301.8	21.4	98.1	18.4	3.1	6.1	13.8
WEST CHICAGO.	761.5	296.7	187.9	9.9	79.1	-0-	9.9	9.9	19.8
WESTCHESTER.	678.9	344.4	229.6	25.0	54.9	15.0	-0-	20.0	10.0
WESTERN SPRINGS.	716.2	452.8	279.9	41.2	115.3	8.2	-0-	8.2	16.5
WHEATON.	600.6	346.8	228.0	35.3	64.2	-0-	3.2	16.1	6.4
WHEELING.	434.0	257.7	156.0	27.1	47.5	-0-	6.8	20.3	-0-
WILMINGTON.	734.4	404.6	239.6	24.9	93.4	28.0	6.2	12.4	6.2
WINNETKA.	813.8	403.4	219.4	28.3	120.3	14.2	-0-	21.2	7.1
WOOD RIVER.	849.4	462.6	273.0	53.1	98.6	15.2	-0-	22.8	15.2
WOODSTOCK.	708.6	108.8	72.5	9.1	18.1	-0-	-0-	9.1	-0-
WYOMING.	1,290.8	841.0	596.5	19.6	146.7	29.3	39.1	9.8	-0-
YONKERS.	666.7	325.0	233.4	8.3	83.3	-0-	-0-	-0-	16.7
YONKERS.	1,013.4	544.4	335.9	34.7	133.2	34.7	-0-	5.8	-0-

TABLE 11B. — DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1970
—CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1970)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LIBERTYVILLE.	145.5	17.1	8.6	8.6	34.2	8.6	8.6	34.2	25.7	8.6
LINCOLN.	210.4	39.8	34.1	5.7	17.1	22.8	5.7	28.4	17.1	17.1
LINCOLNWOOD.	224.3	38.7	15.5	23.2	7.7	-0-	-0-	-0-	23.2	7.7
LOMBARD.	136.2	36.1	16.7	19.5	13.9	16.7	11.1	11.1	5.6	8.3
LOVES PARK.	80.7	32.3	16.1	16.1	32.3	16.1	-0-	8.1	-0-	16.1
LYONS.	125.9	53.9	27.0	27.0	27.0	-0-	-0-	9.0	27.0	-0-
MACOMB.	122.2	10.2	5.1	5.1	10.2	-0-	5.1	35.6	5.1	15.3
MARION.	247.4	59.7	17.1	42.6	34.1	25.6	-0-	-0-	25.6	8.5
MARKHAM.	118.8	18.8	12.5	6.3	25.0	31.3	-0-	18.8	12.5	-0-
MATTOON.	193.1	61.0	45.7	15.2	50.8	10.2	15.2	20.3	10.2	10.2
MAYWOOD.	149.8	36.6	10.0	26.6	20.0	30.0	16.6	26.6	40.0	6.7
MELROSE PARK.	207.0	22.0	13.2	8.8	22.0	8.8	-0-	26.4	17.6	-0-
MIDLOTHIAN.	94.1	25.1	12.5	12.5	25.1	37.6	25.1	12.5	31.4	6.3
MOLINE.	175.2	36.8	19.5	17.3	34.6	15.1	8.7	13.0	4.3	19.5
MONMOUTH.	199.6	45.4	27.2	18.1	54.4	63.5	9.1	27.2	18.1	18.1
MORTON GROVE.	144.1	22.8	15.2	7.6	19.0	-0-	-0-	3.8	15.2	-0-
MORTON.	57.6	48.0	48.0	-0-	9.6	9.6	9.6	9.6	19.2	-0-
MOUNT PROSPECT.	108.6	40.0	17.1	22.9	17.1	11.4	5.7	2.9	5.7	5.7
MOUNT VERNON.	269.1	68.8	31.3	37.5	56.3	18.8	-0-	18.8	12.5	25.0
MUNDELEIN.	74.4	43.4	24.8	18.6	12.4	24.8	6.2	6.2	6.2	18.6
MURPHYSBORO.	189.8	39.9	10.0	30.0	89.9	20.0	-0-	-0-	20.0	-0-
NAPERVILLE.	108.9	41.9	33.5	8.4	20.9	8.4	4.2	8.4	8.4	4.2
NILES.	133.6	38.2	19.1	19.1	22.3	6.4	9.5	19.1	6.4	12.7
NORMAL.	87.1	18.9	11.4	7.6	7.6	22.7	3.8	-0-	3.8	3.8
NORRIDGE.	165.9	11.8	11.8	-0-	17.8	23.7	-0-	-0-	5.9	-0-
NORTH CHICAGO.	36.0	14.8	6.3	8.5	8.5	14.8	4.2	4.2	10.6	2.1
NORTH LAKE.	168.9	35.2	21.1	14.1	21.1	7.0	14.1	28.1	14.1	14.1
NORTHBROOK.	135.5	29.3	22.0	7.3	14.7	22.0	11.0	3.7	11.0	3.7
OAK FOREST.	139.9	11.2	5.6	5.6	16.8	39.2	11.2	-0-	11.2	5.6
OAK LAWN.	204.0	26.5	16.6	9.9	19.9	23.2	9.9	9.9	14.9	6.6
OAK PARK.	248.0	25.6	6.4	19.2	35.2	19.2	8.0	17.6	16.0	8.0
OTTAWA.	203.0	74.8	21.4	53.4	58.8	16.0	5.3	26.7	10.7	10.7
PALATINE.	146.7	30.9	19.3	11.6	65.6	30.9	7.7	19.3	7.7	23.2
PARIS.	200.6	50.1	40.1	10.0	70.2	10.0	10.0	20.1	40.1	20.1
PARK FOREST.	58.8	9.8	6.5	3.3	3.3	16.3	3.3	3.3	6.5	6.5
PARK RIDGE.	134.2	28.3	16.5	11.8	33.0	7.1	4.7	4.7	4.7	9.4
PEKIN.	184.9	47.8	19.1	28.7	41.4	25.5	6.4	22.3	6.4	3.2
PEORIA.	190.6	50.4	25.2	25.2	33.9	26.8	8.7	15.0	15.8	13.4
PERU.	220.9	17.0	8.5	8.5	17.0	25.5	42.5	42.5	8.5	25.5
QUINCY.	253.9	57.4	28.7	28.7	64.0	24.3	13.2	22.1	11.0	8.8
RANTOUL.	54.8	15.6	7.8	7.8	3.9	23.5	-0-	3.9	-0-	3.9
RIVER FOREST.	201.5	22.4	14.9	7.5	29.8	7.5	7.5	7.5	22.4	7.5
RIVER GROVE.	157.0	34.9	26.2	8.7	8.7	-0-	26.2	17.4	26.2	-0-
RIVERDALE.	221.4	31.6	-0-	31.6	25.3	6.3	12.7	25.3	19.0	12.7
RIVERSIDE.	249.2	28.8	19.2	9.6	19.2	9.6	9.6	76.7	-0-	-0-
ROCK FALLS.	194.4	77.8	77.8	-0-	19.4	29.2	9.7	19.4	9.7	-0-
ROCK ISLAND.	207.3	37.9	12.0	25.9	41.9	27.9	2.0	8.0	10.0	10.0
ROCKFORD.	163.5	48.2	23.7	24.4	34.6	30.5	8.1	14.9	19.0	15.6
ROLLING MEADOWS.	62.6	20.9	15.6	5.2	10.4	26.1	10.4	-0-	15.6	10.4
ROMEOVILLE.	39.5	39.5	31.6	7.9	-0-	15.8	15.8	7.9	7.9	7.9
SCHAUMBURG.	26.7	5.3	5.3	-0-	-0-	21.4	5.3	-0-	-0-	5.3
SCHILLER PARK.	173.1	47.2	23.6	23.6	7.9	23.6	-0-	-0-	7.9	23.6
SKOKIE.	171.9	23.3	14.6	8.7	29.1	10.2	2.9	1.5	8.7	7.3
SOUTH HOLLAND.	87.8	20.9	12.5	8.4	25.1	16.7	12.5	8.4	8.4	20.9
SPRINGFIELD.	230.0	63.2	25.1	38.1	30.5	34.9	6.5	20.7	16.3	10.9
ST CHARLES.	131.5	54.1	23.2	30.9	7.7	15.5	-0-	-0-	15.5	7.7
STERLING.	173.8	68.3	31.0	37.2	49.6	12.4	6.2	-0-	-0-	6.2
STREAMWOOD.	55.0	16.5	11.0	5.5	-0-	22.0	-0-	-0-	-0-	5.5
STREATOR.	294.9	57.7	6.4	51.3	51.3	12.8	12.8	19.2	38.5	19.2
SUMMIT.	164.2	86.4	43.2	43.2	25.9	43.2	8.6	8.6	17.3	8.6
TAYLORVILLE.	338.2	84.6	37.6	47.0	18.8	28.2	-0-	-0-	-0-	9.4
TINLEY PARK.	210.0	48.5	32.3	16.2	8.1	24.2	8.1	-0-	16.2	8.1
URBANA.	146.3	51.8	39.6	12.2	18.3	27.4	-0-	9.1	9.1	12.2
VILLA PARK.	154.5	34.8	30.9	3.9	38.6	11.6	3.9	3.9	3.9	7.7
WAUKEGAN.	119.5	50.6	30.6	19.9	23.0	19.9	15.3	18.4	12.3	3.1
WEST CHICAGO.	168.1	39.6	39.6	-0-	19.8	59.3	-0-	29.7	29.7	-0-
WESTCHESTER.	179.7	25.0	20.0	5.0	15.0	10.0	-0-	10.0	10.0	10.0
WESTERN SPRINGS.	123.5	24.7	-0-	24.7	16.5	8.2	8.2	16.5	-0-	8.2
WHEATON.	109.2	41.7	19.3	22.5	16.1	9.6	3.2	3.2	3.2	6.4
WHEELING.	81.4	33.9	33.9	-0-	6.8	6.8	-0-	13.6	-0-	6.8
WILMETT.	161.8	24.9	15.6	9.3	21.8	9.3	-0-	15.6	12.4	6.2
WINNETKA.	226.5	21.2	7.1	14.2	21.2	-0-	-0-	21.2	14.2	21.2
WOOD RIVER.	189.6	37.9	22.8	15.2	22.8	7.6	7.6	22.8	-0-	-0-
WOODRIDGE.	54.4	9.1	-0-	9.1	-0-	9.1	-0-	-0-	-0-	9.1
WOODSTOCK.	176.0	78.2	58.7	19.6	19.6	39.1	-0-	9.8	19.6	-0-
WORTH.	141.7	33.3	8.3	25.0	-0-	16.7	-0-	-0-	33.3	16.7
ZION.	167.9	92.7	57.9	34.7	23.2	40.5	23.2	5.8	17.4	-0-

Table 12.—TEN LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1970
(For ages under 1 year see Table D, page 10)

Age 1-4 years				Age 5-14 years			
Rank	Cause	8th rev. no. ¹	No.	Rank	Cause	8th rev. no. ¹	No.
ALL CAUSES				623	ALL CAUSES		
							904
1.	Accidents E800-E949		201	1.	Accidents E800-E949		430
	a. Motor vehicle (E810-E823)		(48)		a. Motor vehicle (E810-E823)		(207)
	b. Other (Residue of E800-E949)		(153)		b. Other (Residue of E800-E949)		(223)
2.	Congenital Anomalies 740-759		78	2.	Malignant neoplasms 140-209		133
3.	Influenza and pneumonia 470-474, 480-486		70	3.	Congenital anomalies 740-759		60
4.	Malignant neoplasms 140-209		67	4.	Influenza and pneumonia 470-474, 480-486		39
5.	Acute respiratory infections, except influenza 460-466		44	5.	Homicide E960-E978		36
6.	Homicide E960-E978		22	6.	Cystic Fibrosis of pancreas 273.0		13
7.	Intestinal infectious diseases (000-009)		12	6.	Heart disease 393-429		13
8.	Heart diseases 393-429		11		(Excl. of 400.0, 400.2, 400.3, 401, 403)		13
9.	Measles (Rubeola) 055		7	7.	Cerebrovascular disease 430-438		12
10.	Cerebral spastic infantile paralysis 343		6	8.	Diabetes Mellitus 250		11
10.	Meningococcal infection 036		5	9.	Cerebral spastic infantile paralysis 343		10
10.	Cerebrovascular disease 430-438		6	9.	Anemias 280-285		10
				10.	Epilepsy 345		8
Age 15-24 years				Age 25-44 years			
Rank	Cause	8th rev. no. ¹	No.	Rank	Cause	8th rev. no. ¹	No.
ALL CAUSES				ALL CAUSES			
			2,356				6,425
1.	Accidents E800-E949		1,155	1.	Heart disease 393-429		1,396
	a. Motor vehicle (E810-E823)		(764)		(Excl. of 400.0, 400.2, 400.3, 401, 403)		1,396
	b. Other (Residue of E800-E949)		(391)	2.	Accidents E800-E949		1,137
2.	Homicide E960-E978		346		a. Motor vehicle E810-E823		(550)
3.	Malignant neoplasms 140-209		155		b. Other (Residue of E800-E949)		(587)
4.	Suicide E950-E959		133	3.	Malignant neoplasms 140-209		1,004
5.	Heart disease 393-429		67	4.	Homicide E960-E978		453
	(Excl. of 400.0, 400.2, 400.3, 401, 403)		67	5.	Cirrhosis of liver 571		376
6.	Influenza and pneumonia 470-474, 480-486		63	6.	Suicide E950-E959		318
7.	Congenital anomalies 740-759		41	7.	Cerebrovascular disease 430-438		308
8.	Maternal causes 630-678		28	8.	Influenza and pneumonia 470-474, 480-486		251
9.	Cerebrovascular disease 430-438		24	9.	Diabetes mellitus 250		103
10.	Diabetes mellitus 250		17	10.	Other circulatory diseases 441-458		94
Age 45-64 years				Age 65 years and over			
Rank	Cause	8th rev. no. ¹	No.	Rank	Cause	8th rev. no. ¹	No.
ALL CAUSES				ALL CAUSES			
			27,846				67,905
1.	Heart disease 393-429		11,480	1.	Heart disease 393-429		34,666
	(Excl. of 400.0, 400.2, 400.3, 401, 403)		11,480		(Excl. of 400.0, 400.2, 400.3, 401, 403)		34,666
2.	Malignant neoplasms 140-209		7,217	2.	Malignant neoplasms 140-209		10,550
3.	Cerebrovascular disease 430-438		1,740	3.	Cerebrovascular disease 430-438		8,870
4.	Accidents E800-E949		1,099	4.	Influenza and pneumonia 470-474, 480-486		2,050
	a. Motor vehicle (E810-E823)		(495)	5.	General arteriosclerosis 440		1,700
	b. Other (Residue of E800-E949)		(604)	6.	Other circulatory diseases 441-458		1,440
5.	Cirrhosis of liver 571		1,023	7.	Diabetes mellitus 250		1,290
6.	Influenza and pneumonia 470-474, 480-486		632	8.	Accidents E800-E949		1,050
7.	Diabetes mellitus 250		573		a. Motor vehicle (E810-E823)		(36)
8.	Other circulatory diseases 441-458		487		b. Other (Residue of E800-E949)		(69)
9.	Suicide E950-E959		382	9.	Emphysema 492		82
10.	Emphysema 492		361	10.	Hypertension without mention of heart 400.0, 400.2, 400.3, 401, 403		47

¹International Classification of Diseases (ICDA), 8th Revision.

Table 13. — CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1960 to 1970

Disease	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
ILLINOIS											
Actinomycosis	2	1	2	3	1	—	—	—	1	—	—
Leishmaniasis cases & carriers	170	167	151	102	172	193	319	216	311	377	450
Actinomycosis	4	10	1	1	1	3	1	5	1	1	*
Actinobacillosis	6	14	1	13	13	18	26	26	57	59	74
Actinobacillosis	34	43	19	7	8	23	15	10	7	24	44
Chickenpox	4,374	5,508	6,997	6,737	9,067	9,165	11,870	14,259	10,543	14,611	13,370
Conjunctivitis, all forms	11	22	21	44	20	1	10	2	1	2	—
Diarrhea of newborn	233	155	99	149	105	125	102	90	112	58	19
Diphtheria cases & carriers	37	1	2	5	4	6	16	26	4	11	21
Enteric fever cases & carriers	1,135	1,188	1,184	1,304	769	685	721	555	346	280	206
Epidemic typhus cases & carriers	206	159	202	283	116	123	270	148	117	164	167
Erysipelas	4	+	+	+	+	+	+	+	+	+	+
Food infections	1,372	1,152	1,085	1,033	1,007	1,154	773	644	402	268	156
Food poisonings	214	258	244	79	178	772	468	551	1,118	828	240
Fungal infection, other	1	1	6	7	6	4	7	9	6	5	—
Gastroenteritis, (E. Coli)	346	958	455	453	254	135	68	37	375	359	*
German measles	1,871	1,825	3,328	1,621	2,935	4,850	29,685	2,108	2,030	3,438	1,723
Diarrhea	51,668	50,337	42,464	38,957	33,733	29,091	26,866	25,300	24,853	26,362	22,609
Diarrhea, infectious & serum	2,045	1,872	2,016	1,801	1,206	1,247	1,229	1,472	2,257	2,667	1,707
Disseminated gonorrhea	49	58	49	47	44	61	27	16	11	15	8
Epidemic typhus	—	—	—	—	4	—	—	1	—	10	6
Epidemic typhus	5	3	—	1	—	3	—	—	2	—	1
Epidemic typhus	1	3	1	—	1	5	—	2	—	—	3
Malaria	68	124	64	38	16	1	3	1	5	1	—
Measles	3,085	1,746	1,291	1,347	11,514	5,036	16,906	11,862	16,623	16,931	22,448
Neisseria meningitidis	73	72	82	82	102	125	96	75	99	122	158
Neisseria meningitidis, other	240	218	293	272	454	413	418	429	400	655	634
Non-nucleosis, Inf.	49	+	+	+	+	+	+	+	+	+	+
Paratyphoid cases & carriers	2,387	3,212	5,404	10,845	6,575	4,890	14,598	8,568	4,685	11,234	10,551
Paratyphoid cases & carriers	***	***	***	***	—	5	1	—	7	6	8
Poliomyelitis	1	1	3	1	3	4	5	14	65	26	145
Polioencephalitis and ornithosis	—	1	1	—	1	5	6	11	4	7	7
Pneumatic fever	1,190	1,178	1,332	1,425	1,613	1,705	2,059	1,794	1,671	1,936	1,598
Ringworm of the scalp	7	24	29	86	96	114	114	99	78	136	124
Rocky Mountain spotted fever	6	8	8	12	11	9	7	7	4	4	10
Scarlet fever & strep throat	7,451	7,431	8,052	7,978	9,125	6,167	6,283	5,906	6,317	5,645	4,402
Staphylococcal inf. (neonatal)	47	22	39	19	27	50	34	**	**	**	**
Staphylococcal inf.	895	753	603	902	889	709	773	**	**	**	**
Staphylococcal inf. (other than neonatal)	5,204	6,725	7,168	7,248	6,402	7,293	5,338	6,009	5,506	6,543	6,639
Staphylococcal inf.	8	13	9	17	5	18	16	10	13	12	20
Staphylococcal inf.	3	1	1	3	1	2	—	—	—	—	—
Staphylococcal inf.	8	8	—	4	1	4	5	5	5	9	8
Tuberculosis	2,292	2,478	2,805	2,999	2,938	3,328	3,370	3,739	3,895	4,021	4,063
Tuberculosis	10	10	15	18	21	14	21	24	19	39	37
Tuberculosis cases & carriers	15	24	21	11	10	18	28	17	29	39	28
Tuberculosis cases & carriers	3	—	—	—	1	1	—	—	—	—	1
Whooping cough	363	232	246	551	639	497	774	748	1,021	677	442

Not a reportable disease prior to 1959, 1960.
 No state total given since data are available for Downstate only.
 Paratyphoid cases and carriers included as part of food infections
 totals beginning in 1967.
 Not reportable prior to 1970.

Table 13. — CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1960 to 1970 -- Continued

Disease	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
CHICAGO											
Actinomycosis	1	---	2	---	---	---	---	---	---	---	---
Amebiasis cases & carriers . .	80	93	66	26	20	56	21	13	21	23	31
Blastomycosis	2	---	---	---	---	---	---	---	---	---	*
Brucellosis	---	1	---	---	---	2	---	1	11	15	12
Chancroid	29	33	15	5	3	19	13	5	4	19	35
Chickenpox	415	688	813	920	1,583	1,869	1,391	2,725	1,945	2,782	3,238
Conjunctivitis, all forms . . .	1	4	5	10	1	---	1	---	---	---	---
Diarrhea of newborn	233	149	96	140	98	117	90	68	91	33	11
Diphtheria cases & carriers . .	37	---	---	4	3	4	15	18	2	2	7
Dysentery bacillary cases & carriers	750	807	792	758	403	408	218	186	182	86	73
Encephalitis, acute & post . .	69	66	44	93	29	51	55	40	44	34	54
Erysipelas	2	+	+	+	+	+	+	+	+	+	+
Food infections	862	728	747	634	608	459	417	363	179	109	41
Food poisonings	---	---	9	7	20	27	27	42	213	222	182
Fungal infection, other	---	---	---	---	---	---	---	1	---	2	---
Gastroenteritis, (E. Coli) cases & carriers	212	829	276	292	129	82	18	3	14	44	*
German measles	161	181	210	197	347	1,027	1,821	426	821	690	496
Gonorrhea	42,503	41,425	34,964	31,619	27,850	24,540	22,497	21,667	31,348	23,160	19,526
Hepatitis, infectious & serum .	758	677	652	674	379	374	357	432	541	614	406
Histoplasmosis	---	---	2	---	---	5	---	---	2	---	1
Impetigo contagiosa	---	---	---	---	1	---	---	---	---	---	---
Leprosy	3	---	---	1	---	---	---	---	2	---	---
Leptospirosis	---	---	---	---	---	---	---	---	---	---	---
Malaria	10	1	6	8	5	---	1	---	---	---	---
Measles	1,659	1,411	986	630	3,331	2,408	4,639	2,879	5,536	5,816	6,995
Meningitis, meningococcal . .	18	20	27	24	40	43	37	24	47	58	57
Meningitis, other	105	93	127	145	183	147	145	168	155	259	279
Mononucleosis, Inf.	6	+	+	+	+	+	+	+	+	+	+
Mumps	429	553	511	915	1,166	816	1,275	1,596	1,055	1,528	1,941
Paratyphoid cases & carriers . .	***	***	***	***	---	---	---	---	---	---	1
Poliomyelitis	---	1	3	1	1	---	1	4	44	5	34
Psittacosis and ornithosis . .	---	---	---	---	---	---	---	---	---	---	---
Rheumatic fever	258	283	364	314	393	508	547	461	441	538	349
Ringworm of the scalp	---	8	4	23	32	53	31	24	16	48	73
Rocky Mountain spotted fever .	---	---	---	---	---	---	---	---	---	---	---
Scarlet fever & strep throat . .	154	282	274	318	538	815	777	871	1,120	892	802
Staphylococcal inf. (neonatal).	---	---	---	---	---	---	---	**	**	**	**
Staphylococcal inf. (other than neonatal)	---	---	---	---	---	1	2	**	**	**	**
Syphilis	3,640	5,097	5,857	5,900	5,177	6,238	4,443	4,995	4,351	5,332	5,266
Tetanus	3	5	4	6	---	4	2	3	3	2	2
Toxoplasmosis	---	---	---	---	---	---	---	---	---	---	---
Trichinosis	4	6	---	---	1	3	1	5	4	5	4
Tuberculosis	1,536	1,671	1,963	1,989	1,977	2,179	2,202	2,322	2,699	2,737	2,815
Typhemia	---	1	---	---	---	---	---	---	1	---	---
Typhoid cases & carriers . . .	11	8	6	5	4	9	14	8	11	26	6
Typhus cases & carriers	---	---	---	---	---	---	---	---	---	---	---
Whooping cough	239	166	148	406	507	318	571	482	721	574	294

*Not a reportable disease prior to 1959, 1960.

**Data not available from Chicago before 1964.

***Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

+Not reported prior to 1970.

Table 13. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1960 to 1970 -- Continued

Disease	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
DOWNSTATE											
Actinomycosis	1	1	---	3	1	---	---	---	1	---	---
Amebiasis cases & carriers	90	74	85	76	152	137	298	203	290	354	419
Blastomycosis	2	10	1	1	1	3	1	5	1	1	*
Brucellosis	6	13	1	13	13	16	26	25	46	44	62
Chancroid	5	10	4	2	5	4	2	5	3	5	9
Chickenpox	3,959	4,820	6,184	5,817	7,484	7,296	10,479	11,534	8,598	11,829	10,132
Conjunctivitis, all forms	10	18	16	34	19	1	9	2	1	2	---
Diarrhea of newborn	---	6	3	9	7	8	12	22	21	25	8
Diphtheria cases & carriers	---	1	2	1	1	2	1	8	2	9	14
Dysentery bacillary cases & carriers	385	381	392	546	366	277	503	369	164	194	133
Encephalitis, acute & post.	137	93	158	190	87	72	215	108	73	130	113
Erysipelas	2	+	+	+	+	+	+	+	+	+	+
Food infections	510	424	338	399	399	695	356	281	223	159	115
Food poisonings	214	258	235	72	158	745	441	509	905	606	58
Fungal infection, other	1	1	6	7	6	4	7	8	6	3	---
Gastroenteritis, (E. Coli) cases & carriers	134	129	179	161	125	53	50	34	361	315	*
German measles	1,710	1,644	3,118	1,424	2,588	3,823	27,864	1,682	1,209	2,748	1,227
Gonorrhea	9,165	8,912	7,500	7,338	5,883	4,551	4,369	3,633	3,505	3,202	3,083
Hepatitis, infectious & serum.	1,287	1,195	1,364	1,127	827	873	872	1,040	1,716	2,053	1,301
Histoplasmosis	49	58	47	47	44	56	27	16	9	15	7
Impetigo contagiosa	---	---	---	---	3	---	---	1	---	10	6
Leprosy	2	3	---	---	---	3	---	---	---	---	1
Leptospirosis	1	3	1	---	1	5	---	2	---	---	3
Malaria	58	123	58	30	11	1	2	1	5	1	---
Measles	1,426	335	305	717	8,183	2,628	12,267	8,983	11,087	11,115	15,453
Meningitis meningococcal	55	52	55	58	62	82	59	51	52	64	101
Meningitis, other	135	125	166	127	271	266	273	261	245	396	355
Mononucleosis, inf.	43	+	+	+	+	+	+	+	+	+	+
Mumps	1,958	2,659	4,893	9,930	5,409	4,074	13,323	6,972	3,630	9,706	8,610
Paratyphoid cases & carriers	***	***	***	***	---	5	1	---	7	6	7
Poliomyelitis	1	---	---	---	2	4	4	10	21	21	111
Rickettsiosis & ornithosis	---	1	1	---	1	5	6	11	4	7	7
Rheumatic fever	932	895	968	1,111	1,220	1,197	1,512	1,333	1,230	1,398	1,249
Ringworm of the scalp	7	16	25	63	64	61	83	75	62	88	51
Rocky Mountain spotted fever	6	8	8	12	11	9	7	7	4	4	10
Scarlet fever & strep throat	7,297	7,149	7,778	7,660	8,587	5,352	5,506	5,035	5,197	4,753	3,600
Staphylococcal inf. (neonatal)	47	22	39	19	27	50	34	29	27	34	61
Staphylococcal inf. (other than neonatal)	895	753	603	902	889	708	771	767	795	711	948
Syphilis	1,564	1,628	1,311	1,348	1,225	1,055	895	1,014	1,155	1,211	1,373
Tetanus	5	8	5	11	5	14	14	7	10	10	18
Toxoplasmosis	3	1	1	3	1	2	---	---	---	---	---
Trichinosis	4	2	---	4	---	1	4	---	1	4	4
Tuberculosis	756	807	842	1,010	961	1,149	1,168	1,417	1,196	1,284	1,248
Ulceremia	10	9	15	18	21	14	21	24	18	39	37
Typhoid cases & carriers	4	16	15	6	6	9	14	9	18	13	22
Typhus cases & carriers	3	---	---	---	1	1	---	---	---	---	1
Whooping cough	124	66	98	145	132	179	203	266	300	103	148

*Not reportable disease prior to 1959, 1960.

**Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

+Not reportable prior to 1970.

Table 14. — MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1970

FEMALE Age Group	Total	MALE												
		AGE GROUP												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65+ years	Unknown
TOTAL	115,478	15	9,679	51,543	22,820	9,426	5,772	4,643	3,503	2,569	1,934	1,416	2,061	97
Under 15 years	46	---	4	35	5	1	---	---	---	---	---	---	---	---
15-19 years	27,429	5	8,201	16,490	2,133	385	104	52	20	7	7	3	2	19
20-24 years	50,749	6	1,395	32,314	12,868	2,734	842	339	138	50	11	7	4	41
25-29 years	14,305	2	52	2,138	6,107	3,402	1,444	694	285	110	35	17	8	11
30-34 years	6,614	---	7	371	1,218	1,888	1,502	930	437	171	54	18	14	4
35-39 years	4,327	---	2	99	336	656	1,101	1,049	614	275	121	46	28	---
40-44 years	3,504	1	---	26	93	251	503	928	800	525	232	100	43	2
45-49 years	2,857	---	3	10	30	79	205	463	738	611	430	182	105	1
50-54 years	2,039	---	1	4	8	18	51	130	345	497	472	304	207	2
55-59 years	1,454	---	---	2	2	4	9	37	82	227	407	366	318	---
60-64 years	990	---	---	---	---	1	3	12	31	71	128	264	480	---
65+ years	1,030	---	---	2	2	1	1	2	7	23	35	106	848	3
Unknown	134	---	14	52	17	6	7	7	6	2	2	3	4	14

Table 15. — DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1970

FEMALE Age Group	Total	MALE												
		AGE GROUP												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65+ years	Unknown
TOTAL	36,054	12	187	5,212	7,695	5,679	4,241	3,726	2,870	1,814	1,047	551	503	2,517
Under 15 years	26	---	---	7	5	5	2	2	2	---	---	---	1	2
15-19 years	1,056	1	137	773	85	19	10	1	1	1	---	---	---	28
20-24 years	8,329	3	46	3,976	3,399	513	117	36	14	6	2	1	3	213
25-29 years	7,335	2	---	247	3,524	2,462	576	175	79	33	8	4	1	224
30-34 years	4,915	1	---	31	341	2,061	1,571	512	160	62	14	5	3	154
35-39 years	3,802	1	---	22	82	275	1,446	1,254	394	131	31	9	7	150
40-44 years	3,108	1	---	8	16	98	237	1,215	952	308	103	33	19	118
45-49 years	2,185	2	---	3	6	25	71	252	835	553	200	81	33	124
50-54 years	1,289	---	---	---	3	7	22	69	186	464	323	95	56	64
55-59 years	683	---	---	---	2	2	4	17	65	116	234	140	63	40
60-64 years	304	---	---	---	---	1	2	4	12	18	48	89	109	21
65+ years	222	---	---	---	---	---	1	2	4	4	12	32	150	17
Unknown	2,800	1	4	145	232	211	182	187	166	118	72	62	58	1,362

Table 16 — NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1970

BRIDE	Total	GROOM										Unknown- Blank
		0	1	2	3	4	5	6	7	8	9+	
TOTAL	115,478	82,987	25,686	4,021	572	109	18	10	1	1	---	2,073
0	83,527	74,306	8,459	648	64	8	1	---	---	---	---	41
1	24,763	7,812	14,476	2,089	274	44	9	6	1	---	---	52
2	4,288	693	2,324	1,062	162	34	5	1	---	1	---	6
3	639	72	303	182	65	13	2	2	---	---	---	---
4	101	20	43	26	5	7	---	---	---	---	---	---
5	22	4	11	3	1	1	1	1	---	---	---	---
6	6	---	4	2	---	---	---	---	---	---	---	---
7	1	---	---	1	---	---	---	---	---	---	---	---
8	1	---	---	---	---	---	---	---	---	---	---	---
9+	---	---	---	---	---	---	---	---	---	---	---	---
Unknown- Blank	2,130	80	66	8	1	1	---	---	---	---	---	1,974

Table 17 -- FEMALE POPULATION AT CENSUS, AGE-SPECIFIC LIVE BIRTH RATES FOR TOTAL RESIDENT LIVE BIRTHS AND ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER, ILLINOIS: 1970

(Age-specific birth rates are per 1,000 population in specified age group)

Age in years	ALL RACES			WHITE			OTHER		
	Female Population	Birth Rate Total	Birth Rate Illegitimate	Female Population	Birth Rate Total	Birth Rate Illegitimate	Female Population	Birth Rate Total	Birth Rate Illegitimate
10 to 49	3,206,900	64.0	8.6	2,717,029	59.9	3.5	489,871	86.9	37.1
10 to 14	558,266	1.3	1.2	463,120	0.3	0.2	95,146	5.9	5.9
15 to 19	500,046	68.1	26.1	422,585	50.7	10.1	77,461	162.7	113.5
20 to 24	450,920	164.5	18.6	383,165	157.1	8.6	67,755	206.4	74.8
25 to 29	382,592	148.9	7.9	322,355	151.5	3.2	60,237	135.5	33.0
30 to 34	324,440	78.5	4.7	270,618	77.4	1.6	53,822	84.2	20.1
35 to 39	309,481	34.6	2.5	260,126	33.0	0.9	49,355	42.8	11.0
40 to 44	337,312	8.6	0.6	291,091	8.0	0.2	46,221	12.3	3.1
45 to 49	343,843	0.5	*	303,969	0.4	*	39,874	0.7	0.3

Less than one-half of one per 1,000.

Sources: "General Population Characteristics", Census of Population: 1970.

Final Report PC (1) - B 15 Illinois. U.S. Bureau of the Census

Table A, Vital Statistics in Illinois, 1970.

Table 18 -- DISTRIBUTION OF PRENATAL CARE VISITS BY TRIMESTER, FREQUENCY AND COLOR: ILLINOIS, CHICAGO AND DOWNSTATE, 1970.

NUMBER OF VISITS BY COLOR

TRIMESTER & VISITS	ILLINOIS			CHICAGO			DOWNSTATE		
	Total	White	Other	Total	White	Other	Total	White	Other
TOTAL	205,203	162,649	42,554	69,568	37,220	32,348	135,635	125,429	10,206
One	3,157	1,469	1,688	2,156	756	1,400	1,001	713	288
1st Trimester									
Under 7	11,875	7,837	4,038	5,721	2,660	3,061	6,154	5,177	977
7 to 11	66,531	58,057	8,474	17,668	11,884	5,784	48,863	46,173	2,690
12 & over	50,919	46,651	4,268	10,541	7,770	2,771	40,378	38,881	1,497
Unknown	543	485	58	78	48	30	465	437	28
2nd Trimester									
Under 5	5,806	2,839	2,967	3,566	1,178	2,388	2,240	1,661	579
5 to 9	26,141	17,851	8,290	11,669	4,969	6,700	14,472	12,882	1,590
10 & over	12,426	9,917	2,509	3,954	2,052	1,902	8,472	7,865	607
Unknown	138	118	20	16	8	8	122	110	12
3rd Trimester	24,417	14,482	9,935	13,957	5,755	8,202	10,460	8,727	1,733
Unknown Trimester									
Under 7	715	611	104	44	23	21	671	588	83
7 to 11	1,558	1,491	67	51	35	16	1,507	1,456	51
12 & over	366	352	14	13	12	1	353	340	13
Unknown	611	489	122	134	70	64	477	419	58
Trimester									
None	3,157	1,469	1,688	2,156	756	1,400	1,001	713	288
1st	129,868	113,030	16,848	34,008	22,362	11,646	95,860	90,668	5,192
2nd	44,511	30,725	13,786	19,205	8,207	10,998	25,306	22,518	2,788
3rd	24,417	14,482	9,935	13,957	5,755	8,202	10,460	8,727	1,733
Unknown	3,250	2,943	307	242	140	102	3,008	2,803	205

Table 19 — SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR ALL LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1970

Legitimate and Illegitimate Live Births

Visits and Trimester	Grand Total	WHITE				OTHER			
		All ages	Under 20	20 to 34	35 and over	All ages	Under 20	20 to 34	35 and over
Illinois Total	205,165	162,614	21,577	129,981	11,056	42,551	13,165	26,676	2,710
First Births	71,761	57,128	17,411	39,169	548	14,633	8,831	5,727	75
Percent	35.0	35.1	80.7	30.1	5.0	34.4	67.1	21.5	2.8
None or only in									
3rd Trimester	27,568	15,947	4,335	10,452	1,160	11,621	4,576	6,329	716
First Births	10,078	6,301	3,343	2,906	52	3,777	2,790	972	15
Percent	36.6	39.5	77.1	27.8	4.5	32.5	61.0	15.4	2.1
7+ from 1st or									
Unknown Trimester	119,351	106,529	9,718	90,029	6,782	12,822	2,589	9,345	888
First Births	41,253	36,729	8,008	28,338	383	4,524	1,921	2,566	37
Percent	34.6	34.5	82.4	31.5	5.6	35.3	74.2	27.5	4.2
5+ from 2nd									
Trimester	38,564	27,765	5,326	20,310	2,129	10,799	3,547	6,568	684
First Births	14,215	10,215	4,379	5,759	77	4,000	2,575	1,412	13
Percent	36.9	36.8	82.2	28.4	3.6	37.0	72.6	21.5	1.9
Other Visits	18,393	11,284	2,018	8,365	901	7,109	2,389	4,307	413
First Births	5,744	3,481	1,525	1,922	34	2,263	1,500	754	9
Percent	31.2	30.8	75.6	23.0	3.8	31.8	62.8	17.5	2.2
Unknown	1,289	1,089	180	825	84	200	64	127	9
First Births	471	402	156	244	2	69	45	23	1
Percent	36.5	36.9	86.7	29.6	2.4	34.5	70.3	18.1	11.1

38 mothers of unknown age, including 18 with first-born, are omitted.

If prenatal care visits were distributed uniformly by category in stub for a given age group, all of the percentages in a selected column would be the same.

Table 19 — SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR ALL LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1970

Legitimate Live Births

Visits and Trimester	Grand Total	WHITE				OTHER			
		All ages	Under 20	20 to 34	35 and over	All ages	Under 20	20 to 34	35 and over
Illinois Total	177,520	153,159	17,202	125,213	10,744	24,361	3,817	18,533	2,011
First Births	56,597	50,673	13,456	36,707	510	5,924	2,030	3,837	57
Percent	31.9	33.1	78.2	29.3	4.7	24.3	53.2	20.7	2.8
None or only in									
3rd Trimester	17,150	12,081	2,537	8,507	1,037	5,069	1,012	3,600	457
First Births	4,641	3,748	1,766	1,946	36	893	426	456	11
Percent	27.1	31.0	69.6	22.9	3.5	17.6	42.1	12.7	2.4
7+ from 1st or									
Unknown Trimester	113,594	104,272	8,714	88,856	6,702	9,322	1,025	7,542	755
First Births	37,856	35,086	7,064	27,647	375	2,770	658	2,081	31
Percent	33.3	33.6	81.1	31.1	5.6	29.7	64.2	27.6	4.1
5+ from 2nd									
Trimester	31,657	25,572	4,262	19,249	2,061	6,085	1,064	4,507	514
First Births	10,153	8,660	3,399	5,191	70	1,493	617	866	10
Percent	32.1	33.9	79.8	27.0	3.4	24.5	58.0	19.2	1.9
Other Visits	14,013	10,247	1,557	7,826	864	3,766	694	2,794	278
First Births	3,594	2,854	1,118	1,708	28	740	317	419	4
Percent	25.6	27.9	71.8	21.8	3.2	19.6	45.7	15.0	1.4
Unknown	1,106	987	132	775	80	119	22	90	7
First Births	353	325	109	215	1	28	12	15	1
Percent	31.9	32.9	82.6	27.7	1.3	23.5	54.5	16.7	—

28 mothers of unknown age, including 11 with first-born, are omitted.

If prenatal care visits were distributed uniformly by category in stub for a given age group, all of the percentages in a selected column would be the same.

Table 19. — SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR ALL
LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1970

Illegitimate Live Births

Visits and Trimester	Grand Total	WHITE				OTHER			
		All ages	Under 20	20 to 34	35 and over	All ages	Under 20	20 to 34	35 and over
Illinois Total	27,645	9,455	4,375	4,768	312	18,190	9,348	8,143	699
First Births	15,164	6,455	3,955	2,462	38	8,709	6,801	1,890	18
Percent	54.9	68.3	90.4	51.6	12.2	47.9	72.8	23.2	2.6
One or only in 3rd Trimester	10,418	3,866	1,798	1,945	123	6,552	3,564	2,729	259
First Births	5,437	2,553	1,577	960	16	2,884	2,364	516	4
Percent	52.2	66.0	87.7	49.4	13.0	44.0	66.3	18.9	1.5
1+ from 1st or Unknown Trimester	5,757	2,257	1,004	1,173	80	3,500	1,564	1,803	133
First Births	3,397	1,643	944	691	8	1,754	1,263	485	6
Percent	59.0	72.8	94.0	58.9	10.0	50.1	80.8	26.9	4.5
1+ from 2nd Trimester	6,907	2,193	1,064	1,061	68	4,714	2,483	2,061	170
First Births	4,062	1,555	980	568	7	2,507	1,958	546	3
Percent	58.8	70.9	92.1	53.5	10.3	53.2	78.9	26.5	1.8
Other Visits	4,380	1,037	461	539	37	3,343	1,695	1,513	135
First Births	2,150	627	407	214	6	1,523	1,183	335	5
Percent	49.1	60.5	88.3	39.7	16.2	45.6	69.8	22.1	3.7
Unknown	183	102	48	50	4	81	42	37	2
First Births	118	77	47	29	1	41	33	8	—
Percent	64.5	75.5	97.9	58.0	25.0	50.6	78.6	21.6	-0-

10 mothers of unknown age, including 7 with first-born, are omitted.

If prenatal care visits were distributed uniformly by category in stub for a given age group, all of the percentages in a selected column would be the same.

This image shows a single page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

010471 -015-010 -03
LIBRARY DOCUMENTS DIV
UNIVERSITY OF ILLINOIS
URBANA IL

61801

14.1
2611v
1971

SPRINGFIELD, ILLINOIS



**VITAL
STATISTICS
ILLINOIS
1971**

THE LIBRARY OF THE

DEC 16 1974

UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

The person charging this material is responsible for its return to the library from which it was withdrawn on or before the **Latest Date** stamped below.

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

AUG 7 1975 APR 28 1990

JUL 15 1975

SEP 1 1975

JUN 07 1990

OCT 8 1975

JUL 15 1975

NOV 28 1977

JUN 5 1979

MAY 8 1979

MAR 25 1981

MAY 8 1981

APR 17 1986

MAY 14 1986

FEB 17 1987

JAN 22 1987

L161—O-1096

VITAL STATISTICS ILLINOIS

1971 SPRINGFIELD
ILLINOIS


**ILLINOIS DEPARTMENT OF PUBLIC HEALTH
JULY, 1974**



THE
CATHOLIC
ENGLISH
LITERATURE
1500-1587

EDITED BY J. H. W. L. G. J. VAN DER LINDEN

1911



**STATE OF ILLINOIS
DEPARTMENT OF PUBLIC HEALTH**

Springfield, Illinois 62761

July, 1974

EXPLANATION OF SYMBOLS

QUANTITY ZERO IN FREQUENCY TABLES	--
RATE OR PERCENT MORE THAN 0 BUT LESS THAN 0.05	0.0
FIGURES WITHIN PARENTHESIS NOT INCLUDED IN TOTALS	()
RATE ZERO CORRESPONDING TO -- ON FREQUENCY TABLE	-0-

TABLE OF CONTENTS VITAL STATISTICS – ILLINOIS – CALENDAR YEAR 1971

	Page
Introduction	1
Live Births	1
Prenatal care	1
Fetal, perinatal and infant mortality	1
Maternal mortality	2
Deaths	2
Deaths from external causes	2
Other causes of death	3
Notifiable disease case reports	3
Marriage and divorce	3
Population by counties: 1971	4

Table

A. -- Resident live births by race classified by sex, legitimacy, status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1971	6
B. -- Causes of fetal death among infants born to Illinois mothers by weight at birth: 1971	6
C. -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1971	7
D. -- Leading causes of infant deaths, by age, Illinois residents: 1971	7
E. -- Ten leading causes of deaths among white and nonwhite races, Illinois residents: 1971	7
F. -- Components of resident heart disease deaths, Illinois: 1971	8
G. -- Resident cancer deaths by site and age, Illinois: 1971	8
H. -- Resident deaths due to cerebrovascular disease, Illinois: 1971	8
I. -- Deaths and rates from the principal diseases affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965, 1970 and 1971	9
J. -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1971	9
K. -- Accidental deaths occurring in Illinois by type of accident occurred by population class: 1971	10
L. -- Marital status of bride and groom at time of marriage, Illinois: 1971	10
M. -- Divorces and annulments classified by the duration of marriage, Illinois: 1971	10
N. -- Marriages, divorces and annulments occurring in Illinois: 1958 to 1971	10
1. -- Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 to 1971	11

	Page
2A. -- Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of Illinois counties: 1971	12
2B. -- Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of Illinois counties: 1971	14
3A. -- Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 1971	16
3B. -- Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 1971	18
4. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1971	20
5. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1971	22
6. -- Fetal deaths by weight among residents of Illinois counties: 1971	24
7. -- Fetal deaths by weight among residents of the larger cities of Illinois: 1971	26
8A. -- Live births by birth weight among residents of Illinois counties: 1971	28
8B. -- Live births by birth weight among residents of the larger cities of Illinois: 1971	30
8C. -- Resident live births by birth weight, sex and color, Illinois, Chicago, and Downstate: 1971	32
8D. -- Life table for all races' both sexes: Illinois, 1969 to 1971	32
9A. -- The twelve leading causes of death by age and color, among residents of Illinois, Chicago, and Downstate: 1971	34
9B. -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1971	37
10A. -- Death from important causes among residents of Illinois counties: 1971	40
10B. -- Death rates for important causes among residents of Illinois counties: 1971	44
11A. -- Deaths from important causes among residents of the larger cities of Illinois: 1971	48
11B. -- Death rates for important causes among residents of the larger cities of Illinois: 1971	52
12. -- Ten leading causes of deaths in selected age groups, Illinois: 1971	56
13. -- Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1961 to 1971	57
14. -- Marriages classified by sex and age, Illinois: 1971	60
15. -- Divorces classified by sex and age, Illinois: 1971	60
16. -- Number of previous marriages of bride and groom, Illinois: 1971	61
17. -- Distribution of prenatal care visits by trimester, frequency and color: Illinois, Chicago, and Downstate, 1971	61
18. -- Summary of prenatal care visits by color and age of mother for all live births and first births: Illinois residents, 1971	62

VITAL STATISTICS — ILLINOIS — CALENDAR YEAR 1971

INTRODUCTION

This report includes vital data on Illinois residents born or dying in the United States or Canada and excludes births and deaths of non-residents of Illinois. For live births, the allocation is to the residence of the mother as shown on the birth certificate. For fetal deaths and deaths, the allocation is to the residence shown on these certificates. No original document is transferred from the legal depository having jurisdiction over where the event occurred.

Table 1, page 11, presents a state summary from 1918 through 1971. Included are midyear population, live births, deaths, infant deaths, neonatal deaths, fetal deaths, maternal deaths, and their rates. Table N, page 10, presents marriages and divorces and their rates from 1958 through 1971. Table 13, page 57, lists the numbers of cases of principal notifiable diseases reported in the state, Chicago city and the remainder of the state (Downstate) from 1961 through 1971. Populations for the 102 counties and Chicago appear on the map on page 4.

LIVE BIRTHS

During 1971, of the 192,679 children born alive in Illinois, 1,952 were to non-resident mothers. No live births were reported as having occurred in 11 counties and only one in each of 8 others. Of the 195,311 resident children, 4,584 were born in other states and in Canada.

The resident live birth rates per 1,000 population during the past 5 years were 1967 — 18.0, 1968 — 17.6, 1969 — 17.7, 1970 — 18.5, and 1971 — 17.4.

The greatest number of resident live births in Illinois history, 239,871, occurred in 1959. Of these, 201,955 were white, 37,125 were black and 791 were divided among the other races. In 1971, of the 195,311 live births, 151,541 were white, 41,718 were black, 640 were oriental and 1,412 were among the other races, principally American Indian. The white live births reached their peak of 203,033 in 1957. Until 1970 when 40,689 were tabulated, the black live births remained slightly below the peak of 38,321 reached in 1961. Table A is a live birth summary for Illinois, Chicago and Downstate. Data for the 102 counties and the 153 cities of 10,000 or more population are in tables 2, 3, 4, 5, 8A and 8B.

Table 8C, page 32, presents live births by weight in grams by sex and race for Illinois, Chicago and Downstate. There were 100,055 males and 95,256 females. There were 15,534 children weighing less than 2,501 grams (5 lbs., 8 oz.). Of these 15,534, 7,252 were males and 8,282 were females, 9,598 were white and 5,936 were among the other races. The percentages premature (less than 2,501 grams) were all races — 7.95, white — 6.33, other races — 13.56, males — 7.25 and females — 8.69.

PRENATAL CARE

Of the 195,311 live-born children, 24,356 or 1 out of 8, had mothers who had no prenatal care or only during the third trimester, according to Table 17, page 61. By race, 9.2 percent of white children and 23.7 percent of those of the other races were in these two groups. In contrast, 48,348, or 1 out of 4 of all children, 43,325 or 28.6 percent of the white children and 5,023 or 11.5 percent of the non-white children had mothers who had 12 or more visits beginning with the first trimester of pregnancy.

The teenage mother involved in her first pregnancy needs to begin her prenatal visits as soon as she is aware of her status. In 1971, there were 25,618 first births among the 34,067 children whose mothers were under 20 years of age at time of delivery. Of the 25,618, there were 5,492 with no prenatal care or only during the third trimester and 10,092 whose mothers had 7 or more visits beginning with the first trimester.

Of the 14,157 illegitimate children whose mothers were teenagers, 10,976 were first-born. Of these, 3,593, or 1 in 3, had either no prenatal care or only during the third trimester. By race 38.5 percent were white and 29.7 percent were of other races. Table 18, page 62, presents a summary covering first-births by extent of prenatal care by race and legitimacy status for mothers in three age groups.

FETAL, PERINATAL AND INFANT MORTALITY

A child who dies before or during delivery is classified as a fetal death. No distinction is made among abortions, miscarriages and other fetal losses. By law, the death of fetus of 20 weeks' completed gestation or more must be reported. This law covers all deliveries whether in a hospital or not. Before he can proceed, the person who is involved in disposing of the fetus must obtain a permit from the Local Registrar of Vital Records having jurisdiction over the place of delivery. All fetal death tables are based on these reports and on the additional 44 reports of lesser gestation period. These latter represent members of multiple births of which at least one was born alive and/or where a permit was required for transportation or for burial. Complete reporting of fetal deaths and complete and careful certification of the causes of fetal death are becoming more important each year.

The fetal death ratio of 13.5 per 1,000 live births represents the sixth consecutive year that this ratio has been lower than the previous year. In Table B, are tabulated by cause and delivery weight the 2,644 fetal deaths reported in 1971. Of these, 1,676 weighed less than 2,501 grams (5 lbs., 8 oz.) and 157 were of unknown weight. Asphyxia and premature separation of the placenta accounted for 882, or one-third of the total. They also accounted for 287, or 36.1 percent, of all reported weights under 1,001 grams (2 lbs., 3 oz.). Males numbered 1,382 or 52.3 percent.

Tables 6 and 7 show fetal deaths by weight for the counties and larger cities. Table C shows the number of fetal deaths by sex and race for Illinois, Chicago and Downstate.

To provide for a more effective measure of pregnancy wastage, the deaths occurring before, during and immediately following delivery are combined into a "perinatal" group. Practical considerations control the time interval used in reporting deaths in this group. In this report, the fetal deaths are combined with the deaths occurring during the first week. The results are summarized in Table C. Total perinatal deaths by county and large city can be obtained by combining data in Tables 2A with Table 4 and in Table 3A with Table 5.

The fetal causes for the 5,468 perinatal deaths are shown in Table B and the causes for the remaining 2,824 are shown in Table D. The Eighth Revision of the International List of Diseases (1965) makes it possible to combine these two tables by cause. Congenital anomalies accounted for 456 deaths, asphyxia for 1,375 and immaturity without mention of any other condition for 360.

The large numbers in the asphyxia and immaturity groups suggest that many were neither autopsied nor otherwise evaluated before the certificate was released to the local registration official. More autopsies and more detailed evaluations of perinatal losses are required to provide the ever-increasing information needed for genetic counseling and for establishing or ruling out links with the physical environment.

There were 4,107 deaths under the age of one year in 1971. Of these, 1,914 occurred under the age of one day, 910 from one to six days inclusive, 260 from 7 to 27 days and, 1,023 during the remaining period. Except for congenital anomalies, most deaths beginning with the eighth day result directly from impacts of the external environment. The infant death rate was 21.0 per 1,000 live births. For the sixth consecutive year this rate has been below that of the previous year.

MATERNAL MORTALITY

The maternal death rate has followed the decline in the birth rate. The 51 deaths in 1971 represented a death rate of 2.6 per 10,000 live births, matching the 1961 rate, the previous lowest. In 1971, deaths by race were 23 white, 27 black and 1 other. In 1970, the corresponding numbers were 29, 27 and 1. In Chicago, the maternal deaths were divided into 6 white, 19 black in 1971 and into 5 white, 24 black and 1 other in 1970. Statewide, 10 of the white and 9 of the black maternal deaths were among mothers 30 years of age or older. Their death rates were 3.4 and 13.1 per 10,000 live births, respectively.

By category, the deaths in 1971 were hemorrhage — 8, toxemia — 8, infection — 18, and other — 17. In 1970, there were 15 deaths from hemorrhage, 17 from toxemia, 11 from infection and 14 from other causes.

DEATHS

In 1971, the recorded deaths exclusive of fetal deaths numbered 107,341, of which 2,233 were among non-residents. Of the 109,491 Illinois resident deaths, 4,383 occurred in other states and in Canada.

During the last few years, the death rate has been falling slowly. The rates per 1,000 population were

1966 — 10.4, 1967 — 10.2, 1968 — 10.3, 1969 — 10.1, 1970 — 9.9 and 1971 — 9.8. Only in 1961 when the rate was 9.9 has the rate ever fallen below 10 until the last two years. In fact, according to Table 1, for almost the entire last 35-year period, the death rate has changed very little. Generally, the influx of non-white young persons and the improvement in living conditions and medical care have been almost equally offset by the aging of the population and the out-migration of middle-aged white persons.

The five leading causes of death in 1971 were heart disease (47,202), cancer (19,398), cerebrovascular disease (11,123), accidents (5,303) of which 2,499 involved motor vehicles, and congenital malformations and diseases of early infancy (3,316). There were 1,200 homicides and 1,009 suicides. Table 9A, pages 34 to 35, shows the numbers by race for each of the 12 leading causes and Table 9B the corresponding rates per 100,000 population in Illinois, Chicago and Downstate. Tables 10A and 11A present the number of deaths for selected causes for each county and large city and Tables 10B and 11B the corresponding rates.

Tables D, F, G, H and J present additional details on deaths by race for infants and by age for the leading causes. Table 12, page 56, presents the leading causes for each of six age groups. In Table I (eye) is a summary of deaths from the principal respiratory diseases for each fifth year beginning with 1950 and for 1971. Table K lists data for selected accident groups by place of occurrence of the accident for several population size groups inside and outside metropolitan areas.

DEATHS FROM EXTERNAL CAUSES

Suicides continued their 40-year downward trend from the high rate of 18.5 per 100,000 population in 1932. During the past five years the rates were 1967 — 9.3, 1968 — 9.3, 1969 — 8.9, 1970 — 9.2 and 1971 — 9.0. Slight increases occurred in 1957 and 1963. Suicides in the age group 15 to 24 years numbered 135 in 1971. In this age group, the rate was 7.2 per 100,000 population, it was 7.2 in 1970, 6.1 in 1969, 7.3 in 1970 and 11.7 in 1910.

Deaths from homicide increased from 419 in 1918 to 832 in 1933 and then declined to 312 in 1943. Since then there has been a steady increase with the highest number (1,200) being reported in 1971. The highest rate, 12.0 per 100,000 population, was reported in 1925. Recent rates were 1967 — 7.6, 1968 — 8.9, 1969 — 9.2, 1970 — 10.4 and 1971 — 10.7.

Under the age of 25 years, homicides outranked suicides about 3 to 1 (408 to 141). In the range 15 to 24 years, homicide (342) ranked second behind accidents (1,218) and suicides (135) ranked fourth behind cancer (149).

Of the 334 external causes of death not classified specifically to accident, suicide or homicide, 60 were not identified further, 77 involved firearms, 45 were due to drowning, 58 involved drugs and 34 involved gas except domestic. Of the 81 deaths among persons under 25 years, 63 were from 15 to 24 years old.

Drugs and medicaments, excluding therapeutic misadventures, accounted for 396 resident deaths in 1971. Of 247 classified as accidental, 13 involved persons under 15 years and 88 were among persons 15 to 24 years. Of the 91 suicides, none were under 15 and 14 were in the age group 15 to 24. There were no deaths among persons under age 15 years among the 58 drug deaths not classified to accident, suicide or homicide and 9 in the 15 to 24 age range.

OTHER CAUSES OF DEATH

Suicide (1,009), hypertension without mention of heart disease (617), ulcer of the stomach and duodenum (546), hernia and intestinal obstruction (429), kidney infections (406), chronic nephritis and renal sclerosis (370), bronchitis (324) and tuberculosis (301) supplement the 12 leading causes in Table 9A, page 34.

Causes of death for selected infective and parasitic diseases, except tuberculosis, during 1971 were infectious hepatitis (63), meningococcal infections (22), syphilis (24), acute infectious encephalitis (7), mycoses (19 — including 4 histoplasmosis and 8 moniliasis), tetanus (4), chickenpox (6), infectious mononucleosis (2), measles (4), mumps (3) and 1 death each from Rocky Mountain spotted fever and German measles. There were no deaths from typhoid fever, malaria, diphtheria, poliomyelitis or tularemia. There were 4 deaths from the late effects of poliomyelitis, 16 from acute rheumatic fever and 31 from dysentery, Salmonella infections, and other infectious diseases commonly arising in the intestinal tract.

NOTIFIABLE DISEASE CASE REPORTS

In Table 13, pages 57 to 59, are listed the numbers of cases of diseases commonly reported to the Illinois Department of Public Health from 1961 to 1971. Reported infections from food have increased each year during the decade. Gonorrhea cases, which had been rising rapidly for several years to a peak of 51,668 in 1970 dropped slightly to 48,290 in 1971. Syphilis case reporting has remained about the same for several years; 6,569 being reported in 1971. Rheumatic fever and tuberculosis continued their slow decline during the decade. Both of these diseases can be completely eliminated with the knowledge and facilities now available. German measles dropped dramatically to 1,396 cases from 29,685 reported in 1964.

MARRIAGE AND DIVORCE


In a complex society whose members are rapidly changing their life styles, marriage and divorce data are two of the most important determinants to measure these changes. The marriage and divorce certificates, which have been used in Illinois since January 1, 1962, include the minimum number of items considered nationwide to be necessary for this purpose. The lack of complete and accurate information continues to block the effective use of these documents not only for legal purposes but also for helping to identify social problems. In spite of the fact that the certificates have a section specifically classified as confidential and thus is not for legal use, many items are completely ignored. The reports contained in Tables, L, M, N, 14, 15 and 16 constitute nearly all of the usable information even after a decade. The size of the "unknown" categories in these tables reflects lack of care used in completing these legal documents. There were 115,961 marriages, 39,864 divorces and 383 annulments reported in 1971.

Among the 115,826 marriage reports received in time to be included in these tabulations, there were 1,649 on which both the bride and the groom failed to state that they were legally free to marry (Table L), and 1,432 on which they failed to state number of this marriage (Table 16, page 61). In Table L, both the bride and groom stated in 73,226 cases that neither had been previously married and in Table 16, both so state in 73,365 cases. (These figures should have been the same.) For the 73,365 first marriages, 20 years was the most common age for the bride (10,939) and 22 for the groom (10,233).

Of the 39,753 divorce reports received in time for these tabulations, 14,449 or 36.3 percent, represented marriages of 5 years' duration or less. Five out of eight marriages ended in divorce within 10 years of the date of marriage.

POPULATION BY COUNTIES
AS OF JULY 1, 1971

Chicago: 3,373,000



Source:
Illinois Department of Public Health

TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1971

	Illinois				Chicago				Downstate			
	Total	White	Negro	Other	Total	White	Negro	Other	Total	White	Negro	Other
Total Births . . .	195,311	151,541	41,718	2,052	66,927	33,842	31,824	1,261	128,384	117,699	9,894	791
Sex . . .												
Male . . .	100,055	77,981	21,010	1,064	34,013	17,270	16,084	659	66,042	60,711	4,926	405
Female . . .	95,256	73,560	20,708	988	32,914	16,572	15,740	602	62,342	56,988	4,968	386
Legitimacy . . .												
Legitimate . . .	166,106	142,611	21,479	2,016	47,820	30,745	15,837	1,238	118,286	111,866	5,642	778
Illegitimate . . .	29,205	8,930	20,239	36	19,107	3,097	15,987	23	10,098	5,833	4,252	13
Place of Birth and Attendant . . .												
Hospital . . .	193,711	150,654	41,012	2,045	65,669	33,246	31,167	1,256	128,042	117,408	9,845	789
Non-Hospital . . .	1,600	887	706	7	1,258	596	657	5	342	291	49	2
Physician . . .	1,519	822	690	7	1,227	575	647	5	292	247	43	2
Midwife . . .	1	1	--	--	--	--	--	--	1	1	--	--
Other . . .	80	64	16	--	31	21	10	--	49	43	6	--
Age of Mother . . .												
Total . . .	195,311	151,541	41,718	2,052	66,927	33,842	31,824	1,261	128,384	117,699	9,894	791
10 - 14 Years . . .	734	158	575	1	492	39	452	1	242	119	123	--
15 - 19 Years . . .	33,333	20,669	12,605	59	14,138	4,592	9,521	25	19,195	16,077	3,084	34
20 - 24 Years . . .	70,588	56,058	14,055	475	23,590	12,605	10,711	274	46,998	43,453	3,344	201
25 - 29 Years . . .	53,911	45,411	7,611	889	16,157	9,688	5,913	556	37,754	35,723	1,698	333
30 - 34 Years . . .	24,103	19,421	4,216	466	7,976	4,441	3,229	306	16,127	14,980	987	160
35 - 39 Years . . .	9,860	7,645	2,074	141	3,541	1,900	1,557	84	6,319	5,745	517	57
40 - 44 Years . . .	2,634	2,070	543	21	976	551	410	15	1,658	1,519	133	6
45 and Over . . .	142	104	38	--	53	23	30	--	89	81	8	--
Unstated . . .	6	5	1	--	4	3	1	--	2	2	--	--
Legitimate . . .												
10 - 14 Years . . .	35	31	4	--	10	8	2	--	25	23	2	--
15 - 19 Years . . .	19,875	16,628	3,202	45	5,747	3,464	2,265	18	14,128	13,164	937	27
20 - 24 Years . . .	61,756	53,135	8,157	464	17,782	11,536	5,981	265	43,974	41,599	2,176	199
25 - 29 Years . . .	50,550	44,390	5,278	882	13,733	9,199	3,982	552	36,817	35,191	1,296	330
30 - 34 Years . . .	22,321	18,906	2,950	465	6,730	4,201	2,223	306	15,591	14,705	727	159
35 - 39 Years . . .	9,039	7,422	1,478	139	2,962	1,795	1,085	82	6,077	5,627	393	57
40 - 44 Years . . .	2,401	1,994	386	21	813	517	281	15	1,588	1,477	105	6
45 and Over . . .	124	100	24	--	40	22	18	--	84	78	6	--
Unstated . . .	5	5	--	--	3	3	--	--	2	2	--	--

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS BY WEIGHT AT BIRTH: 1971
(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

Cause of Death	Total	Per-Cent	Fetus Weight In Grams									
			Under 1001 Grams	1001-1500 Grams	1501-2000 Grams	2001-2250 Grams	2251-2500 Grams	2501-3000 Grams	3001-3500 Grams	3501-4000 Grams	4001-4500 Grams	4501 And Over
All Causes	2,644	100.0	795	310	293	126	152	276	240	186	73	36
Congenital Anomalies												
Nervous System . . .	96	3.6	16	21	15	4	5	12	7	8	2	2
Heart and Circulatory . . .	10	0.4	--	2	1	--	--	1	2	2	1	--
Other . . .	36	1.4	8	7	7	2	4	3	2	--	--	--
Maternal Not Related to Pregnancy												
Circulatory and G.U. Diseases	31	1.2	10	10	--	1	4	4	1	--	--	--
Diabetes Mellitus	70	2.6	9	9	10	2	2	6	6	5	9	4
Other . . .	67	2.5	23	9	6	10	1	3	4	3	--	2
Toxemia of Pregnancy	157	5.9	31	25	29	12	8	11	14	9	4	5
Maternal Infections	28	1.1	14	2	2	2	1	3	2	2	--	--
Birth Injury												
Difficult Labor	7	0.3	--	--	1	--	--	--	3	--	--	2
Other . . .	7	0.3	3	--	--	--	--	2	--	1	1	--
Asphyxia, Anoxia, Hypoxia												
Difficult Labor	75	2.8	17	7	4	4	4	7	8	8	8	5
Other . . .	374	14.1	115	38	37	14	23	40	42	32	9	3
Other Difficult Labor	35	1.3	11	3	4	1	1	3	3	4	3	2
Placental Rupture												
of Membranes	91	3.4	57	13	3	1	1	7	3	1	--	--
Tearing of Multiple												
Placenta	57	2.2	31	2	7	1	7	--	2	--	--	--
Other Complications												
of Placenta	49	1.9	29	8	--	2	1	1	2	1	1	1
Premature Separation of Placenta	433	16.4	155	55	55	27	26	41	25	20	6	2
Other Placenta												
of Placenta	175	6.6	50	21	28	8	13	20	12	11	2	--
Placental Cord	126	4.8	29	8	11	3	8	22	19	14	4	--
Other Cord												
of Cord	266	10.1	38	20	35	7	19	42	39	37	16	3
Placental Compatibility	50	1.9	12	3	4	5	4	10	5	3	1	--
Other Hemolytic Diseases	12	0.5	1	2	1	2	--	1	3	1	1	--
Immaturity, Premature	100	3.8	66	10	8	3	2	--	--	1	--	--
Other Fetal Conditions												
of Fetus	23	0.9	7	4	1	1	--	3	2	1	--	1
Cause Unknown . . .	253	9.6	63	28	22	13	18	33	30	19	5	4
All Other Causes	16	0.6		3	2	1	--	1	4	3	--	--

TABLE C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1971
(THIS TABLE INCLUDES 44 FETAL DEATHS OF LESS THAN 20 WEEKS' GESTATION)

	Illinois				Chicago				Downstate			
	Total	White	Negro	Other+	Total	White	Negro	Other+	Total	White	Negro	Other+
Both Sexes												
Fetal Deaths	2,644	1,755	869	20	1,141	458	672	11	1,503	1,297	197	9
Deaths Under 1 Week of Age	2,824	1,933	880	11	1,159	478	673	8	1,665	1,455	207	3
Total	5,468	3,688	1,749	31	2,300	936	1,345	19	3,168	2,752	404	12
Live Births and Fetal Deaths	197,955	153,296	42,587	2,072	68,068	34,300	32,496	1,272	129,887	118,996	10,091	800
Ratio*	27.6	24.1	41.1	15.0	33.8	27.3	41.4	14.9	24.4	23.1	40.0	15.0
Male:												
Fetal Deaths	1,382	903	471	8	602	232	364	6	780	671	107	2
Deaths Under 1 Week of Age	1,598	1,097	496	5	640	254	383	3	958	843	113	2
Total	2,980	2,000	967	13	1,242	486	747	9	1,738	1,514	220	4
Live Births and Fetal Deaths	101,437	78,884	21,481	1,072	34,615	17,502	16,448	665	66,822	61,382	5,033	407
Ratio*	29.4	25.4	45.0	12.1	35.9	27.8	45.4	13.5	26.0	24.7	43.7	9.8
Female:												
Fetal Deaths	1,261	852	398	11	539	226	308	5	722	626	90	6
Deaths Under 1 Week of Age	1,226	836	384	6	519	224	290	5	707	612	94	1
Total	2,487	1,688	782	17	1,058	450	598	10	1,429	1,238	184	7
Live Births and Fetal Deaths	96,517	74,412	21,206	999	33,453	16,798	16,048	607	63,064	57,614	5,058	392
Ratio*	25.8	22.7	37.1	17.0	31.6	26.8	37.3	16.5	22.7	21.5	36.4	17.9

*Perinatal Mortality Ratio is 1,000 Times (Fetal Deaths of 20 Weeks' Gestation and over plus Deaths under 1 Week of Age) divided by (Live Births plus Fetal Deaths of 20 Weeks' Gestation and Over). See Table A for Live Births.

+Other columns for both sexes includes Fetal Deaths whose sex or race are unknown.

TABLE D. -- LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1971
(SEE FOOTNOTE)

Cause	Infant	Neonatal			Post Neonatal
	Under 1 Year	Total	Under 7 Days	7 to 27 Days	28 Days & Over
All Causes	4,107	3,084	2,824	260	1,023
1. Asphyxia, unspecified	966	960	926	34	6
2. Congenital anomalies	607	398	314	84	209
a. Heart	(746)	(264)	(118)	(45)	(101)
b. Nervous system	(740-743)	(135)	(95)	(84)	(11)
3. Influenza and pneumonia	470-474, 480-486	296	104	66	38
4. Immaturity, unqualified	777	265	260	5	--
5. Hyaline membrane disease	776.1	240	235	3	2
6. Bronchitis, all forms	466, 490, 491	230	19	3	16
7. Respiratory distress syndrome	776.2	219	213	5	1
8. Member of multiple pregnancy	769.4	186	184	2	--
9. Birth injury	764.0-764.3, 765.0-765.3	112	106	5	1
767.0-767.3, 768.0-768.3, 772					
10. Heart disease	393-429	99	17	3	14
11. Accidents	95	7	--	7	88
a. Suffocation in bed	E913.0	(17)	(1)	--	(1)
b. Suffocation from food	E911	(16)	(2)	--	(2)
c. Motor vehicles	E810-E823	(14)	(2)	--	(2)
d. Fire and flames	E890-E899	(12)	(1)	--	(1)

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1971
(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1971)

White				Nonwhite			
Cause	Number	Rate	Percent	Cause	Number	Rate	Percent
All Causes	95,705	988.9	100.0	All Causes	13,786	908.2	100.0
1. Heart Disease	42,484	439.0	44.4	1. Heart Disease	4,718	310.8	34.2
2. Malignant Neoplasms	17,339	179.2	18.1	2. Malignant Neoplasms	2,059	135.6	14.9
3. Cerebrovascular Disease	9,993	103.3	10.4	3. Cerebrovascular Disease	1,130	74.4	8.2
4. Accidents	4,468	46.2	4.7	4. Congenital Anomalies and Diseases of Early Infancy	977	64.4	7.1
5. Pneumonia and Influenza	2,447	25.3	2.6	5. Accidents	835	55.0	6.1
6. Congenital Anomalies and Diseases of Early Infancy	2,339	24.2	2.4	6. Homicide	779	51.3	5.7
7. Other Circulatory Diseases	1,898	19.6	2.0	7. Pneumonia and Influenza	557	36.7	4.0
8. Diabetes Mellitus	1,691	17.5	1.8	8. Diabetes Mellitus	287	18.9	2.1
9. General Arteriosclerosis	1,676	17.3	1.8	9. Cirrhosis of Liver	286	18.8	2.1
10. Cirrhosis of Liver	1,596	16.5	1.7	10. Other Circulatory Diseases	249	16.4	1.8

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1971

Age	Total	Heart Diseases									
		Chronic Rheumatic	Arteriosclerotic including Coronary	Other Ischemic Heart	Acute and Subacute Bacterial Endocarditis	Acute Myocarditis not Specified as Rheumatic	Acute Pericarditis Specified as Non-rheumatic	Functional Disease	Congestive Heart Failure	Hypertensive	Other and Unspecified
All Ages	47,202	755	42,478	17	54	26	3	284	202	1,098	2,285
Under 1 Year	99	1	2	--	1	--	--	7	2	--	86
1-4 Years	15	--	--	--	--	1	--	--	--	--	14
5-14 Years	24	6	--	--	--	1	--	3	--	1	13
15-24 Years	82	17	18	--	2	1	--	2	1	1	40
25-44 Years	1,299	88	944	1	15	2	--	15	10	67	157
45-54 Years	3,547	134	2,924	3	11	3	1	24	16	119	312
55-64 Years	7,646	208	6,712	1	14	6	1	46	34	173	451
65-74 Years	11,770	174	10,687	6	8	4	1	75	42	230	543
75-84 Years	14,828	106	13,815	4	3	6	--	64	57	327	446
85 & Over	7,892	21	7,376	2	--	2	--	48	40	180	223

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1971

Age	Total	Site										
		Buccal Cavity and Pharynx	Stomach	Digestive Organs Except Stomach	Bronchus, Trachea, Lung	Other Sites, Respiratory System*	Breast	Genital Organs	Nervous System, Incl. Brain	Other and Unspecified Sites	Leukemia & Aleukemia	Other Lymphatic
All Ages	19,398	477	913	4,946	3,793	314	1,838	2,517	443	2,269	821	1,067
Under 1 Year	5	--	--	1	--	--	--	--	1	--	3	--
1-4 Years	42	--	--	4	--	--	--	1	13	4	19	1
5-14 Years	122	1	--	1	--	1	--	1	30	13	61	14
15-24 Years	149	1	--	9	2	2	3	16	20	27	34	35
25-44 Years	1,035	17	19	148	134	15	201	159	59	117	58	108
45-54 Years	2,496	86	80	476	574	56	356	306	98	262	65	137
55-64 Years	4,737	172	170	1,103	1,231	85	473	479	113	507	133	271
65-74 Years	5,405	120	269	1,495	1,165	97	411	683	87	624	178	276
75-84 Years	4,255	56	293	1,329	606	44	292	661	21	553	215	185
85 & Over	1,152	24	82	380	81	14	102	211	1	162	55	40

* Includes 47 deaths from Neoplasms of Respiratory System, Specified as Secondary.

TABLE H. -- RESIDENT DEATHS DUE TO CEREBROVASCULAR DISEASE, ILLINOIS: 1971

Age	Total	Type of Vascular Lesion				
		Subarachnoid Hemorrhage	Cerebral Hemorrhage	Cerebral Thrombosis	Cerebral Embolism	Other
All Ages	11,123	544	2,659	3,339	47	4,534
Under 1 Year	10	--	3	--	--	7
1-4 Years	10	--	3	1	--	6
5-14 Years	13	6	3	--	--	4
15-24 Years	32	17	7	3	1	4
25-44 Years	261	114	89	15	1	42
45-54 Years	572	152	220	72	3	125
55-64 Years	1,199	127	427	266	4	375
65-74 Years	2,515	74	663	755	8	1,015
75-84 Years	4,234	39	872	1,401	19	1,903
85 and Over	2,277	15	372	826	11	1,053

TABLE I. -- DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM,
ILLINOIS: 1950, 1955, 1960, 1965, 1970 and 1971.

Disease	List Number*	Number of Deaths 1971	Number of Deaths 1970	List Number**	Number of Deaths				Deaths Per 100,000 Population					
					1965	1960	1955	1950	1971	1970	1965	1960	1955	1950
Tuberculosis	010-012	212	285	001-008	389	579	827	1,950	1.9	2.6	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160-163	4,060	3,922	160-165	3,304	2,602	2,070	1,499	36.3	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea and lung, primary	(162)	(3,793)	(3,672)	(162)	(1,364)	(1,106)	(1,245)	(580)	(33.9)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma	493	142	124	241	218	305	329	228	1.3	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	460-465	18	29	470-475	23	38	34	70	0.2	0.3	0.2	0.4	0.4	0.8
Influenza	470-474	53	97	480-483	80	170	66	126	0.5	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480-486	2,951	3,360	490-493	3,837	4,003	3,300	2,340	26.4	30.2	36.0	39.6	35.0	26.7
a. Pneumonia, 4 weeks +		(2,847)	(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(25.4)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(104)	(126)	763	(306)	(253)	(253)	(143)	(0.9)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute and chronic	466, 490-491	615	655	500, 501-502.1	184	182	204	163	5.5	2.8	1.7	1.8	2.3	1.9
Bronchiectasis	518	51	60	526	79	104	87	98	0.5	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,135	1,199		991	467	161	63	10.1	10.8	9.3	4.6	1.7	0.7
a. with bronchitis	(Not tabulated)			502.0	132	66	13	18			1.2	0.7	0.1	0.2
b. other	492	1,135	1,199	527.1	859	401	148	45	10.1	10.8	8.1	4.0	1.6	0.5
Other respiratory	500-517, 519	468	485	510-525 527.0 527.2	322	308	293	235	4.2	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision.

**International Classification of Diseases, 1955 Revision.

TABLE J. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1971

Age	Total	Transport Accidents										Non-Transport Accidents											
		Motor Vehicle							Other Transport			Poisoning	Falls	Fire And Explosions	Firearms	Mechanical Suffocation	Drowning	Other Late Effects	Therapeutic And Non-Therapeutic Complications				
		Collision				Non-Collision			Other Road Vehicle	Water Transport	Aircraft									Railway			
		Pedestrian	Other Motor Vehicle	R. Train	R. Bicycle	Fixed Object	Other Collision	Running Off Road													Other Traffic	Non-Traffic	
Number																							
All Ages	5303	398	1091	97	45	343	8	334	151	32	15	43	80	74	463	802	376	35	147	252	497	20	
Under 1 Year	95	--	9	--	--	1	--	1	3	--	--	--	1	--	1	12	12	--	42	4	9	--	
1-4 Years	218	20	14	2	1	3	--	--	8	4	--	1	1	3	16	21	45	3	16	33	27	--	
5-14 Years	431	93	64	11	34	5	3	15	14	1	6	3	4	5	8	6	31	1	16	70	41	--	
15-24 Years	1218	48	350	31	6	157	3	144	53	9	3	11	9	16	143	28	32	8	9	68	88	2	
25-44 Years	1190	61	265	23	1	99	--	105	40	7	4	19	46	13	170	74	67	14	15	46	120	1	
45-54 Years	514	32	105	9	1	23	--	32	12	5	1	4	11	6	61	76	40	3	14	11	67	1	
55-64 Years	521	41	108	10	1	28	1	21	11	3	--	5	6	10	34	95	41	4	10	14	70	8	
65-74 Years	419	42	96	3	1	20	--	8	7	--	1	--	2	7	17	109	47	1	9	4	40	5	
75-84 Years	441	51	63	7	--	5	1	7	3	3	--	--	--	10	12	201	39	1	8	1	27	2	
85 & Over	256	10	17	1	--	2	--	1	--	--	--	--	--	4	1	180	22	--	8	1	8	1	
Rate*																							
All Ages	47.4	3.6	9.7	0.9	0.4	3.1	0.1	3.0	1.3	0.3	0.1	0.4	0.7	0.7	4.1	7.2	3.4	0.3	1.3	2.3	4.4	0.2	
Under 1 Year	43.5	-0-	4.6	-0-	-0-	0.5	-0-	0.5	1.5	-0-	-0-	-0-	0.5	-0-	0.5	6.1	6.1	-0-	21.4	2.0	4.6	-0-	
1-4 Years	29.1	2.7	1.9	0.3	0.1	0.4	-0-	-0-	1.1	0.5	-0-	0.1	0.1	0.4	2.1	2.8	6.0	0.4	2.1	4.4	3.6	-0-	
5-14 Years	19.0	4.1	2.8	0.5	1.5	0.2	0.1	0.7	0.6	0.0	0.3	0.1	0.2	0.2	0.4	0.3	1.4	0.0	0.7	3.1	1.8	-0-	
15-24 Years	65.0	2.6	18.7	1.7	0.3	8.4	0.2	7.7	2.8	0.5	0.2	0.6	0.5	0.9	7.6	1.5	1.7	0.4	0.5	3.6	4.7	0.1	
25-44 Years	44.7	2.3	10.0	0.9	0.0	3.7	-0-	3.9	1.5	0.3	0.2	0.7	1.7	0.5	6.4	2.8	2.5	0.5	0.6	1.7	4.5	0.0	
45-54 Years	39.4	2.5	8.1	0.7	0.1	1.8	-0-	2.5	0.9	0.4	0.1	0.3	0.8	0.5	4.7	5.8	3.1	0.2	1.1	0.8	5.1	0.1	
55-64 Years	49.7	3.9	10.3	1.0	0.1	2.7	0.1	2.0	1.0	0.3	-0-	0.5	0.6	1.0	3.2	9.1	3.9	0.4	1.0	1.3	6.7	0.8	
65-74 Years	62.1	6.2	14.2	0.4	0.1	3.0	-0-	1.2	1.0	-0-	0.1	-0-	0.3	1.0	2.5	16.1	7.0	0.1	1.3	0.6	5.9	0.7	
75-84 Years	129.3	15.0	18.5	2.1	-0-	1.5	0.3	2.1	0.9	0.9	-0-	-0-	-0-	2.9	3.5	58.9	11.4	0.3	2.3	0.3	7.9	0.6	
85 & Over	312.2	12.2	20.7	1.2	-0-	2.4	-0-	1.2	-0-	-0-	-0-	-0-	-0-	4.9	1.22	19.5	26.8	-0-	9.8	1.2	9.8	1.2	

*Deaths per 100,000 Population.

TABLE K. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1971

Population Class	All Accidents	Motor Vehicle				Non-Motor Vehicle							
		Total	Pedestrian	Other Vehicle	Other	Occupational		Home			Public		
						Farm	Non-Farm	Fire and Explosion	Falls	Other	Drowning	Falls	Other
Number													
All Accidents	5087	2720	421	1281	1018	15	294	319	421	574	169	126	449
Metropolitan Counties													
Cities													
Chicago	1194	297	134	94	69	2	67	157	147	264	26	64	170
100,000-499,999	77	28	3	16	9	--	7	6	17	11	2	3	3
50,000-99,999	283	119	41	43	35	1	8	28	28	48	12	12	27
25,000-49,999	208	86	14	47	25	--	14	18	33	29	8	5	15
10,000-24,999	244	120	38	46	36	--	26	17	26	23	10	3	19
Rural	1182	815	93	436	286	7	57	39	36	85	53	2	88
Nonmetropolitan Counties:													
Cities													
25,000-49,999	68	23	10	9	4	--	4	6	15	10	4	2	4
10,000-24,999	105	39	11	22	6	--	10	6	21	17	1	5	6
Rural	1172	771	34	416	321	5	96	35	74	60	51	11	69
Place Unknown*	554	422	43	152	227	--	5	7	24	27	2	19	48
Rate per 100,000 Population													
All Accidents	45.4	24.3	3.8	11.4	9.1	0.1	2.6	2.8	3.8	5.1	1.5	1.1	4.0
Metropolitan Counties													
Cities													
Chicago	35.4	8.8	4.0	2.8	2.0	0.1	2.0	4.7	4.4	7.8	0.8	1.9	5.0
100,000-499,999	28.0	10.2	1.1	5.8	3.3	-0-	2.5	2.2	6.2	4.0	0.7	1.1	1.1
50,000-99,999	24.7	10.4	3.6	3.7	3.0	0.1	0.7	2.4	2.4	4.2	1.0	1.0	2.4
25,000-49,999	18.2	7.5	1.2	4.1	2.2	-0-	1.2	1.6	2.9	2.5	0.7	0.4	1.3
10,000-24,999	21.6	10.6	3.4	4.1	3.2	-0-	2.3	1.5	2.3	2.0	0.9	0.3	1.7
Rural	61.1	42.2	4.8	22.5	14.8	0.4	2.9	2.0	1.9	4.4	2.7	0.1	4.6
Nonmetropolitan Counties:													
Cities													
25,000-49,999	31.5	10.6	4.6	4.2	1.9	-0-	1.9	2.8	6.9	4.6	1.9	0.9	1.9
10,000-24,999	31.9	11.8	3.3	6.7	1.8	-0-	3.0	1.8	6.4	5.2	0.3	1.5	1.8
Rural	71.0	46.7	2.1	25.2	19.4	0.3	5.8	2.1	4.5	3.6	3.1	0.7	4.2

*These are Deaths Occurring in Illinois With Place of Injury Either not Stated or Reported as Out-Of-State.

TABLE L. -- MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE, ILLINOIS: 1971

	Bride		Groom			
	Total	Never Married	Widowed	Divorced	Annulled	Unknown
Total	115,826	82,245	5,010	26,454	113	2,004
Never Married	83,092	73,226	771	8,858	54	183
Widowed	5,847	973	2,458	2,382	6	28
Divorced	24,633	7,700	1,762	14,986	42	143
Annulled	146	50	8	77	10	1
Unknown	2,108	296	11	151	1	1,649

TABLE M. -- DIVORCES AND ANNULMENTS CLASSIFIED BY THE DURATION OF MARRIAGE, ILLINOIS: 1971

Years Married	Divorces	Annulments
TOTAL	39,753	383
Under 1 Year	1,924	195
1 Year	1,703	52
2 Years	3,950	54
3 Years	3,706	20
4 Years	3,166	17
Under 5 Years	14,449	338
5 Years	2,759	8
6 Years	2,460	3
7 Years	2,029	7
8 Years	1,680	1
9 Years	1,503	--
5-9 Years	10,431	19
10-14 Years	5,514	13
15-19 Years	3,688	4
20-24 Years	2,769	4
25-29 Years	1,498	1
30-34 Years	667	1
35-39 Years	255	--
40-44 Years	111	1
45-49 Years	35	--
50 Years and Over	16	--
Unknown Years	320	2

TABLE N. -- MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN ILLINOIS: 1958 TO 1971

(RATES ARE PER 1,000 POPULATION ESTIMATED AS OF JULY 1)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annulments
1958	83,400	8.5	20,870	2.1	20,719	151
1959	87,281	8.8	22,700	2.3	22,566	134
1960	88,029	8.7	21,870	2.2	21,652	218
1961	88,692	8.6	25,973	2.5	25,712	261
1962	87,645	8.5	18,820*	1.8	18,634	186
1963	93,240	9.0	20,765*	2.0	20,519	246
1964	97,171	9.2	21,283*	2.0	21,050	233
1965	100,978	9.5	24,654	2.3	24,326	328
1966	102,622	9.6	27,862	2.6	27,488	374
1967	105,295	9.7	28,473	2.6	28,147	326
1968	112,449	10.2	32,119	2.9	31,713	406
1969	116,532	10.5	35,974	3.3	35,558	416
1970	115,478	10.4	36,450	3.3	36,054	396
1971	115,826	10.3	40,136	3.6	39,753	383

*Reporting known to be incomplete.

TABLE 1. -- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS,
WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1971
(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION. INFANT AND NEONATAL DEATH
RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1971*	11,196,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,113,976	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,050,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,991,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,850,000	195,644	18.0	110,030	10.2	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,715,000	201,284	18.8	111,155	10.4	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,650,000	208,063	19.5	108,138	10.2	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,500,000	222,259	21.2	106,802	10.2	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,400,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,330,000	230,484	22.3	104,695	10.1	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,258,000	237,051	23.1	101,696	9.9	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,113,000	238,760	23.6	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	15.3
1949+	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948+	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947+	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946+	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945+	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944+	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943+	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942+	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941+	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940+	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939++	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938++	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937++	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936++	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935++	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934++	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933++	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932++	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931++	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930++	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929++	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928++	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927++	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926++	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925++	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924++	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923++	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922++	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921++	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920++	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919++	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918++	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950 - 1971: Resident data from tabulations in the Illinois Department of Public Health.
(1953 - 1954 Maternal deaths from Vital Statistics of the United States)

+ 1940 - 1949: Resident data from Vital Statistics of the United States for each year.

++ 1918 - 1939: Occurrence data from United States Bureau of the Census publications.

n.a. (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: 1960 - 1971 by the Illinois Department of Public Health.

1950 - 1959 from United States Bureau of Census Series P-25, No. 304, and 1918 - 1949 from
Series P-25, No. 139.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971

County	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Illinois	195,311	151,541	43,770	4,107	2,709	1,398	3,084	2,106	978	2,644	1,755	889
Adams	1,124	1,080	44	17	16	1	13	12	1	12	11	1
Alexander	224	125	99	5	1	4	3	1	2	2	--	2
Bond	200	197	3	3	3	--	1	1	--	4	4	--
Boone	560	555	5	9	9	--	6	6	--	7	7	--
Brown	94	94	--	5	5	--	4	4	--	--	--	--
Bureau	574	573	1	7	7	--	6	6	--	7	7	--
Calhoun	85	85	--	1	1	--	1	1	--	--	--	--
Carroll	306	298	8	3	3	--	3	3	--	2	2	--
Cass	247	246	1	5	5	--	5	5	--	6	6	--
Champaign	2,894	2,500	394	61	49	12	43	33	10	27	21	6
Christian	588	586	2	7	7	--	5	5	--	10	10	--
Clark	255	255	--	9	9	--	7	7	--	8	8	--
Clay	207	207	--	3	3	--	2	2	--	5	5	--
Clinton	460	458	2	10	10	--	7	7	--	6	6	--
Coles	789	777	12	15	15	--	10	10	--	9	9	--
Cook	100,205	64,249	35,956	2,305	1,150	1,155	1,697	896	801	1,507	775	732
Crawford	270	270	--	5	5	--	4	4	--	5	5	--
Cumberland	137	137	--	2	2	--	1	1	--	2	2	--
DeKalb	1,077	1,057	20	23	23	--	22	22	--	10	9	1
DeWitt	272	272	--	8	8	--	6	6	--	1	1	--
Douglas	288	286	2	6	6	--	6	6	--	3	3	--
DuPage	8,106	7,993	113	126	125	1	96	96	--	75	74	1
Edgar	315	314	1	6	6	--	5	5	--	2	2	--
Edwards	91	91	--	--	--	--	--	--	--	--	--	--
Effingham	400	399	1	6	6	--	4	4	--	7	7	--
Fayette	276	275	1	4	4	--	3	3	--	3	3	--
Ford	224	224	--	5	5	--	4	4	--	4	4	--
Franklin	594	594	--	11	11	--	8	8	--	12	12	--
Fulton	650	648	2	15	15	--	13	13	--	6	6	--
Gallatin	129	129	--	5	5	--	5	5	--	--	--	--
Greene	258	257	1	5	5	--	3	3	--	3	3	--
Grundy	478	478	--	6	6	--	3	3	--	3	3	--
Hamilton	95	95	--	2	2	--	2	2	--	--	--	--
Hancock	331	330	1	8	8	--	6	6	--	2	2	--
Hardin	78	78	--	--	--	--	--	--	--	2	2	--
Henderson	130	130	--	2	2	--	2	2	--	1	1	--
Henry	788	768	20	12	12	--	12	12	--	9	9	--
Iroquois	525	514	11	12	11	1	11	10	1	6	6	--
Jackson	901	776	125	16	13	3	10	8	2	6	4	2
Jasper	155	154	1	1	1	--	1	1	--	1	1	--
Jefferson	505	466	39	9	7	2	7	6	1	5	4	1
Jersey	300	300	--	6	6	--	5	5	--	4	4	--
Jo Daviess	381	381	--	9	9	--	4	4	--	3	3	--
Johnson	87	87	--	3	3	--	3	3	--	1	1	--
Kane	4,984	4,643	341	89	78	11	67	60	7	67	61	6
Kankakee	1,793	1,444	349	47	33	14	41	29	12	27	14	13
Kendall	468	466	2	9	9	--	7	7	--	6	6	--
Knox	911	870	41	24	23	1	18	17	1	11	11	--
Lake	6,697	6,026	671	111	91	20	87	70	17	89	71	18
LaSalle	1,731	1,718	13	35	35	--	30	30	--	22	22	--

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED

County	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Lawrence	226	222	4	7	7	--	5	5	--	--	--	--
Lee	589	570	19	14	14	--	8	8	--	7	7	--
Livingston	578	573	5	9	9	--	9	9	--	5	5	--
Logan	429	422	7	10	10	--	10	10	--	4	4	--
McDonough	527	517	10	8	8	--	6	6	--	5	5	--
McHenry	1,807	1,798	9	36	36	--	27	27	--	18	18	--
McLean	1,747	1,684	63	31	30	1	23	23	--	19	18	1
Macon	2,202	1,885	317	53	44	9	41	34	7	28	22	6
Macoupin	648	643	5	12	12	--	8	8	--	7	7	--
Madison	4,392	4,027	365	78	69	9	66	59	7	45	43	2
Marion	636	597	39	15	15	--	12	12	--	10	9	1
Marshall	216	216	--	2	2	--	2	2	--	1	1	--
Mason	282	282	--	3	3	--	1	1	--	3	3	--
Massac	145	136	9	4	2	2	2	1	1	1	1	--
Menard	139	139	--	--	--	--	--	--	--	2	2	--
Mercer	260	260	--	5	5	--	5	5	--	6	6	--
Monroe	255	254	1	4	4	--	3	3	--	5	5	--
Montgomery	451	447	4	8	8	--	8	8	--	9	9	--
Morgan	584	561	23	14	14	--	12	12	--	4	4	--
Moultrie	201	201	--	3	3	--	2	2	--	2	2	--
Ogle	746	743	3	13	13	--	11	11	--	7	7	--
Peoria	3,425	2,909	516	67	50	17	53	39	14	43	30	13
Perry	345	337	8	1	1	--	1	1	--	4	3	1
Piatt	231	230	1	2	2	--	2	2	--	4	4	--
Pike	311	311	--	2	2	--	2	2	--	2	2	--
Pope	47	46	1	--	--	--	--	--	--	--	--	--
Pulaski	143	85	58	7	1	6	5	1	4	5	2	3
Putnam	86	86	--	2	2	--	2	2	--	1	1	--
Randolph	474	449	25	13	11	2	8	6	2	3	3	--
Richland	259	259	--	6	6	--	5	5	--	3	3	--
Rock Island	2,826	2,620	206	67	55	12	52	45	7	37	32	5
St. Clair	5,201	3,107	2,094	137	68	69	94	48	46	74	35	39
Saline	405	393	12	10	10	--	8	8	--	3	3	--
Sangamon	2,722	2,491	231	60	54	6	46	40	6	47	42	5
Schuyler	100	100	--	1	1	--	1	1	--	2	2	--
Scott	86	85	1	5	5	--	5	5	--	2	2	--
Shelby	331	331	--	3	3	--	1	1	--	5	5	--
Stack	107	107	--	--	--	--	--	--	--	2	2	--
Stephenson	822	760	62	15	14	1	13	12	1	11	8	3
Tazewell	2,111	2,099	12	31	31	--	24	24	--	26	25	1
Union	248	248	--	5	5	--	5	5	--	2	2	--
Vermilion	1,686	1,523	163	35	30	5	22	19	3	23	18	5
Wabash	207	207	--	1	1	--	1	1	--	3	3	--
Warren	334	325	9	10	10	--	10	10	--	4	4	--
Washington	173	173	--	2	2	--	2	2	--	1	1	--
Wayne	262	262	--	2	2	--	2	2	--	5	5	--
White	203	203	--	1	1	--	1	1	--	2	2	--
Whiteside	1,198	1,183	15	27	25	2	22	21	1	12	12	--
Will	4,731	4,167	564	85	69	16	65	53	12	57	45	12
Williamson	756	743	13	10	10	--	7	7	--	8	8	--
Winnebago	4,740	4,127	613	75	59	16	52	40	12	48	39	9
Woodford	443	442	1	3	3	--	3	3	--	7	7	--
Unspecified	1	1	--	--	--	--	--	--	--	--	--	--

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971
(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1971. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

County	Live Births Total	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
Illinois	17.4	21.0	17.9	31.9	15.8	13.9	22.3	13.5	11.6	20.3
Adams	15.9	15.1	14.8	22.7	11.6	11.1	22.7	10.7	10.2	22.7
Alexander	18.7	22.3	8.0	40.4	13.4	8.0	20.2	8.9	-0-	20.2
Bond	14.3	15.0	15.2	-0-	5.0	5.1	-0-	20.0	20.3	-0-
Boone	21.7	16.1	16.2	-0-	10.7	10.8	-0-	12.5	12.6	-0-
Brown	17.1	53.2	53.2	-0-	42.6	42.6	-0-	-0-	-0-	-0-
Bureau	14.9	12.2	12.2	-0-	10.5	10.5	-0-	12.2	12.2	-0-
Calhoun	14.9	11.8	11.8	-0-	11.8	11.8	-0-	-0-	-0-	-0-
Carroll	15.9	9.8	10.1	-0-	9.8	10.1	-0-	6.5	6.7	-0-
Cass	17.4	20.2	20.3	-0-	20.2	20.3	-0-	24.3	24.4	-0-
Champaign	17.5	21.1	19.6	30.5	14.9	13.2	25.4	9.3	8.4	15.2
Christian	16.3	11.9	11.9	-0-	8.5	8.5	-0-	17.0	17.1	-0-
Clark	15.8	35.3	35.3	-0-	27.5	27.5	-0-	31.4	31.4	-0-
Clay	14.1	14.5	14.5	-0-	9.7	9.7	-0-	24.2	24.2	-0-
Clinton	16.1	21.7	21.8	-0-	15.2	15.3	-0-	13.0	13.1	-0-
Coles	16.4	19.0	19.3	-0-	12.7	12.9	-0-	11.4	11.6	-0-
Cook	18.1	23.0	17.9	32.1	16.9	13.9	22.3	15.0	12.1	20.4
Crawford	13.6	18.5	18.5	-0-	14.8	14.8	-0-	18.5	18.5	-0-
Cumberland	14.0	14.6	14.6	-0-	7.3	7.3	-0-	14.6	14.6	-0-
DeKalb	14.8	21.4	21.8	-0-	20.4	20.8	-0-	9.3	8.5	50.0
DeWitt	16.0	29.4	29.4	-0-	22.1	22.1	-0-	3.7	3.7	-0-
Douglas	15.2	20.8	21.0	-0-	20.8	21.0	-0-	10.4	10.5	-0-
DuPage	16.2	15.5	15.6	8.8	11.8	12.0	-0-	9.3	9.3	8.8
Edgar	14.6	19.0	19.1	-0-	15.9	15.9	-0-	6.3	6.4	-0-
Edwards	12.8	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Effingham	16.2	15.0	15.0	-0-	10.0	10.0	-0-	17.5	17.5	-0-
Fayette	13.3	14.5	14.5	-0-	10.9	10.9	-0-	10.9	10.9	-0-
Ford	13.7	22.3	22.3	-0-	17.9	17.9	-0-	17.9	17.9	-0-
Franklin	15.6	18.5	18.5	-0-	13.5	13.5	-0-	20.2	20.2	-0-
Fulton	15.5	23.1	23.1	-0-	20.0	20.1	-0-	9.2	9.3	-0-
Gallatin	17.7	38.8	38.8	-0-	38.8	38.8	-0-	-0-	-0-	-0-
Greene	15.2	19.4	19.5	-0-	11.6	11.7	-0-	11.6	11.7	-0-
Grundy	17.9	12.6	12.6	-0-	6.3	6.3	-0-	6.3	6.3	-0-
Hamilton	11.2	21.1	21.1	-0-	21.1	21.1	-0-	-0-	-0-	-0-
Hancock	14.0	24.2	24.2	-0-	18.1	18.2	-0-	6.0	6.1	-0-
Hardin	16.3	-0-	-0-	-0-	-0-	-0-	-0-	25.6	25.6	-0-
Henderson	15.5	15.4	15.4	-0-	15.4	15.4	-0-	7.7	7.7	-0-
Henry	14.8	15.2	15.6	-0-	15.2	15.6	-0-	11.4	11.7	-0-
Iroquois	15.6	22.9	21.4	90.9	21.0	19.5	90.9	11.4	11.7	-0-
Jackson	16.3	17.8	16.8	24.0	11.1	10.3	16.0	6.7	5.2	16.0
Jasper	14.6	6.5	6.5	-0-	6.5	6.5	-0-	6.5	6.5	-0-
Jefferson	16.0	17.8	15.0	51.3	13.9	12.9	25.6	9.9	8.6	25.6
Jersey	16.1	20.0	20.0	-0-	16.7	16.7	-0-	13.3	13.3	-0-
Jo Daviess	17.6	23.6	23.6	-0-	10.5	10.5	-0-	7.9	7.9	-0-
Johnson	11.6	34.5	34.5	-0-	34.5	34.5	-0-	11.5	11.5	-0-
Kane	19.6	17.9	16.8	32.3	13.4	12.9	20.5	13.4	13.1	17.6
Kankakee	18.3	26.2	22.9	40.1	22.9	20.1	34.4	15.1	9.7	37.2
Kendall	17.6	19.2	19.3	-0-	15.0	15.0	-0-	12.8	12.9	-0-
Knox	14.8	26.3	26.4	24.4	19.8	19.5	24.4	12.1	12.6	-0-
Lake	17.3	16.6	15.1	29.8	13.0	11.6	25.3	13.3	11.8	26.8
LaSalle	15.5	20.2	20.4	-0-	17.3	17.5	-0-	12.7	12.8	-0-

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED
(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1971. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

County	Live Births Total	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
Lawrence	13.0	31.0	31.5	-0-	22.1	22.5	-0-	-0-	-0-	-0-
Lee	15.5	23.8	24.6	-0-	13.6	14.0	-0-	11.9	12.3	-0-
Livingston	14.2	15.6	15.7	-0-	15.6	15.7	-0-	8.7	8.7	-0-
Logan	12.8	23.3	23.7	-0-	23.3	23.7	-0-	9.3	9.5	-0-
McDonough	14.3	15.2	15.5	-0-	11.4	11.6	-0-	9.5	9.7	-0-
McHenry	16.1	19.9	20.0	-0-	14.9	15.0	-0-	10.0	10.0	-0-
McLean	16.6	17.7	17.8	15.9	13.2	13.7	-0-	10.9	10.7	15.9
Macon	17.5	24.1	23.3	28.4	18.6	18.0	22.1	12.7	11.7	18.9
Macoupin	14.6	18.5	18.7	-0-	12.3	12.4	-0-	10.8	10.9	-0-
Madison	17.4	17.8	17.1	24.7	15.0	14.7	19.2	10.2	10.7	5.5
Marion	16.3	23.6	25.1	-0-	18.9	20.1	-0-	15.7	15.1	25.6
Marshall	16.2	9.3	9.3	-0-	9.3	9.3	-0-	4.6	4.6	-0-
Mason	17.4	10.6	10.6	-0-	3.5	3.5	-0-	10.6	10.6	-0-
Massac	10.5	27.6	14.7	222.2	13.8	7.4	111.1	6.9	7.4	-0-
Menard	14.3	-0-	-0-	-0-	-0-	-0-	-0-	14.4	14.4	-0-
Mercer	15.0	19.2	19.2	-0-	19.2	19.2	-0-	23.1	23.1	-0-
Monroe	13.5	15.7	15.7	-0-	11.8	11.8	-0-	19.6	19.7	-0-
Montgomery	14.9	17.7	17.9	-0-	17.7	17.9	-0-	20.0	20.1	-0-
Morgan	16.1	24.0	25.0	-0-	20.5	21.4	-0-	6.8	7.1	-0-
Moultrie	15.1	14.9	14.9	-0-	10.0	10.0	-0-	10.0	10.0	-0-
Ogle	17.3	17.4	17.5	-0-	14.7	14.8	-0-	9.4	9.4	-0-
Peoria	17.4	19.6	17.2	32.9	15.5	13.4	27.1	12.6	10.3	25.2
Perry	17.4	2.9	3.0	-0-	2.9	3.0	-0-	11.6	8.9	125.0
Piatt	14.8	8.7	8.7	-0-	8.7	8.7	-0-	17.3	17.4	-0-
Pike	16.2	6.4	6.4	-0-	6.4	6.4	-0-	6.4	6.4	-0-
Pope	12.4	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Pulaski	16.4	49.0	11.8	103.4	35.0	11.8	69.0	35.0	23.5	51.7
Putnam	16.9	23.3	23.3	-0-	23.3	23.3	-0-	11.6	11.6	-0-
Randolph	15.0	27.4	24.5	80.0	16.9	13.4	80.0	6.3	6.7	-0-
Richland	15.4	23.2	23.2	-0-	19.3	19.3	-0-	11.6	11.6	-0-
Rock Island	16.8	23.7	21.0	58.3	18.4	17.2	34.0	13.1	12.2	24.3
St. Clair	18.1	26.3	21.9	33.0	18.1	15.4	22.0	14.2	11.3	18.6
Saline	15.8	24.7	25.4	-0-	19.8	20.4	-0-	7.4	7.6	-0-
Sangamon	16.8	22.0	21.7	26.0	16.9	16.1	26.0	17.3	16.9	21.6
Schuyler	12.3	10.0	10.0	-0-	10.0	10.0	-0-	20.0	20.0	-0-
Scott	14.3	58.1	58.8	-0-	58.1	58.8	-0-	23.3	23.5	-0-
Shelby	14.6	9.1	9.1	-0-	3.0	3.0	-0-	15.1	15.1	-0-
Stark	14.3	-0-	-0-	-0-	-0-	-0-	-0-	18.7	18.7	-0-
Stephenson	16.8	18.2	18.4	16.1	15.8	15.8	16.1	13.4	10.5	48.4
Tazewell	17.6	14.7	14.8	-0-	11.4	11.4	-0-	12.3	11.9	83.3
Union	15.5	20.2	20.2	-0-	20.2	20.2	-0-	8.1	8.1	-0-
Vermilion	17.3	20.8	19.7	30.7	13.0	12.5	18.4	13.6	11.8	30.7
Wabash	16.0	4.8	4.8	-0-	4.8	4.8	-0-	14.5	14.5	-0-
Warren	15.5	29.9	30.8	-0-	29.9	30.8	-0-	12.0	12.3	-0-
Washington	12.6	11.6	11.6	-0-	11.6	11.6	-0-	5.8	5.8	-0-
Wayne	15.4	7.6	7.6	-0-	7.6	7.6	-0-	19.1	19.1	-0-
White	11.8	4.9	4.9	-0-	4.9	4.9	-0-	9.9	9.9	-0-
Whiteside	18.9	22.5	21.1	133.3	18.4	17.8	66.7	10.0	10.1	-0-
Will	18.7	18.0	16.6	28.4	13.7	12.7	21.3	12.0	10.8	21.3
Williamson	15.4	13.2	13.5	-0-	9.3	9.4	-0-	10.6	10.8	-0-
Winnebago	19.0	15.8	14.3	26.1	11.0	9.7	19.6	10.1	9.4	14.7
Woodford	15.7	6.8	6.8	-0-	6.8	6.8	-0-	15.8	15.8	-0-

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971

City	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Addison	612	608	4	11	11	--	9	9	--	5	5	--
Alsip	313	312	1	6	6	--	6	6	--	2	2	--
Alton	740	522	218	20	14	6	17	12	5	7	5	2
Arlington Heights	995	982	13	14	14	--	11	11	--	5	5	--
Aurora	1,787	1,587	200	39	33	6	28	24	4	24	22	2
Belleville	613	602	11	12	12	--	8	8	--	6	6	--
Bellwood	278	267	11	3	3	--	3	3	--	6	6	--
Belvidere	347	342	5	5	5	--	2	2	--	6	6	--
Bensenville	275	274	1	2	2	--	2	2	--	--	--	--
Berwyn	655	652	3	16	16	--	14	14	--	8	8	--
Bloomington	788	742	46	17	16	1	11	11	--	4	3	1
Blue Island	524	490	34	9	8	1	9	8	1	3	2	1
Bridgeview	292	291	1	2	2	--	2	2	--	1	1	--
Brookfield	281	275	6	2	2	--	2	2	--	2	2	--
Buffalo Grove	328	325	3	5	5	--	4	4	--	--	--	--
Burbank	350	347	3	5	5	--	3	3	--	4	4	--
Cahokia	383	373	10	12	12	--	9	9	--	4	4	--
Calumet City	563	559	4	7	7	--	6	6	--	4	4	--
Calumet Park	149	143	6	2	2	--	2	2	--	1	1	--
Canton	192	191	1	2	2	--	1	1	--	3	3	--
Carbondale	263	186	77	5	3	2	3	2	1	3	2	1
Carpentersville	508	507	1	10	10	--	7	7	--	6	6	--
Centralia	289	250	39	4	4	--	3	3	--	3	2	1
Centreville	170	20	150	12	3	9	7	1	6	2	--	2
Champaign	783	598	185	19	14	5	15	11	4	4	2	2
Charleston	257	252	5	6	6	--	4	4	--	2	2	--
Chicago	66,927	33,842	33,085	1,770	680	1,090	1,274	519	755	1,141	458	683
Chicago Heights	973	654	319	18	10	8	12	7	5	17	9	8
Cicero	1,014	1,007	7	17	17	--	14	14	--	10	10	--
Collinsville	337	332	5	4	4	--	4	4	--	4	4	--
Crystal Lake	229	226	3	5	5	--	3	3	--	2	2	--
Danville	829	676	153	18	15	3	8	7	1	15	10	5
DeKalb	367	355	12	10	10	--	9	9	--	5	4	1
Decatur	1,782	1,466	316	47	38	9	35	28	7	22	16	6
Deerfield	243	243	--	3	3	--	--	--	--	--	--	--
DesPlaines	1,073	1,056	17	14	14	--	12	12	--	16	16	--
Dixon	287	271	16	9	9	--	6	6	--	4	4	--
Dolton	367	365	2	4	4	--	2	2	--	8	7	1
Downers Grove	631	618	13	10	10	--	6	6	--	5	5	--
East Moline	358	315	43	5	3	2	4	3	1	5	5	--
East Peoria	346	342	4	7	7	--	5	5	--	6	6	--
East St. Louis	2,077	306	1,771	68	9	59	45	6	39	39	4	35
Edwardsville	176	162	14	2	2	--	2	2	--	--	--	--
Elgin	1,124	1,015	109	21	17	4	16	14	2	13	11	2
Elk Grove	337	335	2	4	4	--	3	3	--	3	3	--
Elmhurst	562	551	11	8	8	--	6	6	--	5	5	--
Elmwood Park	378	376	2	3	3	--	2	2	--	3	3	--
Evanston	1,111	805	306	15	10	5	9	7	2	18	10	8
Evergreen Park	215	214	1	1	1	--	1	1	--	2	2	--
Fairview Heights	158	157	1	2	2	--	1	1	--	5	5	--
Forest Park	322	305	17	7	7	--	6	6	--	3	3	--
Franklin Park	303	299	4	2	2	--	2	2	--	7	7	--
Freeport	493	431	62	9	8	1	8	7	1	9	6	3
Galesburg	536	495	41	13	12	1	10	9	1	8	8	--
Glen Ellyn	368	367	1	10	10	--	8	8	--	1	1	--
Glencoe	67	62	5	--	--	--	--	--	--	--	--	--
Glendale Heights	291	291	--	1	1	--	1	1	--	4	4	--
Glenview	396	390	6	6	5	1	6	5	1	7	7	--
Granite City	717	713	4	21	21	--	17	17	--	7	7	--
Hanover Park	399	397	2	4	4	--	2	2	--	3	3	--
Harvey	891	417	474	26	7	19	17	3	14	14	7	7
Hazel Crest	185	185	--	1	1	--	1	1	--	3	3	--
Hickory Hills	278	275	3	2	2	--	1	1	--	4	4	--
Highland Park	288	277	11	--	--	--	--	--	--	5	5	--
Hinsdale	192	186	6	2	2	--	2	2	--	3	3	--
Hoffman Estates	623	619	4	12	12	--	10	10	--	11	11	--
Homewood	171	168	3	3	3	--	2	2	--	--	--	--
Jacksonville	355	332	23	8	8	--	8	8	--	1	1	--
Joliet	1,575	1,183	392	32	19	13	24	14	10	25	18	7
Kankakee	661	459	202	17	8	9	14	6	8	16	7	9
Kewanee	202	184	18	4	4	--	4	4	--	2	2	--
LaGrange	254	228	26	4	3	1	3	3	--	1	1	--
LaGrange Park	127	126	1	1	1	--	--	--	--	1	1	--
LaSalle	163	162	1	3	3	--	3	3	--	6	6	--
Lake Forest	118	111	7	1	1	--	1	1	--	1	--	1
Lansing	409	407	2	8	8	--	7	7	--	6	6	--

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971 -- CONTINUED

City	Live Births			Infant Deaths			Neonatal Deaths			Fetal Deaths		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Libertyville . . .	179	179	--	1	1	--	1	1	--	1	1	--
Lincoln . . .	240	233	7	5	5	--	5	5	--	2	2	--
Lincolnwood . . .	65	63	2	--	--	--	--	--	--	--	--	--
Lombard . . .	591	586	5	9	8	1	6	6	--	8	8	--
Loves Park . . .	272	272	--	4	4	--	3	3	--	1	1	--
Lyons . . .	201	200	1	7	7	--	6	6	--	2	2	--
Macomb . . .	227	217	10	2	2	--	2	2	--	3	3	--
Marion . . .	176	169	7	--	--	--	--	--	--	5	5	--
Markham . . .	310	92	218	5	2	3	4	2	2	7	1	6
Mattoon . . .	354	348	6	5	5	--	5	5	--	1	1	--
Maywood . . .	585	215	370	19	9	10	15	7	8	7	4	3
Melrose Park . . .	605	598	7	8	7	1	7	7	--	4	4	--
Midlothian . . .	269	268	1	8	8	--	6	6	--	5	5	--
Moline . . .	806	794	12	23	23	--	21	21	--	13	13	--
Monmouth . . .	164	156	8	--	--	--	--	--	--	2	2	--
Morton Grove . . .	204	202	2	2	2	--	2	2	--	4	4	--
Morton . . .	150	148	2	2	2	--	2	2	--	2	2	--
Mount Prospect . . .	546	536	10	7	7	--	7	7	--	7	7	--
Mount Vernon . . .	297	259	38	8	6	2	6	5	1	3	2	1
Mundelein . . .	303	302	1	6	6	--	4	4	--	1	1	--
Murphysboro . . .	165	141	24	5	4	1	3	2	1	--	--	--
Naperville . . .	290	287	3	7	7	--	6	6	--	1	1	--
Niles . . .	355	349	6	3	3	--	3	3	--	2	2	--
Normal . . .	340	324	16	5	5	--	5	5	--	5	5	--
Norridge . . .	149	149	--	1	1	--	1	1	--	4	4	--
North Chicago . . .	414	208	206	10	2	8	8	2	6	6	1	5
North Lake . . .	207	203	4	5	5	--	4	4	--	2	2	--
Northbrook . . .	386	384	2	5	5	--	4	4	--	2	2	--
Oak Forest . . .	471	471	--	8	8	--	8	8	--	6	6	--
Oak Lawn . . .	812	800	12	13	13	--	12	12	--	9	9	--
Oak Park . . .	777	739	38	15	15	--	12	12	--	5	5	--
Ottawa . . .	276	273	3	6	6	--	6	6	--	3	3	--
Palatine . . .	497	493	4	12	12	--	10	10	--	6	6	--
Paris . . .	158	157	1	1	1	--	1	1	--	--	--	--
Park Forest . . .	554	505	49	8	8	--	5	5	--	5	5	--
Park Ridge . . .	387	382	5	5	5	--	4	4	--	3	3	--
Pekin . . .	574	572	2	9	9	--	7	7	--	11	10	1
Peoria . . .	2,326	1,817	509	44	28	16	34	21	13	31	18	13
Peru . . .	178	178	--	3	3	--	1	1	--	1	1	--
Pontiac . . .	166	166	--	3	3	--	3	3	--	1	1	--
Quincy . . .	700	659	41	12	11	1	9	8	1	8	7	1
Rantoul . . .	699	627	72	16	15	1	10	9	1	8	6	2
River Forest . . .	141	133	8	3	3	--	2	2	--	3	3	--
River Grove . . .	214	212	2	7	7	--	7	7	--	4	4	--
Riverdale . . .	248	244	4	4	4	--	4	4	--	3	3	--
Riverside . . .	94	94	--	1	1	--	1	1	--	--	--	--
Rock Falls . . .	281	279	2	8	7	1	8	7	1	2	2	--
Rock Island . . .	803	659	144	23	13	10	17	11	6	11	6	5
Rockford . . .	3,007	2,434	573	52	36	16	38	26	12	30	21	9
Rolling Meadows . . .	448	443	5	8	8	--	5	5	--	3	2	1
Romeoville . . .	241	240	1	7	7	--	5	5	--	6	6	--
Schaumburg . . .	505	503	2	7	7	--	4	4	--	3	3	--
Schiller Park . . .	257	255	2	7	7	--	7	7	--	2	1	1
Skokie . . .	621	612	9	7	6	1	6	5	1	10	9	1
South Holland . . .	280	280	--	5	5	--	3	3	--	4	4	--
Springfield . . .	1,615	1,394	221	38	32	6	29	23	6	29	24	5
St. Charles . . .	229	228	1	3	3	--	3	3	--	2	2	--
Sterling . . .	297	287	10	8	7	1	4	4	--	2	2	--
Streamwood . . .	488	482	6	3	3	--	3	3	--	4	4	--
Streator . . .	294	287	7	3	3	--	2	2	--	4	4	--
Summit . . .	271	195	76	8	5	3	8	5	3	3	1	2
Taylorville . . .	195	193	2	3	3	--	2	2	--	--	--	--
Tinley Park . . .	422	421	1	9	9	--	5	5	--	5	5	--
Urbana . . .	474	361	113	15	10	5	10	6	4	9	7	2
Villa Park . . .	456	452	4	10	10	--	9	9	--	3	3	--
Waukegan . . .	1,588	1,284	304	32	26	6	27	22	5	27	19	8
West Chicago . . .	231	228	3	2	2	--	2	2	--	2	2	--
Westchester . . .	142	140	2	1	1	--	1	1	--	3	3	--
Western Springs . . .	126	126	--	1	1	--	1	1	--	2	2	--
Wheaton . . .	460	433	27	4	4	--	3	3	--	10	9	1
Wheeling . . .	329	324	5	3	3	--	3	3	--	4	4	--
Wilmette . . .	240	233	7	3	3	--	2	2	--	--	--	--
Winnetka . . .	110	109	1	3	3	--	3	3	--	1	1	--
Wood River . . .	250	249	1	8	8	--	6	6	--	4	4	--
Woodridge . . .	311	307	4	9	9	--	9	9	--	4	4	--
Woodstock . . .	177	176	1	3	3	--	2	2	--	3	3	--
Worth . . .	246	246	--	5	5	--	5	5	--	5	5	--
Zion . . .	513	449	64	11	9	2	10	8	2	11	10	1

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1971. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

City	Live Births Totals	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Addison	25.0	18.0	18.1	-0-	14.7	14.8	-0-	8.2	8.2	-0-
Alsip	25.9	19.2	19.2	-0-	19.2	19.2	-0-	6.4	6.4	-0-
Alton	18.6	27.0	26.8	27.5	23.0	23.0	22.9	9.5	9.6	9.2
Arlington Heights	15.3	14.1	14.3	-0-	11.1	11.2	-0-	5.0	5.1	-0-
Aurora	24.1	21.8	20.8	30.0	15.7	15.1	20.0	13.4	13.9	10.0
Belleville	14.7	19.6	19.9	-0-	13.1	13.3	-0-	9.8	10.0	-0-
Bellwood	12.5	10.8	11.2	-0-	10.8	11.2	-0-	21.6	22.5	-0-
Belvidere	24.4	14.4	14.6	-0-	5.8	5.8	-0-	17.3	17.5	-0-
Bensenville	20.4	7.3	7.3	-0-	7.3	7.3	-0-	-0-	-0-	-0-
Berwyn	12.5	24.4	24.5	-0-	21.4	21.5	-0-	12.2	12.3	-0-
Bloomington	19.7	21.6	21.6	21.7	14.0	14.8	-0-	5.1	4.0	21.7
Blue Island	22.8	17.2	16.3	29.4	17.2	16.3	29.4	5.7	4.1	29.4
Bridgeview	23.2	6.8	6.9	-0-	6.8	6.9	-0-	3.4	3.4	-0-
Brookfield	13.8	7.1	7.3	-0-	7.1	7.3	-0-	7.1	7.3	-0-
Buffalo Grove	27.8	15.2	15.4	-0-	12.2	12.3	-0-	-0-	-0-	-0-
Burbank	12.9	14.3	14.4	-0-	8.6	8.6	-0-	11.4	11.5	-0-
Cahokia	18.5	31.3	32.2	-0-	23.5	24.1	-0-	10.4	10.7	-0-
Calumet City	17.0	12.4	12.5	-0-	10.7	10.7	-0-	7.1	7.2	-0-
Calumet Park	14.6	13.4	14.0	-0-	13.4	14.0	-0-	6.7	7.0	-0-
Canton	13.4	10.4	10.5	-0-	5.2	5.2	-0-	15.6	15.7	-0-
Carbondale	11.5	19.0	16.1	26.0	11.4	10.8	13.0	11.4	10.8	13.0
Carpentersville	21.0	19.7	19.7	-0-	13.8	13.8	-0-	11.8	11.8	-0-
Centralia	18.9	13.8	16.0	-0-	10.4	12.0	-0-	10.4	8.0	25.6
Centreville	14.8	70.6	150.0	60.0	41.2	50.0	40.0	11.8	-0-	13.3
Champaign	13.8	24.3	23.4	27.0	19.2	18.4	21.6	5.1	3.3	10.8
Charleston	15.6	23.3	23.8	-0-	15.6	15.9	-0-	7.8	7.9	-0-
Chicago	19.8	26.4	20.1	32.9	19.0	15.3	22.8	17.0	13.5	20.6
Chicago Heights	23.7	18.5	15.3	25.1	12.3	10.7	15.7	17.5	13.8	25.1
Cicero	15.1	16.8	16.9	-0-	13.8	13.9	-0-	9.9	9.9	-0-
Collinsville	17.2	11.9	12.0	-0-	11.9	12.0	-0-	11.9	12.0	-0-
Crystal Lake	15.5	21.8	22.1	-0-	13.1	13.3	-0-	8.7	8.8	-0-
Danville	19.5	21.7	22.2	19.6	9.7	10.4	6.5	18.1	14.8	32.7
DeKalb	11.1	27.2	28.2	-0-	24.5	25.4	-0-	13.6	11.3	83.3
Decatur	19.7	26.4	25.9	28.5	19.6	19.1	22.2	12.3	10.9	19.0
Deerfield	12.8	12.3	12.3	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Des Plaines	18.7	13.0	13.3	-0-	11.2	11.4	-0-	14.9	15.2	-0-
Dixon	15.8	31.4	33.2	-0-	20.9	22.1	-0-	13.9	14.8	-0-
Dolton	14.1	10.9	11.0	-0-	5.4	5.5	-0-	21.8	19.2	500.0
Downers Grove	18.8	15.8	16.2	-0-	9.5	9.7	-0-	7.9	8.1	-0-
East Moline	17.1	14.0	9.5	46.5	11.2	9.5	23.3	14.0	15.9	-0-
East Peoria	18.7	20.2	20.5	-0-	14.5	14.6	-0-	17.3	17.5	-0-
East St. Louis	29.6	32.7	29.4	33.3	21.7	19.6	22.0	18.8	13.1	19.8
Edwardsville	15.9	11.4	12.3	-0-	11.4	12.3	-0-	-0-	-0-	-0-
Elgin	20.2	18.7	16.7	36.7	14.2	13.8	18.3	11.6	10.8	18.3
Elk Grove	15.3	11.9	11.9	-0-	8.9	9.0	-0-	8.9	9.0	-0-
Elmhurst	11.5	14.2	14.5	-0-	10.7	10.9	-0-	8.9	9.1	-0-
Elmwood Park	14.4	7.9	8.0	-0-	5.3	5.3	-0-	7.9	8.0	-0-
Evanston	13.9	13.5	12.4	16.3	8.1	8.7	6.5	16.2	12.4	26.1
Evergreen Park	8.3	4.7	4.7	-0-	4.7	4.7	-0-	9.3	9.3	-0-
Fairview Heights	15.0	12.7	12.7	-0-	6.3	6.4	-0-	31.6	31.8	-0-
Forest Park	20.8	21.7	23.0	-0-	18.6	19.7	-0-	9.3	9.8	-0-
Franklin Park	14.8	6.6	6.7	-0-	6.6	6.7	-0-	23.1	23.4	-0-
Freeport	17.7	18.3	18.6	16.1	16.2	16.2	16.1	18.3	13.9	48.4
Galesburg	14.8	24.3	24.2	24.4	18.7	18.2	24.4	14.9	16.2	-0-
Glen Ellyn	16.7	27.2	27.2	-0-	21.7	21.8	-0-	2.7	2.7	-0-
Glencoe	6.3	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Glendale Heights	25.1	3.4	3.4	-0-	3.4	3.4	-0-	13.7	13.7	-0-
Glenview	13.6	15.2	12.8	166.7	15.2	12.8	166.7	17.7	17.9	-0-
Granite City	17.6	29.3	29.5	-0-	23.7	23.8	-0-	9.8	9.8	-0-
Hanover Park	33.3	10.0	10.1	-0-	5.0	5.0	-0-	7.5	7.6	-0-
Harvey	25.7	29.2	16.8	40.1	19.1	7.2	29.5	15.7	16.8	14.8
Hazel Crest	17.8	5.4	5.4	-0-	5.4	5.4	-0-	16.2	16.2	-0-
Hickory Hills	21.1	7.2	7.3	-0-	3.6	3.6	-0-	14.4	14.5	-0-
Highland Park	8.9	-0-	-0-	-0-	-0-	-0-	-0-	17.4	18.1	-0-
Hinsdale	12.0	10.4	10.8	-0-	10.4	10.8	-0-	15.6	16.1	-0-
Hoffman Estates	27.9	19.3	19.4	-0-	16.1	16.2	-0-	17.7	17.8	-0-
Homewood	9.0	17.5	17.9	-0-	11.7	11.9	-0-	-0-	-0-	-0-
Jacksonville	17.2	22.5	24.1	-0-	22.5	24.1	-0-	2.8	3.0	-0-
Joliet	19.9	20.3	16.1	33.2	15.2	11.8	25.5	15.9	15.2	17.9
Kankakee	21.3	25.7	17.4	44.6	21.2	13.1	39.6	24.2	15.3	44.6
Kewanee	12.8	19.8	21.7	-0-	19.8	21.7	-0-	9.9	10.9	-0-
La Grange	14.2	15.7	13.2	38.5	11.8	13.2	-0-	3.9	4.4	-0-
La Grange Park	8.2	7.9	7.9	-0-	-0-	-0-	-0-	7.9	7.9	-0-
La Salle	15.1	18.4	18.5	-0-	18.4	18.5	-0-	36.8	37.0	-0-
Lake Forest	7.5	8.5	9.0	-0-	8.5	9.0	-0-	8.5	-0-	142.9
Lansing	15.8	19.6	19.7	-0-	17.1	17.2	-0-	14.7	14.7	-0-
Libertyville	15.3	5.6	5.6	-0-	5.6	5.6	-0-	5.6	5.6	-0-

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971 -- CONTINUED
(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1971. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

City	Live Births Totals	Infant Deaths			Neonatal Deaths			Fetal Deaths		
		Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Lincoln	13.6	20.8	21.5	-0-	20.8	21.5	-0-	8.3	8.6	-0-
Lincolnwood	5.0	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
Lombard	16.3	15.2	13.7	200.0	10.2	10.2	-0-	13.5	13.7	-0-
Loves Park	21.8	14.7	14.7	-0-	11.0	11.0	-0-	3.7	3.7	-0-
Lyons	17.9	34.8	35.0	-0-	29.9	30.0	-0-	10.0	10.0	-0-
Macomb	11.5	8.8	9.2	-0-	8.8	9.2	-0-	13.2	13.8	-0-
Marion	14.9	-0-	-0-	-0-	-0-	-0-	-0-	28.4	29.6	-0-
Markham	19.1	16.1	21.7	13.8	12.9	21.7	9.2	22.6	10.9	27.5
Mattoon	17.9	14.1	14.4	-0-	14.1	14.4	-0-	2.8	2.9	-0-
Maywood	20.1	32.5	41.9	27.0	25.6	32.6	21.6	12.0	18.6	8.1
Melrose Park	26.5	13.2	11.7	142.9	11.6	11.7	-0-	6.6	6.7	-0-
Midlothian	16.8	29.7	29.9	-0-	22.3	22.4	-0-	18.6	18.7	-0-
Moline	17.4	28.5	29.0	-0-	26.1	26.4	-0-	16.1	16.4	-0-
Monmouth	14.8	-0-	-0-	-0-	-0-	-0-	-0-	12.2	12.8	-0-
Morton Grove	7.7	9.8	9.9	-0-	9.8	9.9	-0-	19.6	19.8	-0-
Morton	14.2	13.3	13.5	-0-	13.3	13.5	-0-	13.3	13.5	-0-
Mount Prospect	12.1	12.8	13.1	-0-	12.8	13.1	-0-	12.8	13.1	-0-
Mount Vernon	18.1	26.9	23.2	52.6	20.2	19.3	26.3	10.1	7.7	26.3
Mundelein	18.7	19.8	19.9	-0-	13.2	13.2	-0-	3.3	3.3	-0-
Murphysboro	16.3	30.3	28.4	41.7	18.2	14.2	41.7	-0-	-0-	-0-
Naperville	12.7	24.1	24.4	-0-	20.7	20.9	-0-	3.4	3.5	-0-
Niles	11.3	8.5	8.6	-0-	8.5	8.6	-0-	5.6	5.7	-0-
Normal	12.8	14.7	15.4	-0-	14.7	15.4	-0-	14.7	15.4	-0-
Norridge	8.7	6.7	6.7	-0-	6.7	6.7	-0-	26.8	26.8	-0-
North Chicago	8.7	24.2	9.6	38.8	19.3	9.6	29.1	14.5	4.8	24.3
North Lake	14.5	24.2	24.6	-0-	19.3	19.7	-0-	9.7	9.9	-0-
Northbrook	14.1	13.0	13.0	-0-	10.4	10.4	-0-	5.2	5.2	-0-
Oak Forest	25.9	17.0	17.0	-0-	17.0	17.0	-0-	12.7	12.7	-0-
Oak Lawn	13.4	16.0	16.3	-0-	14.8	15.0	-0-	11.1	11.3	-0-
Oak Park	12.4	19.3	20.3	-0-	15.4	16.2	-0-	6.4	6.8	-0-
Ottawa	14.7	21.7	22.0	-0-	21.7	22.0	-0-	10.9	11.0	-0-
Palatine	19.0	24.1	24.3	-0-	20.1	20.3	-0-	12.1	12.2	-0-
Paris	15.8	6.3	6.4	-0-	6.3	6.4	-0-	-0-	-0-	-0-
Park Forest	17.9	14.4	15.8	-0-	9.0	9.9	-0-	9.0	9.9	-0-
Park Ridge	9.1	12.9	13.1	-0-	10.3	10.5	-0-	7.8	7.9	-0-
Pekin	18.3	15.7	15.7	-0-	12.2	12.2	-0-	19.2	17.5	500.0
Peoria	18.3	18.9	15.4	31.4	14.6	11.6	25.5	13.3	9.9	25.5
Peru	15.1	16.9	16.9	-0-	5.6	5.6	-0-	5.6	5.6	-0-
Pontiac	15.7	18.1	18.1	-0-	18.1	18.1	-0-	6.0	6.0	-0-
Quincy	15.5	17.1	16.7	24.4	12.9	12.1	24.4	11.4	10.6	24.4
Rantoul	27.3	22.9	23.9	13.9	14.3	14.4	13.9	11.4	9.6	27.8
River Forest	10.5	21.3	22.6	-0-	14.2	15.0	-0-	21.3	22.6	-0-
River Grove	18.4	32.7	33.0	-0-	32.7	33.0	-0-	18.7	18.9	-0-
Riverdale	15.5	16.1	16.4	-0-	16.1	16.4	-0-	12.1	12.3	-0-
Riverside	9.0	10.6	10.6	-0-	10.6	10.6	-0-	-0-	-0-	-0-
Rock Falls	27.3	28.5	25.1	500.0	28.5	25.1	500.0	7.1	7.2	-0-
Rock Island	16.0	28.6	19.7	69.4	21.2	16.7	41.7	13.7	9.1	34.7
Rockford	20.3	17.3	14.8	27.9	12.6	10.7	20.9	10.0	8.6	15.7
Rolling Meadows	23.3	17.9	18.1	-0-	11.2	11.3	-0-	6.7	4.5	200.0
Romeoville	18.8	29.0	29.2	-0-	20.7	20.8	-0-	24.9	25.0	-0-
Schaumburg	26.6	13.9	13.9	-0-	7.9	8.0	-0-	5.9	6.0	-0-
Schiller Park	19.9	27.2	27.5	-0-	27.2	27.5	-0-	7.8	3.9	500.0
Skokie	9.1	11.3	9.8	111.1	9.7	8.2	111.1	16.1	14.7	111.1
South Holland	11.7	17.9	17.9	-0-	10.7	10.7	-0-	14.3	14.3	-0-
Springfield	17.6	23.5	23.0	27.1	18.0	16.5	27.1	18.0	17.2	22.6
St. Charles	17.3	13.1	13.2	-0-	13.1	13.2	-0-	8.7	8.8	-0-
Sterling	18.3	26.9	24.4	100.0	13.5	13.9	-0-	6.7	7.0	-0-
Streamwood	26.4	6.1	6.2	-0-	6.1	6.2	-0-	8.2	8.3	-0-
Streator	18.8	10.2	10.5	-0-	6.8	7.0	-0-	13.6	13.9	-0-
Summit	23.4	29.5	25.6	39.5	29.5	25.6	39.5	11.1	5.1	26.3
Taylorville	17.7	15.4	15.5	-0-	10.3	10.4	-0-	-0-	-0-	-0-
Tinley Park	33.5	21.3	21.4	-0-	11.8	11.9	-0-	11.8	11.9	-0-
Urbana	14.4	31.6	27.7	44.2	21.1	16.6	35.4	19.0	19.4	17.7
Villa Park	17.5	21.9	22.1	-0-	19.7	19.9	-0-	6.6	6.6	-0-
Waukegan	24.3	20.2	20.2	19.7	17.0	17.1	16.4	17.0	14.8	26.3
West Chicago	22.4	8.7	8.8	-0-	8.7	8.8	-0-	8.7	8.8	-0-
Westchester	7.1	7.0	7.1	-0-	7.0	7.1	-0-	21.1	21.4	-0-
Western Springs	9.6	7.9	7.9	-0-	7.9	7.9	-0-	15.9	15.9	-0-
Wheaton	14.7	8.7	9.2	-0-	6.5	6.9	-0-	21.7	20.8	37.0
Wheeling	22.2	9.1	9.3	-0-	9.1	9.3	-0-	12.2	12.3	-0-
Wilmette	7.5	12.5	12.9	-0-	8.3	8.6	-0-	-0-	-0-	-0-
Winnetka	7.9	27.3	27.5	-0-	27.3	27.5	-0-	9.1	9.2	-0-
Wood River	18.9	32.0	32.1	-0-	24.0	24.1	-0-	16.0	16.1	-0-
Woodridge	27.5	28.9	29.3	-0-	28.9	29.3	-0-	12.9	13.0	-0-
Woodstock	17.0	16.9	17.0	-0-	11.3	11.4	-0-	16.9	17.0	-0-
Worth	20.3	20.3	20.3	-0-	20.3	20.3	-0-	20.3	20.3	-0-
Zion	29.7	21.4	20.0	31.3	19.5	17.8	31.3	21.4	22.3	15.6

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS
BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971

County	Live Births					Infant Deaths By Age						Maternal Deaths
	Total	Premature Births		Hospital Births		Under 7 Days		7 to 28 Days		1 to 11 Months		
		Number	Percent of Total	Number	Percent of Total	Number	Rate	Number	Rate	Number	Rate	
Illinois	195,311	15,534	7.95	193,711	99.18	2,824	14.5	260	1.3	1,023	5.2	51
Adams	1,124	78	6.94	1,123	99.91	13	11.6	--	-0-	4	3.6	1
Alexander	224	19	8.48	222	99.11	3	13.4	--	-0-	2	8.9	--
Bond	200	9	4.50	199	99.50	1	5.0	--	-0-	2	10.0	--
Boone	560	34	6.07	559	99.82	4	7.1	2	3.6	3	5.4	--
Brown	94	8	8.51	94	100.00	4	42.6	--	-0-	1	10.6	--
Bureau	574	23	4.01	574	100.00	5	8.7	1	1.7	1	1.7	--
Calhoun	85	6	7.06	81	95.29	1	11.8	--	-0-	--	-0-	--
Carroll	306	15	4.90	303	99.02	3	9.8	--	-0-	--	-0-	--
Cass	247	10	4.05	247	100.00	4	16.2	1	4.0	--	-0-	--
Champaign	2,894	229	7.91	2,889	99.83	38	13.1	5	1.7	18	6.2	1
Christian	588	41	6.97	585	99.49	5	8.5	--	-0-	2	3.4	--
Clark	255	21	8.24	254	99.61	4	15.7	3	11.8	2	7.8	--
Clay	207	11	5.31	207	100.00	2	9.7	--	-0-	1	4.8	--
Clinton	460	23	5.00	459	99.78	7	15.2	--	-0-	3	6.5	--
Coles	789	39	4.94	786	99.62	8	10.1	2	2.5	5	6.3	--
Cook	100,205	9,001	8.98	98,842	98.64	1,543	15.4	154	1.5	608	6.1	31
Crawford	270	12	4.44	270	100.00	3	11.1	1	3.7	1	3.7	--
Cumberland	137	6	4.38	137	100.00	1	7.3	--	-0-	1	7.3	--
DeKalb	1,077	55	5.11	1,074	99.72	22	20.4	--	-0-	1	0.9	--
DeWitt	272	19	6.99	271	99.63	6	22.1	--	-0-	2	7.4	--
Douglas	288	13	4.51	288	100.00	6	20.8	--	-0-	--	-0-	--
DuPage	8,106	462	5.70	8,084	99.73	88	10.9	8	1.0	30	3.7	--
Edgar	315	21	6.67	315	100.00	3	9.5	2	6.3	1	3.2	1
Edwards	91	4	4.40	91	100.00	--	-0-	--	-0-	--	-0-	--
Effingham	400	26	6.50	398	99.50	4	10.0	--	-0-	2	5.0	--
Fayette	276	19	6.88	276	100.00	3	10.9	--	-0-	1	3.6	--
Ford	224	13	5.80	223	99.55	4	17.9	--	-0-	1	4.5	--
Franklin	594	39	6.57	593	99.83	7	11.8	1	1.7	3	5.1	--
Fulton	650	52	8.00	650	100.00	13	20.0	--	-0-	2	3.1	--
Gallatin	129	9	6.98	128	99.22	4	31.0	1	7.8	--	-0-	--
Greene	258	10	3.88	257	99.61	3	11.6	--	-0-	2	7.8	--
Grundy	478	20	4.18	478	100.00	3	6.3	--	-0-	3	6.3	--
Hamilton	95	4	4.21	94	98.95	2	21.1	--	-0-	--	-0-	--
Hancock	331	20	6.04	331	100.00	6	18.1	--	-0-	2	6.0	--
Hardin	78	6	7.69	78	100.00	--	-0-	--	-0-	--	-0-	--
Henderson	130	9	6.92	129	99.23	1	7.7	1	7.7	--	-0-	--
Henry	788	39	4.95	787	99.87	12	15.2	--	-0-	--	-0-	--
Iroquois	525	39	7.43	523	99.62	9	17.1	2	3.8	1	1.9	--
Jackson	901	57	6.33	900	99.89	10	11.1	--	-0-	6	6.7	--
Jasper	155	13	8.39	155	100.00	1	6.5	--	-0-	--	-0-	--
Jefferson	505	24	4.75	503	99.60	7	13.9	--	-0-	2	4.0	1
Jersey	300	18	6.00	300	100.00	3	10.0	2	6.7	1	3.3	--
Jo Daviess	381	18	4.72	379	99.48	4	10.5	--	-0-	5	13.1	--
Johnson	87	7	8.05	87	100.00	3	34.5	--	-0-	--	-0-	--
Kane	4,984	317	6.36	4,973	99.78	65	13.0	2	0.4	22	4.4	--
Kankakee	1,793	170	9.48	1,787	99.67	38	21.2	3	1.7	6	3.3	--
Kendall	468	26	5.56	468	100.00	7	15.0	--	-0-	2	4.3	--
Knox	911	69	7.57	910	99.89	17	18.7	1	1.1	6	6.6	--
Lake	6,697	461	6.88	6,677	99.70	77	11.5	10	1.5	24	3.6	2
La Salle	1,731	128	7.39	1,727	99.77	28	16.2	2	1.2	5	2.9	--

Premature Births are Births of 2,500 Grams Weight and Under.
Numbers and Rates for Total Infant Deaths are Given in Tables 2A and 2B.
Rates Per 1,000 Live Births.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED

County	Live Births					Infant Deaths By Age						Maternal Deaths
	Total	Premature Births		Hospital Births		Under 7 Days		7 to 28 Days		1 to 11 Months		
		Number	Percent of Total	Number	Percent of Total	Number	Rate	Number	Rate	Number	Rate	
Lawrence	226	19	8.41	226	100.00	4	17.7	1	4.4	2	8.8	--
Lee	589	34	5.77	589	100.00	8	13.6	--	-0-	6	10.2	1
Livingston	578	30	5.19	577	99.83	8	13.8	1	1.7	--	-0-	--
Logan	429	34	7.93	427	99.53	10	23.3	--	-0-	--	-0-	--
McDonough	527	32	6.07	526	99.81	6	11.4	--	-0-	2	3.8	--
McHenry	1,807	130	7.19	1,803	99.78	24	13.3	3	1.7	9	5.0	--
McLean	1,747	126	7.21	1,742	99.71	21	12.0	2	1.1	8	4.6	--
Macon	2,202	165	7.49	2,199	99.86	38	17.3	3	1.4	12	5.4	--
Macoupin	648	30	4.63	646	99.69	8	12.3	--	-0-	4	6.2	--
Madison	4,392	310	7.06	4,385	99.84	62	14.1	4	0.9	12	2.7	--
Marion	636	51	8.02	635	99.84	12	18.9	--	-0-	3	4.7	--
Marshall	216	11	5.09	215	99.54	2	9.3	--	-0-	--	-0-	--
Mason	282	20	7.09	282	100.00	1	3.5	--	-0-	2	7.1	--
Massac	145	7	4.83	145	100.00	1	6.9	1	6.9	2	13.8	--
Menard	139	9	6.47	139	100.00	--	-0-	--	-0-	--	-0-	--
Mercer	260	14	5.38	259	99.62	4	15.4	1	3.8	--	-0-	--
Monroe	255	18	7.06	254	99.61	3	11.8	--	-0-	1	3.9	--
Montgomery	451	20	4.43	450	99.78	8	17.7	--	-0-	--	-0-	--
Morgan	584	41	7.02	580	99.32	12	20.5	--	-0-	2	3.4	--
Moultrie	201	12	5.97	201	100.00	2	10.0	--	-0-	1	5.0	--
Ogle	746	35	4.69	742	99.46	10	13.4	1	1.3	2	2.7	--
Peoria	3,425	227	6.63	3,417	99.77	49	14.3	4	1.2	14	4.1	1
Perry	345	26	7.54	344	99.71	1	2.9	--	-0-	--	-0-	--
Piatt	231	15	6.49	231	100.00	2	8.7	--	-0-	--	-0-	--
Pike	311	18	5.79	310	99.68	2	6.4	--	-0-	--	-0-	1
Pope	47	2	4.26	47	100.00	--	-0-	--	-0-	--	-0-	--
Pulaski	143	15	10.49	143	100.00	4	28.0	1	7.0	2	14.0	--
Putnam	86	7	8.14	85	98.84	2	23.3	--	-0-	--	-0-	--
Randolph	474	41	8.65	474	100.00	7	14.8	1	2.1	5	10.5	1
Richland	259	20	7.72	258	99.61	5	19.3	--	-0-	1	3.9	--
Rock Island	2,826	201	7.11	2,820	99.79	47	16.6	5	1.8	15	5.3	--
St. Clair	5,201	553	10.63	5,182	99.63	90	17.3	4	0.8	43	8.3	2
Saline	405	24	5.93	404	99.75	7	17.3	1	2.5	2	4.9	--
Sangamon	2,722	210	7.71	2,719	99.89	43	15.8	3	1.1	14	5.1	1
Schuyler	100	7	7.00	100	100.00	1	10.0	--	-0-	--	-0-	--
Scott	86	6	6.98	86	100.00	5	58.1	--	-0-	--	-0-	--
Shelby	331	17	5.14	330	99.70	1	3.0	--	-0-	2	6.0	--
Stark	107	8	7.48	106	99.07	--	-0-	--	-0-	--	-0-	--
Stephenson	822	50	6.08	820	99.76	11	13.4	2	2.4	2	2.4	--
Tazewell	2,111	141	6.68	2,107	99.81	24	11.4	--	-0-	7	3.3	2
Union	248	18	7.26	246	99.19	5	20.2	--	-0-	--	-0-	--
Vermilion	1,686	115	6.82	1,683	99.82	22	13.0	--	-0-	13	7.7	--
Wabash	207	11	5.31	206	99.52	1	4.8	--	-0-	--	-0-	--
Warren	334	27	8.08	333	99.70	9	26.9	1	3.0	--	-0-	--
Washington	173	12	6.94	173	100.00	2	11.6	--	-0-	--	-0-	--
Wayne	262	11	4.20	262	100.00	2	7.6	--	-0-	--	-0-	--
White	203	17	8.37	200	98.52	--	-0-	1	4.9	--	-0-	--
Whiteside	1,198	79	6.59	1,195	99.75	20	16.7	2	1.7	5	4.2	1
Will	4,731	338	7.14	4,722	99.81	60	12.7	5	1.1	20	4.2	1
Williamson	756	48	6.35	753	99.60	6	7.9	1	1.3	3	4.0	--
Winnebago	4,740	328	6.92	4,726	99.70	44	9.3	8	1.7	23	4.9	3
Woodford	443	22	4.97	441	99.55	3	6.8	--	-0-	--	-0-	--
Unspecified	1	--	-0-	1	100.00	--	-0-	--	-0-	--	-0-	--

Premature Births are Births of 2,500 Grams Weight and Under.
 Numbers and Rates for Total Infant Deaths are Given in Tables 2A and 2B.
 Rates Per 1,000 Live Births.

TABLE 5. - LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS
BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971

City	Live Births				Infant Deaths By Age						Maternal Deaths	
	Total	Premature Births		Hospital Births		Under 7 Days		7 to 28 Days		1 to 11 Months		
		Number	Percent of Total	Number	Percent of Total	Number	Rate	Number	Rate	Number		Rate
Addison	612	27	4.41	610	99.67	9	14.7	--	-0-	2	3.3	--
Alsip	313	19	6.07	313	100.00	6	19.2	--	-0-	--	-0-	--
Alton	740	67	9.05	738	99.73	16	21.6	1	1.4	3	4.1	--
Arlington Heights	995	51	5.13	994	99.90	9	9.0	2	2.0	3	3.0	--
Aurora	1,787	126	7.05	1,783	99.78	27	15.1	1	0.6	11	6.2	--
Belleville	613	43	7.01	612	99.84	7	11.4	1	1.6	4	6.5	--
Bellwood	278	27	9.71	277	99.64	3	10.8	--	-0-	--	-0-	--
Belvidere	347	21	6.05	346	99.71	1	2.9	1	2.9	3	8.6	--
Bensenville	275	16	5.82	274	99.64	1	3.6	1	3.6	--	-0-	--
Berwyn	655	45	6.87	651	99.39	14	21.4	--	-0-	2	3.1	--
Bloomington	788	66	8.38	784	99.49	10	12.7	1	1.3	6	7.6	--
Blue Island	524	40	7.63	522	99.62	8	15.3	1	1.9	--	-0-	--
Bridgeview	292	24	8.22	291	99.66	2	6.8	--	-0-	--	-0-	--
Brookfield	281	24	8.54	281	100.00	2	7.1	--	-0-	--	-0-	--
Buffalo Grove	328	13	3.96	327	99.70	4	12.2	--	-0-	1	3.0	--
Burbank	350	25	7.14	350	100.00	3	8.6	--	-0-	2	5.7	1
Cahokia	383	28	7.31	383	100.00	9	23.5	--	-0-	3	7.8	--
Calumet City	563	20	3.55	562	99.82	6	10.7	--	-0-	1	1.8	--
Calumet Park	149	5	3.36	149	100.00	1	6.7	1	6.7	--	-0-	--
Canton	192	16	8.33	192	100.00	1	5.2	--	-0-	1	5.2	--
Carbondale	263	16	6.08	263	100.00	3	11.4	--	-0-	2	7.6	--
Carpentersville	508	29	5.71	507	99.80	7	13.8	--	-0-	3	5.9	--
Centralia	289	25	8.65	288	99.65	3	10.4	--	-0-	1	3.5	--
Centreville	170	21	12.35	170	100.00	7	41.2	--	-0-	5	29.4	--
Champaign	783	65	8.30	781	99.74	14	17.9	1	1.3	4	5.1	1
Charleston	257	14	5.45	254	98.83	4	15.6	--	-0-	2	7.8	--
Chicago	66,927	6,774	10.12	65,669	98.12	1,159	17.3	115	1.7	496	7.4	25
Chicago Heights	973	76	7.81	971	99.79	11	11.3	1	1.0	6	6.2	--
Cicero	1,014	59	5.82	1,010	99.61	14	13.8	--	-0-	3	3.0	1
Collinsville	337	14	4.15	337	100.00	4	11.9	--	-0-	--	-0-	--
Crystal Lake	229	18	7.86	229	100.00	3	13.1	--	-0-	2	8.7	--
Danville	829	65	7.84	829	100.00	8	9.7	--	-0-	10	12.1	--
DeKalb	367	22	5.99	367	100.00	9	24.5	--	-0-	1	2.7	--
Decatur	1,782	141	7.91	1,779	99.83	34	19.1	1	0.6	12	6.7	--
Deerfield	243	11	4.53	243	100.00	--	-0-	--	-0-	3	12.3	--
DesPlaines	1,073	65	6.06	1,070	99.72	9	8.4	3	2.8	2	1.9	--
Dixon	287	19	6.62	287	100.00	6	20.9	--	-0-	3	10.5	1
Dolton	367	19	5.18	366	99.73	2	5.4	--	-0-	2	5.4	--
Downers Grove	631	32	5.07	630	99.84	6	9.5	--	-0-	4	6.3	--
East Moline	358	21	5.87	357	99.72	3	8.4	1	2.8	1	2.8	--
East Peoria	346	20	5.78	343	99.13	5	14.5	--	-0-	2	5.8	--
East St. Louis	2,077	324	15.60	2,067	99.52	43	20.7	2	1.0	23	11.1	1
Edwardsville	176	10	5.68	176	100.00	2	11.4	--	-0-	--	-0-	--
Elgin	1,124	70	6.23	1,118	99.47	15	13.3	1	0.9	5	4.4	--
Elk Grove	337	18	5.34	336	99.70	3	8.9	--	-0-	1	3.0	--
Elmhurst	562	22	3.91	561	99.82	6	10.7	--	-0-	2	3.6	--
Elmwood Park	378	26	6.88	377	99.74	2	5.3	--	-0-	1	2.6	--
Evanston	1,111	66	5.94	1,108	99.73	8	7.2	1	0.9	6	5.4	2
Evergreen Park	215	19	8.84	215	100.00	1	4.7	--	-0-	--	-0-	--
Fairview Heights	158	11	6.96	158	100.00	1	6.3	--	-0-	1	6.3	--
Forest Park	322	18	5.59	321	99.69	5	15.5	1	3.1	1	3.1	--
Franklin Park	303	27	8.91	299	98.68	2	6.6	--	-0-	--	-0-	--
Freeport	493	30	6.09	491	99.59	8	16.2	--	-0-	1	2.0	--
Galesburg	536	38	7.09	535	99.81	9	16.8	1	1.9	3	5.6	--
Glen Ellyn	368	29	7.88	368	100.00	8	21.7	--	-0-	2	5.4	--
Glencoe	67	4	5.97	67	100.00	--	-0-	--	-0-	--	-0-	--
Glendale Heights	291	15	5.15	290	99.66	1	3.4	--	-0-	--	-0-	--
Glenview	396	28	7.07	395	99.75	3	7.6	3	7.6	--	-0-	1
Granite City	717	58	8.09	715	99.72	16	22.3	1	1.4	4	5.6	--
Hanover Park	399	27	6.77	399	100.00	2	5.0	--	-0-	2	5.0	--
Harvey	891	91	10.21	885	99.33	15	16.8	2	2.2	9	10.1	1
Hazel Crest	185	15	8.11	185	100.00	1	5.4	--	-0-	--	-0-	--
Hickory Hills	278	21	7.55	278	100.00	--	-0-	1	3.6	1	3.6	--
Highland Park	288	10	3.47	288	100.00	--	-0-	--	-0-	--	-0-	--
Hinsdale	192	13	6.77	190	98.96	2	10.4	--	-0-	--	-0-	--
Hoffman Estates	623	40	6.42	621	99.68	10	16.1	--	-0-	2	3.2	--
Homewood	171	8	4.68	170	99.42	2	11.7	--	-0-	1	5.8	--
Jacksonville	355	26	7.32	354	99.72	8	22.5	--	-0-	--	-0-	--
Joliet	1,575	136	8.63	1,574	99.94	22	14.0	2	1.3	8	5.1	--
Kankakee	661	64	9.68	660	99.85	13	19.7	1	1.5	3	4.5	--
Kewanee	202	13	6.44	202	100.00	4	19.8	--	-0-	--	-0-	--
LaGrange	254	15	5.91	251	98.82	3	11.8	--	-0-	1	3.9	--
LaGrange Park	127	5	3.94	127	100.00	--	-0-	--	-0-	1	7.9	--
LaSalle	163	9	5.52	163	100.00	2	12.3	1	6.1	--	-0-	--
Lake Forest	118	7	5.93	118	100.00	1	8.5	--	-0-	--	-0-	--
Lansing	409	20	4.89	409	100.00	7	17.1	--	-0-	1	2.4	--
Libertyville	179	10	5.59	179	100.00	1	5.6	--	-0-	--	-0-	--

Premature Births are Births of 2,500 Grams Weight and Under.
Numbers and Rates for Total Infant Deaths are Given in Tables 2A and 2B.
Rates Per 1,000 Live Births.

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS
BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

City	Live Births					Infant Deaths By Age						Maternal Deaths
	Total	Premature Births		Hospital Births		Under 7 Days		7 to 28 Days		1 to 11 Months		
		Number	Percent of Total	Number	Percent of Total	Number	Rate	Number	Rate	Number	Rate	
Lincoln	240	20	8.33	240	100.00	5	20.8	--	-0-	--	-0-	--
Lincolnwood	65	5	7.69	65	100.00	--	-0-	--	-0-	--	-0-	--
Lombard	591	33	5.58	588	99.49	5	8.5	1	1.7	3	5.1	--
Loves Park	272	13	4.78	272	100.00	3	11.0	--	-0-	1	3.7	--
Lyons	201	17	8.46	201	100.00	6	29.9	--	-0-	1	5.0	--
Macomb	227	10	4.41	226	99.56	2	8.8	--	-0-	--	-0-	--
Marion	176	7	3.98	176	100.00	--	-0-	--	-0-	--	-0-	--
Markham	310	46	14.84	308	99.35	3	9.7	1	3.2	1	3.2	--
Mattoon	354	17	4.80	354	100.00	3	8.5	2	5.6	--	-0-	--
Maywood	585	72	12.31	585	100.00	14	23.9	1	1.7	4	6.8	--
Melrose Park	605	41	6.78	603	99.67	7	11.6	--	-0-	1	1.7	--
Midlothian	269	19	7.06	269	100.00	6	22.3	--	-0-	2	7.4	--
Moline	806	52	6.45	805	99.88	20	24.8	1	1.2	2	2.5	--
Monmouth	164	12	7.32	163	99.39	--	-0-	--	-0-	--	-0-	--
Morton Grove	204	13	6.37	204	100.00	2	9.8	--	-0-	--	-0-	--
Morton	150	8	5.33	150	100.00	2	13.3	--	-0-	--	-0-	--
Mount Prospect	546	45	8.24	546	100.00	5	9.2	2	3.7	--	-0-	--
Mount Vernon	297	16	5.39	295	99.33	6	20.2	--	-0-	2	6.7	--
Mundelein	303	17	5.61	301	99.34	3	9.9	1	3.3	2	6.6	--
Murphysboro	165	17	10.30	165	100.00	3	18.2	--	-0-	2	12.1	--
Naperville	290	22	7.59	290	100.00	6	20.7	--	-0-	1	3.4	--
Niles	355	16	4.51	353	99.44	3	8.5	--	-0-	--	-0-	--
Normal	340	8	2.35	340	100.00	4	11.8	1	2.9	--	-0-	--
Norridge	149	9	6.04	149	100.00	1	6.7	--	-0-	--	-0-	--
North Chicago	414	44	10.63	414	100.00	8	19.3	--	-0-	2	4.8	--
North Lake	207	14	6.76	207	100.00	3	14.5	1	4.8	1	4.8	--
Northbrook	386	17	4.40	386	100.00	3	7.8	1	2.6	1	2.6	--
Oak Forest	471	20	4.25	469	99.58	7	14.9	1	2.1	--	-0-	--
Oak Lawn	812	49	6.03	811	99.88	9	11.1	3	3.7	1	1.2	--
Oak Park	777	55	7.08	767	98.71	11	14.2	1	1.3	3	3.9	--
Ottawa	276	23	8.33	275	99.64	6	21.7	--	-0-	--	-0-	--
Palatine	497	34	6.84	494	99.40	8	16.1	2	4.0	2	4.0	--
Paris	158	11	6.96	158	100.00	1	6.3	--	-0-	--	-0-	--
Park Forest	554	31	5.60	552	99.64	5	9.0	--	-0-	3	5.4	--
Park Ridge	387	19	4.91	384	99.22	4	10.3	--	-0-	1	2.6	--
Pekin	574	42	7.32	574	100.00	7	12.2	--	-0-	2	3.5	1
Peoria	2,326	172	7.39	2,320	99.74	31	13.3	3	1.3	10	4.3	--
Peru	178	11	6.18	178	100.00	--	-0-	1	5.6	2	11.2	--
Pontiac	166	10	6.02	166	100.00	3	18.1	--	-0-	--	-0-	--
Quincy	700	55	7.86	699	99.86	9	12.9	--	-0-	3	4.3	--
Rantoul	699	52	7.44	699	100.00	8	11.4	2	2.9	6	8.6	--
River Forest	141	13	9.22	141	100.00	2	14.2	--	-0-	1	7.1	--
River Grove	214	13	6.07	213	99.53	6	28.0	1	4.7	--	-0-	--
Riverdale	248	17	6.85	248	100.00	3	12.1	1	4.0	--	-0-	--
Riverside	94	5	5.32	93	98.94	1	10.6	--	-0-	--	-0-	--
Rock Falls	281	24	8.54	280	99.64	7	24.9	1	3.6	--	-0-	--
Rock Island	803	78	9.71	802	99.88	14	17.4	3	3.7	6	7.5	--
Rockford	3,007	235	7.82	2,998	99.70	32	10.6	6	2.0	14	4.7	3
Rolling Meadows	448	23	5.13	447	99.78	4	8.9	1	2.2	3	6.7	--
Romeoville	241	18	7.47	241	100.00	3	12.4	2	8.3	2	8.3	--
Schaumburg	505	33	6.53	502	99.41	3	5.9	1	2.0	3	5.9	--
Schiller Park	257	19	7.39	255	99.22	7	27.2	--	-0-	--	-0-	--
Skokie	621	41	6.60	620	99.84	6	9.7	--	-0-	1	1.6	--
South Holland	280	10	3.57	280	100.00	3	10.7	--	-0-	2	7.1	--
Springfield	1,615	137	8.48	1,612	99.81	26	16.1	3	1.9	9	5.6	1
St. Charles	229	14	6.11	228	99.56	3	13.1	--	-0-	--	-0-	--
Sterling	297	16	5.39	296	99.66	4	13.5	--	-0-	4	13.5	--
Streamwood	488	24	4.92	487	99.80	2	4.1	1	2.0	--	-0-	--
Streator	294	18	6.12	294	100.00	2	6.8	--	-0-	1	3.4	--
Summit	271	27	9.96	270	99.63	8	29.5	--	-0-	--	-0-	--
Taylorville	195	21	10.77	194	99.49	2	10.3	--	-0-	1	5.1	--
Tinley Park	422	36	8.53	422	100.00	5	11.8	--	-0-	4	9.5	--
Urbana	474	43	9.07	474	100.00	8	16.9	2	4.2	5	10.5	--
Villa Park	456	32	7.02	455	99.78	9	19.7	--	-0-	1	2.2	--
Waukegan	1,588	130	8.19	1,581	99.56	24	15.1	3	1.9	5	3.1	2
West Chicago	231	13	5.63	231	100.00	1	4.3	1	4.3	--	-0-	--
Westchester	142	11	7.75	141	99.30	1	7.0	--	-0-	--	-0-	--
Western Springs	126	8	6.35	126	100.00	1	7.9	--	-0-	--	-0-	--
Wheaton	460	19	4.13	458	99.57	3	6.5	--	-0-	1	2.2	--
Wheeling	329	33	10.03	329	100.00	2	6.1	1	3.0	--	-0-	--
Wilmette	240	10	4.17	239	99.58	2	8.3	--	-0-	1	4.2	--
Winnetka	110	6	5.45	108	98.18	3	27.3	--	-0-	--	-0-	--
Wood River	250	20	8.00	250	100.00	4	16.0	2	8.0	2	8.0	--
Woodridge	311	25	8.04	310	99.68	8	25.7	1	3.2	--	-0-	--
Woodstock	177	11	6.21	177	100.00	2	11.3	--	-0-	1	5.6	--
Worth	246	17	6.91	245	99.59	5	20.3	--	-0-	--	-0-	--
Zion	513	41	7.99	512	99.81	9	17.5	1	1.9	1	1.9	--

Premature Births are Births of 2,500 Grams Weight and Under.
Numbers and Rates for Total Infant Deaths are Given in Tables 2A and 2B.
Rates Per 1,000 Live Births.

TABLE 6. - FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971
(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

County	Total Fetal Deaths	Fetus Weight In Grams									
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams	2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
Illinois	2,644	795	310	293	126	152	276	240	186	73	36
Adams	12	2	-	3	2	-	2	1	2	-	-
Alexander	2	-	-	-	-	1	-	-	1	-	-
Bond	4	1	-	-	2	-	-	-	-	-	-
Boone	7	4	-	-	-	1	-	1	-	-	-
Brown	-	-	-	-	-	-	-	-	-	-	-
Bureau	7	1	2	2	-	1	-	1	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Carroll	2	-	-	1	-	1	-	-	-	-	-
Cass	6	1	-	1	1	1	-	-	1	-	-
Champaign	27	6	7	2	1	-	2	3	3	1	1
Christian	10	1	1	1	-	-	2	2	3	-	-
Clark	8	3	1	1	-	-	-	1	1	-	-
Clay	5	2	-	1	-	-	1	1	-	-	-
Clinton	6	2	-	-	-	-	1	1	2	-	-
Coles	9	1	-	1	-	2	-	2	1	1	-
Cook	1,507	527	184	155	73	90	141	128	101	36	19
Crawford	5	-	1	1	-	-	-	1	2	-	-
Cumberland	2	1	-	-	-	1	-	-	-	-	-
DeKalb	10	2	-	-	-	-	1	-	1	-	-
DeWitt	1	-	-	-	1	-	-	-	-	-	-
Douglas	3	2	-	1	-	-	-	-	-	-	-
DuPage	75	17	11	9	5	8	11	6	4	2	-
Edgar	2	-	1	1	-	-	-	-	-	-	-
Edwards	-	-	-	-	-	-	-	-	-	-	-
Effingham	7	1	1	-	-	-	3	-	1	-	1
Fayette	3	-	1	-	-	1	-	1	-	-	-
Ford	4	1	-	-	2	-	-	-	-	-	-
Franklin	12	4	-	1	-	-	1	3	-	1	-
Fulton	6	2	-	-	-	1	-	-	-	1	1
Gallatin	-	-	-	-	-	-	-	-	-	-	-
Greene	3	1	-	1	-	-	-	-	1	-	-
Grundy	3	-	-	-	1	-	-	-	-	1	-
Hamilton	-	-	-	-	-	-	-	-	-	-	-
Hancock	2	1	-	-	-	1	-	-	-	-	-
Hardin	2	-	-	-	2	-	-	-	-	-	-
Henderson	1	-	-	-	-	-	-	-	1	-	-
Henry	9	2	1	1	1	-	1	2	1	-	-
Iroquois	6	-	3	2	-	-	-	-	-	1	-
Jackson	6	2	1	1	1	-	1	-	-	-	-
Jasper	1	-	-	-	-	-	-	-	-	1	-
Jefferson	5	2	-	-	-	-	-	-	-	1	1
Jersey	4	1	-	-	-	-	1	1	-	-	-
Jo Daviess	3	-	1	-	-	-	1	-	1	-	-
Johnson	1	-	-	1	-	-	-	-	-	-	-
Kane	67	15	9	3	1	7	4	6	6	-	1
Kankakee	27	7	4	4	1	2	4	1	2	2	-
Kendall	6	1	-	1	-	2	1	-	-	-	1
Knox	11	2	1	1	-	-	3	2	2	-	-
Lake	89	26	10	13	6	4	11	6	3	3	1
LaSalle	22	3	1	2	2	2	4	3	4	1	-

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED
(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

County	Total Fetal Deaths	Fetus Weight In Grams									
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams	2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
Lawrence	--	--	--	--	--	--	--	--	--	--	--
Lee	7	2	1	1	2	--	--	1	--	--	--
Livingston	5	--	--	1	--	1	1	--	--	--	--
Logan	4	--	--	--	1	--	1	--	--	--	2
McDonough	5	3	--	--	--	--	--	--	--	1	--
McHenry	18	4	2	3	1	2	2	1	--	--	1
McLean	19	5	1	3	--	1	1	4	1	1	--
Macon	28	10	2	7	--	2	4	2	1	--	--
Macoupin	7	--	1	3	--	1	1	1	--	--	--
Madison	45	8	10	8	2	1	5	1	2	1	--
Marion	10	1	1	3	--	--	2	1	1	--	--
Marshall	1	1	--	--	--	--	--	--	--	--	--
Mason	3	--	--	--	--	--	--	3	--	--	--
Massac	1	--	--	--	--	--	1	--	--	--	--
Menard	2	--	1	1	--	--	--	--	--	--	--
Mercer	6	3	--	--	--	1	--	1	1	--	--
Monroe	5	--	--	--	1	--	--	2	--	1	--
Montgomery	9	1	--	1	1	--	--	3	--	1	1
Morgan	4	--	--	--	--	--	--	2	1	--	1
Moultrie	2	1	--	--	--	--	--	--	1	--	--
Ogle	7	--	2	--	--	1	2	--	1	1	--
Peoria	43	15	4	4	1	1	5	4	3	2	--
Perry	4	1	1	--	--	--	--	--	--	--	--
Piatt	4	--	--	--	--	--	3	--	--	1	--
Pike	2	--	--	--	--	--	--	1	--	--	--
Pope	--	--	--	--	--	--	--	--	--	--	--
Pulaski	5	1	1	1	--	--	--	1	--	--	--
Putnam	1	--	1	--	--	--	--	--	--	--	--
Randolph	3	1	--	--	--	--	--	--	--	1	--
Richland	3	2	--	--	1	--	--	--	--	--	--
Rock Island	37	11	2	4	1	--	9	6	2	1	--
St. Clair	74	19	10	13	2	4	7	8	8	2	--
Saline	3	--	1	--	--	1	1	--	--	--	--
Sangamon	47	17	5	5	1	1	5	5	2	1	1
Schuyler	2	--	--	--	--	--	--	1	--	--	--
Scott	2	--	--	--	--	1	--	1	--	--	--
Shelby	5	--	2	1	--	--	1	--	--	--	1
Stark	2	2	--	--	--	--	--	--	--	--	--
Stephenson	11	3	1	1	2	--	3	--	1	--	--
Tazewell	26	5	2	6	1	3	2	3	3	--	--
Union	2	--	--	1	--	--	--	--	--	1	--
Vermilion	23	4	2	4	--	--	3	2	3	1	--
Wabash	3	1	--	--	--	1	1	--	--	--	--
Warren	4	3	1	--	--	--	--	--	--	--	--
Washington	1	--	1	--	--	--	--	--	--	--	--
Wayne	5	1	1	--	--	--	1	1	1	--	--
White	2	--	--	--	--	--	1	1	--	--	--
Whiteside	12	2	3	--	--	--	1	3	1	--	1
Will	57	11	5	4	4	1	2	2	1	1	1
Williamson	8	3	--	2	--	--	1	--	--	1	--
Winnebago	48	8	3	5	3	3	13	5	4	3	1
Woodford	7	2	2	--	--	--	1	1	1	--	--
Unspecified	--	--	--	--	--	--	--	--	--	--	--

TABLE 7. - FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

City	Total Fetal Deaths	Fetus Weight In Grams									
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams	2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
Addison	5	1	-	1	-	1	1	-	-	-	-
Alsip	2	-	1	1	-	-	-	-	-	-	-
Alton	7	2	-	4	-	-	-	-	-	-	-
Arlington Heights	5	1	2	-	1	-	-	-	1	-	-
Aurora	24	4	2	-	-	2	1	2	1	-	-
Belleville	6	-	1	1	-	-	3	1	-	-	-
Bellwood	6	1	1	1	-	-	1	-	1	1	-
Belvidere	6	4	-	-	-	1	-	-	-	-	-
Bensenville	-	-	-	-	-	-	-	-	-	-	-
Berwyn	8	3	-	1	-	-	3	-	1	-	-
Bloomington	4	2	-	1	-	-	-	-	-	1	-
Blue Island	3	2	-	-	-	-	-	-	-	1	-
Bridgeview	1	-	-	-	-	-	1	-	-	-	-
Brookfield	2	1	-	-	-	-	-	-	-	-	1
Buffalo Grove	-	-	-	-	-	-	-	-	-	-	-
Burbank	4	1	1	-	1	-	1	-	-	-	-
Cahokia	4	-	1	-	-	-	-	-	2	-	-
Calumet City	4	-	-	2	-	-	1	-	1	-	-
Calumet Park	1	-	-	-	-	1	-	-	-	-	-
Canton	3	1	-	-	-	-	-	-	-	-	1
Carbondale	3	1	1	1	-	-	-	-	-	-	-
Carpentersville	6	-	1	1	-	-	1	-	2	-	-
Centralia	3	1	1	-	-	-	-	-	1	-	-
Centerville	2	1	-	-	-	-	-	-	1	-	-
Champaign	4	2	-	-	-	-	-	1	-	1	-
Charleston	2	1	-	-	-	-	-	-	1	-	-
Chicago	1,141	417	141	118	53	67	97	99	73	28	13
Chicago Heights	17	6	1	3	1	2	2	-	1	1	-
Cicero	10	5	-	1	-	1	1	2	-	-	-
Collinsville	4	1	2	-	-	-	-	-	-	-	-
Crystal Lake	2	1	1	-	-	-	-	-	-	-	-
Danville	15	4	-	1	-	-	2	2	2	1	-
DeKalb	5	-	-	-	-	-	-	-	-	-	-
Decatur	22	8	2	5	-	2	3	2	-	-	-
Deerfield	-	-	-	-	-	-	-	-	-	-	-
DesPlaines	16	7	2	1	1	-	1	3	-	-	1
Dixon	4	2	1	-	1	-	-	-	-	-	-
Dolton	8	2	1	2	-	-	1	1	1	-	-
Downers Grove	5	2	-	-	-	1	2	-	-	-	-
East Moline	5	1	1	-	-	-	1	1	-	1	-
East Peoria	6	-	-	2	-	-	1	2	1	-	-
East St. Louis	39	13	4	7	2	4	2	4	2	1	-
Edwardsville	-	-	-	-	-	-	-	-	-	-	-
Elgin	13	4	2	-	-	2	2	1	1	-	-
Elk Grove	3	2	-	-	-	-	-	-	-	-	-
Elmhurst	5	1	-	2	1	-	-	1	-	-	-
Elmwood Park	3	2	-	-	-	-	-	-	-	-	-
Evanston	18	8	2	2	-	2	-	2	1	-	-
Evergreen Park	2	-	1	-	-	-	1	-	-	-	-
Fairview Heights	5	1	-	-	-	-	1	1	2	-	-
Forest Park	3	-	1	1	-	-	-	-	-	-	-
Franklin Park	7	3	1	1	-	-	1	-	-	1	-
Freeport	9	3	-	1	2	-	2	-	1	-	-
Galesburg	8	2	-	-	-	-	3	1	2	-	-
Glen Ellyn	1	1	-	-	-	-	-	-	-	-	-
Glencoe	-	-	-	-	-	-	-	-	-	-	-
Glendale Heights	4	-	2	1	-	-	1	-	-	-	-
Glenview	7	1	-	-	-	2	1	-	-	1	-
Granite City	7	-	3	-	-	-	1	-	-	-	-
Hanover Park	3	1	-	-	1	-	-	1	-	-	-
Harvey	14	4	1	3	1	1	2	-	2	-	-
Hazel Crest	3	-	-	-	1	-	2	-	-	-	-
Hickory Hills	4	-	-	-	-	1	2	-	-	-	1
Highland Park	5	2	1	-	-	-	-	-	1	-	-
Hinsdale	3	-	-	2	-	-	-	-	1	-	-
Hoffman Estates	11	3	1	1	-	1	-	2	1	1	1
Homewood	-	-	-	-	-	-	-	-	-	-	-
Jacksonville	1	-	-	-	-	-	-	-	1	-	-
Joliet	25	4	4	2	-	-	1	1	1	-	-
Kankakee	16	4	4	1	-	2	3	-	1	1	-
Kewanee	2	1	-	-	-	-	-	1	-	-	-
LaGrange	1	-	-	-	-	-	-	-	-	1	-
LaGrange Park	1	1	-	-	-	-	-	-	-	-	-
LaSalle	1	1	-	1	-	1	1	1	1	-	-
Lake Forest	1	1	-	-	-	-	-	-	-	-	-
Lansing	1	1	1	-	-	1	1	1	-	-	-
Libertyville	1	1	-	-	-	-	-	-	-	-	-

TABLE 7. - FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
- CONTINUED

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

City	Total Fetal Deaths	Fetus Weight In Grams									
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams	2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
Lincoln	2	-	-	-	1	-	-	-	-	-	1
Lincolnwood	-	-	-	-	-	-	-	-	-	-	-
Lombard	8	4	-	-	-	2	-	1	1	-	-
Loves Park	1	-	1	-	-	-	-	-	-	-	-
Lyons	2	-	1	-	-	-	1	-	-	-	-
Macomb	3	2	-	-	-	-	-	-	-	-	-
Marion	5	2	-	1	-	-	-	-	-	1	-
Markham	7	2	-	1	-	1	1	1	1	-	-
Mattoon	1	-	-	-	-	-	-	-	-	1	-
Maywood	7	3	1	-	1	-	1	1	-	-	-
Melrose Park	4	1	-	1	-	-	1	1	-	-	-
Midlothian	5	2	2	-	1	-	-	-	-	-	-
Moline	13	3	-	2	1	-	3	2	1	-	-
Monmouth	2	2	-	-	-	-	-	-	-	-	-
Morton Grove	4	1	1	-	-	-	-	1	-	-	1
Morton	2	-	-	2	-	-	-	-	-	-	-
Mount Prospect	7	3	1	-	-	-	-	-	3	-	-
Mount Vernon	3	2	-	-	-	-	-	-	-	-	-
Mundelein	1	1	-	-	-	-	-	-	-	-	-
Murphysboro	-	-	-	-	-	-	-	-	-	-	-
Naperville	1	-	-	1	-	-	-	-	-	-	-
Niles	2	-	-	-	-	-	-	1	-	-	-
Normal	5	1	-	1	-	1	-	2	-	-	-
Norridge	4	-	1	-	1	-	-	2	-	-	-
North Chicago	6	4	-	1	-	-	-	-	-	1	-
North Lake	2	1	-	-	-	-	1	-	-	-	-
Northbrook	2	-	-	-	-	-	-	1	1	-	-
Oak Forest	6	-	2	1	1	1	1	-	-	-	-
Oak Lawn	9	2	1	-	-	3	1	1	-	-	-
Oak Park	5	2	2	-	-	-	1	-	-	-	-
Ottawa	3	-	-	-	-	-	-	1	1	1	-
Palatine	6	1	1	-	-	-	1	1	-	1	-
Paris	-	-	-	-	-	-	-	-	-	-	-
Park Forest	5	-	-	1	-	-	3	1	-	-	-
Park Ridge	3	-	1	-	-	-	-	-	-	-	-
Pekin	11	4	2	2	-	1	1	-	1	-	-
Peoria	31	11	3	3	1	1	3	4	3	-	-
Peru	1	-	-	-	-	-	1	-	-	-	-
Pontiac	1	-	-	-	-	-	-	-	-	-	-
Quincy	8	2	-	2	1	-	2	-	1	-	-
Rantoul	8	2	3	1	-	-	1	-	-	-	1
River Forest	3	1	-	-	1	-	-	-	1	-	-
River Grove	4	-	-	-	2	1	1	-	-	-	-
Riverdale	3	2	-	-	-	-	-	1	-	-	-
Riverside	-	-	-	-	-	-	-	-	-	-	-
Rock Falls	2	1	-	-	-	-	-	-	1	-	-
Rock Island	11	5	-	1	-	-	3	2	-	-	-
Rockford	30	2	1	5	2	3	10	3	2	2	-
Rolling Meadows	3	1	1	-	-	-	-	-	1	-	-
Romeoville	6	1	-	1	1	-	1	-	-	-	-
Schaumburg	3	2	-	-	-	-	-	1	-	-	-
Schiller Park	2	1	1	-	-	-	-	-	-	-	-
Skokie	10	2	2	1	1	1	1	-	2	-	-
South Holland	4	-	1	-	1	-	2	-	-	-	-
Springfield	29	10	2	3	1	1	3	4	1	1	1
St. Charles	2	-	-	-	-	1	-	-	1	-	-
Sterling	2	-	-	-	-	-	-	1	-	-	1
Streamwood	4	2	-	-	-	-	-	-	2	-	-
Streator	4	1	-	-	-	1	-	1	1	-	-
Summit	3	1	1	-	-	-	1	-	-	-	-
Taylorville	-	-	-	-	-	-	-	-	-	-	-
Tinley Park	5	2	-	1	-	-	-	-	1	-	-
Urbana	9	2	1	1	1	-	1	2	1	-	-
Villa Park	3	1	1	-	-	-	-	-	-	1	-
Waukegan	27	6	4	5	4	-	4	1	1	1	-
West Chicago	2	-	-	-	1	1	-	-	-	-	-
Westchester	3	1	-	1	-	1	-	-	-	-	-
Western Springs	2	-	1	1	-	-	-	-	-	-	-
Wheaton	10	4	1	-	-	-	-	2	1	1	-
Wheeling	4	-	-	-	1	1	1	-	-	-	-
Wilmette	-	-	-	-	-	-	-	-	-	-	-
Winnetka	1	-	-	-	-	-	-	-	-	-	1
Wood River	4	1	-	1	-	-	1	-	-	1	-
Woodridge	4	-	-	1	-	-	3	-	-	-	-
Woodstock	3	2	-	-	-	-	-	-	-	-	1
Worth	5	3	1	1	-	-	-	-	-	-	-
Zion	11	2	1	3	-	-	1	1	1	-	1

TABLE 8A. - LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971
(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

County	Total Live Births	Live Births By Weight									
		Premature					2501-3000 Grams	3001-3500 Grams	3501-4000 Grams	4001-4500 Grams	4501 and Over
		Under 1001 Grams	1001-1500 Grams	1501-2000 Grams	2001-2250 Grams	2251-2500 Grams					
Illinois	195,311	1,226	1,332	3,081	3,256	6,639	36,645	73,950	51,543	14,784	2,778
Adams	1,124	4	9	15	13	37	181	409	346	91	19
Alexander	224	1	--	3	7	8	48	95	47	12	3
Bond	200	--	1	2	2	4	24	77	62	19	9
Boone	560	2	--	8	8	16	106	187	167	52	14
Brown	94	3	1	1	--	3	15	31	30	10	--
Bureau	574	3	3	1	3	13	90	200	184	61	16
Calhoun	85	--	--	1	2	3	18	28	27	6	--
Carroll	306	1	2	2	3	7	33	101	129	24	4
Cass	247	--	1	--	3	6	44	74	86	27	6
Champaign	2,894	14	15	40	44	116	472	1,107	854	201	29
Christian	588	1	2	10	7	21	103	197	170	66	9
Clark	255	4	2	3	5	7	42	94	63	30	5
Clay	207	--	2	4	1	4	29	98	49	15	5
Clinton	460	1	--	11	2	9	71	161	135	55	15
Coles	789	4	4	12	5	14	132	293	238	71	16
Cook	100,205	744	786	1,848	1,887	3,736	20,629	38,500	24,406	6,478	1,157
Crawford	270	--	1	1	6	4	43	84	105	23	3
Cumberland	137	1	--	--	2	3	18	52	46	14	1
DeKalb	1,077	11	6	5	13	20	162	385	341	120	14
DeWitt	272	3	2	5	4	5	47	101	80	22	3
Douglas	288	2	--	4	2	5	54	92	96	28	4
DuPage	8,106	29	41	74	94	224	1,301	3,091	2,372	747	131
Edgar	315	1	3	2	6	9	39	113	102	32	8
Edwards	91	--	--	--	--	4	14	41	25	6	1
Effingham	400	1	3	4	6	12	46	147	132	42	6
Fayette	276	--	--	5	4	10	49	98	76	26	8
Ford	224	--	--	2	4	7	21	95	70	20	5
Franklin	594	2	7	8	8	14	75	206	187	74	13
Fulton	650	3	1	10	16	22	116	217	201	51	12
Gallatin	129	1	2	--	3	3	26	49	35	8	2
Greene	258	--	1	1	3	5	43	93	82	25	4
Grundy	478	--	1	1	4	14	68	193	140	47	10
Hamilton	95	--	2	--	1	1	14	42	25	8	2
Hancock	331	4	--	5	3	8	47	111	114	32	7
Hardin	78	--	--	--	1	5	18	26	21	7	--
Henderson	130	--	--	3	3	3	20	46	35	15	4
Henry	788	3	6	9	4	17	101	282	259	91	16
Iroquois	525	4	5	7	8	15	69	181	162	59	15
Jackson	901	2	2	14	13	26	149	326	269	85	15
Jasper	155	--	1	2	2	8	21	54	48	17	2
Jefferson	505	1	2	3	3	15	87	191	146	48	9
Jersey	300	--	1	2	8	7	48	106	87	32	9
Jo Daviess	381	2	3	2	3	8	68	131	110	42	12
Johnson	87	--	1	2	3	1	9	38	26	6	1
Kane	4,984	28	25	68	65	131	845	1,821	1,486	417	97
Kankakee	1,793	23	16	23	40	68	354	638	474	129	25
Kendall	468	2	3	7	3	11	67	175	139	48	13
Knox	911	8	2	14	13	32	156	319	264	85	18
Lake	6,697	29	37	88	107	200	1,199	2,689	1,709	540	99
LaSalle	1,731	15	9	21	26	57	343	666	421	144	29

TABLE 8A. - LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 - CONTINUED
(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

County	Total Live Births	Live Births By Weight									
		Premature					2501-3000 Grams	3001-3500 Grams	3501-4000 Grams	4001-4500 Grams	4501 and Over
		Under 1001 Grams	1001-1500 Grams	1501-2000 Grams	2001-2250 Grams	2251-2500 Grams					
Lawrence	226	1	1	4	5	8	42	85	58	20	2
Lee	589	3	3	9	6	13	81	213	171	77	13
Livingston	578	2	3	5	7	13	92	201	187	55	13
Logan	429	1	1	7	7	18	75	169	111	36	4
McDonough	527	1	5	4	8	14	87	211	153	39	5
McHenry	1,807	4	14	24	29	59	297	710	508	140	22
McLean	1,747	4	14	28	27	53	312	673	486	122	28
Macon	2,202	16	10	33	37	69	391	869	581	164	31
Macoupin	648	-	4	3	4	19	94	222	228	65	9
Madison	4,392	31	31	56	51	141	701	1,664	1,210	402	97
Marion	636	2	7	10	12	20	152	227	159	37	10
Marshall	216	1	3	2	1	4	40	83	53	22	7
Mason	282	-	1	3	5	11	59	94	84	20	4
Massac	145	-	1	1	1	4	25	55	42	14	2
Menard	139	-	-	2	1	6	24	55	38	12	1
Mercer	260	2	-	3	2	7	37	101	77	26	5
Monroe	255	3	-	5	1	9	41	92	69	29	6
Montgomery	451	4	2	-	4	10	64	145	157	56	8
Morgan	584	2	2	16	7	44	75	214	190	53	11
Moultrie	201	1	1	-	4	6	30	76	56	23	4
Ogle	746	3	3	5	11	12	117	274	221	85	14
Peoria	3,425	16	13	53	44	101	569	1,316	960	285	66
Perry	345	-	-	7	5	14	54	119	99	40	7
Piatt	231	-	2	2	3	8	33	90	69	19	5
Pike	311	1	-	5	2	10	45	111	102	30	4
Pope	47	-	-	-	1	1	8	17	17	3	-
Pulaski	143	3	2	2	1	7	31	46	38	6	6
Putnam	86	1	1	1	-	4	13	26	26	12	2
Randolph	474	1	5	6	8	21	82	162	123	57	9
Richland	259	1	4	5	4	5	40	101	72	21	5
Rock Island	2,826	23	19	35	45	79	450	1,000	869	254	51
St. Clair	5,201	48	40	99	139	227	1,106	1,975	1,211	302	49
Saline	405	1	3	5	6	9	71	161	113	31	5
Sangamon	2,722	13	24	45	38	90	478	1,047	716	237	32
Schuyler	100	-	2	3	-	2	11	34	37	9	2
Scott	86	3	1	1	1	-	11	22	32	11	4
Shelby	331	-	-	2	4	11	52	109	107	40	6
Stark	107	-	-	3	2	3	16	31	38	13	1
Stephenson	822	4	8	9	9	20	141	290	271	57	13
Tazewell	2,111	9	17	26	21	68	358	804	575	199	33
Union	248	2	2	3	4	7	47	86	73	22	2
Vermilion	1,686	10	4	27	19	55	267	642	475	160	26
Wabash	207	1	-	4	2	4	29	75	70	19	2
Warren	334	2	4	4	6	11	51	127	85	31	13
Washington	173	1	-	2	4	5	18	67	53	18	5
Wayne	262	-	-	2	-	9	42	98	83	23	5
White	203	1	2	3	2	9	34	70	61	17	4
Whiteside	1,198	8	6	13	17	35	177	428	380	107	27
Will	4,731	20	24	60	82	152	843	1,771	1,301	406	70
Williamson	756	1	3	11	11	22	105	266	244	71	22
Winnebago	4,740	15	29	67	68	149	783	1,714	1,392	429	94
Woodford	443	3	-	1	5	13	70	161	133	50	7
Unspecified	1	-	-	-	-	-	-	-	1	-	-

TABLE 8B. - LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

City	Total Live Births	Live Births By Weight									
		Premature					2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams					
Addison	612	3	4	2	3	15	90	259	173	53	10
Alsip	313	3	2	2	4	8	43	134	82	29	6
Alton	740	10	8	11	7	31	135	278	182	61	16
Arlington Heights	995	1	4	5	13	27	150	391	312	78	13
Aurora	1,787	8	8	33	25	52	304	668	534	126	29
Belleville	613	2	5	6	12	18	115	232	163	51	7
Bellwood	278	1	4	7	5	10	52	106	70	20	3
Belvidere	347	-	-	3	6	12	65	115	104	35	7
Bensenville	275	-	-	2	3	11	52	107	71	24	5
Berwyn	655	5	6	11	6	17	103	250	183	68	6
Bloomington	788	2	9	13	12	30	151	307	216	36	12
Blue Island	524	5	2	9	3	21	87	199	145	47	6
Bridgeview	292	2	1	5	3	13	56	111	71	26	4
Brookfield	281	2	3	5	3	11	41	118	79	16	3
Buffalo Grove	328	1	1	2	5	4	53	124	100	30	8
Burbank	350	1	6	3	3	12	56	136	107	17	9
Cahokia	383	5	3	5	8	7	55	159	117	22	2
Calumet City	563	1	2	1	5	11	102	222	178	32	8
Calumet Park	149	-	-	1	3	1	31	63	40	9	1
Canton	192	-	-	4	5	7	44	57	56	14	4
Carbondale	263	2	-	4	2	8	55	105	66	18	3
Carpentersville	508	4	4	4	5	12	93	183	150	43	10
Centralia	289	-	3	3	7	12	80	102	67	10	5
Centreville	170	4	1	8	2	6	46	66	30	6	1
Champaign	783	6	5	8	14	32	161	295	208	51	3
Charleston	257	3	2	5	1	3	45	93	73	27	5
Chicago	66,927	568	638	1,434	1,410	2,724	14,862	25,608	15,151	3,854	655
Chicago Heights	973	6	4	14	23	29	190	360	270	66	11
Cicero	1,014	9	3	7	11	29	190	408	264	81	11
Collinsville	337	1	1	2	2	8	57	125	90	41	10
Crystal Lake	229	2	-	1	5	10	42	89	65	12	3
Danville	829	2	1	19	6	37	125	337	207	84	11
DeKalb	367	4	1	2	7	8	58	134	104	42	7
Decatur	1,782	14	10	29	32	56	334	706	450	125	25
Deerfield	243	-	1	3	3	4	44	96	75	14	3
DesPlaines	1,073	6	2	20	16	21	168	417	326	79	18
Dixon	287	1	1	7	1	9	40	106	82	33	7
Dolton	367	1	2	3	4	9	69	142	106	25	6
Downers Grove	631	2	3	7	6	14	104	232	188	62	12
East Moline	358	2	4	5	3	7	58	126	113	36	4
East Peoria	346	1	3	4	3	9	59	129	97	36	4
East St. Louis	2,077	23	25	54	90	132	546	763	363	70	11
Edwardsville	176	-	2	-	1	7	32	68	44	20	2
Elgin	1,124	9	5	16	12	28	216	379	327	107	24
Elk Grove	337	-	1	2	5	10	56	121	101	36	5
Elmhurst	562	2	3	2	6	9	89	210	177	54	10
Elmwood Park	378	2	1	3	7	13	60	168	94	27	3
Evanston	1,111	4	11	12	12	27	233	449	266	83	14
Evergreen Park	215	-	-	3	3	13	22	77	63	26	8
Fairview Heights	158	1	-	3	2	5	29	61	41	15	1
Forest Park	322	3	-	-	7	8	52	126	94	27	5
Franklin Park	303	-	1	5	3	18	46	118	84	26	2
Freeport	493	1	6	5	7	11	96	169	160	32	6
Galesburg	536	6	1	6	10	15	94	192	150	51	11
Glen Ellyn	368	2	4	8	5	10	64	133	107	30	5
Glencoe	67	-	-	1	-	3	15	27	13	6	2
Glendale Heights	291	-	-	2	4	9	43	123	83	24	3
Glenview	386	3	2	11	5	7	72	153	110	27	6
Granite City	717	6	7	13	12	20	116	258	205	64	14
Hanover Park	399	1	1	9	5	11	69	157	111	27	8
Harvey	891	9	6	17	22	37	182	342	201	62	11
Hazel Crest	185	1	1	3	3	7	28	73	51	16	2
Hickory Hills	278	-	-	4	4	13	60	99	77	18	3
Highland Park	288	-	-	1	3	6	51	120	72	32	3
Hinsdale	192	-	2	2	3	6	28	66	69	15	1
Hoffman Estates	623	4	2	10	8	16	97	254	183	43	6
Homewood	171	-	-	1	1	6	32	69	47	12	3
Jacksonville	355	2	-	12	3	9	50	125	116	30	8
Joliet	1,575	8	7	25	31	65	290	613	399	117	20
Kankakee	861	9	6	10	15	24	154	238	156	43	5
Kewanee	202	1	2	4	1	5	23	70	74	20	2
LaGrange	254	2	1	3	3	6	39	114	58	22	6
LaGrange Park	127	-	-	2	1	2	24	40	47	8	3
LaSalle	163	-	-	1	2	6	32	69	34	17	2
Lake Forest	118	1	-	1	3	2	19	50	35	6	1
Lansing	409	1	1	6	2	10	54	182	114	30	8
Libertyville	179	-	3	-	4	3	30	80	53	22	4

TABLE 8B. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971 -- CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

City	Total Live Births	Live Births By Weight									
		Premature					2501-3000 Grams	3001-3500 Grams	3501-4000 Grams	4001-4500 Grams	4501 and Over
		Under 1001 Grams	1001-1500 Grams	1501-2000 Grams	2001-2250 Grams	2251-2500 Grams					
Lincoln	240	--	1	6	4	9	42	95	62	19	2
Lincolnwood	65	--	--	1	1	3	10	26	21	3	--
Lombard	591	5	1	5	11	11	88	234	168	54	14
Loves Park	272	1	2	3	4	3	45	84	95	32	3
Lyons	201	3	--	5	2	7	34	78	55	15	2
Macomb	227	--	--	2	5	3	28	100	76	11	2
Marion	176	--	--	3	1	3	19	68	59	17	8
Markham	310	3	2	9	8	24	60	117	69	16	2
Mattoon	354	1	1	5	2	8	61	129	116	25	6
Maywood	585	10	3	14	12	33	131	230	120	28	3
Melrose Park	605	3	3	7	10	18	110	246	163	33	11
Midlothian	269	1	4	5	1	8	42	101	79	23	5
Moline	806	6	4	12	15	15	118	277	265	79	15
Monmouth	164	--	--	2	4	6	24	64	38	18	8
Morton Grove	204	1	--	--	3	9	52	76	47	15	1
Morton	150	--	3	1	1	3	25	54	47	15	1
Mount Prospect	546	2	4	10	11	18	73	211	164	44	9
Mount Vernon	297	1	1	2	3	9	49	123	77	27	5
Mundelein	303	--	1	2	7	7	49	113	85	29	10
Murphysboro	165	--	2	4	3	8	17	50	60	15	6
Naperville	290	3	3	3	1	12	40	115	81	25	7
Niles	355	1	--	4	4	7	69	128	111	25	6
Normal	340	--	2	2	1	3	63	138	98	32	1
Norridge	149	1	--	1	3	4	22	57	43	12	6
North Chicago	414	2	4	18	7	13	87	166	86	26	5
North Lake	207	--	3	1	2	8	31	89	59	10	4
Northbrook	386	3	2	4	4	4	77	164	101	24	3
Oak Forest	471	3	2	4	8	3	80	179	139	43	10
Oak Lawn	812	6	3	7	15	18	148	280	236	82	17
Oak Park	777	1	4	13	9	28	117	293	247	50	14
Ottawa	276	1	3	3	6	10	49	118	58	25	3
Palatine	497	2	--	5	10	17	75	174	166	42	6
Paris	158	--	1	1	5	4	25	59	46	13	4
Park Forest	554	1	2	11	7	10	82	213	163	53	11
Park Ridge	387	--	1	4	2	12	58	153	113	34	10
Pekin	574	2	6	6	7	21	111	227	142	45	7
Peoria	2,326	10	11	38	30	83	391	900	627	196	39
Peru	178	--	--	3	3	5	32	65	52	13	5
Pontiac	166	1	2	1	4	2	25	63	46	18	4
Quincy	700	2	2	12	11	28	124	240	213	58	10
Rantoul	699	1	5	9	14	23	111	289	196	44	6
River Forest	141	1	1	1	4	6	26	47	42	11	2
River Grove	214	2	1	2	2	6	37	85	54	24	1
Riverdale	248	--	1	3	6	7	37	95	65	26	8
Riverside	94	--	1	1	--	3	20	36	29	4	--
Rock Falls	281	3	3	6	4	8	37	106	88	21	5
Rock Island	803	9	6	8	15	40	153	282	220	55	14
Rockford	3,007	13	22	47	47	106	525	1,087	859	245	56
Rolling Meadows	448	2	1	4	7	9	69	164	135	49	8
Romeoville	241	1	1	5	2	9	47	88	68	18	2
Schaumburg	505	--	5	7	4	17	105	173	140	43	11
Schiller Park	257	3	2	3	5	6	46	101	75	13	3
Skokie	621	5	1	3	11	21	126	267	144	37	6
South Holland	280	1	--	3	2	4	31	112	81	36	10
Springfield	1,615	9	18	22	26	62	291	652	391	131	13
St. Charles	229	1	--	2	3	8	29	93	72	17	4
Sterling	297	2	1	--	5	8	53	112	91	20	5
Streamwood	488	2	--	3	5	14	76	192	139	52	5
Streator	294	2	1	2	5	8	68	125	65	16	2
Summit	271	2	4	7	1	13	47	104	61	21	11
Taylorville	195	1	2	3	2	13	39	55	56	22	2
Tinley Park	422	2	1	5	5	23	49	149	140	42	6
Urbana	474	4	3	8	9	19	67	182	152	27	3
Villa Park	456	3	--	6	5	18	87	161	134	35	7
Waukegan	1,588	11	13	31	23	52	313	632	405	93	15
West Chicago	231	--	--	4	2	7	31	95	60	27	5
Westchester	142	1	1	--	3	6	24	50	40	15	2
Western Springs	126	--	--	--	4	4	17	52	34	13	2
Wheaton	460	--	3	1	5	10	69	165	150	51	6
Wheeling	329	1	1	4	12	15	58	121	91	22	4
Wilmotte	240	1	--	1	1	7	46	96	69	19	--
Winnetka	110	1	--	--	2	3	17	41	35	9	2
Wood River	250	2	2	6	4	6	36	103	71	14	6
Woodridge	311	2	2	3	7	11	53	113	87	28	5
Woodstock	177	--	2	3	2	4	37	74	43	12	--
Worth	246	4	--	3	3	7	33	93	71	24	8
Zion	513	4	4	10	8	15	106	188	123	49	6

TABLE 8C. - RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1971

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	Total Live Births	Live Births By Weight ¹									
		Premature					2501- 3000 Grams	3001- 3500 Grams	3501- 4000 Grams	4001- 4500 Grams	4501- and Over
		Under 1001 Grams	1001- 1500 Grams	1501- 2000 Grams	2001- 2250 Grams	2251- 2500 Grams					
Illinois											
Total	195,311	1,226	1,332	3,081	3,256	6,639	36,645	73,950	51,543	14,784	2,778
White	151,541	719	769	1,797	2,000	4,313	25,309	57,280	43,644	13,151	2,499
Nonwhite	43,770	507	563	1,284	1,256	2,326	11,336	16,670	7,899	1,633	279
Male	100,055	601	681	1,504	1,522	2,944	16,090	36,091	29,058	9,556	1,965
White	77,981	341	405	892	937	1,933	11,116	27,621	24,432	8,495	1,777
Nonwhite	22,074	260	276	612	585	1,011	4,974	8,470	4,626	1,061	188
Female	95,256	625	651	1,577	1,734	3,695	20,555	37,859	22,485	5,228	813
White	73,560	378	364	905	1,063	2,380	14,193	29,659	19,212	4,656	722
Nonwhite	21,696	247	287	672	671	1,315	6,362	8,200	3,273	572	91
Downstate											
Total	128,384	658	694	1,647	1,846	3,915	21,783	48,342	36,392	10,930	2,123
White	117,699	542	563	1,366	1,541	3,334	19,093	44,200	34,445	10,516	2,053
Nonwhite	10,685	116	131	281	305	581	2,690	4,142	1,947	414	70
Male	66,042	330	356	843	847	1,737	9,590	23,332	20,365	7,103	1,505
White	60,711	275	297	699	724	1,476	8,446	21,252	19,227	6,830	1,457
Nonwhite	5,331	55	59	144	123	261	1,144	2,080	1,138	273	48
Female	62,342	328	338	804	999	2,178	12,193	25,010	16,027	3,827	618
White	56,988	267	266	667	817	1,858	10,647	22,948	15,218	3,686	596
Nonwhite	5,354	61	72	137	182	320	1,546	2,062	809	141	22
Chicago											
Total	66,927	568	638	1,434	1,410	2,724	14,862	25,608	15,151	3,854	655
White	33,842	177	206	431	459	979	6,216	13,080	9,199	2,635	446
Nonwhite	33,085	391	432	1,003	951	1,745	8,646	12,528	5,952	1,219	209
Male	34,013	271	325	661	675	1,207	6,500	12,759	8,693	2,453	460
White	17,270	85	108	193	213	457	2,670	6,369	5,205	1,665	320
Nonwhite	16,743	205	217	468	462	750	3,830	6,390	3,488	788	140
Female	32,914	297	313	773	735	1,517	8,362	12,849	6,458	1,401	195
White	16,572	111	98	238	246	522	3,546	6,711	3,994	970	126
Nonwhite	16,342	186	215	535	489	995	4,816	6,138	2,464	431	69

¹Equivalents of the Gram Weights in Terms of Pounds and Ounces are as Follows:

1,000 Grams or Less = 2 lb. 3 oz. or Less.	3,001 - 3,500 Grams = 6 lb. 10 oz. - 7 lb. 11 oz.
1,001 - 1,500 Grams = 2 lb. 4 oz. - 3 lb. 4 oz.	3,501 - 4,000 Grams = 7 lb. 12 oz. - 8 lb. 13 oz.
1,501 - 2,000 Grams = 3 lb. 5 oz. - 4 lb. 6 oz.	4,001 - 4,500 Grams = 8 lb. 14 oz. - 9 lb. 14 oz.
2,001 - 2,500 Grams = 4 lb. 7 oz. - 5 lb. 8 oz.	4,501 - 5,000 Grams = 9 lb. 15 oz. - 11 lb. 0 oz.
2,501 - 3,000 Grams = 5 lb. 9 oz. - 6 lb. 9 oz.	5,001 Grams or More = 11 lb. 1 oz. or More.

TABLE 8D. - LIFE TABLE FOR ALL RACES' BOTH SEXES: ILLINOIS, 1969-1971

Age Interval In Years	Observed Death Rate Per Capita	Proportion Surviving In Age Interval	Of 100,000 Born Alive		Stationary Population		Average Years Remaining at Beginning of Interval
			Living at Beginning of Interval	Dying During Interval	In Age Interval	In This and Later Intervals	
X to X + N	R	p	l	d	L	T	e ⁰
0 to 1	0.021652	0.97981	100,000	2,019	98,445	7,034,361	70.34
1 to 4	0.000856	0.99665	97,981	328	391,080	6,935,916	70.79
5 to 9	0.000416	0.99792	97,653	203	487,697	6,544,835	67.02
10 to 14	0.000400	0.99800	97,450	195	486,830	6,057,138	62.16
15 to 19	0.001085	0.99456	97,255	526	485,066	5,570,308	57.28
20 to 24	0.001465	0.99270	96,729	706	481,914	5,085,242	52.57
25 to 29	0.001441	0.99282	96,023	690	478,425	4,603,328	47.94
30 to 34	0.001840	0.99084	95,333	873	474,594	4,124,903	43.27
35 to 39	0.002606	0.98705	94,460	1,223	469,439	3,650,309	38.64
40 to 44	0.003928	0.98054	93,237	1,815	461,960	3,180,870	34.12
45 to 49	0.006041	0.97021	91,422	2,733	450,755	2,718,910	29.74
50 to 54	0.009182	0.95505	88,699	3,987	434,152	2,268,155	25.57
55 to 59	0.013946	0.93246	84,712	5,721	410,054	1,834,003	21.65
60 to 64	0.020741	0.90110	78,991	7,812	376,376	1,423,949	18.03
65 to 69	0.031031	0.85546	71,179	10,288	331,173	1,047,573	14.72
70 to 74	0.045959	0.79302	60,891	12,603	273,856	716,400	11.77
75 to 79	0.071270	0.69668	48,288	14,647	205,173	442,544	9.16
80 to 84	0.101830	0.57544	33,641	14,283	131,628	237,371	7.06
85 to 89	0.151202*	0.45892	19,358	10,474	68,870	105,743	5.46
90 to 94	0.212802*	0.32979	8,884	5,954	27,834	36,873	4.15
95 to 99	0.293760*	0.21117	2,930	2,311	7,748	9,039	3.08
100 to 104	0.420000*	0.10265	619	555	1,239	1,291	2.09
105 to 109	0.600000*	0.03473	64	62	50	52	0.81
110 to 114			2	2	2	2	

*Graphically smoothed beginning with age group 85 to 89. No other adjustments.

SOURCE: Computed from three-year average deaths and April 1, 1970 Census population using slightly rearranged Reed-Merrell formulas.

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1971 -

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

Cause and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Illinois, All Causes		109,491	4,713	894	2,390	6,261	27,220	53,726	14,287
White		95,705	3,133	696	1,738	4,371	22,881	49,301	13,585
Nonwhite		13,786	1,580	198	652	1,890	4,339	4,425	702
1. Heart Disease		47,202	114	24	82	1,299	11,193	26,598	7,892
	White	42,484	57	12	52	891	9,497	24,471	7,504
	Nonwhite	4,718	57	12	30	408	1,696	2,127	388
A. Arteriosclerotic		42,478	2	--	18	944	9,636	24,502	7,376
	White	38,852	2	--	13	689	8,384	22,744	7,020
	Nonwhite	3,626	--	--	5	255	1,252	1,758	356
B. Other		4,724	112	24	64	355	1,557	2,096	516
	White	3,632	55	12	39	202	1,113	1,727	484
	Nonwhite	1,092	57	12	25	153	444	369	32
2. Malignant Neoplasms		19,398	47	122	149	1,035	7,233	9,660	1,152
	White	17,339	44	108	132	839	6,248	8,882	1,086
	Nonwhite	2,059	3	14	17	196	985	778	66
3. Cerebrovascular Disease		11,123	20	13	32	261	1,771	6,749	2,277
	White	9,993	13	8	22	167	1,385	6,213	2,185
	Nonwhite	1,130	7	5	10	94	386	536	92
4. Accidents		5,303	313	431	1,218	1,190	1,035	860	256
	White	4,468	211	342	1,039	964	878	791	243
	Nonwhite	835	102	89	179	226	157	69	13
A. Motor Vehicle		2,499	66	240	801	601	443	317	31
	White	2,228	54	198	733	530	387	298	28
	Nonwhite	271	12	42	68	71	56	19	3
B. Other		2,804	247	191	417	589	592	543	225
	White	2,240	157	144	306	434	491	493	215
	Nonwhite	564	90	47	111	155	101	50	10
5. Congenital Anomalies and Diseases of Early Infancy		3,316	3,125	38	34	39	56	23	1
	White	2,339	2,177	27	28	38	46	22	1
	Nonwhite	977	948	11	6	1	10	1	--
6. Pneumonia and Influenza		3,004	356	44	52	185	522	1,269	576
	White	2,447	214	35	38	112	382	1,119	547
	Nonwhite	557	142	9	14	73	140	150	29
7. Other Circulatory Diseases		2,147	6	3	15	108	515	1,232	268
	White	1,898	3	3	14	71	435	1,124	248
	Nonwhite	249	3	--	1	37	80	108	20
8. Diabetes Mellitus		1,978	1	10	17	90	519	1,167	174
	White	1,691	--	9	13	66	408	1,030	165
	Nonwhite	287	1	1	4	24	111	137	9
9. Cirrhosis of Liver		1,882	8	3	9	350	1,034	464	14
	White	1,596	5	3	6	234	901	433	14
	Nonwhite	286	3	--	3	116	133	31	--
10. General Arteriosclerosis		1,753	--	--	--	3	90	954	706
	White	1,676	--	--	--	2	81	911	682
	Nonwhite	77	--	--	--	1	9	43	24
11. Homicide		1,200	31	35	342	515	222	46	9
	White	421	17	15	78	176	96	32	7
	Nonwhite	779	14	20	264	339	126	14	2
12. Emphysema		1,135	1	--	2	13	317	739	63
	White	1,083	1	--	1	9	300	712	60
	Nonwhite	52	--	--	1	4	17	27	3

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1971 -- CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

Cause and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Chicago, All Causes		39,696	2,003	271	896	2,872	11,091	18,718	3,845
White		28,935	769	122	382	1,312	7,638	15,363	3,349
Nonwhite		10,761	1,234	149	514	1,560	3,453	3,355	496
1. Heart Disease		17,708	79	15	45	682	4,744	9,854	2,289
White		14,016	28	5	21	327	3,374	8,237	2,024
Nonwhite		3,692	51	10	24	355	1,370	1,617	265
A. Arteriosclerotic		15,315	2	--	9	464	3,830	8,848	2,162
White		12,563	2	--	5	241	2,836	7,560	1,919
Nonwhite		2,752	--	--	4	223	994	1,288	243
B. Other		2,393	77	15	36	218	914	1,006	127
White		1,453	26	5	16	86	538	677	105
Nonwhite		940	51	10	20	132	376	329	22
2. Malignant Neoplasms		6,790	12	34	50	369	2,678	3,308	339
White		5,140	9	22	36	198	1,882	2,698	295
Nonwhite		1,650	3	12	14	171	796	610	44
3. Cerebrovascular Disease		3,399	7	5	14	126	742	2,009	496
White		2,552	2	2	5	48	437	1,629	429
Nonwhite		847	5	3	9	78	305	380	67
4. Accidents		1,502	117	111	290	389	322	222	51
White		898	40	47	162	212	215	181	41
Nonwhite		604	77	64	128	177	107	41	10
A. Motor Vehicle		475	19	57	115	108	95	73	8
White		317	10	30	81	67	60	62	7
Nonwhite		158	9	27	34	41	35	11	1
B. Other		1,027	98	54	175	281	227	149	43
White		581	30	17	81	145	155	119	34
Nonwhite		446	68	37	94	136	72	30	9
5. Congenital Anomalies and Diseases of Early Infancy		1,334	1,275	12	13	8	19	7	--
White		585	546	3	7	7	15	7	--
Nonwhite		749	729	9	6	1	4	--	--
6. Pneumonia and Influenza		1,198	139	15	24	100	274	504	142
White		742	37	9	12	41	156	370	117
Nonwhite		456	102	6	12	59	118	134	25
7. Other Circulatory Diseases		681	6	--	5	45	188	378	59
White		491	3	--	4	18	126	295	45
Nonwhite		190	3	--	1	27	62	83	14
8. Diabetes Mellitus		767	1	3	8	38	235	420	62
White		547	--	2	5	17	148	322	53
Nonwhite		220	1	1	3	21	87	98	9
9. Cirrhosis of Liver		995	3	--	4	229	552	205	2
White		749	1	--	2	130	436	178	2
Nonwhite		246	2	--	2	99	116	27	--
10. General Arteriosclerosis		498	--	--	--	2	40	296	160
White		445	--	--	--	1	35	265	144
Nonwhite		53	--	--	--	1	5	31	16
11. Homicide		873	19	20	273	369	163	24	5
White		220	5	5	47	90	56	14	3
Nonwhite		653	14	15	226	279	107	10	2
12. Emphysema		296	--	--	1	7	83	188	17
White		261	--	--	--	4	73	169	15
Nonwhite		35	--	--	1	3	10	19	2

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1971 -- CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

Cause and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Downstate, All Causes		69,795	2,710	623	1,494	3,389	16,129	35,008	10,442
White		66,770	2,364	574	1,356	3,059	15,243	33,938	10,236
Nonwhite		3,025	346	49	138	330	886	1,070	206
1.	Heart Disease	29,494	35	9	37	617	6,449	16,744	5,603
	White	28,468	29	7	31	564	6,123	16,234	5,480
	Nonwhite	1,026	6	2	6	53	326	510	123
	A. Arteriosclerotic	27,163	--	--	9	480	5,806	15,654	5,214
	White	26,289	--	--	8	448	5,548	15,184	5,101
	Nonwhite	874	--	--	1	32	258	470	113
	B. Other	2,331	35	9	28	137	643	1,090	389
	White	2,179	29	7	23	116	575	1,050	379
	Nonwhite	152	6	2	5	21	68	40	10
2.	Malignant Neoplasms	12,608	35	88	99	666	4,555	6,352	813
	White	12,199	35	86	96	641	4,366	6,184	791
	Nonwhite	409	--	2	3	25	189	168	22
3.	Cerebrovascular Disease	7,724	13	8	18	135	1,029	4,740	1,781
	White	7,441	11	6	17	119	948	4,584	1,756
	Nonwhite	283	2	2	1	16	81	156	25
4.	Accidents	3,801	196	320	928	801	713	638	205
	White	3,570	171	295	877	752	663	610	202
	Nonwhite	231	25	25	51	49	50	28	3
	A. Motor Vehicle	2,024	47	183	686	493	348	244	23
	White	1,911	44	168	652	463	327	236	21
	Nonwhite	113	3	15	34	30	21	8	2
	B. Other	1,777	149	137	242	308	365	394	182
	White	1,659	127	127	225	289	336	374	181
	Nonwhite	118	22	10	17	19	29	20	1
5.	Congenital Anomalies and Diseases of Early Infancy	1,982	1,850	26	21	31	37	16	1
	White	1,754	1,631	24	21	31	31	15	1
	Nonwhite	228	219	2	--	--	6	1	--
6.	Pneumonia and Influenza	1,806	217	29	28	85	248	765	434
	White	1,705	177	26	26	71	226	749	430
	Nonwhite	101	40	3	2	14	22	16	4
7.	Other Circulatory Diseases	1,466	--	3	10	63	327	854	209
	White	1,407	--	3	10	53	309	829	203
	Nonwhite	59	--	--	--	10	18	25	6
8.	Diabetes Mellitus	1,211	--	7	9	52	284	747	112
	White	1,144	--	7	8	49	260	708	112
	Nonwhite	67	--	--	1	3	24	39	--
9.	Cirrhosis of Liver	887	5	3	5	121	482	259	12
	White	847	4	3	4	104	465	255	12
	Nonwhite	40	1	--	1	17	17	4	--
10.	General Arteriosclerosis	1,225	--	--	--	1	50	658	546
	White	1,231	--	--	--	1	46	646	538
	Nonwhite	24	--	--	--	--	4	12	8
11.	Homicide	327	12	15	69	146	59	22	4
	White	201	12	10	31	86	40	18	4
	Nonwhite	126	--	5	38	60	19	4	--
12.	Emphysema	839	1	--	1	6	234	551	46
	White	822	1	--	1	5	227	543	45
	Nonwhite	17	--	--	--	1	7	8	1

TABLE 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1971

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1971)

Cause and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Illinois, All Causes		977.9	498.2	39.5	127.5	235.4	1,157.3	5,288.0	17,423.2
White		988.9	402.2	36.9	108.5	192.0	1,078.8	5,261.6	17,875.0
Nonwhite		908.2	946.1	52.4	238.8	492.2	1,878.4	5,601.3	11,700.0
1.	Heart Disease	421.6	12.1	1.1	4.4	48.8	475.9	2,617.9	9,624.4
	White	439.0	7.3	0.6	3.2	39.1	447.8	2,611.6	9,873.7
	Nonwhite	310.8	34.1	3.2	11.0	106.3	734.2	2,692.4	6,466.7
	A. Arteriosclerotic	379.4	0.2	-0-	1.0	35.5	409.7	2,411.6	8,995.1
	White	401.4	0.3	-0-	0.8	30.3	395.3	2,427.3	9,236.8
	Nonwhite	238.9	-0-	-0-	1.8	66.4	542.0	2,225.3	5,933.3
	B. Other	42.2	11.8	1.1	3.4	13.3	66.2	206.3	629.3
	White	37.5	7.1	0.6	2.4	8.9	52.5	184.3	636.8
	Nonwhite	71.9	34.1	3.2	9.2	39.8	192.2	467.1	533.3
2.	Malignant Neoplasms	173.3	5.0	5.4	7.9	38.9	307.5	950.8	1,404.9
	White	179.2	5.6	5.7	8.2	36.9	294.6	947.9	1,428.9
	Nonwhite	135.6	1.8	3.7	6.2	51.0	426.4	984.8	1,100.0
3.	Cerebrovascular Disease	99.3	2.1	0.6	1.7	9.8	75.3	664.3	2,776.8
	White	103.3	1.7	0.4	1.4	7.3	65.3	663.1	2,875.0
	Nonwhite	74.4	4.2	1.3	3.7	24.5	167.1	678.5	1,533.3
4.	Accidents	47.4	33.1	19.0	65.0	44.7	44.0	84.6	312.2
	White	46.2	27.1	18.1	64.9	42.4	41.4	84.4	319.7
	Nonwhite	55.0	61.1	23.5	65.6	58.9	68.0	87.3	216.7
	A. Motor Vehicle	22.3	7.0	10.6	42.7	22.6	18.8	31.2	37.8
	White	23.0	6.9	10.5	45.8	23.3	18.2	31.8	36.8
	Nonwhite	17.9	7.2	11.1	24.9	18.5	24.2	24.1	50.0
	B. Other	25.0	26.1	8.4	22.2	22.1	25.2	53.4	274.4
	White	23.1	20.2	7.6	19.1	19.1	23.1	52.6	282.9
	Nonwhite	37.2	53.9	12.4	40.7	40.4	43.7	63.3	166.7
5.	Congenital Anomalies and Diseases of Early Infancy	29.6	330.3	1.7	1.8	1.5	2.4	2.3	1.2
	White	24.2	279.5	1.4	1.7	1.7	2.2	2.3	1.3
	Nonwhite	64.4	567.7	2.9	2.2	0.3	4.3	1.3	-0-
6.	Pneumonia and Influenza	26.8	37.6	1.9	2.8	7.0	22.2	124.9	702.4
	White	25.3	27.5	1.9	2.4	4.9	18.0	119.4	719.7
	Nonwhite	36.7	85.0	2.4	5.1	19.0	60.6	189.9	483.3
7.	Other Circulatory Diseases	19.2	0.6	0.1	0.8	4.1	21.9	121.3	326.8
	White	19.6	0.4	0.2	0.9	3.1	20.5	120.0	326.3
	Nonwhite	16.4	1.8	-0-	0.4	9.6	34.6	136.7	333.3
8.	Diabetes Mellitus	17.7	0.1	0.4	0.9	3.4	22.1	114.9	212.2
	White	17.5	-0-	0.5	0.8	2.9	19.2	109.9	217.1
	Nonwhite	18.9	0.6	0.3	1.5	6.3	48.1	173.4	150.0
9.	Cirrhosis of Liver	16.8	0.8	0.1	0.5	13.2	44.0	45.7	17.1
	White	16.5	0.6	0.2	0.4	10.3	42.5	46.2	18.4
	Nonwhite	18.8	1.8	-0-	1.1	30.2	57.6	39.2	-0-
10.	General Arteriosclerosis	15.7	-0-	-0-	-0-	0.1	3.8	93.9	861.0
	White	17.3	-0-	-0-	-0-	0.1	3.8	97.2	897.4
	Nonwhite	5.1	-0-	-0-	-0-	0.3	3.9	54.4	400.0
11.	Homicide	10.7	3.3	1.5	18.2	19.4	9.4	4.5	11.0
	White	4.4	2.2	0.8	4.9	7.7	4.5	3.4	9.2
	Nonwhite	51.3	8.4	5.3	96.7	88.3	54.5	17.7	33.3
12.	Emphysema	10.1	0.1	-0-	0.1	0.5	13.5	72.7	76.8
	White	11.2	0.1	-0-	0.1	0.4	14.1	76.0	78.9
	Nonwhite	3.4	-0-	-0-	0.4	1.0	7.4	34.2	50.0

TABLE 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1971 -- CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1971)

Causes and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Chicago, All Causes		1,177.2	710.3	43.3	160.6	357.7	1,484.7	5,604.2	17,477.3
White		1,309.9	492.9	36.3	107.9	261.4	1,344.7	5,586.5	18,605.6
Nonwhite		925.3	979.4	51.4	252.0	518.3	1,929.1	5,686.4	12,400.0
1. Heart Disease		525.1	28.0	2.4	8.1	84.9	635.1	2,950.3	10,404.5
	White	634.5	17.9	1.5	5.9	65.1	594.0	2,995.3	11,244.4
	Nonwhite	317.5	40.5	3.4	11.8	117.9	765.4	2,740.7	6,625.0
A. Arteriosclerotic		454.2	0.7	-0-	1.6	57.8	512.7	2,649.1	9,827.3
	White	568.7	1.3	-0-	1.4	48.0	499.3	2,749.1	10,661.1
	Nonwhite	236.6	-0-	-0-	2.0	74.1	555.3	2,183.1	6,075.0
B. Other		71.0	27.3	2.4	6.5	27.1	122.4	301.2	577.3
	White	65.8	16.7	1.5	4.5	17.1	94.7	246.2	583.3
	Nonwhite	80.8	40.5	3.4	9.8	43.9	210.1	557.6	550.0
2. Malignant Neoplasms		201.4	4.3	5.4	9.0	46.0	358.5	990.4	1,540.9
	White	232.7	5.8	6.5	10.2	39.4	331.3	981.1	1,638.9
	Nonwhite	141.9	2.4	4.1	6.9	56.8	444.7	1,033.9	1,100.0
3. Cerebrovascular Disease		100.8	2.5	0.8	2.5	15.7	99.3	601.5	2,254.5
	White	115.5	1.3	0.6	1.4	9.6	76.9	592.4	2,383.3
	Nonwhite	72.8	4.0	1.0	4.4	25.9	170.4	644.1	1,675.0
4. Accidents		44.5	41.5	17.7	52.0	48.4	43.1	66.5	231.8
	White	40.7	25.6	14.0	45.8	42.2	37.9	65.8	227.8
	Nonwhite	51.9	61.1	22.1	62.7	58.8	59.8	69.5	250.0
A. Motor Vehicle		14.1	6.7	9.1	20.6	13.4	12.7	21.9	36.4
	White	14.4	6.4	8.9	22.9	13.3	10.6	22.5	38.9
	Nonwhite	13.6	7.1	9.3	16.7	13.6	19.6	18.6	25.0
B. Other		30.5	34.8	8.6	31.4	35.0	30.4	44.6	195.5
	White	26.3	19.2	5.1	22.9	28.9	27.3	43.3	188.9
	Nonwhite	38.3	54.0	12.8	46.1	45.2	40.2	50.8	225.0
5. Congenital Anomalies and Diseases of Early Infancy		39.6	452.1	1.9	2.3	1.0	2.5	2.1	-0-
	White	26.5	350.0	0.9	2.0	1.4	2.6	2.5	-0-
	Nonwhite	64.4	578.6	3.1	2.9	0.3	2.2	-0-	-0-
6. Pneumonia and Influenza		35.5	49.3	2.4	4.3	12.5	36.7	150.9	645.5
	White	33.6	23.7	2.7	3.4	8.2	27.5	134.5	650.0
	Nonwhite	39.2	81.0	2.1	5.9	19.6	65.9	227.1	625.0
7. Other Circulatory Diseases		20.2	2.1	-0-	0.9	5.6	25.2	113.2	268.2
	White	22.2	1.9	-0-	1.1	3.6	22.2	107.3	250.0
	Nonwhite	16.3	2.4	-0-	0.5	9.0	34.6	140.7	350.0
8. Diabetes Mellitus		22.7	0.4	0.5	1.4	4.7	31.5	125.7	281.8
	White	24.8	-0-	0.6	1.4	3.4	26.1	117.1	294.4
	Nonwhite	18.9	0.8	0.3	1.5	7.0	48.6	166.1	225.0
9. Cirrhosis of Liver		29.5	1.1	-0-	0.7	28.5	73.9	61.4	9.1
	White	33.9	0.6	-0-	0.6	25.9	76.8	64.7	11.1
	Nonwhite	21.2	1.6	-0-	1.0	32.9	64.8	45.8	-0-
10. General Arteriosclerosis		14.8	-0-	-0-	-0-	0.2	5.4	88.6	727.3
	White	20.1	-0-	-0-	-0-	0.2	6.2	96.4	800.0
	Nonwhite	4.6	-0-	-0-	-0-	0.3	2.8	52.5	400.0
11. Homicide		25.9	6.7	3.2	48.9	46.0	21.8	7.2	22.7
	White	10.0	3.2	1.5	13.3	17.9	9.9	5.1	16.7
	Nonwhite	56.1	11.1	5.2	110.8	92.7	59.8	16.9	50.0
12. Emphysema		8.8	-0-	-0-	0.2	0.9	11.1	56.3	77.3
	White	11.8	-0-	-0-	-0-	0.8	12.9	61.5	83.3
	Nonwhite	3.0	-0-	-0-	0.5	1.0	5.6	32.2	50.0

TABLE 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1971 -- CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1971)

Cause and Race		All Ages	0-4 Years	5-14 Years	15-24 Years	25-44 Years	45-64 Years	65-84 Years	85 and over
Downstate, All Causes		892.1	408.1	38.0	113.4	182.5	1,004.9	5,133.1	17,403.3
White		894.0	379.5	37.0	108.7	172.4	981.5	5,126.6	17,648.3
Nonwhite		852.1	843.9	55.7	200.0	397.6	1,703.8	5,350.0	10,300.0
1.	Heart Disease	377.0	5.3	0.5	2.8	33.2	401.8	2,455.1	9,338.3
	White	381.1	4.7	0.5	2.5	31.8	394.3	2,452.3	9,448.3
	Nonwhite	289.0	14.6	2.3	8.7	63.9	626.9	2,550.0	6,150.0
	A. Arteriosclerotic	347.2	-0-	-0-	0.7	25.8	361.7	2,295.3	8,690.0
	White	352.0	-0-	-0-	0.6	25.3	357.2	2,293.7	8,794.8
	Nonwhite	246.2	-0-	-0-	1.4	38.6	496.2	2,350.0	5,650.0
	B. Other	29.8	5.3	0.5	2.1	7.4	40.1	159.8	648.3
	White	29.2	4.7	0.5	1.8	6.5	37.0	158.6	653.4
	Nonwhite	42.8	14.6	2.3	7.2	25.3	130.8	200.0	500.0
2.	Malignant Neoplasms	161.1	5.3	5.4	7.5	35.9	283.8	931.4	1,355.0
	White	163.3	5.6	5.5	7.7	36.1	281.1	934.1	1,363.8
	Nonwhite	115.2	-0-	2.3	4.3	30.1	363.5	840.0	1,100.0
3.	Cerebrovascular Disease	98.7	2.0	0.5	1.4	7.3	64.1	695.0	2,968.3
	White	99.6	1.8	0.4	1.4	6.7	61.0	692.4	3,027.6
	Nonwhite	79.7	4.9	2.3	1.4	19.3	155.8	780.0	1,250.0
4.	Accidents	48.6	29.5	19.5	70.5	43.1	44.4	93.5	341.7
	White	47.8	27.4	19.0	70.3	42.4	42.7	92.1	348.3
	Nonwhite	65.1	61.0	28.4	73.9	59.0	96.2	140.0	150.0
	A. Motor Vehicle	25.9	7.1	11.2	52.1	26.5	21.7	35.8	38.3
	White	25.6	7.1	10.8	52.2	26.1	21.1	35.6	36.2
	Nonwhite	31.8	7.3	17.0	49.3	36.1	40.4	40.0	100.0
	B. Other	22.7	22.4	8.4	18.4	16.6	22.7	57.8	303.3
	White	22.2	20.4	8.2	18.0	16.3	21.6	56.5	312.1
	Nonwhite	33.2	53.7	11.4	24.6	22.9	55.8	100.0	50.0
5.	Congenital Anomalies and Diseases of Early Infancy	25.3	278.6	1.6	1.6	1.7	2.3	2.3	1.7
	White	23.5	261.8	1.5	1.7	1.7	2.0	2.3	1.7
	Nonwhite	64.2	534.1	2.3	-0-	-0-	11.5	5.0	-0-
6.	Pneumonia and Influenza	23.1	32.7	1.8	2.1	4.6	15.5	112.2	723.3
	White	22.8	28.4	1.7	2.1	4.0	14.6	113.1	741.4
	Nonwhite	28.5	97.6	3.4	2.9	16.9	42.3	80.0	200.0
7.	Other Circulatory Diseases	18.7	-0-	0.2	0.8	3.4	20.4	125.2	348.3
	White	18.8	-0-	0.2	0.8	3.0	19.9	125.2	350.0
	Nonwhite	16.6	-0-	-0-	-0-	12.0	34.6	125.0	300.0
8.	Diabetes Mellitus	15.5	-0-	0.4	0.7	2.8	17.7	109.5	186.7
	White	15.3	-0-	0.5	0.6	2.8	16.7	106.9	193.1
	Nonwhite	18.9	-0-	-0-	1.4	3.6	46.2	195.0	-0-
9.	Cirrhosis of Liver	11.3	0.8	0.2	0.4	6.5	30.0	38.0	20.0
	White	11.3	0.6	0.2	0.3	5.9	29.9	38.5	20.7
	Nonwhite	11.3	2.4	-0-	1.4	20.5	32.7	20.0	-0-
10.	General Arteriosclerosis	16.0	-0-	-0-	-0-	0.1	3.1	96.5	910.0
	White	16.5	-0-	-0-	-0-	0.1	3.0	97.6	927.6
	Nonwhite	6.8	-0-	-0-	-0-	-0-	7.7	60.0	400.0
11.	Homicide	4.2	1.8	0.9	5.2	7.9	3.7	3.2	6.7
	White	2.7	1.9	0.6	2.5	4.8	2.6	2.7	6.9
	Nonwhite	35.5	-0-	5.7	55.1	72.3	36.5	20.0	-0-
12.	Emphysema	10.7	0.2	-0-	0.1	0.3	14.6	80.8	76.7
	White	11.0	0.2	-0-	0.1	0.3	14.6	82.0	77.6
	Nonwhite	4.8	-0-	-0-	-0-	1.2	13.5	40.0	50.0

TABLE 10A. -- DEATH FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

County	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hyper-tension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Illinois	109,491	62,842	42,478	4,724	11,123	1,753	617	2,147	1,135
Adams	945	553	364	20	104	34	6	25	9
Alexander	211	125	77	9	30	4	1	4	1
Bond	169	112	74	8	23	3	1	3	5
Boone	207	121	72	12	32	3	1	1	--
Brown	92	56	43	1	8	2	--	2	--
Bureau	433	285	211	15	42	2	3	12	5
Calhoun	71	41	26	--	10	2	--	3	3
Carroll	228	149	104	13	22	4	--	6	3
Cass	204	125	82	4	29	5	1	4	4
Champaign	963	487	307	30	97	28	2	23	12
Christian	497	300	185	9	74	21	6	5	7
Clark	234	137	76	9	40	6	2	4	4
Clay	193	121	69	12	31	4	--	5	1
Clinton	266	148	103	6	21	9	1	8	2
Coles	507	294	195	3	72	10	6	8	14
Cook	55,805	31,759	21,719	2,941	5,043	726	314	1,016	438
Crawford	273	173	95	13	51	5	2	7	5
Cumberland	114	73	38	2	26	2	2	3	2
DeKalb	472	263	175	17	47	5	2	17	9
DeWitt	246	171	115	13	33	8	--	2	1
Douglas	207	122	85	7	20	6	2	2	3
DuPage	2,832	1,544	957	153	317	36	10	71	30
Edgar	268	168	107	7	42	3	2	7	4
Edwards	96	69	53	7	6	3	--	--	--
Effingham	283	139	87	6	28	5	2	11	2
Fayette	278	175	113	9	36	6	3	8	4
Ford	181	116	88	7	18	1	--	2	2
Franklin	660	421	317	21	70	5	2	6	2
Fulton	546	336	211	34	70	10	1	10	5
Gallatin	112	72	43	7	13	--	--	9	--
Greene	234	148	87	22	23	8	2	6	4
Grundy	265	140	92	9	31	2	2	4	7
Hamilton	142	99	72	6	15	5	--	1	1
Hancock	293	189	124	11	39	8	2	5	5
Hardin	68	35	19	2	9	1	--	4	--
Henderson	104	52	34	3	12	1	--	2	4
Henry	560	328	222	18	64	8	2	14	6
Iroquois	373	233	164	5	43	10	--	11	6
Jackson	469	297	197	11	70	7	3	9	12
Jasper	133	82	53	5	17	6	1	--	--
Jefferson	372	184	94	21	38	15	4	12	10
Jersey	191	95	61	12	14	3	--	5	1
JoDaviess	264	154	105	6	32	5	3	3	4
Johnson	108	58	39	3	12	2	1	1	1
Kane	1,965	1,052	692	60	224	23	15	38	23
Kankakee	871	502	365	23	68	22	6	18	9
Kendall	190	100	59	6	24	4	3	4	1
Knox	661	401	286	20	65	17	6	7	8
Lake	2,544	1,353	907	85	242	43	13	63	17
LaSalle	1,277	739	499	32	168	18	3	19	11

TABLE 10A. - DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 - CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

County	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Illinois	19,398	5,303	2,499	2,804	3,004	2,446	870	1,978	1,882	1,009
Adams	177	45	23	22	34	10	3	15	12	11
Alexander	25	15	9	6	4	2	--	8	--	2
Bond	29	8	5	3	3	1	--	1	--	--
Boone	38	15	8	7	2	3	1	3	2	4
Brown	13	3	1	2	3	4	--	--	--	--
Bureau	67	15	10	5	13	5	--	14	3	3
Calhoun	12	4	4	--	--	1	--	5	--	1
Carroll	38	12	7	5	5	2	--	1	3	1
Cass	32	13	2	11	4	4	--	1	1	3
Champaign	182	84	53	31	29	31	14	16	11	11
Christian	81	25	15	10	13	4	1	16	6	6
Clark	33	13	7	6	5	4	2	6	2	2
Clay	29	6	3	3	6	2	1	2	1	--
Clinton	58	21	16	5	10	5	1	1	3	2
Coles	73	29	19	10	21	9	--	9	9	7
Cook	10,040	2,183	800	1,383	1,586	1,350	457	1,035	1,273	439
Crawford	49	7	6	1	2	2	3	5	3	1
Cumberland	15	7	4	3	4	2	--	--	--	3
De Kalb	79	22	13	9	15	20	4	11	8	3
De Witt	35	13	9	4	4	5	2	1	1	4
Douglas	31	6	2	4	11	5	2	6	--	--
Du Page	578	160	64	96	73	79	40	38	43	55
Edgar	41	14	7	7	3	3	--	4	--	5
Edwards	10	6	4	2	3	--	--	2	2	--
Effingham	50	15	11	4	17	3	5	6	5	2
Fayette	48	13	5	8	11	1	2	2	1	2
Ford	24	15	13	2	4	4	1	2	3	1
Franklin	99	24	11	13	15	7	2	19	4	7
Fulton	75	26	18	8	14	10	4	9	6	6
Gallatin	12	7	4	3	7	3	1	1	1	--
Greene	33	6	5	1	7	2	2	2	1	4
Grundy	37	27	20	7	7	1	3	6	2	2
Hamilton	13	11	5	6	1	1	2	--	1	--
Hancock	43	11	6	5	10	6	1	7	1	3
Hardin	9	9	1	8	2	--	--	1	--	--
Henderson	20	9	7	2	1	1	1	1	1	2
Henry	88	39	23	16	11	9	5	16	5	--
Iroquois	66	18	8	10	8	8	2	5	1	--
Jackson	80	16	5	11	11	7	5	3	5	3
Jasper	29	8	5	3	4	1	--	2	--	--
Jefferson	85	24	8	16	8	6	2	16	1	2
Jersey	42	11	4	7	12	1	5	4	--	3
Jo Daviess	50	13	6	7	12	3	1	4	1	4
Johnson	14	13	9	4	2	1	3	1	--	3
Kane	384	108	59	49	56	54	14	32	35	27
Kankakee	143	59	37	22	17	35	7	17	4	8
Kendall	31	18	12	6	5	8	1	3	2	1
Knox	121	24	14	10	16	15	5	7	4	5
Lake	470	194	123	71	60	68	18	37	55	33
La Salle	245	81	46	35	33	25	5	23	17	10

TABLE 10A. - DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 - CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

County	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hypertension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Lawrence	289	166	109	8	30	6	7	6	2
Lee	411	236	165	11	43	4	5	8	4
Livingston	446	286	184	15	66	10	1	10	8
Logan	355	209	150	11	27	19	1	1	6
McDonough	310	182	139	6	25	4	2	6	6
McHenry	981	556	358	25	117	24	10	22	10
McLean	960	596	402	17	147	14	1	15	7
Macon	1,176	657	416	36	145	23	14	23	21
Macoupin	585	368	258	16	67	12	6	9	5
Madison	2,315	1,343	874	102	268	41	15	43	33
Marion	517	306	215	9	56	11	1	14	5
Marshall	158	104	74	2	20	5	--	3	1
Mason	231	142	108	2	23	3	1	5	6
Massac	173	90	42	11	23	3	3	8	4
Menard	124	85	68	3	11	2	--	1	3
Mercer	209	129	88	11	22	3	1	4	2
Monroe	186	130	94	3	19	10	--	4	3
Montgomery	472	310	201	13	66	12	2	16	4
Morgan	395	259	190	8	38	14	--	9	4
Moultrie	150	82	56	2	19	4	1	--	1
Ogle	432	248	173	16	46	1	1	11	5
Peoria	1,966	1,114	746	45	216	39	9	59	29
Perry	237	161	122	4	26	3	3	3	4
Piatt	172	100	66	5	22	5	--	2	3
Pike	295	183	123	5	35	17	--	3	6
Pope	55	31	24	1	3	1	2	--	2
Pulaski	149	87	56	9	17	2	1	2	--
Putnam	61	39	23	2	9	2	1	2	--
Randolph	346	202	140	19	27	7	1	8	5
Richland	203	125	93	3	19	7	--	3	2
Rock Island	1,538	932	661	44	147	38	10	32	17
St. Clair	2,789	1,557	1,056	121	278	30	18	54	28
Saline	432	272	161	28	54	13	4	12	10
Sangamon	1,806	1,048	748	32	209	18	10	31	38
Schuyler	107	73	62	2	7	--	1	1	--
Scott	96	54	37	3	12	1	--	1	3
Shelby	297	195	117	17	44	7	3	7	3
Stark	97	55	44	2	6	1	--	2	3
Stephenson	497	263	188	10	43	1	5	16	14
Tazewell	904	459	326	20	75	18	6	14	9
Union	237	153	98	3	37	12	--	3	3
Vermilion	1,157	682	398	63	157	36	6	22	26
Wabash	159	100	64	5	22	4	2	3	--
Warren	257	159	97	19	29	4	1	9	1
Washington	181	109	77	8	19	1	1	3	--
Wayne	219	136	100	7	22	1	2	4	7
White	256	176	118	8	43	4	1	2	4
Whiteside	616	301	198	21	56	17	1	8	9
Will	1,947	1,099	735	77	210	33	9	35	24
Williamson	664	400	268	18	77	9	4	24	9
Winnebago	1,951	1,056	702	39	236	24	4	51	21
Woodford	241	138	102	1	23	7	2	3	4
Unspecified	7	3	2	1	--	--	--	--	--

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

County	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Lawrence	52	14	9	5	8	4	3	12	3	2
Lee	69	21	12	9	6	7	6	18	1	8
Livingston	69	17	8	9	10	7	2	7	4	4
Logan	63	25	9	16	5	8	3	7	1	6
McDonough	47	22	11	11	9	5	2	10	1	5
McHenry	168	62	39	23	31	19	7	26	14	9
McLean	167	50	23	27	19	13	10	10	9	11
Macon	235	46	27	19	26	31	15	24	12	12
Macoupin	96	28	12	16	19	6	6	10	2	2
Madison	397	140	79	61	47	54	12	37	22	19
Marion	95	30	20	10	18	7	6	6	3	1
Marshall	19	12	7	5	6	1	--	1	1	2
Mason	38	15	7	8	9	1	--	1	--	1
Massac	36	9	5	4	5	1	--	7	2	3
Menard	18	3	3	--	5	--	--	1	1	--
Mercer	24	18	14	4	13	4	2	--	2	--
Monroe	26	9	7	2	2	3	--	1	3	--
Montgomery	74	24	15	9	7	7	1	13	1	1
Morgan	60	19	11	8	5	9	4	4	3	5
Moultrie	37	7	5	2	2	2	--	3	--	2
Ogle	73	33	18	15	15	9	2	9	4	4
Peoria	368	95	51	44	58	37	19	23	26	23
Perry	31	12	4	8	5	--	1	6	1	1
Piatt	27	17	10	7	1	1	1	2	--	1
Pike	46	15	6	9	6	2	1	8	1	3
Pope	10	1	--	1	4	--	--	--	1	--
Pulaski	26	11	7	4	4	4	--	3	1	--
Putnam	8	6	3	3	--	2	--	3	--	--
Randolph	60	31	22	9	7	6	5	5	3	2
Richland	37	7	4	3	3	5	2	2	2	1
Rock Island	254	91	41	50	26	44	9	22	21	10
St. Clair	472	158	88	70	76	87	20	54	39	23
Saline	69	23	11	12	11	6	4	8	2	1
Sangamon	296	98	54	44	40	38	15	35	36	21
Schuyler	11	8	6	2	--	1	--	1	--	7
Scott	15	5	2	3	1	4	1	4	--	2
Shelby	52	12	6	6	8	--	2	1	2	2
Stark	18	6	1	5	6	--	--	--	1	--
Stephenson	95	36	16	20	24	9	4	4	11	6
Tazewell	166	85	53	32	41	22	7	16	9	16
Union	28	12	5	7	3	4	--	6	3	1
Vermilion	204	49	16	33	32	17	8	14	14	10
Wabash	18	15	11	4	5	1	--	4	--	1
Warren	44	13	7	6	8	7	3	3	1	2
Washington	33	14	4	10	3	1	1	3	1	1
Wayne	36	8	2	6	6	2	--	2	1	3
White	36	16	11	5	6	--	--	1	2	3
Whiteside	108	44	19	25	31	17	8	20	7	8
Will	363	120	56	64	36	50	26	41	38	18
Williamson	112	42	19	23	16	5	2	15	7	7
Winnebago	372	110	59	51	55	40	22	37	23	40
Woodford	44	13	8	5	9	3	--	4	1	8
Unspecified	--	1	--	1	2	--	--	--	--	--

TABLE 108. - DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

County	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hypertension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Illinois	977.9	561.3	379.4	42.2	99.3	15.7	5.5	19.2	10.1
Adams	1,332.9	780.0	513.4	28.2	146.7	48.0	8.5	35.3	12.7
Alexander	1,758.3	1,041.7	641.7	75.0	250.0	33.3	8.3	33.3	8.3
Bond	1,207.1	800.0	528.6	57.1	164.3	21.4	7.1	21.4	35.7
Boone	802.3	469.0	279.1	46.5	124.0	11.6	3.9	3.9	-0-
Brown	1,672.7	1,018.2	781.8	18.2	145.5	36.4	-0-	36.4	-0-
Bureau	1,121.8	738.3	546.6	38.9	108.8	5.2	7.8	31.1	13.0
Calhoun	1,245.6	719.3	456.1	-0-	175.4	35.1	-0-	52.6	52.6
Carroll	1,181.3	772.0	538.9	67.4	114.0	20.7	-0-	31.1	15.5
Cass	1,436.6	880.3	577.5	28.2	204.2	35.2	7.0	28.2	28.2
Champaign	582.9	294.8	185.8	18.2	58.7	16.9	1.2	13.9	7.3
Christian	1,380.6	833.3	513.9	25.0	205.6	58.3	16.7	13.9	19.4
Clark	1,453.4	850.9	472.0	55.9	248.4	37.3	12.4	24.8	24.8
Clay	1,312.9	823.1	469.4	81.6	210.9	27.2	-0-	34.0	6.8
Clinton	933.3	519.3	361.4	21.1	73.7	31.6	3.5	28.1	7.0
Coles	1,056.3	612.5	406.3	6.3	150.0	20.8	12.5	16.7	29.2
Cook	1,008.0	573.7	392.3	53.1	91.1	13.1	5.7	18.4	7.9
Crawford	1,378.8	873.7	479.8	65.7	257.6	25.3	10.1	35.4	25.3
Cumberland	1,163.3	744.9	387.8	20.4	265.3	20.4	20.4	30.6	20.4
De Kalb	648.4	361.3	240.4	23.4	64.6	6.9	2.7	23.4	12.4
De Witt	1,447.1	1,005.9	676.5	76.5	194.1	47.1	-0-	11.8	5.9
Douglas	1,089.5	642.1	447.4	36.8	105.3	31.6	10.5	10.5	15.8
Du Page	567.5	309.4	191.8	30.7	63.5	7.2	2.0	14.2	6.0
Edgar	1,240.7	777.8	495.4	32.4	194.4	13.9	9.3	32.4	18.5
Edwards	1,352.1	971.8	746.5	98.6	84.5	42.3	-0-	-0-	-0-
Effingham	1,145.7	562.8	352.2	24.3	113.4	20.2	8.1	44.5	8.1
Fayette	1,343.0	845.4	545.9	43.5	173.9	29.0	14.5	38.6	19.3
Ford	1,103.7	707.3	536.6	42.7	109.8	6.1	-0-	12.2	12.2
Franklin	1,736.8	1,107.9	834.2	55.3	184.2	13.2	5.3	15.8	5.3
Fulton	1,303.1	801.9	503.6	81.1	167.1	23.9	2.4	23.9	11.9
Gallatin	1,534.2	986.3	589.0	95.9	178.1	-0-	-0-	123.3	-0-
Greene	1,376.5	870.6	511.8	129.4	135.3	47.1	11.8	35.3	23.5
Grundy	992.5	524.3	344.6	33.7	116.1	7.5	7.5	15.0	26.2
Hamilton	1,670.6	1,164.7	847.1	70.6	176.5	58.8	-0-	11.8	11.8
Hancock	1,241.5	800.8	525.4	46.6	165.3	33.9	8.5	21.2	21.2
Hardin	1,416.7	729.2	395.8	41.7	187.5	20.8	-0-	83.3	-0-
Henderson	1,238.1	619.0	404.8	35.7	142.9	11.9	-0-	23.8	47.6
Henry	1,048.7	614.2	415.7	33.7	119.9	15.0	3.7	26.2	11.2
Iroquois	1,110.1	693.5	488.1	14.9	128.0	29.8	-0-	32.7	17.9
Jackson	846.6	536.1	355.6	19.9	126.4	12.6	5.4	16.2	21.7
Jasper	1,254.7	773.6	500.0	47.2	160.4	56.6	9.4	-0-	-0-
Jefferson	1,181.0	584.1	298.4	66.7	120.6	47.6	12.7	38.1	31.7
Jersey	1,026.9	510.8	328.0	64.5	75.3	16.1	-0-	26.9	5.4
Jo Daviess	1,216.6	709.7	483.9	27.6	147.5	23.0	13.8	13.8	18.4
Johnson	1,440.0	773.3	520.0	40.0	160.0	26.7	13.3	13.3	13.3
Kane	772.7	413.7	272.1	23.6	88.1	9.0	5.9	14.9	9.0
Kankakee	889.7	512.8	372.8	23.5	69.5	22.5	6.1	18.4	9.2
Kendall	714.3	375.9	221.8	22.6	90.2	15.0	11.3	15.0	3.8
Knox	1,076.5	653.1	465.8	32.6	105.9	27.7	9.8	11.4	13.0
Lake	658.2	350.1	234.7	22.0	62.6	11.1	3.4	16.3	4.4
La Salle	1,144.3	662.2	447.1	28.7	150.5	16.1	2.7	17.0	13.4

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

County	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Illinois	173.3	47.4	22.3	25.0	26.8	21.8	7.8	17.7	16.8	9.0
Adams	249.6	63.5	32.4	31.0	48.0	14.1	4.2	21.2	16.9	15.5
Alexander	208.3	125.0	75.0	50.0	33.3	16.7	-0-	66.7	-0-	16.7
Bond	207.1	57.1	35.7	21.4	21.4	7.1	-0-	7.1	-0-	-0-
Boone	147.3	58.1	31.0	27.1	7.8	11.6	3.9	11.6	7.8	15.5
Brown	236.4	54.5	18.2	36.4	54.5	72.7	-0-	-0-	-0-	-0-
Bureau	173.6	38.9	25.9	13.0	33.7	13.0	-0-	36.3	7.8	7.8
Calhoun	210.5	70.2	70.2	-0-	-0-	17.5	-0-	87.7	-0-	17.5
Carroll	196.9	62.2	36.3	25.9	25.9	10.4	-0-	5.2	15.5	5.2
Cass	225.4	91.5	14.1	77.5	28.2	28.2	-0-	7.0	7.0	21.1
Champaign	110.2	50.8	32.1	18.8	17.6	18.8	8.5	9.7	6.7	6.7
Christian	225.0	69.4	41.7	27.8	36.1	11.1	2.8	44.4	16.7	16.7
Clark	205.0	80.7	43.5	37.3	31.1	24.8	12.4	37.3	12.4	12.4
Clay	197.3	40.8	20.4	20.4	40.8	13.6	6.8	13.6	6.8	-0-
Clinton	203.5	73.7	56.1	17.5	35.1	17.5	3.5	3.5	10.5	7.0
Coles	152.1	60.4	39.6	20.8	43.8	18.8	-0-	18.8	18.8	14.6
Cook	181.4	39.4	14.5	25.0	28.6	24.4	8.3	18.7	23.0	7.9
Crawford	247.5	35.4	30.3	5.1	10.1	10.1	15.2	25.3	15.2	5.1
Cumberland	153.1	71.4	40.8	30.6	40.8	20.4	-0-	-0-	-0-	30.6
De Kalb	108.5	30.2	17.9	12.4	20.6	27.5	5.5	15.1	11.0	4.1
De Witt	205.9	76.5	52.9	23.5	23.5	29.4	11.8	5.9	5.9	23.5
Douglas	163.2	31.6	10.5	21.1	57.9	26.3	10.5	31.6	-0-	-0-
Du Page	115.8	32.1	12.8	19.2	14.6	15.8	8.0	7.6	8.6	11.0
Edgar	189.8	64.8	32.4	32.4	13.9	13.9	-0-	18.5	-0-	23.1
Edwards	140.8	84.5	56.3	28.2	42.3	-0-	-0-	28.2	28.2	-0-
Effingham	202.4	60.7	44.5	16.2	68.8	12.1	20.2	24.3	20.2	8.1
Fayette	231.9	62.8	24.2	38.6	53.1	4.8	9.7	9.7	4.8	9.7
Ford	146.3	91.5	79.3	12.2	24.4	24.4	6.1	12.2	18.3	6.1
Franklin	260.5	63.2	28.9	34.2	39.5	18.4	5.3	50.0	10.5	18.4
Fulton	179.0	62.1	43.0	19.1	33.4	23.9	9.5	21.5	14.3	14.3
Gallatin	164.4	95.9	54.8	41.1	95.9	41.1	13.7	13.7	13.7	-0-
Greene	194.1	35.3	29.4	5.9	41.2	11.8	11.8	11.8	5.9	23.5
Grundy	138.6	101.1	74.9	26.2	26.2	3.7	11.2	22.5	7.5	7.5
Hamilton	152.9	129.4	58.8	70.6	11.8	11.8	23.5	-0-	11.8	-0-
Hancock	182.2	46.6	25.4	21.2	42.4	25.4	4.2	29.7	4.2	12.7
Hardin	187.5	187.5	20.8	166.7	41.7	-0-	-0-	20.8	-0-	-0-
Henderson	238.1	107.1	83.3	23.8	11.9	11.9	11.9	11.9	11.9	23.8
Henry	164.8	73.0	43.1	30.0	20.6	16.9	9.4	30.0	9.4	-0-
Iroquois	196.4	53.6	23.8	29.8	23.8	23.8	6.0	14.9	3.0	-0-
Jackson	144.4	28.9	9.0	19.9	19.9	12.6	9.0	5.4	9.0	5.4
Jasper	273.6	75.5	47.2	28.3	37.7	9.4	-0-	18.9	-0-	-0-
Jefferson	269.8	76.2	25.4	50.8	25.4	19.0	6.3	50.8	3.2	6.3
Jersey	225.8	59.1	21.5	37.6	64.5	5.4	26.9	21.5	-0-	16.1
Jo Daviess	230.4	59.9	27.6	32.3	55.3	13.8	4.6	18.4	4.6	18.4
Johnson	186.7	173.3	120.0	53.3	26.7	13.3	40.0	13.3	-0-	40.0
Kane	151.0	42.5	23.2	19.3	22.0	21.2	5.5	12.6	13.8	10.6
Kankakee	146.1	60.3	37.8	22.5	17.4	35.8	7.2	17.4	4.1	8.2
Kendall	116.5	67.7	45.1	22.6	18.8	30.1	3.8	11.3	7.5	3.8
Knox	197.1	39.1	22.8	16.3	26.1	24.4	8.1	11.4	6.5	8.1
Lake	121.6	50.2	31.8	18.4	15.5	17.6	4.7	9.6	14.2	8.5
La Salle	219.5	72.6	41.2	31.4	29.6	22.4	4.5	20.6	15.2	9.0

TABLE 10B. - DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 - CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

County	All Causes	Cardiovascular Disease							Emphy- sama
		Total	Heart Disease		Cerebro- Vascular Disease	General Arterio- Sclerosis	Hyper- tension Without Mention of Heart	Other Circulatory Diseases	
			Arterio- Sclerotic	Other					
Lawrence	1,660.9	954.0	626.4	46.0	172.4	34.5	40.2	34.5	11.5
Lee	1,078.7	619.4	433.1	28.9	112.9	10.5	13.1	21.0	10.5
Livingston	1,093.1	701.0	451.0	36.8	161.8	24.5	2.5	24.5	19.6
Logan	1,059.7	623.9	447.8	32.8	80.6	56.7	3.0	3.0	17.9
McDonough	842.4	494.6	377.7	16.3	67.9	10.9	5.4	16.3	16.3
McHenry	872.8	494.7	318.5	22.2	104.1	21.4	8.9	19.6	8.9
McLean	912.5	566.5	382.1	16.2	139.7	13.3	1.0	14.3	6.7
Macon	935.6	522.7	330.9	28.6	115.4	18.3	11.1	18.3	16.7
Macoupin	1,314.6	827.0	579.8	36.0	150.6	27.0	13.5	20.2	11.2
Madison	915.4	531.0	345.6	40.3	106.0	16.2	5.9	17.0	13.0
Marion	1,322.3	782.6	549.9	23.0	143.2	28.1	2.6	35.8	12.8
Marshall	1,188.0	782.0	556.4	15.0	150.4	37.6	-0-	22.6	7.5
Mason	1,425.9	876.5	666.7	12.3	142.0	18.5	6.2	30.9	37.0
Massac	1,253.6	652.2	304.3	79.7	166.7	21.7	21.7	58.0	29.0
Menard	1,278.4	876.3	701.0	30.9	113.4	20.6	-0-	10.3	30.9
Mercer	1,208.1	745.7	508.7	63.6	127.2	17.3	5.8	23.1	11.6
Monroe	984.1	687.8	497.4	15.9	100.5	52.9	-0-	21.2	15.9
Montgomery	1,562.9	1,026.5	665.6	43.0	218.5	39.7	6.6	53.0	13.2
Morgan	1,091.2	715.5	524.9	22.1	105.0	38.7	-0-	24.9	11.0
Moultrie	1,127.8	616.5	421.1	15.0	142.9	30.1	7.5	-0-	7.5
Ogle	1,002.3	575.4	401.4	37.1	106.7	2.3	2.3	25.5	11.6
Peoria	998.5	565.8	378.9	22.9	109.7	19.8	4.6	30.0	14.7
Perry	1,197.0	813.1	616.2	20.2	131.3	15.2	15.2	15.2	20.2
Piatt	1,102.6	641.0	423.1	32.1	141.0	32.1	-0-	12.8	19.2
Pike	1,536.5	953.1	640.6	26.0	182.3	88.5	-0-	15.6	31.3
Pope	1,447.4	815.8	631.6	26.3	78.9	26.3	52.6	-0-	52.6
Pulaski	1,712.6	1,000.0	643.7	103.4	195.4	23.0	11.5	23.0	-0-
Putnam	1,196.1	764.7	451.0	39.2	176.5	39.2	19.6	39.2	-0-
Randolph	1,098.4	641.3	444.4	60.3	85.7	22.2	3.2	25.4	15.9
Richland	1,208.3	744.0	553.6	17.9	113.1	41.7	-0-	17.9	11.9
Rock Island	915.5	554.8	393.5	26.2	87.5	22.6	6.0	19.0	10.1
St. Clair	970.8	541.9	367.6	42.1	96.8	10.4	6.3	18.8	9.7
Saline	1,680.9	1,058.4	626.5	108.9	210.1	50.6	15.6	46.7	38.9
Sangamon	1,114.1	646.5	461.4	19.7	128.9	11.1	6.2	19.1	23.4
Schuyler	1,321.0	901.2	765.4	24.7	86.4	-0-	12.3	12.3	-0-
Scott	1,600.0	900.0	616.7	50.0	200.0	16.7	-0-	16.7	50.0
Shelby	1,314.2	862.8	517.7	75.2	194.7	31.0	13.3	31.0	13.3
Stark	1,293.3	733.3	586.7	26.7	80.0	13.3	-0-	26.7	40.0
Stephenson	1,014.3	536.7	383.7	20.4	87.8	2.0	10.2	32.7	28.6
Tazewell	752.7	382.2	271.4	16.7	62.4	15.0	5.0	11.7	7.5
Union	1,481.3	956.3	612.5	18.8	231.3	75.0	-0-	18.8	18.8
Vermilion	1,187.9	700.2	408.6	64.7	161.2	37.0	6.2	22.6	26.7
Wabash	1,232.6	775.2	496.1	38.8	170.5	31.0	15.5	23.3	-0-
Warren	1,189.8	736.1	449.1	88.0	134.3	18.5	4.6	41.7	4.6
Washington	1,321.2	795.6	562.0	58.4	138.7	7.3	7.3	21.9	-0-
Wayne	1,288.2	800.0	588.2	41.2	129.4	5.9	11.8	23.5	41.2
White	1,488.4	1,023.3	686.0	46.5	250.0	23.3	5.8	11.6	23.3
Whiteside	971.6	474.8	312.3	33.1	88.3	26.8	1.6	12.6	14.2
Will	771.4	435.4	291.2	30.5	83.2	13.1	3.6	13.9	9.5
Williamson	1,352.3	814.7	545.8	36.7	156.8	18.3	8.1	48.9	18.3
Winneshago	781.3	422.9	281.1	15.6	94.5	9.6	1.6	20.4	8.4
Woodford	854.6	489.4	361.7	3.5	81.6	24.8	7.1	10.6	14.2

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1971 -- CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

County	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Lawrence	298.9	80.5	51.7	28.7	46.0	23.0	17.2	69.0	17.2	11.5
Lee	181.1	55.1	31.5	23.6	15.7	18.4	15.7	47.2	2.6	21.0
Livingston	169.1	41.7	19.6	22.1	24.5	17.2	4.9	17.2	9.8	9.8
Logan	188.1	74.6	26.9	47.8	14.9	23.9	9.0	20.9	3.0	17.9
McDonough	127.7	59.8	29.9	29.9	24.5	13.6	5.4	27.2	2.7	13.6
McHenry	149.5	55.2	34.7	20.5	27.6	16.9	6.2	23.1	12.5	8.0
McLean	158.7	47.5	21.9	25.7	18.1	12.4	9.5	9.5	8.6	10.5
Macon	187.0	36.6	21.5	15.1	20.7	24.7	11.9	19.1	9.5	9.5
Macoupin	215.7	62.9	27.0	36.0	42.7	13.5	13.5	22.5	4.5	4.5
Madison	157.0	55.4	31.2	24.1	18.6	21.4	4.7	14.6	8.7	7.5
Marion	243.0	76.7	51.2	25.6	46.0	17.9	15.3	15.3	7.7	2.6
Marshall	142.9	90.2	52.6	37.6	45.1	7.5	-0-	7.5	7.5	15.0
Mason	234.6	92.6	43.2	49.4	55.6	6.2	-0-	6.2	-0-	6.2
Massac	260.9	65.2	36.2	29.0	36.2	7.2	-0-	50.7	14.5	21.7
Menard	185.6	30.9	30.9	-0-	51.5	-0-	-0-	10.3	10.3	-0-
Mercer	138.7	104.0	80.9	23.1	75.1	23.1	11.6	-0-	11.6	-0-
Monroe	137.6	47.6	37.0	10.6	10.6	15.9	-0-	5.3	15.9	-0-
Montgomery	245.0	79.5	49.7	29.8	23.2	23.2	3.3	43.0	3.3	3.3
Morgan	165.7	52.5	30.4	22.1	13.8	24.9	11.0	11.0	8.3	13.8
Moultrie	278.2	52.6	37.6	15.0	15.0	15.0	-0-	22.6	-0-	15.0
Olge	169.4	76.6	41.8	34.8	34.8	20.9	4.6	20.9	9.3	9.3
Peoria	186.9	48.2	25.9	22.3	29.5	18.8	9.6	11.7	13.2	11.7
Perry	156.6	60.6	20.2	40.4	25.3	-0-	5.1	30.3	5.1	5.1
Piatt	173.1	109.0	64.1	44.9	6.4	6.4	6.4	12.8	-0-	6.4
Pike	239.6	78.1	31.3	46.9	31.3	10.4	5.2	41.7	5.2	15.6
Pope	263.2	26.3	-0-	26.3	105.3	-0-	-0-	-0-	26.3	-0-
Pulaski	298.9	126.4	80.5	46.0	46.0	46.0	-0-	34.5	11.5	-0-
Putnam	156.9	117.6	58.8	58.8	-0-	39.2	-0-	58.8	-0-	-0-
Randolph	190.5	98.4	69.8	28.6	22.2	19.0	15.9	15.9	9.5	6.3
Richland	220.2	41.7	23.8	17.9	17.9	29.8	11.9	11.9	11.9	6.0
Rock Island	151.2	54.2	24.4	29.8	15.5	26.2	5.4	13.1	12.5	6.0
St. Clair	164.3	55.0	30.6	24.4	26.5	30.3	7.0	18.8	13.6	8.0
Saline	268.5	89.5	42.8	46.7	42.8	23.3	15.6	23.3	7.8	3.9
Sangamon	182.6	60.5	33.3	27.1	24.7	23.4	9.3	21.6	22.2	13.0
Schuyler	135.8	98.8	74.1	24.7	-0-	12.3	-0-	12.3	-0-	86.4
Scott	250.0	83.3	33.3	50.0	16.7	66.7	16.7	66.7	-0-	33.3
Shelby	230.1	53.1	26.5	26.5	35.4	-0-	8.8	4.4	8.8	8.8
Stark	240.0	80.0	13.3	66.7	80.0	-0-	-0-	-0-	13.3	-0-
Stephenson	193.9	73.5	32.7	40.8	49.0	18.4	8.2	8.2	22.4	12.2
Tazewell	138.2	70.8	44.1	26.6	34.1	18.3	5.8	13.3	7.5	13.3
Union	175.0	75.0	31.3	43.8	18.8	25.0	-0-	37.5	18.8	6.3
Vermilion	209.4	50.3	16.4	33.9	32.9	17.5	8.2	14.4	14.4	10.3
Wabash	139.5	116.3	85.3	31.0	38.8	7.8	-0-	31.0	-0-	7.8
Warren	203.7	60.2	32.4	27.8	37.0	32.4	13.9	13.9	4.6	9.3
Washington	240.9	102.2	29.2	73.0	21.9	7.3	7.3	21.9	7.3	7.3
Wayne	211.8	47.1	11.8	35.3	35.3	11.8	-0-	11.8	5.9	17.6
White	209.3	93.0	64.0	29.1	34.9	-0-	-0-	5.8	11.6	17.4
Whiteside	170.3	69.4	30.0	39.4	48.9	26.8	12.6	31.5	11.0	12.6
Will	143.8	47.5	22.2	25.4	14.3	19.8	10.3	16.2	15.1	7.1
Williamson	228.1	85.5	38.7	46.8	32.6	10.2	4.1	30.5	14.3	14.3
Winnebago	149.0	44.1	23.6	20.4	22.0	16.0	8.8	14.8	9.2	16.0
Woodford	156.0	46.1	28.4	17.7	31.9	10.6	-0-	14.2	3.5	28.4

TABLE 11A. - DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

City	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hyper-tension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Addison	82	33	15	5	11	1	-	1	1
Alsip	78	38	28	2	5	-	2	1	-
Alton	511	294	185	31	58	10	5	5	7
Arlington Heights	385	207	149	8	36	3	2	9	5
Aurora	732	393	239	26	95	9	9	15	7
Belleville	540	320	220	20	58	9	1	12	8
Bellwood	168	83	66	5	9	-	1	2	-
Belvidere	127	75	44	8	20	3	-	-	-
Bensenville	100	59	34	5	14	-	-	6	-
Berwyn	723	444	325	22	66	12	4	15	3
Bloomington	485	300	184	5	89	11	-	11	3
Blue Island	284	168	122	4	31	1	1	9	3
Bridgeview	71	45	32	3	7	1	-	2	-
Brookfield	219	126	70	11	29	5	4	7	2
Buffalo Grove	24	10	8	-	1	1	-	-	-
Burbank	162	83	64	8	7	-	1	3	1
Cahokia	96	39	30	1	6	1	-	1	1
Calumet City	266	166	115	10	33	3	2	3	1
Calumet Park	80	41	34	3	4	-	-	-	1
Canton	206	126	78	16	23	5	-	4	4
Carbondale	131	79	49	6	18	2	1	3	2
Carpentersville	101	44	32	1	8	2	-	1	1
Centralia	201	112	72	6	23	2	1	8	3
Centreville	72	37	25	6	5	-	1	-	-
Champaign	393	198	124	12	42	6	-	14	6
Charleston	141	91	60	1	26	2	1	1	1
Chicago	39,696	22,522	15,315	2,393	3,399	498	236	681	296
Chicago Heights	344	165	103	10	36	8	1	7	2
Cicero	876	520	390	28	74	10	4	14	5
Collinsville	203	125	84	9	24	5	1	2	6
Crystal Lake	123	67	40	4	16	4	1	2	2
Danville	598	339	185	37	80	24	2	11	14
De Kalb	146	86	51	5	19	1	1	9	1
Decatur	952	541	354	24	112	17	12	22	20
Deerfield	74	42	27	5	5	2	-	3	1
Des Plaines	451	247	177	8	43	13	-	6	4
Dixon	203	117	75	10	23	4	1	4	4
Dolton	157	102	71	5	22	1	1	2	3
Downers Grove	270	148	109	10	19	2	1	7	6
East Moline	138	84	61	3	16	2	-	2	-
East Peoria	140	73	52	3	11	5	-	2	4
East St. Louis	1,041	555	360	61	105	4	9	16	7
Edwardsville	128	86	59	3	15	3	1	5	1
Elgin	560	303	188	14	72	10	2	17	8
Elk Grove	68	36	24	4	7	1	-	-	-
Elmhurst	368	204	124	21	40	6	2	11	5
Elmwood Park	252	149	98	22	18	3	2	6	3
Evanston	866	529	346	23	120	13	9	18	7
Evergreen Park	231	137	103	5	22	3	-	4	1
Fairview Heights	66	36	24	3	8	-	-	1	-
Forest Park	245	142	113	7	18	1	1	2	9
Franklin Park	130	81	50	5	17	4	-	5	2
Freeport	298	155	109	4	29	-	4	9	5
Galesburg	416	244	173	10	41	11	4	5	5
Glen Ellyn	151	84	51	8	19	-	-	6	1
Glencoe	60	32	21	1	7	1	-	2	1
Glendale Heights	31	13	5	2	4	-	-	2	-
Glenview	255	130	83	7	31	-	1	8	1
Granite City	384	219	133	17	52	5	3	9	5
Hanover Park	41	19	10	1	8	-	-	-	-
Harvey	339	175	114	15	37	5	-	4	6
Hazel Crest	69	48	31	3	11	-	-	3	1
Hickory Hills	74	41	28	-	10	1	1	1	-
Highland Park	185	98	57	5	31	2	2	1	3
Hinsdale	137	92	55	7	27	2	-	1	-
Hoffman Estates	79	23	18	2	2	-	-	1	1
Homewood	166	91	53	7	22	8	-	1	3
Jacksonville	264	179	127	8	28	9	-	7	3
Joliet	861	512	345	36	94	16	5	16	14
Kankakee	356	211	157	12	25	7	2	8	4
Kewanee	208	129	79	7	32	4	1	6	1
La Grange	172	104	65	5	21	5	1	6	-
La Grange Park	137	86	52	3	25	4	1	1	-
La Salle	137	82	56	2	19	2	-	3	1
Lake Forest	92	47	28	4	10	2	-	3	-
Lansing	169	103	67	3	22	3	-	8	2
Libertyville	96	57	41	4	8	3	-	1	-

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

City	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Addison	14	8	4	4	2	7	4	1	--	2
Alsip	13	8	5	3	4	5	--	5	2	--
Alton	86	32	13	19	12	13	3	9	7	4
Arlington Heights	72	27	13	14	14	6	6	6	7	5
Aurora	141	35	20	15	21	23	6	8	15	8
Belleville	109	27	20	7	12	7	2	6	6	8
Bellwood	47	4	2	2	2	4	1	3	9	2
Belvidere	27	6	2	4	--	1	--	3	2	1
Bensenville	14	5	3	2	5	1	--	2	4	--
Berwyn	147	12	3	9	21	13	4	23	16	5
Bloomington	98	13	2	11	9	7	5	6	6	5
Blue Island	54	12	2	10	6	7	1	2	7	6
Bridgeview	12	1	--	1	4	2	1	1	--	1
Brookfield	50	3	3	--	6	2	1	1	2	3
Buffalo Grove	4	--	--	--	--	3	2	--	--	1
Burbank	34	9	2	7	2	2	1	3	7	4
Cahokia	20	8	5	3	3	8	2	2	2	--
Calumet City	40	17	10	7	3	5	1	8	6	1
Calumet Park	19	3	2	1	1	1	2	1	3	--
Canton	30	10	8	2	7	--	2	1	3	4
Carbondale	23	3	--	3	5	3	1	2	1	1
Carpentersville	22	10	7	3	1	5	1	2	2	4
Centralia	43	9	6	3	6	1	3	2	3	--
Centreville	9	2	2	--	7	7	1	1	2	1
Champaign	82	32	18	14	8	11	4	8	10	3
Charleston	15	13	9	4	5	4	--	2	1	2
Chicago	6,790	1,502	475	1,027	1,198	1,027	307	767	995	263
Chicago Heights	87	25	9	16	4	9	2	10	7	--
Cicero	183	25	12	13	20	11	6	13	11	9
Collinsville	28	10	5	5	8	3	1	3	--	2
Crystal Lake	23	7	3	4	3	3	1	6	1	2
Danville	114	22	4	18	17	6	4	7	12	6
De Kalb	22	8	6	2	5	8	1	1	4	--
Decatur	193	28	14	14	21	28	11	17	11	7
Deerfield	11	7	4	3	3	--	--	1	3	--
Des Plaines	97	25	11	14	9	7	6	9	6	9
Dixon	29	5	2	3	5	5	4	11	--	3
Dolton	26	7	2	5	3	1	--	5	3	1
Downers Grove	55	12	3	9	8	5	3	1	5	9
East Moline	19	10	7	3	3	4	--	3	2	2
East Peoria	29	9	6	3	5	4	1	1	--	5
East St. Louis	129	55	28	27	40	42	11	28	15	5
Edwardsville	23	4	2	2	3	2	--	--	1	--
Elgin	105	24	14	10	21	13	4	11	11	5
Elk Grove	10	9	2	7	3	1	1	--	1	3
Elmhurst	68	22	8	14	13	6	2	10	8	5
Elmwood Park	57	9	4	5	3	1	2	5	4	2
Evanston	156	34	14	20	23	8	7	12	9	6
Evergreen Park	41	10	3	7	8	1	1	3	8	3
Fairview Heights	14	5	3	2	--	1	--	1	--	1
Forest Park	57	4	2	2	6	4	3	3	3	3
Franklin Park	25	3	2	1	3	2	--	4	3	--
Freeport	66	22	8	14	10	5	3	--	9	3
Galesburg	82	19	12	7	14	7	3	4	3	3
Glen Ellyn	26	9	4	5	7	8	2	2	2	2
Glencoe	9	4	4	--	3	--	--	--	2	2
Glendale Heights	7	3	1	2	--	--	1	--	1	1
Glenview	60	13	9	4	3	3	2	4	6	1
Granite City	70	26	13	13	2	15	2	4	4	5
Hanover Park	7	4	3	1	4	2	1	--	2	--
Harvey	56	23	10	13	13	15	4	5	6	3
Hazel Crest	10	3	2	1	2	1	--	1	1	--
Hickory Hills	16	6	2	4	1	--	1	2	3	1
Highland Park	43	10	1	9	4	--	1	4	5	2
Hinsdale	22	8	1	7	1	1	1	2	2	2
Hoffman Estates	18	14	10	4	1	8	2	1	3	1
Homewood	38	7	5	2	4	1	2	2	3	4
Jacksonville	33	11	6	5	3	7	1	4	3	1
Joliet	145	47	22	25	15	17	11	12	24	6
Kankakee	65	21	10	11	5	12	3	4	3	2
Kewanee	35	6	5	1	3	3	--	6	2	--
La Grange	33	10	4	6	2	3	1	1	3	3
La Grange Park	28	2	2	--	1	--	--	1	3	4
La Salle	30	2	1	1	5	2	--	1	1	3
Lake Forest	26	3	1	2	4	1	--	--	1	3
Lansing	24	8	6	2	2	5	3	2	2	1
Libertyville	18	7	5	2	1	1	--	2	1	3

TABLE 11A. - DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

County	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hyper-tension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Lincoln	182	110	77	6	12	13	1	1	4
Lincolnwood	97	51	37	--	10	1	--	3	1
Lombard	247	124	74	16	27	1	2	4	5
Loves Park	68	33	17	3	10	2	--	1	--
Lyons	106	64	49	1	13	--	--	1	--
Macomb	112	65	46	3	13	1	--	2	1
Marion	149	100	58	6	24	1	2	9	--
Markham	73	35	27	1	5	--	--	2	3
Mattoon	243	136	89	1	34	6	3	3	9
Maywood	262	155	119	11	17	1	--	7	1
Melrose Park	236	135	99	7	23	3	--	3	4
Midlothian	110	63	42	7	8	2	2	2	1
Moline	497	305	212	11	58	13	1	10	5
Monmouth	152	101	63	13	17	1	1	6	--
Morton Grove	139	91	76	4	8	3	--	--	--
Morton	67	40	34	1	4	--	--	1	--
Mount Prospect	220	133	93	4	24	6	1	5	2
Mount Vernon	222	103	51	8	23	8	4	9	5
Mundelein	97	50	34	3	9	1	--	3	1
Murphysboro	148	99	64	3	29	2	1	--	5
Naperville	121	61	33	7	15	1	1	4	--
Niles	214	121	87	6	19	6	--	3	5
Normal	120	79	52	6	17	1	1	2	--
Norridge	144	89	59	8	11	2	--	9	--
North Chicago	114	53	31	5	12	--	--	5	2
North Lake	115	64	46	6	10	1	--	1	2
Northbrook	148	81	50	4	19	2	--	6	2
Oak Forest	102	58	40	2	9	2	1	4	--
Oak Lawn	537	314	236	20	44	5	3	5	5
Oak Park	754	451	303	29	82	9	3	25	4
Ottawa	266	160	110	7	34	6	--	3	4
Palatine	209	117	83	6	20	4	1	3	2
Paris	128	80	54	3	16	--	2	5	4
Park Forest	115	72	51	6	10	--	2	3	1
Park Ridge	339	204	142	11	34	5	1	11	4
Pekin	319	166	113	8	30	3	5	7	3
Peoria	1,344	756	514	31	138	28	5	40	19
Peru	121	76	53	7	14	1	1	--	2
Pontiac	124	76	48	4	18	5	--	1	--
Quincy	724	434	276	12	91	29	6	20	7
Rantoul	75	27	15	3	8	--	--	1	--
River Forest	118	70	42	5	15	3	--	5	--
River Grove	106	55	40	2	11	1	--	1	--
Riverdale	159	100	54	6	23	3	--	4	3
Riverside	115	78	48	7	18	--	1	4	--
Rock Falls	125	57	43	3	5	2	--	4	2
Rock Island	586	362	261	22	47	15	7	10	4
Rockford	1,488	829	548	29	187	20	4	41	12
Rolling Meadows	55	23	16	1	5	1	--	--	1
Romeoville	30	10	6	1	2	1	--	--	--
Schaumburg	54	23	13	1	7	2	--	--	2
Schiller Park	64	30	22	1	5	--	2	--	--
Skokie	511	306	218	21	50	8	1	8	6
South Holland	159	92	66	3	16	4	--	3	1
Springfield	1,250	743	529	22	143	15	8	26	26
St. Charles	90	52	38	5	5	1	1	2	1
Sterling	157	79	50	3	15	9	--	2	3
Streamwood	50	23	17	3	3	--	--	--	3
Streator	216	127	76	5	35	5	2	4	4
Summit	93	48	28	6	10	--	3	1	2
Taylorville	161	94	61	5	20	5	1	2	2
Tinley Park	107	59	38	1	12	1	--	7	--
Urbana	223	113	66	10	19	14	1	3	3
Villa Park	201	105	61	13	25	1	--	5	3
Waukegan	628	336	224	24	54	10	7	17	1
West Chicago	76	45	34	4	6	1	--	--	--
Westchester	161	90	60	5	19	1	--	5	--
Western Springs	84	48	35	2	7	--	1	3	1
Wheaton	208	122	74	15	20	6	1	6	--
Wheeling	68	30	19	3	7	1	--	--	1
Wilmette	238	149	95	4	44	1	--	5	2
Winnetka	116	66	33	8	20	--	2	3	1
Wood River	127	59	38	8	10	2	--	1	2
Woodridge	30	9	6	2	1	--	--	--	--
Woodstock	136	83	56	2	16	3	2	4	2
Worth	71	40	31	3	5	1	--	--	1
Zion	169	91	51	6	21	9	--	4	--

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

City	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Lincoln	31	10	3	7	3	4	2	4	--	3
Lincolnwood	25	4	1	3	2	--	1	4	1	2
Lombard	59	15	7	8	4	6	3	4	4	2
Loves Park	20	3	2	1	2	3	--	--	1	1
Lyons	16	6	3	3	1	5	--	4	5	--
Macomb	17	7	3	4	5	2	--	3	--	4
Marion	22	10	6	4	4	--	--	4	1	1
Markham	11	8	2	6	2	2	1	1	--	2
Mattoon	39	8	4	4	10	4	--	6	8	4
Maywood	31	9	5	4	9	13	5	9	4	4
Melrose Park	44	7	4	3	7	6	3	4	6	1
Midlothian	14	6	4	2	1	6	2	1	3	2
Moline	87	28	12	16	6	17	2	6	9	1
Monmouth	24	6	2	4	4	--	1	3	--	1
Morton Grove	23	1	1	--	3	2	--	4	5	1
Morton	11	3	3	--	4	2	--	1	--	1
Mount Prospect	47	7	4	3	5	3	3	2	2	4
Mount Vernon	51	17	5	12	5	5	2	12	--	1
Mundelein	20	8	7	1	3	4	--	--	1	1
Murphysboro	19	5	2	3	5	2	2	--	3	--
Naperville	28	7	4	3	3	6	1	1	--	7
Niles	54	2	1	1	9	--	3	2	5	--
Normal	18	5	2	3	1	2	2	2	--	4
Norridge	27	8	4	4	1	1	1	1	3	--
North Chicago	23	8	5	3	2	5	3	1	4	--
North Lake	20	5	3	2	3	3	2	2	3	1
Northbrook	33	10	4	6	4	3	--	--	--	2
Oak Forest	24	4	3	1	2	7	--	--	1	1
Oak Lawn	119	23	11	12	6	7	6	9	6	2
Oak Park	158	24	11	13	23	7	5	9	8	6
Ottawa	45	19	14	5	5	5	2	3	6	1
Palatine	38	13	6	7	4	9	2	4	4	1
Paris	18	5	2	3	1	1	--	2	--	2
Park Forest	13	7	4	3	2	4	4	1	5	1
Park Ridge	71	11	5	6	9	4	1	4	4	4
Pekin	46	33	20	13	19	7	3	5	4	10
Peoria	262	53	21	32	42	24	11	18	21	14
Peru	21	7	7	--	3	--	1	2	1	1
Pontiac	21	5	2	3	1	3	1	1	1	--
Quincy	131	34	16	18	28	7	2	13	10	4
Rantoul	11	14	11	3	7	6	4	--	--	2
River Forest	26	1	--	1	4	2	1	2	2	1
River Grove	21	2	2	--	3	5	3	1	4	1
Riverdale	32	1	--	1	4	3	--	--	2	2
Riverside	17	4	1	3	6	--	1	2	2	--
Rock Falls	22	8	4	4	4	5	4	7	1	1
Rock Island	95	24	11	13	10	14	6	9	9	4
Rockford	276	73	33	40	39	29	19	32	17	27
Rolling Meadows	15	2	1	1	1	4	1	2	--	--
Romeoville	1	7	1	6	1	3	2	1	--	2
Schaumburg	11	4	2	2	1	2	2	2	--	--
Schiller Park	13	4	3	1	--	7	1	2	1	--
Skokie	115	13	8	5	10	5	1	10	4	9
South Holland	39	7	1	6	2	2	3	2	3	1
Springfield	192	55	27	28	28	22	11	25	26	13
St. Charles	23	3	2	1	--	3	--	2	--	2
Sterling	37	7	4	3	2	3	3	5	2	2
Streamwood	8	5	3	2	1	3	--	--	1	--
Streator	36	16	6	10	4	2	--	7	3	2
Summit	15	2	1	1	3	6	2	--	4	--
Taylorville	28	7	4	3	6	2	--	3	3	3
Tinley Park	18	6	4	2	5	5	1	--	--	2
Urbana	41	12	6	6	10	8	3	5	--	3
Villa Park	50	8	2	6	2	7	1	3	5	3
Waukegan	112	36	24	12	18	22	2	12	9	6
West Chicago	12	5	1	4	4	1	1	2	--	1
Westchester	37	2	1	1	5	1	1	3	2	3
Western Springs	21	5	5	--	2	--	--	2	--	1
Wheaton	43	12	2	10	8	2	2	1	--	3
Wheeling	18	3	2	1	2	2	1	1	2	1
Wilmette	52	6	3	3	3	2	2	6	4	1
Winnetka	26	6	5	1	2	2	1	1	1	2
Wood River	21	12	6	6	3	4	2	4	3	--
Woodridge	8	1	1	--	--	9	1	--	--	1
Woodstock	21	3	--	3	9	2	--	--	1	2
Worth	14	4	2	2	2	1	4	--	2	--
Zion	24	17	12	5	6	9	1	2	2	3

TABLE 11B. - DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

City	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hypertension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Addison	334.7	134.7	61.2	20.4	44.9	4.1	-0-	4.1	4.1
Alsip	644.6	314.0	231.4	16.5	41.3	-0-	16.5	8.3	-0-
Alton	1,283.9	738.7	464.8	77.9	145.7	25.1	12.6	12.6	17.6
Arlington Heights	592.3	318.5	229.2	12.3	55.4	4.6	3.1	13.8	7.7
Aurora	986.5	529.6	322.1	35.0	128.0	12.1	12.1	20.2	9.4
Belleville	1,291.9	765.6	526.3	47.8	138.8	21.5	2.4	28.7	19.1
Bellwood	756.8	373.9	297.3	22.5	40.5	-0-	4.5	9.0	4.5
Belvidere	894.4	528.2	309.9	56.3	140.8	21.1	-0-	-0-	-0-
Bensenville	740.7	437.0	251.9	37.0	103.7	-0-	-0-	44.4	-0-
Berwyn	1,374.5	844.1	617.9	41.8	125.5	22.8	7.6	28.5	5.7
Bloomington	1,209.5	748.1	458.9	12.5	221.9	27.4	-0-	27.4	7.5
Blue Island	1,234.8	730.4	530.4	17.4	134.8	4.3	4.3	39.1	13.0
Bridgeview	563.5	357.1	254.0	23.8	55.6	7.9	-0-	15.9	-0-
Brookfield	1,078.8	620.7	344.8	54.2	142.9	24.6	19.7	34.5	9.9
Buffalo Grove	203.4	84.7	67.8	-0-	8.5	8.5	-0-	-0-	-0-
Burbank	597.8	306.3	236.2	29.5	25.8	-0-	3.7	11.1	3.7
Cahokia	463.8	188.4	144.9	4.8	29.0	4.8	-0-	4.8	4.8
Calumet City	801.2	500.0	346.4	30.1	99.4	9.0	6.0	9.0	3.0
Calumet Park	784.3	402.0	333.3	29.4	39.2	-0-	-0-	-0-	9.8
Canton	1,440.6	881.1	545.5	111.9	160.8	35.0	-0-	28.0	28.0
Carbondale	572.1	345.0	214.0	26.2	78.6	8.7	4.4	13.1	8.7
Carpentersville	417.4	181.8	132.2	4.1	33.1	8.3	-0-	4.1	4.1
Centralia	1,313.7	732.0	470.6	39.2	150.3	13.1	6.5	52.3	19.6
Centreville	626.1	321.7	217.4	52.2	43.5	-0-	8.7	-0-	-0-
Champaign	693.1	349.2	218.7	21.2	74.1	10.6	-0-	24.7	10.6
Charleston	854.5	551.5	363.6	6.1	157.6	12.1	6.1	6.1	6.1
Chicago	1,177.2	667.9	454.2	71.0	100.8	14.8	7.0	20.2	8.8
Chicago Heights	839.0	402.4	251.2	24.4	87.8	19.5	2.4	17.1	4.9
Cicero	1,305.5	775.0	581.2	41.7	110.3	14.9	6.0	20.9	7.5
Collinsville	1,035.7	637.8	428.6	45.9	122.4	25.5	5.1	10.2	30.6
Crystal Lake	831.1	452.7	270.3	27.0	108.1	27.0	6.8	13.5	13.5
Danville	1,403.8	795.8	434.3	86.9	187.8	56.3	4.7	25.8	32.9
De Kalb	439.8	259.0	153.6	15.1	57.2	3.0	3.0	27.1	3.0
Decatur	1,053.1	598.5	391.6	26.5	123.9	18.8	13.3	24.3	22.1
Deerfield	389.5	221.1	142.1	26.3	26.3	10.5	-0-	15.8	5.3
Des Plaines	785.7	430.3	308.4	13.9	74.9	22.6	-0-	10.5	7.0
Dixon	1,115.4	642.9	412.1	54.9	126.4	22.0	5.5	22.0	22.0
Dolton	603.8	392.3	273.1	19.2	84.6	3.8	3.8	7.7	11.5
Downers Grove	803.6	440.5	324.4	29.8	56.5	6.0	3.0	20.8	17.9
East Moline	660.3	401.9	291.9	14.4	76.6	9.6	-0-	9.6	-0-
East Peoria	756.8	394.6	281.1	16.2	59.5	27.0	-0-	10.8	21.6
East St. Louis	1,485.0	791.7	513.6	87.0	149.8	5.7	12.8	22.8	10.0
Edwardsville	1,153.2	774.8	531.5	27.0	135.1	27.0	9.0	45.0	9.0
Elgin	1,005.4	544.0	337.5	25.1	129.3	18.0	3.6	30.5	14.4
Elk Grove	309.1	163.6	109.1	18.2	31.8	4.5	-0-	-0-	-0-
Elmhurst	751.0	416.3	253.1	42.9	81.6	12.2	4.1	22.4	10.2
Elmwood Park	961.8	568.7	374.0	84.0	68.7	11.5	7.6	22.9	11.5
Evanston	1,079.8	659.6	431.4	28.7	149.6	16.2	11.2	22.4	8.7
Evergreen Park	888.5	526.9	396.2	19.2	84.6	11.5	-0-	15.4	3.8
Fairview Heights	628.6	342.9	228.6	28.6	76.2	-0-	-0-	9.5	-0-
Forest Park	1,580.6	916.1	729.0	45.2	116.1	6.5	6.5	12.9	58.1
Franklin Park	634.1	395.1	243.9	24.4	82.9	19.5	-0-	24.4	9.8
Freeport	1,071.9	557.6	392.1	14.4	104.3	-0-	14.4	32.4	18.0
Galesburg	1,146.0	672.2	476.6	27.5	112.9	30.3	11.0	13.8	13.8
Glen Ellyn	686.4	381.8	231.8	36.4	86.4	-0-	-0-	27.3	4.5
Glencoe	560.7	299.1	196.3	9.3	65.4	9.3	-0-	18.7	9.3
Glendale Heights	267.2	112.1	43.1	17.2	34.5	-0-	-0-	17.2	-0-
Glenview	876.3	446.7	285.2	24.1	106.5	-0-	3.4	27.5	3.4
Granite City	943.5	538.1	326.8	41.8	127.8	12.3	7.4	22.1	12.3
Hanover Park	341.7	158.3	83.3	8.3	66.7	-0-	-0-	-0-	-0-
Harvey	976.9	504.3	328.5	43.2	106.6	14.4	-0-	11.5	17.3
Hazel Crest	663.5	461.5	298.1	28.8	105.8	-0-	-0-	28.8	9.6
Hickory Hills	560.6	310.6	212.1	-0-	75.8	7.6	7.6	7.6	-0-
Highland Park	572.8	303.4	176.5	15.5	96.0	6.2	6.2	3.1	9.3
Hinsdale	856.3	575.0	343.8	43.8	168.8	12.5	-0-	6.3	-0-
Hoffman Estates	354.3	103.1	80.7	9.0	9.0	-0-	-0-	4.5	4.5
Homewood	878.3	481.5	280.4	37.0	116.4	42.3	-0-	5.3	15.9
Jacksonville	1,281.6	868.9	616.5	38.8	135.9	43.7	-0-	34.0	14.6
Joliet	1,088.5	647.3	436.2	45.5	118.8	20.2	6.3	20.2	17.7
Kankakee	1,148.4	680.6	506.5	38.7	80.6	22.6	6.5	25.8	12.9
Kewanee	1,316.5	816.5	500.0	44.3	202.5	25.3	6.3	38.0	6.3
La Grange	960.9	581.0	363.1	33.5	117.3	27.9	5.6	33.5	-0-
La Grange Park	883.9	554.8	335.5	19.4	161.3	25.8	6.5	6.5	-0-
La Salle	1,268.5	759.3	518.5	18.5	175.9	18.5	-0-	27.8	9.3
Lake Forest	586.0	299.4	178.3	25.5	63.7	12.7	-0-	19.1	-0-
Lansing	652.5	397.7	258.7	11.6	84.9	11.6	-0-	30.9	7.7
Libertyville	820.5	487.2	350.4	34.2	68.4	25.6	-0-	8.5	-0-

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

City	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Addison	57.1	32.7	16.3	16.3	8.2	28.6	16.3	4.1	-0-	8.2
Alsip	107.4	66.1	41.3	24.8	33.1	41.3	-0-	41.3	16.5	-0-
Alton	216.1	80.4	32.7	47.7	30.2	32.7	7.5	22.6	17.6	10.1
Arlington Heights	110.8	41.5	20.0	21.5	21.5	9.2	9.2	9.2	10.8	7.7
Aurora	190.0	47.2	27.0	20.2	28.3	31.0	8.1	10.8	20.2	10.8
Belleville	260.8	64.6	47.8	16.7	28.7	16.7	4.8	14.4	14.4	19.1
Bellwood	211.7	18.0	9.0	9.0	9.0	18.0	4.5	13.5	40.5	9.0
Belvidere	190.1	42.3	14.1	28.2	-0-	7.0	-0-	21.1	14.1	7.0
Bensenville	103.7	37.0	22.2	14.8	37.0	7.4	-0-	14.8	29.6	-0-
Berwyn	279.5	22.8	5.7	17.1	39.9	24.7	7.6	43.7	30.4	9.5
Bloomington	244.4	32.4	5.0	27.4	22.4	17.5	12.5	15.0	15.0	12.5
Blue Island	234.8	52.2	8.7	43.5	26.1	30.4	4.3	8.7	30.4	26.1
Bridgeview	95.2	7.9	-0-	7.9	31.7	15.9	7.9	7.9	-0-	7.9
Brookfield	246.3	14.8	14.8	-0-	29.6	9.9	4.9	4.9	9.9	14.8
Buffalo Grove	33.9	-0-	-0-	-0-	-0-	25.4	16.9	-0-	-0-	8.5
Burbank	125.5	33.2	7.4	25.8	7.4	7.4	3.7	11.1	25.8	14.8
Cahokia	96.6	38.6	24.2	14.5	14.5	38.6	9.7	9.7	9.7	-0-
Calumet City	120.5	51.2	30.1	21.1	9.0	15.1	3.0	24.1	18.1	3.0
Calumet Park	186.3	29.4	19.6	9.8	9.8	9.8	19.6	9.8	29.4	-0-
Canton	209.8	69.9	55.9	14.0	49.0	-0-	14.0	7.0	21.0	28.0
Carbondale	100.4	13.1	-0-	13.1	21.8	13.1	4.4	8.7	4.4	4.4
Carpentersville	90.9	41.3	28.9	12.4	4.1	20.7	4.1	8.3	8.3	16.5
Centralia	281.0	58.8	39.2	19.6	39.2	6.5	19.6	13.1	19.6	-0-
Centreville	78.3	17.4	17.4	-0-	60.9	60.9	8.7	8.7	17.4	8.7
Champaign	144.6	56.4	31.7	24.7	14.1	19.4	7.1	14.1	17.6	5.3
Charleston	90.9	78.8	54.5	24.2	30.3	24.2	-0-	12.1	6.1	12.1
Chicago	201.4	44.5	14.1	30.5	35.5	30.5	9.1	22.7	29.5	7.8
Chicago Heights	212.2	61.0	22.0	39.0	9.8	22.0	4.9	24.4	17.1	-0-
Cicero	272.7	37.3	17.9	19.4	29.8	16.4	8.9	19.4	16.4	13.4
Collinsville	142.9	51.0	25.5	25.5	40.8	15.3	5.1	15.3	-0-	10.2
Crystal Lake	155.4	47.3	20.3	27.0	20.3	20.3	6.8	40.5	6.8	13.5
Danville	267.6	51.6	9.4	42.3	39.9	14.1	9.4	16.4	28.2	14.1
De Kalb	66.3	24.1	18.1	6.0	15.1	24.1	3.0	3.0	12.0	-0-
Decatur	213.5	31.0	15.5	15.5	23.2	31.0	12.2	18.8	12.2	7.7
Deerfield	57.9	36.8	21.1	15.8	15.8	-0-	-0-	5.3	15.8	-0-
Des Plaines	169.0	43.6	19.2	24.4	15.7	12.2	10.5	15.7	10.5	15.7
Dixon	159.3	27.5	11.0	16.5	27.5	27.5	22.0	60.4	-0-	16.5
Dolton	100.0	26.9	7.7	19.2	11.5	3.8	-0-	19.2	11.5	3.8
Downers Grove	163.7	35.7	8.9	26.8	23.8	14.9	8.9	3.0	14.9	26.8
East Moline	90.9	47.8	33.5	14.4	14.4	19.1	-0-	14.4	9.6	9.6
East Peoria	156.8	48.6	32.4	16.2	27.0	21.6	5.4	5.4	-0-	27.0
East St. Louis	184.0	78.5	39.9	38.5	57.1	59.9	15.7	39.9	21.4	7.1
Edwardsville	207.2	36.0	18.0	18.0	27.0	18.0	-0-	-0-	9.0	-0-
Elgin	188.5	43.1	25.1	18.0	37.7	23.3	7.2	19.7	19.7	9.0
Elk Grove	45.5	40.9	9.1	31.8	13.6	4.5	4.5	-0-	4.5	13.6
Elmhurst	138.8	44.9	16.3	28.6	26.5	12.2	4.1	20.4	16.3	10.2
Elmwood Park	217.6	34.4	15.3	19.1	11.5	3.8	7.6	19.1	15.3	7.6
Evanston	194.5	42.4	17.5	24.9	28.7	10.0	8.7	15.0	11.2	7.5
Evergreen Park	157.7	38.5	11.5	26.9	30.8	3.8	3.8	11.5	30.8	11.5
Fairview Heights	133.3	47.6	28.6	19.0	-0-	9.5	-0-	9.5	-0-	9.5
Forest Park	367.7	25.8	12.9	12.9	38.7	25.8	19.4	19.4	19.4	19.4
Franklin Park	122.0	14.6	9.8	4.9	14.6	9.8	-0-	19.5	14.6	-0-
Freeport	237.4	79.1	28.8	50.4	36.0	18.0	10.8	-0-	32.4	10.8
Galesburg	225.9	52.3	33.1	19.3	38.6	19.3	8.3	11.0	8.3	8.3
Glen Ellyn	118.2	40.9	18.2	22.7	31.8	36.4	9.1	9.1	9.1	9.1
Glencoe	84.1	37.4	37.4	-0-	28.0	-0-	-0-	-0-	18.7	18.7
Glendale Heights	60.3	25.9	8.6	17.2	-0-	-0-	8.6	-0-	8.6	8.6
Glenview	206.2	44.7	30.9	13.7	10.3	10.3	6.9	13.7	20.6	3.4
Granite City	172.0	63.9	31.9	31.9	4.9	36.9	4.9	9.8	9.8	12.3
Hanover Park	58.3	33.3	25.0	8.3	33.3	16.7	8.3	-0-	16.7	-0-
Harvey	161.4	66.3	28.8	37.5	37.5	43.2	11.5	14.4	17.3	8.6
Hazel Crest	96.2	28.8	19.2	9.6	19.2	9.6	-0-	9.6	9.6	-0-
Hickory Hills	121.2	45.5	15.2	30.3	7.6	-0-	7.6	15.2	22.7	7.6
Highland Park	133.1	31.0	3.1	27.9	12.4	-0-	3.1	12.4	15.5	6.2
Hinsdale	137.5	50.0	6.3	43.8	6.3	6.3	6.3	12.5	12.5	12.5
Hoffman Estates	80.7	62.8	44.8	17.9	4.5	35.9	9.0	4.5	13.5	4.5
Homewood	201.1	37.0	26.5	10.6	21.2	5.3	10.6	10.6	15.9	21.2
Jacksonville	160.2	53.4	29.1	24.3	14.6	34.0	4.9	19.4	14.6	4.9
Joliet	183.3	59.4	27.8	31.6	19.0	21.5	13.9	15.2	30.3	7.6
Kankakee	209.7	67.7	32.3	35.5	16.1	38.7	9.7	12.9	9.7	6.5
Kewanee	221.5	38.0	31.6	6.3	19.0	19.0	-0-	38.0	12.7	-0-
La Grange	184.4	55.9	22.3	33.5	11.2	16.8	5.6	5.6	16.8	16.8
La Grange Park	180.6	12.9	12.9	-0-	6.5	-0-	-0-	6.5	19.4	25.8
La Salle	277.8	18.5	9.3	9.3	46.3	18.5	-0-	9.3	9.3	27.8
Lake Forest	165.6	19.1	6.4	12.7	25.5	6.4	-0-	-0-	6.4	19.1
Lansing	92.7	30.9	23.2	7.7	7.7	19.3	11.6	7.7	7.7	3.9
Libertyville	153.8	59.8	42.7	17.1	8.5	8.5	-0-	17.1	8.5	25.6

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

City	All Causes	Cardiovascular Disease							Emphysema
		Total	Heart Disease		Cerebro-Vascular Disease	General Arterio-Sclerosis	Hyper-tension Without Mention of Heart	Other Circulatory Diseases	
			Arterio-Sclerotic	Other					
Lincoln	1,034.1	625.0	437.5	34.1	68.2	73.9	5.7	5.7	22.7
Lincolnwood	746.2	392.3	284.6	-0-	76.9	7.7	-0-	23.1	7.7
Lombard	682.3	342.5	204.4	44.2	74.6	2.8	5.5	11.0	13.8
Loves Park	544.0	264.0	136.0	24.0	80.0	16.0	-0-	8.0	-0-
Lyons	946.4	571.4	437.5	8.9	116.1	-0-	-0-	8.9	-0-
Macomb	568.5	329.9	233.5	15.2	66.0	5.1	-0-	10.2	5.1
Marion	1,262.7	847.5	491.5	50.8	203.4	8.5	16.9	76.3	-0-
Markham	450.6	216.0	166.7	6.2	30.9	-0-	-0-	12.3	18.5
Mattoon	1,227.3	686.9	449.5	5.1	171.7	30.3	15.2	15.2	45.5
Maywood	900.3	532.6	408.9	37.8	58.4	3.4	-0-	24.1	3.4
Melrose Park	1,035.1	592.1	434.2	30.7	100.9	13.2	-0-	13.2	17.5
Midlothian	687.5	393.8	262.5	43.8	50.0	12.5	12.5	12.5	6.3
Moline	1,073.4	658.7	457.9	23.8	125.3	28.1	2.2	21.6	10.8
Monmouth	1,369.4	909.9	567.6	117.1	153.2	9.0	9.0	54.1	-0-
Morton Grove	526.5	344.7	287.9	15.2	30.3	11.4	-0-	-0-	-0-
Morton	632.1	377.4	320.8	9.4	37.7	-0-	-0-	9.4	-0-
Mount Prospect	485.7	293.6	205.3	8.8	53.0	13.2	2.2	11.0	4.4
Mount Vernon	1,353.7	628.0	311.0	48.8	140.2	48.8	24.4	54.9	30.5
Mundelein	598.8	308.6	209.9	18.5	55.6	6.2	-0-	18.5	6.2
Murphysboro	1,465.3	980.2	633.7	29.7	287.1	19.8	9.9	-0-	49.5
Naperville	530.7	267.5	144.7	30.7	65.8	4.4	4.4	17.5	-0-
Niles	679.4	384.1	276.2	19.0	60.3	19.0	-0-	9.5	15.9
Normal	452.8	298.1	196.2	22.6	64.2	3.8	3.8	7.5	-0-
Norridge	837.2	517.4	343.0	46.5	64.0	11.6	-0-	52.3	-0-
North Chicago	240.5	111.8	65.4	10.5	25.3	-0-	-0-	10.5	4.2
North Lake	804.2	447.6	321.7	42.0	69.9	7.0	-0-	7.0	14.0
Northbrook	540.1	295.6	182.5	14.6	69.3	7.3	-0-	21.9	7.3
Oak Forest	560.4	318.7	219.8	11.0	49.5	11.0	5.5	22.0	-0-
Oak Lawn	887.6	519.0	390.1	33.1	72.7	9.9	5.0	8.3	8.3
Oak Park	1,204.5	720.4	484.0	46.3	131.0	14.4	4.8	39.9	6.4
Ottawa	1,414.9	851.1	585.1	37.2	180.9	31.9	-0-	16.0	21.3
Palatine	797.7	446.6	316.8	22.9	76.3	15.3	3.8	11.5	7.6
Paris	1,280.0	800.0	540.0	30.0	160.0	-0-	20.0	50.0	40.0
Park Forest	371.0	232.3	164.5	19.4	32.3	-0-	6.5	9.7	3.2
Park Ridge	793.9	477.8	332.6	25.8	79.6	11.7	2.3	25.8	9.4
Pekin	1,015.9	528.7	359.9	25.5	95.5	9.6	15.9	22.3	9.6
Peoria	1,057.4	594.8	404.4	24.4	108.6	22.0	3.9	31.5	14.9
Peru	1,025.4	644.1	449.2	59.3	118.6	8.5	8.5	-0-	16.9
Pontiac	1,169.8	717.0	452.8	37.7	169.8	47.2	-0-	9.4	-0-
Quincy	1,598.2	958.1	609.3	26.5	200.9	64.0	13.2	44.2	15.5
Rantoul	293.0	105.5	58.6	11.7	31.3	-0-	-0-	3.9	-0-
River Forest	880.6	522.4	313.4	37.3	111.9	22.4	-0-	37.3	-0-
River Grove	913.8	474.1	344.8	17.2	94.8	8.6	-0-	8.6	-0-
Riverdale	993.8	625.0	400.0	37.5	143.8	18.8	-0-	25.0	18.8
Riverside	1,095.2	742.9	457.1	66.7	171.4	-0-	9.5	38.1	-0-
Rock Falls	1,213.6	553.4	417.5	29.1	48.5	19.4	-0-	38.8	19.4
Rock Island	1,167.3	721.1	519.9	43.8	93.6	29.9	13.9	19.9	8.0
Rockford	1,005.4	560.1	370.3	19.6	126.4	13.5	2.7	27.7	8.1
Rolling Meadows	286.5	119.8	83.3	5.2	26.0	5.2	-0-	-0-	5.2
Romeoville	234.4	78.1	46.9	7.8	15.6	7.8	-0-	-0-	-0-
Schaumburg	284.2	121.1	68.4	5.3	36.8	10.5	-0-	-0-	10.5
Schiller Park	496.1	232.6	170.5	7.8	38.8	-0-	15.5	-0-	-0-
Skokie	746.0	446.7	318.2	30.7	73.0	11.7	1.5	11.7	8.8
South Holland	662.5	383.3	275.0	12.5	66.7	16.7	-0-	12.5	4.2
Springfield	1,358.7	807.6	575.0	23.9	155.4	16.3	8.7	28.3	28.3
St. Charles	681.8	393.9	287.9	37.9	37.9	7.6	7.6	15.2	7.6
Sterling	969.1	487.7	308.6	18.5	92.6	55.6	-0-	12.3	18.5
Streamwood	270.3	124.3	91.9	16.2	16.2	-0-	-0-	-0-	16.2
Streator	1,384.6	814.1	487.2	32.1	224.4	32.1	12.8	25.6	25.6
Summit	801.7	413.8	241.4	51.7	86.2	-0-	25.9	8.6	17.2
Taylorville	1,463.6	854.5	554.5	45.5	181.8	45.5	9.1	18.2	18.2
Tinley Park	849.2	468.3	301.6	7.9	95.2	7.9	-0-	55.6	-0-
Urbana	675.8	342.4	200.0	30.3	57.6	42.4	3.0	9.1	9.1
Villa Park	773.1	403.8	234.6	50.0	96.2	3.8	-0-	19.2	11.5
Waukegan	960.2	513.8	342.5	36.7	82.6	15.3	10.7	26.0	1.5
West Chicago	737.9	436.9	330.1	38.8	58.3	9.7	-0-	-0-	-0-
Westchester	801.0	447.8	298.5	24.9	94.5	5.0	-0-	24.9	-0-
Western Springs	641.2	366.4	267.2	15.3	53.4	-0-	7.6	22.9	7.6
Wheaton	666.7	391.0	237.2	48.1	64.1	19.2	3.2	19.2	-0-
Wheeling	459.5	202.7	128.4	20.3	47.3	6.8	-0-	-0-	6.8
Wilmette	739.1	462.7	295.0	12.4	136.6	3.1	-0-	15.5	6.2
Winnetka	828.6	471.4	235.7	57.1	142.9	-0-	14.3	21.4	7.1
Wood River	962.1	447.0	287.9	60.6	75.8	15.2	-0-	7.6	15.2
Woodridge	265.5	79.6	53.1	17.7	8.8	-0-	-0-	-0-	-0-
Woodstock	1,307.7	798.1	538.5	19.2	153.8	28.8	19.2	38.5	19.2
Worth	586.8	330.6	256.2	24.8	41.3	8.3	-0-	-0-	8.3
Zion	976.9	526.0	294.8	34.7	121.4	52.0	-0-	23.1	-0-

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
-- CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1971)

City	Cancer	Accidents			Pneumonia and Influenza	Diseases of Early Infancy	Congenital Anomalies	Diabetes Mellitus	Cirrhosis of Liver	Suicide
		Total	Motor Vehicle	Other						
Lincoln	176.1	56.8	17.0	39.8	17.0	22.7	11.4	22.7	-0-	17.0
Lincolnwood	192.3	30.8	7.7	23.1	15.4	-0-	7.7	30.8	7.7	15.4
Lombard	163.0	41.4	19.3	22.1	11.0	16.6	8.3	11.0	11.0	5.5
Loves Park	160.0	24.0	16.0	8.0	16.0	24.0	-0-	-0-	8.0	8.0
Lyons	142.9	53.6	26.8	26.8	8.9	44.6	-0-	35.7	44.6	-0-
Macomb	86.3	35.5	15.2	20.3	25.4	10.2	-0-	15.2	-0-	20.3
Marion	186.4	84.7	50.8	33.9	33.9	-0-	-0-	33.9	8.5	8.5
Markham	67.9	49.4	12.3	37.0	12.3	12.3	6.2	6.2	-0-	12.3
Mattoon	197.0	40.4	20.2	20.2	50.5	20.2	-0-	30.3	40.4	20.2
Maywood	106.5	30.9	17.2	13.7	30.9	44.7	17.2	30.9	13.7	13.7
Melrose Park	193.0	30.7	17.5	13.2	30.7	26.3	13.2	17.5	26.3	4.4
Midlothian	87.5	37.5	25.0	12.5	6.3	37.5	12.5	6.3	18.8	12.5
Moline	187.9	60.5	25.9	34.6	13.0	36.7	4.3	13.0	19.4	2.2
Monmouth	216.2	54.1	18.0	36.0	36.0	-0-	9.0	27.0	-0-	9.0
Morton Grove	87.1	3.8	3.8	-0-	11.4	7.6	-0-	15.2	18.9	3.8
Morton	103.8	28.3	28.3	-0-	37.7	18.9	-0-	9.4	-0-	9.4
Mount Prospect	103.8	15.5	8.8	6.6	11.0	6.6	6.6	4.4	4.4	8.8
Mount Vernon	311.0	103.7	30.5	73.2	30.5	30.5	12.2	73.2	-0-	6.1
Mundelein	123.5	49.4	43.2	6.2	18.5	24.7	-0-	-0-	6.2	6.2
Murphysboro	188.1	49.5	19.8	29.7	49.5	19.8	19.8	-0-	29.7	-0-
Naperville	122.8	30.7	17.5	13.2	13.2	26.3	4.4	4.4	-0-	30.7
Niles	171.4	6.3	3.2	3.2	28.6	-0-	9.5	6.3	15.9	-0-
Normal	67.9	18.9	7.5	11.3	3.8	7.5	7.5	7.5	-0-	15.1
Norridge	157.0	46.5	23.3	23.3	5.8	5.8	5.8	5.8	17.4	-0-
North Chicago	48.5	16.9	10.5	6.3	4.2	10.5	6.3	2.1	8.4	-0-
North Lake	139.9	35.0	21.0	14.0	21.0	21.0	14.0	14.0	21.0	7.0
Northbrook	120.4	36.5	14.6	21.9	14.6	10.9	-0-	-0-	-0-	7.3
Oak Forest	131.9	22.0	16.5	5.5	11.0	38.5	-0-	-0-	5.5	5.5
Oak Lawn	196.7	38.0	18.2	19.8	9.9	11.6	9.9	14.9	9.9	3.3
Oak Park	252.4	38.3	17.6	20.8	36.7	11.2	8.0	14.4	12.8	9.6
Ottawa	239.4	101.1	74.5	26.6	26.6	26.6	10.6	16.0	31.9	5.3
Palatine	145.0	49.6	22.9	26.7	15.3	34.4	7.6	15.3	15.3	3.8
Paris	180.0	50.0	20.0	30.0	10.0	10.0	-0-	20.0	-0-	20.0
Park Forest	41.9	22.6	12.9	9.7	6.5	12.9	12.9	3.2	16.1	3.2
Park Ridge	166.3	25.8	11.7	14.1	21.1	9.4	2.3	9.4	9.4	9.4
Pekin	146.5	105.1	63.7	41.4	60.5	22.3	9.6	15.9	12.7	31.8
Peoria	206.1	41.7	16.5	25.2	33.0	18.9	8.7	14.2	16.5	11.0
Peru	178.0	59.3	59.3	-0-	25.4	-0-	8.5	16.9	8.5	8.5
Pontiac	198.1	47.2	18.9	28.3	9.4	28.3	9.4	9.4	9.4	-0-
Quincy	289.2	75.1	35.3	39.7	61.8	15.5	4.4	28.7	22.1	8.8
Rantoul	43.0	54.7	43.0	11.7	27.3	23.4	15.6	-0-	-0-	7.8
River Forest	194.0	7.5	-0-	7.5	29.9	14.9	7.5	14.9	14.9	7.5
River Grove	181.0	17.2	17.2	-0-	25.9	43.1	25.9	8.6	34.5	8.6
Riverdale	200.0	6.3	-0-	6.3	25.0	18.8	-0-	-0-	12.5	12.5
Riverside	161.9	38.1	9.5	28.6	57.1	-0-	9.5	19.0	19.0	-0-
Rock Falls	213.6	77.7	38.8	38.8	38.8	48.5	38.8	68.0	9.7	9.7
Rock Island	189.2	47.8	21.9	25.9	19.9	27.9	12.0	17.9	17.9	8.0
Rockford	186.5	49.3	22.3	27.0	26.4	19.6	12.8	21.6	11.5	18.2
Rolling Meadows	78.1	10.4	5.2	5.2	5.2	20.8	5.2	10.4	-0-	-0-
Romeoville	7.8	54.7	7.8	46.9	7.8	23.4	15.6	7.8	-0-	15.6
Schaumburg	57.9	21.1	10.5	10.5	5.3	10.5	10.5	10.5	-0-	-0-
Schiller Park	100.8	31.0	23.3	7.8	-0-	54.3	7.8	15.5	7.8	-0-
Skokie	167.9	19.0	11.7	7.3	14.6	7.3	1.5	14.6	5.8	13.1
South Holland	162.5	29.2	4.2	25.0	8.3	8.3	12.5	8.3	12.5	4.2
Springfield	208.7	59.8	29.3	30.4	30.4	23.9	12.0	27.2	28.3	14.1
St. Charles	174.2	22.7	15.2	7.6	-0-	22.7	-0-	15.2	-0-	15.2
Sterling	228.4	43.2	24.7	18.5	12.3	18.5	18.5	30.9	12.3	12.3
Streamwood	43.2	27.0	16.2	10.8	5.4	16.2	-0-	-0-	5.4	-0-
Streator	230.8	102.6	38.5	64.1	25.6	12.8	-0-	44.9	19.2	12.8
Summit	129.3	17.2	8.6	8.6	25.9	51.7	17.2	-0-	34.5	-0-
Taylorville	254.5	63.6	36.4	27.3	54.5	18.2	-0-	27.3	27.3	27.3
Tinley Park	142.9	47.6	31.7	15.9	39.7	39.7	7.9	-0-	-0-	15.9
Urbana	124.2	36.4	18.2	18.2	30.3	24.2	9.1	15.2	-0-	9.1
Villa Park	192.3	30.8	7.7	23.1	7.7	26.9	3.8	11.5	19.2	11.5
Waukegan	171.3	55.0	36.7	18.3	27.5	33.6	3.1	18.3	13.8	9.2
West Chicago	116.5	48.5	9.7	38.8	38.8	9.7	9.7	19.4	-0-	9.7
Westchester	184.1	10.0	5.0	5.0	24.9	5.0	5.0	14.9	10.0	14.9
Western Springs	160.3	38.2	38.2	-0-	15.3	-0-	-0-	15.3	-0-	7.6
Wheaton	137.8	38.5	6.4	32.1	25.6	6.4	6.4	3.2	-0-	9.6
Wheeling	121.6	20.3	13.5	6.8	13.5	13.5	6.8	6.8	13.5	6.8
Wilmette	161.5	18.6	9.3	9.3	9.3	6.2	6.2	18.6	12.4	3.1
Winnetka	185.7	42.9	35.7	7.1	14.3	14.3	7.1	7.1	7.1	14.3
Wood River	159.1	90.9	45.5	45.5	22.7	30.3	15.2	30.3	22.7	-0-
Woodridge	70.8	8.8	8.8	-0-	-0-	79.6	8.8	-0-	-0-	8.8
Woodstock	201.9	28.8	-0-	28.8	86.5	19.2	-0-	-0-	9.6	19.2
Worth	115.7	33.1	16.5	16.5	16.5	8.3	33.1	-0-	16.5	-0-
Zion	138.7	98.3	69.4	28.9	34.7	52.0	5.8	11.6	11.6	17.3

TABLE 12. -- TEN LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1971
FOR AGES UNDER 1 YEAR SEE TABLE D

Age 1-4 Years				Age 5-14 Years			
Rank	Cause	8th rev. No. ¹	No.	Rank	Cause	8th rev. No. ¹	No.
	All Causes		606		All Causes		894
1.	Accidents	E800-E949	218	1.	Accidents	E800-E949	431
	a. Motor vehicle	(E810-E823)	(52)		a. Motor vehicle	(E810-E823)	(240)
	b. Other	(Residue of E800-E949)	(166)		b. Other	(Residue of E800-E949)	(191)
2.	Congenital Anomalies	740-759	75	2.	Malignant neoplasms	140-209	122
3.	Influenza and pneumonia	470-474, 480-486	60	3.	Influenza and pneumonia	470-474, 480-486	44
4.	Malignant neoplasms	140-209	42	4.	Congenital anomalies	740-759	38
5.	Acute respiratory infections, except influenza	460-466	30	5.	Homicide	E960-E978	35
6.	Homicide	E960-E978	20	6.	Heart disease	393-429	24
7.	Heart disease	393-429	15		(Excl. of 440.0, 400.2, 400.3, 401, 403)		
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			7.	Cystic Fibrosis of pancreas	273.0	15
8.	Cerebrovascular disease	430-438	10	8.	Cerebrovascular disease	430-438	13
9.	Cerebral spastic infantile paralysis	343	9	9.	Diabetes mellitus	250	10
9.	Meningococcal infection	036	9	10.	Anemias	280-285	9

Age 15-24 Years				Age 25-44 Years			
Rank	Cause	8th rev. No. ¹	No.	Rank	Cause	8th rev. No. ¹	No.
	All Causes		2,390		All Causes		6,261
1.	Accidents	E800-E949	1,218	1.	Heart disease	390-429	1,299
	a. Motor vehicle	(E810-E823)	(801)		(Excl. of 400.0, 400.2, 400.3, 401, 403)		
	b. Other	(Residue of E800-E949)	(417)	2.	Accidents	E800-E949	1,190
2.	Homicide	E960-E978	342		a. Motor vehicle	(E810-E823)	(601)
3.	Malignant neoplasms	140-209	149		b. Other	(Residue of E800-E949)	(589)
4.	Suicide	E950-E959	135	3.	Malignant neoplasms	140-209	1,035
5.	Heart disease	390-429	82	4.	Homicide	E960-E978	515
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			5.	Cirrhosis of liver	571	350
6.	Influenza and pneumonia	470-474, 480-486	52	6.	Suicide	E950-E959	297
7.	Congenital anomalies	740-759	32	7.	Cerebrovascular disease	430-438	261
7.	Cerebrovascular disease	430-438	32	8.	Influenza and pneumonia	470-474, 480-486	185
8.	Epilepsy	345	24	9.	Other circulatory diseases	441-458	108
9.	Maternal causes	630-678	22	10.	Diabetes mellitus	250	90
10.	Diabetes mellitus	250	17				

Age 45-64 Years				Age 65 Years and Over			
Rank	Cause	8th rev. No. ¹	No.	Rank	Cause	8th rev. No. ¹	No.
	All Causes		27,220		All Causes		68,013
1.	Heart disease	390-429	11,193	1.	Heart disease	390-429	34,490
	(Excl. of 400.0, 400.2, 400.3, 401, 403)				(Excl. of 400.0, 400.2, 400.3, 401, 403)		
2.	Malignant neoplasms	140-209	7,233	2.	Malignant neoplasms	140-209	10,812
3.	Cerebrovascular diseases	430-438	1,771	3.	Cerebrovascular diseases	430-438	9,026
4.	Accidents	E800-E949	1,035	4.	Influenza and pneumonia	470-474, 480-486	1,845
	a. Motor vehicle	(E810-E823)	(443)	5.	General arteriosclerosis	440	1,660
	b. Other	(Residue of E800-E949)	(592)	6.	Other circulatory diseases	441-458	1,500
5.	Cirrhosis of liver	571	1,034	7.	Diabetes mellitus	250	1,341
6.	Influenza and pneumonia	470-474, 480-486	522	8.	Accidents	E800-E949	1,116
7.	Diabetes mellitus	250	519		a. Motor vehicle	(E810-E823)	(348)
8.	Other circulatory diseases	441-458	515		b. Other	(Residue of E800-E949)	(768)
9.	Suicide	E950-E959	372	9.	Emphysema	492	802
10.	Emphysema	492	317	10.	Cirrhosis of liver	571	478

¹ International Classification of Diseases (ICDA), 8th Revision.

TABLE 13. - CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1961 to 1971

Disease	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961
ILLINOIS											
Actinomycosis	1	2	1	2	3	1	-	-	-	1	-
Amebiasis cases and carriers	153	170	167	151	102	172	193	319	216	311	377
Blastomycosis	7	4	10	1	1	1	3	1	5	1	1
Brucellosis	17	6	14	1	13	13	18	26	26	57	59
Chancroid	53	34	43	19	7	8	23	15	10	7	24
Chickenpox	6,142	4,374	5,508	6,997	6,737	9,067	9,165	11,870	14,259	10,543	14,611
Conjunctivitis, all forms	20	11	22	21	44	20	1	10	2	1	2
Diarrhea of newborn	225	233	155	99	149	105	125	102	90	112	58
Diphtheria cases and carriers	5	37	1	2	5	4	6	16	26	4	11
Dysentery bacillary cases and carriers	1,108	1,135	1,188	1,184	1,304	769	685	721	555	346	280
Encephalitis, acute and post	193	206	159	202	283	116	123	270	148	117	164
Erysipelas	20	4	+	+	+	+	+	+	+	+	+
Food infections	1,445	1,372	1,152	1,085	1,033	1,007	1,154	773	644	402	268
Food Poisonings	96	214	258	244	79	178	772	468	551	1,118	828
Fungal infection, other	1	1	1	6	7	5	4	7	9	6	5
Gastroenteritis, (E. Coli) cases and carriers	1,054	346	958	455	453	254	135	68	37	375	359
German measles	1,396	1,871	1,825	3,328	1,621	2,935	4,850	29,685	2,108	2,030	3,438
Gonorrhea	48,290	51,668	50,337	42,464	38,957	33,733	29,091	26,866	25,300	34,853	26,362
Hepatitis, infectious and serum	2,682	2,045	1,872	2,016	1,801	1,206	1,247	1,229	1,472	2,257	2,667
Histoplasmosis	28	49	58	49	47	44	61	27	16	11	15
Influenza	185	+	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	-	-	-	-	-	4	-	-	1	-	10
Leprosy	1	5	3	-	1	-	3	-	-	2	-
Leptospirosis	1	1	3	1	-	1	5	-	2	-	-
Malaria	62	68	124	64	38	16	1	3	1	5	1
Measles	3,460	3,085	1,746	1,291	1,347	11,514	5,036	16,906	11,862	16,623	16,931
Meningitis meningococcal	85	73	72	82	82	102	125	96	75	99	122
Meningitis, other	268	240	218	293	272	454	413	418	429	400	655
Mononucleosis, Inf.	690	49	+	+	+	+	+	+	+	+	+
Mumps	5,585	2,387	3,212	5,404	10,845	6,575	4,890	14,598	8,568	4,685	11,234
Paratyphoid cases and carriers	***	***	***	***	***	-	5	1	-	7	6
Pneumonia	1,004	+	+	+	+	+	+	+	+	+	+
Poliomyelitis	1	1	1	3	1	3	4	5	14	65	26
Psittacosis and ornithosis	-	-	1	1	-	1	5	6	11	4	7
Rheumatic fever	992	1,190	1,178	1,332	1,425	1,613	1,705	2,059	1,794	1,671	1,936
Ringworm of the scalp	1	7	24	29	86	96	114	114	99	78	136
Rocky Mountain spotted fever	6	6	8	8	12	11	9	7	7	4	4
Scarlet fever and strep throat	7,560	7,451	7,431	8,052	7,978	9,125	6,167	6,283	5,906	6,317	5,645
Staphylococcal inf. (neonatal)	30	47	22	39	19	27	50	34	**	**	**
Staphylococcal inf. (other than neonatal)	651	895	753	603	902	889	709	773	**	**	**
Syphilis	6,569	5,204	6,725	7,168	7,248	6,402	7,293	5,338	6,009	5,506	6,543
Tetanus	5	8	13	9	17	5	18	16	10	13	12
Toxoplasmosis	11	3	1	1	3	1	2	-	-	-	-
Trichinosis	2	8	8	-	4	1	4	5	5	5	9
Tuberculosis	2,138	2,125	2,478	2,805	2,999	2,938	3,328	3,370	3,739	3,895	4,021
Tularemia	8	10	10	15	18	21	14	21	24	19	39
Typhoid cases and carriers	22	15	24	21	11	10	18	28	17	29	39
Typhus cases and carriers	-	3	-	-	-	1	1	-	-	-	-
Whooping cough	172	363	232	246	551	639	497	774	748	1,021	677

** No state total given since data are available for Downstate only.

*** Paratyphoid cases and carriers included as part of food infection totals beginning in 1967.

+ Not a reportable disease prior to 1970 and 1971.

TABLE 13. - CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1961 to 1971 - CONTINUED

Disease	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961
CHICAGO											
Actinomycosis	-	1	-	2	-	-	-	-	-	-	-
Amebiasis cases and carriers . . .	41	80	93	66	26	20	56	21	13	21	23
Blastomycosis	1	2	-	-	-	-	-	-	-	-	-
Brucellosis	-	-	1	-	-	-	2	-	1	11	15
Chancroid	47	29	33	15	5	3	19	13	5	4	19
Chickenpox	670	415	688	813	920	1,583	1,869	1,391	2,725	1,945	2,782
Conjunctivitis, all forms	3	1	4	5	10	1	-	1	-	-	-
Diarrhea of newborn	222	233	149	96	140	98	117	90	68	91	33
Diphtheria cases and carriers . . .	5	37	-	-	4	3	4	15	18	2	2
Dysentery bacillary cases and carriers	701	750	807	792	758	403	408	218	186	182	86
Encephalitis, acute and post . . .	52	69	66	44	93	29	51	55	40	44	34
Erysipelas	1	2	+	+	+	+	+	+	+	+	+
Food infections	861	862	728	747	634	608	459	417	363	179	109
Food Poisonings	-	-	-	9	7	20	27	27	42	213	222
Fungal infection, other	-	-	-	-	-	-	-	-	1	-	2
Gastroenteritis, (E. Coli) cases and carriers	926	212	829	276	292	129	82	18	3	14	44
German measles	50	161	181	210	197	347	1,027	1,821	426	821	690
Gonorrhea	37,742	42,503	41,425	34,964	31,619	27,850	24,540	22,497	21,667	31,348	23,160
Hepatitis, infectious and serum . .	885	758	677	652	674	379	374	357	432	541	614
Histoplasmosis	-	-	-	2	-	-	5	-	-	2	-
Influenza	1	+	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	-	-	-	-	-	1	-	-	-	-	-
Leprosy	1	3	-	-	1	-	-	-	-	2	-
Leptospirosis	1	-	-	-	-	-	-	-	-	-	-
Malaria	8	10	1	6	8	5	-	1	-	-	-
Measles	422	1,659	1,411	986	630	3,331	2,408	4,639	2,879	5,536	5,816
Meningitis meningococcal	17	18	20	27	24	40	43	37	24	47	58
Meningitis, other	106	105	93	127	145	183	147	145	168	155	259
Mononucleosis, Inf.	30	6	+	+	+	+	+	+	+	+	+
Mumps	420	429	553	511	915	1,166	816	1,275	1,596	1,055	1,528
Paratyphoid cases and carriers . . .	-	***	***	***	***	-	-	-	-	-	-
Pneumonia	992	+	+	+	+	+	+	+	+	+	+
Poliomyelitis	-	-	1	3	1	1	-	1	4	44	5
Psittacosis and ornithosis	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	195	258	283	364	314	393	508	547	461	441	538
Ringworm of the scalp	-	-	8	4	23	32	53	31	24	16	48
Rocky Mountain spotted fever . . .	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever and strep throat . . .	146	154	282	274	318	538	815	777	871	1,120	892
Staphylococcal inf. (neonatal) . . .	1	-	-	-	-	-	-	-	**	**	**
Staphylococcal inf. (other than neonatal)	-	-	-	-	-	-	1	2	**	**	**
Syphilis	4,769	3,640	5,097	5,857	5,900	5,177	6,238	4,443	4,995	4,351	5,332
Tetanus	-	3	5	4	6	-	4	2	3	3	2
Toxoplasmosis	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	1	4	6	-	-	1	3	1	5	4	5
Tuberculosis	1,385	1,346	1,671	1,963	1,989	1,977	2,179	2,202	2,322	2,699	2,737
Tularemia	-	-	1	-	-	-	-	-	-	1	-
Typhoid cases and carriers	12	11	8	6	5	4	9	14	8	11	26
Typhus cases and carriers	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	92	239	166	148	406	507	318	571	482	721	574

** Data not available from Chicago before 1964.

*** Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

+ Not reportable prior to 1970 and 1971.

TABLE 13. - CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1961 to 1971 - CONTINUED

Disease	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961
DOWNSTATE											
Actinomycosis	1	1	1	-	3	1	-	-	-	1	-
Amebiasis cases and carriers . .	112	90	74	85	76	152	137	298	203	290	354
Blastomycosis	6	2	10	1	1	1	3	1	5	1	1
Brucellosis	17	6	13	1	13	13	16	26	25	46	44
Chancroid	6	5	10	4	2	5	4	2	5	3	5
Chickenpox	5,472	3,959	4,820	6,184	5,817	7,484	7,296	10,479	11,534	8,598	11,829
Conjunctivitis, all forms	17	10	18	16	34	19	1	9	2	1	2
Diarrhea of newborn	3	-	6	3	9	7	8	12	22	21	25
Diphtheria cases and carriers . .	-	-	1	2	1	1	2	1	8	2	9
Dysentery bacillary cases and carriers	407	385	381	392	546	366	277	503	369	164	194
Encephalitis, acute and post . .	141	137	93	158	190	87	72	215	108	73	130
Erysipelas	19	2	+	+	+	+	+	+	+	+	+
Food infections	584	510	424	338	399	399	695	356	281	223	159
Food poisonings	96	214	258	235	72	158	745	441	509	905	606
Fungal infection, other	1	1	1	6	7	6	4	7	8	6	3
Gastroenteritis, (E. Coli) cases and carriers	128	134	129	179	161	125	53	50	34	361	315
German measles	1,346	1,710	1,644	3,118	1,424	2,588	3,823	27,864	1,682	1,209	2,748
Gonorrhea	10,548	9,165	8,912	7,500	7,338	5,883	4,551	4,369	3,633	3,505	3,202
Hepatitis, infectious and serum .	1,797	1,287	1,195	1,364	1,127	827	873	872	1,040	1,716	2,053
Histoplasmosis	28	49	58	47	47	44	56	27	16	9	15
Influenza	184	+	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	-	-	-	-	-	3	-	-	1	-	10
Leprosy	-	2	3	-	-	-	3	-	-	-	-
Leptospirosis	-	1	3	1	-	1	5	-	2	-	-
Malaria	54	58	123	58	30	11	1	2	1	5	1
Measles	3,038	1,426	335	305	717	8,183	2,628	12,267	8,983	11,087	11,115
Meningitis meningococcal	68	55	52	55	58	62	82	59	51	52	64
Meningitis, other	162	135	125	166	127	271	266	273	261	245	396
Mononucleosis, Inf.	660	43	+	+	+	+	+	+	+	+	+
Mumps	5,165	1,958	2,659	4,893	9,930	5,409	4,074	13,323	6,972	3,630	9,706
Paratyphoid cases and carriers . .	***	***	***	***	***	-	5	1	-	7	6
Pneumonia	12	+	+	+	+	+	+	+	+	+	+
Poliomyelitis	1	1	-	-	-	2	4	4	10	21	21
Psittacosis and ornithosis	-	-	1	1	-	1	5	6	11	4	7
Rheumatic fever	797	932	895	968	1,111	1,220	1,197	1,512	1,333	1,230	1,398
Ringworm of the scalp	1	7	16	25	63	64	61	83	75	62	88
Rocky Mountain spotted fever . .	5	6	8	8	12	11	9	7	7	4	4
Scarlet fever and strep throat . .	7,414	7,297	7,149	7,778	7,660	8,587	5,352	5,506	5,035	5,197	4,753
Staphylococcal inf. (neonatal) . .	29	47	22	39	19	27	50	34	29	27	34
Staphylococcal inf. (other than neonatal)	651	895	753	603	902	889	708	771	767	795	711
Syphilis	1,800	1,564	1,628	1,311	1,348	1,225	1,055	895	1,014	1,155	1,211
Tetanus	5	5	8	5	11	5	14	14	7	10	10
Toxoplasmosis	11	3	1	1	3	1	2	-	-	-	-
Trichinosis	1	4	2	-	4	-	1	4	-	1	4
Tuberculosis	753	779	807	842	1,010	961	1,149	1,168	1,417	1,196	1,284
Tularemia	8	10	9	15	18	21	14	21	24	18	39
Typhoid cases and carriers	10	4	16	15	6	6	9	14	9	18	13
Typhus cases and carriers	-	3	-	-	-	1	1	-	-	-	-
Whooping cough	80	124	66	98	145	132	179	203	266	300	103

+ Not reportable prior to 1970 and 1971.

*** Paratyphoid cases and carriers included as part of food infections
totals beginning in 1967.

TABLE 14. -- MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1971

Female Age Group	Total	Male												
		Age Group												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL	115,826	15	9,533	50,777	23,161	9,914	5,799	4,647	3,725	2,772	1,987	1,338	2,018	160
Under 15 Years	18	--	3	9	3	--	--	1	--	2	--	--	--	--
15-19 Years	27,605	6	8,096	16,658	2,181	434	100	57	20	13	2	2	1	35
20-24 Years	49,435	6	1,322	31,221	12,616	2,825	856	303	145	63	15	6	3	54
25-29 Years	15,021	1	71	2,286	6,467	3,519	1,470	684	335	99	44	16	11	18
30-34 Years	6,983	--	11	371	1,339	1,992	1,507	975	477	195	68	28	14	6
35-39 Years	4,595	1	5	128	379	747	1,119	1,008	659	318	145	47	35	4
40-44 Years	3,564	--	2	36	109	282	498	908	823	505	257	81	59	4
45-49 Years	2,929	1	--	11	38	82	186	493	775	725	369	165	83	1
50-54 Years	2,104	--	1	3	9	17	41	149	338	553	532	270	189	2
55-59 Years	1,437	--	1	1	2	4	12	48	107	228	387	330	314	3
60-64 Years	1,002	--	--	2	--	--	4	11	29	51	125	284	495	1
65 + Years	999	--	1	1	--	--	1	4	16	17	41	108	810	--
Unknown	134	--	20	50	18	12	5	6	1	3	2	1	4	12

TABLE 15. -- DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1971

Female Age Group	Total	Male												
		Age Group												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65+ years	Un- known
TOTAL	39,753	17	225	5,723	8,572	6,275	4,847	3,919	3,152	2,008	1,188	594	532	2,701
Under 15 Years	19	1	--	9	4	--	2	1	--	1	1	--	--	--
15-19 Years	1,149	3	148	818	113	20	10	3	--	1	--	--	--	33
20-24 Years	8,984	4	65	4,330	3,567	590	135	49	22	7	6	1	2	206
25-29 Years	8,395	4	4	386	4,082	2,698	625	213	88	32	11	2	2	248
30-34 Years	5,646	1	--	29	452	2,312	1,822	539	182	52	28	6	4	219
35-39 Years	4,179	2	--	7	62	313	1,647	1,349	439	129	42	26	7	156
40-44 Years	3,312	--	--	6	31	80	296	1,230	1,054	329	98	33	14	141
45-49 Years	2,439	1	--	--	8	25	87	261	934	640	259	88	29	107
50-54 Years	1,402	--	--	2	2	3	32	63	200	545	324	120	56	55
55-59 Years	712	--	--	--	1	2	4	14	49	108	265	147	83	39
60-64 Years	329	--	--	--	--	1	--	7	13	25	57	89	107	30
65+ Years	236	--	--	--	--	--	1	2	7	8	8	32	155	23
Unknown	2,951	1	8	136	250	231	186	188	164	131	89	50	73	1,444

TABLE 16. -- NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1971

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown-Blank
TOTAL . . .	115,826	82,372	27,021	4,068	612	96	27	7	2	1	--	1,620
0	83,240	73,365	9,039	667	78	15	1	1	--	--	--	74
1	25,929	8,100	15,262	2,122	280	35	14	5	2	1	--	108
2	4,213	699	2,256	1,046	173	26	8	--	--	--	--	5
3	641	77	302	184	62	12	2	1	--	--	--	1
4	113	12	45	33	15	7	1	--	--	--	--	--
5	21	1	13	4	2	--	1	--	--	--	--	--
6	8	1	3	2	1	1	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9+	--	--	--	--	--	--	--	--	--	--	--	--
Unknown-Blank . .	1,661	117	101	10	1	--	--	--	--	--	--	1,432

TABLE 17 -- DISTRIBUTION OF PRENATAL CARE VISITS BY TRIMESTER, FREQUENCY AND COLOR: ILLINOIS, CHICAGO AND DOWNSTATE, 1971

Trimester & Visits	Illinois			Chicago			Downstate		
	Total	White	Other	Total	White	Other	Total	White	Other
TOTAL	195,311	151,541	43,770	66,927	33,842	33,085	128,384	117,699	10,685
None	2,602	1,230	1,372	1,669	539	1,130	933	691	242
1st Trimester									
Under 7	11,699	7,479	4,220	6,004	2,798	3,206	5,695	4,681	1,014
7 to 11	64,424	55,029	9,395	17,373	10,834	6,539	47,051	44,195	2,856
12 & over	48,348	43,325	5,023	10,060	6,700	3,360	38,288	36,625	1,663
Unknown	382	330	52	37	23	14	345	307	38
2nd Trimester									
Under 5	5,349	2,614	2,735	3,303	1,129	2,174	2,046	1,485	561
5 to 9	26,033	17,201	8,832	11,877	4,720	7,157	14,156	12,481	1,675
10 & over	11,956	9,140	2,816	4,168	2,012	2,156	7,788	7,128	660
Unknown	103	77	26	27	12	15	76	65	11
3rd Trimester	21,754	12,732	9,022	12,144	4,910	7,234	9,610	7,822	1,788
Unknown Trimester									
Under 7	629	549	80	49	31	18	580	518	62
7 to 11	1,204	1,144	60	60	44	16	1,144	1,100	44
12 & over	292	277	15	20	17	3	272	260	12
Unknown	536	414	122	136	73	63	400	341	59
Trimester									
None	2,602	1,230	1,372	1,669	539	1,130	933	691	242
1st	124,853	106,163	18,690	33,474	20,355	13,119	91,379	85,808	5,571
2nd	43,441	29,032	14,409	19,375	7,873	11,502	24,066	21,159	2,907
3rd	21,754	12,732	9,022	12,144	4,910	7,234	9,610	7,822	1,788
Unknown	2,661	2,384	277	265	165	100	2,396	2,219	177

TABLE 18 - SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR
ALL LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1971

Legitimate and Illegitimate Live Births									
Visits and Trimester	Grand Total	White				Other			
		All Ages	Under 20	20 to 34	35 and over	All Ages	Under 20	20 to 34	35 and over
Illinois Total	195,305	151,536	20,827	120,890	9,819	43,769	13,240	27,712	2,817
First Births	68,920	53,943	16,675	36,720	548	14,977	8,943	5,940	94
Percent	35.3	35.6	80.1	30.4	5.6	34.2	67.5	21.4	3.3
None or only in 3rd Trimester	24,355	13,962	3,889	9,074	999	10,393	4,019	5,726	648
First Births	8,878	5,475	3,039	2,387	49	3,394	2,453	929	12
Percent	36.5	39.2	78.1	26.3	4.9	32.7	61.0	16.2	1.9
7+ from 1st or Unknown Trimester	114,268	99,775	9,649	84,204	5,922	14,493	3,021	10,460	1,012
First Births	40,318	35,229	7,886	26,980	363	5,089	2,206	2,831	52
Percent	35.3	35.3	81.7	32.0	6.1	35.1	73.0	27.1	5.1
5+ from 2nd Trimester	37,987	26,339	5,211	19,138	1,990	11,648	3,858	7,067	723
First Births	13,904	9,624	4,226	5,306	92	4,280	2,824	1,439	17
Percent	36.6	36.5	81.1	27.7	4.6	36.7	73.2	20.4	2.4
Other Visits	17,675	10,640	1,940	7,862	838	7,035	2,287	4,324	424
First Births	5,463	3,316	1,419	1,861	36	2,147	1,422	712	13
Percent	30.9	31.2	73.1	23.7	4.3	30.5	62.2	16.5	3.1
Unknown	1,020	820	138	612	70	200	55	135	10
First Births	366	299	105	186	8	67	38	29	0
Percent	35.9	36.5	76.1	30.4	11.4	33.5	69.1	21.5	-0-

6 mothers of unknown age, including 3 with first-born, are omitted.

TABLE 18 - SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR
ALL LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1971

Illegitimate Live Births									
Visits and Trimester	Grand Total	White				Other			
		All Ages	Under 20	20 to 34	35 and over	All Ages	Under 20	20 to 34	35 and over
Illinois Total	29,204	8,930	4,168	4,459	303	20,274	9,989	9,516	769
First Births	15,063	5,705	3,738	1,928	39	9,358	7,238	2,104	16
Percent	51.6	63.9	89.7	43.2	12.9	46.2	72.5	22.1	2.1
None or only in 3rd Trimester	9,539	3,323	1,638	1,572	113	6,216	3,266	2,725	225
First Births	4,746	2,073	1,442	616	15	2,673	2,151	520	2
Percent	49.8	62.4	88.0	39.2	13.3	43.0	65.9	19.1	0.1
7+ from 1st or Unknown Trimester	6,986	2,243	960	1,210	73	4,743	1,996	2,539	208
First Births	3,711	1,489	887	592	10	2,222	1,554	661	7
Percent	53.1	66.4	92.4	48.9	13.7	46.8	77.9	26.0	3.4
5+ from 2nd Trimester	7,884	2,210	1,085	1,057	68	5,674	2,937	2,541	196
First Births	4,422	1,493	988	500	5	2,929	2,309	616	4
Percent	56.1	67.6	91.1	47.3	7.4	51.6	78.6	24.2	2.0
Other Visits	4,641	1,079	450	584	45	3,562	1,751	1,673	138
First Births	2,098	602	388	206	8	1,496	1,194	299	3
Percent	45.2	55.8	86.2	35.3	17.8	42.0	68.2	17.9	2.2
Unknown	154	75	35	36	4	79	39	38	2
First Births	86	48	33	14	1	38	30	8	0
Percent	55.8	64.0	94.3	38.9	25.0	48.1	76.9	21.1	-0-

TABLE 18 - SUMMARY OF PRENATAL CARE VISITS BY COLOR AND AGE OF MOTHER FOR
ALL LIVE BIRTHS AND FIRST BIRTHS: ILLINOIS RESIDENTS, 1971


Legitimate Live Births									
Visits and Trimester	Grand Total	White				Other			
		All Ages	Under 20	20 to 34	35 and over	All Ages	Under 20	20 to 34	35 and over
Illinois Total	166,101	142,606	16,659	116,431	9,516	23,495	3,251	18,196	2,048
First Births	53,857	48,238	12,937	34,792	509	5,619	1,705	3,836	78
Percent	32.4	33.8	77.6	29.9	5.3	23.9	52.4	21.1	3.8
None or only in 3rd Trimester	14,816	10,639	2,251	7,502	886	4,177	753	3,001	423
First Births	4,123	3,402	1,597	1,771	34	721	302	409	10
Percent	27.8	32.0	70.9	23.6	3.8	17.3	40.1	13.6	2.4
7+ from 1st or Unknown Trimester	107,282	97,532	8,689	82,994	5,849	9,750	1,025	7,921	804
First Births	36,607	33,740	6,999	26,388	353	2,867	652	2,170	45
Percent	34.1	34.6	80.6	31.8	6.0	29.4	63.6	27.4	5.6
5+ from 2nd Trimester	30,103	24,129	4,126	18,081	1,922	5,974	921	4,526	527
First Births	9,482	8,131	3,238	4,806	87	1,351	515	823	13
Percent	31.5	33.7	78.5	26.6	4.5	22.6	55.9	18.2	2.5
Other Visits	13,034	9,561	1,490	7,278	793	3,473	536	2,651	286
First Births	3,365	2,714	1,031	1,655	28	651	228	413	10
Percent	25.8	28.4	69.2	22.7	3.5	18.7	42.5	15.6	3.5
Unknown	866	745	103	576	66	121	16	97	8
First Births	280	251	72	172	7	29	8	21	0
Percent	32.3	33.7	69.9	29.9	10.6	24.0	50.0	21.6	-0-



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

4.1
611v
72

SPRINGFIELD, ILLINOIS



**VITAL
STATISTICS
ILLINOIS
1972**

THE LIBRARY OF THE

JUN 26 1975

UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN




VITAL STATISTICS ILLINOIS

1972 **SPRINGFIELD
ILLINOIS**

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

June, 1975





**STATE OF ILLINOIS
DEPARTMENT OF PUBLIC HEALTH**

**Springfield, Illinois 62761
June, 1975**

EXPLANATION OF SYMBOLS

QUANTITY ZERO IN FREQUENCY TABLES	--
RATE OR PERCENT MORE THAN 0 BUT LESS THAN 0.05	0.0
FIGURES WITHIN PARENTHESIS NOT INCLUDED IN TOTALS	()
RATE ZERO CORRESPONDING TO -- ON FREQUENCY TABLE	-0-

TABLE OF CONTENTS **VITAL STATISTICS - ILLINOIS - CALENDAR YEAR 1972**

	Page
Introduction	1
Live births	1
Birthweight and prematurity	1
Sex ratios	1
Fetal, perinatal and infant mortality	2
Maternal mortality	2
Deaths	2
Leading causes of death	3
Accidents, suicides and homicides	3
Other causes of death	3
Notifiable disease case reports	4
Marriage and divorce	4
Population by counties: 1972	5

Table

A.	--Resident live births by race classified by sex, legitimacy, status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1972	6
B.	--Causes of fetal death among infants born to Illinois mothers by weight at birth: 1972	6
C.	--Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1972	7
D.	--Leading causes of infant deaths, by age, Illinois residents: 1972	7
E.	--Ten leading causes of deaths among white and nonwhite races, Illinois residents: 1972	7
F.	--Components of resident heart disease deaths, Illinois: 1972	8
G.	--Resident cancer deaths by site and age, Illinois: 1972	8
H.	--Resident deaths due to cerebrovascular disease, Illinois: 1972	8
I.	--Deaths and rates from the principal diseases affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965, 1970, 1971 and 1972	9
J.	--Accidental deaths among Illinois residents by type of accident and age of decedent: 1972	9
K.	--Accidental deaths occurring in Illinois by type of accident occurred by population class: 1972	10
L.	--Marital status of bride and groom at time of marriage, Illinois: 1972	10
M.	--Divorces and annulments classified by the duration of marriage, Illinois: 1972	10
N.	--Marriages, divorces and annulments occurring in Illinois: 1958 to 1972	10

I.	--Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 to 197211
2A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of Illinois counties: 197212
2B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of Illinois counties: 197214
3A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 197216
3B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 197218
4.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 197220
5.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 197222
6.	--Fetal deaths by weight among residents of Illinois counties: 197224
7.	--Fetal deaths by weight among residents of the larger cities of Illinois: 197226
8A.	--Live births by birth weight among residents of Illinois counties: 197228
8B.	--Live births by birth weight among residents of the larger cities of Illinois: 197230
8C.	--Resident live births by birth weight, sex and color, Illinois, Chicago, and Downstate: 197233
9A.	--The twelve leading causes of death by age and color, among residents of Illinois, Chicago, and Downstate: 197234
9B.	--Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 197237
10A.	--Death from important causes among residents of Illinois counties: 197240
10B.	--Death rates for important causes among residents of Illinois counties: 197244
11A.	--Deaths from important causes among residents of the larger cities of Illinois: 197248
11B.	--Death rates for important causes among residents of the larger cities of Illinois: 197252
12.	--Ten leading causes of deaths in selected age groups, Illinois: 197256
13.	--Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1962 to 197257
14.	--Marriages classified by sex and age, Illinois: 197260
15.	--Divorces classified by sex and age, Illinois: 197260
16.	--Number of previous marriages of bride and groom, Illinois: 197260

VITAL STATISTICS – ILLINOIS – CALENDAR YEAR 1972

INTRODUCTION

Data in this report are classified by the place of residence of the mother for live births and fetal deaths and by place of residence of the deceased for all other deaths. Included in all of the birth, fetal death, and death tables are residents of Illinois born or dying anywhere in the United States and Canada. Excluded are nonresidents of Illinois born or dying in the state. Only those marriages and divorces occurring in Illinois appear in the tables.

The generally high quality of the birth and death data reflect the public demand that legally acceptable certificates be available. Since no certified copies of marriage and divorce records are made from the records filed with the Illinois Department of Public Health, a similar public demand for high quality does not exist. Consequently, data from these records are generally inadequate for analysis.

Table 1, page 11, gives the state summary from 1918 to 1972. Included are mid-year population, live births, deaths, infant deaths, neonatal deaths, fetal deaths, maternal deaths, and their rates. Table N, page 10, summarizes the marriages and divorces and annulments from 1958 through 1972. Table 13, pages 57 to 59, lists the number of cases of notifiable disease reported in the state, Chicago, and the remainder of the state (downstate). Populations of the 102 counties and Chicago appear on the map on page 5.

LIVE BIRTHS

During 1972, of the 175,599 children born alive in Illinois, 1,619 were to mothers living outside of the state. In contrast, 3,868 of the 177,848 resident live births occurred outside of Illinois.

The live birth rate among Illinois residents was 15.8 per 1,000 population in 1972, the lowest since 1940 when rate was also 15.8. The lowest birth rate was 13.9 in 1933 and the highest of record was 24.7 in 1957.

After an increase in 1969 and 1970, the number of live births declined in 1971 and 1972. The greatest number of live births was 239,871 in 1959. Of these, 201,955 were white, 37,125 were black, and 791 were divided among other races. In 1972, of the 177,848 live births, 136,399 were white, 39,035 were black, 638 were oriental and 1,776 were among other races. By race, the white live births reached their peak of 203,033 in 1957 and the black live births in 1971 with 41,718. There were 599 oriental live births and 159 among other races in 1960, the first year that these groups were separately tabulated.

As the number of live births declines, the proportion illegitimate rises. In 1972, there were 29,971 illegitimate live births, a rate of 168.5 per 1,000 live births, compared to 149.5 in 1971 and 65.6 in 1961.

Table A, page 6, presents a summary of live births for the state, Chicago and downstate. Summaries for the 102 counties and the 158 cities of 10,000 population or over are in Tables 2, 3, 4, 5, 8A and 8B.

BIRTHWEIGHT AND PREMATURITY

Birthweight is a very important indicator in measuring the chances for the child's survival and subsequent development. A child whose birthweight is low for its sex and race requires special care in the hospital and in the home.

In 1972, live-born white males were the heaviest with half of them weighing 3,431 grams (7 pounds, 9 ounces) or more at delivery while the median birthweight for males of other races was 3,188 grams (7 pounds). Live-born white females had a median birthweight of 3,302 grams (7 pounds, 4 ounces) as compared with a median birthweight of 3,086 grams (6 pounds, 13 ounces) for females of other races.

For 2,358 fetal deaths, the median birthweights were as follows:

<u>Race and Sex</u>	<u>Median Birthweights</u>
White males	1,671 grams (3 pounds, 11 ounces)
Males of other races	1,359 grams (3 pounds)
White females	1,851 grams (4 pounds, 1 ounce)
Females of other races	1,514 grams (3 pounds, 5 ounces)

Table 8C, page 33, shows in more detail the dependency of the birthweight of live-born children on sex and race in Illinois, Chicago and downstate.

The First World Health Assembly in 1948 established the arbitrary weight range of 2,500 grams (5 pounds, 8 ounces) or less as "premature." On this basis, among 136,399 white live births, 4,087 (5.8 percent) of the 70,235 males and 4,391 (5.8 percent) of the 66,164 females were premature. Of the 41,449 live births among other races, 2,577 (12.3 percent) of the 21,019 males and 2,946 (14.4 percent) of the 20,430 females were premature.

Of 1,513 white fetal deaths, 501 (61.5 percent) of the 814 males and 409 (58.5 percent) of the 699 females were premature. Of the 845 fetal deaths of other races, 360 (77.3 percent) of the 466 males and 282 (74.4 percent) of the 379 females were premature.

SEX RATIOS

The 1972 sex ratios for live births, fetal deaths and deaths under the age of one week were as follows:

Live Births

<u>Race</u>	<u>Sex Ratio</u>
White	106 males to 100 females
Black	103 males to 100 females
Other	108 males to 100 females

Fetal Deaths

<u>Race</u>	<u>Sex Ratio</u>
White	116 males to 100 females
Black	123 males to 100 females
Other	175 males to 100 females

Deaths Under One Week of Age

Race	Sex Ratio
White	140 males to 100 females
Black	126 males to 100 females
Other	167 males to 100 females

FETAL, PERINATAL AND INFANT MORTALITY

A child who dies before or during delivery is classified as a fetal death. If the fetus has reached the twentieth completed week of gestation, it must be reported to the Local Registrar of Vital Records at the place of delivery by the person disposing of it in any manner, no matter who that person may be, in exchange for a free permit to proceed with the disposal or to remove it from state. The fetal death tables below are based on these reports. They also include 81 fetal deaths of lesser gestation period. These represent multiple births where at least one member was born alive and/or where a permit was required for transportation or to enter a cemetery.

The complete reporting of fetal loss is becoming increasingly important year by year. More autopsies are required to establish the causes for the losses. As the decline in the number of deliveries continues, family disruptions caused by losses in planned pregnancies become more numerous and more destructive. As the efforts to improve the quality of life are increased, so are the needs for more complete and accurate information on fetal losses. Table B shows that about one out of four (26.7 percent) of the fetal deaths are assigned to asphyxia other than from difficult labor, immaturity with no other cause stated and cause unknown: certifications that are inadequate for studying the reasons for fetal loss.

In Table C, the perinatal period begins with the twentieth week of gestation and extends to the end of the first week of life. Although the causes of death should be quite similar, there are marked differences in reporting as shown by Tables B and D. Of the 4,782 perinatal deaths obtained from these two tables, asphyxia accounted for 392 fetal deaths and 726 deaths under seven days of age, or 23.4 percent. Immaturity, with no other cause stated, accounted for 100 fetal deaths and 258 deaths under seven days of age, or 7.5 percent. Congenital anomalies accounted for a total of 400 or 8.4 percent.

The perinatal death ratio, used to measure losses that may be related to prenatal care, delivery problems and immediate post-delivery care, has declined from 62.9 per 1,000 (fetal deaths plus live births) in 1925 to 26.5 per 1,000 in 1972.

Deaths after the first week of life show the impact of the external environment. The respiratory ailments - influenza, pneumonia, bronchitis - accounted for 355 of the 1,194 deaths in the range seven days to one year. Accidents accounted for another 68 deaths in this range.

The 3,618 deaths under the age of one year provided an infant mortality rate of 20.3 deaths per 1,000 live births, about one-third the rate of 61.4 calculated for 1929. The present Illinois infant mortality rate places it among the highest 10 of the 50 states.

MATERNAL DEATHS

The 40 maternal deaths occurring among Illinois residents in 1972 represent a maternal death rate of 2.2 deaths per 10,000 live births. Both the number and the rate are the lowest of record. A comparison of number of maternal deaths by race during 1970, 1971 and 1972 in Illinois and Chicago follows:

Maternal Deaths By Race In Illinois During 1970, 1971 and 1972

<u>Race</u>	<u>No. Deaths</u> <u>1970</u>	<u>No. Deaths</u> <u>1971</u>	<u>No. Deaths</u> <u>1972</u>
White	29	23	18
Black	27	27	21
Other	<u>1</u>	<u>1</u>	<u>1</u>
TOTALS	57	51	40

Maternal Deaths By Race In Chicago During 1970, 1971 and 1972

<u>Race</u>	<u>No. Deaths</u> <u>1970</u>	<u>No. Deaths</u> <u>1971</u>	<u>No. Deaths</u> <u>1972</u>
White	5	6	6
Black	24	19	12
Other	<u>1</u>	<u>0</u>	<u>1</u>
TOTALS	30	25	19

Statewide, nine of the white maternal deaths and ten of the black maternal deaths occurring in 1972 were among mothers 30 years of age or older. Their death rates were 4.2 and 15.0 per 10,000 live births respectively.

Maternal deaths, by category, are summarized as follows:

Maternal Deaths by Category in Illinois During 1970, 1971 and 1972

<u>Category</u>	<u>No. Deaths</u> <u>1970</u>	<u>No. Deaths</u> <u>1971</u>	<u>No. Deaths</u> <u>1972</u>
Hemorrhage	15	8	17
Toxemias	17	8	6
Infections	11	18	7
Other Causes	<u>14</u>	<u>17</u>	<u>10</u>
TOTALS	57	51	40

DEATHS

In 1972, the deaths reported as having occurred in Illinois numbered 108,873. Included in this total are the deaths of 2,223 residents of other states whose deaths occurred in Illinois.

The deaths of 4,320 Illinois residents of the total 110,970 dying during 1972, occurred while those residents were in other states or in Canada.

As shown in Table 1, the death rate has been falling very slowly during the past 50 years. Until 1970, only once, in 1961, when it was 9.9 per 1,000 population, has the death rate fallen below 10. The death rate in 1970 was also 9.9 per 1,000 population, dropped to an all-time low of 9.8 in 1971 and rose slightly again in 1972 to 9.9. The slowly aging population marks almost completely the medical advances that have permitted increasingly larger segments of the population to survive longer.

The cause of death, insofar as possible, shown in the accompanying tables, is that stated by the certifier as starting the chain of events that led to the death.

In 1972, of 110,970 deaths from all causes, 64,140 (57.8 percent) were from the cardiovascular diseases. (Table 10A, page 40). According to Table 9A, page 34, and Table 12, page 56, persons ages 65 years and over accounted for 70,201 (63.3 percent) of all deaths and 48,347 (75.4 percent) of the cardiovascular disease deaths.

Because of this high concentration of deaths in one group, the underlying cause alone is not sufficient for special geriatric studies. To aid in such studies, beginning with the year 1949, additional causes of death appearing on the certificate have been placed in the data bank of the Illinois Department of Public Health.

LEADING CAUSES OF DEATH

The four most frequent causes of death are classified in some detail by age in Tables F, G, H and J. The leading causes for nine selected age groups are shown in Tables D, page 7, and 12, page 56. The ten leading causes of death among the white race, and among the other races are shown in Table E. The difference in distribution of causes by race reflects the younger non-white population. Table I shows a special tabulation of respiratory disease for selected years since 1950. A special tabulation of accidents occurring in Illinois by type and size of city, with rates per 100,000 population appears in Table K.

ACCIDENTS, SUICIDES AND HOMICIDES

In 1971, there were 5,303 accidental deaths, of which 2,499 involved motor vehicles, yielding death rates of 47.4 deaths per 100,000 population and 22.3 deaths per 100,000 population respectively.

Four thousand, nine hundred and eighty-five accidental deaths occurred during 1972, of which 2,378 involved motor vehicles, yielding death rates of 44.3 deaths per 100,000 population for all accidents and 21.1 death per 100,000 population for motor vehicles. More detailed data are in Table J.

Since 1918, suicides have ranged in number from a high of 1,424 in 1932 when the rate was 18.5 per 100,000 population to a low of 760 in 1920 and in 1944. The suicide rate was 11.4 in 1920 and 9.8 in 1944. The lowest rate observed was 8.9 deaths by suicide per 100,000 population in 1969 when 988 suicides were reported. There were 1,048 suicides in 1972 yielding a rate of 9.3.

The percentage of suicides under the age of 25 years fell steadily from 10.9 percent reported in 1922 to 3.4 percent in 1953. It has since been rising. In 1972, the 152 suicides in this age group represented 14.5 percent of the total. This trend is closely related to the number of live births occurring 15 to 20 years earlier. In the age group 15 to 24 years, there were 142 suicides in 1972 for a rate of 7.2 per 100,000 population, an identical rate for this age group being observed in 1971 and in 1970. The rate was 6.1 in 1969, 7.3 in 1920 and 11.7 in 1910.

Homicide deaths increased from 419 in 1918 to 832 in 1933 and then declined to 312 in 1943. Since then there has been an upward trend, reaching the all-time high of 1,200 in 1971. There were 1,048 in 1972. The highest homicide death rate was 12.0 per 100,000 population in 1925. The rate was 9.3 in 1972, 10.7 in 1971, and 10.4 in 1970. In 1972, the homicides were divided into 368 white and 680 other races (Table 9A, page 34). Under the age of 25 years, homicide outranked suicide 2.5 to one (379 to 152). In the age group 15 to 24 years, homicide (330) ranked second behind accidents (1,159) and suicide (142) fourth behind cancer (144).

The Eighth revision of the International Classification of Diseases provides for a special tabulation of violent deaths not determined as to accident, homicide or suicide. In 1972, there were 422 so classified, providing a rate of 5.8 per 100,000 population. Of these, 121 were not further identified, 78 involved firearms, 39 were due to drowning, 66 involved drugs and medicaments and 60 involved gas except domestic. There were 96 deaths under 25 years of age.

Drugs and medicaments, excluding therapeutic misadventures, accounted for 327 deaths in 1972. Of the 164 classified as accidental, eight involved persons under 15 years of age and 71 were among persons from 15 to 24 years old. Of the 97 suicide deaths, two were under 15 years of age and 22 were from 15 to 24 years old. Of the 66 unclassified deaths, three were under 15 years of age and 20 were from 15 to 24 years old.

OTHER CAUSES OF DEATH

Suicide (1,048), hypertension without mention of heart disease (576), ulcer of the stomach and duodenum (535), chronic nephritis and renal sclerosis (392), kidney infections (385), hernia and intestinal obstruction (383), bronchitis (357), tuberculosis (252), supplement the 12 leading causes of death in Tables 9A and 9B, pages 34 to 37.

Causes of death for selected infective and parasitic diseases, except tuberculosis, during 1972 were infectious hepatitis (38), syphilis (19), acute infectious encephalitis (18), meningococcal infections (13), fungus infections (23 - including one histoplasmosis and seven moniliasis), tetanus (6), chicken pox (6), infectious mononucleosis (2). There was one death each from gonococcal infection, measles (rubeola), mumps, diphtheria, streptococcal sore throat and whooping cough. There were no deaths from typhoid fever, brucellosis, German measles (rubella), Rocky Mountain spotted fever, tularemia, or malaria. Late effects of poliomyelitis accounted for four deaths, acute

rheumatic fever for ten, Boeck's Sarcoid for 14, herpes zoster (shingles) for five, and the septicemias, except for three streptococcal, for 127 deaths. Dysentery, Salmonella infections and other intestinal diseases commonly arising in the intestinal tract caused 13 deaths.

NOTIFIABLE DISEASE CASE REPORTS

Table 13, page 57, summarizes the cases of diseases within Illinois commonly reported to the Illinois Department of Public Health. Measles cases have shown a steady rise from 1,291 in 1968 to 4,654 in 1972. German measles declined from 3,328 in 1968 to 1,163 in 1972. Acute rheumatic fever has been declining slowly since 1964. Gonorrhea and syphilis are both reflecting the increasing population in the age range subject to greatest risk of infection. There were 1,940 cases and 252 deaths from tuberculosis in 1972. In 1962, there were 3,895 cases and 528 deaths. With the currently available medical and legal procedures, the steady decline in cases and deaths shows that this disease can be controlled through intensive preventive and case treatment using health care facilities.

MARRIAGE AND DIVORCE

In 1972, there were 118,655 marriages, 42,645 divorces and 464 annulments reported by the county clerks and circuit clerks on certificates provided by the 1962 law. Table N gives the number and rates per 1,000 population for those events reported each year from 1958 to 1972 in time to be included in the tabulations.


For 1,136 of the 118,592 marriages tabulated, neither the bride nor the groom indicated the previous marital status, even though this is required for proof that they were legally free to marry. Teenagers accounted for 10,364 of the grooms, of whom 25 were under the age of 15 years, and for 29,154 of the brides, of whom 25 were under the age of 15 years according to Table 14, page 60. There were 833 marriages where both the bride and groom were 65 years of age or older. Table 16, page 60, shows that 84,297 grooms and 85,259 brides had not been previously married.

Among the 42,628 divorces that are tabulated in Table 15, page 60, were 233 teenage husbands, of whom 20 were under the age of 15 years, and 1,272 wives, 22 of whom were less than 15 years old. There were 173 couples divorced, both of whom were 65 years of age or older. From Table M, the duration of marriage was less than five years for 15,705 or 36.8 percent of the divorces and for 412 or 88.8 percent of the 464 annulments. There were 429 certificates of divorce indicating that the couples had been married 35 years or more.

POPULATION BY COUNTIES: 1972

POPULATION BY COUNTIES
AS OF JULY 1, 1972

TOTAL: 11,251,000
CHICAGO: 3,377,000



SOURCES:

U.S. BUREAU OF CENSUS
SERIES P-26, NO. 27

AND ILLINOIS DEPARTMENT
OF PUBLIC HEALTH

TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER
ILLINOIS, CHICAGO, AND DOWNSTATE: 1972

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
TOTAL BIRTHS	177,848	136,394	39,035	2,414	60,082	29,411	29,207	1,464	117,766	106,988	9,828	950
SEX												
MALE	91,254	70,235	19,766	1,253	30,717	15,144	14,814	759	60,537	55,091	4,952	494
FEMALE	86,594	66,159	19,269	1,161	29,365	14,267	14,393	705	57,229	51,897	4,876	456
LEGITIMACY												
LEGITIMATE	147,877	127,512	17,987	2,378	40,529	26,273	12,814	1,442	107,348	101,239	5,173	936
ILLEGITIMATE	29,971	9,882	21,048	36	19,553	3,138	16,393	22	10,418	5,749	4,655	14
PLACE OF BIRTH AND ATTENDANT												
HOSPITAL	176,537	135,616	38,520	2,397	59,082	28,902	28,731	1,449	117,451	106,714	9,789	948
NON-HOSPITAL	1,311	787	515	17	1,000	509	476	15	315	274	39	2
PHYSICIAN	1,247	728	503	16	981	495	471	15	266	233	32	1
MIDWIFE	--	--	--	--	--	--	--	--	--	--	--	--
OTHER	64	55	12	1	19	14	5	--	49	41	7	1
AGE OF MOTHER												
TOTAL	177,848	136,394	39,035	2,414	60,082	29,411	29,207	1,464	117,766	106,988	9,828	950
10 - 14 YEARS	777	181	595	1	490	58	432	--	287	123	163	1
15 - 19 YEARS	32,531	19,670	12,809	52	13,721	4,106	9,586	29	18,810	15,564	3,223	23
20 - 24 YEARS	60,805	47,471	12,822	512	20,247	10,321	9,620	306	40,558	37,150	3,202	206
25 - 29 YEARS	50,458	42,658	6,817	1,083	14,382	8,626	5,085	671	36,176	34,032	1,732	412
30 - 34 YEARS	22,194	17,955	3,655	586	7,229	4,109	2,768	352	14,967	13,846	887	234
35 - 39 YEARS	8,660	6,714	1,787	159	3,119	1,715	1,311	93	5,541	4,959	476	66
40 - 44 YEARS	2,188	1,643	526	19	846	446	388	12	1,342	1,197	138	7
45 AND OVER	120	97	21	2	43	28	14	1	77	69	7	1
UNSTATED	13	10	3	--	5	2	3	--	8	8	--	--
LEGITIMATE												
10 - 14 YEARS	34	31	3	--	10	9	1	--	24	22	2	--
15 - 19 YEARS	18,344	15,556	2,748	40	4,880	3,016	1,845	19	13,464	12,540	903	21
20 - 24 YEARS	52,008	44,739	6,766	503	14,395	9,250	4,844	301	37,613	35,489	1,922	202
25 - 29 YEARS	47,127	41,593	4,458	1,076	11,998	8,108	3,221	669	35,129	33,485	1,237	407
30 - 34 YEARS	20,458	17,432	2,444	582	5,976	3,845	1,782	349	14,482	13,587	662	233
35 - 39 YEARS	7,822	6,483	1,183	156	2,527	1,594	842	91	5,295	4,889	341	65
40 - 44 YEARS	1,963	1,577	367	19	701	422	267	12	1,262	1,155	100	7
45 AND OVER	110	92	16	2	38	27	10	1	72	65	6	1
UNSTATED	11	9	2	--	4	2	2	--	7	7	--	--

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS BY WEIGHT AT BIRTH: 1972

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CAUSE OF DEATH	FETUS WEIGHT IN GRAMS											
	TOTAL	PER-CENT	UNDER 1001 GRAMS	1001-1500 GRAMS	1501-2000 GRAMS	2001-2250 GRAMS	2251-2500 GRAMS	2501-3000 GRAMS	3001-3500 GRAMS	3501-4000 GRAMS	4001-4500 GRAMS	4501 AND OVER
ALL CAUSES	2,358	100.0	789	277	245	100	141	232	211	154	58	51
CONGENITAL ANOMALIES												
NERVOUS SYSTEM	77	3.3	14	11	12	2	6	8	12	7	1	--
HEART AND CIRCULATORY	10	0.4	--	3	2	1	--	1	--	1	1	--
OTHER	38	1.6	11	6	4	5	3	2	4	--	1	--
MATERNAL NOT RELATED TO PREGNANCY												
CIRCULATORY AND G. U. DISEASES	36	1.5	10	8	4	1	2	4	4	--	--	1
DIABETES MELLITUS	79	3.4	6	7	4	3	4	10	15	7	7	12
OTHER	61	2.6	22	9	13	2	3	5	--	2	1	--
TOXEMIAS OF PREGNANCY	114	4.8	29	25	23	4	12	7	6	3	1	2
MATERNAL INFECTIONS	24	1.2	15	1	2	2	--	1	1	4	1	--
BIRTH INJURY												
DIFFICULT LABOR	5	0.2	--	--	1	--	2	1	--	1	--	--
OTHER	6	0.3	2	--	--	--	--	1	1	--	2	--
ASPHYXIA, ANOXIA, HYPOXIA												
DIFFICULT LABOR	73	3.1	17	12	7	6	3	6	7	6	5	3
OTHER	319	13.5	101	24	36	13	16	31	37	32	8	6
OTHER DIFFICULT LABOR	57	2.4	17	8	4	2	2	5	4	3	3	8
PREMATURE RUPTURE OF MEMBRANES	106	4.5	65	14	11	2	--	6	4	1	--	--
MEMBER OF MULTIPLE PREGNANCY	46	2.0	31	7	1	1	1	4	--	--	--	--
OTHER COMPLICATIONS OF PREGNANCY	32	1.4	20	2	1	3	--	--	--	2	1	--
PREMATURE SEPARATION OF PLACENTA	310	13.1	123	45	33	12	21	29	12	20	2	1
OTHER PLACENTAL CONDITIONS	173	7.3	54	18	18	11	16	22	11	10	3	4
PROLAPSED CORD	121	5.1	38	11	5	2	5	17	22	15	3	1
OTHER CORD CONDITIONS	250	10.6	33	18	26	14	26	42	42	25	11	6
RH INCOMPATIBILITY	31	1.3	7	3	3	1	4	5	6	2	--	--
OTHER HEMOLYTIC DISEASES	21	0.9	3	2	3	--	2	2	2	1	4	1
IMMATURITY, UNQUALIFIED	100	4.2	77	6	4	1	3	1	--	--	--	1
OTHER FETAL CONDITIONS	24	1.0	10	3	2	1	3	--	1	--	--	--
CAUSE UNKNOWN	234	9.9	82	31	26	11	6	21	20	12	3	4
ALL OTHER CAUSES	7	0.3	2	2	--	--	1	1	--	--	--	1

TABLE C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1972

(THIS TABLE INCLUDES A) FETAL DEATHS OF LESS THAN 20 WEEKS' GESTATION)

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*
BOTH SEXES:												
FETAL DEATHS	2358	1513	832	13	1033	364	660	4	1325	1149	172	4
DEATHS UNDER 1 WEEK OF AGE	2624	1624	792	8	989	368	615	6	1435	1256	177	2
TOTAL	4782	3137	1624	21	2022	732	1275	15	2760	2405	349	6
LIVE BIRTHS AND FETAL DEATHS	180206	137912	39867	2427	61115	29775	29867	1473	119091	108137	10800	954
RATIO*	26.5	22.7	40.7	8.7	33.1	24.6	42.7	10.2	23.2	22.2	34.9	6.3
MALE:												
FETAL DEATHS	1240	814	459	7	567	189	373	5	713	625	86	2
DEATHS UNDER 1 WEEK OF AGE	1342	946	441	5	565	228	332	5	827	718	109	--
TOTAL	2672	1760	900	12	1132	417	705	10	1540	1343	195	2
LIVE BIRTHS AND FETAL DEATHS	42534	31049	20225	1260	31284	15333	15187	764	61250	55716	5038	496
RATIO*	28.9	24.8	44.5	9.5	36.2	27.2	46.4	13.1	25.1	24.1	38.7	4.0
FEMALE:												
FETAL DEATHS	1076	699	373	4	465	175	287	3	611	524	86	1
DEATHS UNDER 1 WEEK OF AGE	1032	678	351	3	424	140	283	1	608	538	68	2
TOTAL	2108	1377	724	7	889	315	570	4	1219	1062	154	3
LIVE BIRTHS AND FETAL DEATHS	87670	66863	19642	1105	29830	14442	14680	708	57840	52421	4962	457
RATIO*	24.0	20.6	34.9	6.0	29.8	21.8	38.8	5.6	21.1	20.3	31.0	6.6

*PERINATAL MORTALITY RATIO IS 1,000 TIMES (FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER PLUS DEATHS UNDER 1 WEEK OF AGE) DIVIDED BY (LIVE BIRTHS PLUS FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER). SEE TABLE A FOR LIVE BIRTHS.

*OTHER COLUMNS FOR BOTH SEXES INCLUDES FETAL DEATHS WHOSE SEX OR RACE ARE UNKNOWN.

TABLE D. -- LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1972
(See Footnote)

Cause		Infant	Neonatal			Post Neonatal
		Under 1 year	Total	Under 7 Days	7 to 27 Days	28 Days & Over
All Causes		3,618	2,681	2,424	257	937
1. Asphyxia, unspecified	776.9	769	749	726	23	10
2. Congenital anomalies	740-759	512	352	275	77	160
a. Heart	(746)	(210)	(125)	(78)	(47)	(85)
b. Nervous system	(740-743)	(127)	(92)	(83)	(9)	(35)
3. Influenza and pneumonia	470-474, 480-486	294	99	56	43	195
4. Immaturity, unqualified	777	269	267	258	9	2
5. Hyaline membrane disease	776.1	253	250	238	12	3
6. Heart Disease	393-429	201	17	3	14	184
(Excl. of 400.0, 400.2, 400.3, 401, 403)						
7. Respiratory distress syndrome	778.2	200	197	191	6	3
8. Member of multiple pregnancy	769.4	173	172	172	--	1
9. Bronchitis, all forms	486, 490, 491	118	13	1	12	105
10. Birth injury	764.0-764.3, 765.0-765.3	85	85	77	8	--
766.0-766.3, 767.0-767.3						
768.0-768.3 772						
11. Accidents		69	6	1	5	63
a. Suffocation from food	E911	(18)	(3)	(--)	(3)	(15)
b. Suffocation in bed	E913.0	(11)	(1)	(--)	(1)	(10)
c. Fire and flames	E890-E899	(11)	(--)	(--)	(--)	(11)
d. Motor vehicle	E810-E823	(5)	(1)	(--)	(1)	(4)

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1972

(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1972)

WHITE				NONWHITE			
CAUSE	NUMBER	RATE	PERCENT	CAUSE	NUMBER	RATE	PERCENT
ALL CAUSES	96,978	1,001.3	100.0	ALL CAUSES	12,992	893.5	100.0
1. HEART DISEASE	43,160	445.6	44.5	1. HEART DISEASE	5,086	324.8	36.3
2. MALIGNANT NEOPLASMS	17,586	181.6	18.1	2. MALIGNANT NEOPLASMS	2,162	138.1	15.5
3. CEREbroVASCULAR DISEASE	10,074	104.0	10.4	3. CEREbroVASCULAR DISEASE	1,123	71.7	8.0
4. ACCIDENTS	4,211	43.5	4.3	4. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	903	57.7	6.5
5. PNEUMONIA AND INFLUENZA	2,799	28.9	2.9	5. ACCIDENTS	774	49.4	5.5
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,046	21.1	2.1	6. HOMICIDE	680	43.4	4.9
7. OTHER CIRCULATORY DISEASES	1,895	19.6	2.0	7. PNEUMONIA AND INFLUENZA	540	35.8	4.0
8. GENERAL ARTERIOSCLEROSIS	1,860	19.2	1.9	8. CIRRHOSIS OF LIVER	331	21.1	2.4
9. DIABETES MELLITUS	1,760	18.2	1.8	9. DIABETES MELLITUS	303	19.3	2.2
10. CIRRHOSIS OF LIVER	1,597	16.5	1.6	10. OTHER CIRCULATORY DISEASES	254	16.2	1.8

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1972

AGE	TOTAL	H E A R T D I S E A S E S									
		CHRONIC RHEU- MATIC	ANTERIO- SCLER- OTIC INCLUD- ING CORONARY	OTHER IS- CHEMIC HEART	ACUTE AND SUBACUTE HACTER- IAL ENDOCAR- DITIS	ACUTE MYOCAR- DITIS NOT SPECI- FIED AS RHEU- MATIC	ACUTE PERICAR- DITIS SPECI- FIED AS NONRHEU- MATIC	FUNC- TIONAL DISEASE	CONGES- TIVE HEART FAILURE	HYPER- TENSIVE	OTHER AND UNSPEC- IFIED
ALL AGES	48,246	658	43,064	12	42	38	6	354	280	1,077	2,715
UNDER 1 YEAR.	201	--	1	--	--	2	--	5	--	--	193
1 - 4 YEARS	30	--	--	--	--	2	--	--	1	--	27
5 - 14 YEARS	28	3	--	--	--	1	1	2	1	1	19
15 - 24 YEARS	101	11	8	--	2	3	--	5	--	2	70
25 - 44 YEARS	1,194	62	817	--	14	7	--	18	8	45	227
45 - 54 YEARS	3,641	97	2,995	--	7	4	2	34	19	81	402
55 - 64 YEARS	7,657	194	6,655	3	8	7	--	58	38	164	530
65 - 74 YEARS	11,900	158	10,734	4	8	4	1	87	79	243	582
75 - 84 YEARS	15,154	103	14,073	3	2	6	--	98	68	342	463
85 & OVER	8,332	30	7,781	2	1	2	2	47	66	199	202

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1972

AGE	TOTAL	S I T E										
		ORAL CAVITY AND PHARYNX	STOMACH	DIGES- TIVE ORGANS EXCEPT STOMACH	BRON- CHUS, TRACH- EA, LUNG	OTHER SITES, RESPIR- ATORY SYSTEM*	BREAST	GENITAL ORGANS	NERVOUS SYSTEM, INCL. BRAIN	OTHER AND UNSPEC- IFIED SITES	LEUKE- MIA & ALEUKE- MIA	OTHER LYM- PHATIC
ALL AGES	14,748	427	927	4,902	3,923	304	1,914	2,515	446	2,426	825	1,139
UNDER 1 YEAR	9	--	--	2	--	--	--	--	4	--	3	--
1 - 4 YEARS	56	--	--	1	--	1	--	1	21	9	20	3
5 - 14 YEARS	114	--	1	1	1	--	--	2	32	17	52	12
15 - 24 YEARS	144	4	2	15	--	1	3	10	26	26	30	27
25 - 44 YEARS	942	10	24	129	158	11	170	132	60	117	68	103
45 - 54 YEARS	2,543	72	95	465	606	36	406	299	82	265	73	134
55 - 64 YEARS	4,774	157	199	1,134	1,199	97	493	469	117	521	124	263
65 - 74 YEARS	5,578	122	265	1,497	1,252	94	444	683	83	665	196	297
75 - 84 YEARS	4,340	64	243	1,299	621	44	297	699	21	612	201	239
85 & OVER	1,215	14	98	359	86	20	101	220	--	194	58	61

* INCLUDES 54 DEATHS FROM NEOPLASMS OF RESPIRATORY SYSTEM, SPECIFIED AS SECONDARY.

TABLE H. -- RESIDENT DEATHS DUE TO CEREbroVASCULAR DISEASE, ILLINOIS: 1972

AGE	TOTAL	TYPE OF VASCULAR LESION				
		SUBARACH- NOID MEMBRANE HEMOR- RHAGE	CERE- BRAL HEMO- RHAGE	CEREBRAL THROM- BOSIS	CEREB- RAL EMBOL- ISM	OTHER
ALL AGES	11,197	492	2,465	3,143	60	4,797
UNDER 1 YEAR	5	2	3	--	--	--
1 - 4 YEARS	6	2	1	--	--	3
5 - 14 YEARS	10	2	1	--	--	1
15 - 24 YEARS	27	14	4	--	--	9
25 - 44 YEARS	254	103	87	15	--	49
45 - 54 YEARS	545	134	190	61	2	141
55 - 64 YEARS	1,189	125	400	241	9	414
65 - 74 YEARS	2,547	82	542	771	12	1,110
75 - 84 YEARS	4,221	47	417	1,423	23	1,915
85 AND OVER	2,403	6	350	472	14	1,155

TABLE I. -- DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM, ILLINOIS: 1950, 1955, 1960, 1965, 1970 and 1972.

Disease	List Number*	Number of Deaths 1972	Number of Deaths 1970	List Number**	Number of Deaths				Deaths Per 100,000 Population					
					1965	1960	1955	1950	1972	1970	1965	1960	1955	1950
Tuberculosis	010 012	179	215	001-008	389	579	827	1,950	1.6	1.9	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160 163	4,173	3,927	160 165	3,304	2,602	2,070	1,499	37.1	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea and lung, primary	(162)	(3,923)	(3,672)	(162)	(1,364)	(1,106)	(1,245)	(580)	(34.9)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma	493	113	124	241	218	305	329	228	1.0	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	460 465	25	29	470 475	23	38	34	70	0.2	0.3	0.2	0.4	0.4	0.2
Influenza	470 474	175	97	480 483	80	170	66	126	1.6	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480 486	3,184	3,360	490-493	3,837	4,003	3,300	2,340	28.3	30.2	36.0	39.6	35.0	26.7
a. Pneumonia 4 weeks		(3,085)	(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(27.4)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(99)	(126)	763	(306)	(253)	(253)	(143)	(0.9)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute and chronic	466, 490 491	529	655	500-501, 502.1	184	182	204	163	4.7	5.9	1.7	1.8	2.3	1.9
Bronchiectasis	518	51	60	526	79	104	87	98	0.5	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,247	1,199	991	467	161	63	11.1	10.8	9.3	4.6	1.7	0.7	0.7
a. with bronchitis	(Not tabulated)			502.0	132	66	13	18			1.2	0.7	0.1	0.2
b. other	492	1,247	1,199	527.1	859	401	148	45	11.1	10.8	8.1	4.0	1.6	0.5
Other respiratory	500 517, 519	572	485	510-525, 527.0, 527.2	322	308	293	235	5.1	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision

**International Classification of Diseases, 1955 Revision

TABLE J. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1972

AGE	TOTAL	TRANSPORT ACCIDENTS										NON - TRANSPORT ACCIDENTS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		MOTOR VEHICLE					OTHER TRANSPORT					FIRE	MECHANICAL	OTHER	THERMAL	COMPLUTATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		COLLISION			NON-COLLISION		OTHER	WATER	AIR	RAILWAY	POISONING						FALLS	FIREARMS	SUFFOCATION	DROWNING	LATE	AFFECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		PED-STR-VEHICLE	TRAILER	HICYCLE	FIXED OBJECT	COLLISION																	PUNTING	OTHER	TRAFFIC	TRAFFIC	ROAD	TRAIL	RAILWAY	POISONING	FALLS	FIREARMS	SUFFOCATION	DROWNING	LATE	AFFECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
NUMBER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

* DEATHS PER 100,000 POPULATION.

TABLE K. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1972

POPULATION CLASS	ALL ACCIDENTS	MOTOR VEHICLE				NON-MOTOR VEHICLE							
		TOTAL	PERSONS-TRIAN	OTHER VEHICLE	OTHER	OCCUPATIONAL		HOME			PUBLIC		
						FARM	NON-FARM	FIRE AND EX-POSITION	FALLS	OTHER	DOWN-TNG	FALLS	OTHER
NUMBER:													
ALL ACCIDENTS	4917	2565	171	1226	968	17	245	200	396	483	212	145	537
METROPOLITAN COUNTIES:													
CITIES													
CHICAGO	1114	299	129	86	85	2	57	130	123	197	40	73	196
100,000 - 499,999	96	43	13	21	9	--	4	12	20	6	1	5	5
50,000 - 99,999	272	90	27	46	26	2	16	31	37	44	18	6	29
25,000 - 49,999	189	97	18	42	27	--	13	7	25	29	7	9	17
10,000 - 24,999	241	116	29	56	31	1	17	19	18	30	12	6	24
RURAL	1066	726	46	417	265	6	46	31	45	66	52	6	70
NONMETROPOLITAN COUNTIES:													
CITIES													
25,000 - 49,999	69	25	5	9	11	--	2	3	7	5	1	3	3
10,000 - 24,999	85	30	7	17	6	--	5	7	24	11	1	3	4
RURAL	1183	768	45	406	319	2	46	46	63	42	49	15	86
PLACE UNKNOWN*	542	173	36	132	205	4	13	13	32	33	44	23	107
RATE PER 100,000 POPULATION:													
ALL ACCIDENTS	43.7	22.8	3.3	10.9	8.6	0.2	2.4	2.7	3.5	4.3	1.9	1.3	4.8
METROPOLITAN COUNTIES:													
CITIES													
CHICAGO	33.0	8.8	3.8	2.5	2.5	0.1	1.7	3.8	3.6	5.8	1.2	2.2	5.7
100,000 - 499,999	34.9	15.6	4.7	7.6	3.3	--	1.5	4.4	7.3	2.2	0.6	1.8	1.8
50,000 - 99,999	21.5	8.5	2.3	4.8	2.7	0.2	1.4	2.7	3.2	3.8	0.9	0.3	2.6
25,000 - 49,999	14.9	6.9	1.4	3.3	2.1	--	1.0	0.4	2.3	2.3	0.2	0.7	1.3
10,000 - 24,999	21.7	10.4	2.6	4.9	3.0	0.1	1.5	1.7	1.6	2.7	1.1	0.6	2.2
RURAL	56.6	39.3	3.5	22.6	13.3	0.3	2.4	1.7	2.4	3.6	2.8	0.3	3.8
NONMETROPOLITAN COUNTIES:													
CITIES													
25,000 - 49,999	20.2	10.3	2.1	3.7	4.5	--	0.8	1.2	2.9	2.1	0.4	1.2	1.2
10,000 - 24,999	25.7	9.1	2.1	5.1	1.8	--	1.5	2.1	7.3	3.3	0.3	0.9	1.2
RURAL	72.0	46.7	2.7	24.6	19.4	0.1	5.7	2.8	3.8	3.8	3.0	0.9	5.1

*THESE ARE DEATHS OCCURRING IN ILLINOIS WITH PLACE OF INJURY EITHER NOT STATED OR REPORTED AS OUT-OF-STATE.

TABLE L. -- MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE, ILLINOIS: 1972

	Bride		Groom				
	Total	Never Married	Widowed	Divorced	Annulled	Unknown	
Total	118,592	84,209	4,925	27,915	120	1,423	
Never Married	85,165	74,935	679	9,346	63	142	
Widowed	5,701	898	2,473	2,301	6	23	
Divorced	25,993	8,021	1,753	16,055	44	120	
Annulled	129	64	7	51	5	2	
Unknown	1,604	291	13	162	2	1,136	

TABLE M. -- DIVORCES AND ANNULMENTS CLASSIFIED BY THE DURATION OF MARRIAGE, ILLINOIS: 1972

Years Married	Divorces	Annulments
TOTAL	42,628	484
Under 1 Year	2,041	246
1 Year	1,800	64
2 Years	4,151	81
3 Years	4,138	26
4 Years	3,577	15
Under 5 Years	15,705	412
5 Years	3,025	12
6 Years	2,503	6
7 Years	2,305	4
8 Years	1,872	1
9 Years	1,691	3
10-14 Years	11,398	26
15-19 Years	5,066	6
20-24 Years	3,762	4
25-29 Years	2,834	6
30-34 Years	1,718	3
35-39 Years	744	2
40-44 Years	257	1
45-49 Years	93	1
50 Years and Over	52	--
Unknown Years	27	--
	374	3

TABLE N. -- MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN ILLINOIS: 1958 TO 1972 (RATES ARE PER 1,000 POPULATION ESTIMATED AS OF JULY 1)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annulments
1958	83,400	8.5	20,870	2.1	20,719	151
1959	87,281	8.8	22,700	2.3	22,566	134
1960	88,029	8.7	21,870	2.2	21,652	218
1961	88,692	8.6	25,973	2.5	25,712	261
1962	87,645	8.5	18,820*	1.8	18,634	186
1963	93,240	9.0	20,765*	2.0	20,519	246
1964	97,171	9.2	21,283*	2.0	21,050	233
1965	100,978	9.6	24,654	2.3	24,376	278
1966	102,622	9.6	27,862	2.6	27,488	374
1967	105,295	9.7	28,473	2.6	28,147	326
1968	112,449	10.2	32,119	2.9	31,713	406
1969	116,532	10.5	35,974	3.3	35,558	416
1970	115,478	10.4	36,450	3.3	36,054	396
1971	115,826	10.3	40,136	3.6	39,753	383
1972	118,592	10.5	43,092	3.8	42,628	464

*Reporting known to be incomplete.

TABLE 1. -- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS,
WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1972
(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION, INFANT AND NEONATAL DEATH
RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS, MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1972*	11,251,000	177,848	15.8	110,970	9.9	3,618	20.3	2,681	15.1	40	2.2	2,358	13.3
1971*	11,196,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,113,976	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,050,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,991,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,850,000	195,644	18.0	110,030	10.2	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,715,000	201,284	18.8	111,155	10.4	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,650,000	208,063	19.5	108,138	10.2	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,500,000	222,259	21.2	106,802	10.2	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,400,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,330,000	230,484	22.3	104,695	10.1	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,258,000	237,051	23.1	101,696	9.9	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,113,000	238,760	23.6	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949+	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948+	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947+	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946+	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945+	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944+	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943+	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942+	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941+	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940+	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939++	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938++	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937++	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936++	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935++	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934++	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933++	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932++	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931++	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930++	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929++	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928++	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927++	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926++	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925++	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924++	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923++	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922++	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921++	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920++	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919++	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918++	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950 - 1972: Resident data from tabulations in the Illinois Department of Public Health.

(1953 - 1954 Maternal deaths from Vital Statistics of the United States)

† 1940 - 1949: Resident data from Vital Statistics of the United States for each year.

‡ 1918 - 1939: Occurrence data from United States Bureau of the Census publications.

n.a. (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: 1960 - 1972 by the Illinois Department of Public Health.

1950 - 1959 from United States Bureau of Census Series P-25, No. 304, and 1918 - 1949 from Series P-25, No. 139.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ILLINOIS.	177,844	136,399	41,449	3,618	2,319	1,299	2,681	1,777	904	2,358	1,513	845
ADAMS	1,045	994	51	24	21	3	19	17	2	13	12	1
ALEXANDER	216	127	89	7	4	3	3	2	1	1	1	--
BOND	171	169	2	3	3	--	2	2	--	5	5	--
BROWN	512	506	6	15	15	--	11	11	--	10	10	--
BROWN	82	82	--	1	1	--	1	1	--	--	--	--
BUREAU	507	505	2	9	9	--	9	9	--	1	1	--
CALHOUN	79	79	--	3	3	--	2	2	--	1	1	--
CARROLL	282	280	2	6	6	--	4	4	--	5	5	--
CASS	246	246	--	6	6	--	5	5	--	1	1	--
CHAMPAIGN	2,701	2,303	398	54	45	9	39	33	6	18	14	4
CHRISTIAN	535	532	3	8	8	--	6	6	--	4	4	--
CLARK	170	169	1	5	5	--	3	3	--	1	1	--
CLAY	197	196	1	6	6	--	4	4	--	--	--	--
CLINTON	450	447	3	5	5	--	3	3	--	7	7	--
COLES	673	664	9	18	18	--	12	12	--	6	6	--
COOK	89,891	56,328	33,563	2,017	916	1,101	1,472	706	766	1,383	665	718
CRAWFORD	237	237	--	3	3	--	--	--	--	2	2	--
CUMBERLAND	164	164	--	3	3	--	3	3	--	1	1	--
DE KALB	997	968	29	14	14	--	8	8	--	9	9	--
DE WITT	266	265	1	9	9	--	8	8	--	4	4	--
DOUGLAS	260	260	--	8	8	--	7	7	--	3	3	--
DUPAGE	7,441	7,299	142	106	105	1	80	80	--	83	82	1
EDGAR	330	330	--	6	6	--	4	4	--	5	5	--
EDWARDS	93	93	--	1	1	--	1	1	--	--	--	--
EFFINGHAM	422	422	--	5	5	--	4	4	--	--	--	--
FAYETTE	245	243	2	3	3	--	3	3	--	1	1	--
FORD	177	176	1	2	2	--	1	1	--	3	3	--
FRANKLIN	567	565	2	10	10	--	9	9	--	7	7	--
FULTON	598	593	5	11	11	--	7	7	--	6	5	1
GALLATIN	123	122	1	2	2	--	1	1	--	2	2	--
GREENE	240	238	2	6	6	--	5	5	--	5	5	--
GRUNDY	476	476	--	9	9	--	9	9	--	4	4	--
HAMILTON	101	101	--	1	1	--	--	--	--	--	--	--
HANCOCK	246	294	2	6	6	--	3	3	--	2	2	--
HARDIN	65	64	1	2	2	--	1	1	--	--	--	--
HENDERSON	109	108	1	2	2	--	2	2	--	--	--	--
HENRY	724	707	17	17	16	1	13	12	1	10	9	1
IROQUOIS	473	464	9	14	14	--	11	11	--	2	2	--
JACKSON	717	615	102	18	15	3	16	13	3	12	11	1
JASPER	141	141	--	2	2	--	2	2	--	1	1	--
JEFFERSON	505	455	50	9	8	1	8	7	1	5	3	2
JERSEY	259	259	--	2	2	--	2	2	--	--	--	--
JO DAVIESS	349	349	--	4	4	--	3	3	--	3	3	--
JOHNSON	107	107	--	2	2	--	1	1	--	--	--	--
KANE	4,472	4,136	336	91	80	11	70	60	10	54	46	8
KANKAKEE	1,700	1,327	373	36	20	16	28	18	10	18	15	3
KENDALL	455	450	5	10	10	--	5	5	--	2	2	--
KNOX	852	815	37	12	12	--	12	12	--	9	8	1
LAKE	6,104	5,433	671	82	75	7	67	60	7	66	59	7
LA SALLE	1,567	1,569	18	30	29	1	21	20	1	16	16	--

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LAWRENCE.	196	194	2	6	6	--	5	5	--	1	1	--
LEE	533	527	6	8	7	1	7	6	1	9	9	--
LIVINGSTON.	549	546	3	9	9	--	8	8	--	10	10	--
LOGAN	403	400	3	6	6	--	5	5	--	7	7	--
MCDONOUGH	491	477	14	7	6	1	4	3	1	3	3	--
MCHENRY	1,745	1,733	12	37	37	--	28	28	--	19	19	--
MCLEAN.	1,580	1,507	73	35	33	2	27	26	1	18	18	--
MACON	1,981	1,678	303	35	24	11	25	19	6	20	14	6
MACOUPIN.	651	644	7	9	9	--	5	5	--	6	6	--
MADISON	4,055	3,678	377	72	59	13	54	44	10	34	26	8
MARION.	607	584	23	10	9	1	8	7	1	8	7	1
MARSHALL.	164	164	--	1	1	--	1	1	--	2	2	--
MASON	252	251	1	5	5	--	4	4	--	7	7	--
MASSAC.	169	162	7	4	4	--	3	3	--	5	3	2
MENARD.	155	155	--	6	6	--	2	2	--	3	3	--
MERCER.	232	232	--	6	6	--	3	3	--	2	2	--
MONROE.	258	258	--	7	7	--	6	6	--	7	7	--
MONTGOMERY.	425	420	5	5	5	--	4	4	--	8	8	--
MORGAN.	468	453	15	11	11	--	8	8	--	10	10	--
MOULTRIF.	155	155	--	3	3	--	1	1	--	2	2	--
OGLE.	634	634	--	13	13	--	11	11	--	6	6	--
PEORIA.	3,264	2,751	513	58	43	15	45	37	8	44	35	9
PERRY	312	302	10	7	7	--	5	5	--	6	4	2
PIATT	226	223	3	3	3	--	3	3	--	6	6	--
PIKE.	234	232	2	2	2	--	1	1	--	3	3	--
POPF.	48	45	3	1	1	--	1	1	--	1	1	--
PULASKI	140	82	58	3	1	2	3	1	2	3	1	2
PUTNAM.	78	78	--	2	2	--	1	1	--	2	2	--
RANDOLPH.	474	453	21	7	6	1	6	6	--	6	6	--
RICHLAND.	222	222	--	8	8	--	7	7	--	4	4	--
ROCK ISLAND	2,572	2,333	239	48	40	8	38	31	7	31	27	4
ST. CLAIR	5,267	3,141	2,126	96	50	46	71	40	31	76	33	43
SALINE.	301	292	9	5	4	1	5	4	1	2	2	--
SANGAMON.	2,502	2,231	271	41	38	3	34	31	3	25	20	5
SCHUYLER.	103	103	--	3	3	--	2	2	--	2	2	--
SCOTT	89	88	1	2	2	--	2	2	--	1	1	--
SHELBY.	321	320	1	5	5	--	3	3	--	5	5	--
STARK	94	94	--	1	1	--	1	1	--	3	3	--
STEPHENSON.	690	620	70	7	6	1	5	4	1	6	5	1
TAZEWELL.	1,973	1,967	6	36	36	--	28	28	--	14	14	--
UNION	225	224	1	3	3	--	3	3	--	--	--	--
VERMILION	1,520	1,344	176	27	23	4	18	16	2	13	13	--
WABASH.	176	176	--	--	--	--	--	--	--	1	1	--
WARREN.	336	327	9	5	4	1	3	2	1	4	4	--
WASHINGTON.	173	170	3	4	4	--	3	3	--	2	2	--
WAYNE	230	230	--	3	3	--	2	2	--	1	1	--
WHITE	177	176	1	7	7	--	7	7	--	6	6	--
WHITESIDE	1,097	1,086	11	21	21	--	17	17	--	13	13	--
WILL.	4,584	4,042	542	89	75	14	69	59	10	51	44	7
WILLIAMSON.	713	699	14	14	14	--	9	9	--	7	7	--
WINNEBAGO	4,178	3,608	570	79	62	17	52	42	10	38	31	7
WOODFORD.	417	416	1	11	11	--	8	8	--	4	4	--
UNSPECIFIED	--	--	--	--	--	--	--	--	--	--	--	--

TABLE 2R. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1972. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ILLINOIS. . .	15.8	20.3	17.0	31.3	15.1	13.0	21.8	13.3	11.1	20.4
ADAMS	14.8	23.0	21.1	58.8	18.2	17.1	39.2	12.4	12.1	19.6
ALEXANDER	17.9	32.4	31.5	33.7	13.9	15.7	11.2	4.6	7.9	-0-
BOND	11.8	17.5	17.8	-0-	11.7	11.8	-0-	29.2	29.6	-0-
BOONE	19.8	29.3	29.6	-0-	21.5	21.7	-0-	19.5	19.8	-0-
BROWN	14.4	12.2	12.2	-0-	12.2	12.2	-0-	-0-	-0-	-0-
BUREAU	13.9	17.8	17.8	-0-	17.8	17.8	-0-	2.0	2.0	-0-
CALHOUN	14.6	38.0	38.0	-0-	25.3	25.3	-0-	12.7	12.7	-0-
CARROLL	14.6	21.3	21.4	-0-	14.2	14.3	-0-	17.7	17.9	-0-
CASS	17.2	24.4	24.4	-0-	20.3	20.3	-0-	4.1	4.1	-0-
CHAMPAIGN	16.8	20.0	19.5	22.6	14.4	14.3	15.1	6.7	6.1	10.1
CHRISTIAN	14.5	15.0	15.0	-0-	11.2	11.3	-0-	7.5	7.5	-0-
CLARK	10.2	29.4	29.6	-0-	17.6	17.8	-0-	5.9	5.9	-0-
CLAY	11.4	30.5	30.6	-0-	20.3	20.4	-0-	-0-	-0-	-0-
CLINTON	15.6	11.1	11.2	-0-	6.7	6.7	-0-	15.6	15.7	-0-
COLES	13.7	26.7	27.1	-0-	17.8	18.1	-0-	8.9	9.0	-0-
COOK	16.2	22.4	16.3	32.8	16.4	12.5	22.8	15.4	11.8	21.4
CRAWFORD	12.0	12.7	12.7	-0-	-0-	-0-	-0-	8.4	8.4	-0-
CUMBERLAND	16.4	18.3	18.3	-0-	18.3	18.3	-0-	6.1	6.1	-0-
DE KALB	13.9	14.0	14.5	-0-	8.0	8.3	-0-	9.0	9.3	-0-
DE WITT	15.8	33.8	34.0	-0-	30.1	30.2	-0-	15.0	15.1	-0-
DOUGLAS	14.7	30.8	30.8	-0-	26.9	26.9	-0-	11.5	11.5	-0-
DU PAGE	14.4	14.2	14.4	7.0	10.8	11.0	-0-	11.2	11.2	7.0
EDGAR	15.6	18.2	18.2	-0-	12.1	12.1	-0-	15.2	15.2	-0-
EDWARDS	13.1	10.8	10.8	-0-	10.8	10.8	-0-	-0-	-0-	-0-
EFFINGHAM	16.5	11.8	11.8	-0-	9.5	9.5	-0-	-0-	-0-	-0-
FAYETTE	11.8	12.2	12.3	-0-	12.2	12.3	-0-	4.1	4.1	-0-
FORD	11.9	11.3	11.4	-0-	5.6	5.7	-0-	16.9	17.0	-0-
FRANKLIN	14.0	17.6	17.7	-0-	15.9	15.9	-0-	12.3	12.4	-0-
FULTON	14.1	18.4	18.5	-0-	11.7	11.8	-0-	10.0	8.4	200.0
GALLATIN	17.1	16.3	16.4	-0-	8.1	8.2	-0-	16.3	16.4	-0-
GREENE	14.3	25.0	25.2	-0-	20.8	21.0	-0-	20.8	21.0	-0-
GRUNDY	17.2	18.9	18.9	-0-	18.9	18.9	-0-	8.4	8.4	-0-
HAMILTON	11.9	9.9	9.9	-0-	-0-	-0-	-0-	-0-	-0-	-0-
HANCOCK	13.0	20.3	20.4	-0-	10.1	10.2	-0-	6.8	6.8	-0-
HARDIN	13.0	30.8	31.3	-0-	15.4	15.6	-0-	-0-	-0-	-0-
HENDERSON	13.0	18.3	18.5	-0-	18.3	18.5	-0-	-0-	-0-	-0-
HENRY	13.8	23.5	22.6	58.8	18.0	17.0	58.8	13.8	12.7	58.8
IROQUOIS	13.6	29.6	30.2	-0-	23.3	23.7	-0-	4.2	4.3	-0-
JACKSON	12.6	25.1	24.4	29.4	22.3	21.1	29.4	16.7	17.9	9.8
JASPER	12.8	14.2	14.2	-0-	14.2	14.2	-0-	7.1	7.1	-0-
JEFFERSON	15.5	17.8	17.6	20.0	15.8	15.4	20.0	9.9	6.6	40.0
JERSEY	13.3	7.7	7.7	-0-	7.7	7.7	-0-	-0-	-0-	-0-
JO DAVIES	15.7	11.5	11.5	-0-	8.6	8.6	-0-	8.6	8.6	-0-
JOHNSON	14.3	18.7	18.7	-0-	9.3	9.3	-0-	-0-	-0-	-0-
KANE	17.1	20.3	19.3	32.7	15.7	14.5	29.8	12.1	11.1	23.8
KANKAKEE	17.1	21.2	15.1	42.9	16.5	13.6	26.8	10.6	11.3	8.0
KENDALL	16.2	22.0	22.2	-0-	11.0	11.1	-0-	4.4	4.4	-0-
KNOX	14.2	14.1	14.7	-0-	14.1	14.7	-0-	10.6	9.8	27.0
LAKE	15.7	13.4	13.8	10.4	11.0	11.0	10.4	10.8	10.9	10.4
LA SALLE	14.3	18.9	18.5	55.6	13.2	12.7	55.6	10.1	10.2	-0-

TABLE 2A. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1972. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LAWRENCE	11.1	30.6	30.9	-0-	25.5	25.8	-0-	5.1	5.2	-0-
LEE	14.3	15.0	13.3	166.7	13.1	11.4	166.7	16.9	17.1	-0-
LIVINGSTON . . .	13.1	16.4	16.5	-0-	14.6	14.7	-0-	18.2	18.3	-0-
LOGAN	12.1	14.9	15.0	-0-	12.4	12.5	-0-	17.4	17.5	-0-
MCDONOUGH . . .	12.9	14.3	12.6	71.4	8.1	6.3	71.4	6.1	6.3	-0-
MCHENRY	15.3	21.2	21.4	-0-	16.0	16.2	-0-	10.9	11.0	-0-
MCLEAN	14.4	22.2	21.9	27.4	17.1	17.3	13.7	11.4	11.9	-0-
MACON	16.1	17.7	14.3	36.3	12.6	11.3	19.8	10.1	8.3	19.8
MACOUPIN	14.5	13.8	14.0	-0-	7.7	7.8	-0-	9.2	9.3	-0-
MADISON	16.0	17.8	16.0	34.5	13.3	12.0	26.5	8.4	7.1	21.2
MARION	15.1	16.5	15.4	43.5	13.2	12.0	43.5	13.2	12.0	43.5
MARSHALL	11.9	6.1	6.1	-0-	6.1	6.1	-0-	12.2	12.2	-0-
MASON	14.6	19.8	19.9	-0-	15.9	15.9	-0-	27.8	27.9	-0-
MASSAC	12.6	23.7	24.7	-0-	17.8	18.5	-0-	29.6	18.5	285.7
MENARD	15.5	38.7	38.7	-0-	12.9	12.9	-0-	19.4	19.4	-0-
MERCER	13.8	25.9	25.9	-0-	12.9	12.9	-0-	8.6	8.6	-0-
MONROE	13.9	27.1	27.1	-0-	23.3	23.3	-0-	27.1	27.1	-0-
MONTGOMERY . . .	13.9	11.8	11.9	-0-	9.4	9.5	-0-	18.8	19.0	-0-
MORGAN	12.5	23.5	24.3	-0-	17.1	17.7	-0-	21.4	22.1	-0-
MOULTRIE	11.4	19.4	19.4	-0-	6.5	6.5	-0-	12.9	12.9	-0-
OGLE	14.8	20.5	20.5	-0-	17.4	17.4	-0-	9.5	9.5	-0-
PEORIA	16.3	17.8	15.6	29.2	13.8	13.4	15.6	13.5	12.7	17.5
PERRY	15.5	22.4	23.2	-0-	16.0	16.6	-0-	19.2	13.2	200.0
PIATT	14.4	13.3	13.5	-0-	13.3	13.5	-0-	26.5	26.9	-0-
PIKE	12.1	8.5	8.6	-0-	4.3	4.3	-0-	12.8	12.9	-0-
POPE	11.7	20.8	22.2	-0-	20.8	22.2	-0-	20.8	22.2	-0-
PULASKI	15.6	21.4	12.2	34.5	21.4	12.2	34.5	21.4	12.2	34.5
PUTNAM	15.3	25.6	25.6	-0-	12.8	12.8	-0-	25.6	25.6	-0-
RANDOLPH	14.5	14.8	13.2	47.6	12.7	13.2	-0-	12.7	13.2	-0-
RICHLAND	13.1	36.0	36.0	-0-	31.5	31.5	-0-	18.0	18.0	-0-
ROCK ISLAND . . .	15.7	18.7	17.1	33.5	14.8	13.3	29.3	12.1	11.6	16.7
ST. CLAIR	18.6	18.2	15.9	21.6	13.5	12.7	14.6	14.4	10.5	20.2
SALINE	10.9	16.6	13.7	111.1	16.6	13.7	111.1	6.6	6.8	-0-
SANGAMON	15.2	16.4	17.0	11.1	13.6	13.9	11.1	10.0	9.0	18.5
SCHUYLER	13.2	29.1	29.1	-0-	19.4	19.4	-0-	19.4	19.4	-0-
SCOTT	13.9	22.5	22.7	-0-	22.5	22.7	-0-	11.2	11.4	-0-
SHELBY	14.1	15.6	15.6	-0-	9.3	9.4	-0-	15.6	15.6	-0-
STARK	12.2	10.6	10.6	-0-	10.6	10.6	-0-	31.9	31.9	-0-
STEPHENSON . . .	14.3	10.1	9.7	14.3	7.2	6.5	14.3	8.7	8.1	14.3
TAZEWELL	16.0	18.2	18.3	-0-	14.2	14.2	-0-	7.1	7.1	-0-
UNION	13.9	13.3	13.4	-0-	13.3	13.4	-0-	-0-	-0-	-0-
VERMILION	15.6	17.8	17.1	22.7	11.8	11.9	11.4	8.6	9.7	-0-
WARASH	13.2	-0-	-0-	-0-	-0-	-0-	-0-	5.7	5.7	-0-
WARREN	15.4	14.9	12.2	111.1	8.9	6.1	111.1	11.9	12.2	-0-
WASHINGTON . . .	11.8	23.1	23.5	-0-	17.3	17.6	-0-	11.6	11.8	-0-
WAYNE	13.5	13.0	13.0	-0-	8.7	8.7	-0-	4.3	4.3	-0-
WHITE	10.7	39.5	39.8	-0-	39.5	39.8	-0-	33.9	34.1	-0-
WHITESIDE	17.4	19.1	19.3	-0-	15.5	15.7	-0-	11.9	12.0	-0-
WILL	17.5	19.4	18.6	25.8	15.1	14.6	18.5	11.1	10.9	12.9
WILLIAMSON . . .	14.1	19.6	20.0	-0-	12.6	12.9	-0-	9.8	10.0	-0-
WINNEBAGO	17.3	18.9	17.2	29.8	12.4	11.6	17.5	9.1	8.6	12.3
WOODFORD	14.5	26.4	26.4	-0-	19.2	19.2	-0-	9.6	9.6	-0-

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972

CITY	LIVE BIRTHS			INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	513	506	7	8	8	--	7	7	--	5	4	1
ALSIP	303	300	3	4	4	--	3	3	--	2	2	--
ALTON	749	512	237	23	13	10	16	9	7	8	3	5
ARLINGTON HEIGHTS	879	872	7	15	15	--	11	11	--	13	13	--
AURORA	1,567	1,362	205	35	31	4	25	21	4	20	17	3
BELLEVIEW	605	591	14	9	9	--	7	7	--	10	9	1
BELLWOOD	238	220	18	4	4	--	2	2	--	1	1	--
BELVIDERE	311	307	4	8	8	--	8	8	--	6	6	--
BENSENVILLE	227	226	1	2	2	--	--	--	--	5	5	--
BERWYN	516	508	8	4	4	--	3	3	--	7	7	--
BLOOMINGTON	695	634	61	15	13	2	13	12	1	9	9	--
BLUE ISLAND	472	453	19	11	10	1	10	9	1	3	3	--
BOLINGBROOK	475	463	12	4	4	--	3	3	--	5	5	--
BRADLEY	174	173	1	1	1	--	1	1	--	2	2	--
BRIDGEVIEW	261	258	3	6	6	--	5	5	--	4	4	--
BROOKFIELD	251	246	5	7	7	--	6	6	--	3	3	--
BUFFALO GROVE	355	351	4	4	4	--	3	3	--	4	4	--
BURBANK	388	386	2	4	4	--	4	4	--	6	6	--
CAHOKIA	327	322	5	6	6	--	3	3	--	2	2	--
CALUMET CITY	435	429	6	9	9	--	5	5	--	3	3	--
CALUMET PARK	90	88	2	1	1	--	1	1	--	2	2	--
CANTON	204	199	5	3	3	--	2	2	--	4	3	1
CARRONDALE	226	155	71	7	5	2	6	4	2	2	1	1
CARPENTERSVILLE	479	474	5	3	3	--	1	1	--	3	3	--
CENTRALIA	274	253	21	6	5	1	5	4	1	3	2	1
CENTREVILLE	177	25	152	6	--	6	6	--	6	1	1	--
CHAMPAIGN	744	554	190	13	8	5	8	6	2	5	4	1
CHARLESTON	211	205	6	4	4	--	3	3	--	2	2	--
CHICAGO	60,082	29,411	30,671	1,541	530	1,011	1,107	405	702	1,033	364	669
CHICAGO HEIGHTS	884	571	313	18	9	9	14	7	7	18	12	6
CICERO	857	842	15	16	16	--	12	12	--	15	15	--
COLLINSVILLE	295	288	7	4	4	--	3	3	--	4	4	--
CRYSTAL LAKE	238	237	1	4	4	--	2	2	--	3	3	--
DANVILLE	746	578	168	15	11	4	11	9	2	7	7	--
DE KALB	347	326	21	5	5	--	3	3	--	4	4	--
DECATUR	1,576	1,275	301	31	20	11	23	17	6	18	12	6
DEERFIELD	216	213	3	2	2	--	1	1	--	1	1	--
DES PLAINES	890	867	23	16	16	--	12	12	--	9	9	--
DIXON	228	223	5	4	3	1	4	3	1	4	4	--
DOLTON	330	324	6	5	5	--	5	5	--	2	2	--
DOWNERS GROVE	559	546	13	8	8	--	8	8	--	6	6	--
EAST MOLINE	310	266	44	7	7	--	4	4	--	4	1	3
EAST PEORIA	338	335	3	6	6	--	3	3	--	1	1	--
EAST ST LOUIS	1,955	1,776	179	42	3	39	26	1	25	50	10	40
EDWARDSVILLE	149	131	18	2	2	--	1	1	--	1	--	1
EFFINGHAM	165	165	--	3	3	--	2	2	--	--	--	--
ELGIN	1,079	984	95	30	23	7	23	18	5	17	13	4
ELK GROVE	339	334	5	2	2	--	2	2	--	4	4	--
ELMHURST	533	525	8	6	6	--	5	5	--	8	8	--
ELMWOOD PARK	307	303	4	3	3	--	2	2	--	2	2	--
EVANSTON	964	669	295	26	13	13	23	12	11	12	7	5
EVERGREEN PARK	169	167	2	2	2	--	1	1	--	2	2	--
FAIRVIEW HEIGHTS	128	128	--	1	1	--	1	1	--	2	2	--
FOREST PARK	244	212	32	1	1	--	--	--	--	4	4	--
FRANKLIN PARK	265	260	5	5	5	--	5	5	--	4	4	--
FREEPORT	427	359	68	3	2	1	1	--	1	4	3	1
GALESBURG	507	472	35	9	9	--	9	9	--	5	4	1
GLEN ELLYN	328	317	11	6	6	--	5	5	--	2	2	--
GLENCOE	65	58	7	--	--	--	--	--	--	2	2	--
GLENDALE HEIGHTS	240	238	2	4	4	--	3	3	--	2	2	--
GLENVIEW	375	367	8	4	4	--	3	3	--	1	1	--
GRANITE CITY	686	682	4	14	14	--	10	10	--	2	2	--
HANOVER PARK	479	472	7	8	8	--	8	8	--	5	5	--
HARVEY	831	381	450	25	8	17	18	6	12	14	5	9
HAZEL CHEST	218	215	3	3	3	--	2	2	--	3	3	--
HICKORY HILLS	226	225	1	2	2	--	2	2	--	2	2	--
HIGHLAND PARK	262	256	6	--	--	--	--	--	--	2	2	--
HINSDALE	200	197	3	5	5	--	5	5	--	1	1	--
HOFFMAN ESTATES	540	530	10	7	7	--	5	5	--	7	7	--
HOMERIDGE	175	171	4	3	3	--	3	3	--	2	2	--
JACKSONVILLE	278	264	14	6	6	--	4	4	--	5	5	--
JOLIET	1,423	1,059	364	32	24	8	24	19	5	19	13	6
KANKAKEE	617	398	219	15	6	9	11	5	6	6	5	1
KEWANEE	198	184	14	6	5	1	4	3	1	5	4	1
LA GRANGE	194	175	19	5	3	2	4	3	1	4	3	1
LA GRANGE PARK	136	134	2	--	--	--	--	--	--	1	1	--
LA SALLE	131	129	2	2	2	--	2	2	--	4	4	--
LAKE FOREST	94	91	3	--	--	--	--	--	--	1	1	--
LANSING	286	285	1	5	5	--	5	5	--	4	4	--

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972--CONTINUED

CITY	LIVE BIRTHS			INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LIBERTYVILLE.	169	168	1	2	2	--	2	2	--	3	3	--
LINCOLN.	226	224	2	3	3	--	3	3	--	4	4	--
LINCOLNWOOD.	57	57	--	--	--	--	--	--	--	--	--	--
LOMBARD.	487	479	8	5	5	--	3	3	--	10	10	--
LOVES PARK.	223	222	1	6	6	--	3	3	--	2	2	--
LYONS.	150	146	4	2	2	--	2	2	--	--	--	--
MACOMH.	202	191	11	5	4	1	3	2	1	1	1	--
MARION.	179	168	11	3	3	--	2	2	--	3	3	--
MARKHAM.	287	68	219	10	1	9	7	1	6	4	--	4
MATTOON.	281	278	3	9	9	--	5	5	--	1	1	--
MAYWOOD.	558	185	373	21	8	13	15	6	9	10	1	9
MELROSE PARK.	558	548	10	10	10	--	10	10	--	4	4	--
MIDLOTHIAN.	237	237	--	11	11	--	9	9	--	1	1	--
MOLINE.	662	653	9	9	9	--	8	8	--	11	11	--
MONMOUTH.	179	171	8	5	4	1	3	2	1	--	--	--
MORTON GROVE.	154	148	6	1	1	--	1	1	--	--	--	--
MORTON.	175	175	--	1	1	--	1	1	--	--	--	--
MOUNT PROSPECT.	550	546	4	10	10	--	8	8	--	9	8	1
MOUNT VERNON.	283	234	49	6	5	1	5	4	1	3	1	2
MUNDLEIN.	292	288	4	10	10	--	9	9	--	2	2	--
MURPHYSBORO.	135	114	21	5	4	1	5	4	1	--	--	--
NAPERVILLE.	262	259	3	4	4	--	3	3	--	1	1	--
NILES.	287	280	7	1	1	--	1	1	--	7	7	--
NORMAL.	325	316	9	6	6	--	3	3	--	1	1	--
NORRIDGE.	115	115	--	2	2	--	2	2	--	1	1	--
NORTH CHICAGO.	346	173	173	4	3	1	4	3	1	5	1	4
NORTH LAKE.	177	176	1	--	--	--	--	--	--	4	4	--
NORTHBROOK.	317	310	7	2	2	--	2	2	--	6	6	--
OAK FOREST.	404	400	4	2	2	--	2	2	--	7	7	--
OAK LAWN.	672	663	9	14	14	--	12	12	--	4	4	--
OAK PARK.	674	633	41	8	8	--	4	4	--	5	5	--
OTTAWA.	249	246	3	--	--	--	--	--	--	3	3	--
PALATINE.	434	431	3	4	4	--	3	3	--	5	5	--
PARIS.	150	150	--	3	3	--	2	2	--	3	3	--
PARK FOREST.	492	449	43	7	7	--	6	6	--	5	5	--
PARK RIDGE.	329	327	2	4	4	--	2	2	--	3	3	--
PEKIN.	550	548	2	10	10	--	9	9	--	7	7	--
PEORIA.	2,203	1,696	507	39	24	15	27	19	8	34	25	9
PERU.	150	150	--	--	--	--	--	--	--	--	--	--
PONTIAC.	134	133	1	1	1	--	1	1	--	3	3	--
QUINCY.	644	595	49	16	13	3	12	10	2	8	7	1
RANTOUL.	618	563	55	14	12	2	12	10	2	3	3	--
RIVER FOREST.	95	92	3	--	--	--	--	--	--	--	--	--
RIVER GROVE.	187	187	--	1	1	--	--	--	--	3	3	--
RIVERDALE.	233	227	6	4	4	--	2	2	--	1	1	--
RIVERSIDE.	86	85	1	--	--	--	--	--	--	2	2	--
ROCK FALLS.	243	241	2	7	7	--	7	7	--	3	3	--
ROCK ISLAND.	780	600	180	23	15	8	20	13	7	9	8	1
ROCKFORD.	2,657	2,142	515	49	34	15	32	24	8	22	16	6
ROLLING MEADOWS.	383	373	10	4	4	--	4	4	--	3	3	--
HOMEVILLE.	230	230	--	4	4	--	3	3	--	4	4	--
SCHAUMBURG.	552	548	4	6	6	--	6	6	--	5	5	--
SCHILLER PARK.	194	188	6	2	2	--	2	2	--	4	4	--
SKOKIE.	556	533	23	7	7	--	7	7	--	4	4	--
SOUTH HOLLAND.	210	210	--	1	1	--	1	1	--	1	1	--
SPRINGFIELD.	1,501	1,240	261	33	30	3	29	26	3	17	12	5
ST CHARLES.	213	211	2	2	2	--	2	2	--	1	1	--
STERLING.	321	314	7	10	10	--	6	6	--	6	6	--
STREAMWOOD.	501	491	10	6	6	--	4	4	--	6	6	--
STREATOR.	273	263	10	8	7	1	6	5	1	2	2	--
SUMMIT.	231	177	54	4	3	1	4	3	1	4	2	2
TAYLORVILLE.	170	168	2	4	4	--	3	3	--	1	1	--
TINLEY PARK.	441	439	2	3	3	--	1	1	--	6	6	--
URBANA.	473	348	125	12	10	2	10	8	2	3	1	2
VILLA PARK.	382	378	4	4	4	--	2	2	--	3	3	--
WAUKEGAN.	1,410	1,091	319	29	25	4	24	20	4	21	19	2
WEST CHICAGO.	246	241	5	4	4	--	4	4	--	8	8	--
WESTCHESTER.	125	124	1	3	3	--	3	3	--	3	3	--
WESTERN SPRINGS.	91	91	--	--	--	--	--	--	--	2	2	--
WHEATON.	457	427	30	9	9	--	8	8	--	2	2	--
WHEELING.	340	331	9	5	5	--	1	1	--	4	4	--
WILMETTE.	219	212	7	--	--	--	--	--	--	2	2	--
WINNETKA.	114	112	2	2	2	--	1	1	--	--	--	--
WOOD DALE.	168	167	1	2	2	--	2	2	--	3	3	--
WOOD RIVER.	212	212	--	2	2	--	2	2	--	3	3	--
WOODBRIDGE.	278	273	5	5	5	--	3	3	--	1	1	--
WOODSTOCK.	154	151	3	6	6	--	6	6	--	1	1	--
WORTH.	226	226	--	3	3	--	3	3	--	4	3	1
ZION.	438	362	76	10	9	1	8	7	1	2	1	1

TABLE 3R. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1972. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	LIVE BIRTHS TOTALS	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ADDISON	21.1	15.6	15.8	-0-	13.6	13.8	-0-	9.7	7.9	142.9
ALSI	24.8	13.2	13.3	-0-	9.9	10.0	-0-	6.6	6.7	-0-
ALTON	18.7	30.7	25.4	42.2	21.4	17.6	29.5	10.7	5.9	21.1
ARLINGTON HEIGHTS	12.7	17.1	17.2	-0-	12.5	12.6	-0-	14.8	14.9	-0-
AURORA	21.1	22.3	22.8	19.5	16.0	15.4	19.5	12.8	12.5	14.6
BELLEVIEW	14.4	14.9	15.2	-0-	11.6	11.8	-0-	16.5	15.2	71.4
BELLWOOD	11.1	16.8	18.2	-0-	8.4	9.1	-0-	4.2	4.5	-0-
BELVIDERE	21.6	25.7	26.1	-0-	25.7	26.1	-0-	19.3	19.5	-0-
BENSENVILLE	16.7	8.8	8.8	-0-	-0-	-0-	-0-	22.0	22.1	-0-
BERWYN	9.8	7.8	7.9	-0-	5.8	5.9	-0-	13.6	13.8	-0-
BLOOMINGTON	17.3	21.6	20.5	32.8	18.7	18.9	16.4	12.9	14.2	-0-
BLUE ISLAND	20.4	23.3	22.1	52.6	21.2	19.9	52.6	6.4	6.6	-0-
BOLINGBROOK	30.4	4.4	8.6	-0-	6.3	6.5	-0-	10.5	10.8	-0-
BRALEY	16.4	5.7	5.8	-0-	5.7	5.8	-0-	11.5	11.6	-0-
BRIDGEVIEW	19.5	23.0	23.3	-0-	19.2	19.4	-0-	15.3	15.5	-0-
BROOKFIELD	12.4	27.9	28.5	-0-	23.9	24.4	-0-	12.0	12.2	-0-
BUFFALO GROVE	22.6	11.3	11.4	-0-	8.5	8.5	-0-	11.3	11.4	-0-
BURBANK	12.8	10.3	10.4	-0-	10.3	10.4	-0-	15.5	15.5	-0-
CAMOKIA	15.8	18.3	18.6	-0-	9.2	9.3	-0-	6.1	6.2	-0-
CALUMET CITY	12.2	20.7	21.0	-0-	11.5	11.7	-0-	6.9	7.0	-0-
CALUMET PARK	8.8	11.1	11.4	-0-	11.1	11.4	-0-	22.2	22.7	-0-
CANTON	14.3	14.7	15.1	-0-	9.8	10.1	-0-	19.6	15.1	200.0
CARRONDALE	8.3	31.0	32.3	28.2	26.5	25.8	28.2	8.8	6.5	14.1
CARPENTERSVILLE	19.8	6.3	6.3	-0-	2.1	2.1	-0-	6.3	6.3	-0-
CENTRALIA	17.9	21.9	19.8	47.6	18.2	15.8	47.6	10.9	7.9	47.6
CENTREVILLE	15.4	33.9	-0-	39.5	33.9	-0-	39.5	5.6	40.0	-0-
CHAMPAIGN	12.6	17.5	14.4	26.3	10.8	10.8	10.5	6.7	7.2	5.3
CHARLESTON	12.8	19.0	19.5	-0-	14.2	14.6	-0-	9.5	9.8	-0-
CHICAGO	17.8	25.6	18.0	33.0	18.4	13.8	22.9	17.2	12.4	21.8
CHICAGO HEIGHTS	21.5	20.4	15.8	28.8	15.8	12.3	22.4	20.4	21.0	19.2
CICERO	12.8	18.7	19.0	-0-	14.0	14.3	-0-	17.5	17.8	-0-
COLLINSVILLE	15.0	13.6	13.9	-0-	10.2	10.4	-0-	13.6	13.9	-0-
CRYSTAL LAKE	15.0	16.8	16.9	-0-	8.4	8.4	-0-	12.6	12.7	-0-
DANVILLE	17.5	20.1	19.0	23.8	14.7	15.6	11.9	9.4	12.1	-0-
DE KALB	10.4	14.4	15.3	-0-	8.6	9.2	-0-	11.5	12.3	-0-
DECATUR	17.4	19.7	15.7	36.5	14.6	13.3	19.9	11.4	9.4	19.9
DEERFIELD	11.4	9.3	9.4	-0-	4.6	4.7	-0-	4.6	4.7	-0-
DES PLAINES	15.5	18.0	18.5	-0-	13.5	13.8	-0-	10.1	10.4	-0-
DIXON	12.5	17.5	13.5	200.0	17.5	13.5	200.0	17.5	17.9	-0-
DOLTON	12.7	15.2	15.4	-0-	15.2	15.4	-0-	6.1	6.2	-0-
DOWNERS GROVE	16.6	14.3	14.7	-0-	14.3	14.7	-0-	10.7	11.0	-0-
EAST MOLINE	14.8	22.6	26.3	-0-	12.9	15.0	-0-	12.9	3.8	68.2
EAST PEORIA	15.6	17.8	17.9	-0-	8.9	9.0	-0-	3.0	3.0	-0-
EAST ST LOUIS	27.9	21.5	16.8	22.0	13.3	5.6	14.1	25.6	55.9	22.5
EDWARDSVILLE	13.3	13.4	15.3	-0-	6.7	7.6	-0-	6.7	-0-	55.6
EFFINGHAM	16.2	18.2	18.2	-0-	12.1	12.1	-0-	-0-	-0-	-0-
ELGIN	19.0	27.8	23.4	73.7	21.3	18.3	52.6	15.8	13.2	42.1
ELK GROVE	14.9	5.9	6.0	-0-	5.9	6.0	-0-	11.8	12.0	-0-
ELMHURST	10.9	11.3	11.4	-0-	9.4	9.5	-0-	15.0	15.2	-0-
ELMWOOD PARK	11.7	9.8	9.9	-0-	6.5	6.6	-0-	6.5	6.6	-0-
EVANSTON	12.0	27.0	19.4	44.1	23.9	17.9	37.3	12.4	10.5	16.9
EVERGREEN PARK	6.4	11.8	12.0	-0-	5.9	6.0	-0-	11.8	12.0	-0-
FAIRVIEW HEIGHTS	9.8	7.8	7.8	-0-	7.8	7.8	-0-	15.6	15.6	-0-
FOREST PARK	15.7	4.1	4.7	-0-	-0-	-0-	-0-	16.4	18.9	-0-
FRANKLIN PARK	12.9	18.9	19.2	-0-	18.9	19.2	-0-	15.1	15.4	-0-
FREEDPORT	15.3	7.0	5.6	14.7	2.3	-0-	14.7	9.4	8.4	14.7
GALESHURG	14.7	17.8	19.1	-0-	17.8	19.1	-0-	9.9	8.5	28.6
GLEN ELLYN	14.8	18.3	18.9	-0-	15.2	15.8	-0-	6.1	6.3	-0-
GLENCOE	6.1	-0-	-0-	-0-	-0-	-0-	-0-	30.8	34.5	-0-
GLENDALE HEIGHTS	20.3	16.7	16.8	-0-	12.5	12.6	-0-	8.3	8.4	-0-
GLENVIEW	12.8	10.7	10.9	-0-	8.0	8.2	-0-	2.7	2.7	-0-
GRANITE CITY	16.9	20.4	20.5	-0-	14.6	14.7	-0-	2.9	2.9	-0-
HANOVER PARK	24.4	16.7	16.9	-0-	16.7	16.9	-0-	10.4	10.6	-0-
HARVEY	23.9	30.1	21.0	37.8	21.7	15.7	26.7	16.8	13.1	20.0
HAZEL CHEST	18.6	13.8	14.0	-0-	9.2	9.3	-0-	13.8	14.0	-0-
HICKORY HILLS	16.9	8.8	8.9	-0-	8.8	8.9	-0-	8.8	8.9	-0-
HIGHLAND PARK	8.1	-0-	-0-	-0-	-0-	-0-	-0-	7.6	7.8	-0-
HINSDALE	12.4	25.0	25.4	-0-	25.0	25.4	-0-	5.0	5.1	-0-
HOFFMAN ESTATES	18.5	13.0	13.2	-0-	9.3	9.4	-0-	13.0	13.2	-0-
HOMERWOOD	9.2	17.1	17.5	-0-	17.1	17.5	-0-	11.4	11.7	-0-
JACKSONVILLE	13.5	21.6	22.7	-0-	14.4	15.2	-0-	18.0	18.9	-0-
JOLIET	18.0	22.5	22.7	22.0	16.9	17.9	13.7	13.4	12.3	16.5
KANKAKEE	19.8	24.3	15.1	41.1	17.8	12.6	27.4	9.7	12.6	4.6
KEWANEE	12.5	30.3	27.2	71.4	20.2	16.3	71.4	25.3	21.7	71.4
LA GRANGE	10.8	25.8	17.1	105.3	20.6	17.1	52.6	20.6	17.1	52.6
LA GRANGE PARK	8.7	-0-	-0-	-0-	-0-	-0-	-0-	7.4	7.5	-0-
LA SALLE	12.1	15.3	15.5	-0-	15.3	15.5	-0-	30.5	31.0	-0-
LAKE FOREST	6.0	-0-	-0-	-0-	-0-	-0-	-0-	10.6	11.0	-0-
LANSING	11.0	17.5	17.5	-0-	17.5	17.5	-0-	14.0	14.0	-0-
LIBERTYVILLE	14.3	11.8	11.9	-0-	11.8	11.9	-0-	17.8	17.9	-0-

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGEST CITIES OF ILLINOIS: 1972--CONTINUED

(LIVE BIRTH RATES PER 1,000 FST. POPULATION AS OF JULY 1, 1972. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	LIVE BIRTHS TOTALS	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	12.4	13.3	13.4	-0-	13.3	13.4	-0-	17.7	17.9	-0-
LINCOLNWOOD	4.4	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
LOMBARD	13.1	10.3	10.4	-0-	6.2	6.3	-0-	20.5	20.9	-0-
LOVES PARK	17.7	26.9	27.0	-0-	13.5	13.5	-0-	9.0	9.0	-0-
LYONS	13.3	13.3	13.7	-0-	13.3	13.7	-0-	-0-	-0-	-0-
MACOMB	9.1	24.8	20.9	90.9	14.9	10.5	90.9	5.0	5.2	-0-
MARION	13.9	16.8	17.9	-0-	11.2	11.9	-0-	16.8	17.9	-0-
MARKHAM	17.7	34.8	14.7	41.1	24.4	14.7	27.4	13.9	-0-	18.3
MATTOON	14.4	32.0	32.4	-0-	17.8	18.0	-0-	3.6	3.6	-0-
MAYWOOD	19.1	37.6	43.2	34.9	26.9	32.4	24.1	17.9	5.4	24.1
MELROSE PARK	24.3	17.9	18.2	-0-	17.9	18.2	-0-	7.2	7.3	-0-
MIDLOTHIAN	14.7	46.4	46.4	-0-	38.0	38.0	-0-	4.2	4.2	-0-
MOLINE	14.3	13.6	13.8	-0-	12.1	12.3	-0-	16.6	16.8	-0-
MONMOUTH	16.1	27.9	23.4	125.0	16.8	11.7	125.0	-0-	-0-	-0-
MORTON GROVE	5.8	6.5	6.8	-0-	6.5	6.8	-0-	-0-	-0-	-0-
MORTON	16.4	5.7	5.7	-0-	5.7	5.7	-0-	-0-	-0-	-0-
MOUNT PROSPECT	12.1	18.2	18.3	-0-	14.5	14.7	-0-	16.4	14.7	250.0
MOUNT VERNON	17.3	21.2	21.4	20.4	17.7	17.1	20.4	10.6	4.3	40.8
MUNDELEIN	17.3	34.2	34.7	-0-	30.8	31.3	-0-	6.8	6.9	-0-
MURPHYSBORO	13.2	37.0	35.1	47.6	37.0	35.1	47.6	-0-	-0-	-0-
NAPERVILLE	10.4	15.3	15.4	-0-	11.5	11.6	-0-	3.8	3.9	-0-
NILES	8.8	3.5	3.6	-0-	3.5	3.6	-0-	24.4	25.0	-0-
NORMAL	10.5	18.5	19.0	-0-	9.2	9.5	-0-	3.1	3.2	-0-
NORRIDGE	6.4	17.4	17.4	-0-	17.4	17.4	-0-	8.7	8.7	-0-
NORTH CHICAGO	7.3	11.6	17.3	5.8	11.6	17.3	5.8	14.5	5.8	23.1
NORTH LAKE	12.3	-0-	-0-	-0-	-0-	-0-	-0-	22.6	22.7	-0-
NORTHBROOK	11.6	6.3	6.5	-0-	6.3	6.5	-0-	18.9	19.4	-0-
OAK FOREST	19.4	5.0	5.0	-0-	5.0	5.0	-0-	17.3	17.5	-0-
OAK LAWN	10.8	20.8	21.1	-0-	17.9	18.1	-0-	6.0	6.0	-0-
OAK PARK	10.8	11.9	12.6	-0-	5.9	6.3	-0-	7.4	7.9	-0-
OTTAWA	13.2	-0-	-0-	-0-	-0-	-0-	-0-	12.0	12.2	-0-
PALATINE	15.2	9.2	9.3	-0-	6.9	7.0	-0-	11.5	11.6	-0-
PARIS	14.9	20.0	20.0	-0-	13.3	13.3	-0-	20.0	20.0	-0-
PARK FOREST	15.7	14.2	15.6	-0-	12.2	13.4	-0-	10.2	11.1	-0-
PARK RIDGE	7.7	12.2	12.2	-0-	6.1	6.1	-0-	9.1	9.2	-0-
PEKIN	17.5	18.2	18.2	-0-	16.4	16.4	-0-	12.7	12.8	-0-
PEORIA	17.3	17.7	14.2	29.6	12.3	11.2	15.8	15.4	14.7	17.8
PERU	12.7	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
PONTIAC	12.6	7.5	7.5	-0-	7.5	7.5	-0-	22.4	22.6	-0-
QUINCY	14.2	24.8	21.8	61.2	18.6	16.8	40.8	12.4	11.8	20.4
RANTOUL	24.1	22.7	21.3	36.4	19.4	17.8	36.4	4.9	5.3	-0-
RIVER FOREST	7.1	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
RIVER GROVE	16.0	5.3	5.3	-0-	-0-	-0-	-0-	16.0	16.0	-0-
RIVERDALE	14.5	17.2	17.6	-0-	8.6	8.8	-0-	4.3	4.4	-0-
RIVERSIDE	8.2	-0-	-0-	-0-	-0-	-0-	-0-	23.3	23.5	-0-
ROCK FALLS	23.6	28.8	29.0	-0-	28.8	29.0	-0-	12.3	12.4	-0-
ROCK ISLAND	15.5	29.5	25.0	44.4	25.6	21.7	38.9	11.5	13.3	5.6
ROCKFORD	17.9	18.4	15.9	29.1	12.0	11.2	15.5	8.3	7.5	11.7
ROLLING MEADOWS	19.9	10.4	10.7	-0-	10.4	10.7	-0-	7.8	8.0	-0-
ROMEORVILLE	14.8	17.4	17.4	-0-	13.0	13.0	-0-	17.4	17.4	-0-
SCHAUMBURG	21.8	10.9	10.9	-0-	10.9	10.9	-0-	9.1	9.1	-0-
SCHILLER PARK	14.9	10.3	10.6	-0-	10.3	10.6	-0-	20.6	21.3	-0-
SKOKIE	8.0	12.6	13.1	-0-	12.6	13.1	-0-	7.2	7.5	-0-
SOUTH HOLLAND	8.3	4.8	4.8	-0-	4.8	4.8	-0-	4.8	4.8	-0-
SPRINGFIELD	16.3	22.0	24.2	11.5	19.3	21.0	11.5	11.3	9.7	19.2
ST CHARLES	15.8	9.4	9.5	-0-	9.4	9.5	-0-	4.7	4.7	-0-
STERLING	19.8	31.2	31.8	-0-	18.7	19.1	-0-	18.7	19.1	-0-
STREAMWOOD	22.7	12.0	12.2	-0-	8.0	8.1	-0-	12.0	12.2	-0-
STREATOR	17.5	29.3	26.6	100.0	22.0	19.0	100.0	7.3	7.6	-0-
SUMMIT	19.9	17.3	16.9	18.5	17.3	16.9	18.5	17.3	11.3	37.0
TAYLORVILLE	15.5	23.5	23.8	-0-	17.6	17.9	-0-	5.9	6.0	-0-
TINLEY PARK	25.3	6.8	6.8	-0-	2.3	2.3	-0-	13.6	13.7	-0-
URBANA	13.8	25.4	28.7	16.0	21.1	23.0	16.0	6.3	2.9	16.0
VILLA PARK	15.0	10.5	10.6	-0-	5.2	5.3	-0-	7.9	7.9	-0-
WAUKEGAN	21.6	20.6	22.9	12.5	17.0	18.3	12.5	14.9	17.4	6.3
WEST CHICAGO	21.4	16.3	16.6	-0-	16.3	16.6	-0-	32.5	33.2	-0-
WESTCHESTER	6.2	24.0	24.2	-0-	24.0	24.2	-0-	24.0	24.2	-0-
WESTERN SPRINGS	6.9	-0-	-0-	-0-	-0-	-0-	-0-	22.0	22.0	-0-
WHEATON	14.6	19.7	21.1	-0-	17.5	18.7	-0-	4.4	4.7	-0-
WHEELING	22.8	14.7	15.1	-0-	2.9	3.0	-0-	11.8	12.1	-0-
WILMETTE	6.8	-0-	-0-	-0-	-0-	-0-	-0-	9.1	9.4	-0-
WINNETKA	8.1	17.5	17.9	-0-	8.8	8.9	-0-	-0-	-0-	-0-
WOOD DALE	16.6	11.9	12.0	-0-	11.9	12.0	-0-	17.9	18.0	-0-
WOOD RIVER	15.9	9.4	9.4	-0-	9.4	9.4	-0-	14.2	14.2	-0-
WOODRIDGE	18.1	18.0	18.3	-0-	10.8	11.0	-0-	3.6	3.7	-0-
WOODSTOCK	14.4	39.0	39.7	-0-	39.0	39.7	-0-	6.5	6.6	-0-
WORTH	18.5	13.3	13.3	-0-	13.3	13.3	-0-	17.7	13.3	**
ZION	25.3	22.8	24.9	13.2	18.3	19.3	13.2	4.6	2.8	13.2

**RATE NOT COMPUTED.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
ILLINOIS. . .	177,848	14,001	7.87	176,533	99.26	2,424	13.6	257	1.4	937	5.3	40
ADAMS	1,045	74	7.08	1,044	99.90	19	18.2	--	-0-	5	4.8	1
ALEXANDER	216	15	6.94	214	99.07	2	9.3	1	4.6	4	18.5	1
BOND.	171	4	2.34	171	100.00	2	11.7	--	-0-	1	5.8	--
BOONE	512	39	7.62	511	99.80	11	21.5	--	-0-	4	7.8	--
BROWN	82	1	1.22	81	98.78	1	12.2	--	-0-	--	-0-	--
BUREAU.	507	37	7.30	507	100.00	7	13.8	2	3.9	--	-0-	--
CALHOUN	79	5	6.33	79	100.00	2	25.3	--	-0-	1	12.7	--
CARROLL	282	11	3.90	281	99.65	3	10.6	1	3.5	2	7.1	1
CASS.	246	14	5.69	245	99.59	5	20.3	--	-0-	1	4.1	--
CHAMPAIGN	2,701	182	6.74	2,694	99.74	36	13.3	3	1.1	15	5.6	1
CHRISTIAN	535	23	4.30	534	99.81	5	9.3	1	1.9	2	3.7	--
CLARK	170	7	4.12	169	99.41	3	17.6	--	-0-	2	11.8	--
CLAY.	197	17	8.63	197	100.00	4	20.3	--	-0-	2	10.2	--
CLINTON	450	38	8.44	450	100.00	3	6.7	--	-0-	2	4.4	--
COLES	673	50	7.43	673	100.00	10	14.9	2	3.0	6	8.9	--
COOK.	89,891	8,046	8.95	88,764	98.75	1,331	14.8	141	1.6	545	6.1	22
CRAWFORD.	237	21	8.86	237	100.00	--	-0-	--	-0-	3	12.7	--
CUMBERLAND. . . .	164	7	4.27	164	100.00	3	18.3	--	-0-	--	-0-	--
DE KALB	997	56	5.62	994	99.70	7	7.0	1	1.0	6	6.0	--
DE WITT	266	24	9.02	266	100.00	7	26.3	1	3.8	1	3.8	--
DOUGLAS	260	16	6.15	258	99.23	6	23.1	1	3.8	1	3.8	--
DU PAGE	7,441	402	5.40	7,413	99.62	72	9.7	8	1.1	26	3.5	1
EDGAR	330	27	8.18	329	99.70	4	12.1	--	-0-	2	6.1	--
EDWARDS	93	6	6.45	92	98.92	1	10.8	--	-0-	--	-0-	--
EFFINGHAM	422	28	6.64	422	100.00	4	9.5	--	-0-	1	2.4	--
FAYETTE	245	19	7.76	244	99.59	3	12.2	--	-0-	--	-0-	--
FORD.	177	16	9.04	176	99.44	--	-0-	1	5.6	1	5.6	--
FRANKLIN.	567	33	5.82	566	99.82	7	12.3	2	3.5	1	1.8	--
FULTON.	598	55	9.20	597	99.83	6	10.0	1	1.7	4	6.7	--
GALLATIN.	123	6	4.88	123	100.00	1	8.1	--	-0-	1	8.1	--
GREENE.	240	13	5.42	240	100.00	4	16.7	1	4.2	1	4.2	--
GRUNDY.	476	41	8.61	476	100.00	8	16.8	1	2.1	--	-0-	--
HAMILTON.	101	5	4.95	101	100.00	--	-0-	--	-0-	1	9.9	--
HANCOCK	296	15	5.07	295	99.66	2	6.8	1	3.4	3	10.1	1
HARDIN.	65	2	3.08	65	100.00	1	15.4	--	-0-	1	15.4	--
HENDERSON	109	6	5.50	109	100.00	2	18.3	--	-0-	--	-0-	--
HENRY	724	48	6.63	721	99.59	12	16.6	1	1.4	4	5.5	--
IROQUOIS.	473	20	4.23	471	99.58	10	21.1	1	2.1	3	6.3	--
JACKSON	717	61	8.51	714	99.58	16	22.3	--	-0-	2	2.8	--
JASPER.	141	8	5.67	141	100.00	1	7.1	1	7.1	--	-0-	--
JEFFERSON	505	40	7.92	504	99.80	8	15.8	--	-0-	1	2.0	--
JERSEY.	259	7	2.70	259	100.00	2	7.7	--	-0-	--	-0-	--
JO DAVIESS. . . .	349	16	4.58	347	99.43	3	8.6	--	-0-	1	2.9	--
JOHNSON	107	5	4.67	106	99.07	1	9.3	--	-0-	1	9.3	--
KANE.	4,472	289	6.46	4,463	99.80	66	14.8	4	0.9	21	4.7	--
KANKAKEE.	1,700	132	7.76	1,697	99.82	27	15.9	1	0.6	8	4.7	--
KENDALL	455	22	4.84	453	99.56	4	8.8	1	2.2	5	11.0	--
KNOX.	852	56	6.57	852	100.00	11	12.9	1	1.2	--	-0-	--
LAKE.	6,104	397	6.50	6,080	99.61	60	9.8	7	1.1	15	2.5	--
LA SALLE.	1,587	124	7.81	1,583	99.75	21	13.2	--	-0-	9	5.7	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
LAWRENCE. . . .	196	14	7.14	196	100.00	5	25.5	--	-0-	1	5.1	--
LEE.	533	27	5.07	532	99.81	6	11.3	1	1.9	1	1.9	--
LIVINGSTON. . .	549	41	7.47	549	100.00	8	14.6	--	-0-	1	1.8	--
LOGAN.	403	19	4.71	403	100.00	4	9.9	1	2.5	1	2.5	--
MCDONOUGH. . .	491	27	5.50	489	99.59	4	8.1	--	-0-	3	6.1	--
MCHENRY. . . .	1,745	106	6.07	1,742	99.83	25	14.3	3	1.7	9	5.2	--
MCLEAN.	1,580	111	7.03	1,578	99.87	26	16.5	1	0.6	8	5.1	--
MACON.	1,981	125	6.31	1,979	99.90	19	9.6	6	3.0	10	5.0	1
MACOUPIN. . . .	651	30	4.61	647	99.39	4	6.1	1	1.5	4	6.1	--
MADISON.	4,055	261	6.44	4,052	99.93	49	12.1	5	1.2	18	4.4	2
MARION.	607	54	8.90	606	99.84	7	11.5	1	1.6	2	3.3	--
MARSHALL. . . .	164	12	7.32	164	100.00	1	6.1	--	-0-	--	-0-	--
MASON.	252	23	9.13	250	99.21	4	15.9	--	-0-	1	4.0	--
MASSAC.	169	11	6.51	168	99.41	3	17.8	--	-0-	1	5.9	--
MENARD.	155	14	9.03	155	100.00	1	6.5	1	6.5	4	25.8	--
MERCER.	232	18	7.76	230	99.14	3	12.9	--	-0-	3	12.9	--
MONROE.	258	16	6.20	257	99.61	4	15.5	2	7.8	1	3.9	--
MONTGOMERY. . .	425	21	4.94	424	99.76	4	9.4	--	-0-	1	2.4	1
MORGAN.	468	27	5.77	468	100.00	6	12.8	2	4.3	3	6.4	--
MOULTRIE. . . .	155	4	2.58	154	99.35	1	6.5	--	-0-	2	12.9	--
OGLE.	634	36	5.68	629	99.21	8	12.6	3	4.7	2	3.2	--
PEORIA.	3,264	221	6.77	3,257	99.79	39	11.9	6	1.8	13	4.0	--
PERRY.	312	21	6.73	311	99.68	5	16.0	--	-0-	2	6.4	1
PIATT.	226	18	7.96	226	100.00	3	13.3	--	-0-	--	-0-	--
PIKE.	234	9	3.85	234	100.00	1	4.3	--	-0-	1	4.3	--
POPE.	48	3	6.25	48	100.00	1	20.8	--	-0-	--	-0-	--
PULASKI.	140	22	15.71	139	99.29	3	21.4	--	-0-	--	-0-	--
PUTNAM.	78	5	6.41	78	100.00	1	12.8	--	-0-	1	12.8	--
RANDOLPH. . . .	474	27	5.70	474	100.00	6	12.7	--	-0-	1	2.1	--
RICHLAND. . . .	222	22	9.91	222	100.00	7	31.5	--	-0-	1	4.5	--
ROCK ISLAND. . .	2,572	168	6.53	2,569	99.88	34	13.2	4	1.6	10	3.9	1
ST. CLAIR. . . .	5,267	530	10.06	5,260	99.87	62	11.8	9	1.7	25	4.7	2
SALINE.	301	22	7.31	299	99.34	5	16.6	--	-0-	--	-0-	--
SANGAMON. . . .	2,502	174	6.95	2,497	99.80	33	13.2	1	0.4	7	2.8	--
SCHUYLER. . . .	103	5	4.85	103	100.00	2	19.4	--	-0-	1	9.7	--
SCOTT.	89	10	11.24	89	100.00	2	22.5	--	-0-	--	-0-	--
SHELBY.	321	21	6.54	321	100.00	2	6.2	1	3.1	2	6.2	--
STARK.	94	5	5.32	94	100.00	1	10.6	--	-0-	--	-0-	--
STEPHENSON. . .	690	44	6.38	688	99.71	5	7.2	--	-0-	2	2.9	--
TAZEWELL. . . .	1,973	134	6.79	1,973	100.00	25	12.7	3	1.5	8	4.1	1
UNION.	225	16	7.11	224	99.56	3	13.3	--	-0-	--	-0-	1
VERMILION. . . .	1,520	117	7.70	1,517	99.80	16	10.5	2	1.3	9	5.9	1
WABASH.	176	6	3.41	176	100.00	--	-0-	--	-0-	--	-0-	--
WARREN.	336	24	7.14	336	100.00	2	6.0	1	3.0	2	6.0	--
WASHINGTON. . .	173	4	2.31	173	100.00	2	11.6	1	5.8	1	5.8	--
WAYNE.	230	8	3.48	230	100.00	1	4.3	1	4.3	1	4.3	--
WHITE.	177	21	11.86	177	100.00	6	33.9	1	5.6	--	-0-	--
WHITESIDE. . . .	1,097	77	7.02	1,097	100.00	15	13.7	2	1.8	4	3.6	--
WILL.	4,584	344	7.50	4,578	99.87	63	13.7	6	1.3	20	4.4	1
WILLIAMSON. . .	713	45	6.31	712	99.86	8	11.2	1	1.4	5	7.0	--
WINNEBAGO. . . .	4,178	276	6.61	4,170	99.81	47	11.2	5	1.2	27	6.5	--
WOODFORD. . . .	417	19	4.56	417	100.00	8	19.2	--	-0-	3	7.2	--
UNSPECIFIED. . .	--	--	-0-	--	-0-	--	-0-	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
 NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
 RATES PER 1,000 LIVE BIRTHS.

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS, 1927

CITY	TOTAL	L I V E B I R T H S		I N F A N T D E A T H S B Y A G E		M A T E R N A L D E A T H S						
		P R E M A T U R E B I R T H S		H O S P I T A L B I R T H S			U N D E R 7 D A Y S		7 T O 2 8 D A Y S		1 T O 1 1 M O N T H S	
		N U M B E R	P E R C E N T O F T O T A L	N U M B E R	P E R C E N T O F T O T A L		N U M B E R	R A T E	N U M B E R	R A T E	N U M B E R	R A T E
ADDISON	513	33	6.43	511	99.61	7	13.6	--	-0-	1	1.9	--
ALSIPI	303	14	4.62	301	99.34	3	9.9	--	-0-	1	3.3	--
ALTON	749	62	8.28	748	99.87	15	20.0	1	1.3	7	9.3	2
ARLINGTON HEIGHTS	879	33	3.75	876	99.66	11	12.5	--	-0-	4	4.6	--
AURORA	1,567	111	7.08	1,562	99.68	22	14.0	3	1.9	10	6.4	--
HELLFVILLE	605	40	6.61	605	100.00	5	8.3	2	3.3	2	3.3	--
HELLWOOD	238	13	5.46	237	99.58	2	8.4	--	-0-	2	8.4	--
HELVIDERE	311	24	7.72	310	99.68	8	25.7	--	-0-	--	-0-	--
HENSENVILLE	227	10	4.41	226	99.56	--	-0-	--	-0-	2	8.8	--
HEERWYN	516	23	4.46	513	99.42	3	5.8	--	-0-	1	1.9	--
BLOOMINGTON	695	50	7.19	694	99.86	12	17.3	1	1.4	2	2.9	--
BLUE ISLAND	472	32	6.78	470	99.58	10	21.2	--	-0-	1	2.1	--
BOLINGBROOK	475	31	6.53	475	100.00	3	6.3	--	-0-	1	2.1	--
BRADLEY	174	14	8.05	174	100.00	1	5.7	--	-0-	--	-0-	--
BRIDGEVIEW	261	14	5.36	261	100.00	5	19.2	--	-0-	1	3.8	--
BROCKFIELD	251	16	6.37	251	100.00	6	23.9	--	-0-	1	4.0	--
BUFFALO GROVE	355	21	5.92	354	99.72	3	8.5	--	-0-	1	2.8	--
BURBANK	388	17	4.38	387	99.74	4	10.3	--	-0-	--	-0-	--
CAROLINA	327	31	9.48	327	100.00	3	9.2	--	-0-	3	9.2	--
CALUMET CITY	435	31	7.13	433	99.54	5	11.6	--	-0-	4	9.2	1
CALUMET PARK	90	8	8.89	90	100.00	--	-0-	1	11.1	--	-0-	--
CANTON	204	21	10.29	204	100.00	2	9.8	--	-0-	1	4.9	--
CARRONDALE	226	23	10.18	226	100.00	6	26.5	--	-0-	1	4.4	--
CARPENTERSVILLE	479	26	5.43	479	100.00	--	-0-	1	2.1	2	4.2	--
CENTRALIA	274	30	10.95	274	100.00	4	14.6	1	3.6	1	3.6	--
CENTREVILLE	177	26	14.69	176	99.44	6	33.9	--	-0-	--	-0-	--
CHAMPAIGN	744	54	7.26	742	99.73	6	8.1	2	2.7	5	6.7	1
CHARLESTON	211	12	5.69	211	100.00	2	9.5	1	4.7	1	4.7	--
CHICAGO	60,082	6,160	10.25	59,082	98.34	985	16.5	118	2.0	434	7.2	19
CHICAGO HEIGHTS	884	78	8.82	883	99.89	14	15.8	--	-0-	4	4.5	--
CICERO	857	61	7.12	854	99.65	11	12.8	1	1.2	4	4.7	--
COLLINSVILLE	295	14	4.75	295	100.00	3	10.2	--	-0-	1	3.4	--
CRYSTAL LAKE	238	17	7.14	237	99.58	2	8.4	--	-0-	2	8.4	--
DANVILLE	746	69	9.25	745	99.87	10	13.4	1	1.3	4	5.4	--
DE KALB	347	18	5.19	346	99.71	3	8.6	--	-0-	2	5.8	--
DECATUR	1,576	101	6.41	1,574	99.87	17	10.8	6	3.8	8	5.1	1
DEERFIELD	216	10	4.63	216	100.00	1	4.6	--	-0-	1	4.6	--
DES PLAINES	890	57	6.40	887	99.66	11	12.4	1	1.1	4	4.5	--
DIXON	228	15	6.58	228	100.00	3	13.2	1	4.4	--	-0-	--
DOLTON	330	24	7.27	329	99.70	5	15.2	--	-0-	--	-0-	--
DOWNS GROVE	559	23	4.11	559	100.00	7	12.5	1	1.8	--	-0-	--
EAST MOLINE	310	21	6.77	310	100.00	4	12.9	--	-0-	3	9.7	--
EAST PEORIA	338	16	4.73	338	100.00	2	6.5	--	-0-	3	8.9	--
EAST ST LOUIS	1,955	268	13.71	1,951	99.80	21	10.7	5	2.6	16	8.2	1
EDWARDSVILLE	149	7	4.70	149	100.00	1	6.7	--	-0-	1	6.7	--
EFFINGHAM	165	15	9.09	165	100.00	2	12.1	--	-0-	1	6.1	--
ELGIN	1,079	76	7.04	1,078	99.91	23	21.3	--	-0-	7	6.5	--
ELK GROVE	339	23	6.78	338	99.71	2	5.9	--	-0-	--	-0-	--
ELMHURST	533	31	5.82	528	99.06	5	9.4	--	-0-	1	1.9	--
ELMWOOD PARK	307	20	6.51	306	99.67	2	6.5	--	-0-	1	3.3	--
EVANSTON	964	80	8.30	950	98.55	23	23.9	--	-0-	3	3.1	--
EVERGREEN PARK	169	5	2.96	168	99.41	--	-0-	1	5.9	1	5.9	--
FAIRVIEW HEIGHTS	128	5	3.91	128	100.00	1	7.8	--	-0-	--	-0-	--
FOREST PARK	244	13	5.33	243	99.59	--	-0-	--	-0-	1	4.1	--
FRANKLIN PARK	265	21	7.92	264	99.62	4	15.1	1	3.8	--	-0-	--
FREEPORT	427	21	4.92	425	99.53	1	2.3	--	-0-	2	4.7	--
GALESBURG	507	34	6.71	507	100.00	8	15.8	1	2.0	--	-0-	--
GLEN ELLYN	328	22	6.71	325	99.09	5	15.2	--	-0-	1	3.0	--
GLENCOE	65	2	3.08	65	100.00	--	-0-	--	-0-	--	-0-	--
GLENDALE HEIGHTS	240	16	6.67	240	100.00	3	12.5	--	-0-	1	4.2	--
GLENVIEW	375	16	4.27	374	99.73	3	8.0	--	-0-	1	2.7	--
GRANITE CITY	686	46	6.71	685	99.85	9	13.1	1	1.5	4	5.8	--
HANOVER PARK	479	27	5.64	477	99.58	7	14.6	1	2.1	--	-0-	--
HARVEY	831	90	10.83	828	99.64	17	20.5	1	1.2	7	8.4	1
HAZEL CREST	218	15	6.88	217	99.54	2	9.2	--	-0-	1	4.6	--
HICKORY HILLS	226	9	3.98	226	100.00	2	8.8	--	-0-	--	-0-	--
HIGHLAND PARK	262	14	5.34	261	99.62	--	-0-	--	-0-	--	-0-	--
HINSDALE	200	9	4.50	200	100.00	5	25.0	--	-0-	--	-0-	--
HOFFMAN ESTATES	540	27	5.00	536	99.26	5	9.2	--	-0-	2	3.7	--
HOMEWOOD	175	8	4.57	175	100.00	3	17.1	--	-0-	--	-0-	--
JACKSONVILLE	278	17	6.12	278	100.00	2	10.8	1	3.6	2	7.2	--
JOLIET	1,423	117	8.22	1,423	100.00	22	15.5	2	1.4	8	5.6	1
KANKAKEE	617	59	9.56	616	99.84	11	17.8	--	-0-	4	6.5	--
KENANE	158	20	10.10	197	99.49	4	20.2	--	-0-	2	10.1	--
LA GRANGE	194	11	5.67	192	99.97	4	20.6	--	-0-	1	5.2	--
LA GRANGE PARK	136	5	3.68	136	100.00	--	-0-	--	-0-	--	-0-	--
LA SALLE	131	9	6.87	130	99.24	2	15.3	--	-0-	--	-0-	--
LAKE FOREST	94	2	2.13	94	100.00	--	-0-	--	-0-	--	-0-	--
LANSING	286	13	4.55	286	100.00	5	17.5	--	-0-	--	-0-	--
LIBERTYVILLE	169	8	4.73	169	100.00	2	11.8	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
 NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
 RATES PER 1,000 LIVE BIRTHS.

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED

CITY	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS	
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
LINCOLN	226	9	3.98	226	100.00	3	13.3	--	-0-	--	-0-
LINCOLNWOOD	57	4	7.02	57	100.00	--	-0-	--	-0-	--	-0-
LOMBARD	487	27	5.54	482	98.97	3	6.2	--	-0-	2	4.1
LOVE'S PARK	223	17	7.62	223	100.00	3	13.5	--	-0-	3	13.5
LYONS	150	4	2.67	149	99.33	2	13.3	--	-0-	--	-0-
MACOMB	202	10	4.95	201	99.50	3	14.5	--	-0-	2	9.9
MARION	179	12	6.70	178	99.44	2	11.2	--	-0-	1	5.6
MARSHAM	287	29	10.10	284	98.95	7	24.4	--	-0-	3	10.5
MATTOON	281	24	8.54	281	100.00	4	14.2	1	3.6	4	14.2
MAYWOOD	558	63	11.29	556	99.64	13	23.3	2	3.6	6	10.8
MELROSE PARK	558	36	6.45	557	99.82	10	17.9	--	-0-	--	-0-
MIDLOTHIAN	237	18	7.59	237	100.00	8	33.8	1	4.2	2	8.4
MCLINE	662	39	5.89	662	100.00	7	10.6	1	1.5	1	1.5
MONMOUTH	179	19	10.61	179	100.00	2	11.2	1	5.6	2	11.2
MORTON GROVE	154	10	6.45	154	100.00	1	6.5	--	-0-	--	-0-
MORTON	175	11	6.29	175	100.00	1	5.7	--	-0-	--	-0-
MOUNT PROSPECT	550	26	4.73	549	99.82	7	12.7	1	1.8	2	3.6
MOUNT VERNON	283	27	9.54	283	100.00	5	17.7	--	-0-	1	3.5
MUNDELEIN	292	20	6.85	290	99.32	9	30.8	--	-0-	1	3.4
MURPHYSBORO	135	9	6.67	135	100.00	5	37.0	--	-0-	--	-0-
NAPERVILLE	262	19	7.25	261	99.62	3	11.5	--	-0-	1	3.8
NILES	287	11	3.83	287	100.00	1	3.5	--	-0-	--	-0-
NORMAL	325	25	7.69	325	100.00	3	9.2	--	-0-	3	9.2
NORRIDGE	115	10	8.70	115	100.00	1	8.7	1	8.7	--	-0-
NORTH CHICAGO	346	31	8.96	346	100.00	4	11.6	--	-0-	--	-0-
NORTH LAKE	177	7	3.95	177	100.00	--	-0-	--	-0-	--	-0-
NORTHROOK	317	21	6.62	317	100.00	2	6.3	--	-0-	--	-0-
OAK FOREST	404	23	5.69	404	100.00	2	5.0	--	-0-	--	-0-
OAK LAWN	672	43	6.40	668	99.40	11	16.4	1	1.5	2	3.0
OAK PARK	674	39	5.79	662	98.22	2	3.0	2	3.0	4	5.9
OTTAWA	249	16	6.43	249	100.00	--	-0-	--	-0-	--	-0-
PALATINE	434	28	6.45	430	99.08	3	6.9	--	-0-	1	2.3
PARIS	150	12	8.00	150	100.00	2	13.3	--	-0-	1	6.7
PARK FOREST	492	23	4.67	488	99.19	5	10.2	1	2.0	1	2.0
PARK RIDGE	329	12	3.65	328	99.70	2	6.1	--	-0-	2	6.1
PEKIA	550	32	5.82	550	100.00	8	14.5	1	1.8	1	1.8
PEORIA	2,203	162	7.35	2,197	99.73	23	10.4	4	1.8	12	5.4
PERU	150	7	4.67	149	99.33	--	-0-	--	-0-	--	-0-
PONTIAC	134	13	9.70	134	100.00	1	7.5	--	-0-	--	-0-
QUINCY	644	47	7.30	644	100.00	12	18.6	--	-0-	4	6.2
RANTOUL	618	41	6.63	618	100.00	12	19.4	--	-0-	2	3.2
RIVER FOREST	95	6	6.32	94	98.95	--	-0-	--	-0-	--	-0-
RIVER GROVE	187	3	1.60	186	99.47	--	-0-	--	-0-	1	5.3
RIVERDALE	233	11	4.72	231	99.14	2	8.6	--	-0-	2	8.6
RIVERSIDE	86	8	9.30	85	98.84	--	-0-	--	-0-	--	-0-
ROCK FALLS	243	22	9.05	243	100.00	6	24.7	1	4.1	--	-0-
ROCK ISLAND	780	66	8.46	778	99.74	17	21.8	3	3.8	3	3.8
ROCKFORD	2,657	184	6.93	2,652	99.81	29	10.9	3	1.1	17	6.4
ROLLING MEADOWS	383	19	4.96	382	99.74	3	7.8	1	2.6	--	-0-
ROSEMONT	230	21	9.13	229	99.57	3	13.0	--	-0-	1	4.3
SCHAUMBURG	552	27	4.89	551	99.82	6	10.9	--	-0-	--	-0-
SCHILLER PARK	194	8	4.12	194	100.00	2	10.3	--	-0-	--	-0-
SKOKIE	556	42	7.55	553	99.46	7	12.6	--	-0-	--	-0-
SOUTH HOLLAND	210	9	4.29	210	100.00	1	4.8	--	-0-	--	-0-
SPRINGFIELD	1,501	128	8.53	1,500	99.93	29	19.3	--	-0-	4	2.7
ST CHARLES	213	11	5.16	213	100.00	2	9.4	--	-0-	--	-0-
STERLING	321	23	7.17	321	100.00	6	18.7	--	-0-	4	12.5
STREAMWOOD	501	18	3.59	501	100.00	3	6.0	1	2.0	2	4.0
STREATOR	273	26	9.52	273	100.00	6	22.0	--	-0-	2	7.3
SUMMIT	231	22	9.52	228	98.70	4	17.2	--	-0-	--	-0-
TAYLORVILLE	170	9	5.29	170	100.00	3	17.6	--	-0-	1	5.9
TINLEY PARK	441	28	6.35	440	99.77	1	2.3	--	-0-	2	4.5
URBANA	473	36	7.61	471	99.58	10	21.1	--	-0-	2	4.2
VILLA PARK	382	18	4.71	382	100.00	2	5.2	--	-0-	2	5.2
WAUKEMAN	1,410	101	7.16	1,406	99.72	21	14.9	3	2.1	5	3.5
WEST CHICAGO	246	23	9.35	245	99.59	3	12.2	1	4.1	--	-0-
WESTCHESTER	125	4	3.20	124	99.20	3	24.0	--	-0-	--	-0-
WESTERN SPRINGS	91	6	6.59	91	100.00	--	-0-	--	-0-	--	-0-
WHEATON	457	16	3.50	455	99.56	8	17.5	--	-0-	1	2.2
WHEELING	340	22	6.47	340	100.00	1	2.9	--	-0-	4	11.8
WILMETTE	219	14	6.39	219	100.00	--	-0-	--	-0-	--	-0-
WINNETKA	114	4	3.51	113	99.12	1	8.8	--	-0-	1	8.8
WOOD DALE	168	9	5.36	167	99.40	2	11.9	--	-0-	--	-0-
WOOD RIVER	212	12	5.66	212	100.00	2	9.4	--	-0-	--	-0-
WOODRIDGE	278	19	6.83	276	99.28	3	10.8	--	-0-	2	7.2
WOODSTOCK	154	8	5.19	153	99.35	6	39.0	--	-0-	--	-0-
WORTH	226	9	3.98	224	99.12	2	8.8	1	4.4	--	-0-
ZION	438	42	9.59	436	99.54	5	11.4	3	6.8	2	4.6

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 2. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ILLINOIS.	2,458	789	277	245	100	141	232	211	154	58	51
ADAMS.	13	5	3	--	1	--	2	--	2	--	--
ALEXANDER.	1	--	--	--	--	--	1	--	--	--	--
BOND.	5	1	--	--	--	--	--	--	--	--	--
BOONE.	10	4	1	--	--	1	2	--	1	--	--
BROWN.	--	--	--	--	--	--	--	--	--	--	--
BUREAU.	1	1	--	--	--	--	--	--	--	--	--
CALHOUN.	1	--	--	--	--	--	--	1	--	--	--
CARROLL.	5	--	1	--	--	2	--	--	1	--	1
CASS.	1	--	--	--	--	--	--	--	--	--	--
CHAMPAIGN.	18	4	2	2	2	--	4	1	1	1	1
CHRISTIAN.	4	--	1	--	--	--	1	1	1	--	--
CLARK.	1	--	--	--	--	--	1	--	--	--	--
CLAY.	--	--	--	--	--	--	--	--	--	--	--
CLINTON.	7	2	3	--	--	--	--	--	--	--	--
COLES.	6	1	2	--	1	1	--	--	--	1	--
COOK.	1,383	526	177	147	56	85	120	117	75	24	27
CRAWFORD.	2	--	--	--	1	1	--	--	--	--	--
CUMBERLAND.	1	--	--	--	--	--	--	--	--	--	1
DE KALB.	9	2	--	--	--	--	1	2	3	--	1
DE WITT.	4	--	--	--	1	1	1	--	--	--	--
DOUGLAS.	3	--	--	--	--	1	--	2	--	--	--
DUPAGE.	43	25	10	7	3	7	12	5	7	4	--
EDGAR.	5	1	--	--	--	--	--	1	1	--	2
EDWARDS.	--	--	--	--	--	--	--	--	--	--	--
EFFINGHAM.	--	--	--	--	--	--	--	--	--	--	--
FAYETTE.	1	--	--	--	--	--	--	--	--	--	--
FORD.	3	1	--	--	--	1	--	--	1	--	--
FRANKLIN.	7	2	1	1	--	--	1	2	--	--	--
FULTON.	6	2	--	--	--	--	1	2	--	1	--
GALLATIN.	2	1	--	--	--	--	--	--	--	--	--
GREENE.	5	3	--	--	--	--	2	--	--	--	--
GRUNDY.	4	--	--	1	--	--	--	--	2	--	--
HAMILTON.	--	--	--	--	--	--	--	--	--	--	--
HANCOCK.	2	--	--	--	--	--	1	--	--	1	--
HARDIN.	--	--	--	--	--	--	--	--	--	--	--
HENDERSON.	--	--	--	--	--	--	--	--	--	--	--
HENRY.	10	3	--	1	1	1	1	2	--	1	--
INDIAN.	2	--	--	--	--	--	1	1	--	--	--
JACKSON.	12	5	--	--	--	1	2	--	--	2	--
JASPER.	1	--	--	--	--	--	--	--	1	--	--
JEFFERSON.	5	2	--	--	--	2	--	1	--	--	--
JERSEY.	--	--	--	--	--	--	--	--	--	--	--
JO DAVIESS.	3	1	--	--	--	--	1	1	--	--	--
JOHNSON.	--	--	--	--	--	--	--	--	--	--	--
KANE.	54	12	5	3	2	3	3	4	5	--	2
KANKAKEE.	18	9	6	1	--	--	2	--	3	1	1
KENDALL.	2	--	1	--	--	--	--	1	--	--	--
KNOX.	2	1	3	1	--	--	1	2	--	--	--
LAKE.	66	12	8	11	3	1	8	3	5	2	3
LA SALLE.	10	7	--	3	--	2	1	1	1	--	--

TABLE 2. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972-CONTINUED

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	FETUS WEIGHT IN GRAMS										
	TOTAL FETAL DEATHS	UNDER 1001- GRAMS	1001- 1500- GRAMS	1501- 2000- GRAMS	2001- 2250- GRAMS	2251- 2500- GRAMS	2501- 3000- GRAMS	3001- 3500- GRAMS	3501- 4000- GRAMS	4001- 4500- GRAMS	4501- AND OVER
LAWRENCE	1	--	--	1	--	--	--	--	--	--	--
LEE	1	--	--	1	--	1	1	1	--	--	--
LIVINGSTON	1	--	2	1	2	1	1	1	1	--	--
LOGAN	1	1	1	--	1	--	1	1	1	1	--
MC DONOUGH	1	--	--	--	1	--	1	1	--	--	--
MC HENRY	14	9	1	2	2	1	3	3	1	1	--
MC LEAN	1	2	--	3	1	--	3	1	1	--	--
MACON	23	5	3	2	--	2	3	1	1	1	1
MACOMB	6	1	--	1	--	--	1	--	2	--	1
MADISON	34	14	5	4	--	1	4	2	--	1	--
MARTIN	3	1	1	--	--	1	1	2	--	--	1
MARSHALL	1	--	--	--	--	2	--	--	--	--	--
MASON	7	2	--	1	--	--	--	1	--	--	1
MASSAC	5	2	2	--	--	--	--	--	1	--	--
MENARD	3	1	--	--	--	--	--	2	--	--	--
MERCER	2	--	--	--	--	--	--	2	--	--	--
MONROE	7	1	--	--	2	1	1	--	2	--	--
MONTGOMERY	4	--	--	2	--	1	1	1	1	2	--
MORGAN	14	2	1	--	--	1	2	3	1	--	--
MOUTH OF	2	--	--	--	--	1	--	--	--	--	1
OGLE	6	1	--	1	1	--	1	--	1	--	--
PEORIA	44	13	6	5	--	3	3	6	5	1	1
PERCY	6	2	--	--	--	--	--	1	--	1	1
PIATT	5	2	--	1	--	--	1	1	1	--	--
PIKE	3	1	--	--	--	--	1	1	--	--	--
POPE	1	--	--	--	--	--	--	--	--	1	--
PULASKI	3	2	--	1	--	--	--	--	--	--	--
PUTNAM	2	1	--	1	--	--	--	--	--	1	--
RANDOLPH	6	1	1	2	--	--	--	1	1	--	--
RICHARD	4	1	1	--	--	--	1	--	--	1	--
ROCK ISLAND	31	6	7	5	--	1	2	3	4	2	--
ST. CLAIR	26	23	11	11	5	2	9	3	7	4	1
SALINE	1	--	--	2	--	--	--	--	--	--	--
SANGAMON	25	11	2	2	2	1	2	2	1	--	1
SCHUYLER	2	1	--	--	--	1	--	--	--	--	--
SCOTT	1	--	--	1	--	--	--	--	--	--	--
SHELBY	5	1	1	--	1	--	1	--	--	--	1
STARK	1	--	--	--	--	--	1	1	--	--	--
STEPHENSON	6	1	1	1	1	--	--	1	1	--	--
TAZEWELL	13	9	--	1	1	3	3	--	1	1	--
UNION	--	--	--	--	--	--	--	--	--	--	--
VERMILION	13	3	1	1	--	--	2	2	1	--	--
WARASH	1	--	--	1	--	--	--	--	--	--	--
WARDEN	6	3	--	--	--	1	--	--	--	--	--
WASHINGTON	1	1	--	--	--	--	--	1	--	--	--
WAYNE	1	--	--	--	1	--	--	--	--	--	--
WHITE	1	1	1	--	--	--	--	--	--	--	--
WHITESTEAD	13	--	--	1	--	1	1	3	1	--	--
WILL	15	15	2	4	4	1	5	5	5	1	1
WILLIAMSON	7	--	--	2	1	--	2	1	--	1	--
WINNEBAGO	6	2	3	1	1	1	4	6	3	1	1
WOODFORD	1	--	--	1	1	1	--	1	--	--	--
WYANDOTT	1	--	--	--	--	--	--	--	--	--	--

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972

CITY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ADDISON	5	2	1	--	--	--	--	2	--	--	--
ALSTIP	2	--	--	1	--	--	--	--	1	--	--
ALTON	8	5	--	1	--	--	1	1	--	--	--
AHLIACHTON HEIGHTS	13	3	2	1	--	1	3	2	--	--	1
ALCORA	20	2	1	--	--	2	--	1	3	--	1
HELLFVILLE	10	3	--	2	3	--	1	--	1	--	--
PELLWOOD	1	--	--	--	--	--	--	1	--	--	--
PELLVIOFRE	6	3	1	--	--	--	--	--	1	--	--
HEMSENVILLE	5	1	1	1	1	--	--	1	--	--	--
HERNRY	7	2	2	1	1	--	1	--	--	--	--
HLOOMINGTON	9	5	--	2	--	--	2	--	--	--	--
HLOE ISLAND	3	--	--	--	1	1	1	--	--	--	--
ROLINGBROOK	5	2	--	1	--	--	--	1	1	--	--
HRADEY	2	--	1	--	--	--	--	--	1	--	--
HRIIDGEVIEW	4	--	--	1	1	--	--	1	--	--	--
HROCKFIELD	3	1	--	--	--	1	--	--	1	--	--
HUFFALO GROVE	4	4	--	--	--	--	--	--	--	--	--
HURBANK	6	2	--	4	--	--	--	--	--	--	--
HAMCKIA	2	--	--	--	--	--	--	1	1	--	--
HALUMET CITY	3	2	--	--	--	--	--	--	1	--	--
HALLMET PARK	2	1	--	--	--	--	--	--	1	--	--
HANTON	4	2	--	--	--	--	--	1	--	1	--
HARRONDALE	2	1	--	--	--	--	--	--	--	1	--
HARFENTERSVILLE	3	1	1	--	--	--	--	--	1	--	--
HENTRALIA	3	--	1	--	--	--	--	1	--	--	--
HENTREVIEW	1	--	--	1	--	--	--	--	--	--	--
HCHAMPAIN	5	2	1	1	--	--	--	1	--	--	--
HCHARLESTON	2	--	--	--	--	1	--	--	--	1	--
HCHICAGO	1,037	402	142	104	40	62	89	81	50	21	20
HCHICAGO HEIGHTS	18	7	1	2	--	1	1	1	1	1	2
HICERO	15	7	2	1	1	1	1	1	--	--	1
HOLLINSVILLE	4	2	1	--	--	--	1	--	--	--	--
HCRYSTAL LAKE	3	--	--	1	--	--	1	1	--	--	--
HANVILLE	7	1	--	--	--	--	1	2	1	--	--
HDE KALP	4	2	--	--	--	--	--	1	--	--	1
HDECATUR	18	6	2	2	--	2	2	1	1	1	1
HDEERFIELD	1	--	1	--	--	--	--	--	--	--	--
HDES PLAINES	9	3	1	2	1	--	--	2	--	--	--
HDEXON	4	3	--	--	--	--	--	1	--	--	--
HDLTON	2	--	--	--	--	--	1	--	1	--	--
HDOWNERS GROVE	6	3	--	--	--	--	1	--	2	--	--
HFAST MOLINE	4	1	--	2	--	--	1	--	--	--	--
HFAST PEORIA	1	--	--	--	--	1	--	--	--	--	--
HFAST ST LOUIS	50	17	8	8	2	1	5	2	4	2	1
HEDWARDSVILLE	1	--	--	1	--	--	--	--	--	--	--
HFEERINGHAM	--	--	--	--	--	--	--	--	--	--	--
HFLGIN	17	8	2	1	2	1	1	1	--	--	--
HFK GROVE	4	1	--	--	--	--	2	1	--	--	--
HFMHURST	8	2	3	--	1	1	--	--	1	--	--
HFMWOOD PARK	2	2	--	--	--	--	--	--	--	--	--
HVANSTON	12	5	--	3	--	1	--	1	--	--	--
HVERGREEN PARK	2	--	--	--	1	--	--	1	--	--	--
HFAIRVIEW HEIGHTS	2	--	1	--	--	1	--	--	--	--	--
HFOREST PARK	4	1	--	1	--	--	1	1	--	--	--
HFRANKLIN PARK	4	2	--	1	--	--	--	1	--	--	--
HFREEPORT	4	1	1	--	1	--	--	1	--	--	--
HGALESBURG	5	1	2	1	--	--	--	1	--	--	--
HGLEA ELLYN	2	1	1	--	--	--	--	--	--	--	--
HGLEACOF	2	1	--	--	--	--	--	--	1	--	--
HGLENDALE HEIGHTS	2	--	--	--	--	--	1	--	--	1	--
HGLEAVIEW	1	--	--	--	--	--	1	--	--	--	--
HGRANITE CITY	2	--	1	--	--	1	--	--	--	--	--
HGRANVIEW PARK	5	2	1	--	--	--	--	1	--	--	--
HGRVVEY	14	4	2	2	1	--	1	1	1	--	2
HHAZEL CREST	3	1	--	1	--	--	--	1	--	--	--
HICKORY HILLS	2	--	1	--	--	1	--	--	--	--	--
HIGHLAND PARK	2	--	2	--	--	--	--	--	--	--	--
HINDSDALE	1	--	--	--	--	--	1	--	--	--	--
HHOFFMAN ESTATES	7	3	1	--	--	--	1	--	2	--	--
HHOMEWOOD	2	1	--	1	--	--	--	--	--	--	--
HJACKSONVILLE	5	1	1	--	--	--	1	1	1	--	--
HJOLIET	19	6	--	1	2	--	2	--	--	1	--
HKANKAKEE	6	2	1	--	--	--	1	--	2	--	--
HKEWAKEE	5	2	--	1	--	--	1	1	--	--	--
HLA GRANGE	4	1	--	--	--	--	1	1	1	--	--
HLA GRANGE PARK	1	1	--	--	--	--	--	--	--	--	--
HLA TALLE	4	1	--	1	--	2	--	--	--	--	--
HLAKE FOREST	1	--	--	--	1	--	--	--	--	--	--
HLANJING	4	2	--	--	1	--	--	1	--	--	--

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED

CITY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LIBERTYVILLE	3	1	--	1	--	--	--	--	1	--	--
LINCOLN	4	--	1	--	1	--	--	1	1	--	--
LINCOLNWOOD	--	--	--	--	--	--	--	--	--	--	--
LOMPARD	10	2	2	1	--	2	2	1	--	--	--
LOVES PARK	2	--	1	1	--	--	--	--	--	--	--
LYONS	--	--	--	--	--	--	--	--	--	--	--
MACOMB	1	--	--	--	--	--	1	--	--	--	--
MARION	3	--	--	2	--	--	1	--	--	--	--
MARKHAM	4	1	--	1	--	1	1	--	--	--	--
MATTOON	1	--	1	--	--	--	--	--	--	--	--
MAYWOOD	10	6	--	--	1	1	--	1	--	--	--
MELROSE PARK	4	1	1	1	--	--	--	1	--	--	--
MIDLOTHIAN	1	--	--	--	--	--	--	1	--	--	--
MOLINE	11	2	4	1	--	1	--	--	1	1	--
MONMOUTH	--	--	--	--	--	--	--	--	--	--	--
MORTON GROVE	--	--	--	--	--	--	--	--	--	--	--
MORTON	--	--	--	--	--	--	--	--	--	--	--
MOUNT PROSPECT	5	1	1	2	--	2	2	--	1	--	--
MOUNT VERNON	3	1	--	--	--	1	--	1	--	--	--
MUNCIELEIN	2	--	1	--	--	--	--	--	--	--	--
MURPHYSBORO	--	--	--	--	--	--	--	--	--	--	--
NAPERVILLE	1	--	--	1	--	--	--	--	--	--	--
NILES	7	3	1	1	--	1	--	--	1	--	--
NORMAL	1	--	--	1	--	--	--	--	--	--	--
NORRIDGE	1	--	--	--	--	--	1	--	--	--	--
NORTH CHICAGO	5	2	--	1	--	--	--	1	--	--	--
NORTH LAKE	4	1	2	1	--	--	--	--	--	--	--
NORTHBROOK	6	2	2	--	--	--	1	1	--	--	--
OAK FOREST	7	2	1	--	--	3	--	--	--	--	--
OAK LAWN	4	--	1	1	--	--	--	1	1	--	--
OAK PARK	5	2	1	1	--	1	--	--	--	--	--
OTTAWA	3	1	--	1	--	--	--	1	--	--	--
PALATINE	5	1	--	1	--	1	1	--	1	--	--
PARIS	3	1	--	--	--	--	--	1	--	--	1
PARK FOREST	5	2	1	--	1	--	--	--	1	--	--
PARK RIDGE	3	--	1	--	1	--	--	--	1	--	--
PEKIN	7	3	--	--	--	1	1	--	1	1	--
PEORIA	34	10	5	5	--	1	2	5	3	1	1
PERU	--	--	--	--	--	--	--	--	--	--	--
PONTIAC	3	--	1	1	--	--	--	--	--	--	--
QUINCY	8	2	2	--	1	--	1	--	2	--	--
RANTOUL	3	--	--	1	--	--	--	--	--	1	1
RIVER FOREST	--	--	--	--	--	--	--	--	--	--	--
RIVER GROVE	3	2	--	--	--	--	--	--	--	--	1
RIVERDALE	1	1	--	--	--	--	--	--	--	--	--
RIVERSIDE	2	--	--	--	--	1	--	--	--	1	--
ROCK FALLS	3	--	--	--	--	--	2	--	--	--	--
ROCK ISLAND	9	2	1	2	--	1	3	--	--	--	--
ROCKFORD	22	5	1	2	2	2	3	3	2	1	1
ROLLING MEADOWS	3	1	--	1	--	1	--	--	--	--	--
ROMEOVILLE	4	2	--	--	--	--	--	--	--	--	--
SCHALMBURG	5	2	--	--	--	1	--	2	--	--	--
SCHILLER PARK	4	1	--	--	--	1	1	--	1	--	--
SKOKIE	4	2	1	--	--	--	--	1	--	--	--
SOUTH HOLLAND	1	--	--	--	1	--	--	--	--	--	--
SPRINGFIELD	17	6	1	2	1	1	1	2	1	--	1
ST CHARLES	1	--	--	--	--	--	--	1	--	--	--
STERLING	6	2	--	2	--	--	--	1	1	--	--
STREAMWOOD	6	2	2	1	--	--	1	--	--	--	--
STREATOR	2	--	--	1	--	--	--	--	1	--	--
SUMMIT	4	2	--	--	--	--	2	--	--	--	--
TAYLORVILLE	1	--	--	--	--	--	--	--	1	--	--
TINLEY PARK	6	--	1	--	--	--	1	1	3	--	--
URBANA	3	2	--	--	--	--	--	--	1	--	--
VILLA PARK	3	2	--	--	--	1	--	--	--	--	--
WAUKEGAN	21	6	2	3	1	--	1	2	1	1	3
WEST CHICAGO	8	5	--	--	--	--	1	--	--	1	--
WESTCHESTER	3	1	--	--	--	--	--	2	--	--	--
WESTERN SPRINGS	2	1	--	--	--	--	1	--	--	--	--
WHEATON	2	1	--	1	--	--	--	--	--	--	--
WHEELING	4	2	1	--	--	--	--	--	1	--	--
WILMETT	2	1	--	--	--	--	1	--	--	--	--
WINNETKA	--	--	--	--	--	--	--	--	--	--	--
WOOD DALE	3	--	1	--	--	--	1	--	--	--	--
WOOD RIVER	3	1	--	--	--	--	1	--	1	1	--
WOODRIDGE	1	1	--	--	--	--	--	--	--	--	--
WOODSTOCK	1	--	--	--	--	1	--	--	--	--	--
WORTH	4	1	1	--	1	1	--	--	--	--	--
ZION	2	1	--	--	--	--	1	--	--	--	--

TABLE MA. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P E R M A T U R F					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS. . .	177,848	1,137	1,209	2,756	2,835	6,064	32,925	67,524	47,152	13,646	2,539
ADAMS	1,045	5	10	10	18	31	169	344	335	104	19
ALEXANDER	216	--	2	3	3	7	40	94	44	21	2
BOND	171	--	1	--	2	1	21	64	56	20	6
BOONE	512	4	5	1	10	19	90	175	140	52	15
BROWN	82	--	--	1	--	--	12	28	29	7	4
BUREAU	507	3	1	8	6	19	63	190	155	55	6
CALHOUN	79	--	--	1	1	3	6	26	28	14	--
CARROLL	282	1	1	1	2	6	42	100	90	33	6
CASS	246	1	4	2	3	4	36	97	64	30	4
CHAMPAIGN	2,701	12	7	42	32	89	456	1,035	789	201	38
CHRISTIAN	535	2	3	5	2	11	100	203	148	51	10
CLARK	170	--	1	2	2	2	20	63	53	23	4
CLAY	197	3	1	5	4	4	23	87	48	18	4
CLINTON	450	2	2	6	7	21	73	137	133	57	12
COLES	673	3	3	7	11	26	118	225	211	61	8
COOK	89,891	681	726	1,642	1,621	3,376	18,405	34,463	21,991	5,885	1,073
CRAWFORD	237	1	2	2	5	11	40	86	72	17	1
CUMBERLAND	164	2	2	--	2	1	24	68	47	16	2
DE KALB	997	4	6	5	11	30	159	378	291	95	18
DE WITT	266	2	4	2	4	12	44	107	71	17	3
DOUGLAS	260	3	2	2	2	7	33	97	75	32	5
DU PAGE	7,441	22	42	88	70	180	1,150	2,898	2,221	651	118
EDGAR	330	1	3	7	6	10	36	129	94	31	12
EDWARDS	93	--	--	1	1	4	11	36	29	6	5
EFFINGHAM	422	2	1	8	7	10	52	135	146	49	12
FAYETTE	245	2	--	1	7	9	34	85	81	20	6
FORD	177	--	2	1	4	9	20	70	45	21	5
FRANKLIN	567	3	2	8	4	16	81	199	187	55	12
FULTON	594	3	3	14	11	24	98	217	157	53	18
GALLATIN	123	--	1	2	1	2	19	49	40	8	1
GRENE	240	1	--	2	7	3	48	82	70	26	1
GRUNDY	476	4	4	7	7	19	60	178	138	48	11
HAMILTON	101	--	--	3	--	2	13	49	23	7	4
HANCOCK	246	--	2	3	5	5	46	102	89	37	7
HARDIN	65	--	--	1	--	1	16	23	20	3	1
HENDERSON	109	2	--	--	1	3	15	40	37	11	--
HENRY	724	6	4	9	12	17	104	266	220	75	11
IROQUOIS	473	3	1	4	3	9	75	153	149	58	17
JACKSON	717	5	8	14	21	13	112	284	199	52	8
JASPER	141	1	1	2	1	3	31	53	33	12	4
JEFFERSON	505	4	3	7	11	15	85	178	143	52	7
JERSEY	254	1	--	--	--	6	47	101	77	21	6
JO DAVIES	349	2	1	6	--	7	55	132	104	37	5
JOHNSON	107	--	--	1	1	3	15	40	32	13	2
KANE	4,472	19	25	51	65	129	705	1,758	1,282	385	52
KANKAKEE	1,700	19	10	21	26	56	312	639	455	130	32
KENDALL	455	1	2	8	3	8	62	168	147	47	9
KNOX	852	1	--	9	15	25	132	311	266	68	16
LAKE	6,104	22	32	66	81	196	1,106	2,290	1,683	526	100
LA SALLE	1,587	7	5	29	26	57	288	578	443	129	24

TABLE BA. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972 --CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
LAWRENCE. . . .	196	5	2	2	--	5	34	79	59	9	1
LEE.	533	5	1	4	4	13	85	193	154	65	9
LIVINGSTON. . . .	549	6	--	5	6	24	97	216	139	49	7
LOGAN.	403	1	4	3	3	8	52	161	120	40	10
MCDONOUGH. . . .	491	2	--	5	5	15	96	171	141	41	14
MCHENRY.	1,745	4	6	25	23	48	289	665	506	146	32
MCLEAN.	1,580	10	9	15	22	55	266	622	435	129	17
MACON.	1,981	13	9	25	14	64	352	728	560	186	30
MACOUPIN.	651	2	--	7	7	14	85	249	208	62	16
MADISON.	4,055	25	18	43	40	135	696	1,516	1,186	332	64
MARION.	607	3	3	9	12	27	106	259	146	35	7
MARSHALL.	164	--	1	--	3	8	29	54	44	20	5
MASON.	252	1	1	4	10	7	42	98	70	14	5
MASSAC.	169	1	3	1	3	3	23	52	62	18	2
MENARD.	155	1	1	--	6	6	17	54	47	21	2
MERCER.	232	--	1	6	3	8	35	67	82	24	6
MONROE.	258	3	2	--	5	6	41	98	72	23	8
MONTGOMERY. . . .	425	1	4	1	6	9	61	161	135	39	7
MORGAN.	468	3	4	4	1	15	59	184	143	43	12
MOULTRIE.	155	--	--	1	--	3	20	59	55	13	4
OGLE.	634	2	2	6	9	17	90	217	197	81	12
PEORIA.	3,264	15	17	37	46	106	532	1,237	906	312	56
PERRY.	312	1	2	4	6	8	46	104	100	37	4
PIATT.	226	1	1	5	4	7	32	86	69	20	1
PIKE.	234	1	1	--	1	6	26	87	85	21	6
POPF.	48	2	--	--	1	--	9	17	13	4	2
PULASKI.	140	1	2	8	4	7	23	48	37	10	--
PUTNAM.	78	1	--	--	1	3	13	33	22	4	1
RANDOLPH.	474	3	2	3	8	11	62	187	132	58	8
RICHLAND.	222	2	6	3	3	8	40	89	59	12	--
ROCK ISLAND. . . .	2,572	13	16	24	36	79	415	962	746	243	37
ST. CLAIR.	5,267	35	45	105	114	231	1,111	1,992	1,243	325	65
SALINE.	301	--	2	4	5	11	45	108	97	21	8
SANGAMON.	2,502	10	18	31	36	79	420	969	710	194	33
SCHUYLER.	103	--	--	1	--	4	14	43	31	6	2
SCOTT.	89	4	2	--	2	2	14	37	21	5	2
SHELBY.	321	1	1	6	7	6	51	128	81	27	13
STARK.	94	--	--	1	1	3	8	26	36	16	3
STEPHENSON. . . .	690	4	4	6	11	19	106	278	181	66	15
TAZEWELL.	1,973	10	10	27	26	61	303	755	586	166	28
UNION.	225	2	2	2	4	6	28	77	76	23	5
VERMILION.	1,520	9	9	18	33	48	251	585	427	117	23
WABASH.	176	--	--	1	2	3	35	68	45	17	5
WARREN.	336	1	--	3	3	17	40	132	96	33	11
WASHINGTON. . . .	173	2	1	--	--	1	25	67	55	19	3
WAYNE.	230	--	1	--	3	4	30	93	77	20	2
WHITE.	177	--	1	5	7	8	22	65	56	12	1
WHITESIDE.	1,047	5	5	15	19	33	158	384	351	101	24
WILL.	4,584	31	26	84	68	135	774	1,710	1,290	395	71
WILLIAMSON. . . .	713	1	5	10	7	22	126	256	216	58	12
WINNEBAGO.	4,178	25	23	63	47	117	710	1,545	1,147	426	74
WOODFORD.	417	2	1	4	4	8	79	143	120	48	8
UNSPECIFIED. . . .	--	--	--	--	--	--	--	--	--	--	--

(TOTAL LITTER WEIGHT COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL LIVE WEIGHTS	LIVE WEIGHTS BY WEIGHT										4501- AND OVER
		PAPER					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS		
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2500 GRAMS	2501- 3000 GRAMS						
ADDISON	513	2	4	9	6	12	79	203	151	43	4	
ALTON	203	1	1	2	--	10	49	136	81	20	3	
ALTON	745	8	7	12	8	27	168	280	177	53	9	
AMINGTON HEIGHTS	475	5	1	6	4	17	128	355	272	75	16	
ALTON	1,567	6	15	21	22	47	260	624	440	122	5	
BELLEVILLE	605	2	3	9	9	17	80	249	179	50	7	
BELLEVILLE	234	--	3	1	4	5	43	98	64	16	4	
BELLEVILLE	211	2	2	1	6	13	52	114	83	30	8	
BENSenville	227	--	1	1	1	7	23	95	74	21	4	
BELLEVILLE	516	--	1	5	7	10	85	209	158	32	5	
BLOOMINGTON	695	2	3	11	9	25	120	292	174	55	4	
BLUE ISLAND	472	3	5	4	5	15	92	182	130	32	4	
BELTAGEBROOK	475	2	1	7	5	16	86	178	132	40	8	
BRALEY	174	--	1	1	4	8	27	65	53	13	2	
BRIDGEVIEW	261	3	--	2	4	5	47	104	73	15	4	
BROOKFIELD	251	--	4	3	3	6	49	82	74	26	4	
BUFFALO GROVE	255	--	2	2	5	12	61	142	94	30	7	
BIRMAH	348	1	--	1	4	11	72	144	116	34	5	
CANONIA	227	1	1	6	5	18	60	117	87	22	10	
CALLMET CITY	435	1	2	6	4	18	66	163	117	52	5	
CALLMET PARK	50	--	--	2	2	4	21	31	19	8	3	
CANTON	204	1	--	6	5	9	38	78	54	8	5	
CARPENTERSVILLE	224	--	2	8	9	4	41	86	63	11	2	
CARPENTERSVILLE	475	--	--	1	5	18	76	200	126	35	12	
CENTRALIA	274	2	1	7	2	17	53	113	60	16	2	
CENTREVILLE	177	2	3	7	6	8	45	63	36	3	4	
CHAMPAIGN	744	2	2	12	5	33	125	294	206	46	15	
CHARLESTON	211	--	--	1	4	7	45	69	65	18	2	
CHICAGO	60,082	535	485	1,208	1,227	2,501	12,195	22,992	13,623	3,465	630	
CHICAGO HEIGHTS	444	4	5	12	17	40	181	354	210	54	7	
CHICAGO	647	6	7	14	10	24	132	352	229	69	14	
COLLINSVILLE	245	1	3	1	2	7	47	114	96	22	2	
CRYSTAL LAKE	234	--	2	2	5	8	37	91	75	15	3	
CRYSTAL LAKE	746	5	6	11	20	27	123	292	202	51	9	
CRYSTAL LAKE	247	2	2	2	5	7	45	136	100	38	6	
CRYSTAL LAKE	1,476	11	9	17	12	52	280	600	444	127	24	
CRYSTAL LAKE	216	1	--	3	1	5	29	93	63	21	--	
CRYSTAL LAKE	650	6	2	9	11	29	154	347	252	64	13	
CRYSTAL LAKE	224	2	--	2	2	9	38	79	64	30	2	
CRYSTAL LAKE	250	4	1	4	4	11	51	117	93	32	12	
CROWNERS GROVE	555	1	2	5	5	10	84	213	166	58	13	
EAST MOLINE	210	--	2	5	3	11	57	96	99	34	3	
EAST MOLINE	224	4	1	2	2	6	47	122	118	27	7	
EAST ST. LOUIS	1,455	19	21	48	44	116	537	731	328	71	19	
EDWARDSVILLE	145	1	--	2	2	29	61	40	40	8	4	
ELKHART	164	2	--	3	5	22	51	57	57	18	2	
ELGIN	1,075	7	4	20	18	27	174	420	304	91	14	
ELK GROVE	225	1	1	6	5	10	56	126	94	36	4	
ELMWOOD	522	2	2	6	5	13	84	190	182	34	12	
ELMWOOD PARK	407	2	5	3	4	6	57	128	74	24	4	
EVANSTON	564	12	6	17	15	30	180	388	241	65	10	
EVERGREEN PARK	164	1	1	2	1	--	23	66	53	20	2	
FAIRVIEW HEIGHTS	124	1	--	2	2	--	20	40	41	15	3	
FOREST PARK	246	--	--	2	2	4	50	87	69	23	2	
GRANITE PARK	255	2	--	2	7	10	59	94	66	22	3	
GREENBAY	427	1	2	4	4	10	68	187	105	38	8	
GREENBAY	507	3	--	5	12	14	73	197	154	37	9	
GREEN BAY	224	1	2	4	4	10	54	130	83	33	6	
GREENBAY	64	--	--	--	--	2	9	29	16	7	2	
GREENBAY HEIGHTS	240	1	1	6	2	5	36	104	57	25	2	
GREENVIEW	275	4	1	5	--	6	64	139	115	36	1	
GRANT CITY	646	4	--	7	10	25	115	240	214	61	10	
GRANITE PARK	475	4	1	5	4	13	81	182	127	52	10	
GRANVILLE	471	7	8	16	16	43	191	292	207	41	10	
GRAND FOREST	214	1	--	5	4	5	28	76	69	27	3	
GRANDVIEW	225	--	1	--	5	3	39	94	62	20	2	
HIGHLAND PARK	265	--	1	1	6	6	49	110	64	24	1	
HIGHLAND	210	--	4	--	1	4	22	78	70	19	2	
HIGHLAND ESTATES	540	2	1	4	8	12	77	222	156	45	9	
HIGHLAND	125	2	--	1	2	2	28	59	57	16	7	
HIGHLANDVILLE	218	2	1	3	1	10	31	115	81	28	6	
HIGHLAND	1,423	12	16	41	22	49	276	534	375	103	18	
HIGHLAND	417	7	4	9	12	26	123	235	140	45	11	
HIGHLAND	150	2	2	5	2	8	23	73	66	15	1	
LA GRANGE	124	2	2	2	3	2	38	73	52	15	4	
LA GRANGE PARK	124	--	--	--	2	3	22	64	31	12	1	
LA GRANGE	121	1	1	1	1	5	24	52	36	10	--	
LA GRANGE	50	--	--	--	--	2	17	27	35	10	3	
LA GRANGE	86	--	1	1	2	6	48	108	78	25	10	
LA GRANGE	125	2	--	1	2	2	22	66	52	15	1	

TABLE 100. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED--

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
LINCOLN	226	--	2	1	1	5	36	79	70	24	7
LINCOLNWOOD	57	--	2	--	--	2	14	16	20	3	--
LOMBARD	487	1	2	6	6	12	77	193	140	41	9
LOVELL PARK	227	3	2	4	6	2	31	81	75	15	4
LYONS	150	--	1	2	--	1	27	56	50	11	2
MADISON	202	1	--	1	4	4	39	76	58	15	3
MARION	179	--	2	4	2	4	38	65	49	13	2
MARSHMAN	287	5	3	4	5	12	57	117	65	17	2
MATTOON	281	2	1	5	3	13	51	91	85	27	3
MAYWOOD	554	6	10	15	8	24	98	225	139	28	4
MELROSE PARK	558	2	--	7	11	16	96	220	158	42	6
MIDLOTTMAN	237	2	1	--	7	8	38	75	76	26	3
MOLINE	662	5	3	5	10	16	94	262	198	58	11
MONMOUTH	179	1	--	3	3	12	20	71	48	16	5
MORTON GROVE	154	--	--	3	2	5	30	60	44	10	--
MORTON	175	--	--	2	4	5	28	75	44	15	2
MOUNT PROSPECT	550	1	2	6	5	12	88	227	156	43	10
MOUNT VERNON	283	2	2	5	9	8	51	95	78	27	5
MUNDLEIGH	292	4	5	3	3	5	46	108	77	32	9
MURPHYSBORO	134	4	1	1	2	1	26	59	29	10	1
NAPERVILLE	262	1	3	1	4	10	25	92	86	37	3
NILES	287	--	2	3	2	4	38	124	87	21	6
NORMAL	325	1	3	1	5	15	54	120	97	23	6
NORTIDGE	115	--	--	2	3	5	23	38	35	8	1
NORTH CHICAGO	346	2	4	6	8	11	73	128	85	25	4
NORTH LAKE	177	--	--	1	--	6	38	69	48	14	1
NORTHBROOK	217	3	--	4	3	9	53	115	94	30	4
OAK FOREST	404	1	3	2	9	8	72	144	127	29	9
OAK LAWN	672	4	1	2	14	22	98	251	202	60	17
OAK PARK	674	--	4	7	5	23	110	263	189	61	12
OTTAWA	249	1	--	3	3	9	48	94	69	19	3
PALATINE	424	3	--	2	9	14	72	155	117	50	12
PARKS	150	1	2	2	3	4	23	58	41	13	3
PARK FOREST	492	3	2	6	5	7	91	182	144	42	10
PARK RIDGE	324	--	1	2	2	7	64	113	109	27	4
PERKIN	550	2	5	6	8	11	94	210	156	53	5
PEORIA	2,203	4	12	24	32	79	381	837	596	186	41
PERU	150	--	--	3	--	4	28	53	50	10	2
PONTIAC	134	1	--	4	1	7	22	55	33	9	2
QUINCY	644	3	7	7	11	19	120	198	205	67	7
RANTOLI	618	4	3	4	7	18	92	256	187	40	2
RIVER FOREST	95	--	--	1	--	5	19	41	22	6	1
RIVER GROVE	187	--	1	1	--	1	39	80	55	8	2
RIVERDALE	227	--	--	--	6	5	45	83	73	17	4
RIVERSIDE	84	--	--	1	2	5	18	30	23	7	--
ROCK FALLS	247	4	1	2	3	12	42	80	80	13	4
ROCK ISLAND	780	4	4	8	9	33	137	296	209	63	8
ROCKFORD	2,657	18	17	37	32	79	478	988	692	268	47
ROLLING MEADOWS	282	1	1	--	5	12	59	144	119	36	6
ROSEMONT	230	--	1	8	5	7	34	83	60	28	4
SCHMINNOCK	552	3	6	2	5	11	102	204	157	52	10
SCHILLER PARK	154	--	1	1	1	5	35	73	64	11	3
SKOKIE	456	4	4	13	8	13	102	223	146	35	7
SOUTH HOLLAND	210	--	--	--	3	6	28	80	73	17	2
SPRINGFIELD	1,401	9	10	21	26	62	277	572	397	111	15
ST CHARLES	213	--	1	3	3	6	31	87	65	17	2
STEELE	221	1	1	3	8	9	42	118	105	29	4
STREAMWOOD	501	1	--	2	4	11	84	220	139	34	6
STREATOR	277	3	1	6	7	9	58	108	60	17	4
SUMMIT	221	1	1	3	7	10	37	88	57	19	7
TAYLORVILLE	170	1	1	2	2	3	38	56	48	17	2
TINLEY PARK	441	--	--	7	3	18	68	162	137	39	7
URBANA	477	3	1	7	10	15	92	167	130	42	6
VILLA PARK	382	1	1	5	1	10	60	158	110	27	9
WALKER PARK	1,410	6	5	21	19	46	245	553	370	95	22
WEST CHICAGO	246	2	4	2	4	11	43	97	61	19	3
WESTCHESTER	125	1	--	--	--	3	22	50	36	10	2
WESTERN SPRINGS	91	--	--	--	1	5	9	35	28	13	--
WHEATON	457	--	2	5	1	8	82	192	127	34	6
WHEELING	240	1	1	4	4	12	58	135	91	28	6
WILMETTE	219	--	1	4	2	7	42	83	60	16	4
WINNETKA	114	--	1	--	2	1	22	33	44	5	2
WOOD DALE	188	--	1	1	3	3	17	67	59	12	4
WOOD RIVER	212	1	--	1	1	8	33	83	64	18	2
WOODRIDGE	278	--	1	4	2	12	48	109	72	25	5
WOODSTOCK	154	--	1	--	4	2	22	65	43	14	2
WORTH	228	1	1	--	2	5	32	84	70	23	8
YONK	424	4	1	6	6	24	99	154	110	27	6




TABLE HC. -- RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1972

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS TOTAL . . .	177,848	1,137	1,209	2,756	2,835	6,064	32,925	67,524	47,152	13,646	2,539
WHITE . .	136,399	621	694	1,607	1,741	3,815	22,124	51,611	39,723	12,133	2,280
NONWHITE	41,449	516	515	1,149	1,094	2,249	10,801	15,913	7,429	1,513	259
MALE	91,254	575	632	1,360	1,354	2,743	14,431	33,030	26,697	8,681	1,714
WHITE . .	70,235	322	359	820	840	1,746	9,553	24,901	22,396	7,722	1,548
NONWHITE	21,019	253	273	540	514	997	4,878	8,129	4,301	959	166
FEMALE . . .	86,594	562	577	1,396	1,481	3,321	18,494	34,494	20,455	4,965	825
WHITE . .	66,164	299	335	787	901	2,069	12,571	26,710	17,327	4,411	732
NONWHITE	20,430	263	242	609	580	1,252	5,923	7,784	3,128	554	93
DOWNSTATE TOTAL . . .	117,766	602	620	1,448	1,608	3,563	19,730	44,532	33,529	10,181	1,909
WHITE . .	106,988	487	506	1,198	1,340	2,975	16,910	40,374	31,565	9,762	1,832
NONWHITE	10,778	115	114	250	268	588	2,820	4,158	1,964	419	77
MALE	60,537	309	329	719	775	1,601	8,570	21,542	18,887	6,451	1,328
WHITE . .	55,091	246	266	610	638	1,353	7,320	19,416	17,762	6,181	1,278
NONWHITE	5,446	63	63	109	137	248	1,250	2,126	1,125	270	50
FEMALE . . .	57,229	293	291	729	833	1,962	11,160	22,990	14,642	3,730	581
WHITE . .	51,897	241	240	588	702	1,622	9,590	20,958	13,803	3,581	554
NONWHITE	5,332	52	51	141	131	340	1,570	2,032	839	149	27
CHICAGO TOTAL . . .	60,082	535	589	1,308	1,227	2,501	13,195	22,992	13,623	3,465	630
WHITE . .	29,411	134	188	409	401	840	5,214	11,237	8,158	2,371	448
NONWHITE	30,671	401	401	899	826	1,661	7,981	11,755	5,465	1,094	182
MALE	30,717	266	303	641	579	1,142	5,861	11,488	7,810	2,230	386
WHITE . .	15,144	76	93	210	202	393	2,233	5,485	4,634	1,541	270
NONWHITE	15,573	190	210	431	377	749	3,628	6,003	3,176	689	116
FEMALE . . .	29,365	269	286	667	648	1,359	7,334	11,504	5,813	1,235	244
WHITE . .	14,267	58	95	194	199	447	2,981	5,752	3,524	830	178
NONWHITE	15,098	211	191	468	449	912	4,353	5,752	2,289	405	66

¹EQUIVALENTS OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1,000 grams or less	= 2 lb. 3 oz. or less.	3,001 - 3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
1,001 - 1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.	3,501 - 4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
1,501 - 2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.	4,001 - 4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
2,001 - 2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.	4,501 - 5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
2,501 - 3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.	5,001 grams or more	= 11 lb. 1 oz. or more.

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	110,970	4,231	817	2,334	5,974	27,413	55,221	14,980
WHITE	96,978	2,750	642	1,722	4,083	23,102	50,513	14,166
NONWHITE	13,992	1,481	175	612	1,891	4,311	4,708	814
1. HEART DISEASE	48,246	231	28	101	1,198	11,298	27,058	8,332
WHITE	43,160	81	18	57	756	9,547	24,836	7,865
NONWHITE	5,086	150	10	44	442	1,751	2,222	467
A. ARTERIOSCLEROTIC	43,064	1	--	8	817	9,650	24,807	7,781
WHITE	39,488	--	--	6	578	8,434	23,078	7,392
NONWHITE	3,576	1	--	2	239	1,216	1,729	389
H. OTHER	5,182	230	28	93	381	1,648	2,251	551
WHITE	3,672	81	18	51	178	1,113	1,758	473
NONWHITE	1,510	149	10	42	203	535	493	78
2. MALIGNANT NEOPLASMS	19,748	65	118	144	982	7,306	9,918	1,215
WHITE	17,586	56	99	124	807	6,296	9,054	1,150
NONWHITE	2,162	9	19	20	175	1,010	864	65
3. CEREBROVASCULAR DISEASE	11,197	11	10	27	254	1,724	6,768	2,403
WHITE	10,074	7	9	21	158	1,397	6,203	2,279
NONWHITE	1,123	4	1	6	96	327	565	124
4. ACCIDENTS	4,985	269	362	1,159	1,075	1,051	854	215
WHITE	4,211	186	288	995	847	892	795	208
NONWHITE	774	83	74	164	228	159	59	7
A. MOTOR VEHICLE	2,378	59	172	744	602	466	311	24
WHITE	2,148	46	147	690	534	417	291	23
NONWHITE	230	13	25	54	68	49	20	1
H. OTHER	2,607	210	190	415	473	585	543	191
WHITE	2,063	140	141	305	313	475	504	185
NONWHITE	544	70	49	110	160	110	39	6
5. PNEUMONIA AND INFLUENZA	3,354	361	45	69	179	556	1,548	601
WHITE	2,799	207	32	52	111	433	1,397	567
NONWHITE	560	154	13	17	68	123	151	34
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,949	2,733	52	34	57	41	30	2
WHITE	2,046	1,864	44	27	45	37	27	2
NONWHITE	903	869	8	7	12	4	3	--
7. OTHER CIRCULATORY DISEASES	2,149	2	2	16	104	573	1,198	254
WHITE	1,895	1	1	14	68	487	1,085	239
NONWHITE	254	1	1	2	36	86	113	15
8. DIABETES MELLITUS	2,063	2	6	8	84	504	1,265	194
WHITE	1,760	1	6	5	62	389	1,115	182
NONWHITE	303	1	--	3	22	115	150	12
9. GENERAL ARTERIOSCLEROSIS	1,972	--	--	1	2	97	1,102	770
WHITE	1,860	--	--	--	2	93	1,030	735
NONWHITE	112	--	--	1	--	4	72	35
10. CIRRHOSIS OF LIVER	1,928	1	1	8	370	1,062	468	18
WHITE	1,597	1	--	4	245	900	431	16
NONWHITE	331	--	1	4	125	162	37	2
11. EMPHYSEMA	1,247	2	--	--	14	344	826	61
WHITE	1,193	1	--	--	8	325	799	60
NONWHITE	54	1	--	--	6	19	27	1
12. HOMICIDE	1,044	18	31	330	419	191	57	2
WHITE	368	8	13	104	139	69	33	2
NONWHITE	680	10	18	226	280	122	24	--

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	39,449	1,778	231	900	2,698	10,989	18,870	3,983
WHITE.	28,460	627	105	394	1,138	7,523	15,283	3,390
NONWHITE	10,989	1,151	126	506	1,560	3,466	3,587	593
1. HEART DISEASE.	17,931	181	13	61	652	4,774	9,831	2,419
WHITE.	13,858	44	3	24	263	3,336	8,118	2,070
NONWHITE	4,073	137	10	37	389	1,438	1,713	349
A. ARTERIOSCLEROTIC.	14,991	1	--	4	386	3,736	8,641	2,223
WHITE.	12,254	--	--	2	181	2,770	7,365	1,940
NONWHITE	2,737	1	--	2	205	966	1,276	283
B. OTHER.	2,940	180	13	57	266	1,038	1,190	196
WHITE.	1,600	44	3	22	82	566	753	130
NONWHITE	1,340	136	10	35	184	472	437	66
2. MALIGNANT NEOPLASMS.	6,715	20	31	43	321	2,669	3,299	332
WHITE.	5,017	11	16	27	182	1,863	2,635	283
NONWHITE	1,698	9	15	16	139	806	664	49
3. CEREBROVASCULAR DISEASE.	3,323	5	1	8	116	692	1,989	512
WHITE.	2,461	2	--	4	39	422	1,568	426
NONWHITE	862	3	1	4	77	270	421	86
4. ACCIDENTS.	1,392	95	100	301	332	332	199	33
WHITE.	787	29	45	166	151	210	159	27
NONWHITE	605	66	55	135	181	122	40	6
A. MOTOR VEHICLE.	432	15	43	112	94	101	63	4
WHITE.	281	5	27	75	50	69	52	3
NONWHITE	151	10	16	37	44	32	11	1
B. OTHER.	960	80	57	189	238	231	136	29
WHITE.	506	24	18	91	101	141	107	24
NONWHITE	454	56	39	98	137	90	29	5
5. PNEUMONIA AND INFLUENZA.	1,277	139	16	43	95	268	553	163
WHITE.	841	41	6	27	36	166	426	139
NONWHITE	436	98	10	16	59	102	127	24
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,145	1,092	14	8	14	11	6	--
WHITE.	452	417	9	5	8	8	5	--
NONWHITE	693	675	5	3	6	3	1	--
7. OTHER CIRCULATORY DISEASES.	693	1	--	5	46	197	387	57
WHITE.	504	--	--	3	16	137	300	48
NONWHITE	189	1	--	2	30	60	87	9
8. DIABETES MELLITUS.	819	--	--	3	39	218	497	62
WHITE.	586	--	--	1	20	134	380	51
NONWHITE	233	--	--	2	19	84	117	11
9. GENERAL ARTERIOSCLEROSIS	548	--	--	1	--	45	343	159
WHITE.	490	--	--	--	--	45	306	139
NONWHITE	58	--	--	1	--	--	37	20
10. CIRRHOSIS OF LIVER.	973	1	--	4	234	543	186	5
WHITE.	685	1	--	1	121	402	157	3
NONWHITE	288	--	--	3	113	141	29	2
11. EMPHYSEMA.	265	1	--	--	4	83	167	10
WHITE.	231	1	--	--	2	68	151	9
NONWHITE	34	--	--	--	2	15	16	1
12. HOMICIDE.	749	14	16	257	295	131	34	2
WHITE.	174	4	4	59	63	30	12	2
NONWHITE	575	10	12	198	232	101	22	--

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	71,521	2,453	586	1,434	3,276	16,424	36,351	10,997
WHITE.	68,518	2,123	537	1,328	2,945	15,579	35,230	10,776
NONWHITE	3,003	330	49	106	331	845	1,121	221
1. HEART DISEASE.	30,315	50	15	40	546	6,524	17,227	5,913
WHITE.	29,302	37	15	33	493	6,211	16,718	5,795
NONWHITE	1,013	13	--	7	53	313	509	118
A. ARTERIOSCLEROTIC.	28,073	--	--	4	431	5,914	16,166	5,558
WHITE.	27,230	--	--	4	397	5,664	15,713	5,452
NONWHITE	843	--	--	--	34	250	453	106
H. OTHER	2,242	50	15	36	115	610	1,061	355
WHITE.	2,072	37	15	29	96	547	1,005	343
NONWHITE	170	13	--	7	19	63	56	12
2. MALIGNANT NEOPLASMS.	13,033	45	87	101	661	4,637	6,619	883
WHITE.	12,569	45	83	97	625	4,433	6,419	867
NONWHITE	464	--	4	4	36	204	200	16
3. CEREBROVASCULAR DISEASE.	7,874	6	9	19	138	1,032	4,779	1,891
WHITE.	7,613	5	9	17	119	975	4,635	1,853
NONWHITE	261	1	--	2	19	57	144	38
4. ACCIDENTS.	3,593	174	262	858	743	719	655	182
WHITE.	3,424	157	243	829	696	682	636	181
NONWHITE	169	17	19	29	47	37	19	1
A. MOTOR VEHICLE	1,946	44	129	632	508	365	248	20
WHITE.	1,867	41	120	615	484	348	239	20
NONWHITE	79	3	9	17	24	17	9	--
H. OTHER	1,647	130	133	226	235	354	407	162
WHITE.	1,557	116	123	214	212	334	397	161
NONWHITE	90	14	10	12	23	20	10	1
5. PNEUMONIA AND INFLUENZA.	2,082	222	29	26	84	288	995	438
WHITE.	1,954	166	26	25	75	267	971	428
NONWHITE	124	56	3	1	9	21	24	10
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,804	1,641	38	26	43	30	24	2
WHITE.	1,594	1,447	35	22	37	29	22	2
NONWHITE	210	194	3	4	6	1	2	--
7. OTHER CIRCULATORY DISEASES	1,456	1	2	11	58	376	811	197
WHITE.	1,391	1	1	11	52	350	785	191
NONWHITE	65	--	1	--	6	26	26	6
8. DIABETES MELLITUS.	1,244	2	6	5	45	286	768	132
WHITE.	1,174	1	6	4	42	255	735	131
NONWHITE	70	1	--	1	3	31	33	1
9. GENERAL ARTERIOSCLEROSIS	1,424	--	--	--	2	52	759	611
WHITE.	1,370	--	--	--	2	48	724	596
NONWHITE	54	--	--	--	--	4	35	15
10. CIRRHOSIS OF LIVER	955	--	1	4	136	519	282	13
WHITE.	912	--	--	3	124	498	274	13
NONWHITE	43	--	1	1	12	21	8	--
11. EMPHYSEMA.	982	1	--	--	10	261	659	51
WHITE.	962	--	--	--	6	257	648	51
NONWHITE	20	1	--	--	4	4	11	--
12. HOMICIDE	299	4	15	73	124	60	23	--
WHITE.	194	4	9	45	76	39	21	--
NONWHITE	105	--	6	28	48	21	2	--

TABLE 9R.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1972)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	986.3	452.5	37.6	118.7	221.4	1,160.6	5,382.2	16,831.5
WHITE	1,001.3	364.2	35.7	103.1	177.0	1,087.2	5,345.3	17,067.5
NONWHITE	893.5	822.8	46.8	206.1	483.6	1,819.0	5,812.3	13,566.7
1. HEART DISEASE	428.8	24.7	1.3	5.1	44.4	478.3	2,637.2	9,361.8
WHITE	445.6	10.7	1.0	3.4	32.8	449.3	2,628.1	9,475.9
NONWHITE	324.8	83.3	2.7	14.8	113.0	738.8	2,743.2	7,783.3
A. ARTERIOSCLEROTIC	382.8	0.1	-0-	0.4	30.3	408.6	2,417.8	8,742.7
WHITE	407.7	-0-	-0-	0.4	25.1	396.9	2,442.1	8,906.0
NONWHITE	228.4	0.6	-0-	0.7	61.1	513.1	2,134.6	6,483.3
B. OTHER	46.1	24.6	1.3	4.7	14.1	69.8	219.4	619.1
WHITE	37.9	10.7	1.0	3.1	7.7	52.4	186.0	569.9
NONWHITE	96.4	82.8	2.7	14.1	51.9	225.7	608.6	1,300.0
2. MALIGNANT NEOPLASMS	175.5	7.0	5.4	7.3	36.4	309.3	966.7	1,365.2
WHITE	181.5	7.4	5.5	7.4	35.0	296.3	958.1	1,385.5
NONWHITE	138.1	5.0	5.1	6.7	44.8	426.2	1,066.7	1,083.3
3. CEREBROVASCULAR DISEASE	99.5	1.2	0.5	1.4	9.4	73.0	659.6	2,700.0
WHITE	104.0	0.9	0.5	1.3	6.8	65.7	656.4	2,745.8
NONWHITE	71.7	2.2	0.3	2.0	24.6	138.0	697.5	2,066.7
4. ACCIDENTS	44.3	28.8	16.7	58.9	39.8	44.5	83.2	241.6
WHITE	43.5	24.6	16.0	59.6	36.7	42.0	84.1	250.6
NONWHITE	49.4	46.1	19.8	55.2	58.3	67.1	72.8	116.7
A. MOTOR VEHICLE	21.1	6.3	7.9	37.8	22.3	19.7	30.3	27.0
WHITE	22.2	6.1	8.2	41.3	23.1	19.6	30.8	27.7
NONWHITE	14.7	7.2	6.7	18.2	17.4	20.7	24.7	16.7
B. OTHER	23.2	22.5	8.7	21.1	17.5	24.8	52.9	214.6
WHITE	21.3	18.5	7.8	18.3	13.6	22.4	53.3	222.9
NONWHITE	34.7	38.9	13.1	37.0	40.9	46.4	48.1	100.0
5. PNEUMONIA AND INFLUENZA	29.4	38.6	2.1	3.5	6.6	23.5	150.9	675.3
WHITE	28.9	27.4	1.8	3.1	4.8	20.4	147.8	683.1
NONWHITE	35.8	85.6	3.5	5.7	17.4	51.9	186.4	566.7
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	26.2	292.3	2.4	1.7	2.1	1.7	2.9	2.2
WHITE	21.1	246.9	2.4	1.6	2.0	1.7	2.9	2.4
NONWHITE	57.7	482.8	2.1	2.4	3.1	1.7	3.7	-0-
7. OTHER CIRCULATORY DISEASES	19.1	0.2	0.1	0.8	3.9	24.3	116.8	285.4
WHITE	19.6	0.1	0.1	0.8	2.9	22.9	114.8	288.0
NONWHITE	16.2	0.6	0.3	0.7	9.2	36.3	139.5	250.0
8. DIABETES MELLITUS	18.3	0.2	0.3	0.4	3.1	21.3	123.3	218.0
WHITE	18.2	0.1	0.3	0.3	2.7	18.3	118.0	219.3
NONWHITE	19.3	0.6	-0-	1.0	5.6	48.5	185.2	200.0
9. GENERAL ARTERIOSCLEROSIS	17.5	-0-	-0-	0.1	0.1	4.1	107.4	865.2
WHITE	19.2	-0-	-0-	-0-	0.1	4.4	109.0	885.5
NONWHITE	7.2	-0-	-0-	0.3	-0-	1.7	88.9	583.3
10. CIRRHOSIS OF LIVER	17.1	0.1	0.0	0.4	13.7	45.0	45.6	20.2
WHITE	16.5	0.1	-0-	0.2	10.6	42.4	45.6	19.3
NONWHITE	21.1	-0-	0.3	1.3	32.0	68.4	45.7	33.3
11. EMPHYSEMA	11.1	0.2	-0-	-0-	0.5	14.6	80.5	68.5
WHITE	12.3	0.1	-0-	-0-	0.3	15.3	84.6	72.3
NONWHITE	3.4	0.6	-0-	-0-	1.5	8.0	33.3	16.7
12. HOMICIDE	9.3	1.9	1.4	16.8	15.5	8.1	5.6	2.2
WHITE	3.8	1.1	0.7	6.2	6.0	3.2	3.5	2.4
NONWHITE	43.4	5.6	4.8	76.1	71.6	51.5	29.6	-0-

TABLE 9R.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1972)								
CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	1,168.2	632.7	37.6	159.3	327.0	1,501.2	5,599.4	17,317.4
WHITE.	1,296.6	415.2	32.0	114.5	216.8	1,362.9	5,537.3	17,842.1
NONWHITE.	429.7	885.4	44.1	229.0	520.0	1,925.6	5,880.3	14,825.0
1. HEART DISEASE.	531.0	64.4	2.1	10.8	79.0	652.2	2,917.2	10,517.4
WHITE.	631.3	29.1	0.9	7.0	50.1	604.3	2,941.3	10,894.7
NONWHITE.	344.6	105.4	3.5	16.7	129.7	798.9	2,808.2	8,725.0
A. ARTERIOSCLEROTIC.	443.9	0.4	-0-	0.7	46.8	510.4	2,564.1	9,665.2
WHITE.	558.5	-0-	-0-	0.6	34.5	501.8	2,668.5	10,210.5
NONWHITE.	231.2	0.8	-0-	0.9	68.3	536.7	2,091.8	7,075.0
B. OTHER.	87.1	64.1	2.1	10.1	32.2	141.8	353.1	852.2
WHITE.	72.9	29.1	0.9	6.4	15.6	102.5	272.8	684.2
NONWHITE.	113.4	104.6	3.5	15.8	61.3	262.2	716.4	1,650.0
2. MALIGNANT NEOPLASMS.	198.8	7.1	5.0	7.6	38.9	364.6	978.9	1,443.5
WHITE.	228.6	7.3	4.9	7.8	34.7	337.5	954.7	1,489.5
NONWHITE.	143.7	6.9	5.2	7.2	46.3	447.8	1,088.5	1,225.0
3. CEREbroVASCULAR DISEASE.	98.4	1.8	0.2	1.4	14.1	94.5	590.2	2,226.1
WHITE.	112.1	1.3	-0-	1.2	7.4	76.4	568.1	2,242.1
NONWHITE.	72.9	2.3	0.3	1.8	25.7	150.0	690.2	2,150.0
4. ACCIDENTS.	41.2	33.8	16.3	53.3	40.2	45.4	59.1	143.5
WHITE.	35.9	19.2	13.7	48.3	28.8	38.0	57.6	142.1
NONWHITE.	51.2	50.8	19.2	61.1	60.3	67.8	65.6	150.0
A. MOTOR VEHICLE.	12.8	5.3	7.0	19.8	11.4	13.8	18.7	17.4
WHITE.	12.8	3.3	8.2	21.8	9.5	12.5	18.8	15.8
NONWHITE.	12.8	7.7	5.6	16.7	14.7	17.8	18.0	25.0
B. OTHER.	28.4	28.5	9.3	33.5	28.8	31.6	40.4	126.1
WHITE.	23.1	15.9	5.5	26.5	19.2	25.5	38.8	126.3
NONWHITE.	38.4	43.1	13.6	44.3	45.7	50.0	47.5	125.0
5. PNEUMONIA AND INFLUENZA.	37.8	49.5	2.6	7.6	11.5	36.6	164.1	708.7
WHITE.	38.3	27.2	1.8	7.8	6.9	30.1	154.3	731.6
NONWHITE.	36.9	75.4	3.5	7.2	19.7	56.7	208.2	600.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	33.9	388.6	2.3	1.4	1.7	1.5	1.8	-0-
WHITE.	20.6	276.2	2.7	1.5	1.5	1.4	1.8	-0-
NONWHITE.	58.6	519.2	1.7	1.4	2.0	1.7	1.6	-0-
7. OTHER CIRCULATORY DISEASES.	20.5	0.4	-0-	0.9	5.6	26.9	114.8	247.8
WHITE.	23.0	-0-	-0-	0.9	3.0	24.8	108.7	252.6
NONWHITE.	16.0	0.8	-0-	0.9	10.0	33.3	142.6	225.0
8. DIABETES MELLITUS.	24.3	-0-	-0-	0.5	4.7	29.8	147.5	269.6
WHITE.	26.7	-0-	-0-	0.3	3.8	24.3	137.7	268.4
NONWHITE.	19.7	-0-	-0-	0.9	6.3	46.7	191.8	275.0
9. GENERAL ARTERIOSCLEROSIS.	16.2	-0-	-0-	0.2	-0-	6.1	101.8	691.3
WHITE.	22.3	-0-	-0-	-0-	-0-	8.2	110.9	731.6
NONWHITE.	4.9	-0-	-0-	0.5	-0-	-0-	60.7	500.0
10. CIRRHOSIS OF LIVER.	28.8	0.4	-0-	0.7	28.4	74.2	55.2	21.7
WHITE.	31.2	0.7	-0-	0.3	23.0	72.8	56.9	15.8
NONWHITE.	24.4	-0-	-0-	1.4	37.7	78.3	47.5	50.0
11. EMPHYSEMA.	7.8	0.4	-0-	-0-	0.5	11.3	49.6	43.5
WHITE.	10.5	0.7	-0-	-0-	0.4	12.3	54.7	47.4
NONWHITE.	2.9	-0-	-0-	-0-	0.7	8.3	26.2	25.0
12. HOMICIDE.	22.2	5.0	2.6	45.5	35.8	17.9	10.1	8.7
WHITE.	7.9	2.6	1.2	17.2	12.0	5.4	4.3	10.5
NONWHITE.	48.5	7.7	4.2	89.6	77.3	56.1	36.1	-0-

TABLE 98.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1972--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1972)

CAUSE AND RACE	ALL AGE S	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	908.3	375.1	37.6	102.3	174.9	1,007.6	5,275.9	16,662.1
WHITE.	914.8	351.5	36.5	100.2	165.3	990.4	5,266.1	16,837.5
NONWHITE	782.0	660.0	55.7	139.5	363.7	1,482.5	5,605.0	11,050.0
1. HEART DISEASE.	385.0	7.6	1.0	2.9	29.2	400.2	2,500.3	8,959.1
WHITE.	391.2	6.1	1.0	2.5	27.7	394.9	2,499.0	9,054.7
NONWHITE	263.8	26.0	-0-	9.2	58.2	549.1	2,545.0	5,900.0
A. ARTERIOSCLEROTIC.	356.5	-0-	-0-	0.3	23.0	362.8	2,346.3	8,421.2
WHITE.	363.6	-0-	-0-	0.3	22.3	360.1	2,348.7	8,518.8
NONWHITE	219.5	-0-	-0-	-0-	37.4	438.6	2,265.0	5,300.0
B. OTHER.	28.5	7.6	1.0	2.6	6.1	37.4	154.0	537.9
WHITE.	27.7	6.1	1.0	2.2	5.4	34.8	150.2	535.9
NONWHITE	44.3	26.0	-0-	9.2	20.9	110.5	280.0	600.0
2. MALIGNANT NEOPLASMS.	165.5	6.9	5.6	7.2	35.3	284.5	960.7	1,337.9
WHITE.	167.8	7.5	5.6	7.3	35.1	281.8	959.5	1,354.7
NONWHITE	120.8	-0-	4.5	5.3	39.6	357.9	1,000.0	900.0
3. CEREBROVASCULAR DISEASE.	100.0	0.9	0.6	1.4	7.4	63.3	693.6	2,865.2
WHITE.	101.6	0.8	0.6	1.3	6.7	62.0	692.8	2,895.3
NONWHITE	68.0	2.0	-0-	2.6	20.9	100.0	720.0	1,900.0
4. ACCIDENTS.	45.6	26.6	16.8	61.2	39.7	44.1	95.1	275.8
WHITE.	45.7	26.0	16.5	62.5	39.1	43.4	95.1	282.8
NONWHITE	44.0	34.0	21.6	38.2	51.6	64.9	95.0	50.0
A. MOTOR VEHICLE.	24.7	6.7	8.3	45.1	27.1	22.4	36.0	30.3
WHITE.	24.9	6.8	8.2	46.4	27.2	22.1	35.7	31.3
NONWHITE	20.6	6.0	10.2	22.4	26.4	29.8	45.0	-0-
B. OTHER.	20.9	19.9	8.5	16.1	12.5	21.7	59.1	245.5
WHITE.	20.8	19.2	8.4	16.1	11.9	21.2	59.3	251.6
NONWHITE	23.4	28.0	11.4	15.8	25.3	35.1	50.0	50.0
5. PNEUMONIA AND INFLUENZA.	26.4	33.9	1.9	1.9	4.5	17.7	144.4	663.6
WHITE.	26.1	27.5	1.8	1.9	4.2	17.0	145.1	668.8
NONWHITE	32.3	112.0	3.4	1.3	9.9	36.8	120.0	500.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	22.9	250.9	2.4	1.9	2.3	1.8	3.5	3.0
WHITE.	21.3	239.6	2.4	1.7	2.1	1.8	3.3	3.1
NONWHITE	54.7	388.0	3.4	5.3	6.6	1.8	10.0	-0-
7. OTHER CIRCULATORY DISEASES.	18.5	0.2	0.1	0.8	3.1	23.1	117.7	298.5
WHITE.	18.6	0.2	0.1	0.8	2.9	22.3	117.3	298.4
NONWHITE	16.9	-0-	1.1	-0-	6.6	45.6	130.0	300.0
8. DIABETES MELLITUS.	15.8	0.3	0.4	0.4	2.4	17.5	111.5	200.0
WHITE.	15.7	0.2	0.4	0.3	2.4	16.2	109.9	204.7
NONWHITE	18.2	2.0	-0-	1.3	3.3	54.4	165.0	50.0
9. GENERAL ARTERIOSCLEROSIS.	18.1	-0-	-0-	-0-	0.1	3.2	110.2	925.8
WHITE.	18.3	-0-	-0-	-0-	0.1	3.1	108.2	931.3
NONWHITE	14.1	-0-	-0-	-0-	-0-	7.0	175.0	750.0
10. CIRRHOSIS OF LIVER.	12.1	-0-	0.1	0.3	7.3	31.8	40.9	19.7
WHITE.	12.2	-0-	-0-	0.2	7.0	31.7	41.0	20.3
NONWHITE	11.2	-0-	1.1	1.3	13.2	36.8	40.0	-0-
11. EMPHYSEMA.	12.5	0.2	-0-	-0-	0.5	16.0	95.6	77.3
WHITE.	12.8	-0-	-0-	-0-	0.3	16.3	96.9	79.7
NONWHITE	5.2	2.0	-0-	-0-	4.4	7.0	55.0	-0-
12. HOMICIDE.	3.8	0.6	1.0	5.2	6.6	3.7	3.3	-0-
WHITE.	2.6	0.7	0.6	3.4	4.3	2.5	3.1	-0-
NONWHITE	27.3	-0-	6.8	36.8	52.7	36.8	10.0	-0-

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	110,970	64,140	43,064	5,182	11,197	1,972	576	2,149	1,247
ADAMS	1,023	634	413	21	132	30	12	26	12
ALEXANDER	241	140	106	9	15	2	--	8	4
BOND	167	114	84	5	20	3	--	2	4
BOONE	210	114	78	7	25	3	1	--	1
BROWN	85	50	38	2	5	2	--	3	1
BUREAU	436	247	176	18	39	11	--	3	3
CALHOUN	71	41	26	2	10	1	--	2	2
CARROLL	205	116	77	6	20	7	2	4	5
CASS	211	117	82	3	28	2	1	1	2
CHAMPAIGN	981	532	343	23	110	33	3	20	14
CHRISTIAN	468	254	161	21	46	16	4	6	8
CLARK	213	129	83	9	27	5	--	5	1
CLAY	196	130	89	8	19	7	2	5	6
CLINTON	267	181	121	7	29	7	6	11	4
COLES	493	301	201	6	65	16	2	11	14
COOK	56,513	32,495	21,818	3,484	5,087	810	285	1,011	472
CRAWFORD	270	187	98	18	64	2	--	5	4
CUMBERLAND	111	67	46	3	13	1	1	3	1
DE KALB	513	286	208	16	40	7	1	14	5
DE WITT	231	153	90	13	34	6	1	9	3
DOUGLAS	217	133	81	13	26	5	4	4	3
DU PAGE	3,026	1,581	1,053	95	305	57	10	61	36
EDGAR	279	172	125	8	36	3	--	--	6
EDWARDS	98	58	41	3	13	--	1	--	1
EFFINGHAM	237	120	76	8	14	14	2	6	7
FAYETTE	272	164	108	9	34	4	2	7	2
FORD	196	109	84	2	16	5	--	2	2
FRANKLIN	746	464	329	14	87	16	2	16	6
FULTON	525	316	187	35	73	7	5	9	9
GALLATIN	97	53	40	--	11	--	--	2	--
GREENE	246	148	97	22	19	6	1	3	4
GRUNDY	250	158	105	15	27	3	3	5	4
HAMILTON	128	87	58	1	23	4	--	1	3
HANCOCK	279	173	117	11	32	6	1	6	2
HARDIN	72	39	28	1	9	1	--	--	--
HENDERSON	95	63	52	2	7	--	1	1	2
HENRY	607	374	249	21	77	6	2	19	6
IROQUOIS	401	233	170	9	44	5	2	3	6
JACKSON	479	280	195	6	63	7	5	4	13
JASPER	140	78	62	1	9	3	--	3	--
JEFFERSON	439	246	138	27	46	20	3	12	7
JERSEY	178	100	62	9	18	6	--	5	3
JO DAVIES	286	167	109	9	35	6	--	8	4
JOHNSON	101	64	40	4	16	1	--	3	3
KANE	2,031	1,146	729	45	279	39	14	40	30
KANKAKEE	869	472	345	28	58	22	4	15	16
KENDALL	219	126	88	7	19	5	2	5	2
KNOX	705	441	317	13	72	22	2	15	11
LAKE	2,595	1,365	950	84	233	27	10	61	45
LA SALLE	1,273	771	523	37	152	27	3	29	13

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	19,748	4,985	2,378	2,607	3,359	2,130	819	2,063	1,928	1,048
ADAMS	166	30	19	11	43	16	2	12	7	20
ALEXANDER	38	11	5	6	14	2	1	4	3	--
BOND	31	6	4	2	1	1	1	2	--	1
BOONE	36	14	10	4	6	11	--	2	4	5
BROWN	15	12	7	5	1	1	--	--	--	--
BUREAU	84	26	19	7	16	8	1	5	4	3
CALHOUN	16	5	1	4	--	1	2	2	--	--
CARROLL	33	12	4	8	5	4	3	5	2	4
CASS	47	14	9	5	5	5	--	5	1	2
CHAMPAIGN	181	63	33	30	22	33	13	10	14	14
CHRISTIAN	89	23	13	10	15	4	3	12	8	3
CLARK	26	14	3	11	5	1	2	6	1	1
CLAY	19	8	5	3	6	4	--	4	1	2
CLINTON	33	12	7	5	7	3	1	7	1	2
COLES	79	23	13	10	12	9	5	8	5	3
COOK	10,192	2,036	748	1,288	1,696	1,172	398	1,136	1,287	513
CRAWFORD	35	8	5	3	7	--	1	3	--	1
CUMBERLAND	16	5	2	3	8	3	--	3	2	--
DE KALB	100	39	23	16	9	6	5	11	8	4
DE WITT	34	12	7	5	6	7	1	7	--	--
DOUGLAS	37	15	8	7	7	6	2	4	--	--
DU PAGE	655	142	82	60	102	61	43	50	58	47
EDGAR	24	20	12	8	15	4	2	8	2	4
EDWARDS	21	2	--	2	4	--	3	1	--	--
EFFINGHAM	46	8	1	7	12	4	3	3	3	3
FAYETTE	49	9	2	7	13	3	1	6	2	4
FORD	36	15	12	3	9	--	--	1	2	1
FRANKLIN	130	28	15	13	16	6	4	14	6	6
FULTON	83	29	20	9	18	6	4	13	1	4
GALLATIN	19	7	6	1	5	1	--	--	2	--
GREENE	31	22	14	8	10	3	3	3	1	1
GRUNDY	38	17	12	5	5	8	1	3	3	1
HAMILTON	15	8	5	3	3	1	--	2	2	--
HANCOCK	45	22	9	13	5	1	2	1	7	3
HARDIN	13	10	7	3	--	1	--	--	1	3
HENDERSON	12	5	2	3	5	2	--	--	2	1
HENRY	108	23	14	9	14	9	6	12	7	4
IROQUOIS	60	27	18	9	19	9	4	7	4	5
JACKSON	74	22	13	9	17	15	1	3	1	4
JASPER	34	5	3	2	7	2	--	1	--	--
JEFFERSON	60	36	19	17	26	8	1	10	4	3
JERSEY	27	13	6	7	10	2	1	4	2	1
JO DAVIESS	48	19	11	8	19	3	--	2	3	1
JOHNSON	20	2	2	--	1	1	--	3	1	1
KANE	360	116	70	46	49	56	29	28	31	25
KANKAKEE	179	49	25	24	23	27	4	13	10	7
KENDALL	34	9	6	3	9	3	2	5	1	2
KNOX	126	29	13	16	21	9	6	7	5	6
LAKE	518	175	99	76	74	52	25	43	51	37
LA SALLE	204	68	35	33	63	20	7	15	15	8

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

(INCLUDE DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)									
COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE. . . .	246	151	88	6	37	10	6	4	1
LEE	350	198	141	7	39	3	1	7	3
LIVINGSTON. . .	448	273	169	17	67	14	2	4	5
LOGAN	336	206	153	11	28	8	1	5	2
MCDONOUGH . . .	321	198	129	7	42	10	--	10	3
MCHENRY	1,053	586	384	26	124	28	11	13	17
MCLEAN.	927	534	362	15	111	20	3	23	13
MACON	1,240	706	403	57	191	23	10	22	23
MACOUPIN. . . .	627	404	296	18	61	16	3	10	6
MADISON	2,290	1,250	862	81	216	40	5	46	39
MARION.	514	298	196	20	52	6	5	19	7
MARSHALL. . . .	151	94	63	1	21	7	--	2	1
MASON	209	133	100	5	22	3	2	1	1
MASSAC.	175	109	61	4	28	8	1	7	--
MENARD.	136	97	70	2	14	5	--	6	2
MERCER.	225	119	88	9	17	1	--	4	3
MONROE.	203	126	84	8	19	13	1	1	3
MONTGOMERY. . .	442	290	184	12	65	18	4	7	5
MORGAN.	465	310	226	6	62	6	5	5	4
MOULTRIE. . . .	151	97	66	--	25	3	2	1	3
OGLE.	366	218	150	12	41	3	3	9	10
PEORIA.	1,965	1,119	702	60	224	55	10	68	30
PERRY	273	167	131	3	31	1	--	1	7
PIATT	177	108	66	9	24	7	1	1	3
PIKE.	254	170	104	5	22	32	1	6	4
POPE.	57	29	22	1	3	1	--	2	1
PULASKI	136	85	61	5	14	5	--	--	2
PUTNAM.	58	34	23	2	5	1	--	3	--
RANDOLPH. . . .	382	244	164	15	42	8	4	11	1
RICHLAND. . . .	205	130	88	3	22	6	3	8	3
ROCK ISLAND . .	1,551	931	667	44	152	27	8	33	17
ST. CLAIR	2,761	1,594	1,014	121	326	52	18	63	25
SALINE.	438	268	180	20	48	13	2	5	9
SANGAMON. . . .	1,746	1,039	725	36	208	27	7	36	30
SCHUYLER. . . .	106	78	68	1	7	1	--	1	--
SCOTT	84	54	36	1	14	2	--	1	1
SHELBY.	286	187	108	15	47	8	5	4	3
STARK	101	64	37	7	17	1	--	2	1
STEPHENSON. . .	528	331	254	7	46	--	8	16	8
TAZEWELL. . . .	879	469	290	32	102	18	7	20	5
UNION	212	132	89	3	30	5	--	5	2
VERMILION . . .	1,160	668	410	52	144	35	4	23	34
WABASH.	194	127	85	5	20	11	--	6	3
WARREN.	261	162	102	15	34	4	1	6	3
WASHINGTON. . .	210	115	84	8	19	1	1	2	1
WAYNE	194	130	102	4	15	3	--	6	3
WHITE	266	164	111	4	35	9	2	3	2
WHITESIDE . . .	580	308	202	18	68	13	--	7	9
WILL.	1,962	1,067	728	73	197	29	7	33	32
WILLIAMSON. . .	684	414	300	15	67	7	5	20	11
WINNEBAGO . . .	2,070	1,166	808	43	216	34	12	53	32
WOODFORD. . . .	322	199	132	10	35	13	5	4	2
UNSPECIFIED . .	2	1	--	1	--	--	--	--	--

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE	30	16	7	9	7	5	--	7	--	3
LEE	51	33	14	14	9	5	2	10	3	4
LIVINGSTON . . .	76	25	13	12	12	8	--	11	2	2
LOGAN	52	19	15	4	8	5	1	5	3	1
MCDONOUGH . . .	52	13	11	2	7	3	2	13	2	3
MCHENRY	184	66	40	26	34	17	18	14	21	12
MCLEAN	170	57	36	21	15	23	7	9	14	6
MACON	260	46	25	21	36	22	7	25	10	14
MACOUPIN	94	32	20	12	17	4	3	19	6	4
MADISON	445	140	75	65	57	41	16	42	16	16
MARION	95	22	14	8	22	7	--	11	3	6
MARSHALL	27	8	5	3	3	--	1	1	3	4
MASON	23	12	7	5	9	2	2	2	5	3
MASSAC	24	10	4	6	5	3	2	2	1	1
MENARD	21	5	3	2	5	2	1	--	--	--
MERCER	49	10	8	2	12	3	2	5	3	2
MONROE	34	12	6	6	2	5	--	4	1	1
MONTGOMERY . . .	69	20	15	5	10	3	3	8	2	6
MORGAN	63	25	12	13	14	6	4	9	3	6
MOULTRIE	20	7	2	5	2	--	1	2	2	1
OGLE	55	23	13	10	5	6	6	5	1	1
PEORIA	354	107	53	54	75	30	9	28	31	24
PERRY	48	15	11	4	9	2	2	4	--	2
PIATT	28	9	5	4	8	3	--	5	--	--
PIKE	34	18	8	10	6	1	1	2	2	--
POPE	9	8	2	6	3	1	1	--	--	1
PULASKI	20	3	2	1	6	3	--	2	2	1
PUTNAM	10	3	2	1	2	1	2	2	1	--
RANDOLPH	65	23	16	7	10	5	2	7	1	--
RICHLAND	26	11	8	3	7	6	1	2	1	1
ROCK ISLAND . . .	274	82	36	46	33	27	12	28	20	23
ST. CLAIR	432	155	82	73	88	53	24	44	38	22
SALINE	66	20	12	8	22	3	3	16	3	3
SANGAMON	303	69	26	43	39	28	15	34	23	12
SCHUYLER	10	5	2	3	--	2	1	--	1	2
SCOTT	10	2	2	--	2	1	1	4	2	--
SHELBY	48	11	8	3	11	2	2	1	4	2
STARK	16	4	2	2	5	--	--	3	1	1
STEPHENSON . . .	84	23	9	14	23	4	4	9	5	3
TAZEWELL	163	52	23	29	34	22	10	16	8	23
UNION	41	13	8	5	1	2	1	2	--	2
VERMILION	195	55	24	26	44	15	7	15	18	11
WABASH	33	15	9	6	4	--	--	3	3	--
WARREN	43	19	14	5	8	2	1	4	1	1
WASHINGTON . . .	48	8	6	2	6	2	1	6	1	2
WAYNE	30	4	3	1	9	1	1	3	--	3
WHITE	46	17	6	11	7	4	2	7	5	--
WHITESIDE	107	41	23	18	17	14	4	12	10	5
WILL	367	111	54	52	44	58	18	52	28	15
WILLIAMSON . . .	127	29	17	12	17	7	3	12	7	6
WINNEBAGO	354	111	56	55	58	42	17	25	35	27
WOODFORD	68	15	10	5	5	5	3	5	1	--
UNSPECIFIED . . .	--	1	1	--	--	--	--	--	--	--

TABLE 104. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	946.3	570.1	342.8	46.1	99.5	17.5	5.1	19.1	11.1
ADAMS	1,453.1	900.6	586.6	29.4	187.5	42.6	17.0	36.9	17.0
ALEXANDER	1,991.7	1,157.0	876.0	74.4	124.0	16.5	-0-	66.1	33.1
BOND	1,151.7	786.2	574.3	34.5	137.9	20.7	-0-	13.8	27.6
BOONE	810.8	440.2	301.2	27.0	96.5	11.6	3.9	-0-	3.9
BROWN	1,491.2	877.2	666.7	35.1	87.7	35.1	-0-	52.6	17.5
BURBANK	1,141.3	674.9	440.9	49.2	106.6	30.1	-0-	8.2	8.2
CALHOUN	1,314.8	759.3	481.5	37.0	185.2	18.5	-0-	37.0	37.0
CARROLL	1,062.2	601.0	394.0	31.1	103.6	36.3	10.4	20.7	25.9
CASS	1,475.5	818.2	573.4	21.0	195.8	14.0	7.0	7.0	14.0
CHAMPAIGN	610.8	331.3	213.6	14.3	68.5	20.5	1.9	12.5	8.7
CHRISTIAN	1,268.3	688.3	436.3	56.9	124.7	43.4	10.8	16.3	21.7
CLARK	1,283.1	777.1	500.0	54.2	162.7	30.1	-0-	30.1	6.0
CLAY	1,333.3	884.4	605.4	54.4	129.3	47.6	13.6	34.0	40.8
CLINTON	927.1	628.5	420.1	24.3	100.7	24.3	20.8	38.2	13.9
COLES	1,005.1	614.3	410.2	12.2	132.7	32.7	4.1	22.4	28.6
COOK	1,019.6	586.3	343.7	62.9	91.8	14.6	5.1	18.2	8.5
CRAWFORD	1,370.6	944.2	497.5	91.4	324.9	10.2	-0-	25.4	20.3
CUMBERLAND . . .	1,110.0	670.0	460.0	30.0	130.0	10.0	10.0	30.0	10.0
DE KALB	716.5	399.4	290.5	22.3	55.9	9.8	1.4	19.6	7.0
DE WITT	1,375.0	910.7	535.7	77.4	202.4	35.7	6.0	53.6	17.9
DOUGLAS	1,142.1	700.0	426.3	68.4	136.8	26.3	21.1	21.1	15.8
DUPAGE	587.5	306.9	204.4	18.4	59.2	11.1	1.9	11.8	7.0
EDGAR	1,316.0	811.3	584.6	37.7	169.8	14.2	-0-	-0-	28.3
EDWARDS	1,389.3	816.9	577.5	42.3	183.1	-0-	14.1	-0-	14.1
EFFINGHAM	925.8	468.8	246.9	31.3	54.7	54.7	7.8	23.4	27.3
FAYETTE	1,307.7	788.5	514.2	43.3	163.5	19.2	9.6	33.7	9.6
FORD	1,315.4	731.5	563.8	13.4	107.4	33.6	-0-	13.4	13.4
FRANKLIN	1,837.4	1,142.9	810.3	34.5	214.3	39.4	4.9	39.4	14.8
FULTON	1,235.3	743.5	440.0	82.4	171.8	16.5	11.8	21.2	21.2
GALLATIN	1,347.2	736.1	555.6	-0-	152.8	-0-	-0-	27.8	-0-
GREENE	1,464.3	881.0	577.4	131.0	113.1	35.7	6.0	17.9	23.8
GRUNDY	902.5	570.4	379.1	54.2	97.5	10.8	10.8	18.1	14.4
HAMILTON	1,505.9	1,023.5	642.4	11.8	270.6	47.1	-0-	11.8	35.3
HANCOCK	1,229.1	762.1	515.4	48.5	141.0	26.4	4.4	26.4	8.8
HARDIN	1,440.0	780.0	560.0	20.0	180.0	20.0	-0-	-0-	-0-
HENDERSON	1,131.0	750.0	619.0	23.8	83.3	-0-	11.9	11.9	23.8
HENRY	1,160.6	715.1	476.1	40.2	147.2	11.5	3.8	36.3	11.5
IROQUOIS	1,152.3	664.5	488.5	25.9	126.4	14.4	5.7	8.6	17.2
JACKSON	841.8	492.1	342.7	10.5	110.7	12.3	8.8	7.0	22.8
JASPER	1,272.7	709.1	563.6	9.1	81.8	27.3	-0-	27.3	-0-
JEFFERSON	1,346.6	754.6	423.3	82.8	141.1	61.3	9.2	36.8	21.5
JERSEY	912.8	512.8	317.9	46.2	92.3	30.8	-0-	25.6	15.4
JO DAVIES	1,284.3	752.3	491.0	40.5	157.7	27.0	-0-	36.0	18.0
JOHNSON	1,346.7	853.3	533.3	53.3	213.3	13.3	-0-	40.0	40.0
KANE	778.5	434.2	274.4	17.2	106.9	14.9	5.4	15.3	11.5
KANKAKEE	873.4	474.4	344.7	28.1	58.3	22.1	4.0	15.1	16.1
KENDALL	774.4	448.4	313.2	24.9	67.6	17.8	7.1	17.8	7.1
KNOX	1,174.0	734.8	527.5	21.6	119.8	36.6	3.3	25.0	18.3
LAKE	665.1	350.4	243.4	21.6	59.8	6.9	2.6	15.7	11.6
LA SALLE	1,140.2	695.8	472.0	33.4	137.2	24.4	2.7	26.2	11.7

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	175.5	44.3	21.1	23.2	29.9	18.9	7.3	18.3	17.1	9.3
ADAMS	235.8	42.6	27.0	15.6	61.1	22.7	2.8	17.0	9.9	28.4
ALEXANDER	314.0	90.9	41.3	49.6	115.7	16.5	8.3	33.1	24.8	-0-
BOND	213.8	41.4	27.6	13.8	6.9	6.9	6.9	13.8	-0-	6.9
BOONF	139.0	54.1	38.6	15.4	23.2	42.5	-0-	7.7	15.4	19.3
BROWN	263.2	210.5	122.8	87.7	17.5	17.5	-0-	-0-	-0-	-0-
BUREAU	229.5	71.0	51.9	19.1	43.7	21.9	2.7	13.7	10.9	8.2
CALHOUN	296.3	92.6	18.5	74.1	-0-	18.5	37.0	37.0	-0-	-0-
CARROLL	171.0	62.2	20.7	41.5	25.9	20.7	15.5	25.9	10.4	20.7
CASS	328.7	97.9	62.9	35.0	35.0	35.0	-0-	35.0	7.0	14.0
CHAMPAIGN	112.7	39.2	20.5	18.7	13.7	20.5	8.1	6.2	8.7	8.7
CHRISTIAN	241.2	62.3	35.2	27.1	40.7	10.8	8.1	32.5	21.7	8.1
CLARK	156.6	84.3	18.1	66.3	30.1	6.0	12.0	36.1	6.0	6.0
CLAY	129.3	54.4	34.0	20.4	40.8	27.2	-0-	27.2	6.8	13.6
CLINTON	114.6	41.7	24.3	17.4	24.3	10.4	3.5	24.3	3.5	6.9
COLES	161.2	46.9	26.5	20.4	24.5	18.4	10.2	16.3	10.2	6.1
COOK	183.9	36.7	13.5	23.2	30.6	21.1	7.2	20.5	23.2	9.3
CRAWFORD	177.7	40.6	25.4	15.2	35.5	-0-	5.1	15.2	-0-	5.1
CUMBERLAND	160.0	50.0	20.0	30.0	40.0	30.0	-0-	30.0	20.0	-0-
DE KALB	139.7	54.5	32.1	22.3	12.6	8.4	7.0	15.4	11.2	5.6
DE WITT	202.4	71.4	41.7	29.8	35.7	41.7	6.0	41.7	-0-	-0-
DOUGLAS	194.7	78.9	42.1	36.8	36.8	31.6	10.5	21.1	-0-	-0-
DU PAGE	127.2	27.6	15.9	11.6	19.8	11.8	8.3	9.7	11.3	9.1
EDGAR	113.2	94.3	56.6	37.7	70.8	18.9	9.4	37.7	9.4	18.9
EDWARDS	295.8	28.2	-0-	28.2	56.3	-0-	42.3	14.1	-0-	-0-
EFFINGHAM	179.7	31.3	3.9	27.3	46.9	15.6	11.7	11.7	11.7	11.7
FAYETTE	235.6	43.3	9.6	33.7	62.5	14.4	4.8	28.8	9.6	19.2
FORD	241.6	100.7	80.5	20.1	60.4	-0-	-0-	6.7	13.4	6.7
FRANKLIN	320.2	69.0	36.9	32.0	39.4	14.8	9.9	34.5	14.8	14.8
FULTON	195.3	68.2	47.1	21.2	42.4	14.1	9.4	30.6	2.4	9.4
GALLATIN	263.9	97.2	83.3	13.9	69.4	13.9	-0-	-0-	27.8	-0-
GRENE	184.5	131.0	83.3	47.6	59.5	17.9	17.9	17.9	6.0	6.0
GRUNDY	137.2	61.4	43.3	18.1	18.1	28.9	3.6	10.8	10.8	3.6
HAMILTON	176.5	94.1	58.8	35.3	35.3	11.8	-0-	23.5	23.5	-0-
HANCOCK	198.2	96.9	39.6	57.3	22.0	4.4	8.8	4.4	30.8	13.2
HARDIN	260.0	200.0	140.0	60.0	-0-	20.0	-0-	-0-	20.0	60.0
HENDERSON	142.9	59.5	23.8	35.7	59.5	23.8	-0-	-0-	23.8	11.9
HENRY	206.5	44.0	26.8	17.2	26.8	17.2	11.5	22.9	13.4	7.6
IROQUOIS	172.4	77.6	51.7	25.9	54.6	25.9	11.5	20.1	11.5	14.4
JACKSON	130.1	38.7	22.8	15.8	29.9	26.4	1.8	5.3	1.8	7.0
JASPER	309.1	45.5	27.3	18.2	63.6	18.2	-0-	9.1	-0-	-0-
JEFFERSON	184.0	110.4	58.3	52.1	79.8	24.5	3.1	30.7	12.3	9.2
JERSEY	138.5	66.7	30.8	35.9	51.3	10.3	5.1	20.5	10.3	5.1
JO DAVIES	216.2	85.6	49.5	36.0	85.6	13.5	-0-	9.0	13.5	4.5
JOHNSON	266.7	26.7	26.7	-0-	13.3	13.3	-0-	40.0	13.3	13.3
KANE	138.0	44.5	26.8	17.6	18.8	21.5	11.1	10.7	11.9	9.6
KANKAKEE	179.9	49.2	25.1	24.1	23.1	27.1	4.0	13.1	10.1	7.0
KENDALL	121.0	32.0	21.4	10.7	32.0	10.7	7.1	17.8	3.6	7.1
KNOX	209.7	48.3	21.6	26.6	34.9	15.0	10.0	11.6	8.3	10.0
LAKE	133.0	44.9	25.4	19.5	19.0	13.3	6.4	11.0	13.1	9.5
LA SALLE	184.1	61.4	31.6	29.8	56.9	18.1	6.3	13.5	13.5	7.2

TABLE 104. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E S							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE. . . .	1,397.7	858.0	500.0	34.1	210.2	56.8	34.1	22.7	5.7
LEE	938.3	530.8	378.0	18.8	104.6	8.0	2.7	18.8	8.0
LIVINGSTON. . .	1,069.2	651.6	403.3	40.6	159.9	33.4	4.8	9.5	11.9
LOGAN	1,006.0	616.8	458.1	32.9	83.8	24.0	3.0	15.0	6.0
MCDONOUGH . . .	844.7	521.1	339.5	18.4	110.5	26.3	-0-	26.3	7.9
MCHENRY	920.5	512.2	335.7	22.7	108.4	24.5	9.6	11.4	14.9
MCLFAN.	842.0	485.0	328.8	13.6	100.8	18.2	2.7	20.9	11.8
MACON	1,010.6	575.4	328.4	46.5	155.7	18.7	8.1	17.9	18.7
MACOMPTN. . . .	1,399.6	901.8	660.7	40.2	136.2	35.7	6.7	22.3	13.4
MADISON	904.4	493.7	340.4	32.0	85.3	15.8	2.0	18.2	15.4
MARION.	1,291.5	748.7	492.5	50.3	130.7	15.1	12.6	47.7	17.6
MARSHALL. . . .	1,094.2	681.2	456.5	7.2	152.2	50.7	-0-	14.5	7.2
MASON	1,208.1	768.8	578.0	28.9	127.2	17.3	11.6	5.8	5.8
MASSAC.	1,306.0	813.4	455.2	29.9	209.0	59.7	7.5	52.2	-0-
MENARD.	1,360.0	970.0	700.0	20.0	140.0	50.0	-0-	60.0	20.0
MERCER.	1,339.3	708.3	523.8	53.6	101.2	6.0	-0-	23.8	17.9
MONROE.	1,091.4	677.4	451.6	43.0	102.2	69.9	5.4	5.4	16.1
MONTGOMERY. . .	1,444.4	947.7	601.3	39.2	212.4	58.8	13.1	22.9	16.3
MORGAN.	1,246.6	831.1	605.9	16.1	166.2	16.1	13.4	13.4	10.7
MOULTRIE. . . .	1,110.3	713.2	485.3	-0-	183.8	22.1	14.7	7.4	22.1
OGLE.	857.1	510.5	351.3	28.1	96.0	7.0	7.0	21.1	23.4
PEORIA.	981.5	558.9	350.6	30.0	111.9	27.5	5.0	34.0	15.0
PERRY	1,358.2	830.8	651.7	14.9	154.2	5.0	-0-	5.0	34.8
PIATT	1,127.4	687.9	420.4	57.3	152.9	44.6	6.4	6.4	19.1
PIKE.	1,309.3	876.3	536.1	25.8	113.4	164.9	5.2	30.9	20.6
POPE.	1,390.2	707.3	536.6	24.4	73.2	24.4	-0-	48.8	24.4
PULASKI.	1,511.1	944.4	677.8	55.6	155.6	55.6	-0-	-0-	22.2
PUTNAM.	1,137.3	666.7	451.0	39.2	98.0	19.6	-0-	58.8	-0-
RANDOLPH. . . .	1,168.2	746.2	501.5	45.4	128.4	24.5	12.2	33.6	3.1
RICHLAND. . . .	1,205.9	764.7	517.6	17.6	129.4	35.3	17.6	47.1	17.6
ROCK ISLAND. . .	947.5	568.7	407.5	26.9	92.9	16.5	4.9	20.2	10.4
ST. CLAIR	973.6	562.1	357.5	42.7	115.0	18.3	6.3	22.2	8.8
SALINE.	1,587.0	971.0	652.2	72.5	173.9	47.1	7.2	18.1	32.6
SANGAMON. . . .	1,060.8	631.2	440.5	21.9	126.4	16.4	4.3	21.9	18.2
SCHUYLER. . . .	1,359.0	1,000.0	871.8	12.8	89.7	12.8	-0-	12.8	-0-
SCOTT	1,312.5	843.8	562.5	15.6	218.8	31.3	-0-	15.6	15.6
SHELBY.	1,259.9	823.8	475.8	66.1	207.0	35.2	22.0	17.6	13.2
STARK	1,211.7	831.2	480.5	90.9	220.8	13.0	-0-	26.0	13.0
STEPHENSON. . .	1,043.2	685.3	525.9	14.5	95.2	-0-	16.6	33.1	16.6
TAZEWELL. . . .	711.2	379.4	234.6	25.9	82.5	14.6	5.7	16.2	4.0
UNION	1,308.6	814.8	549.4	18.5	185.2	30.9	-0-	30.9	12.3
VERMILION. . . .	1,192.2	686.5	421.4	53.4	148.0	36.0	4.1	23.6	34.9
WAHASH.	1,458.6	954.9	639.1	37.6	150.4	82.7	-0-	45.1	22.6
WARREN.	1,197.2	743.1	467.9	68.8	156.0	18.3	4.6	27.5	13.8
WASHINGTON. . .	1,428.6	782.3	571.4	54.4	129.3	6.8	6.8	13.6	6.8
WAYNE	1,134.5	760.2	546.5	23.4	87.7	17.5	-0-	35.1	17.5
WHITE	1,602.4	988.0	668.7	24.1	210.8	54.2	12.0	18.1	12.0
WHITESIDE. . . .	917.7	487.3	319.6	28.5	107.6	20.6	-0-	11.1	14.2
WILL.	748.3	406.9	277.7	27.8	75.1	11.1	2.7	12.6	12.2
WILLIAMSON. . .	1,354.5	819.8	544.1	29.7	132.7	13.9	9.9	39.6	21.8
WINNEBAGO. . . .	855.0	481.6	334.7	17.4	89.2	14.0	5.0	21.9	13.2
WOODFORD. . . .	1,122.0	693.4	454.9	34.8	122.0	45.3	17.4	13.9	7.0

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1972--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE	170.5	90.9	39.8	51.1	39.8	28.4	-0-	39.8	-0-	17.0
LEF	136.7	88.5	50.9	37.5	24.1	13.4	5.4	26.8	8.0	10.7
LIVINGSTON . . .	181.4	59.7	31.0	28.6	28.6	19.1	-0-	26.3	4.8	4.8
LOGAN	155.7	56.9	44.9	12.0	24.0	15.0	3.0	15.0	9.0	3.0
MCDONOUGH . . .	136.8	34.2	28.9	5.3	18.4	7.9	5.3	34.2	5.3	7.9
MCHENRY	160.8	57.7	35.0	22.7	29.7	14.9	15.7	12.2	18.4	10.5
MCLFAN	154.4	51.8	32.7	19.1	13.6	20.9	6.4	8.2	12.7	5.4
MACON	211.9	37.5	20.4	17.1	29.3	17.9	5.7	20.4	8.1	11.4
MACOUPIN	209.8	71.4	44.6	26.8	37.9	8.9	6.7	42.4	13.4	8.9
MADISON	175.8	55.3	29.6	25.7	22.5	16.2	6.3	16.6	6.3	6.3
MARION	238.7	55.3	35.2	20.1	55.3	17.6	-0-	27.6	7.5	15.1
MARSHALL	195.7	58.0	36.2	21.7	21.7	-0-	7.2	7.2	21.7	29.0
MASON	132.9	64.4	40.5	23.9	52.0	11.6	11.6	11.6	28.9	17.3
MASSAC	216.4	74.6	29.9	44.8	37.3	22.4	14.9	14.9	7.5	7.5
MENARD	210.0	50.0	30.0	20.0	50.0	20.0	10.0	-0-	-0-	-0-
MERCER	291.7	59.5	47.6	11.9	71.4	17.9	11.9	29.8	17.9	11.9
MONROE	182.8	64.5	32.3	32.3	10.8	26.9	-0-	21.5	5.4	5.4
MONTGOMERY . . .	225.5	65.4	49.0	16.3	32.7	9.8	9.8	26.1	6.5	19.6
MORGAN	168.9	67.0	32.2	34.9	37.5	16.1	10.7	24.1	8.0	16.1
MOULTRIE	147.1	51.5	14.7	36.8	14.7	-0-	7.4	14.7	14.7	7.4
OGLE	128.5	53.9	30.4	23.4	11.7	14.1	14.1	11.7	2.3	2.3
PEORIA	179.3	53.4	26.5	27.0	37.5	15.0	4.5	14.0	15.5	12.0
PERRY	238.8	74.6	54.7	19.9	44.8	10.0	10.0	19.9	-0-	10.0
PIATT	174.3	57.3	31.8	25.5	51.0	19.1	-0-	31.8	-0-	-0-
PIKE	175.3	42.8	41.2	51.5	30.9	5.2	5.2	10.3	10.3	-0-
POPE	219.5	195.1	48.8	146.3	73.2	24.4	24.4	-0-	-0-	24.4
PULASKI	222.2	33.3	22.2	11.1	66.7	33.3	-0-	22.2	22.2	11.1
PUTNAM	196.1	58.8	39.2	19.6	39.2	19.6	39.2	39.2	19.6	-0-
RANDOLPH	198.8	70.3	48.9	21.4	30.6	15.3	6.1	21.4	3.1	-0-
RICHLAND	152.9	64.7	47.1	17.6	41.2	35.3	5.9	11.8	5.9	5.9
ROCK ISLAND . . .	167.4	50.1	22.0	28.1	20.2	16.5	7.3	17.1	12.2	14.1
ST. CLAIR	152.3	54.7	28.9	25.7	31.0	18.7	8.5	15.5	13.4	7.8
SALTINE	239.1	72.5	43.5	29.0	79.7	10.9	10.9	58.0	10.9	10.9
SANGAMON	184.1	41.9	15.8	26.1	23.7	17.0	9.1	20.7	14.0	7.3
SCHUYLER	128.2	64.1	25.6	38.5	-0-	25.6	12.8	-0-	12.8	25.6
SCOTT	156.3	31.3	31.3	-0-	31.3	15.6	15.6	62.5	31.3	-0-
SHELBY	211.5	48.5	35.2	13.2	48.5	8.8	8.8	4.4	17.6	8.8
STARK	207.8	51.9	26.0	26.0	64.9	-0-	-0-	39.0	13.0	13.0
STEPHENSON . . .	182.2	47.6	18.6	29.0	47.6	8.3	8.3	18.6	10.4	6.2
TAZEWELL	131.9	42.1	18.6	23.5	27.5	17.8	8.1	12.9	6.5	18.6
UNION	253.1	80.2	49.4	30.9	6.2	12.3	6.2	12.3	-0-	12.3
VERMILION	200.4	56.5	29.8	26.7	45.2	15.4	7.2	15.4	18.5	11.3
WARASH	248.1	112.8	57.7	45.1	30.1	-0-	-0-	22.6	22.6	-0-
WARREN	197.2	47.2	64.2	22.9	36.7	9.2	4.6	18.3	4.6	4.6
WASHINGTON . . .	126.5	54.4	40.8	13.6	40.8	13.6	6.8	40.8	6.8	13.6
WAYNE	175.4	23.4	17.5	5.8	52.6	5.8	5.8	17.5	-0-	17.5
WHITE	277.1	102.4	36.1	66.3	42.2	24.1	12.0	42.2	30.1	-0-
WHITESIDE	169.3	64.9	36.4	28.5	26.9	22.2	6.3	19.0	15.8	7.9
WILL	140.0	42.3	22.5	19.8	16.8	22.1	6.9	19.8	10.7	5.7
WILLIAMSON	251.5	57.4	33.7	23.8	33.7	13.9	5.9	23.8	13.9	11.9
WINNEBAGO	148.3	45.8	23.1	22.7	24.0	17.3	7.0	10.3	14.5	11.2
WOODFORD	236.9	52.3	34.8	17.4	17.4	17.4	10.5	17.4	3.5	-0-

CIRCULATORY DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE

CITY	ALL CAUSES	C A U S E O F D E A T H							
		TOTAL	HEART DISEASE	ARTERIO-SCLEROTIC	OTHER	CEREBRO-VASCULAR DISEASE	GENERAL ARTERIO-SCLEROSIS	HYPERTENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES
ADDISON	49	53	32	2	12	2	1	4	3
ALSOB	46	42	32	1	9	--	--	--	1
ALTON	500	273	177	23	53	11	--	9	7
AMERICAN HEIGHS	774	211	147	16	35	8	--	5	2
ALHON	731	298	252	19	59	15	8	5	18
HELLFVILLE	621	385	236	18	95	13	6	17	7
HELLWOOD	185	104	73	5	17	4	1	4	1
HELLVIERE	120	67	44	5	16	1	1	--	1
HENSENVILLE	136	77	47	2	18	5	1	4	2
HERBY	755	483	353	26	79	9	4	12	9
HIDMINGTON	446	262	178	8	51	12	2	11	8
HUE ISLAND	305	165	116	3	35	4	1	6	5
HOLINGBROOK	36	14	7	1	4	--	--	2	--
HODLEY	45	41	20	1	6	1	--	3	3
HODGEVIEW	85	36	24	4	6	--	1	1	--
HOCKEYFIELD	215	117	51	5	15	1	--	5	1
HUFFALO GROVE	36	10	5	2	2	--	--	1	--
HURBAN	192	105	73	13	18	--	1	--	2
CAHOKIA	144	81	57	5	13	3	--	3	--
CALLUMET CITY	262	151	97	8	40	2	--	4	4
CALLUMET PARK	67	43	34	1	6	--	1	1	1
CANTON	179	107	62	10	29	--	1	5	3
CARRODALE	120	68	45	3	14	3	1	2	3
CARPENTERSVILLE	112	44	32	2	7	--	1	4	3
CENTRALIA	231	135	90	8	22	2	5	8	3
CENTREVILLE	60	29	19	3	6	--	1	--	--
CHAMPAIGN	345	211	142	4	45	10	2	8	4
CHARLESTON	146	95	66	1	20	5	--	3	8
CHICAGO	25,445	22,664	14,991	2,940	3,323	548	201	693	265
CHICAGO HEIGHTS	395	217	136	15	47	11	1	7	5
CICERO	846	535	342	29	85	11	1	17	17
COLLINGSVILLE	224	115	88	6	17	3	1	4	4
CRYSTAL LAKE	127	69	48	2	15	1	2	1	1
DANVILLE	544	241	143	36	51	21	1	9	21
DE KALB	168	94	67	5	12	2	1	7	1
DECATUR	1,057	598	372	48	162	22	8	20	19
DEERFIELD	48	52	34	2	13	2	--	1	2
DES PLAINES	470	252	174	13	40	17	3	5	6
DIXON	161	90	60	6	19	3	--	2	1
DOLTON	174	97	65	7	20	1	--	4	--
DOWNEY GROVE	245	155	105	10	24	8	--	8	5
EAST MOLINE	158	105	69	4	18	5	2	7	--
EAST PEORIA	142	67	41	5	16	2	--	3	--
EAST ST LOUIS	508	485	298	56	93	12	3	23	8
EDWARDSVILLE	131	74	54	2	12	1	--	5	5
EFFINGHAM	111	56	38	3	5	7	1	2	4
ELGIN	570	342	215	12	88	11	1	15	5
ELK GROVE	63	37	31	1	2	--	--	3	--
ELMHURST	237	147	117	14	45	3	--	8	1
ELMWOOD PARK	261	175	127	3	32	3	4	6	2
EVANSTON	528	555	381	34	115	7	2	20	7
EVERGREEN PARK	248	197	133	13	42	3	4	2	5
FAIRVIEW HEIGHTS	103	61	44	3	10	2	--	2	3
FOREST PARK	218	137	102	5	19	3	1	3	1
FRANKLIN PARK	145	83	57	7	13	2	2	2	1
FRERESVILLE	322	201	154	4	28	--	7	7	6
GALESHURST	430	260	178	10	48	13	2	9	6
GLEN ELLEN	154	70	53	3	9	3	--	2	2
GLENVIEW	66	34	19	2	6	2	2	3	2
GLENDALE HEIGHTS	24	4	4	--	--	--	--	--	--
GLENVIEW	235	124	82	3	23	5	1	4	2
GRANITE CITY	242	181	117	11	40	5	1	7	9
GRANOVILLE PARK	57	24	16	2	3	2	--	1	2
GRANDVIEW	245	142	91	15	31	8	2	5	10
GRANDVIEW	73	38	20	--	7	1	--	--	--
GRIFFIN HILLS	81	40	30	2	5	--	2	1	--
GRIFFIN PARK	180	94	56	3	27	2	1	6	3
HAROLD	150	81	50	4	17	4	1	5	2
HOBAN PARK	71	32	18	2	6	2	--	4	--
HOMERIDGE	174	120	80	6	26	3	1	1	2
HOMERIDGE	225	225	171	5	40	6	2	4	4
HOMERIDGE	244	158	100	8	23	14	1	13	17
HOMERIDGE	235	124	85	9	28	3	1	8	4
HOMERIDGE	154	102	65	4	24	--	1	3	6
HOMERIDGE	107	52	32	1	20	5	1	3	--
HOMERIDGE	122	71	41	5	5	1	1	4	1
HOMERIDGE	115	72	44	3	13	--	--	3	2
HOMERIDGE	115	72	44	3	13	--	--	3	2
HOMERIDGE	115	72	44	3	13	--	--	3	2
HOMERIDGE	115	72	44	3	13	--	--	3	2

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED--

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDES
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	17	5	2	3	3	4	1	1	2	2
ALSTON	22	3	1	2	3	3	2	1	3	1
ALTON	84	31	17	14	15	15	1	10	2	3
ARLINGTON HEIGHTS	44	16	4	11	7	10	1	7	8	10
ALHAMBRA	137	43	27	16	26	20	7	3	12	4
HELENEVILLE	109	30	14	16	21	5	2	7	8	2
WELLSWOOD	37	6	4	2	6	2	2	3	9	1
HELVETIA	24	5	4	1	2	4	--	--	2	4
HENSENVILLE	27	3	1	2	13	--	1	2	5	2
HELVETIA	151	18	7	11	12	1	2	14	10	4
FLOMINGTON	77	18	12	6	11	12	4	4	11	5
BLUE ISLAND	75	6	4	2	5	7	3	10	8	1
HOLINGBROOK	10	2	2	--	2	2	--	--	2	--
HEADLEY	28	6	4	2	4	1	--	1	2	--
BRIDGEVIEW	14	2	--	2	1	5	--	2	3	2
WROCKFIELD	51	6	2	4	6	6	1	5	5	4
HELENE GROVE	10	3	1	2	--	2	2	2	2	--
HELVETIA	48	4	2	2	4	3	1	3	3	4
CANOKIA	24	10	7	3	6	3	--	3	--	1
CALLMET CITY	56	10	4	6	6	4	2	2	7	1
CALLMET PARK	5	2	1	1	--	--	1	1	2	1
CANTON	31	9	7	2	7	2	1	2	--	2
CARRONDALE	19	3	2	1	3	6	--	1	--	1
CARPENTERSVILLE	21	13	10	3	3	--	4	3	3	1
CENTRALIA	42	5	2	3	12	4	--	6	2	--
CENTREVILLE	7	4	2	2	--	4	--	2	1	1
CHAMPAGNE	41	25	10	15	6	5	7	3	8	8
CHARLESTON	22	5	2	3	2	1	2	--	2	1
CHICAGO	6,714	1,392	432	960	1,277	887	258	819	973	293
CHICAGO HEIGHTS	45	14	4	6	9	12	4	13	1	3
CICERO	179	23	8	15	20	11	1	28	23	9
COLLIASVILLE	57	15	12	3	5	3	2	3	1	2
CRYSTAL LAKE	27	9	5	4	4	1	4	3	1	3
DANVILLE	95	27	14	11	26	9	4	4	13	3
DE KALB	35	13	6	8	3	2	2	3	3	1
DECATUR	220	38	20	18	31	20	5	22	9	10
DEERFIELD	23	5	2	3	1	2	1	5	1	1
DES PLAINES	101	16	6	10	15	7	5	11	10	3
DIKON	22	17	10	7	7	2	1	4	2	--
DOLTON	37	10	4	5	5	3	2	3	4	2
DOWNS GROVE	55	20	14	5	8	4	4	2	5	4
EAST MOLINE	14	10	4	4	4	3	1	2	1	4
EAST PEORIA	25	12	7	5	2	5	1	6	2	1
EAST ST. LOUIS	120	53	24	29	31	19	11	16	15	4
EDWARDSVILLE	24	5	--	5	3	1	--	3	--	2
EFFINGHAM	21	2	--	2	4	2	2	--	3	2
ELGIN	45	23	12	10	17	20	7	15	10	10
ELK GROVE	14	3	2	--	--	2	--	--	1	2
ELMCREST	70	15	5	6	14	4	3	4	6	7
ELMHURST PARK	45	10	4	5	2	2	--	5	2	3
EVANSTON	149	29	12	17	22	20	6	19	12	7
EVERGREEN PARK	52	7	2	5	5	--	2	4	4	5
FAIRVIEW HEIGHTS	14	4	2	1	1	1	--	--	2	2
FOREST PARK	45	7	1	6	1	--	2	4	5	3
FRANKLIN PARK	32	5	2	3	5	3	2	2	2	2
FREEPORT	51	13	4	8	13	1	2	3	3	3
GALESBURG	74	14	4	7	13	7	4	3	4	4
GLEN ELLYN	46	7	4	3	5	5	--	2	--	2
GLENCOE	14	1	1	--	2	--	1	1	--	3
GLENDALE HEIGHTS	4	2	1	1	1	3	1	2	1	1
GLENVIEW	40	5	2	3	6	3	--	3	5	4
GRANT CITY	62	24	14	10	15	5	5	7	1	2
HANOVER PARK	11	2	--	2	4	4	3	1	1	2
HARVEY	45	14	7	11	6	14	4	8	4	3
HAZEL CREST	17	3	1	2	1	2	1	1	1	2
HICKORY HILLS	14	4	4	2	3	1	1	1	3	1
HIGHLAND PARK	44	5	1	4	4	--	--	--	2	7
HINSDALE	24	7	--	7	4	5	--	2	4	--
HOOVER ESTATES	13	2	2	--	--	5	4	--	2	2
HOMEROD	15	6	4	2	5	3	--	3	3	5
JACKSONVILLE	44	11	4	7	9	3	2	5	2	3
JOLIET	144	37	17	20	21	14	4	21	13	5
KANKAKEE	75	14	4	9	13	16	2	5	2	3
KEWNAWEE	45	11	4	6	11	3	3	4	6	--
LA GRANGE	41	6	4	2	6	4	2	6	3	3
LA GRANGE PARK	34	2	--	--	2	--	--	2	--	1
LA SALLE	25	6	2	4	6	2	1	3	4	1
LAKE FOREST	41	6	2	1	1	--	--	4	1	4
LANSING	44	2	2	--	4	4	2	6	--	1
LITTLEROCK	15	5	2	3	2	2	--	1	2	1

INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E								EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES		
			ARTERIO- SCLECTIC	OTHER						
LINCOLN	170	101	77	5	15	1	1	2	1	
LINCOLNWOOD	44	64	44	3	11	1	1	3	--	
LOMBARD	245	134	43	11	20	5	1	4	1	
LOVELL PARK	71	31	22	1	5	1	--	2	--	
LYONS	43	42	31	3	6	1	--	1	1	
MACOMB	141	44	47	3	25	5	--	6	2	
MARION	194	122	44	4	24	2	2	6	3	
MARSHFIELD	114	127	34	12	5	1	--	3	1	
MATTOON	224	127	45	2	24	4	1	3	5	
MATWOOD	251	142	44	11	26	3	2	4	--	
MELROSE PARK	245	146	104	9	24	1	--	3	3	
MIDLOTHIAN	117	67	41	4	21	--	--	1	--	
MOLINE	527	320	234	4	55	7	--	11	7	
MONTGOMERY	152	93	56	10	22	2	--	3	3	
MONTICELLO GROVE	144	94	64	5	19	1	1	4	--	
MONTICELLO	72	44	34	2	7	2	1	--	--	
MOUNT PROSPECT	274	149	106	11	20	5	1	6	--	
MOUNT VERNON	262	143	70	14	30	13	2	9	3	
MANLEYTON	114	55	44	2	9	3	--	1	3	
MILWAUKEE	141	97	64	1	21	3	2	1	3	
NAPERVILLE	147	40	42	2	16	4	2	4	1	
NILES	247	141	111	6	32	14	2	11	--	
NORFOLK	114	64	43	1	19	3	--	2	2	
NORRIDGE	135	44	72	5	5	1	1	4	1	
NORTH CHICAGO	142	44	44	10	20	1	3	5	3	
NORTH LAKE	100	44	34	3	12	--	--	3	1	
NORTHBROOK	144	45	57	4	21	--	1	2	3	
OAK FOREST	107	42	37	4	11	--	--	--	3	
OAK LAWN	544	352	261	12	52	6	6	15	10	
OAK PARK	424	434	360	35	104	11	6	14	4	
OTTAWA	211	133	92	7	22	5	--	7	2	
PALESTINE	147	104	44	4	26	4	--	5	4	
PARTIS	135	47	64	2	19	1	--	--	3	
PARK FOREST	141	70	46	3	15	1	2	3	1	
PARK RIDGE	344	147	132	10	35	9	3	4	4	
PERKIN	272	151	44	10	34	4	4	6	2	
PEROTA	1,241	760	440	44	139	37	6	50	19	
PERU	134	42	54	10	17	3	1	2	3	
PONTIAC	132	41	40	9	21	4	--	2	2	
QUINCY	747	450	324	11	105	19	12	15	4	
RAVENS	44	24	13	3	6	1	--	3	3	
RIVER FOREST	117	72	47	6	15	--	--	4	2	
RIVER GROVE	114	67	44	3	11	--	--	4	1	
RIVERDALE	140	102	71	4	19	--	--	4	3	
RIVERVIEW	124	71	53	3	13	1	--	1	1	
ROCK FALLS	117	40	34	4	14	3	--	1	3	
ROCK ISLAND	545	324	224	22	60	4	5	4	5	
ROCKFORD	1,445	442	414	32	163	24	10	41	24	
ROLLING MEADOWS	44	34	24	2	7	--	--	--	--	
ROSEMONT	24	4	5	2	2	--	--	--	--	
SALEM	45	31	23	1	6	1	--	--	--	
SARASOTA PARK	47	40	24	--	4	1	--	3	--	
SKOKIE	544	313	234	12	47	4	3	4	4	
SOUTH HOLLAND	145	44	74	--	8	1	--	2	1	
SPRINGFIELD	1,254	744	515	24	164	17	7	19	18	
ST. CHARLES	41	47	24	1	12	1	1	4	1	
STERLING	154	44	64	4	20	3	--	--	4	
STREANWOOD	47	21	14	2	3	--	--	2	1	
STREAN	241	162	104	4	40	7	--	6	3	
STURTELL	44	47	34	2	4	--	--	4	--	
TAYLORVILLE	142	44	44	5	13	6	1	4	4	
TINLEY PARK	147	44	34	2	10	1	--	4	2	
UDEN	245	112	64	5	24	4	1	4	2	
UTICA PARK	124	104	71	10	14	6	1	2	1	
VALPARAISO	147	44	214	17	44	4	--	7	7	
WEST CHICAGO	74	40	27	2	9	2	--	--	1	
WESTCHESTER	147	74	47	4	12	1	1	3	5	
WESTERN SPRINGFIELD	43	42	27	2	19	1	1	2	2	
WHEELER	245	124	47	5	32	2	--	2	1	
WEST JAC	44	47	24	--	14	3	--	1	3	
WHEATON	41	141	111	2	24	6	1	3	5	
WILMINGTON	47	41	24	3	9	3	--	1	2	
WILSON	74	43	24	--	4	1	--	1	3	
WILSONVILLE	44	41	24	2	9	--	--	2	3	
WILSONVILLE	44	41	24	1	3	--	--	2	1	
WILSONVILLE	44	41	24	4	14	4	2	1	2	
WILSONVILLE	44	41	24	1	11	1	--	2	--	
WILSONVILLE	44	41	24	4	22	5	--	1	5	

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CID
		TOTAL	MOTOR VEHICLE	OTHER						
LINCOLN	28	7	4	2	5	2	1	3	3	1
LINCOLNWOOD	14	2	--	2	2	--	--	--	2	--
LOMBARD	43	11	4	6	1	3	2	3	10	2
LOVES PARK	14	7	4	4	2	2	3	1	2	2
LYONS	18	5	--	2	--	2	--	1	3	1
MALCOMB	22	6	1	1	3	3	1	6	1	--
MANTON	27	6	2	3	8	1	1	2	2	1
MARKEHAM	24	5	2	2	2	7	1	7	--	3
MATTOCA	41	7	4	3	8	4	2	5	2	2
MAYWOOD	32	11	2	4	5	14	2	4	6	2
MELROSE PARK	50	10	4	5	4	8	3	5	5	1
MIDLOTHIAN	18	1	1	--	6	6	5	1	4	1
MOLINE	101	22	4	13	12	7	2	9	7	4
MONMOUTH	23	12	4	4	7	2	1	1	--	1
MORTON GROVE	34	12	7	5	3	1	1	2	3	1
MORTON	7	7	1	6	--	1	--	--	--	4
MOUNT PROSPECT	47	9	7	2	8	4	4	2	9	4
MOUNT VERNON	48	24	14	8	16	5	--	6	3	--
MUNDELEIN	18	4	2	2	2	8	1	1	3	3
MURPHYSBORO	22	3	1	2	9	5	1	1	--	1
NAPERVILLE	25	9	4	5	8	3	--	5	4	1
NILES	54	5	4	1	4	1	--	2	4	2
NORMAL	21	7	2	5	--	2	1	1	--	1
NORRIDGE	24	--	--	--	9	1	1	1	2	1
NORTH CHICAGO	24	3	1	2	--	4	3	1	4	--
NORTH LAKE	24	5	2	2	2	--	--	--	1	1
NORTHBROOK	27	7	4	3	4	2	--	1	4	4
OAK FOREST	24	7	4	1	1	2	1	2	3	2
OAK LAWN	115	25	12	13	18	8	7	10	10	8
OAK PARK	155	10	5	5	38	--	4	11	8	4
OTTAWA	21	10	2	8	13	--	--	3	1	1
PALATKA	42	13	7	6	7	3	--	1	4	3
PARTS	13	4	1	3	11	2	--	7	1	1
PARK FOREST	34	6	2	3	4	5	1	2	3	2
PARK RIDGE	84	13	4	8	9	1	3	4	6	3
PEKIN	44	14	4	6	17	7	1	2	2	8
PEORIA	248	71	34	36	59	15	7	21	26	17
PERI	21	5	2	3	3	--	1	--	1	2
PONTIAC	14	9	3	6	2	1	--	2	--	--
QUINCY	129	17	13	4	34	11	1	12	6	12
RANTOUL	4	2	1	1	1	11	1	1	2	2
RIVER FOREST	15	3	1	2	7	--	--	3	5	2
RIVER GROVE	24	3	1	2	5	--	--	2	1	3
RIVERDALE	34	4	1	4	6	1	4	3	8	1
RIVERVIEW	24	2	--	2	5	--	--	3	3	3
ROCK FALLS	23	7	4	2	--	6	1	2	3	1
ROCK ISLAND	93	29	10	19	10	14	5	15	7	5
ROCKFORD	244	80	34	41	46	24	10	20	28	18
ROLLING MEADOWS	24	5	3	2	1	4	1	4	1	3
ROMEVILLE	4	4	2	2	--	4	--	1	--	1
SCHAMMOON	12	7	2	5	3	8	2	--	2	--
SCHILLER PARK	12	4	2	1	2	1	1	1	--	--
SKOKIE	122	14	7	7	7	6	4	11	4	13
SOUTH HOLLAND	22	7	4	3	2	1	1	2	2	3
SPRINGFIELD	212	43	11	32	27	24	10	28	17	8
ST CHARLES	22	8	2	5	--	1	2	--	--	1
STERLING	27	8	3	5	3	5	1	2	1	1
STRAWWOOD	7	10	4	1	--	3	3	--	2	1
STREATOR	38	20	13	7	11	5	1	1	1	--
SUMMIT	17	--	--	--	4	3	1	5	4	2
TAYLORVILLE	32	4	3	1	7	2	1	4	2	1
TINLEY PARK	24	7	4	2	2	1	3	1	3	--
URBANA	42	5	2	2	6	9	3	1	2	2
VILLA PARK	21	1	--	1	9	2	2	2	3	3
WAUKEGAN	110	34	14	16	23	17	6	8	13	4
WEST CHICAGO	17	6	4	--	1	4	1	2	2	--
WESTCHESTER	42	5	2	3	3	2	1	1	5	2
WESTERN SPRINGS	14	2	--	2	4	--	--	1	--	1
WHEELING	51	6	4	2	7	5	4	4	1	4
WHEELING	14	7	4	1	5	1	--	5	--	--
WILMINGTON	51	5	2	3	5	--	--	3	4	5
WINSTON	14	2	2	--	3	1	--	--	3	5
WOOD DALE	21	--	--	--	2	1	1	6	1	1
WOOD RIVER	24	4	3	3	1	2	--	2	3	--
WOODVIEW	18	4	4	--	1	2	1	--	--	1
WOLF TONK	24	7	2	4	6	2	4	--	1	--
WORTH	12	3	1	2	1	1	2	1	1	1
WYOMING	21	22	1	12	11	7	1	1	3	2

TABLE 11P. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972

RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E								EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES		
			ARTERIO- SCLEROTIC	OTHER						
ADDISON	407.4	218.1	131.7	8.2	49.4	8.2	4.1	16.5	12.3	
ALSI	696.7	344.3	262.3	8.2	73.8	-0-	-0-	-0-	8.2	
ALTON	1,250.0	682.5	442.5	57.5	132.5	27.5	-0-	22.5	17.5	
ARLINGTON HEIGHTS	543.4	304.9	212.4	23.1	50.6	11.6	-0-	7.2	2.9	
AURORA	983.8	535.7	339.2	25.6	133.2	20.2	10.8	6.7	24.2	
BELLEVIEW	1,478.6	916.7	561.9	42.9	226.2	31.0	14.3	40.5	16.7	
BELLWOOD	860.5	483.7	339.5	23.3	79.1	18.6	4.7	18.6	4.7	
BELVIDERE	833.3	465.3	305.6	34.7	111.1	6.9	6.9	-0-	6.9	
BENSENVILLE	1,000.0	566.2	345.6	14.7	132.4	36.8	7.4	29.4	14.7	
BERRY	1,435.4	918.3	671.1	49.4	150.2	17.1	7.6	22.8	17.1	
BLOOMINGTON	1,105.5	651.7	442.8	15.9	126.9	29.9	5.0	27.4	19.9	
BLUE ISLAND	1,320.3	714.3	502.2	13.0	151.5	17.3	4.3	26.0	21.6	
BOLINGBROOK	230.8	85.7	44.9	6.4	25.6	-0-	-0-	12.8	-0-	
BRALEY	835.4	386.8	283.0	9.4	56.6	9.4	-0-	28.3	28.3	
BRIDGVIEW	514.9	268.7	179.1	25.9	44.8	-0-	7.5	7.5	-0-	
BROCKFIELD	1,078.8	576.4	448.3	24.6	73.9	4.9	-0-	24.6	4.9	
BUFFALO GROVE	225.3	63.7	31.8	12.7	12.7	-0-	-0-	6.4	-0-	
BURBANK	633.7	346.5	240.4	42.9	55.4	-0-	3.3	-0-	6.6	
CAMOKIA	695.7	391.3	275.4	24.2	62.8	14.5	-0-	14.5	-0-	
CAUMMET CITY	733.5	423.0	271.7	22.4	112.0	5.6	-0-	11.2	11.2	
CAUMMET PARK	617.6	421.6	333.3	9.8	58.8	-0-	9.8	9.8	9.8	
CANTON	1,251.7	748.3	433.6	69.9	202.8	-0-	7.0	35.0	21.0	
CARBONDALE	442.8	250.5	166.1	11.1	51.7	11.1	3.7	7.4	11.1	
CARPENTERSVILLE	462.8	190.1	132.2	8.3	28.9	-0-	4.1	16.5	12.4	
CENTRALIA	1,509.8	882.4	588.2	52.3	143.8	13.1	32.7	52.3	19.6	
CENTREVILLE	521.7	252.2	165.2	26.1	52.2	-0-	8.7	-0-	-0-	
CHAMPAIGN	657.1	356.4	239.9	6.8	76.0	16.9	3.4	13.5	6.8	
CHARLESTON	884.8	575.8	400.0	6.1	121.2	30.3	-0-	18.2	48.5	
CHICAGO	1,168.2	672.1	443.9	87.1	98.4	16.2	6.0	20.5	7.8	
CHICAGO HEIGHTS	561.1	528.0	330.4	36.5	114.4	26.8	2.4	17.0	12.2	
CICERO	1,335.3	797.3	584.2	43.2	126.7	16.4	1.5	25.3	25.3	
COLLINGSVILLE	1,137.1	604.1	446.7	30.5	86.3	15.2	5.1	20.3	20.3	
CRYSTAL LAKE	798.7	434.0	301.4	12.6	94.3	6.3	12.6	6.3	6.3	
DANVILLE	1,394.4	800.5	453.1	84.5	190.1	49.3	2.3	21.1	49.3	
DE KALB	504.5	282.3	201.2	15.0	36.0	6.0	3.0	21.0	3.0	
DECATUR	1,163.5	660.8	373.5	53.0	175.0	24.3	8.8	22.1	21.0	
DEERFIELD	518.5	275.1	179.4	10.6	68.8	10.6	-0-	5.3	10.6	
DES PLAINES	818.8	435.0	303.1	22.6	69.7	29.6	5.2	8.7	10.5	
DIXON	884.8	494.5	329.7	33.0	104.4	16.5	-0-	11.0	5.5	
DOLTON	665.2	373.1	250.0	26.9	76.9	3.8	-0-	15.4	-0-	
DOWNEY GROVE	885.9	461.3	312.5	25.8	71.4	23.8	-0-	23.8	14.9	
EAST MOLINE	756.0	502.4	330.1	19.1	86.1	23.9	9.6	33.5	-0-	
EAST PEORIA	654.4	308.8	188.9	23.0	73.7	9.2	-0-	13.8	-0-	
EAST ST. LOUIS	1,295.2	691.9	425.1	75.9	132.7	17.1	4.3	32.8	11.4	
EDWARDSVILLE	1,145.6	660.7	482.1	17.9	107.1	8.9	-0-	44.6	44.6	
EFFINGHAM	1,088.2	545.0	372.5	29.4	45.0	68.6	9.8	19.6	39.2	
ELGIN	1,001.8	601.1	377.4	21.1	154.7	19.3	1.8	26.4	8.8	
ELK GROVE	277.5	163.0	136.6	4.4	8.8	-0-	-0-	13.2	-0-	
ELMHURST	684.4	380.9	238.3	28.5	91.6	6.1	-0-	16.3	2.0	
ELMWOOD PARK	596.2	667.9	484.7	11.5	122.1	11.5	15.3	22.5	7.6	
EVANSTON	1,157.1	697.0	475.1	42.4	143.4	8.7	2.5	24.9	8.7	
EVERGREEN PARK	1,128.8	746.2	503.8	49.2	159.1	11.4	15.2	7.6	18.9	
FAIRVIEW HEIGHTS	792.3	469.2	338.5	23.1	76.9	15.4	-0-	15.4	23.1	
FOREST PARK	1,406.5	883.5	658.1	58.1	122.6	19.4	6.5	19.4	6.5	
FRANKLIN PARK	707.2	404.9	278.0	34.1	63.4	9.8	9.8	9.8	4.9	
FREEDPORT	1,150.0	717.5	553.6	14.3	100.0	-0-	25.0	25.0	21.4	
GALESBURG	1,246.4	753.6	515.9	29.0	139.1	37.7	5.8	26.1	17.4	
GLEN ELLYN	694.8	316.7	239.8	13.6	40.7	13.6	-0-	9.0	9.0	
GLENDEN	616.8	317.8	177.6	18.7	56.1	18.7	18.7	28.0	18.7	
GLENDEN HEIGHTS	203.4	33.9	33.9	-0-	-0-	-0-	-0-	-0-	-0-	
GLENVIEW	804.8	438.4	315.1	10.3	78.8	17.1	3.4	13.7	6.8	
GRANITE CITY	842.8	444.7	287.5	27.0	98.3	12.3	2.5	17.2	22.1	
HANOVER PARK	290.8	122.4	81.6	10.2	15.3	10.2	-0-	5.1	10.2	
HAWKEYE	850.1	436.0	262.2	43.2	85.3	23.1	5.8	14.4	28.8	
HAZEL CREST	623.5	324.8	256.4	-0-	55.8	8.5	-0-	-0-	-0-	
HICKORY HILLS	804.5	258.5	223.9	14.9	37.3	-0-	14.9	7.5	-0-	
HIGHLAND PARK	557.3	294.1	173.4	9.3	83.6	6.2	3.1	18.6	9.3	
HINDSDALE	531.7	503.1	310.6	24.8	105.6	24.8	6.2	31.1	12.4	
HOFFMAN ESTATES	247.2	105.6	61.6	6.8	20.5	6.8	-0-	13.7	-0-	
HOMERIDGE	515.8	631.6	436.8	31.6	136.8	15.8	5.3	5.3	10.5	
JACKSONVILLE	1,497.1	1,111.7	830.1	24.3	154.2	29.1	14.6	19.4	19.4	
JOLIET	1,128.8	667.9	464.6	44.2	123.7	15.2	3.8	16.4	21.5	
KANKAKEE	1,141.5	636.7	482.3	25.7	74.0	45.0	3.2	6.4	25.7	
KENOSHA	1,474.7	846.1	538.0	57.0	177.2	19.0	6.3	50.6	25.3	
LA GRANGE	1,077.8	566.7	361.1	50.0	133.3	-0-	5.6	16.7	33.3	
LA GRANGE PARK	878.2	585.7	357.4	6.4	128.2	32.1	6.4	19.2	-0-	
LA SALLE	1,125.6	651.4	472.2	46.3	87.3	4.3	9.3	37.0	9.3	
LAKE FOREST	700.6	321.2	210.2	15.1	82.8	-0-	-0-	19.1	12.7	
LANSING	702.7	393.8	289.8	15.4	77.2	-0-	3.9	7.7	3.9	
LIGHTHOUSEVILLE	523.7	525.4	432.2	-0-	55.2	8.5	-0-	25.4	-0-	

TABLE 114. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS, 1972
--CONTINUED--

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	70.0	20.6	8.2	12.3	12.3	24.7	4.1	4.1	2.2	8.2
ALSIIP	180.2	24.6	8.2	16.4	24.6	24.6	16.4	8.2	24.6	8.2
ALTON	215.0	77.5	42.5	35.0	37.5	37.5	2.5	25.0	3.0	7.5
ARLINGTON HEIGHTS	124.3	23.1	7.2	15.9	10.1	14.5	1.4	10.1	11.6	14.5
ALTOONA	184.4	57.9	36.3	21.5	35.0	26.5	9.4	4.0	16.2	5.4
BELLEVIEW	259.5	71.4	33.3	38.1	50.0	11.9	4.8	16.7	19.0	7.1
BELLWOOD	172.1	27.9	18.4	9.3	27.9	9.3	9.3	14.0	41.9	3.7
BELVIDERE	180.6	34.7	27.4	6.9	13.9	55.6	-0-	-0-	13.9	27.4
BENSENVILLE	198.5	22.1	7.4	14.7	95.6	-0-	7.4	14.7	36.8	14.7
BERRYVALE	287.1	34.2	13.3	20.9	22.8	1.9	3.8	26.6	19.0	7.6
BLOOMINGTON	191.5	44.8	29.9	14.9	27.4	29.9	10.0	10.0	27.4	12.4
BLOOMINGDALE	324.7	22.0	17.3	8.7	21.6	30.3	13.0	43.3	34.6	4.3
BLOOMINGDALE	64.1	12.8	12.8	-0-	12.8	19.2	-0-	-0-	12.8	-0-
BRADLEY	264.2	56.6	37.7	18.9	37.7	9.4	-0-	9.4	18.9	-0-
BRIDGEVIEW	104.5	14.9	-0-	14.9	7.5	37.3	-0-	14.9	22.4	14.9
BROOKFIELD	251.2	29.6	9.9	19.7	29.6	29.6	4.9	24.6	24.6	19.7
BUFFALO GROVE	63.7	19.1	6.4	12.7	-0-	12.7	12.7	12.7	12.7	-0-
BURBANK	158.4	13.2	6.6	6.6	13.2	9.9	3.3	9.9	9.9	13.2
CAHOKIA	125.6	48.3	33.4	14.5	29.0	14.5	-0-	14.5	-0-	4.8
CALUMET CITY	156.5	28.0	11.2	16.8	16.8	11.2	5.6	5.6	19.6	2.8
CALUMET PARK	88.2	15.6	9.8	9.8	-0-	-0-	9.8	9.8	19.6	9.8
CANTON	216.8	62.9	49.0	14.0	49.0	14.0	7.0	14.0	-0-	14.0
CARBONDALE	70.1	11.1	7.4	3.7	11.1	22.1	-0-	3.7	-0-	3.7
CARPENTERSVILLE	86.8	53.7	41.3	12.4	12.4	-0-	16.5	12.4	12.4	4.1
CENTRALIA	274.5	32.7	13.1	19.6	78.4	26.1	-0-	39.2	13.1	-0-
CENTREVILLE	60.5	24.8	17.4	7.4	-0-	52.2	-0-	17.4	8.7	8.7
CHAMPAIGN	136.8	42.2	16.9	25.3	10.1	8.4	11.8	5.1	13.5	13.5
CHARLESTON	133.3	30.3	12.1	18.2	12.1	6.1	-0-	-0-	12.1	6.1
CHICAGO	198.8	41.2	12.8	28.4	37.8	26.3	7.6	24.3	28.8	8.7
CHICAGO HEIGHTS	216.5	34.1	19.5	14.6	21.9	29.2	9.7	31.6	2.4	7.3
CICERO	266.8	34.3	11.6	22.4	20.8	16.4	1.5	41.7	34.3	13.4
COLLINGSVILLE	289.2	76.1	60.5	15.2	25.4	15.2	10.2	15.2	5.1	10.2
CRYSTAL LAKE	138.4	56.6	31.4	25.2	25.2	6.3	25.2	18.9	6.3	18.9
DANVILLE	232.4	63.4	37.6	25.8	61.0	21.1	9.4	9.4	30.5	7.0
DE KALB	105.1	39.0	15.0	24.0	9.0	6.0	6.0	9.0	9.0	3.0
DECATUR	243.1	42.0	22.1	19.9	34.3	22.1	5.5	24.3	9.9	11.0
DEERFIELD	121.7	26.5	10.6	15.9	5.3	10.6	5.3	26.5	5.3	5.3
DES PLAINES	176.0	27.9	10.5	17.4	26.1	12.2	8.7	19.2	17.4	5.2
DIXON	120.5	53.4	54.9	38.5	38.5	11.0	5.5	22.0	11.0	-0-
DOLTON	142.3	38.5	19.2	19.2	19.2	11.5	7.7	11.5	15.4	7.7
DOWERS GROVE	142.7	54.5	44.6	14.9	23.8	11.9	11.9	6.0	14.9	23.8
EAST MOLINE	86.1	47.8	28.7	19.1	19.1	14.4	4.8	9.6	4.8	19.1
EAST PEORIA	133.6	55.3	32.3	23.0	9.2	23.0	4.6	27.6	9.2	4.6
EAST ST. LOUIS	171.2	75.6	34.2	41.4	44.2	27.1	15.7	22.8	21.4	5.7
EDWARDSVILLE	214.2	44.6	-0-	44.6	26.8	8.9	-0-	26.8	-0-	17.9
EFFINGHAM	205.9	19.6	-0-	19.6	39.2	19.6	19.6	-0-	29.4	19.6
ELGIN	149.4	40.4	22.8	17.6	29.9	35.1	12.3	26.4	17.6	17.6
ELK GROVE	70.5	13.2	13.2	-0-	-0-	8.4	-0-	-0-	4.4	8.8
ELMHURST	142.6	30.5	18.3	12.2	28.5	8.1	6.1	8.1	12.2	14.3
ELMHURST PARK	187.0	34.2	19.1	19.1	7.6	-0-	-0-	19.1	7.6	11.5
EVANSTON	210.7	36.2	15.0	21.2	27.4	24.9	7.5	23.7	15.0	8.7
EVERGREEN PARK	157.0	26.5	7.6	18.9	18.9	-0-	7.6	15.2	15.2	18.9
FAIRVIEW HEIGHTS	134.5	20.8	23.1	7.7	7.7	7.7	-0-	-0-	15.4	15.4
FOREST PARK	290.2	44.2	6.5	38.7	6.5	-0-	12.9	25.8	32.3	19.4
FRANKLIN PARK	156.1	24.4	9.8	14.6	24.4	14.6	9.8	9.8	9.8	9.8
FREEPORT	182.1	46.4	17.4	28.6	46.4	3.6	7.1	10.7	10.7	10.7
GALESBURG	226.1	46.4	26.1	20.3	37.7	20.3	11.6	8.7	11.6	11.6
GLEN ELLEN	204.1	31.7	18.1	13.6	22.6	22.6	-0-	9.0	-0-	9.0
GLENCOE	145.5	9.3	9.3	-0-	18.7	-0-	9.3	9.3	-0-	28.0
GLENDALE HEIGHTS	67.8	16.9	8.5	8.5	8.5	25.4	8.5	16.9	8.5	8.5
GLENVIEW	205.5	17.1	6.4	10.3	20.5	10.3	-0-	10.3	17.1	13.7
GRANITE CITY	152.2	59.0	34.4	24.6	36.9	12.3	12.3	17.2	2.5	4.9
HANOVER PARK	56.1	10.2	-0-	10.2	20.4	20.4	15.3	5.1	5.1	10.2
HARVEY	125.7	51.9	20.2	31.7	17.3	40.3	11.5	23.1	11.5	8.6
HAZEL CREST	145.2	25.6	8.5	17.1	8.5	17.1	8.5	8.5	8.5	17.1
HICKORY HILLS	104.5	55.7	44.4	14.9	22.4	7.5	7.5	7.5	22.4	7.5
HIGHLAND PARK	126.2	15.5	3.1	12.4	24.8	-0-	-0-	-0-	6.2	21.7
HINDALE	223.4	43.5	-0-	43.5	24.8	31.1	-0-	12.4	24.8	-0-
HOFFMAN ESTATES	44.5	6.4	6.4	-0-	-0-	17.1	17.1	-0-	6.4	6.4
HOMERIDGE	100.0	21.6	21.6	10.5	26.3	15.8	-0-	15.8	15.8	26.3
JACKSONVILLE	212.6	52.4	19.4	34.0	47.7	14.6	9.7	24.3	9.7	14.6
JOLIET	184.2	46.7	21.4	25.3	26.5	22.7	10.1	26.5	16.4	11.4
KANKAKEE	241.2	45.0	16.1	28.9	41.8	32.2	6.4	16.1	6.4	9.6
KENOSHA	284.8	69.6	31.8	38.0	64.6	15.0	19.0	25.3	38.0	-0-
LA GRANGE	221.8	22.7	22.7	11.1	33.3	22.2	11.1	33.3	16.7	16.7
LA GRANGE PARK	211.9	17.8	17.8	-0-	12.8	-0-	-0-	12.8	-0-	6.4
LA SALLE	181.2	44.6	27.8	27.8	55.6	18.4	9.3	27.8	37.0	9.3
LAKE FOREST	157.5	38.2	21.8	6.4	6.4	-0-	-0-	25.5	6.4	25.5
LAUREL	185.5	11.6	11.6	-0-	15.4	15.4	7.7	23.2	-0-	3.4
LITTLETONVILLE	141.0	76.2	54.2	16.4	16.4	16.4	-0-	8.5	25.4	4.5

TABLE 111. -- DEATH RATE FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--(CONTINUED)

(RATES PER 100,000 POPULATION, ESTIMATED AS OF JULY 1, 1972)

		C A R D I O V A S C U L A R D I S E A S E							
CITY	ALL CAUSES	TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
LINCOLN	945.9	573.9	437.5	28.4	85.2	5.7	5.7	11.4	5.7
LINCOLNWOOD	744.1	515.1	374.0	22.9	84.0	7.6	7.6	22.9	-0-
LOMBARD	656.6	360.2	250.0	29.6	53.8	13.4	2.7	10.8	2.7
LOVES PARK	563.5	246.0	174.6	7.9	35.7	7.9	-0-	15.9	-0-
LYONS	734.5	371.7	274.3	26.5	52.1	8.8	-0-	8.8	8.8
MACOMR	635.1	387.4	211.7	13.5	112.6	22.5	-0-	27.0	9.0
MARTON	1,515.4	945.7	651.2	31.0	186.0	15.5	15.5	46.5	23.3
MARRHAM	728.4	364.2	234.6	74.1	30.9	6.2	-0-	18.5	6.2
MATTOCK	1,148.7	651.3	435.9	10.3	143.6	41.0	5.1	15.4	25.6
MAYWOOD	855.6	486.3	321.9	37.7	85.0	10.3	6.8	20.5	-0-
MELROSE PARK	1,108.7	634.8	473.9	39.1	104.3	4.3	-0-	13.0	13.0
MIDLOTHIAN	724.7	416.1	254.7	24.8	130.4	-0-	-0-	6.2	-0-
MCLINE	1,138.2	691.1	516.2	17.3	118.8	15.1	-0-	23.8	15.1
MENMOUTH	1,378.4	837.8	504.5	90.1	198.2	18.0	-0-	27.0	27.0
MORTON GROVE	634.0	354.7	241.5	18.9	71.7	3.8	3.8	15.1	-0-
MONTON	672.9	448.6	336.4	18.7	65.4	18.7	9.3	-0-	-0-
MOUNT PROSPECT	603.5	328.2	233.5	24.2	44.1	11.0	2.2	13.2	-0-
MOUNT VERNON	1,597.6	872.0	426.8	115.9	182.9	79.3	12.2	54.9	18.3
MUNDFLEIN	674.6	345.1	260.4	11.8	53.3	17.8	-0-	5.9	17.8
MURPHYSBORO	1,480.4	951.0	676.5	5.8	205.9	29.4	19.6	9.8	29.4
NAPERVILLE	623.0	317.5	206.3	7.9	63.5	15.9	7.9	15.9	4.0
NILES	816.5	553.9	339.4	18.3	97.9	58.1	6.1	33.6	-0-
NORMAL	374.2	215.4	138.7	3.2	61.3	9.7	-0-	6.5	6.5
NORRIDGE	748.0	486.2	357.8	27.6	27.6	5.5	5.5	22.1	5.5
NORTH CHICAGO	295.6	185.7	103.4	21.1	42.2	2.1	6.3	10.5	6.3
NORTH LAKE	694.4	388.9	263.9	20.8	83.3	-0-	-0-	20.8	6.9
NORTHBROOK	540.1	310.2	208.0	14.6	76.6	-0-	3.6	7.3	10.9
OAK FOREST	514.4	250.0	177.5	15.2	52.9	-0-	-0-	-0-	14.4
OAK LAWN	561.3	567.7	421.0	15.4	82.9	9.7	9.7	24.2	16.1
OAK PARK	1,322.7	853.0	575.1	55.9	166.1	17.6	9.6	28.8	12.8
OTTAWA	1,122.3	707.4	489.4	37.2	117.0	26.6	-0-	37.2	10.6
PALATINE	691.2	378.9	242.1	14.0	91.2	14.0	-0-	17.5	14.0
PARIS	1,376.2	861.4	643.6	15.8	188.1	9.9	-0-	-0-	29.7
PARK FOREST	445.0	222.9	146.5	5.6	47.8	3.2	6.4	9.6	3.2
PARK RIDGE	805.6	461.4	309.1	23.4	82.0	21.1	7.0	18.7	9.4
PEKIN	862.5	475.4	295.2	31.7	107.9	12.7	12.7	19.0	6.3
PEORIA	1,070.0	557.5	377.4	37.7	105.3	29.1	4.7	39.3	14.9
PERU	1,165.5	775.7	500.0	84.7	144.1	25.4	8.5	16.9	25.4
PONTIAC	1,245.3	858.5	471.7	84.9	158.1	84.9	-0-	18.9	18.9
QUINCY	1,733.5	1,075.3	722.5	24.2	231.3	41.9	26.4	33.0	19.8
RANTOLI	257.8	101.6	50.8	11.7	23.4	3.9	-0-	11.7	11.7
RIVER FOREST	872.1	537.3	350.7	44.8	111.9	-0-	-0-	29.9	14.9
RIVER GROVE	991.5	572.6	418.8	25.6	94.0	-0-	-0-	34.2	8.5
RIVERDALE	1,118.0	623.5	441.0	45.7	118.0	-0-	-0-	24.8	18.6
RIVERSIDE	1,181.0	676.2	504.8	28.6	123.8	9.5	-0-	9.5	9.5
ROCK FALLS	1,135.9	582.5	368.9	38.8	135.9	29.1	-0-	9.7	29.1
ROCK ISLAND	1,052.6	653.4	442.2	45.8	119.5	17.9	10.0	17.9	10.0
ROCKFORD	1,042.2	603.0	418.0	21.6	110.1	18.9	6.8	27.7	16.2
ROLLING MEADOWS	447.9	197.9	151.0	10.4	36.5	-0-	-0-	-0-	-0-
ROSEMONT	167.7	58.1	32.3	12.9	12.9	-0-	-0-	-0-	-0-
SCHAUMBURG	272.7	122.5	90.9	4.0	23.7	4.0	-0-	-0-	-0-
SCHILLER PARK	515.4	307.7	215.4	-0-	61.5	7.7	-0-	23.1	-0-
SKOKIE	787.3	453.0	345.9	17.4	68.0	5.8	4.3	11.6	5.8
SOUTH HOLLAND	575.4	341.3	247.6	-0-	31.7	4.0	-0-	7.9	4.0
SPRINGFIELD	1,340.1	805.1	558.6	26.0	177.9	18.4	7.6	20.6	19.5
ST CHARLES	674.1	348.1	207.4	7.4	88.9	7.4	7.4	29.6	7.4
STERLING	550.6	518.5	339.5	37.0	123.5	18.5	-0-	-0-	24.7
STREAMWOOD	257.5	95.0	63.3	9.0	13.6	-0-	-0-	9.0	4.5
STREATOR	1,605.0	1,038.5	673.1	25.6	256.4	44.9	-0-	38.5	19.2
SUMMIT	815.0	405.2	275.9	17.2	77.6	-0-	-0-	34.5	-0-
TAYLORVILLE	1,781.8	743.6	500.0	45.5	118.2	54.5	9.1	36.4	36.4
TINLEY PARK	614.5	321.8	224.1	11.5	57.5	5.7	-0-	23.0	11.5
URBANA	545.5	325.6	191.9	14.5	81.4	23.3	2.9	11.6	5.8
VILLA PARK	707.0	407.8	278.4	35.2	54.9	23.5	3.9	7.8	3.9
WALDEGAN	861.0	445.0	325.7	26.0	73.4	9.2	-0-	10.7	10.7
WEST CHICAGO	676.3	347.8	234.8	17.4	76.3	17.4	-0-	-0-	8.7
WESTCHESTER	727.7	386.1	282.2	15.8	55.4	5.0	5.0	14.9	24.8
WESTERN SPRINGS	632.6	396.9	206.1	15.3	145.0	7.6	7.6	15.3	15.3
WHEATON	744.4	407.6	277.1	15.9	101.9	6.4	-0-	6.4	3.2
WHEELING	617.4	315.4	144.6	-0-	94.0	20.1	-0-	6.7	20.1
WILMETTE	748.4	437.9	313.7	6.2	87.0	18.6	3.1	9.3	15.5
WINNETKA	621.4	364.3	250.0	21.4	64.3	21.4	-0-	7.1	14.3
WOOD Dale	712.7	326.7	247.5	-0-	55.4	9.9	-0-	9.9	29.7
WOOD RIVER	721.8	308.2	210.5	15.0	67.7	-0-	-0-	15.0	22.6
WOODRIDGE	772.7	423.4	244.4	6.5	15.5	-0-	-0-	13.0	6.5
WOODSTOCK	1,642.0	129.0	457.9	37.4	145.5	55.1	18.7	9.3	18.7
WYOMING	672.1	474.4	311.5	8.2	90.2	8.2	-0-	16.4	-0-
YONK	1,117.5	520.2	335.3	23.1	127.2	24.9	-0-	5.8	24.9

TABLE 11P. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1972
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1972)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LINCOLN	159.1	39.8	28.4	11.4	28.4	17.0	5.7	17.0	17.0	5.7
LINCOLNWOOD	106.9	15.3	-0-	15.3	15.3	-0-	-0-	-0-	15.3	-0-
LOMBARD	142.5	29.6	13.4	16.1	2.7	8.1	5.4	8.1	26.9	5.4
LOVES PARK	127.0	55.6	23.8	31.7	15.9	15.9	23.8	7.9	15.9	15.9
LYONS	159.3	44.2	26.4	17.7	-0-	17.7	-0-	8.8	26.5	8.8
MACOMR	99.1	27.0	22.5	4.5	13.5	13.5	4.5	27.0	4.5	-0-
MARION	286.8	46.5	23.3	23.3	62.0	7.8	7.8	15.5	15.5	7.8
MARSHAM	160.5	30.9	18.5	12.3	12.3	43.2	6.2	43.2	-0-	18.5
MATTOON	210.3	35.9	20.5	15.4	41.0	20.5	10.3	25.6	10.3	10.3
MAYWOOD	109.6	37.7	6.8	30.8	17.1	47.9	6.8	13.7	20.5	6.8
MELROSE PARK	217.4	43.5	21.7	21.7	17.4	34.8	13.0	21.7	21.7	4.3
MIDLOTHIAN	111.8	6.2	6.2	-0-	37.3	37.3	31.1	6.2	24.8	6.2
MOLINE	218.1	47.5	19.4	28.1	25.9	15.1	4.3	19.4	15.1	13.0
MONMOUTH	207.2	108.1	72.1	36.0	63.1	18.0	9.0	9.0	-0-	9.0
MORTON GROVE	128.3	45.3	26.4	18.9	11.3	3.8	3.8	7.5	11.3	3.8
MORTON	65.4	65.4	9.3	56.1	-0-	9.3	-0-	-0-	-0-	37.4
MOUNT PROSPECT	147.6	19.8	15.4	4.4	17.6	8.8	8.8	4.4	19.8	8.8
MOUNT VERNON	292.7	146.3	97.6	48.8	97.6	30.5	-0-	36.6	18.3	-0-
MUNDLEIN	106.5	23.7	11.8	11.8	11.8	47.3	5.9	5.9	17.8	17.8
MURPHYSBORO	215.7	29.4	9.8	19.6	88.2	49.0	9.8	9.8	-0-	9.8
NAPERVILLE	138.9	35.7	15.9	19.8	31.7	11.9	-0-	19.8	15.9	4.0
NILES	165.1	15.3	12.2	3.1	12.2	3.1	-0-	6.1	12.2	6.1
NORMAL	67.7	22.6	6.5	16.1	-0-	6.5	3.2	3.2	-0-	3.2
NORRIDGE	154.7	-0-	-0-	-0-	49.7	5.5	5.5	5.5	11.0	5.5
NORTH CHICAGO	52.7	6.3	2.1	4.2	-0-	8.4	6.3	2.1	8.4	-0-
NORTH LAKE	180.6	34.7	20.8	13.9	13.9	-0-	-0-	-0-	6.9	6.9
NORTHBROOK	98.5	25.5	14.6	10.9	14.6	7.3	-0-	3.6	14.6	14.6
OAK FOREST	125.0	33.7	28.2	4.8	4.8	9.6	4.8	9.6	14.4	9.6
OAK LAWN	185.5	40.3	19.4	21.0	29.0	12.9	11.3	16.1	16.1	12.9
OAK PARK	247.6	16.0	8.0	8.0	60.7	-0-	6.4	17.6	12.8	6.4
OTTAWA	164.9	53.2	10.6	42.6	69.1	-0-	-0-	16.0	5.3	5.3
PALATINE	147.4	45.6	24.6	21.1	24.6	10.5	-0-	3.5	21.0	10.5
PARIS	128.7	39.6	9.9	29.7	108.9	19.8	-0-	69.3	9.9	9.9
PARK FOREST	124.2	19.1	9.6	9.6	12.7	15.9	3.2	6.4	9.6	6.4
PARK RIDGE	196.7	30.4	11.7	18.7	21.1	2.3	7.0	9.4	14.1	7.0
PEKIN	146.0	44.4	25.4	19.0	54.0	22.2	3.2	6.3	6.3	25.4
PEORIA	195.0	55.8	27.5	28.3	46.4	14.9	5.5	16.5	20.4	13.4
PERU	178.0	42.4	16.9	25.4	25.4	-0-	8.5	-0-	8.5	16.9
PONTIAC	150.9	84.9	28.3	56.6	18.9	9.4	-0-	18.9	-0-	-0-
QUINCY	284.1	37.4	28.6	8.8	74.9	24.2	2.2	26.4	13.2	24.4
RANTOLI	31.3	7.8	3.9	3.9	3.9	43.0	3.9	3.9	7.8	7.8
RIVER FOREST	111.9	22.4	7.5	14.9	52.2	-0-	-0-	22.4	37.3	14.9
RIVER GROVE	239.3	25.6	8.5	17.1	42.7	-0-	-0-	17.1	8.5	25.6
RIVERDALE	211.2	31.1	6.2	24.8	37.3	6.2	24.8	18.6	49.7	6.2
RIVERSIDE	276.2	19.0	-0-	19.0	47.6	-0-	-0-	28.6	28.6	28.6
ROCK FALLS	223.3	68.0	48.5	19.4	-0-	58.3	9.7	19.4	29.1	9.7
ROCK ISLAND	185.3	57.8	19.9	37.8	19.9	27.9	10.0	29.9	13.9	10.0
ROCKFORD	172.2	54.0	26.3	27.7	31.1	16.2	6.8	13.5	18.9	12.2
ROLLING MEADOWS	130.2	26.0	15.6	10.4	5.2	20.8	5.2	20.8	5.2	15.6
ROSEMONT	25.8	25.8	12.9	12.9	-0-	25.8	-0-	6.5	-0-	6.5
SCHAUMBURG	47.4	27.7	7.9	19.8	11.9	15.8	7.9	-0-	7.9	-0-
SCHILLER PARK	100.0	30.8	23.1	7.7	15.4	7.7	7.7	7.7	-0-	-0-
SKOKIE	176.6	20.3	10.1	10.1	10.1	8.7	5.8	15.9	5.8	18.8
SOUTH HOLLAND	131.0	27.8	15.9	11.9	7.9	4.0	4.0	7.9	7.9	11.9
SPRINGFIELD	229.5	46.6	11.9	34.7	29.3	26.0	10.8	30.4	18.4	8.7
ST CHARLES	163.0	59.3	22.2	37.0	-0-	7.4	14.8	-0-	-0-	7.4
STERLING	166.7	49.4	18.5	30.9	18.5	30.9	6.2	12.3	6.2	6.2
STREAMWOOD	31.7	45.2	40.7	4.5	-0-	13.6	13.6	-0-	9.0	4.5
STREATOR	243.6	128.2	83.3	44.9	70.5	32.1	6.4	6.4	6.4	-0-
SUMMIT	146.6	-0-	-0-	-0-	34.5	25.9	8.6	43.1	34.5	17.2
TAYLORVILLE	290.9	36.4	27.3	9.1	63.6	18.2	9.1	36.4	18.2	9.1
TINLEY PARK	137.9	40.2	28.7	11.5	11.5	5.7	17.2	5.7	17.2	-0-
URBANA	125.0	14.5	8.7	5.8	17.4	26.2	8.7	2.9	5.8	5.8
VILLA PARK	121.6	3.9	-0-	3.9	35.3	7.8	7.8	7.8	11.8	11.8
WAUKEMAN	168.2	52.0	27.5	24.5	35.2	26.0	9.2	12.2	19.9	6.1
WEST CHICAGO	147.8	52.2	52.2	-0-	8.7	34.8	8.7	17.4	17.4	-0-
WESTCHESTER	207.5	24.8	9.6	14.9	14.9	9.5	5.0	5.0	24.8	9.9
WESTERN SPRINGS	122.1	15.3	-0-	15.3	30.5	-0-	-0-	7.6	-0-	7.6
WHEATON	162.4	19.1	12.7	6.4	22.3	15.9	12.7	12.7	3.2	12.7
WHEELING	120.8	47.0	40.3	6.7	33.6	6.7	-0-	33.6	-0-	-0-
WILMETTE	158.4	15.5	6.2	9.3	15.5	-0-	-0-	9.3	12.4	15.5
WINNETKA	114.3	14.3	14.3	-0-	21.4	7.1	-0-	-0-	21.4	35.7
WOOD DALE	207.5	-0-	-0-	-0-	19.8	9.9	9.9	59.4	9.9	9.9
WOOD RIVER	195.5	45.1	22.6	22.6	7.5	15.0	-0-	15.0	22.6	-0-
WOODSTOCK	64.5	26.0	26.0	-0-	6.5	13.0	6.5	-0-	-0-	6.5
WOODSTOCK	243.0	65.4	28.0	37.4	56.1	18.7	37.4	-0-	9.3	-0-
WORTH	98.4	24.6	8.2	16.4	8.2	8.2	16.4	8.2	8.2	8.2
ZION	179.2	127.2	57.1	69.4	63.6	40.5	5.8	5.8	17.3	11.6

TABLE 12 - LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1972
FOR AGES UNDER 1 YEAR SEE TABLE D

Age 1 - 4 Years					Age 5 - 14 Years				
Rank	Cause	8th rev. No. ¹	No.		Rank	Cause	8th rev. No. ¹	No.	
	All Causes		613			All Causes		817	
1.	Accidents	E800-E949	200		1.	Accidents	E800-E949	362	
	a. Motor vehicle	(E810-E823)	(54)			a. Motor vehicle	(E810-E823)	(172)	
	b. Other	(Residue of E800-E949)	(146)			b. Other	(Residue of E800-E949)	(190)	
2.	Congenital anomalies	740-759	93		2.	Malignant neoplasms	140-209	118	
3.	Influenza and pneumonia	470-474, 480-486	67		3.	Congenital anomalies	740-759	52	
4.	Malignant Neoplasms	140-209	56		4.	Influenza and pneumonia	470-474, 480-486	45	
5.	Heart diseases	393-429	30		5.	Homicide	E960-E978	31	
	(Excl. of 400.0, 400.2, 400.3, 401, 403)				6.	Heart diseases	393-429	28	
6.	Acute respiratory infections, except influenza	460-466	17			(Excl. of 400.0, 400.2, 400.3, 401, 403)			
7.	Meningitis, except meningococcal and tuberculous	320	12		7.	Cystic fibrosis of pancreas	273.0	17	
		E960-E978	12		8.	Injury undetermined whether accidentally or purposely inflicted	E980-E989	15	
8.	Cystic fibrosis of pancreas	273.0	8		9.	Cerebrovascular disease	430-438	10	
9.	Intestinal infectious diseases	000-009	7		9.	Suicide	E950-E959	10	
10.	Meningococcal infection	036	6		10.	Anemias	280-285	8	
10.	Cerebrovascular disease	430-438	6		10.	Epilepsy	345	8	

Age 15 - 24 Years					Age 25 - 44 Years				
Rank	Cause	8th rev. No. ¹	No.		Rank	Cause	8th rev. No. ¹	No.	
	All Causes		2,334			All Causes		5,974	
1.	Accidents	E800-E949	1,159		1.	Heart Diseases	393-429	1,198	
	a. Motor vehicle	(E810-E823)	(744)			(Excl. of 400.0, 400.2, 400.3, 401, 403)			
	b. Other	(Residue of E800-E949)	(415)		2.	Accidents	E800-E949	1,075	
2.	Homicide	E960-E978	330			a. Motor vehicle	(E810-E823)	(602)	
3.	Malignant Neoplasms	140-209	144			b. Other	(Residue of E800-E949)	(473)	
4.	Suicide	E950-E959	142		3.	Malignant Neoplasms	140-209	982	
5.	Heart Diseases	393-429	101		4.	Homicide	E960-E978	419	
	(Excl. of 400.0, 400.2, 400.3, 401, 403)				5.	Cirrhosis of liver	571	370	
6.	Influenza and pneumonia	470-474, 480-486	69		6.	Suicide	E950-E959	288	
7.	Congenital anomalies	740-759	34		7.	Cerebrovascular disease	430-438	254	
8.	Cerebrovascular disease	430-438	27		8.	Influenza and pneumonia	470-474, 480-486	179	
9.	Other circulatory disease	441-458	16		9.	Other circulatory diseases	441-458	104	
10.	Maternal causes	630-678	14		10.	Diabetes Mellitus	250	84	
10.	Anemias	280-285	14						

Age 45 - 64 Years					Age 65 Years and Over				
Rank	Cause	8th rev. No. ¹	No.		Rank	Cause	8th rev. No. ¹	No.	
	All Causes		27,413			All Causes		70,201	
1.	Heart Diseases	393-429	11,298		1.	Heart Diseases	393-429	35,390	
	(Excl. of 400.0, 400.2, 400.3, 401, 403)					(Excl. of 400.0, 400.2, 400.3, 401, 403)			
2.	Malignant Neoplasms	140-209	7,306		2.	Malignant Neoplasms	140-209	11,133	
3.	Cerebrovascular disease	430-438	1,724		3.	Cerebrovascular disease	430-438	9,171	
4.	Cirrhosis of liver	571	1,062		4.	Influenza and pneumonia	470-474, 480-486	2,149	
5.	Accidents	E800-E949	1,051		5.	General Arteriosclerosis	440	1,872	
	a. Motor vehicle	(E810-E823)	(466)		6.	Diabetes Mellitus	250	1,459	
	b. Other	(Residue of E800-E949)	(585)		7.	Other circulatory diseases	441-458	1,452	
6.	Other circulatory diseases	441-458	573		8.	Accidents	E800-E949	1,069	
7.	Influenza and pneumonia	470-474, 480-486	556			a. Motor vehicle	(E810-E823)	(335)	
8.	Diabetes Mellitus	250	504			b. Other	(Residue of E800-E949)	(734)	
9.	Suicide	E950-E959	396		9.	Emphysema	492	887	
10.	Emphysema	492	344		10.	Cirrhosis of liver	571	486	
					11.	Hypertension without mention of heart	(400, 401, 402)	462	

¹International Classification of Diseases (ICDA), 8th Revision.

TABLE 13. — CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1962 to 1972

Disease	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962
ILLINOIS											
Actinomycosis	—	1	2	1	2	3	1	—	—	—	1
Amebiasis cases and carriers	119	153	170	167	151	102	172	193	319	216	311
Blastomycosis	2	7	4	10	1	1	1	3	1	5	1
Brucellosis	8	17	6	14	1	13	13	18	26	26	57
Chancroid	109	53	34	43	19	7	8	23	15	10	7
Chickenpox	9,326	6,142	4,374	5,508	6,997	6,737	9,067	9,165	11,870	14,259	10,543
Conjunctivitis, all forms	28	20	11	22	21	44	20	1	10	2	1
Diarrhea of newborn	289	225	233	155	99	149	105	125	102	90	112
Diphtheria cases and carriers	3	5	37	1	2	5	4	6	16	26	4
Dysentery bacillary cases and carriers	1,432	1,108	1,135	1,188	1,184	1,304	769	685	721	555	346
Encephalitis, acute and post	221	193	206	159	202	283	116	123	270	148	117
Erysipelas	20	20	4	+	+	+	+	+	+	+	+
Food infections	1,410	1,445	1,372	1,152	1,085	1,033	1,007	1,154	773	644	402
Food poisonings	489	96	214	258	244	79	178	772	468	551	1,118
Fungal infection, other	2	1	1	1	6	7	6	4	7	9	6
Gastroenteritis, (E. Coli) cases and carriers	971	1,054	346	958	455	453	254	135	68	37	375
German measles	1,163	1,396	1,871	1,825	3,328	1,621	2,935	4,850	29,685	2,108	2,030
Gonorrhea	45,035	48,290	51,668	50,337	42,464	38,957	33,733	29,091	26,866	25,300	34,853
Hepatitis, infectious and serum	2,858	2,682	2,045	1,872	2,016	1,801	1,206	1,247	1,229	1,472	2,257
Histoplasmosis	30	28	49	58	49	47	44	61	27	16	11
Influenza	3,424	185	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	—	—	—	—	—	—	4	—	—	1	—
Leprosy	1	1	5	3	—	1	—	3	—	—	2
Leptospirosis	—	1	1	3	1	—	1	5	—	2	—
Malaria	36	62	68	124	64	38	16	1	3	1	5
Measles	4,654	3,460	3,085	1,746	1,291	1,347	11,514	5,036	16,906	11,862	16,623
Meningitis meningococcal	33	85	73	72	82	82	102	125	96	75	99
Meningitis, other	288	268	240	218	293	272	454	413	418	429	400
Mononucleosis, Inf.	658	690	49	+	+	+	+	+	+	+	+
Mumps	3,399	5,585	2,387	3,212	5,404	10,845	6,575	4,890	14,598	8,568	4,685
Paratyphoid cases and carriers	***	***	***	***	***	***	—	5	1	—	7
Pneumonia	1,154	1,004	+	+	+	+	+	+	+	+	+
Poliomyelitis	—	1	1	1	3	1	3	4	5	14	65
Psittacosis and ornithosis	13	—	—	1	1	—	1	5	6	11	4
Rheumatic fever	856	992	1,190	1,178	1,332	1,425	1,613	1,705	2,059	1,794	1,671
Ringworm of the scalp	3	1	7	24	29	86	96	114	114	99	78
Rocky Mountain spotted fever	12	6	6	8	8	12	11	9	7	7	4
Scarlet fever and strep throat	8,503	7,560	7,451	7,431	8,052	7,978	9,125	6,167	6,283	5,906	6,317
Staphylococcal inf. (neonatal)	47	30	47	22	39	19	27	50	34	**	**
Staphylococcal inf. (other than neonatal)	591	651	895	753	603	902	889	709	773	**	**
Syphilis	7,084	6,569	5,204	6,725	7,168	7,248	6,402	7,293	5,338	6,009	5,506
Tetanus	8	5	8	13	9	17	5	18	16	10	13
Toxoplasmosis	2	11	3	1	1	3	1	2	—	—	—
Trichinosis	14	2	8	8	—	4	1	4	5	5	5
Tuberculosis	1,940	2,138	2,292	2,478	2,805	2,999	2,938	3,328	3,370	3,739	3,895
Tularemia	4	8	10	10	15	18	21	14	21	24	19
Typhoid cases and carriers	10	22	15	24	21	11	10	18	28	17	29
Typhus cases and carriers	—	—	3	—	—	—	1	1	—	—	—
Whooping cough	110	172	363	232	246	551	639	497	774	748	1,021

** No state total given since data are available for Downstate only.

*** Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

+ Not reportable prior to 1970.

TABLE 13. — CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1962 to 1972 — Continued

Disease	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962
CHICAGO											
Actinomycosis	—	—	1	—	2	—	—	—	—	—	—
Amebiasis cases and carriers	33	41	80	93	66	26	20	56	21	13	21
Blastomycosis	—	1	2	—	—	—	—	—	—	—	—
Brucellosis	—	—	—	1	—	—	—	2	—	1	11
Chancroid	96	47	29	33	15	5	3	19	13	5	4
Chickenpox	880	670	415	688	813	920	1,583	1,869	1,391	2,725	1,945
Conjunctivitis, all forms	4	3	1	4	5	10	1	—	1	—	—
Diarrhea of newborn	288	222	233	149	96	140	93	117	90	68	91
Diphtheria cases and carriers	3	5	37	—	—	4	3	4	15	18	2
Dysentery bacillary cases and carriers	932	701	750	807	792	758	403	408	218	186	182
Encephalitis, acute and post	57	52	69	66	44	93	29	51	55	40	44
Erysipelas	1	1	2	+	+	+	+	+	+	+	+
Food infections	830	861	862	728	747	634	608	459	417	363	179
Food poisonings	—	—	—	—	9	7	20	27	27	42	213
Fungal infection, other	2	—	—	—	—	—	—	—	—	1	—
Gastroenteritis, (E. Coli) cases and carriers	773	926	212	829	276	292	129	82	18	3	14
German measles	58	50	161	181	210	197	347	1,027	1,821	426	821
Gonorrhea	33,607	37,742	42,503	41,425	34,964	31,619	27,850	24,540	22,497	21,667	31,348
Hepatitis, infectious and serum	878	885	758	677	652	674	379	374	357	432	541
Histoplasmosis	—	—	—	—	2	—	—	5	—	—	2
Influenza	22	1	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	—	—	—	—	—	—	1	—	—	—	—
Leprosy	1	1	3	—	—	1	—	—	—	—	2
Leptospirosis	—	1	—	—	—	—	—	—	—	—	—
Malaria	3	8	10	1	6	8	5	—	1	—	—
Measles	1,286	422	1,659	1,411	986	630	3,331	2,408	4,639	2,879	5,536
Meningitis meningococcal	6	17	18	20	27	24	40	43	37	24	47
Meningitis, other	118	106	105	93	127	145	183	147	145	168	155
Mononucleosis, Inf.	39	30	6	+	+	+	+	+	+	+	+
Mumps	465	420	429	553	511	915	1,166	816	1,275	1,596	1,055
Paratyphoid cases and carriers	***	***	***	***	***	***	—	—	—	—	—
Pneumonia	1,061	922	+	+	+	+	+	+	+	+	+
Poliovirus	—	—	—	1	3	1	1	—	1	4	44
Psittacosis and ornithosis	—	—	—	—	—	—	—	—	—	—	—
Rheumatic fever	139	195	258	283	364	314	393	508	547	461	441
Ringworm of the scalp	—	—	—	8	4	23	32	53	31	24	16
Rocky Mountain spotted fever	—	1	—	—	—	—	—	—	—	—	—
Scarlet fever and strep throat	205	146	154	282	274	318	538	815	777	871	1,120
Staphylococcal inf. (neonatal)	—	1	—	—	—	—	—	—	—	**	**
Staphylococcal inf. (other than neonatal)	3	—	—	—	—	—	—	1	2	**	**
Syphilis	5,624	4,769	3,640	5,097	5,857	5,900	5,177	6,238	4,443	4,995	4,351
Tetanus	1	—	3	5	4	6	—	4	2	3	3
Toxoplasmosis	—	—	—	—	—	—	—	—	—	—	—
Trichinosis	8	1	4	6	—	—	1	3	1	5	4
Tuberculosis	1,270	1,385	1,536	1,671	1,963	1,989	1,977	2,179	2,202	2,322	2,699
Tularemia	—	—	—	1	—	—	—	—	—	—	1
Typhoid cases and carriers	8	12	11	8	6	5	4	9	14	8	11
Typhus cases and carriers	—	—	—	—	—	—	—	—	—	—	—
Whooping cough	67	92	239	166	148	406	507	318	571	482	721

** Data not available from Chicago before 1964.

*** Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

† Not reportable prior to 1970.

TABLE 13. - CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1962 to 1972 -- Continued

Disease	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962
DOWNSTATE											
Actinomycosis	1	1	1	—	3	1	—	—	—	1
Amebiasis cases and carriers	86	112	90	74	85	76	152	137	298	203	290
Blastomycosis	2	6	2	10	1	1	1	3	1	5	1
Brucellosis	8	17	6	13	1	13	13	16	26	25	46
Chancroid	13	6	5	10	4	2	5	4	2	5	3
Chickenpox	8,446	5,472	3,959	4,820	6,184	5,817	7,484	7,296	10,479	11,534	8,598
Conjunctivitis, all forms	24	17	10	18	16	34	19	1	9	2	1
Diarrhea of newborn	1	3	—	6	3	9	7	8	12	22	21
Diphtheria cases and carriers	—	—	—	1	2	1	1	2	1	8	2
Dysentery bacillary cases and carriers	500	407	385	381	392	546	366	277	503	369	164
Encephalitis, acute and post	164	141	137	93	158	190	87	72	215	108	73
Erysipelas	19	19	2	+	+	+	+	+	+	+	+
Food infections	580	584	510	424	338	399	399	695	356	281	223
Food poisonings	489	96	214	258	235	72	158	745	441	509	905
Fungal infection, other	—	1	1	1	6	7	6	4	7	8	6
Gastroenteritis, (E. Coli) cases and carriers	198	128	134	129	179	161	125	53	50	34	361
German measles	1,105	1,346	1,710	1,644	3,118	1,424	2,588	3,823	27,864	1,682	1,209
Gonorrhea	11,428	10,548	9,165	8,912	7,500	7,338	5,883	4,551	4,369	3,633	3,505
Hepatitis, infectious and serum	1,980	1,797	1,287	1,195	1,364	1,127	827	873	872	1,040	1,716
Histoplasmosis	30	28	49	58	47	47	44	56	27	16	9
Influenza	3,402	184	+	+	+	+	+	+	+	+	+
Impetigo contagiosa	—	—	—	—	—	—	3	—	—	1	—
Leprosy	—	—	2	3	—	—	—	3	—	—	—
Leptospirosis	—	—	1	3	1	—	1	5	—	2	—
Malaria	33	54	58	123	58	30	11	1	2	1	5
Measles	3,368	3,038	1,426	335	305	717	8,183	2,628	12,267	8,983	11,087
Meningitis meningococcal	27	68	55	52	55	58	62	82	59	51	52
Meningitis, other	170	162	135	125	166	127	271	266	273	261	245
Mononucleosis, Inf.	619	660	43	+	+	+	+	+	+	+	+
Mumps	2,934	5,165	1,958	2,659	4,893	9,930	5,409	4,074	13,323	6,972	3,630
Paratyphoid cases and carriers	***	***	***	***	***	***	—	5	1	—	7
Pneumonia	93	12	+	+	+	+	+	+	+	+	+
Poliomyelitis	—	1	1	—	—	—	2	4	4	10	21
Psittacosis and ornithosis	13	—	—	1	1	—	1	5	6	11	4
Rheumatic fever	717	797	932	895	968	1,111	1,220	1,197	1,512	1,333	1,230
Ringworm of the scalp	3	1	7	16	25	63	64	61	83	75	62
Rocky Mountain spotted fever	12	5	6	8	8	12	11	9	7	7	4
Scarlet fever and strep throat	8,298	7,414	7,297	7,149	7,778	7,660	8,587	5,352	5,506	5,035	5,197
Staphylococcal inf. (neonatal)	47	29	47	22	39	19	27	50	34	29	27
Staphylococcal inf. (other than neonatal)	588	651	895	753	603	902	889	708	771	767	795
Syphilis	1,460	1,800	1,564	1,628	1,311	1,348	1,225	1,055	895	1,014	1,155
Tetanus	7	5	5	8	5	11	5	14	14	7	10
Toxoplasmosis	2	11	3	1	1	3	1	2	—	—	—
Trichinosis	8	1	4	2	—	4	—	1	4	—	1
Tuberculosis	670	753	756	807	842	1,010	961	1,149	1,168	1,417	1,196
Tularemia	4	8	10	9	15	18	21	14	21	24	18
Typhoid cases and carriers	2	10	4	16	15	6	6	9	14	9	18
Typhus cases and carriers	—	—	3	—	—	—	1	1	—	—	—
Whooping cough	43	80	124	66	98	145	132	179	203	266	300

+ Not reportable prior to 1970.

*** Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

TABLE 14. — MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1972


TABLE 14. — MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1972														
Female Age Group	Total	Male												
		Age Group												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL	118,692	25	10,339	50,465	24,502	10,395	6,104	4,678	3,831	2,677	2,024	1,395	2,019	138
Under 15 Years	25	—	6	12	4	—	—	—	—	—	—	—	—	—
15-19 Years	29,129	8	8,817	17,292	2,361	437	105	40	21	8	1	2	1	36
20-24 Years	48,466	5	1,431	30,026	12,821	2,833	794	312	129	58	15	12	6	54
25-29 Years	18,303	2	49	2,440	7,231	3,760	1,582	735	296	113	44	16	11	15
30-34 Years	7,692	1	11	447	1,484	2,177	1,706	1,032	544	169	84	18	10	9
35-39 Years	4,725	—	5	129	406	780	1,146	1,075	688	306	123	44	21	2
40-44 Years	3,554	1	—	41	116	274	519	851	867	493	238	92	57	5
45-49 Years	2,888	1	—	17	39	84	176	427	821	655	387	169	109	3
50-54 Years	2,132	2	1	16	12	24	68	149	329	545	514	278	192	2
55-59 Years	1,512	4	—	4	5	9	8	39	94	235	423	366	323	1
60-64 Years	1,011	1	1	1	—	1	5	14	27	65	153	287	454	2
65+ Years	1,029	—	—	—	1	1	1	1	11	28	42	108	833	3
Unknown	106	—	15	40	21	6	4	3	4	2	—	3	2	6

TABLE 15. — DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1972

TABLE 15. — DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1972														
Female Age Group		Male Age Group												
		Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL	42,628	20	213	5,981	9,524	7,152	5,010	4,171	3,258	2,146	1,214	612	597	2,730
Under 15 Years	22			6	5	5	2	1	2		1			
15-19 Years	1,250	4	146	921	127	17	4	5	1					
20-24 Years	9,386	7	57	4,452	3,805	616	135	46	25	7		2		24
25-29 Years	9,422		3	387	4,749	3,059	627	227	90	27	8	8	4	234
30-34 Years	6,260	3	1	47	460	2,720	1,944	588	189	82	27	5	9	233
														185
35-39 Years	4,427	1		7	83	363	1,877	1,470	451	151	48	23	12	141
40-44 Years	3,419	2	1	3	25	85	299	1,296	1,051	350	112	40	23	142
45-49 Years	2,535	2		4	16	31	79	261	1,010	703	217	73	43	96
50-54 Years	1,504			1	1	10	35	76	200	556	365	123	60	77
55-59 Years	691					4	3	15	45	105	240	149	86	44
60-64 Years	354						2	6	15	27	79	99	103	23
65+ Years	245							1	4	7	15	29	173	16
Unknown	3,113	1	5	153	253	242	213	179	175	130	102	61	84	1,515

TABLE 16. — NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1972

Bride	Total	Groom										Unknown- Blank
		0	1	2	3	4	5	6	7	8	9+	
TOTAL	118,502	84,297	27,952	4,458	674	120	21	5	3	—	—	1,062
0	85,259	75,045	9,338	745	83	16	2	—	—	—	—	30
1	26,908	8,388	15,745	2,327	294	52	8	3	2	—	—	89
2	4,420	655	2,383	1,147	198	33	7	2	1	—	—	5
3	673	74	327	177	84	9	1	—	—	—	—	1
4	111	13	40	37	13	7	1	—	—	—	—	—
5	37	1	14	10	2	3	2	—	—	—	—	—
6	7	1	3	2	1	—	—	—	—	—	—	—
7	2	—	1	1	—	—	—	—	—	—	—	—
8	1	—	—	—	—	—	—	—	—	—	—	—
9+	—	—	—	—	—	—	—	—	—	—	—	—
Unknown-Blank	1,170	119	101	12	1	—	—	—	—	—	—	937




PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

BUREAU OF ECONOMIC &
BUSINESS RESEARCH

JUL 17 1975

SPRINGFIELD, ILLINOIS



**VITAL
STATISTICS
ILLINOIS
1973**



VITAL STATISTICS ILLINOIS

1973 SPRINGFIELD
ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

June, 1975






TABLE OF CONTENTS VITAL STATISTICS-ILLINOIS-CALENDAR YEAR 1973

	Page
Introduction	1
Population	1
Live Births	1
Fetal, perinatal and infant mortality	1
Maternal Deaths	2
Deaths	2
Other causes of death	2
Notifiable disease case reports	2
Marriage, Divorce and Annulments	3

Table

A.	--Resident live births by race classified by sex, legitimacy, status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1973	6
B.	--Causes of fetal death among infants born to Illinois mothers by weight at birth: 1973	6
C.	--Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1973	7
D.	--Leading causes of infant deaths, by age, Illinois residents: 1973	7
E.	--Ten leading causes of deaths among white and nonwhite races, Illinois residents: 1973	7
F.	--Components of residents heart disease deaths, Illinois: 1973	8
G.	--Resident cancer deaths by site and age, Illinois: 1973	8
H.	--Resident deaths due to cerebrovascular disease, Illinois: 1973	8
I.	--Deaths and rates from the principal disease affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965, 1970 and 1973	9
J.	--Accidental deaths among Illinois residents by type of accident and age of decedent: 1973	9
K.	--Accidental deaths occurring in Illinois by type of accident occurred by population class: 1973	10
L.	--Marital status of bride and groom at time of marriage, Illinois: 1973	10
M.	--Divorces and annulments classified by the duration of marriage, Illinois: 1973	10
N.	--Marriages, divorces and annulments occurring in Illinois: 1958 to 1973	10

1.	Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with rations, Illinois: 1918 to 197311
2A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of Illinois counties: 197312
2B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of Illinois counties: 197314
3A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 197316
3B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 197318
4.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 197320
5.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 197322
6.	--Fetal deaths by weight among residents of Illinois counties: 197324
7.	--Fetal deaths by weight among residents of the larger cities of Illinois: 197326
8A.	--Live births by birth weight among residents of Illinois counties: 197328
8B.	--Live births by birth weight among residents of the larger cities of Illinois: 197330
8C.	--Resident live births by birth weight, sex and color, Illinois, Chicago, and Downstate: 197333
9A.	--The twelve leading causes of death by age and color, among residents of Illinois, Chicago, Downstate: 197334
9B.	--Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 197337
10A.	--Death from important causes among residents of Illinois counties: 197340
10B.	--Death rates for important causes among residents of Illinois counties: 197344
11A.	--Deaths from important causes among residents of the larger cities of Illinois: 197348
11B.	--Death rates for important causes among residents of the larger cities of Illinois: 197352
12.	--Ten leading causes of deaths in selected age groups, Illinois: 197356
13.	Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1963 to 197357
14.	--Marriages classified by sex and age, Illinois: 197360
15.	--Divorces classified by sex and age, Illinois: 197360
16.	--Number of previous marriages of bride and groom, Illinois: 197360

DESCRIPTION OF 1973 ILLINOIS VITAL EVENTS

Introduction

The central registration of live births, fetal deaths and deaths in Illinois began in 1916. The original certificates for these events are kept in bound volumes in the Archives Building in Springfield. The County Clerk in the county where the event occurred has copies. The certified copies needed for legal purposes can be obtained from either the Illinois Department of Public Health or from the County Clerk. The central registration of marriages, divorces and annulments began in 1962. The original certificates are kept by the County Clerk for marriages and by the Circuit Clerk for divorces and annulments. Certified copies are available only from the original record in the county of occurrence.

The tables in this report cover events occurring during the calendar year 1973. They include live births, fetal deaths and deaths among residents of Illinois that occurred elsewhere in the United States and Canada and exclude nonresidents of the state. The marriage, divorce and annulment tables include only events that occurred in the state.

Table 1, page 11, presents the state's midyear populations and the number and rate for live births, fetal deaths, neonatal deaths, infant deaths and maternal deaths by year from 1918 to 1973. Table N, page 10, presents the number and rate for marriages, divorces and annulments by year from 1958 to 1973. The population for each of the 102 counties and for Chicago appears on the map on page 5.

Population

The county population figures used in this report were prepared jointly by the Illinois Department of Public Health and the United States Bureau of the Census under the Federal-State Cooperative Program for Population Estimates. The provisional figures as of July 1, 1973, and the final figures as of July 1, 1972, appear in the Bureau of Census' "Current Population Reports", Series P-26, Number 78. Unpublished figures developed by the Department are used to compute the vital rates for the 160 cities of population 10,000 or over and for the required age and race groups.

Live Births

In 1973, there were 168,992 resident live births in Illinois. Of these, 3,827 were born outside of the state. In contrast, there were 166,714 live births recorded during 1973, of which 1,549 were to nonresident mothers.

The live birth rate was 15.0 per 1,000 population, the lowest since 1939 when the rate was 14.9.

The proportion of nonwhite live births in the state has increased from 10.5 percent in 1950 to 16.0 percent in 1960 and 20.7 percent in 1970. In 1973, it was 23.4 percent. The number of black live births reached its peak of 41,718 in 1971 and dropped to 37,015 in 1973. Live births among races other than white or black have increased from 758 in 1960 to 2,547 in 1973.

Among the 129,430 white live births in 1973 there were 66,570 males and 62,860 females. Of the males, 3,831 or 5.8 percent weighed 2,500 grams (5 pounds, 8 ounces) or less at birth. Of the females, 4,272 or 6.8 percent were in this weight range. Among the 39,562 live births of other races, there were 20,036 males and 19,526 females. Of the males, 2,498 or 12.5 percent weighed 2,500 grams or less at birth. Of the females, 2,826 or 14.5 percent were in this weight range.

Fetal, Perinatal and Infant Mortality

A child who dies before or during delivery is classified as a fetal death. If the fetus has reached the twentieth completed week of gestation or is one of a multiple birth of which at least one is live born, it must be registered. The fetal death tables below are based on these reports. There were 2,161 resident fetal deaths in 1973. The fetal death ratio was 12.8 per 1,000 live births, the lowest of record.

In addition to the 2,161 fetal deaths there were 2,291 resident deaths under the age of 7 days. These 4,452 perinatal deaths (Table C) provide a rate of 26.0 per 1,000 (live births plus fetal deaths), a new low. The causes for these losses are summarized in Tables B and D. Although the causes should be similar, there is a marked difference in reporting. Asphyxia accounted for 344 fetal deaths and 664 deaths under 7 days, or 22.6 percent of the total perinatal deaths. Immaturity with no cause or condition stated accounted for 152 fetal deaths and 240 other perinatal deaths, or 8.8 percent. Congenital anomalies accounted for 406 or 9.1 percent, of which 133 were fetal deaths. These three largest groups accounted for 629 or 29.1 percent of the fetal deaths and 1,177 or 51.4 percent of the deaths under 7 days for a total of 1,806 or 40.5 percent of the perinatal deaths.

There were 3,398 deaths under the age of one year. The infant death rate was 20.1 per 1,000 live births. Even though the death rate is the lowest recorded, it is still higher than that reported by 40 states.

During the first 28 days of life, the neonatal period, there were 2,551 deaths for a rate of 15.1 per 1,000 live

births, the same as in 1972. Of the 847 deaths during the last 11 months of the first year, influenza, pneumonia and accidents accounted for 206 or 24.3 percent. Heart disease except congenital and sudden or crib death caused 300 deaths or 35.4 percent.

Maternal Deaths

The 23 maternal deaths in 1973 represent a rate of 13.6 per 100,000 live births, a significant drop from the rate of 22.5 in 1972, the previous low. Deaths by race were 15 white and 8 black. In Chicago, of the 8 deaths, 4 were white and 4 were black. By age, 7 of the white and 3 of the black deaths were among mothers 30 years of age or older. Their death rates were 27.6 and 54.6 per 100,000 live births, respectively, in contrast to 7.7 and 15.9 respectively for deaths to mothers under 30 years old. By category, the deaths in 1973 were 8 from hemorrhage, 3 from toxemias, 4 from infections and 8 from other causes.

Deaths

In 1973, there were 110,259 deaths among Illinois residents, of which 4,543 died outside of Illinois. Of the 107,841 deaths occurring in Illinois, 2,125 were to nonresidents.

The death rate was 9.8 per 1,000 population, the same as in 1971. In 1961, 1970 and 1972 the rate was 9.9. According to Table 1, page 11, these were the only years that the rate has fallen below 10. The reduction in infant deaths and an increasingly larger proportion of the population moving into those ages having low death rates are beginning to have their impact on the overall death rate.

Insofar as is possible, the cause of death as stated by the certifier to have started the chain of events that led to the death is presented in the tables.

The four most frequent causes continue to be heart disease (47,273), cancer (19,815) cerebrovascular disease (10,872) and accidents (5,326). These four accounted for 83,286 or 76.0 percent of all deaths in 1973. Special Tabulations for these appear in Tables F, G, H, J, and K. In Table I are listed the diseases affecting the respiratory system for selected years from 1950 to 1973. In this system, the rapid decline in tuberculosis from 22.3 per 100,000 population in 1950 to 1.4 in 1973 has been partly offset by the rapid increase in lung cancer from 6.6 to 36.8. Emphysema, which was seldom mentioned in 1950, now has moved to the eleventh most frequent cause listed in Table 9A, page 34.

Deaths from external causes numbered 8,067, or 7.3 percent, of all causes. These were divided as motor vehicle

accidents - 2,552, other accidents - 2,774, homicide - 1,269, suicide - 1,095 and external causes undetermined by the certifier - 377.

In the age group 15 to 24 years there were 1,298 accidents, 369 homicides and 182 suicides. The corresponding rates per 100,000 population were 64.6, 18.4 and 9.0. Under the age of 15 years there were 684 accidents, 54 homicides and 4 suicides.

Drugs and medicaments, excluding therapeutic misadventure, accounted for 318 deaths in 1973. Of these, 123 were classified as accidental, 8 involved persons under 15 years old and 55 from 15 to 24 years old. There were 124 suicides, including none under 15 years old and 21 from 15 to 24 years old. Of the 71 deaths undetermined as to accident, suicide or homicide, 2 were under age 15 years and 21 were from 15 to 24 years old.

Other Causes of Death

The next seven causes of death following those in Table 9A, page 34, and their frequencies are suicide (1,095), hypertension without mention of heart disease (600), ulcer of stomach and duodenum (548), chronic nephritis and renal sclerosis (399), hernia and intestinal obstruction (368), bronchitis (348) and tuberculosis, all forms (230).

Causes of death for selected infective and parasitic diseases, except tuberculosis, were infectious hepatitis (29), fungus infections (21 - including 1 histoplasmosis, 11 monoliasis, 6 blastomycosis), acute infectious encephalitis (14), syphilis (13), meningococcal infections (12), chicken pox (10), Rocky Mountain spotted fever (4), Poliomyelitis (5, including 4 late effects), tetanus, malaria, infectious mononucleosis, measles (rubeola), septic sore throat and gonorrhea, 2 each.

There were no deaths from mumps, typhoid fever, rubella (German measles), brucellosis, diphtheria, or whooping cough. Deaths from Boeck's sarcoid were 15 and from acute rheumatic fever were 14. Herpes Zoster (shingles) and herpes simplex caused 3 deaths each and the septicemias caused 158. Dysentery, Salmonella infections, and other diseases commonly arising in the intestinal tract accounted for 23 deaths and diarrhea, enteritis and colitis for 92.

Notifiable Disease Cases Reports

Table 13, page 57, gives the number of cases of selected diseases reported to the Illinois Department of Public Health for each year from 1963 to 1973.


Chicken pox increased from 4,374 cases reported in 1970 to 14,101 in 1974. Bacillary dysentery cases and carriers have increased over four times during the past decade from 555 to 2,465. Food infections have more than doubled from 644 to 1,591 during this same period. Gastroenteritis cases and carriers increased from 37 reported in 1963 to 810 in 1973. Gonorrhea has remained under 50,000 reported cases for the third year, with 45,977 cases in 1973. Syphilis dropped from 7,084 reported cases in 1972 to 4,864 in 1973. Acute rheumatic fever, tuberculosis and whooping cough cases have declined during the entire decade.

Marriages, Divorces and Annulments

In 1973, there were 120,254 marriages, 44,850 divorces and 481 annulments reported by the County

Clerks and Circuit Clerks on certificates provided by the 1962 law. Table N, page 10, gives the number and rates per 1,000 population for those reported each year from 1958 to 1973 in time to be included in the tabulations. For the 119,843 marriages tabulated, there were 15 grooms and 17 brides under the age of 15 years. Also, there were 812 marriages where both the bride and groom were 65 years of age or older. In 74,184 of the marriages, both the bride and groom had never been previously married.


Of the 44,671 divorces reported in time for these tabulations, 16,577 or 37.1 percent were dissolutions of marriages of less than 5 years' duration. Of those divorced, 19 of the men and 26 women were under 15 years of age. There were 160 divorces granted where both parties were 65 years or older.



POPULATION BY COUNTIES: 1973

POPULATION BY COUNTIES AS OF JULY 1, 1973

TOTAL: 11,236,000
CHICAGO: 3,320,000



SOURCES:

U.S. BUREAU OF CENSUS
SERIES P-26, NO. 78

AND ILLINOIS DEPARTMENT
OF PUBLIC HEALTH

TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER
ILLINOIS, CHICAGO, AND DOWNSTATE: 1973

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
TOTAL BIRTHS.	168,992	129,430	37,015	2,547	55,695	26,746	27,482	1,467	113,297	102,684	9,533	1,080
SEX												
MALE.	86,606	66,570	18,699	1,337	28,255	13,642	13,878	735	58,351	52,928	4,821	602
FEMALE.	82,386	62,860	18,316	1,210	27,440	13,104	13,604	732	54,946	49,756	4,712	478
LEGITIMACY												
LEGITIMATE.	141,606	121,675	17,413	2,518	37,754	23,701	12,601	1,452	103,852	97,974	4,812	1,066
ILLEGITIMATE.	27,386	7,755	19,602	29	17,941	3,045	14,881	15	9,445	4,710	4,721	14
PLACE OF BIRTH AND ATTENDANT												
HOSPITAL.	168,053	128,854	36,655	2,539	55,044	26,426	27,155	1,463	113,004	102,433	9,500	1,076
NON-HOSPITAL.	439	571	360	8	651	320	327	4	288	251	33	4
PHYSICIAN.	862	513	344	5	625	305	317	3	237	208	27	2
MIDWIFE.	1	1	--	--	1	1	--	--	--	--	--	--
OTHER.	76	57	16	3	25	14	10	1	51	43	6	2
AGE OF MOTHER												
TOTAL	168,992	129,430	37,015	2,547	55,695	26,746	27,482	1,467	113,297	102,684	9,533	1,080
10 - 14 YEARS.	723	176	545	2	466	50	416	--	257	126	129	2
15 - 19 YEARS.	31,355	18,948	12,336	71	13,097	3,959	9,097	41	18,258	14,989	3,239	30
20 - 24 YEARS.	56,465	43,777	12,179	509	18,332	8,989	9,072	271	38,133	34,788	3,107	238
25 - 29 YEARS.	48,752	41,176	6,460	1,116	13,438	7,961	4,809	668	35,314	33,215	1,651	448
30 - 34 YEARS.	22,111	17,982	3,469	660	6,908	3,919	2,610	379	15,203	14,063	859	281
35 - 39 YEARS.	7,564	5,806	1,594	164	2,694	1,431	1,167	96	4,870	4,375	427	68
40 - 44 YEARS.	1,913	1,487	401	25	712	408	292	12	1,201	1,079	109	13
45 AND OVER.	101	72	29	--	45	27	18	--	56	45	11	--
UNSTATED.	8	6	2	--	3	2	1	--	5	4	1	--
LEGITIMATE												
10 - 14 YEARS.	91	58	33	--	36	9	27	--	55	49	6	--
15 - 19 YEARS.	18,651	15,476	3,110	65	5,234	2,935	2,261	38	13,417	12,541	849	27
20 - 24 YEARS.	48,210	41,388	6,321	501	12,793	7,982	4,543	268	35,417	33,406	1,778	233
25 - 29 YEARS.	45,494	40,150	4,238	1,106	11,157	7,428	3,067	662	34,337	32,722	1,171	444
30 - 34 YEARS.	20,496	17,494	2,343	659	5,732	3,629	1,725	378	14,764	13,865	618	281
35 - 39 YEARS.	6,852	5,611	1,077	164	2,178	1,318	764	96	4,674	4,293	313	68
40 - 44 YEARS.	1,720	1,426	271	23	586	375	201	10	1,134	1,051	70	13
45 AND OVER.	86	67	19	--	36	23	13	--	50	44	6	--
UNSTATED.	6	5	1	--	2	2	--	--	4	3	1	--

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS BY WEIGHT AT BIRTH: 1973

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CAUSE OF DEATH	TOTAL	PER- CENT	FETUS WEIGHT IN GRAMS									
			UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501 AND OVER
ALL CAUSES.	2,161	100.0	710	262	202	119	115	211	189	146	42	39
CONGENITAL ANOMALIES												
NERVOUS SYSTEM.	78	3.6	10	18	8	3	6	9	6	7	1	--
HEART AND CIRCULATORY.	8	0.4	--	2	--	--	1	2	1	1	--	--
OTHER.	47	2.2	11	9	7	2	4	2	2	1	2	--
MATERNAL NOT RELATED TO PREGNANCY												
CIRCULATORY AND G. U. DISEASES.	44	2.0	16	6	3	3	1	8	7	--	--	--
DIABETES MELLITUS.	50	2.3	6	2	6	6	2	5	2	7	4	6
OTHER.	31	1.4	7	6	1	2	2	5	2	2	1	--
TOXEMIAS OF PREGNANCY.	88	4.1	16	22	11	9	7	6	4	7	4	1
MATERNAL INFECTIONS.	27	1.2	19	1	1	--	--	3	1	--	2	--
BIRTH INJURY												
DIFFICULT LABOR.	3	0.1	--	2	--	--	--	--	--	1	--	--
OTHER.	14	0.6	5	1	--	3	--	1	1	2	--	--
ASPHYXIA, ANOXIA, HYPOXIA												
DIFFICULT LABOR.	39	1.8	6	4	3	4	1	3	4	3	2	7
OTHER.	305	14.1	112	26	22	17	19	23	33	25	7	6
OTHER DIFFICULT LABOR.	27	1.2	13	4	3	1	--	2	1	1	--	--
PREMATURE RUPTURE OF MEMBRANES.	78	3.6	56	7	5	--	1	5	--	--	--	2
MEMBER OF MULTIPLE PREGNANCY.	38	1.8	20	6	5	3	--	--	--	--	--	--
OTHER COMPLICATIONS OF PREGNANCY.	35	1.6	21	3	2	1	--	2	1	2	--	1
PREMATURE SEPARATION OF PLACENTA.	304	14.1	111	51	32	11	12	31	25	13	1	1
OTHER PLACENTAL CONDITIONS.	174	8.1	42	20	29	10	12	18	14	12	4	4
PROLAPSED CORD.	133	6.2	38	6	6	7	12	9	25	21	4	1
OTHER CORD CONDITIONS.	222	10.3	28	18	18	20	13	44	34	22	7	5
RH INCOMPATIBILITY.	22	1.0	4	2	4	1	3	5	2	1	--	--
OTHER HEMOLYTIC DISEASES.	16	0.7	2	--	4	1	1	2	3	2	--	1
IMMATURITY, UNQUALIFIED.	152	7.0	102	23	10	5	--	--	1	--	--	--
OTHER FETAL CONDITIONS.	13	0.6	5	--	--	1	1	--	1	1	--	1
CAUSE UNKNOWN.	205	9.5	58	22	21	9	16	26	18	14	3	3
ALL OTHER CAUSES.	8	0.4	2	1	1	--	1	--	1	1	--	--

TABLE C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE, 1973

(THIS TABLE INCLUDES 48 FETAL DEATHS OF LESS THAN 20 WEEKS' GESTATION)

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*
WHITE SERIES												
FETAL DEATHS	2161	1406	712	23	921	334	571	11	1240	1067	161	12
DEATHS UNDER 1 WEEK OF AGE	2291	1511	744	14	932	359	564	9	1359	1174	180	5
TOTAL	4452	2917	1476	37	1853	698	1135	20	2599	2241	341	17
LIVE BIRTHS AND FETAL DEATHS	171153	130816	37747	2570	56616	27085	28051	1478	114537	103751	9694	1092
RATIO*	26.0	22.5	39.1	14.4	32.7	25.8	40.5	13.5	22.7	21.6	35.2	15.6
BLACK SERIES												
FETAL DEATHS	1141	714	395	12	495	103	309	3	646	551	86	9
DEATHS UNDER 1 WEEK OF AGE	1330	904	419	7	523	196	323	4	807	708	96	3
TOTAL	2471	1618	814	19	1018	379	632	7	1453	1259	182	12
LIVE BIRTHS AND FETAL DEATHS	87747	67304	19094	1349	28750	13825	14187	738	58997	53479	4907	611
RATIO*	28.2	24.3	42.6	14.1	35.4	27.4	44.5	9.5	24.6	23.5	37.1	19.6
BLACK SERIES												
FETAL DEATHS	1020	672	337	11	426	156	262	8	594	516	75	3
DEATHS UNDER 1 WEEK OF AGE	961	629	325	7	409	163	241	5	552	466	84	2
TOTAL	1981	1381	667	18	875	319	503	13	1146	982	159	5
LIVE BIRTHS AND FETAL DEATHS	83406	63532	18651	1221	27866	13260	13866	740	55540	50272	4787	481
RATIO*	23.8	20.5	35.5	14.7	30.0	24.1	36.3	17.6	20.6	19.5	33.2	10.4

*PERINATAL MORTALITY RATIO IS 1,000 TIMES (FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER PLUS DEATHS UNDER 1 WEEK OF AGE) DIVIDED BY (LIVE BIRTHS PLUS FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER). SEE TABLE A FOR LIVE BIRTHS.

*OTHER COLUMNS FOR BOTH SEXES INCLUDES FETAL DEATHS WHOSE SEX OR RACE ARE UNKNOWN.

TABLE D. -- LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS, 1973

(See footnote)

Cause		Infant		Neonatal		Post Neonatal	
		Under 1 year	Total	Under 7 Days	7 to 27 Days	28 Days & Over	Total
All causes		3,398	2,551	2,291	260	847	
1. Asphyxia, unspecified	1769	600	685	664	21	5	
2. Congenital anomalies	140759	495	346	273	73	149	
a. Heart	1746	(182)	(113)	(80)	(33)	(69)	
b. Nervous system	(740) (43)	(119)	(94)	(89)	(5)	(25)	
3. Immaturity, unspecified	177	249	249	240	9		
4. Respiratory distress syndrome	7762	245	241	233	8	4	
5. Hyaline membrane disease	7761	233	230	218	12	3	
6. Influenza and pneumonia	470474, 480486	216	69	43	26	147	
7. Member of multiple pregnancy	7694	169	167	164	3	2	
8. Heart disease, except congenital	893429	188	25	4	21	163	
(Excl. of 4000, 4002, 4003, 401, 403)							
9. Sudden Infant or Child Death	7951	152	15	2	13	137	
10. Birth injury	76407643, 76507653 76607663, 76707673 76807683, 772	122	119	109	10	3	
11. Accidents		63	4		4	59	
a. Suffocation from food	E911	(18)	(1)	()	(1)	(17)	
b. Suffocation in bed	E9130	(3)	()	()	()	(3)	
c. Fire and flames	E890E899	(11)	()	()	()	(11)	
d. Motor vehicle	E810E823	(8)	(1)	()	(1)	(3)	

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS, 1973

(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1973)

WHITE				NONWHITE			
CAUSE	NUMBER	RATE	PERCENT	CAUSE	NUMBER	RATE	PERCENT
ALL CAUSES	94,033	992.7	100.0	ALL CAUSES	14,226	910.8	100.0
1. HEART DISEASE	42,317	437.4	44.1	1. HEART DISEASE	4,956	317.3	34.4
2. MALIGNANT NEOPLASMS	17,497	180.4	18.2	2. MALIGNANT NEOPLASMS	2,318	148.4	16.3
3. CEREBROVASCULAR DISEASE	9,669	99.9	10.1	3. CEREBROVASCULAR DISEASE	1,203	77.0	8.5
4. ACCIDENTS	4,527	46.8	4.7	4. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	870	55.7	6.1
5. PNEUMONIA AND INFLUENZA	2,825	29.2	2.9	5. ACCIDENTS	749	51.2	5.9
6. OTHER CIRCULATORY DISEASES	1,944	20.1	2.0	6. HOMICIDE	770	49.3	5.4
7. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	1,920	19.8	2.0	7. PNEUMONIA AND INFLUENZA	556	35.6	3.9
8. DIABETES MELLITUS	1,707	17.6	1.8	8. CIRRHOSIS OF LIVER	294	18.8	2.1
9. GENERAL ARTERIOSCLEROSIS	1,691	17.5	1.8	9. DIABETES MELLITUS	287	18.4	2.0
10. CIRRHOSIS OF LIVER	1,619	16.7	1.7	10. OTHER CIRCULATORY DISEASES	255	16.3	1.8

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1973

AGE	TOTAL	HEART DISEASES									
		CHRONIC RHEUMATIC	ARTERIO-SCLEROTIC INCLUDING CORONARY	OTHER IS-CHMIC HEART	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS	ACUTE MYOCARDITIS NOT SPECIFIED AS RHEUMATIC	ACUTE PERICARDITIS SPECIFIED AS NONRHEUMATIC	FUNCTIONAL DISEASE	CONGESTIVE HEART FAILURE	HYPER-TENSIVE	OTHER AND UNSPECIFIED
ALL AGES	47,273	702	41,908	19	52	28	3	373	245	966	2,977
UNDER 1 YEAR.	184	1	--	--	--	1	--	5	1	--	180
1 - 4 YEARS.	34	--	1	--	--	1	1	3	1	1	31
5 - 14 YEARS.	16	1	--	--	--	1	--	4	1	--	9
15 - 24 YEARS.	132	15	10	--	--	5	--	10	1	2	89
25 - 44 YEARS.	1,254	57	774	1	17	3	--	25	4	34	340
45 - 54 YEARS.	3,466	116	2,744	--	10	5	--	40	12	89	450
55 - 64 YEARS.	7,342	204	6,312	6	9	2	2	80	83	151	593
65 - 74 YEARS.	11,290	143	10,110	4	11	3	--	75	63	231	610
75 - 84 YEARS.	14,872	48	13,829	4	5	4	--	89	68	302	473
85 & OVER.	8,619	27	8,124	4	--	3	--	42	61	156	202

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1973

AGE	TOTAL	SITE										
		BUCCAL CAVITY AND PHARYNX	STOMACH	DIGESTIVE ORGANS EXCEPT STOMACH	BRONCHUS, TRACHEA, LUNG	OTHER SITES, RESPIRATORY SYSTEM*	BREAST	GENITAL ORGANS	NERVOUS SYSTEM, INCL. BRAIN	OTHER AND UNSPECIFIED SITES	LEUKEMIA & ALEUKEMIA	OTHER LYMPHATIC
ALL AGES	19,815	407	861	4,794	4,141	319	1,956	2,453	472	2,530	837	1,045
UNDER 1 YEAR.	8	--	--	1	--	--	--	--	--	3	2	2
1 - 4 YEARS.	41	--	--	1	--	--	--	--	14	6	17	3
5 - 14 YEARS.	107	2	--	1	--	--	--	3	25	14	50	12
15 - 24 YEARS.	166	1	2	5	5	--	1	14	27	35	35	41
25 - 44 YEARS.	1,047	15	28	127	194	11	158	130	74	144	76	90
45 - 54 YEARS.	2,430	74	71	463	634	37	368	247	77	266	65	128
55 - 64 YEARS.	4,796	130	189	1,089	1,270	83	474	485	120	594	133	229
65 - 74 YEARS.	5,742	107	265	1,471	1,321	109	497	684	103	684	209	292
75 - 84 YEARS.	4,257	55	224	1,251	612	65	334	696	29	589	186	216
85 & OVER.	1,221	23	82	385	105	14	124	194	3	195	64	32

* INCLUDES 57 DEATHS FROM NEOPLASMS OF RESPIRATORY SYSTEM, SPECIFIED AS SECONDARY.

TABLE H. -- RESIDENT DEATHS DUE TO CEREBROVASCULAR DISEASE, ILLINOIS: 1973

AGE	TOTAL	TYPE OF VASCULAR LESION				
		SUBARACHNOID HEMORRHAGE	CEREBRAL HEMORRHAGE	CEREBRAL THROMBOSIS	CEREBRAL EMBOLISM	OTHER
ALL AGES .	10,872	474	2,231	3,234	53	4,880
UNDER 1 YEAR.	6	2	3	--	--	1
1 - 4 YEARS.	4	--	3	--	--	1
5 - 14 YEARS.	6	2	3	--	--	1
15 - 24 YEARS.	33	16	9	2	--	6
25 - 44 YEARS.	250	104	97	5	--	44
45 - 54 YEARS.	511	124	180	54	4	149
55 - 64 YEARS.	1,109	123	325	229	5	427
65 - 74 YEARS.	2,394	62	553	705	11	1,063
75 - 84 YEARS.	4,110	38	695	1,396	23	1,958
85 AND OVER.	2,449	3	363	843	10	1,230

TABLE I DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM,
ILLINOIS 1950, 1955, 1960, 1965, 1970 and 1973.

Disease	List Number *	Number of Deaths 1973	Number of Deaths 1970	List Number **	Number of Deaths				Deaths Per 100,000 Population					
					1965	1960	1955	1950	1973	1970	1965	1960	1955	1950
Tuberculosis of respiratory system	080 012	166	215	001 008	389	579	827	1,950	1.4	1.9	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160 163	4,403	3,922	160 165	3,304	2,602	2,070	1,499	39.1	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea and lung, primary	(16.2)	(4,143)	(3,672)	(16.2)	(1,364)	(1,106)	(1,245)	(580)	(36.8)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma	493	122	124	241	218	305	329	228	1.0	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	460 465	23	29	470 475	23	38	34	70	0.2	0.3	0.2	0.4	0.4	0.8
Influenza	470 474	159	97	480 483	80	170	66	126	1.4	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480 486	3,222	3,360	490 493	3,837	4,003	3,300	2,340	28.6	30.2	36.0	39.6	35.0	26.7
a. Pneumonia, 4 weeks		(3,153)	(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(28.0)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(69)	(126)		(763)	(253)	(253)	(143)	(0.6)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute and chronic	466, 490 491	406	655	501, 502.1	184	182	204	163	3.6	5.9	1.7	1.8	2.3	1.9
Bronchiectasis	518	48	60	526	79	104	87	98	0.4	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,343	1,199		991	467	161	63	11.9	10.8	9.3	4.6	1.7	0.7
a. with bronchitis	(Not tabulated)	(Not tabulated)		502.0	132	66	13	18			1.2	0.7	0.1	0.2
b. other	492	1,343	1,199	527.1	859	401	148	45	11.9	10.8	8.1	4.0	1.6	0.5
Other respiratory	500 517, 519	535	485	510 525, 527.0, 527.2	322	308	293	235	4.7	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision

**International Classification of Diseases, 1955 Revision

TABLE J. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1973

		TRANSPORT ACCIDENTS													NON - TRANSPORT ACCIDENTS									
		MOTOR VEHICLE							OTHER TRANSPORT															
		COLLISION					NON-COLLISION																	
AGE	TOTAL	OTHER MOTOR VEHICLE	R. H. TRAFFIC	R. BICYCLE	FIXED OBJECT	OTHER COLLISION	RUNNING OFF ROAD	OTHER VEHICLE	NON TRAFFIC	OTHER ROAD	WATER TRANS- PORT	AIR- CRAFT	RAIL- WAY	PISTON- ENGINE	FALLS	FIRE- ARMS	MECHANICAL SUFFOCATION	DROWNING	OTHER FACTS	MECHANICAL SUFFOCATION	DROWNING	OTHER FACTS	NON- TRANSPORT ACCIDENTS	
NUMBER																								
ALL AGES	5326	417	1130	97	51	376	4	302	142	33	12	43	63	64	330	795	395	21	167	327	487	30		
UNDER 1 YEAR	65	--	7	--	--	--	--	--	1	--	--	--	--	--	9	11	--	25	6	4	2	1		
1 - 4 YEARS	219	46	11	2	--	3	--	6	3	6	--	3	1	--	9	19	51	--	12	24	22	1		
5 - 14 YEARS	400	68	46	3	29	2	2	8	9	3	4	12	2	8	7	20	37	--	15	83	42	--		
15 - 24 YEARS	1298	65	337	28	14	175	--	142	54	9	3	22	17	15	105	26	43	14	14	115	99	1		
25 - 44 YEARS	1215	71	336	23	3	121	--	79	34	5	1	29	28	10	108	87	72	3	24	47	129	6		
45 - 54 YEARS	542	31	117	4	2	36	1	33	16	2	2	7	11	13	46	66	40	3	24	18	59	6		
55 - 64 YEARS	496	43	110	14	1	17	--	18	8	4	1	6	3	4	28	83	51	--	16	19	61	9		
65 - 74 YEARS	437	46	95	10	2	13	--	12	9	3	1	3	1	9	17	102	45	--	16	8	42	3		
75 - 84 YEARS	437	34	62	6	--	6	--	4	8	1	--	--	--	3	9	214	37	1	18	6	26	2		
85 & OVER	217	13	9	2	--	3	1	1	--	--	--	1	--	2	1	169	8	--	3	1	1	--		
RATE*																								
ALL AGES	47.4	7.7	10.1	0.7	0.5	3.3	0.0	2.7	1.3	0.3	0.1	0.7	0.6	0.6	2.9	7.1	3.5	0.2	1.5	2.9	4.3	0.3		
UNDER 1 YEAR	34.2	-0-	4.1	-0-	-0-	-0-	-0-	-0-	0.6	-0-	-0-	-0-	-0-	-0-	-0-	5.1	6.5	-0-	14.7	3.5	2.4	1.2		
1 - 4 YEARS	29.0	6.1	1.5	0.3	-0-	0.4	-0-	0.8	0.4	0.8	-0-	0.4	0.1	-0-	1.2	2.5	6.8	-0-	1.6	3.2	2.9	0.1		
5 - 14 YEARS	18.9	7.2	2.2	0.1	1.4	0.1	0.1	0.4	0.4	0.1	0.2	0.6	0.1	0.4	0.3	0.9	1.7	-0-	0.7	3.9	2.0	-0-		
15 - 24 YEARS	64.6	3.2	16.8	1.4	0.7	8.7	-0-	7.1	2.7	0.4	0.1	1.1	0.8	0.7	5.2	1.3	2.1	0.7	0.7	5.7	4.9	0.0		
25 - 44 YEARS	44.9	2.6	12.4	0.8	0.1	4.5	-0-	2.9	1.3	0.2	0.0	1.1	1.0	0.4	4.0	3.2	2.7	0.1	0.9	1.7	4.8	0.2		
45 - 54 YEARS	45.9	2.6	9.9	0.8	0.2	3.1	0.1	2.8	1.4	0.2	0.2	0.6	0.9	1.1	3.9	5.6	3.4	0.3	2.0	1.5	5.0	0.5		
55 - 64 YEARS	42.4	3.7	9.4	1.2	0.1	1.5	-0-	1.5	0.7	0.3	0.1	0.5	0.3	0.3	2.4	7.1	4.4	-0-	1.4	1.6	5.2	0.8		
65 - 74 YEARS	63.8	6.7	13.9	1.5	0.3	1.9	-0-	1.8	1.3	0.4	0.1	0.4	0.1	1.3	2.5	14.9	6.6	-0-	2.3	1.2	6.1	0.4		
75 - 84 YEARS	125.6	9.8	17.8	1.7	-0-	1.7	-0-	1.1	2.3	0.3	-0-	-0-	-0-	0.9	2.6	61.5	10.6	0.3	5.2	1.7	7.5	0.6		
85 & OVER	235.9	14.1	9.8	2.2	-0-	3.3	1.1	1.1	-0-	-0-	-0-	1.1	-0-	2.2	1.1	183.7	8.7	-0-	3.3	1.1	3.3	-0-		

* DEATHS PER 100,000 POPULATION.

TABLE K. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1973

POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION CLASS														
POPULATION CLASS															POPULATION														

*THESE ARE DEATHS OCCURRING IN ILLINOIS WITH PLACE OF INJURY EITHER NOT STATED OR REPORTED AS OUT-OF-STATE.

TABLE L. -- MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE, ILLINOIS: 1973

	Bride		Groom			
	Total	Never Married	Wid-owed	Divorced	An-nulled	Un-known
Total	119,843	83,898	4,919	29,495	147	1,384
Never Married	84,666	74,184	688	9,583	73	138
Widowed	5,623	858	2,447	2,295	11	12
Divorced	27,819	8,507	1,760	17,420	47	85
Annulled	130	60	4	51	15	
Unknown	1,605	289	20	146	1	1,149

TABLE M. -- DIVORCES AND ANNULMENTS CLASSIFIED BY THE DURATION OF MARRIAGE, ILLINOIS: 1973

Years Married	Divorces	Annulments
TOTAL	44,671	481
Under 1 Year	2,381	257
1 Year	1,953	66
2 Years	4,234	56
3 Years	4,198	30
Under 5 Years	16,577	427
5 Years	1,137	7
6 Years	2,605	8
7 Years	2,354	4
8 Years	2,050	3
9 Years	1,795	4
10 Years	11,941	26
11-14 Years	6,159	9
15-19 Years	3,891	5
20-24 Years	2,787	5
25-29 Years	1,771	2
30-34 Years	712	1
35-39 Years	264	
40-44 Years	102	
45-49 Years	47	
50 Years and over	23	
Unknown Years	367	6

TABLE N. -- MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN ILLINOIS: 1958 to 1973

(RATES ARE PER 1,000 POPULATION ESTIMATED AS OF JULY 1)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annul- ments
1958.	83,400	8.5	20,870	2.1	20,719	151
1959.	87,281	8.8	22,700	2.3	22,566	134
1960.	88,029	8.7	21,870	2.2	21,652	218
1961.	88,692	8.6	25,973	2.5	25,712	261
1962.	87,645	8.5	18,820*	1.8	18,634	186
1963.	93,240	9.0	20,765*	2.0	20,519	246
1964.	97,171	9.2	21,283*	2.0	21,050	233
1965.	100,978	9.5	24,654	2.3	24,326	328
1966.	102,622	9.6	27,862	2.6	27,488	374
1967.	105,295	9.7	28,473	2.6	28,147	326
1968.	112,449	10.2	32,119	2.9	31,713	406
1969.	116,532	10.5	35,974	3.3	35,558	416
1970.	115,478	10.4	36,450	3.3	36,054	396
1971.	115,826	10.3	40,136	3.6	39,753	383
1972.	118,592	10.5	43,092	3.8	42,628	464
1973.	119,843	10.7	45,152	4.0	44,671	481

*Reporting known to be incomplete.

TABLE 1. LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS,
WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1973
(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION. INFANT AND NEONATAL DEATH
RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1973*	11,246,000	168,992	15.0	110,259	9.8	3,398	20.1	2,551	15.1	23	1.3	2,161	12.6
1972*	11,251,000	177,848	15.8	110,970	9.9	3,613	20.3	2,681	15.1	40	2.2	2,358	13.3
1971*	11,196,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,113,976	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,050,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,991,000	193,761	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,850,000	195,644	18.0	110,030	10.2	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,715,000	201,284	18.8	111,155	10.4	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,650,000	208,063	19.5	108,138	10.2	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,500,000	222,259	21.2	106,802	10.2	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,400,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,330,000	230,484	22.3	104,695	10.1	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,258,000	237,051	23.1	101,696	9.9	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,113,000	238,760	23.6	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949†	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948†	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947†	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946†	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945†	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944†	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943†	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942†	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941†	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940†	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939††	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938††	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937††	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936††	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935††	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934††	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933††	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932††	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931††	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930††	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929††	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928††	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927††	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926††	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925††	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924††	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923††	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922††	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921††	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920††	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919††	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918††	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950-1973: Resident data from tabulations in the Illinois Department of Public Health.

(1953-1954 Maternal deaths from Vital Statistics of the United States)

† 1940-1949: Resident data from Vital Statistics of the United States for each year.

†† 1918-1939: Occurrence data from United States Bureau of the Census publications.

n.a. (not available). Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: 1960-1973 by the Illinois Department of Public Health.

1950-1959 from United States Bureau of Census Series P 25, No. 304, and 1918-1949 from Series P 25, No. 139.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ILLINOIS. . .	168,992	129,430	39,562	3,398	2,196	1,202	2,551	1,696	855	2,161	1,406	755
ADAMS	978	938	40	21	20	1	17	16	1	15	15	--
ALEXANDER	164	100	64	8	4	4	6	3	3	2	--	2
BOND	195	193	2	3	3	--	3	3	--	3	3	--
BOONE	484	478	5	9	9	--	5	5	--	6	6	--
BROWN	59	59	--	--	--	--	--	--	--	--	--	--
BUREAU	542	536	6	12	12	--	9	9	--	7	7	--
CALHOUN	64	64	--	--	--	--	--	--	--	3	3	--
CARROLL	271	269	2	2	2	--	2	2	--	2	2	--
CASS	215	215	--	2	2	--	1	1	--	1	1	--
CHAMPAIGN	2,521	2,138	383	37	33	4	23	20	3	16	13	3
CHRISTIAN	449	446	3	5	5	--	3	3	--	3	3	--
CLARK	189	187	2	3	3	--	3	3	--	--	--	--
CLAY	217	215	2	7	7	--	4	4	--	1	1	--
CLINTON	444	444	5	7	7	--	4	4	--	4	4	--
COLES	647	641	6	14	14	--	10	10	--	8	7	1
COOK	84,200	52,389	31,811	1,875	890	985	1,400	697	703	1,227	613	614
CRAWFORD	245	242	3	7	7	--	6	6	--	2	2	--
CUMBERLAND	157	157	--	4	4	--	3	3	--	1	1	--
DE KALB	877	856	21	16	16	--	11	11	--	13	12	1
DE WITT	225	225	--	4	4	--	4	4	--	8	8	--
DOUGLAS	271	271	--	2	2	--	1	1	--	1	1	--
DU PAGE	7,457	7,311	146	103	103	--	78	78	--	70	67	3
EDGAR	304	303	1	6	6	--	4	4	--	5	5	--
EDWARDS	86	86	--	1	1	--	1	1	--	2	2	--
EFFINGHAM	415	414	1	8	8	--	6	6	--	5	5	--
FAYETTE	263	262	1	6	6	--	5	5	--	4	4	--
FORD	198	197	1	7	7	--	5	5	--	--	--	--
FRANKLIN	523	520	3	12	12	--	10	10	--	7	7	--
FULTON	606	598	8	13	13	--	10	10	--	5	5	--
GALLATIN	100	100	--	1	1	--	--	--	--	3	3	--
GREENE	214	214	--	3	3	--	3	3	--	3	3	--
GRUNDY	424	423	1	8	8	--	8	8	--	1	1	--
HAMILTON	96	95	1	--	--	--	--	--	--	2	2	--
HANCOCK	264	263	1	2	2	--	2	2	--	3	3	--
HARDIN	66	65	1	--	--	--	--	--	--	1	1	--
HENDERSON	117	117	--	4	4	--	2	2	--	1	1	--
HENRY	683	665	18	12	11	1	9	8	1	6	6	--
IROQUOIS	466	462	4	12	12	--	11	11	--	4	4	--
JACKSON	672	582	90	12	10	2	8	6	2	9	6	3
JASPER	153	153	--	3	3	--	1	1	--	3	3	--
JEFFERSON	461	415	46	10	10	--	7	7	--	6	6	--
JERSEY	242	240	2	2	2	--	1	1	--	1	1	--
JO DAVIESS	322	321	1	8	8	--	7	7	--	2	2	--
JOHNSON	113	112	1	1	1	--	1	1	--	--	--	--
KANE	4,394	4,043	351	84	73	11	73	62	11	73	57	16
KANKAKEE	1,653	1,299	354	36	19	17	30	19	11	20	13	7
KENDALL	468	464	4	7	7	--	7	7	--	4	4	--
KNOX	837	788	49	21	21	--	14	14	--	6	6	--
LAKE	5,784	5,176	608	83	74	9	60	54	6	66	55	11
LA SALLE	1,489	1,468	21	23	20	3	17	16	1	17	16	1

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LAWRENCE. . . .	225	222	3	7	7	--	5	5	--	--	--	--
LEE	515	503	12	12	12	--	11	11	--	9	8	1
LIVINGSTON. . .	553	551	2	10	10	--	8	8	--	5	5	--
LOGAN	394	388	6	9	9	--	7	7	--	3	3	--
MCDONOUGH . . .	425	405	20	5	5	--	3	3	--	3	2	1
MCHENRY	1,667	1,658	9	31	31	--	20	20	--	26	26	--
MCLEAN.	1,490	1,416	74	23	23	--	21	21	--	14	13	1
MACON	1,995	1,639	356	59	42	17	47	33	14	19	12	7
MACOUPIN. . . .	631	626	5	9	9	--	7	7	--	8	8	--
MADISON	3,691	3,317	374	56	44	12	40	32	8	30	25	5
MARION.	580	553	27	10	9	1	6	6	--	5	4	1
MARSHALL. . . .	171	171	--	2	2	--	1	1	--	4	4	--
MASON	234	233	1	2	2	--	2	2	--	5	5	--
MASSAC.	160	148	12	1	--	1	1	--	1	1	1	--
MENARD.	148	148	--	--	--	--	--	--	--	--	--	--
MERCER.	258	258	--	3	3	--	2	2	--	1	1	--
MONROE.	228	228	--	1	1	--	1	1	--	3	3	--
MONTGOMERY. . .	434	432	2	3	3	--	2	2	--	3	3	--
MORGAN.	491	465	26	9	9	--	9	9	--	7	7	--
MOULTRIF. . . .	191	191	--	5	5	--	5	5	--	--	--	--
OGLE.	621	616	5	14	14	--	9	9	--	6	6	--
PEORIA.	3,023	2,498	525	56	46	10	41	35	6	38	30	8
PERRY.	284	270	14	4	2	2	--	--	--	2	2	--
PIATT	197	197	--	--	--	--	--	--	--	6	6	--
PIKE.	225	224	1	3	3	--	3	3	--	2	2	--
POPE.	41	40	1	--	--	--	--	--	--	--	--	--
PULASKI	134	69	65	1	--	1	1	--	1	2	--	2
PUTNAM.	76	76	--	3	3	--	2	2	--	2	2	--
RANDOLPH. . . .	412	392	20	4	4	--	2	2	--	4	3	1
RICHLAND. . . .	254	251	3	3	3	--	3	3	--	3	3	--
ROCK ISLAND . . .	2,302	2,085	217	54	50	4	40	37	3	23	18	5
ST. CLAIR	4,933	2,871	2,062	111	51	60	81	40	41	73	37	36
SALINE.	309	291	18	4	4	--	3	3	--	3	3	--
SANGAMON. . . .	2,455	2,206	249	41	33	8	24	18	6	29	25	4
SCHUYLER. . . .	108	108	--	3	3	--	2	2	--	--	--	--
SCOTT	84	84	--	1	1	--	1	1	--	--	--	--
SHELBY.	323	323	--	12	12	--	8	8	--	5	5	--
STARK	103	103	--	1	1	--	1	1	--	1	1	--
STEPHENSON. . .	724	662	62	12	12	--	7	7	--	5	5	--
TAZEWELL. . . .	1,925	1,918	7	38	38	--	33	33	--	15	15	--
UNION	191	189	2	1	1	--	1	1	--	4	4	--
VERMILION	1,619	1,440	179	28	23	5	24	21	3	19	13	6
WABASH.	206	205	1	--	--	--	--	--	--	2	2	--
WARREN.	306	297	9	--	--	--	--	--	--	7	7	--
WASHINGTON. . .	172	171	1	2	2	--	1	1	--	2	2	--
WAYNE	227	227	--	3	3	--	3	3	--	3	2	1
WHITE	193	192	1	8	8	--	5	5	--	4	4	--
WHITESIDE	1,060	1,048	12	15	15	--	12	12	--	15	15	--
WILL.	4,672	4,134	538	101	78	23	81	64	17	41	34	7
WILLIAMSON. . . .	693	680	13	8	8	--	8	8	--	5	5	--
WINNEBAGO	3,963	3,405	558	73	52	21	53	40	13	41	34	7
WOODFORD. . . .	387	386	1	10	10	--	8	8	--	1	1	--
UNSPECIFIED . . .	1	1	--	1	1	--	1	1	--	--	--	--

TABLE 2H. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1973. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E	TOTAL	W H I T E	N O N - W H I T E
ILLINOIS. . .	15.0	20.1	17.0	30.4	15.1	13.1	21.6	12.8	10.9	19.1
ADAMS	13.6	21.5	21.3	25.0	17.4	17.1	25.0	15.3	16.0	-0-
ALEXANDER . . .	13.3	48.8	40.0	62.5	36.6	30.0	46.9	12.2	-0-	31.3
BOND	13.3	15.4	15.5	-0-	15.4	15.5	-0-	15.4	15.5	-0-
BOONE	18.2	18.6	18.8	-0-	10.4	10.5	-0-	12.4	12.6	-0-
BROWN	10.5	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
BUREAU	14.8	22.1	22.4	-0-	16.6	16.8	-0-	12.9	13.1	-0-
CALHOUN	11.6	-0-	-0-	-0-	-0-	-0-	-0-	46.9	46.9	-0-
CARROLL	14.3	7.4	7.4	-0-	7.4	7.4	-0-	7.4	7.4	-0-
CASS	15.4	9.3	9.3	-0-	4.7	4.7	-0-	4.7	4.7	-0-
CHAMPAIGN . . .	15.4	14.7	15.4	10.4	9.1	9.4	7.8	6.3	6.1	7.8
CHRISTIAN . . .	12.1	11.1	11.2	-0-	6.7	6.7	-0-	6.7	6.7	-0-
CLARK	11.6	15.9	16.0	-0-	15.9	16.0	-0-	-0-	-0-	-0-
CLAY	15.0	32.3	32.6	-0-	18.4	18.6	-0-	4.6	4.7	-0-
CLINTON	15.4	15.6	15.8	-0-	8.9	9.0	-0-	8.9	9.0	-0-
COLES	13.2	21.6	21.8	-0-	15.5	15.6	-0-	12.4	10.9	166.7
COOK	15.4	22.3	17.0	31.0	16.6	13.3	22.1	14.6	11.7	19.3
CRAWFORD	12.6	28.6	28.9	-0-	24.5	24.8	-0-	8.2	8.3	-0-
CUMBERLAND . . .	15.9	25.5	25.5	-0-	19.1	19.1	-0-	6.4	6.4	-0-
DE KALB	12.5	18.2	18.7	-0-	12.5	12.9	-0-	14.8	14.0	47.6
DE WITT	13.1	17.8	17.8	-0-	17.8	17.8	-0-	35.6	35.6	-0-
DOUGLAS	14.4	7.4	7.4	-0-	3.7	3.7	-0-	3.7	3.7	-0-
DU PAGE	14.1	13.8	14.1	-0-	10.5	10.7	-0-	9.4	9.2	20.5
EDGAR	14.3	19.7	19.8	-0-	13.2	13.2	-0-	16.4	16.5	-0-
EDWARDS	12.1	11.6	11.6	-0-	11.6	11.6	-0-	23.3	23.3	-0-
EFFINGHAM . . .	15.8	19.3	19.3	-0-	14.5	14.5	-0-	12.0	12.1	-0-
FAYETTE	12.5	22.8	22.9	-0-	19.0	19.1	-0-	15.2	15.3	-0-
FORD	12.9	35.4	35.5	-0-	25.3	25.4	-0-	-0-	-0-	-0-
FRANKLIN	12.9	22.9	23.1	-0-	19.1	19.2	-0-	13.4	13.5	-0-
FULTON	14.4	21.5	21.7	-0-	16.5	16.7	-0-	8.3	8.4	-0-
GALLATIN	13.9	10.0	10.0	-0-	-0-	-0-	-0-	30.0	30.0	-0-
GREFNE	12.7	14.0	14.0	-0-	14.0	14.0	-0-	14.0	14.0	-0-
GRUNDY	15.3	18.9	18.9	-0-	18.9	18.9	-0-	2.4	2.4	-0-
HAMILTON	11.3	-0-	-0-	-0-	-0-	-0-	-0-	20.8	21.1	-0-
HANCOCK	11.7	7.6	7.6	-0-	7.6	7.6	-0-	11.4	11.4	-0-
HARDIN	13.2	-0-	-0-	-0-	-0-	-0-	-0-	15.2	15.4	-0-
HENDERSON	13.9	34.2	34.2	-0-	17.1	17.1	-0-	8.5	8.5	-0-
HENRY	12.9	17.6	16.5	55.6	13.2	12.0	55.6	8.8	9.0	-0-
IROQUOIS	13.5	25.8	26.0	-0-	23.6	23.8	-0-	8.6	8.7	-0-
JACKSON	12.4	17.9	17.2	22.2	11.9	10.3	22.2	13.4	10.3	33.3
JASPER	14.2	19.6	19.6	-0-	6.5	6.5	-0-	19.6	19.6	-0-
JEFFERSON	13.7	21.7	24.1	-0-	15.2	16.9	-0-	13.0	14.5	-0-
JERSEY	12.4	8.3	8.3	-0-	4.1	4.2	-0-	4.1	4.2	-0-
JO DAVIES	14.7	24.8	24.9	-0-	21.7	21.8	-0-	6.2	6.2	-0-
JOHNSON	14.3	8.8	8.9	-0-	8.8	8.9	-0-	-0-	-0-	-0-
KANE	16.6	19.1	18.1	31.3	16.6	15.3	31.3	16.6	14.1	45.6
KANKAKEE	16.4	21.8	14.6	48.0	18.1	14.6	31.1	12.1	10.0	19.8
KENDALL	15.9	15.0	15.1	-0-	15.0	15.1	-0-	8.5	8.6	-0-
KNOX	13.8	25.1	26.6	-0-	16.7	17.8	-0-	7.2	7.6	-0-
LAKE	14.4	14.3	14.3	14.4	10.4	10.4	9.9	11.4	10.6	18.1
LA SALLE	13.4	15.4	13.6	142.9	11.4	10.9	47.6	11.4	10.9	47.6

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1973, ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LAWRENCE.	12.5	31.1	31.5	-0-	22.2	22.5	-0-	-0-	-0-	-0-
LEE	14.2	23.3	23.9	-0-	21.4	21.9	-0-	17.5	15.9	83.3
LIVINGSTON.	13.5	18.1	18.1	-0-	14.5	14.5	-0-	9.0	9.1	-0-
LOGAN	12.6	22.8	23.2	-0-	17.8	18.0	-0-	7.6	7.7	-0-
MCDONOUGH	10.6	11.8	12.3	-0-	7.1	7.4	-0-	7.1	4.9	50.0
MCHENRY	14.0	18.6	18.7	-0-	12.0	12.1	-0-	15.6	15.7	-0-
MCLEAN	12.6	15.4	16.2	-0-	14.1	14.8	-0-	9.4	9.2	13.5
MACON	16.1	29.6	25.6	47.8	23.6	20.1	39.3	9.5	7.3	19.7
MACOUPIN.	14.0	14.3	14.4	-0-	11.1	11.2	-0-	12.7	12.8	-0-
MADISON	14.5	15.2	13.3	32.1	10.8	9.6	21.4	8.1	7.5	13.4
MARION.	14.3	17.2	16.3	37.0	10.3	10.8	-0-	8.6	7.2	37.0
MARSHALL.	13.7	11.7	11.7	-0-	5.8	5.8	-0-	23.4	23.4	-0-
MASON	13.7	8.5	8.6	-0-	8.5	8.6	-0-	21.4	21.5	-0-
MASSAC.	11.9	6.3	-0-	83.3	6.3	-0-	83.3	6.3	6.8	-0-
MENARD.	14.7	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
MERCER.	15.1	11.6	11.6	-0-	7.8	7.8	-0-	3.9	3.9	-0-
MONROE.	12.5	4.4	4.4	-0-	4.4	4.4	-0-	13.2	13.2	-0-
MONTGOMERY.	14.2	6.9	6.9	-0-	4.6	4.6	-0-	6.9	6.9	-0-
MORGAN.	13.5	18.3	19.4	-0-	18.3	19.4	-0-	14.3	15.1	-0-
MOULTRIE.	14.5	26.2	26.2	-0-	26.2	26.2	-0-	-0-	-0-	-0-
OGLE.	14.8	22.5	22.7	-0-	14.5	14.6	-0-	9.7	9.7	-0-
PEORIA.	15.0	18.5	18.4	19.0	13.6	14.0	11.4	12.6	12.0	15.2
PERRY	14.1	14.1	7.4	142.9	-0-	-0-	-0-	7.0	7.4	-0-
PIATT	12.5	-0-	-0-	-0-	-0-	-0-	-0-	30.5	30.5	-0-
PIKE.	11.7	13.3	13.4	-0-	13.3	13.4	-0-	8.9	8.9	-0-
POPE.	9.8	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
PULASKI	15.2	7.5	-0-	15.4	7.5	-0-	15.4	14.9	-0-	30.8
PUTNAM.	14.6	39.5	39.5	-0-	26.3	26.3	-0-	26.3	26.3	-0-
RANDOLPH.	12.8	9.7	10.2	-0-	4.9	5.1	-0-	9.7	7.7	50.0
RICHLAND.	14.6	11.8	12.0	-0-	11.8	12.0	-0-	11.8	12.0	-0-
ROCK ISLAND	13.9	23.5	24.0	18.4	17.4	17.7	13.8	10.0	8.6	23.0
ST. CLAIR	17.2	22.5	17.8	29.1	16.4	13.9	19.9	14.8	12.9	17.5
SALINE.	11.4	12.9	13.7	-0-	9.7	10.3	-0-	9.7	10.3	-0-
SANGAMON.	14.7	16.7	15.0	32.1	9.8	8.2	24.1	11.8	11.3	16.1
SCHUYLER.	13.5	27.8	27.8	-0-	18.5	18.5	-0-	-0-	-0-	-0-
SCOTT	13.3	11.9	11.9	-0-	11.9	11.9	-0-	-0-	-0-	-0-
SHELBY.	14.2	37.2	37.2	-0-	24.8	24.8	-0-	15.5	15.5	-0-
STARK	13.9	9.7	9.7	-0-	9.7	9.7	-0-	9.7	9.7	-0-
STEPHENSON.	15.1	16.6	18.1	-0-	9.7	10.6	-0-	6.9	7.6	-0-
TAZEWELL.	15.5	19.7	19.8	-0-	17.1	17.2	-0-	7.8	7.8	-0-
UNION	11.4	5.2	5.3	-0-	5.2	5.3	-0-	20.9	21.2	-0-
VERMILION	16.6	17.3	16.0	27.9	14.8	14.6	16.8	11.7	9.0	33.5
WABASH.	15.8	-0-	-0-	-0-	-0-	-0-	-0-	9.7	9.8	-0-
WARREN.	14.4	-0-	-0-	-0-	-0-	-0-	-0-	22.9	23.6	-0-
WASHINGTON.	11.6	11.6	11.7	-0-	5.8	5.8	-0-	11.6	11.7	-0-
WAYNE	13.0	13.2	13.2	-0-	13.2	13.2	-0-	13.2	8.8	**
WHITE	11.7	41.5	41.7	-0-	25.9	26.0	-0-	20.7	20.8	-0-
WHITESIDE	16.6	14.2	14.3	-0-	11.3	11.5	-0-	14.2	14.3	-0-
WILL.	17.0	21.6	18.9	42.8	17.3	15.5	31.6	8.8	8.2	13.0
WILLIAMSON.	13.5	11.5	11.8	-0-	11.5	11.8	-0-	7.2	7.4	-0-
WINNEBAGO	16.3	18.4	15.3	37.6	13.4	11.7	23.3	10.3	10.0	12.5
WOODFORD.	13.4	25.8	25.9	-0-	20.7	20.7	-0-	2.6	2.6	-0-

**RATE NOT COMPUTED.

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

CITY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	462	454	8	5	5	--	2	2	--	4	4	--
ALSI	293	290	3	2	2	--	2	2	--	3	3	--
ALTON	632	412	220	13	5	8	8	3	5	3	--	3
ARLINGTON HEIGHTS	835	822	13	12	12	--	10	10	--	12	12	--
AURORA	1,630	1,406	224	27	20	7	23	16	7	25	16	9
BELEVILLE	617	605	12	5	5	--	2	2	--	9	9	--
HELLWOOD	220	194	26	3	3	--	3	3	--	3	2	1
HELVIDERE	295	292	3	7	7	--	4	4	--	4	4	--
RENSSELAIRE	198	197	1	8	8	--	5	5	--	3	3	--
HERMANN	465	460	5	5	5	--	5	5	--	4	4	--
BLOOMINGTON	624	573	51	15	15	--	14	14	--	7	6	1
BLUE ISLAND	451	429	22	10	10	--	7	7	--	5	5	--
BOLINGBROOK	645	629	16	12	12	--	12	12	--	2	2	--
BRADLEY	159	157	2	1	1	--	1	1	--	3	3	--
BRIDGEVIEW	244	242	2	2	2	--	2	2	--	2	2	--
BROOKFIELD	230	223	7	4	4	--	4	4	--	1	1	--
BUFFALO GROVE	327	321	6	5	4	1	5	4	1	3	3	--
BURBANK	362	359	3	3	3	--	3	3	--	4	4	--
CAHOKIA	344	341	3	9	9	--	7	7	--	7	7	--
CALUMET CITY	492	485	7	13	13	--	9	9	--	2	2	--
CALUMET PARK	85	84	1	--	--	--	--	--	--	1	1	--
CANTON	191	187	4	4	4	--	2	2	--	1	1	--
CARHONDALE	217	152	65	3	2	1	3	2	1	3	1	2
CARPENTERSVILLE	463	456	7	14	14	--	12	12	--	6	6	--
CENTRALIA	281	257	24	6	5	1	5	5	--	2	1	1
CENTREVILLE	118	12	106	9	4	5	5	3	2	1	--	1
CHAMPAIGN	661	479	182	11	7	4	8	5	3	7	4	3
CHARLESTON	188	183	5	5	5	--	5	5	--	2	1	1
CHICAGO	55,695	26,746	28,949	1,448	534	914	1,054	402	652	921	339	582
CHICAGO HEIGHTS	771	495	276	20	10	10	12	8	4	7	5	2
CICERO	783	772	11	14	14	--	13	13	--	10	10	--
COLLINSVILLE	288	281	7	7	7	--	5	5	--	1	1	--
CRYSTAL LAKE	252	251	1	4	4	--	2	2	--	5	5	--
DANVILLE	730	563	167	12	7	5	10	7	3	13	7	6
DE KALB	302	286	16	5	5	--	3	3	--	7	6	1
DECATUR	1,582	1,228	354	46	29	17	36	22	14	16	9	7
DEERFIELD	209	207	2	4	4	--	4	4	--	1	1	--
DES PLAINES	866	847	19	5	5	--	5	5	--	13	13	--
DIXON	225	213	12	3	3	--	2	2	--	3	2	1
DOLTON	342	339	3	5	5	--	5	5	--	1	1	--
DOWNERS GROVE	575	561	14	5	6	--	4	4	--	5	5	--
EAST MOLINE	319	286	33	6	6	--	5	5	--	1	1	--
EAST PEORIA	345	345	--	11	11	--	9	9	--	1	1	--
EAST ST LOUIS	1,947	196	1,751	52	2	50	37	2	35	38	5	33
EDWARDSVILLE	147	124	23	2	--	2	1	--	1	1	1	--
EFFINGHAM	147	147	--	2	2	--	1	1	--	1	1	--
ELGIN	988	903	85	21	19	2	18	16	2	26	20	6
ELK GROVE	352	348	4	7	7	--	6	6	--	--	--	--
ELMHURST	455	442	13	9	9	--	8	8	--	11	9	2
ELMHURST PARK	278	273	5	1	1	--	1	1	--	6	6	--
EVANSTON	970	678	292	12	3	9	11	3	8	9	7	2
EVERGREEN PARK	167	164	3	1	1	--	--	--	--	3	3	--
FAIRVIEW HEIGHTS	133	132	1	3	3	--	3	3	--	2	2	--
FOREST PARK	219	191	28	3	3	--	2	2	--	3	3	--
FRANKLIN PARK	202	197	5	2	2	--	1	1	--	4	4	--
FREEDPORT	427	367	60	7	7	--	6	6	--	2	2	--
GALESBURG	503	457	46	15	15	--	10	10	--	5	5	--
GLEN ELLYN	334	329	5	2	2	--	1	1	--	2	2	--
GLENCOE	63	59	4	1	1	--	--	--	--	--	--	--
GLENDALF HEIGHTS	269	264	5	5	5	--	5	5	--	6	6	--
GLENVIEW	342	335	7	7	7	--	6	6	--	4	4	--
GRANITE CITY	604	598	6	9	9	--	7	7	--	6	6	--
HANOVER PARK	525	517	8	3	3	--	3	3	--	6	6	--
HARVEY	701	247	454	13	1	12	8	--	8	12	5	7
HAZEL CREST	208	203	5	1	1	--	1	1	--	4	4	--
HICKORY HILLS	207	206	1	3	3	--	2	2	--	1	1	--
HIGHLAND PARK	228	226	2	1	1	--	--	--	--	3	3	--
HINSDALE	189	184	5	2	2	--	2	2	--	--	--	--
HOFFMAN ESTATES	556	542	14	9	9	--	6	6	--	4	4	--
HOMERIDGE	137	132	5	3	3	--	3	3	--	2	2	--
JACKSONVILLE	296	275	21	5	5	--	5	5	--	5	5	--
JOLIET	1,297	943	354	38	18	20	31	15	16	19	12	7
KANKAKEE	572	351	221	20	7	13	16	7	9	7	3	4
KEWANEE	201	183	18	4	3	1	3	2	1	1	1	--
LA GRANGE	210	188	22	1	1	--	--	--	--	10	9	1
LA GRANGE PARK	105	104	1	--	--	--	--	--	--	1	1	--
LA SALLE	143	143	--	1	1	--	--	--	--	--	--	--
LAKE FOREST	97	92	5	--	--	--	--	--	--	1	1	--
LANSTING	354	350	4	8	8	--	8	8	--	1	1	--
LITTLERIDGE	164	163	1	2	2	--	1	1	--	1	1	--

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973--CONTINUED

CITY	LIVE BIRTHS			INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	216	212	4	5	5	--	3	3	--	3	3	--
LINCOLNWOOD	51	45	6	2	2	--	--	--	--	1	1	--
LOMHARD	484	476	8	5	5	--	4	4	--	3	2	1
LOVES PARK	206	206	--	5	5	--	3	3	--	1	1	--
LYONS	131	130	1	3	3	--	3	3	--	1	1	--
MACOMB	168	152	16	4	4	--	3	3	--	3	2	1
MARTON	167	160	7	4	4	--	4	4	--	2	2	--
MARKHAM	243	53	190	7	2	5	6	2	4	5	--	5
MATTOON	263	262	1	7	7	--	5	5	--	2	2	--
MAYWOOD	518	137	381	14	5	9	9	3	6	7	1	6
MELROSE PARK	471	459	12	5	5	--	5	5	--	10	10	--
MIDLOTHIAN	240	239	1	4	4	--	4	4	--	3	3	--
MOLINE	615	602	13	17	17	--	14	14	--	7	7	--
MONMOUTH	160	151	9	--	--	--	--	--	--	5	5	--
MORTON GROVE	176	171	5	1	1	--	1	1	--	2	2	--
MORTON	151	150	1	2	2	--	2	2	--	3	3	--
MOUNT PROSPECT	546	535	11	13	13	--	10	10	--	3	3	--
MOUNT VERNON	254	208	46	5	5	--	4	4	--	4	4	--
MUNDLEIN	325	322	3	4	4	--	3	3	--	2	2	--
MURPHYSBORO	123	105	18	4	3	1	2	1	1	1	1	--
NAPERVILLE	285	281	4	5	5	--	3	3	--	2	2	--
NILES	298	287	11	2	2	--	1	1	--	3	3	--
NORMAL	307	286	21	2	2	--	2	2	--	2	2	--
NORRIDGE	123	121	2	1	1	--	1	1	--	3	3	--
NORTH CHICAGO	303	152	151	9	5	4	8	5	3	7	3	4
NORTH LAKE	166	163	3	4	4	--	3	3	--	2	2	--
NORTHBROOK	295	294	1	6	6	--	5	5	--	1	1	--
O'FALLON	149	148	1	3	2	1	2	1	1	--	--	--
OAK FOREST	406	403	3	6	6	--	4	4	--	3	3	--
OAK LAWN	586	575	11	10	10	--	7	7	--	9	9	--
OAK PARK	630	556	74	7	7	--	6	6	--	7	7	--
ORLAND PARK	196	195	1	5	5	--	3	3	--	2	2	--
OTTAWA	218	216	2	1	1	--	1	1	--	2	2	--
PALATINE	428	416	12	3	3	--	2	2	--	6	6	--
PARIS	161	160	1	2	2	--	1	1	--	2	2	--
PARK FOREST	499	447	52	4	3	1	4	3	1	6	6	--
PARK RIDGE	326	320	6	3	3	--	3	3	--	3	3	--
PEKIN	559	558	1	12	12	--	10	10	--	6	6	--
PEORIA	1,981	1,468	513	34	24	10	25	19	6	25	18	7
PERU	141	141	--	5	5	--	4	4	--	2	2	--
PONTIAC	140	140	--	3	3	--	2	2	--	--	--	--
QUINCY	613	574	39	19	18	1	15	14	1	7	7	--
RANTOUL	572	505	67	8	8	--	4	4	--	4	4	--
RIVER FOREST	102	97	5	1	1	--	1	1	--	2	2	--
RIVER GROVE	156	155	1	3	3	--	2	2	--	1	--	1
RIVERDALE	193	187	6	2	2	--	2	2	--	3	3	--
RIVERSIDE	96	96	--	--	--	--	--	--	--	--	--	--
ROCK FALLS	207	206	1	6	6	--	5	5	--	3	3	--
ROCK ISLAND	701	539	162	19	15	4	13	10	3	9	4	5
ROCKFORD	2,423	1,927	496	50	29	21	36	23	13	30	23	7
ROLLING MEADOWS	320	313	7	6	6	--	5	5	--	1	1	--
ROMEDEVILLE	258	257	1	2	2	--	2	2	--	3	3	--
SCHAUMBURG	625	615	10	7	7	--	6	6	--	3	3	--
SCHILLER PARK	149	144	5	4	4	--	4	4	--	1	1	--
SKOKIE	476	455	21	6	5	1	6	5	1	6	6	--
SOUTH HOLLAND	269	268	1	1	1	--	1	1	--	2	2	--
SPRINGFIELD	1,459	1,223	236	32	24	8	18	12	6	15	11	4
ST CHARLES	201	200	1	8	8	--	8	8	--	2	2	--
STERLING	289	281	8	3	3	--	2	2	--	3	3	--
STREAMWOOD	484	482	2	3	3	--	2	2	--	6	6	--
STREATOR	235	221	14	6	3	3	4	3	1	3	3	--
SUMMIT	210	170	40	5	4	1	5	4	1	3	3	--
TAYLORVILLE	145	143	2	1	1	--	--	--	--	2	2	--
TINLEY PARK	449	445	4	6	6	--	6	6	--	5	5	--
URBANA	396	294	102	5	5	--	3	3	--	--	--	--
VILLA PARK	374	363	11	7	7	--	6	6	--	2	2	--
WALKERFAM	1,354	1,077	277	21	17	4	17	15	2	21	15	6
WEST CHICAGO	282	280	2	4	4	--	3	3	--	4	4	--
WESTCHESTER	112	110	2	1	1	--	1	1	--	1	1	--
WESTERN SPRINGS	100	98	2	1	1	--	1	1	--	2	2	--
WHEATON	489	475	14	6	6	--	4	4	--	4	4	--
WHEELING	377	373	4	5	4	1	5	4	1	5	5	--
WILMETTE	237	230	7	3	3	--	3	3	--	3	3	--
WINNETKA	86	86	--	--	--	--	--	--	--	1	1	--
WOOD DALE	171	171	--	3	3	--	3	3	--	2	2	--
WOOD RIVER	173	169	4	1	1	--	--	--	--	2	2	--
WOODRIDGE	302	296	6	3	3	--	3	3	--	--	--	--
WOODSTOCK	174	173	1	5	5	--	2	2	--	4	4	--
WORTH	197	197	--	3	3	--	2	2	--	2	2	--
ZION	396	320	76	5	5	--	1	1	--	4	3	1

TABLE 18. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1973. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	LIVE BIRTHS TOTALS	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	14.0	10.4	11.0	-0-	4.3	4.4	-0-	8.7	8.8	-0-
ALSTIP	23.4	6.4	6.9	-0-	6.8	6.9	-0-	10.2	10.3	-0-
ALTON	15.8	20.6	12.1	36.4	12.7	7.3	22.7	4.7	-0-	13.6
ARLINGTON HEIGHTS	11.4	14.4	14.6	-0-	12.0	12.2	-0-	14.4	14.6	-0-
AURORA	21.7	16.6	14.2	31.3	14.1	11.4	31.3	15.3	11.4	40.2
BELLEVIEW	14.7	4.1	4.3	-0-	3.2	3.3	-0-	14.6	14.9	-0-
BELLWOOD	10.2	13.6	15.5	-0-	13.6	15.5	-0-	13.6	10.3	34.5
BELVILLE	20.5	23.7	24.0	-0-	13.6	13.7	-0-	13.6	13.7	-0-
BENSENVILLE	14.6	40.4	40.6	-0-	25.3	25.4	-0-	15.2	15.2	-0-
BIRMINGHAM	4.8	10.4	10.9	-0-	10.8	10.9	-0-	8.6	8.7	-0-
BLOOMINGTON	15.5	24.0	26.2	-0-	22.4	24.4	-0-	11.2	10.5	19.6
BLUE ISLAND	19.5	22.2	23.3	-0-	15.5	16.3	-0-	11.1	11.7	-0-
BOLINGBROOK	30.7	18.6	19.1	-0-	18.6	19.1	-0-	3.1	3.2	-0-
BRALEY	14.9	6.3	6.4	-0-	6.3	6.4	-0-	18.9	19.1	-0-
BRIARVIEW	14.1	4.2	4.3	-0-	4.2	4.3	-0-	4.2	4.3	-0-
BROOKFIELD	11.3	17.4	17.9	-0-	17.4	17.9	-0-	4.3	4.5	-0-
BUFFALO GROVE	20.4	15.3	12.5	166.7	15.3	12.5	166.7	9.2	9.3	-0-
BURBANK	12.0	4.3	4.4	-0-	4.3	4.4	-0-	11.0	11.1	-0-
CAHOKIA	16.6	26.2	26.4	-0-	20.3	20.5	-0-	20.3	20.5	-0-
CALUMET CITY	13.7	26.4	26.8	-0-	18.3	18.6	-0-	4.1	4.1	-0-
CALUMET PARK	4.3	-0-	-0-	-0-	-0-	-0-	-0-	11.4	11.9	-0-
CANTON	13.4	20.9	21.4	-0-	10.5	10.7	-0-	5.2	5.3	-0-
CARRONDALE	4.0	13.4	13.2	15.4	13.4	13.2	15.4	13.4	6.6	30.8
CARPENTERSVILLE	19.1	30.2	30.7	-0-	25.9	26.3	-0-	13.0	13.2	-0-
CENTRALIA	14.4	21.4	19.5	41.7	17.8	19.5	-0-	7.1	3.9	41.7
CENTREVILLE	10.3	76.3	333.3	47.2	42.4	250.0	18.9	4.5	-0-	9.4
CHAMPAIGN	11.2	16.6	14.6	22.0	12.1	10.4	16.5	10.6	4.4	16.5
CHARLESTON	11.5	31.9	32.8	-0-	26.6	27.3	-0-	10.6	5.5	200.0
CHICAGO	16.8	26.0	20.0	31.6	18.9	15.0	22.5	16.5	12.7	20.1
CHICAGO HEIGHTS	14.7	25.9	20.2	36.2	15.6	16.2	14.5	9.1	10.1	7.2
CICERO	11.7	17.9	18.1	-0-	16.6	16.8	-0-	12.4	13.0	-0-
COLLINGSVILLE	14.4	24.3	24.9	-0-	17.4	17.8	-0-	3.5	3.6	-0-
CRYSTAL LAKE	15.7	15.9	15.9	-0-	7.9	8.0	-0-	19.8	19.9	-0-
DANVILLE	17.1	16.4	12.4	29.9	13.7	12.4	18.0	17.8	12.4	35.9
DE KALB	9.1	16.6	17.5	-0-	9.9	10.5	-0-	23.2	21.0	62.5
DECATUR	17.5	29.1	23.6	48.0	22.8	17.9	39.5	10.1	7.3	19.8
DEERFIELD	11.1	19.1	19.3	-0-	19.1	19.3	-0-	4.8	4.8	-0-
DES PLAINES	15.1	5.4	5.9	-0-	5.4	5.9	-0-	15.0	15.3	-0-
DIXON	12.4	13.3	14.1	-0-	4.9	9.4	-0-	13.3	9.4	83.3
DOLTON	13.1	14.6	14.7	-0-	14.6	14.7	-0-	2.9	2.9	-0-
DOWNERS GROVE	17.1	10.4	10.7	-0-	7.0	7.1	-0-	8.7	8.9	-0-
EAST MOLINE	15.3	18.4	21.0	-0-	15.7	17.5	-0-	3.1	3.5	-0-
EAST PEORIA	15.4	31.9	31.9	-0-	26.1	26.1	-0-	2.9	2.9	-0-
EAST ST LOUIS	27.8	26.7	10.2	24.6	19.0	10.2	20.0	19.5	25.5	18.8
EDWARDSVILLE	13.0	13.6	-0-	87.0	6.8	-0-	43.5	6.8	8.1	-0-
EFFINGHAM	13.7	13.6	13.6	-0-	6.8	6.8	-0-	6.8	6.8	-0-
ELGIN	17.3	21.3	21.0	23.5	18.2	17.7	23.5	26.3	22.1	70.6
ELK GROVE	15.3	19.9	20.1	-0-	17.0	17.2	-0-	-0-	-0-	-0-
ELMHURST	9.3	19.4	20.4	-0-	17.6	18.1	-0-	24.2	20.4	153.8
ELMWOOD PARK	10.6	3.6	3.7	-0-	3.6	3.7	-0-	21.6	22.0	-0-
EVANSTON	12.1	12.4	4.4	30.4	11.3	4.4	27.4	9.3	10.3	6.4
EVERGREEN PARK	6.3	6.0	6.1	-0-	-0-	-0-	-0-	18.0	18.3	-0-
FATHVIEW HEIGHTS	9.3	22.6	22.7	-0-	22.6	22.7	-0-	15.0	15.2	-0-
FOREST PARK	14.1	13.7	15.7	-0-	9.1	10.5	-0-	13.7	15.7	-0-
FRANKLIN PARK	9.9	9.9	10.2	-0-	5.0	5.1	-0-	19.4	20.3	-0-
FREEPORT	15.3	16.4	19.1	-0-	14.1	16.3	-0-	4.7	5.4	-0-
GALFORSBURG	14.6	29.4	32.4	-0-	19.9	21.9	-0-	9.9	10.9	-0-
GLEN ELLYN	15.0	6.0	6.1	-0-	3.0	3.0	-0-	6.0	6.1	-0-
GLENCOE	5.9	15.9	16.9	-0-	-0-	-0-	-0-	-0-	-0-	-0-
GLENDALE HEIGHTS	20.1	18.6	18.9	-0-	14.6	14.9	-0-	22.3	22.7	-0-
GLENVIEW	11.7	20.5	20.9	-0-	17.5	17.9	-0-	11.7	11.9	-0-
GRANITE CITY	14.4	14.9	15.1	-0-	11.6	11.7	-0-	9.9	10.0	-0-
HANOVER PARK	26.5	5.7	5.8	-0-	5.7	5.8	-0-	11.4	11.6	-0-
HARVEY	20.2	18.5	4.0	26.4	11.4	-0-	17.6	17.1	20.2	15.4
HAZEL CREST	17.4	4.4	4.9	-0-	4.4	4.9	-0-	19.2	19.7	-0-
HICKORY HILLS	15.3	14.5	14.6	-0-	9.7	9.7	-0-	4.4	4.9	-0-
HIGHLAND PARK	7.1	4.4	4.4	-0-	-0-	-0-	-0-	13.2	13.3	-0-
HINSDALE	11.7	10.6	10.9	-0-	10.6	10.9	-0-	-0-	-0-	-0-
HOFFMAN ESTATES	17.5	16.2	16.6	-0-	10.8	11.1	-0-	7.2	7.4	-0-
HOMEWOOD	6.9	21.9	22.7	-0-	21.9	22.7	-0-	14.6	15.2	-0-
JACKSONVILLE	14.4	16.9	18.2	-0-	16.9	18.2	-0-	16.9	18.2	-0-
JOLIET	16.4	29.3	19.1	56.5	23.9	15.9	45.2	14.6	12.7	19.4
KANKAKEE	14.4	35.0	19.9	58.8	28.0	19.9	40.7	12.2	8.5	18.1
KEWANEE	12.7	19.9	16.4	55.6	14.9	10.9	55.6	5.0	5.5	-0-
LA GRANGE	11.7	4.4	5.3	-0-	-0-	-0-	-0-	47.6	47.9	45.5
LA GRANGE PARK	4.7	-0-	-0-	-0-	-0-	-0-	-0-	9.5	9.6	-0-
LA SALLE	13.2	7.0	7.0	-0-	-0-	-0-	-0-	-0-	-0-	-0-
LAKE FOREST	6.2	-0-	-0-	-0-	-0-	-0-	-0-	10.3	10.9	-0-
LANSING	12.6	22.6	22.9	-0-	22.6	22.9	-0-	2.8	2.9	-0-
LITTLEROCKVILLE	12.4	12.2	12.3	-0-	6.1	6.1	-0-	6.1	6.1	-0-

TABLE 19. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1973. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	L I V E B I R T H S T O T A L S	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	12.3	23.1	23.6	-0-	13.9	14.2	-0-	13.9	14.2	-0-
LINCOLNWOOD	3.9	39.2	44.4	-0-	-0-	-0-	-0-	19.6	22.2	-0-
LOMBARD	13.0	10.3	10.5	-0-	8.3	8.4	-0-	6.2	4.2	125.0
LOVES PARK	16.2	24.3	24.3	-0-	14.6	14.6	-0-	4.9	4.9	-0-
LYONS	11.6	22.9	23.1	-0-	22.9	23.1	-0-	7.6	7.7	-0-
MACOMB	7.6	23.8	26.3	-0-	17.9	19.7	-0-	17.9	13.2	62.5
MARION	12.8	24.0	25.0	-0-	24.0	25.0	-0-	12.0	12.5	-0-
MARKHAM	15.0	28.8	37.7	26.3	24.7	37.7	21.1	20.6	-0-	26.3
MATTOON	13.4	26.6	26.7	-0-	19.0	19.1	-0-	7.6	7.6	-0-
MAYWOOD	17.7	27.0	36.5	23.6	17.4	21.9	15.7	13.5	7.3	15.7
MELROSE PARK	20.5	10.6	10.9	-0-	10.6	10.9	-0-	21.2	21.8	-0-
MIDLOTHIAN	14.9	16.7	16.7	-0-	16.7	16.7	-0-	12.5	12.6	-0-
MOLINE	13.3	27.6	28.2	-0-	22.8	23.3	-0-	11.4	11.6	-0-
MONMOUTH	14.4	-0-	-0-	-0-	-0-	-0-	-0-	31.3	33.1	-0-
MORTON GROVE	6.6	5.7	5.8	-0-	5.7	5.8	-0-	11.4	11.7	-0-
MORTON	12.4	13.2	13.3	-0-	13.2	13.3	-0-	19.9	20.0	-0-
MOUNT PROSPECT	11.7	23.8	24.3	-0-	18.3	18.7	-0-	5.5	5.6	-0-
MOUNT VERNON	15.5	19.7	24.0	-0-	15.7	19.2	-0-	15.7	19.2	-0-
MUNDELEIN	19.0	12.3	12.4	-0-	9.2	9.3	-0-	6.2	6.2	-0-
MURPHYSBORO	12.1	32.5	28.6	55.6	16.3	9.5	55.6	8.1	9.5	-0-
NAPERVILLE	10.3	17.5	17.8	-0-	10.5	10.7	-0-	7.0	7.1	-0-
NILES	9.1	6.7	7.0	-0-	3.4	3.5	-0-	10.1	10.5	-0-
NORMAL	10.0	6.5	7.0	-0-	6.5	7.0	-0-	6.5	7.0	-0-
NORRIDGE	6.8	8.1	8.3	-0-	8.1	8.3	-0-	24.4	24.8	-0-
NORTH CHICAGO	6.4	29.7	32.9	26.5	26.4	32.9	19.9	23.1	19.7	26.5
NORTH LAKE	11.5	24.1	24.5	-0-	18.1	18.4	-0-	12.0	12.3	-0-
NORTHBROOK	10.7	20.3	20.4	-0-	16.9	17.0	-0-	3.4	3.4	-0-
O'FALLON	14.9	20.1	13.5	1,000.0	13.4	6.8	1,000.0	-0-	-0-	-0-
OAK FOREST	19.3	14.8	14.9	-0-	9.9	9.9	-0-	7.4	7.4	-0-
OAK LAWN	9.4	17.1	17.4	-0-	11.9	12.2	-0-	15.4	15.7	-0-
OAK PARK	10.1	11.1	12.6	-0-	9.5	10.8	-0-	11.1	12.6	-0-
ORLAND PARK	17.5	25.5	25.6	-0-	15.3	15.4	-0-	10.2	10.3	-0-
OTTAWA	11.6	4.6	4.6	-0-	4.6	4.6	-0-	9.2	9.3	-0-
PALATINE	14.8	7.0	7.2	-0-	4.7	4.8	-0-	14.0	14.4	-0-
PARIS	15.9	12.4	12.5	-0-	6.2	6.3	-0-	12.4	12.5	-0-
PARK FOREST	15.8	8.0	6.7	19.2	8.0	6.7	19.2	12.0	13.4	-0-
PARK RIDGE	7.5	9.2	9.4	-0-	9.2	9.4	-0-	9.2	9.4	-0-
PEKIN	17.7	21.5	21.5	-0-	17.9	17.9	-0-	10.7	10.8	-0-
PEORIA	15.6	17.2	16.3	19.5	12.6	12.9	11.7	12.6	12.3	13.6
PERU	11.9	35.5	35.5	-0-	28.4	28.4	-0-	14.2	14.2	-0-
PONTIAC	13.2	21.4	21.4	-0-	14.3	14.3	-0-	-0-	-0-	-0-
QUINCY	13.5	31.0	31.4	25.6	24.5	24.4	25.6	11.4	12.2	-0-
RANTOUL	22.3	14.0	15.8	-0-	7.0	7.9	-0-	7.0	7.9	-0-
RIVER FOREST	7.6	9.8	10.3	-0-	9.8	10.3	-0-	19.6	20.6	-0-
RIVER GROVE	13.3	19.2	19.4	-0-	12.8	12.9	-0-	6.4	-0-	1,000.0
RIVERDALE	12.0	10.4	10.7	-0-	10.4	10.7	-0-	15.5	16.0	-0-
RIVERSIDE	9.1	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
ROCK FALLS	20.1	29.0	29.1	-0-	24.2	24.3	-0-	14.5	14.6	-0-
ROCK ISLAND	14.0	27.1	27.8	24.7	18.5	18.6	18.5	12.8	7.4	30.9
ROCKFORD	16.2	20.6	15.0	42.3	14.9	11.9	26.2	12.4	11.9	14.1
ROLLING MEADOWS	16.7	18.8	19.2	-0-	15.6	16.0	-0-	3.1	3.2	-0-
ROMEOVILLE	16.1	7.8	7.8	-0-	7.8	7.8	-0-	11.6	11.7	-0-
SCHAUMBURG	19.5	11.2	11.4	-0-	9.6	9.8	-0-	4.8	4.9	-0-
SCHILLER PARK	11.4	26.8	27.8	-0-	26.8	27.8	-0-	6.7	6.9	-0-
SKOKIE	6.9	12.6	11.0	47.6	12.6	11.0	47.6	12.6	13.2	-0-
SOUTH HOLLAND	10.5	3.7	3.7	-0-	3.7	3.7	-0-	7.4	7.5	-0-
SPRINGFIELD	15.8	21.9	19.6	33.9	12.3	9.8	25.4	10.3	9.0	16.9
ST CHARLES	14.9	39.8	40.0	-0-	39.8	40.0	-0-	10.0	10.0	-0-
STERLING	17.8	10.4	10.7	-0-	6.9	7.1	-0-	10.4	10.7	-0-
STREAMWOOD	21.8	6.2	6.2	-0-	4.1	4.1	-0-	12.4	12.4	-0-
STREATOR	15.1	25.5	13.6	214.3	17.0	13.6	71.4	12.8	13.6	-0-
SUMMIT	17.9	23.8	23.5	25.0	23.8	23.5	25.0	14.3	17.6	-0-
TAYLORVILLE	13.3	6.9	7.0	-0-	-0-	-0-	-0-	13.8	14.0	-0-
TINLEY PARK	25.5	13.4	13.5	-0-	13.4	13.5	-0-	11.1	11.2	-0-
URBANA	11.5	12.6	17.0	-0-	7.6	10.2	-0-	-0-	-0-	-0-
VILLA PARK	14.7	18.7	19.3	-0-	16.0	16.5	-0-	5.3	5.5	-0-
WAUKEGAN	20.7	15.5	15.8	14.4	12.6	13.9	7.2	15.5	13.9	21.7
WEST CHICAGO	24.3	14.2	14.3	-0-	10.6	10.7	-0-	14.2	14.3	-0-
WESTCHESTER	5.5	8.9	9.1	-0-	8.9	9.1	-0-	8.9	9.1	-0-
WESTERN SPRINGS	7.0	10.0	10.2	-0-	10.0	10.2	-0-	20.0	20.4	-0-
WHEATON	13.6	12.1	12.6	-0-	8.2	8.4	-0-	8.2	8.4	-0-
WHEELING	25.3	13.3	10.7	250.0	13.3	10.7	250.0	13.3	13.4	-0-
WILMETTE	7.4	12.7	13.0	-0-	12.7	13.0	-0-	12.7	13.0	-0-
WINNETKA	6.1	-0-	-0-	-0-	-0-	-0-	-0-	11.6	11.6	-0-
WOOD DALE	16.1	17.5	17.5	-0-	17.5	17.5	-0-	11.7	11.7	-0-
WOOD RIVER	13.0	5.8	5.9	-0-	-0-	-0-	-0-	11.6	11.8	-0-
WOODBRIDGE	14.0	9.9	10.1	-0-	9.9	10.1	-0-	-0-	-0-	-0-
WOODSTOCK	15.8	28.7	28.4	-0-	11.5	11.6	-0-	23.0	23.1	-0-
WORTH	16.1	15.2	15.2	-0-	10.2	10.2	-0-	10.2	10.2	-0-
ZION	22.9	12.6	15.6	-0-	2.5	3.1	-0-	10.1	9.4	13.2

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
ILLINOIS. . .	168,492	13,427	7.95	168,053	99.44	2,291	13.6	260	1.5	847	5.0	23
ADAMS	978	72	7.36	978	100.00	14	14.3	3	3.1	4	4.1	--
ALEXANDER	164	19	11.59	163	99.39	6	36.6	--	-0-	2	12.2	--
ANDERSON	195	8	4.10	195	100.00	3	15.4	--	-0-	--	-0-	--
ARMSTRONG	483	31	6.42	483	100.00	5	10.4	--	-0-	4	8.3	--
BROWN	59	1	1.69	59	100.00	--	-0-	--	-0-	--	-0-	--
BUREAU	542	29	5.35	540	99.63	8	14.8	1	1.8	3	5.5	--
CALHOUN	64	4	6.25	64	100.00	--	-0-	--	-0-	--	-0-	--
CARROLL	271	13	4.80	270	99.63	2	7.4	--	-0-	--	-0-	--
CASS	215	12	5.58	215	100.00	1	4.7	--	-0-	1	4.7	--
CHAMPAIGN	2,521	170	6.74	2,518	99.88	21	8.3	2	0.8	14	5.6	1
CHRISTIAN	449	25	5.57	448	99.78	3	6.7	--	-0-	2	4.5	--
CLARK	189	11	5.82	188	99.47	3	15.9	--	-0-	--	-0-	--
CLAY	217	18	8.29	217	100.00	4	18.4	--	-0-	3	13.8	--
CLINTON	449	18	4.01	449	100.00	4	8.9	--	-0-	3	6.7	--
COLES	647	41	6.34	646	99.85	8	12.4	2	3.1	4	6.2	--
COOK	84,200	7,575	9.00	83,439	99.10	1,239	14.7	161	1.9	475	5.6	9
CRAWFORD	245	17	6.94	245	100.00	6	24.5	--	-0-	1	4.1	--
CUMBERLAND	157	6	3.82	157	100.00	3	19.1	--	-0-	1	6.4	--
DE KALB	877	48	5.47	875	99.77	10	11.4	1	1.1	5	5.7	--
DE WITT	225	16	7.11	225	100.00	4	17.8	--	-0-	--	-0-	--
DOUGLAS	271	13	4.80	271	100.00	1	3.7	--	-0-	1	3.7	--
DUPAGE	7,457	400	5.36	7,424	99.56	70	9.4	8	1.1	25	3.4	1
EDGAR	304	18	5.92	304	100.00	4	13.2	--	-0-	2	6.6	--
EDWARDS	86	7	8.14	85	98.84	1	11.6	--	-0-	--	-0-	--
EFFINGHAM	415	25	6.02	415	100.00	5	12.0	1	2.4	2	4.8	--
FAYETTE	263	24	9.13	262	99.62	3	11.4	2	7.6	1	3.8	--
FORD	198	14	7.07	196	98.99	5	25.3	--	-0-	2	10.1	--
FRANKLIN	523	38	7.27	520	99.43	10	19.1	--	-0-	2	3.8	--
FULTON	606	53	8.75	604	99.67	9	14.9	1	1.7	3	5.0	1
GALLATIN	100	10	10.00	100	100.00	--	-0-	--	-0-	1	10.0	--
GREENE	214	14	6.54	213	99.53	2	9.3	1	4.7	--	-0-	--
GRUNDY	424	25	5.90	424	100.00	7	16.5	1	2.4	--	-0-	1
HAMILTON	96	4	4.17	96	100.00	--	-0-	--	-0-	--	-0-	--
HANCOCK	264	16	6.06	263	99.62	2	7.6	--	-0-	--	-0-	--
HARDIN	66	3	4.55	66	100.00	--	-0-	--	-0-	--	-0-	--
HENDERSON	117	9	7.69	117	100.00	1	8.5	1	8.5	2	17.1	--
HENRY	683	30	4.39	683	100.00	8	11.7	1	1.5	3	4.4	--
IREQUOIS	466	31	6.65	466	100.00	11	23.6	--	-0-	1	2.1	--
JACKSON	672	42	6.25	669	99.55	8	11.9	--	-0-	4	6.0	--
JASPER	153	11	7.19	153	100.00	1	6.5	--	-0-	2	13.1	--
JEFFERSON	461	36	7.81	459	99.57	7	15.2	--	-0-	3	6.5	--
JERSEY	242	12	4.96	242	100.00	1	4.1	--	-0-	1	4.1	--
JO DAVIESS	322	14	4.35	321	99.69	6	18.6	1	3.1	1	3.1	--
JOHNSON	113	4	3.54	113	100.00	1	8.8	--	-0-	--	-0-	--
KANE	4,394	297	6.76	4,385	99.80	66	15.0	7	1.6	11	2.5	1
KANKAKEE	1,653	137	8.29	1,648	99.70	29	17.5	1	0.6	6	3.6	--
KENDALL	468	23	4.91	466	99.57	6	12.8	1	2.1	--	-0-	--
KNOX	837	56	6.69	837	100.00	13	15.5	1	1.2	7	8.4	--
LAKE	5,784	378	6.54	5,769	99.74	49	8.5	11	1.9	23	4.0	1
LA SALLE	1,489	116	7.79	1,486	99.80	15	10.1	2	1.3	6	4.0	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
LAWRENCE. . . .	225	20	8.89	225	100.00	5	22.2	--	-0-	2	8.9	--
LEE	515	37	7.18	514	99.81	11	21.4	--	-0-	1	1.9	1
LIVINGSTON. . .	553	48	8.68	553	100.00	8	14.5	--	-0-	2	3.6	--
LOGAN	394	25	6.35	392	99.49	7	17.8	--	-0-	2	5.1	--
MCDONOUGH . . .	425	28	6.59	425	100.00	3	7.1	--	-0-	2	4.7	--
MCHENRY	1,667	114	6.84	1,661	99.64	18	10.8	2	1.2	11	6.6	--
MCLEAN.	1,490	127	8.52	1,489	99.93	18	12.1	3	2.0	2	1.3	1
MACON	1,995	158	7.92	1,993	99.90	41	20.6	6	3.0	12	6.0	1
MACOUPIN. . . .	631	29	4.60	629	99.68	7	11.1	--	-0-	2	3.2	--
MADISON	3,691	289	7.83	3,687	99.89	36	9.8	4	1.1	16	4.3	--
MARION.	580	47	8.10	579	99.83	6	10.3	--	-0-	4	6.9	--
MARSHALL. . . .	171	15	8.77	169	98.83	1	5.8	--	-0-	1	5.8	--
MASON	234	18	7.69	233	99.57	2	8.5	--	-0-	--	-0-	--
MASSAC.	160	9	5.63	160	100.00	1	6.3	--	-0-	--	-0-	--
MENARD.	148	4	2.70	148	100.00	--	-0-	--	-0-	--	-0-	--
MERCER.	258	16	6.20	258	100.00	2	7.8	--	-0-	1	3.9	--
MONROE.	228	9	3.95	227	99.56	1	4.4	--	-0-	--	-0-	--
MONTGOMERY. . .	434	25	5.76	431	99.31	2	4.6	--	-0-	1	2.3	--
MORGAN.	491	25	5.09	490	99.80	9	18.3	--	-0-	--	-0-	--
MOULTRIE. . . .	191	5	2.62	190	99.48	5	26.2	--	-0-	--	-0-	--
OGLE.	621	41	6.60	620	99.84	6	9.7	3	4.8	5	8.1	--
PEORIA.	3,023	202	6.68	3,018	99.83	39	12.9	2	0.7	15	5.0	--
PERRY	284	22	7.75	284	100.00	--	-0-	--	-0-	4	14.1	--
PIATT	197	7	3.55	197	100.00	--	-0-	--	-0-	--	-0-	1
PIKE.	225	17	7.56	225	100.00	3	13.3	--	-0-	--	-0-	--
POPE.	41	1	2.44	41	100.00	--	-0-	--	-0-	--	-0-	--
PULASKI	134	9	6.72	133	99.25	1	7.5	--	-0-	--	-0-	--
PUTNAM.	76	7	9.21	76	100.00	2	26.3	--	-0-	1	13.2	--
RANDOLPH. . . .	412	24	5.83	411	99.76	2	4.9	--	-0-	2	4.9	--
RICHLAND. . . .	254	17	6.69	254	100.00	1	3.9	2	7.9	--	-0-	--
ROCK ISLAND . .	2,302	164	7.12	2,297	99.78	35	15.2	5	2.2	14	6.1	1
ST. CLAIR	4,933	507	10.28	4,928	99.90	78	15.8	3	0.6	30	6.1	2
SALINE.	309	13	4.21	307	99.35	3	9.7	--	-0-	1	3.2	--
SANGAMON. . . .	2,455	162	6.60	2,451	99.84	22	9.0	2	0.8	17	6.9	--
SCHUYLER. . . .	108	4	3.70	108	100.00	2	18.5	--	-0-	1	9.3	--
SCOTT	84	6	7.14	84	100.00	1	11.9	--	-0-	--	-0-	--
SHELBY.	323	16	4.95	323	100.00	8	24.8	--	-0-	4	12.4	--
STARK	103	7	6.80	103	100.00	1	9.7	--	-0-	--	-0-	--
STEPHENSON. . .	724	48	6.63	723	99.86	7	9.7	--	-0-	5	6.9	--
TAZEWELL. . . .	1,925	138	7.17	1,924	99.95	30	15.6	3	1.6	5	2.6	--
UNION	191	14	7.33	191	100.00	1	5.2	--	-0-	--	-0-	--
VERMILION . . .	1,619	139	8.59	1,614	99.69	22	13.6	2	1.2	4	2.5	--
WARASH.	206	15	7.28	206	100.00	--	-0-	--	-0-	--	-0-	--
WARREN.	306	18	5.88	305	99.67	--	-0-	--	-0-	--	-0-	--
WASHINGTON. . .	172	9	5.23	172	100.00	1	5.8	--	-0-	1	5.8	--
WAYNE	227	21	9.25	227	100.00	2	8.8	1	4.4	--	-0-	--
WHITE	193	13	6.74	192	99.48	5	25.9	--	-0-	3	15.5	--
WHITESIDE. . . .	1,060	72	6.79	1,059	99.91	12	11.3	--	-0-	3	2.8	--
WILL.	4,672	335	7.17	4,664	99.83	73	15.6	8	1.7	20	4.3	--
WILLIAMSON. . .	693	48	6.93	691	99.71	8	11.5	--	-0-	--	-0-	--
WINNEBAGO . . .	3,963	267	6.74	3,953	99.75	50	12.6	3	0.8	20	5.0	1
WOODFORD. . . .	387	22	5.68	387	100.00	7	18.1	1	2.6	2	5.2	--
UNSPECIFIED . .	1	--	-0-	1	100.00	1	1000.0	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLE 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 2. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

INFANT DEATHS BY AGE											
CITY	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS	
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ADDISON	462	24	5.19	462	100.00	2	4.3	--	-0-	3	6.5
ALSI	293	18	6.14	292	99.66	2	6.8	--	-0-	--	-0-
ALTON	632	68	10.76	631	99.84	7	11.1	1	1.6	5	7.9
ARLINGTON HEIGHTS	835	43	5.15	835	100.00	10	12.0	--	-0-	2	2.4
AURORA	1,630	106	6.50	1,626	99.75	21	12.9	2	1.2	4	2.5
HELLFVILL	617	34	5.51	615	99.68	2	3.2	--	-0-	3	4.9
HELLWOOD	220	8	3.64	218	99.09	3	13.6	--	-0-	--	-0-
HELVIDERE	295	20	6.78	295	100.00	4	13.6	--	-0-	3	10.2
HESENVILLE	198	19	9.60	198	100.00	4	20.2	1	5.1	3	15.2
HERMUN	465	19	4.09	463	99.57	5	10.8	--	-0-	--	-0-
HLOOMINGTON	624	61	9.78	624	100.00	11	17.6	3	4.8	1	1.6
HLOE ISLAND	451	33	7.32	450	99.78	6	13.3	1	2.2	3	6.7
HOLINORBROOK	645	31	4.81	644	99.84	11	17.1	1	1.6	--	-0-
HOLLEY	159	11	6.92	159	100.00	1	6.3	--	-0-	--	-0-
HRODGEVIEW	244	11	4.51	244	100.00	2	8.2	--	-0-	--	-0-
HROOKFIELD	230	10	4.35	230	100.00	4	17.4	--	-0-	--	-0-
HUFFALO GROVE	327	19	5.81	325	99.39	5	15.3	--	-0-	--	-0-
HURBANK	362	19	5.25	362	100.00	2	5.5	1	2.8	--	-0-
HAMOKIA	344	24	6.98	344	100.00	7	20.3	--	-0-	2	5.8
HALUMET CITY	492	28	5.69	492	100.00	7	14.2	2	4.1	4	8.1
HALUMET PARK	85	1	1.18	85	100.00	--	-0-	--	-0-	--	-0-
HANTON	191	17	8.90	190	99.48	2	10.5	--	-0-	2	10.5
HARBONDALE	217	11	5.07	217	100.00	3	13.8	--	-0-	--	-0-
HARPENTERSVILLE	463	31	6.70	463	100.00	11	23.8	1	2.2	2	4.3
HENTRALIA	281	16	5.69	280	99.64	5	17.8	--	-0-	1	3.6
HENTREVILLE	118	14	11.86	118	100.00	5	42.4	--	-0-	4	33.9
HCHAMPAIGN	661	58	8.77	659	99.70	7	10.6	1	1.5	3	4.5
HCHARLESTON	188	20	10.64	187	99.47	4	21.3	1	5.3	1	5.3
HCHICAGO	55,695	5,792	10.40	55,044	98.83	932	16.7	122	2.2	394	7.1
HCHICAGO HEIGHTS	771	69	8.95	770	99.87	10	13.0	2	2.6	8	10.4
HICERO	783	48	6.13	779	99.49	10	12.8	3	3.8	1	1.3
HOLLINSVILLE	288	23	7.99	288	100.00	4	13.9	1	3.5	2	6.9
HCRYSTAL LAKE	252	14	5.56	252	100.00	2	7.9	--	-0-	2	7.9
HANVILLE	730	72	9.86	730	100.00	10	13.7	--	-0-	2	2.7
HDE KALR	302	16	5.30	301	99.67	2	6.6	1	3.3	2	6.6
HDECATUR	1,582	128	8.09	1,580	99.87	31	19.6	5	3.2	10	6.3
HDERFIELD	209	9	4.31	208	99.52	3	14.4	1	4.8	--	-0-
HDS PLAINES	866	45	5.20	864	99.77	3	3.5	2	2.3	--	-0-
HDXON	225	17	7.56	224	99.56	2	8.9	--	-0-	1	4.4
HDLTON	342	17	4.97	340	99.42	5	14.6	--	-0-	--	-0-
HDOWNERS GROVE	575	28	4.87	573	99.65	3	5.2	1	1.7	2	3.5
HFAST MOLINE	319	22	6.90	319	100.00	5	15.7	--	-0-	1	3.1
HFAST PEORIA	345	24	6.96	345	100.00	9	26.1	--	-0-	2	5.8
HFAST ST LOUIS	1,947	291	14.95	1,945	99.90	35	18.0	2	1.0	15	7.7
HEDWARDSVILLE	147	10	6.80	147	100.00	1	6.8	--	-0-	1	6.8
HFFINGHAM	147	12	8.16	147	100.00	1	6.8	--	-0-	1	6.8
HFLGIN	988	77	7.79	985	99.70	16	16.2	2	2.0	3	3.0
HFLK GROVE	352	18	5.11	350	99.43	6	17.0	--	-0-	1	2.8
HFLMHURST	455	33	7.25	452	99.34	7	15.4	1	2.2	1	2.2
HFLMWOOD PARK	278	13	4.68	278	100.00	--	-0-	1	3.6	--	-0-
HVANSTON	970	84	8.66	965	99.48	9	9.3	2	2.1	1	1.0
HVERGREEN PARK	167	12	7.19	167	100.00	--	-0-	--	-0-	1	6.0
HFAIRVIEW HEIGHTS	133	6	4.51	133	100.00	3	22.6	--	-0-	--	-0-
HFOREST PARK	219	18	8.22	218	99.54	2	9.1	--	-0-	1	4.6
HFRANKLIN PARK	202	14	6.93	200	99.01	1	5.0	--	-0-	1	5.0
HFREEPORT	427	31	7.26	426	99.77	6	14.1	--	-0-	1	2.3
HGALFSBURG	503	34	6.76	503	100.00	10	19.9	--	-0-	5	9.9
HGFN ELLYN	334	12	3.59	332	99.40	1	3.0	--	-0-	1	3.0
HGLENOF	63	--	-0-	63	100.00	--	-0-	--	-0-	1	15.9
HGLENDALF HEIGHTS	269	12	4.46	266	98.88	4	14.9	1	3.7	--	-0-
HGLENVIEW	342	11	3.22	340	99.42	6	17.5	--	-0-	1	2.9
HGRANITE CITY	604	42	6.95	603	99.83	6	9.9	1	1.7	2	3.3
HMANOVER PARK	525	30	5.71	524	99.81	3	5.7	--	-0-	--	-0-
HARVEY	701	75	10.70	698	99.57	6	8.6	2	2.9	5	7.1
HAZEL CREST	208	11	5.29	207	99.52	1	4.8	--	-0-	--	-0-
HICKORY HILLS	207	16	7.73	207	100.00	1	4.8	1	4.8	1	4.8
HIGHLAND PARK	228	7	3.07	228	100.00	--	-0-	--	-0-	1	4.4
HINSDALE	189	8	4.23	189	100.00	2	10.6	--	-0-	--	-0-
HOFFMAN ESTATES	556	35	6.29	554	99.64	6	10.8	--	-0-	3	5.4
HHOMEWOOD	137	12	8.76	137	100.00	2	14.6	1	7.3	--	-0-
HJACKSONVILLE	294	19	6.47	295	99.66	5	16.9	--	-0-	--	-0-
HJOLIFT	1,297	115	8.87	1,295	99.85	29	22.4	2	1.5	7	5.4
HKANAKKEF	572	59	10.31	571	99.83	15	26.2	1	1.7	4	7.0
HKEWANEE	201	10	4.98	201	100.00	2	10.0	1	5.0	1	5.0
HLA GRANGE	210	13	6.19	209	99.52	--	-0-	--	-0-	1	4.8
HLA GRANGE PARK	105	3	2.86	105	100.00	--	-0-	--	-0-	--	-0-
HLA SALLE	143	12	8.39	142	99.30	--	-0-	--	-0-	1	7.0
HLAKE FOREST	97	2	2.06	97	100.00	--	-0-	--	-0-	--	-0-
HLANING	354	19	5.37	353	99.72	7	19.8	1	2.8	--	-0-
HLIBERTYVILLE	164	9	5.49	164	100.00	1	6.1	--	-0-	1	6.1

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1971
--CONTINUED

CITY	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		M A T E R N A L S
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
LINCOLN	216	12	5.56	215	99.54	3	13.9	--	-0-	2	9.3	--
LINCOLNWOOD	51	3	5.88	51	100.00	--	-0-	--	-0-	2	39.2	--
LOMBARD	484	28	5.79	480	99.17	3	6.2	1	2.1	1	2.1	--
LOVES PARK	206	9	4.37	205	99.51	3	14.6	--	-0-	2	9.7	--
LYONS	131	9	6.87	131	100.00	3	22.9	--	-0-	--	-0-	--
MACOMB	168	14	8.33	168	100.00	3	17.9	--	-0-	1	6.0	--
MARION	167	12	7.19	166	99.40	4	24.0	--	-0-	--	-0-	--
MARKHAM	243	24	9.88	242	99.59	6	24.7	--	-0-	1	4.1	--
MATTOON	263	12	4.56	263	100.00	4	15.2	1	3.8	2	7.6	--
MAYWOOD	518	55	10.62	515	99.62	8	15.4	1	1.9	5	9.7	--
MELROSE PARK	471	27	5.73	470	99.79	4	8.5	1	2.1	--	-0-	--
MIDLOTHIAN	240	13	5.42	239	99.58	4	16.7	--	-0-	--	-0-	1
MOLINE	615	40	6.50	613	99.67	11	17.9	3	4.9	3	4.9	--
MONMOUTH	160	12	7.50	160	100.00	--	-0-	--	-0-	--	-0-	--
MORTON GROVE	176	8	4.55	175	99.43	1	5.7	--	-0-	--	-0-	--
MORTON	151	10	6.62	151	100.00	2	13.2	--	-0-	--	-0-	--
MOUNT PROSPECT	546	26	4.76	546	100.00	10	18.3	--	-0-	3	5.5	--
MOUNT VERNON	254	29	11.42	252	99.21	4	15.7	--	-0-	1	3.9	--
MUNDELEIN	325	21	6.46	324	99.69	3	9.2	--	-0-	1	3.1	--
MURPHYSBORO	123	11	8.94	122	99.19	2	16.3	--	-0-	2	16.3	--
NAPERVILLE	285	15	5.26	283	99.30	3	10.5	--	-0-	2	7.0	--
NILES	298	26	8.72	298	100.00	1	3.4	--	-0-	1	3.4	--
NORMAL	307	21	6.84	307	100.00	2	6.5	--	-0-	--	-0-	--
NORRIDGE	123	8	6.50	123	100.00	1	8.1	--	-0-	--	-0-	--
NORTH CHICAGO	303	34	11.22	302	99.67	6	19.8	2	6.6	1	3.3	--
NORTH LAKE	166	24	14.46	166	100.00	2	12.0	1	6.0	1	6.0	--
NORTHBROOK	295	21	7.12	294	99.66	5	16.9	--	-0-	1	3.4	--
O'FALLON	149	6	4.03	149	100.00	2	13.4	--	-0-	1	6.7	--
OAK FOREST	406	16	3.94	405	99.75	4	9.9	--	-0-	2	4.9	--
OAK LAWN	586	38	6.48	585	99.83	6	10.2	1	1.7	3	5.1	--
OAK PARK	630	31	4.92	615	97.62	5	7.9	1	1.6	1	1.6	--
ORLAND PARK	196	13	6.63	196	100.00	3	15.3	--	-0-	2	10.2	--
OTTAWA	218	15	6.88	218	100.00	1	4.6	--	-0-	--	-0-	--
PALATINE	428	19	4.44	426	99.53	2	4.7	--	-0-	1	2.3	--
PARIS	161	9	5.59	161	100.00	1	6.2	--	-0-	1	6.2	--
PARK FOREST	499	21	4.21	498	99.80	2	4.0	2	4.0	--	-0-	--
PARK RIDGE	326	21	6.44	319	97.85	3	9.2	--	-0-	--	-0-	--
PEKIN	559	52	9.30	559	100.00	9	16.1	1	1.8	2	3.6	--
PEORIA	1,981	148	7.47	1,977	99.80	24	12.1	1	0.5	9	4.5	--
PERU	141	5	3.55	141	100.00	3	21.3	1	7.1	1	7.1	--
PONTIAC	140	9	6.43	140	100.00	2	14.3	--	-0-	1	7.1	--
QUINCY	613	51	8.32	613	100.00	12	19.6	3	4.9	4	6.5	--
RANTOUL	572	34	5.94	572	100.00	4	7.0	--	-0-	4	7.0	--
RIVER FOREST	102	4	3.92	100	98.04	1	9.8	--	-0-	--	-0-	--
RIVER GROVE	156	12	7.69	156	100.00	2	12.8	--	-0-	1	6.4	--
RIVERDALE	193	13	6.74	193	100.00	1	5.2	1	5.2	--	-0-	--
RIVERSIDE	96	2	2.08	96	100.00	--	-0-	--	-0-	--	-0-	--
ROCK FALLS	207	15	7.25	207	100.00	5	24.2	--	-0-	1	4.8	--
ROCK ISLAND	701	66	9.42	701	100.00	12	17.1	1	1.4	6	8.6	1
ROCKFORD	2,423	184	7.59	2,418	99.79	33	13.6	3	1.2	14	5.8	1
ROLLING MEADOWS	320	19	5.94	319	99.69	4	12.5	1	3.1	1	3.1	--
ROMEVILLE	258	14	5.43	258	100.00	2	7.8	--	-0-	--	-0-	--
SCHAUMBURG	625	18	2.88	623	99.68	6	9.6	--	-0-	1	1.6	--
SCHILLER PARK	149	8	5.37	148	99.33	3	20.1	1	6.7	--	-0-	--
SKOKIE	476	32	6.72	474	99.58	6	12.6	--	-0-	--	-0-	--
SOUTH HOLLAND	269	10	3.72	269	100.00	1	3.7	--	-0-	--	-0-	--
SPRINGFIELD	1,459	108	7.40	1,457	99.86	17	11.7	1	0.7	14	9.6	--
ST CHARLES	201	13	6.47	201	100.00	8	39.8	--	-0-	--	-0-	--
STERLING	289	20	6.92	289	100.00	2	6.9	--	-0-	1	3.5	--
STREAMWOOD	484	28	5.79	483	99.79	2	4.1	--	-0-	1	2.1	--
STREATOR	235	26	11.06	235	100.00	4	17.0	--	-0-	2	8.5	--
SUMMIT	210	10	4.76	210	100.00	4	19.0	1	4.8	--	-0-	--
TAYLORVILLE	145	10	6.90	144	99.31	--	-0-	--	-0-	1	6.9	--
TINLEY PARK	449	37	8.24	448	99.78	6	13.4	--	-0-	--	-0-	--
URBANA	396	26	6.57	396	100.00	3	7.6	--	-0-	2	5.1	--
VILLA PARK	374	24	6.42	372	99.47	6	16.0	--	-0-	1	2.7	--
WAUKEGAN	1,354	98	7.24	1,351	99.78	14	10.3	3	2.2	4	3.0	--
WEST CHICAGO	282	13	4.61	281	99.65	2	7.1	1	3.5	1	3.5	--
WESTCHESTER	112	6	5.36	112	100.00	1	8.9	--	-0-	--	-0-	--
WESTERN SPRINGS	100	3	3.00	100	100.00	1	10.0	--	-0-	--	-0-	--
WHEATON	489	18	3.68	489	100.00	4	8.2	--	-0-	2	4.1	--
WHEELING	377	27	7.16	377	100.00	5	13.3	--	-0-	--	-0-	--
WILMETTE	237	13	5.49	236	99.58	3	12.7	--	-0-	--	-0-	--
WINNETKA	86	1	1.16	84	97.67	--	-0-	--	-0-	--	-0-	--
WOOD DALE	171	12	7.02	169	98.83	3	17.5	--	-0-	--	-0-	--
WOOD RIVER	173	11	6.36	173	100.00	--	-0-	--	-0-	1	5.8	--
WOODRIDGE	302	15	4.97	302	100.00	3	9.9	--	-0-	--	-0-	--
WOODSTOCK	174	13	7.47	172	98.85	2	11.5	--	-0-	3	17.2	--
WORTH	197	15	7.61	197	100.00	2	10.2	--	-0-	1	5.1	--
ZION	396	25	6.31	396	100.00	1	2.5	--	-0-	4	10.1	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ILLINOIS. . .	2,161	710	262	202	119	115	211	189	146	42	39
ADAMS	15	5	2	--	1	--	2	1	4	--	--
ALEXANDER	2	1	--	--	--	--	--	--	--	--	--
AND.	3	2	--	1	--	--	--	--	--	--	--
BOONE	6	2	--	--	1	1	2	--	--	--	--
BROWN	--	--	--	--	--	--	--	--	--	--	--
BUREAU.	7	1	1	--	--	--	1	2	1	--	1
CALHOUN	3	1	--	--	--	--	1	1	--	--	--
CARROLL	2	--	1	--	--	--	--	--	1	--	--
CASS.	1	--	--	--	--	--	--	--	--	--	--
CHAMPAIGN	16	4	2	1	1	--	--	2	4	--	--
CHRISTIAN	3	2	--	--	1	--	--	--	--	--	--
CLARK	--	--	--	--	--	--	--	--	--	--	--
CLAY.	1	1	--	--	--	--	--	--	--	--	--
CLINTON	4	1	1	--	--	--	--	1	--	--	--
COLES	8	2	1	3	--	1	1	--	--	--	--
COOK.	1,227	448	155	120	66	75	107	105	66	21	22
CRAWFORD.	2	--	--	1	--	--	--	--	--	--	1
CUMBERLAND.	1	--	--	--	--	--	--	1	--	--	--
DE KALB	13	4	--	1	--	1	2	2	--	--	--
DE WITT	8	2	--	--	2	--	--	2	1	--	1
DOUGLAS	1	--	--	--	--	--	--	--	--	--	--
DU PAGE	70	22	10	7	5	1	13	5	3	2	--
EDGAR	5	--	--	--	1	2	--	--	--	1	1
EDWARDS	2	--	1	--	--	--	--	--	--	--	--
EFFINGHAM	5	1	--	1	--	1	--	--	1	--	1
FAYETTE	4	1	--	--	--	1	--	--	1	--	1
FORD.	--	--	--	--	--	--	--	--	--	--	--
FRANKLIN.	7	3	2	--	--	--	1	--	--	1	--
FULTON.	5	--	--	2	--	--	--	3	--	--	--
GALLATIN.	3	1	--	--	1	--	--	--	--	--	--
GREENE.	3	2	--	--	--	--	--	1	--	--	--
GRUNDY.	1	--	--	--	--	--	--	1	--	--	--
HAMILTON.	2	--	--	--	--	--	1	--	--	--	--
HANCOCK	3	--	--	--	--	--	2	--	1	--	--
HARDIN.	1	--	--	--	--	--	--	--	--	--	--
HENDERSON	1	1	--	--	--	--	--	--	--	--	--
HENRY	6	3	1	1	--	--	--	--	1	--	--
IROQUOIS.	4	1	1	1	--	--	--	1	--	--	--
JACKSON	9	4	2	1	1	--	--	--	1	--	--
JASPER.	3	--	--	--	--	1	--	2	--	--	--
JEFFERSON	6	1	2	1	--	--	1	1	--	--	--
JERSEY.	1	--	1	--	--	--	--	--	--	--	--
JO DAVIESS.	2	1	--	1	--	--	--	--	--	--	--
JOHNSON	--	--	--	--	--	--	--	--	--	--	--
KANE.	73	23	7	9	2	--	6	6	4	1	--
KANKAKEE.	20	7	5	--	2	--	3	1	--	--	2
KENDALL	4	--	--	--	1	--	--	--	1	--	--
KNOX.	6	2	--	--	--	--	--	2	--	--	1
LAKE.	66	24	7	5	3	3	9	5	4	2	1
LA SALLE.	17	5	--	--	1	2	2	2	1	1	--

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973-CONTINUED

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LAWRENCE.	--	--	--	--	--	--	--	--	--	--	--
LEE.	9	--	1	1	2	--	--	1	4	--	--
LIVINGSTON.	5	2	--	3	--	--	--	--	--	--	--
LOGAN.	3	1	1	--	--	--	--	--	1	--	--
MCDONOUGH.	3	1	--	--	1	1	--	--	--	--	--
MCHENRY.	26	2	6	1	2	3	5	1	2	1	--
MCLEAN.	14	4	5	1	2	--	1	--	1	--	--
MACON.	19	8	4	2	--	--	3	--	2	--	--
MACOUPIN.	8	2	1	--	--	1	--	--	2	1	--
MADISON.	30	7	4	2	1	--	2	2	3	1	1
MARION.	5	2	1	--	--	--	2	--	--	--	--
MARSHALL.	4	1	1	--	--	--	--	--	2	--	--
MASON.	5	--	1	--	--	--	--	2	--	--	--
MASSAC.	1	--	--	--	--	--	--	--	--	1	--
MENARD.	--	--	--	--	--	--	--	--	--	--	--
MERCER.	1	1	--	--	--	--	--	--	--	--	--
MONROE.	3	1	--	--	--	--	1	--	--	--	1
MONTGOMERY.	3	--	--	3	--	--	--	--	--	--	--
MORGAN.	7	1	1	--	1	--	2	1	--	--	--
MOULTRIE.	--	--	--	--	--	--	--	--	--	--	--
OGLE.	6	1	1	2	--	--	--	--	2	--	--
PEORIA.	38	5	4	3	3	6	5	7	2	1	1
PERRY.	2	--	--	--	--	--	--	--	1	--	--
PIATT.	6	2	--	--	--	--	1	--	--	--	--
PIKE.	2	2	--	--	--	--	--	--	--	--	--
POPE.	--	--	--	--	--	--	--	--	--	--	--
PULASKI.	2	--	--	--	1	--	--	--	--	--	--
PUTNAM.	2	--	--	--	1	--	--	1	--	--	--
RANDOLPH.	4	2	--	1	--	--	--	--	--	--	1
RICHLAND.	3	--	--	1	--	--	--	1	1	--	--
ROCK ISLAND.	23	4	7	1	2	1	5	2	--	--	--
ST. CLAIR.	73	27	6	5	6	3	7	6	5	3	1
SALINE.	3	2	--	--	--	--	--	--	--	1	--
SANGAMON.	29	8	3	4	--	1	3	2	6	1	1
SCHUYLER.	--	--	--	--	--	--	--	--	--	--	--
SCOTT.	--	--	--	--	--	--	--	--	--	--	--
SHELBY.	5	1	--	1	--	1	--	--	--	--	--
STARK.	1	1	--	--	--	--	--	--	--	--	--
STEPHENSON.	5	2	--	--	1	2	--	--	--	--	--
TAZEWELL.	15	--	2	3	1	1	2	1	3	1	--
UNION.	4	1	--	1	--	--	--	1	1	--	--
VERMILION.	19	8	2	2	--	1	2	1	2	--	--
WABASH.	2	--	1	--	--	--	--	--	--	1	--
WARREN.	7	4	2	1	--	--	--	--	--	--	--
WASHINGTON.	2	--	--	--	--	--	--	--	1	--	--
WAYNE.	3	1	--	1	--	--	--	--	--	1	--
WHITE.	4	3	--	--	--	--	--	--	--	--	--
WHITESIDE.	15	4	--	1	--	3	--	5	1	--	1
WILL.	41	6	1	3	2	1	4	4	4	--	--
WILLIAMSON.	5	--	3	1	--	--	--	--	1	--	--
WINNEBAGO.	41	12	2	2	4	1	12	4	4	--	--
WOODFORD.	1	1	--	--	--	--	--	--	--	--	--
UNSPECIFIED.	--	--	--	--	--	--	--	--	--	--	--

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	FETUS WEIGHT IN GRAMS										
	TOTAL FETAL DEATHS	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ADDISON	4	--	--	1	2	--	--	--	--	--	--
ALSTON	3	2	--	--	--	--	--	--	1	--	--
ALTON	3	1	2	--	--	--	--	--	--	--	--
ARLINGTON HEIGHTS	12	4	1	--	1	1	4	1	--	--	--
AURORA	25	8	2	4	1	--	1	3	--	--	--
BELLVIEW	9	1	3	--	--	--	1	3	--	--	--
BELLWOOD	3	1	1	--	--	1	--	--	--	--	--
BELEVILLE	4	2	--	--	--	1	1	--	--	--	--
BENSENVILLE	3	1	--	1	--	--	--	--	--	--	--
BIRMINGHAM	4	4	--	--	--	--	--	--	--	--	--
BLOOMINGTON	7	3	1	1	2	--	--	--	--	--	--
BLUE ISLAND	5	2	1	--	--	1	1	--	--	--	--
BOLINGBROOK	2	1	--	--	--	--	--	1	--	--	--
BRALEY	3	--	2	--	--	--	--	--	--	--	1
BRIARCLIFF	2	1	1	--	--	--	--	--	--	--	--
BROOKFIELD	1	--	--	--	--	--	--	1	--	--	--
BUFFALO GROVE	3	1	--	--	--	--	--	--	1	--	--
BURBANK	4	2	--	--	--	--	--	1	--	--	--
CAHOKIA	7	2	1	--	--	1	--	--	2	--	--
CALUMET CITY	2	--	1	1	--	--	--	--	--	--	--
CALUMET PARK	1	--	--	--	--	--	--	--	1	--	--
CANTON	1	--	--	--	--	--	--	1	--	--	--
CARRONDALE	3	2	--	--	--	--	--	--	1	--	--
CARPENTERSVILLE	6	2	1	--	--	--	--	1	--	1	--
CENTRALIA	2	2	--	--	--	--	--	--	--	--	--
CENTREVILLE	1	--	--	1	--	--	--	--	--	--	--
CHAMPAIGN	7	2	1	--	--	--	--	1	1	--	--
CHARLESTON	2	--	1	--	--	1	--	--	--	--	--
CHICAGO	921	352	108	100	51	51	78	71	49	18	20
CHICAGO HEIGHTS	7	2	1	1	--	--	1	1	--	--	--
CICERO	10	4	3	1	--	1	--	1	--	--	--
COLLINSVILLE	1	1	--	--	--	--	--	--	--	--	--
CRYSTAL LAKE	5	1	2	--	--	--	1	--	--	--	--
DANVILLE	13	6	2	2	--	--	1	--	2	--	--
DE KALB	7	2	--	--	--	--	1	1	--	--	--
DECATUR	16	6	4	2	--	--	2	--	2	--	--
DEERFIELD	1	1	--	--	--	--	--	--	--	--	--
DES PLAINES	13	4	3	2	--	1	1	2	--	--	--
DIXON	3	--	--	1	2	--	--	--	--	--	--
DOLTON	1	--	--	--	--	--	1	--	--	--	--
DOWNS GROVE	5	3	1	--	1	--	--	--	--	--	--
EAST MOLINE	1	--	--	--	--	--	1	--	--	--	--
EAST PEORIA	1	--	--	--	--	--	--	1	--	--	--
EAST ST LOUIS	34	19	1	3	4	1	2	2	3	2	1
EDWARDSVILLE	1	--	1	--	--	--	--	--	--	--	--
EFFINGHAM	1	--	--	--	--	1	--	--	--	--	--
ELGIN	26	8	3	4	--	--	3	1	2	--	--
ELK GROVE	--	--	--	--	--	--	--	--	--	--	--
ELMHURST	11	2	2	1	--	--	5	--	1	--	--
ELMWOOD PARK	6	2	--	1	1	--	--	1	--	--	--
EVANSTON	9	3	2	1	1	1	--	1	--	--	--
EVERGREEN PARK	3	1	1	--	--	--	--	--	--	1	--
FAIRVIEW HEIGHTS	2	1	--	--	--	1	--	--	--	--	--
FOREST PARK	3	1	1	--	--	--	--	1	--	--	--
FRANKLIN PARK	4	--	2	--	1	--	--	1	--	--	--
FREEDPORT	2	1	--	--	--	1	--	--	--	--	--
GALESBURG	5	2	--	--	--	--	--	2	--	--	1
GLEN ELLYN	2	--	2	--	--	--	--	--	--	--	--
GLENCOE	--	--	--	--	--	--	--	--	--	--	--
GLENDALE HEIGHTS	6	--	--	1	--	1	1	--	2	1	--
GLENVIEW	4	2	1	--	--	--	--	--	--	1	--
GRANITE CITY	6	2	--	--	1	--	--	1	1	--	--
HANOVER PARK	6	3	--	--	1	--	1	1	--	--	--
HARVEY	12	2	5	--	1	2	--	1	1	--	--
HAZEL CREST	4	1	--	--	--	--	2	1	--	--	--
HICKORY HILLS	1	--	1	--	--	--	--	--	--	--	--
HIGHLAND PARK	3	1	--	--	--	--	1	1	--	--	--
HINSDALE	--	--	--	--	--	--	--	--	--	--	--
HOFFMAN ESTATES	4	--	--	--	--	1	--	2	--	--	--
HOMERIDGE	2	--	--	--	--	--	--	1	1	--	--
JACKSONVILLE	5	1	1	--	--	--	2	1	--	--	--
JOLIET	19	4	--	2	1	--	--	2	2	--	--
KANKAKEE	7	5	1	--	--	--	1	--	--	--	--
Kewanee	1	1	--	--	--	--	--	--	--	--	--
LA GRANGE	10	6	--	--	--	1	2	--	--	--	--
LA GRANGE PARK	1	--	--	--	--	--	1	--	--	--	--
LA SALLE	--	--	--	--	--	--	--	--	--	--	--
LAKE FOREST	1	--	--	1	--	--	--	--	--	--	--
LANSING	1	--	--	--	1	--	--	--	--	--	--

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED--

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	FETUS WEIGHT IN GRAMS										
	TOTAL FETAL DEATHS	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LIBERTYVILLE	1	1	--	--	--	--	--	--	--	--	--
LINCOLN	3	1	1	--	--	--	--	--	1	--	--
LINCOLNWOOD	1	1	--	--	--	--	--	--	--	--	--
LOMHARD	3	1	--	1	--	--	1	--	--	--	--
LOVES PARK	1	--	--	--	--	--	--	--	1	--	--
LYONS	1	--	--	--	--	--	--	--	--	--	--
MACOMR	3	1	--	--	1	1	--	--	--	--	--
MARION	2	--	2	--	--	--	--	--	--	--	--
MARSHAM	5	2	1	--	--	1	--	--	--	--	--
MATTOON	2	1	--	--	--	--	1	--	--	--	--
MAYWOOD	7	1	1	1	--	2	1	1	--	--	--
MELROSE PARK	10	2	2	1	--	--	--	2	--	--	--
MIDLOTHIAN	3	2	--	--	--	1	--	--	--	--	--
MOLINE	7	1	3	1	1	--	1	--	--	--	--
MONMOUTH	5	3	1	1	--	--	--	--	--	--	--
MORTON GROVE	2	1	--	--	--	--	1	--	--	--	--
MORTON	3	--	--	2	--	--	--	--	1	--	--
MOUNT PROSPECT	3	1	--	--	--	--	--	2	--	--	--
MOUNT VERNON	4	--	2	1	--	--	1	--	--	--	--
MUNDELEIN	2	--	--	--	--	--	1	1	--	--	--
MURPHYSHORO	1	--	1	--	--	--	--	--	--	--	--
NAPERVILLE	2	--	1	--	--	--	--	--	--	1	--
NILES	3	2	--	--	--	--	--	--	1	--	--
NORMAL	2	--	1	--	--	--	1	--	--	--	--
NORRIDGE	3	2	--	1	--	--	--	--	--	--	--
NORTH CHICAGO	7	3	--	1	--	--	2	1	--	--	--
NORTH LAKE	2	1	--	--	--	--	--	--	--	--	--
NORTHBROOK	1	--	--	--	--	1	--	--	--	--	--
O'FALLON	--	--	--	--	--	--	--	--	--	--	--
OAK FOREST	3	--	1	1	1	--	--	--	--	--	--
OAK LAWN	9	--	--	1	1	--	3	1	2	--	--
OAK PARK	7	2	1	1	--	2	--	1	--	--	--
ORLAND PARK	2	1	--	--	--	--	--	--	--	--	1
OTTAWA	2	1	--	--	--	1	--	--	--	--	--
PALATINE	6	2	--	--	1	1	--	1	1	--	--
PARIS	2	--	--	--	--	2	--	--	--	--	--
PARK FOREST	6	3	--	--	1	1	--	--	--	--	--
PARK RIDGE	3	1	--	--	--	1	--	--	--	--	1
PEKIN	6	--	1	1	--	--	1	--	1	1	--
PEORIA	25	4	3	2	3	4	3	4	--	1	--
PERU	2	--	--	--	--	--	1	--	1	--	--
PONTIAC	--	--	--	--	--	--	--	--	--	--	--
QUINCY	7	3	--	--	1	--	1	1	1	--	--
RANTOUL	4	1	1	--	--	--	--	1	1	--	--
RIVER FOREST	2	1	--	--	--	--	--	--	1	--	--
RIVER GROVE	1	--	--	--	1	--	--	--	--	--	--
RIVERDALE	3	--	1	--	--	1	--	--	--	--	--
RIVERSIDE	--	--	--	--	--	--	--	--	--	--	--
ROCK FALLS	3	--	--	1	--	1	--	--	--	--	1
ROCK ISLAND	9	2	2	--	--	1	2	2	--	--	--
ROCKFORD	30	10	--	2	2	1	10	3	2	--	--
ROLLING MEADOWS	1	--	--	--	--	--	1	--	--	--	--
ROMEDEVILLE	3	--	--	--	--	1	1	--	--	--	--
SCHAUMBURG	3	--	2	1	--	--	--	--	--	--	--
SCHILLER PARK	1	--	--	--	--	--	--	1	--	--	--
SKOKIE	6	1	1	--	1	2	--	--	1	--	--
SOUTH HOLLAND	2	--	--	--	--	--	1	1	--	--	--
SPRINGFIELD	15	4	2	2	--	--	3	1	2	1	--
ST CHARLES	2	1	--	--	--	--	--	--	1	--	--
STERLING	3	1	--	--	--	--	--	2	--	--	--
STREAMWOOD	6	4	--	--	--	--	--	1	1	--	--
STREATOR	3	2	--	--	--	--	--	1	--	--	--
SUMMIT	3	1	--	1	--	--	1	--	--	--	--
TAYLORVILLE	2	1	--	--	1	--	--	--	--	--	--
TINLEY PARK	5	1	--	--	--	1	--	--	1	--	--
URBANA	--	--	--	--	--	--	--	--	--	--	--
VILLA PARK	2	1	--	--	1	--	--	--	--	--	--
WAUKEGAN	21	13	3	--	--	1	2	--	1	--	--
WEST CHICAGO	4	1	2	--	--	--	1	--	--	--	--
WESTCHESTER	1	--	1	--	--	--	--	--	--	--	--
WESTERN SPRINGS	2	--	--	1	--	--	--	--	1	--	--
WHEATON	4	1	--	1	--	--	2	--	--	--	--
WHEELING	5	4	--	1	--	--	--	--	--	--	--
WILMETTE	3	--	1	--	--	--	--	1	1	--	--
WINNETKA	1	--	--	--	1	--	--	--	--	--	--
WOOD DALE	2	2	--	--	--	--	--	--	--	--	--
WOOD RIVER	2	--	1	--	--	--	--	--	--	--	--
WOODRIDGE	--	--	--	--	--	--	--	--	--	--	--
WOODSTOCK	4	--	--	--	--	--	--	1	1	1	--
WORTH	2	1	--	--	--	--	--	--	1	--	--
ZION	4	1	1	1	--	--	--	--	--	--	--

TABLE 8A. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS. . .	168,992	1,051	1,227	2,617	2,702	5,830	31,209	63,594	45,085	13,135	2,479
ADAMS	978	4	5	15	21	27	151	355	281	94	24
ALEXANDER	164	4	2	3	3	7	40	50	43	9	3
BOND	195	2	1	2	1	2	22	82	59	23	1
BOONE	483	1	2	6	7	15	69	173	147	52	10
BROWN	59	--	--	--	--	1	7	17	22	10	2
BUREAU	542	3	1	8	6	11	79	197	176	55	6
CALHOUN	64	--	--	2	--	2	9	24	23	2	2
CARROLL	271	1	--	2	4	6	40	105	90	19	4
CASS	215	1	--	5	--	6	30	83	64	21	5
CHAMPAIGN	2,521	7	9	39	44	71	470	949	703	188	39
CHRISTIAN	449	1	--	4	7	13	65	176	132	45	6
CLARK	189	1	2	1	1	6	34	70	53	18	2
CLAY	217	2	1	2	2	11	32	82	65	20	--
CLINTON	449	1	--	5	5	7	65	160	140	57	9
COLES	647	3	2	10	3	23	95	241	204	53	13
COOK	84,200	630	696	1,453	1,582	3,214	17,188	32,181	20,608	5,561	1,068
CRAWFORD	245	3	2	3	--	9	40	91	71	26	--
CUMBERLAND	157	2	--	1	1	2	24	57	47	21	2
DE KALB	877	6	8	7	7	20	110	314	287	97	20
DE WITT	225	3	3	2	2	6	37	79	69	20	4
DOUGLAS	271	--	1	4	2	6	31	116	86	19	6
DU PAGE	7,457	22	29	72	93	184	1,163	2,808	2,262	696	128
EDGAR	304	1	1	3	6	7	49	115	86	32	4
EDWARDS	86	--	1	2	2	2	10	30	31	8	--
EFFINGHAM	415	2	1	5	7	10	65	161	120	40	4
FAYETTE	263	1	5	3	2	13	43	82	76	29	9
FORD	198	--	3	1	2	8	28	66	65	15	9
FRANKLIN	523	3	7	8	7	13	95	169	155	59	7
FULTON	606	8	2	9	13	21	102	225	165	51	10
GALLATIN	100	--	1	3	1	5	13	38	30	8	1
GREFNE	214	1	3	3	2	5	30	82	61	21	4
GRUNDY	424	5	1	6	4	9	72	168	123	28	8
HAMILTON	96	--	--	--	2	2	13	37	31	7	4
HANCOCK	264	2	1	3	4	6	47	103	68	26	4
HARDIN	66	--	--	1	--	2	11	23	25	3	--
HENDERSON	117	--	2	4	1	2	22	39	35	9	3
HENRY	683	3	4	6	2	15	102	238	211	85	17
IROQUOIS	466	3	8	4	5	11	66	153	154	47	15
JACKSON	672	4	4	7	7	20	109	264	200	50	7
JASPER	153	1	--	1	4	5	26	56	42	14	4
JEFFERSON	461	5	4	7	2	18	84	168	133	33	7
JERSEY	242	--	1	2	3	6	43	98	69	19	1
JO DAVIESS	322	2	--	3	1	8	46	114	108	33	7
JOHNSON	113	1	--	--	--	3	14	46	33	11	5
KANE	4,394	24	30	63	44	136	747	1,629	1,260	389	68
KANKAKEE	1,653	14	15	27	26	55	294	622	439	131	29
KENDALL	468	--	6	2	5	10	69	177	141	52	6
KNOX	837	6	7	11	15	15	132	283	272	76	18
LAKE	5,784	20	27	88	77	166	980	2,173	1,673	480	98
LA SALLE	1,489	6	8	26	22	54	262	566	423	97	24

TABLE BA. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973 --CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E						3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS				
LAWRENCE. . . .	225	4	1	4	3	8	40	85	68	11	1
LEE.	515	3	10	7	5	12	72	191	158	50	7
LIVINGSTON. . .	553	4	4	12	12	16	93	207	139	51	15
LOGAN.	394	4	2	3	9	7	63	142	112	43	9
MCDONOUGH. . .	425	--	2	4	10	12	70	152	129	32	13
MCHENRY. . . .	1,667	13	12	18	15	56	281	610	458	165	37
MCLEAN.	1,490	11	6	21	21	68	271	567	386	120	19
MACON.	1,995	23	16	30	28	61	359	763	551	143	21
MACOUPIN. . . .	631	--	6	9	4	10	88	237	201	63	13
MADISON.	3,691	16	26	61	43	143	627	1,405	994	317	57
MARION.	580	2	1	15	12	17	130	212	143	36	12
MARSHALL. . . .	171	--	1	3	2	9	28	45	59	23	1
MASON.	234	--	--	2	4	12	38	93	57	25	3
MASSAC.	160	--	--	1	4	4	28	42	61	19	1
MENARD.	148	--	--	1	--	3	21	53	50	17	3
MERCER.	258	--	4	2	2	8	37	103	67	30	5
MONROE.	228	1	--	3	--	5	35	90	72	19	2
MONTGOMERY. . .	434	--	3	2	5	15	65	141	137	57	9
MORGAN.	491	2	5	7	4	7	70	180	154	57	3
MOULTRIE. . . .	191	1	2	--	1	1	29	86	56	13	2
OGLE.	621	4	5	7	7	18	94	207	204	64	11
PEORIA.	3,023	10	20	49	37	86	513	1,111	861	283	53
PERRY.	284	1	2	5	3	11	39	81	102	34	6
PIATT.	197	--	--	1	1	5	27	81	57	20	5
PIKE.	225	1	1	4	3	8	34	70	69	28	7
POPE.	41	--	--	--	--	1	9	20	10	1	--
PULASKI.	134	--	2	--	2	5	28	49	40	7	1
PUTNAM.	76	--	3	--	--	4	8	30	20	11	--
RANDOLPH. . . .	412	1	1	3	4	15	64	158	112	42	12
RICHLAND. . . .	254	1	--	4	5	7	49	106	64	17	1
ROCK ISLAND. . .	2,302	10	15	36	31	72	325	825	727	222	38
ST. CLAIR. . . .	4,933	35	46	87	99	240	1,028	1,877	1,160	314	46
SALINE.	309	--	1	1	4	7	55	120	92	23	6
SANGAMON. . . .	2,455	12	10	33	39	68	419	897	711	231	33
SCHUYLER. . . .	108	--	--	1	1	2	17	39	28	18	2
SCOTT.	84	--	3	1	--	2	14	22	27	14	1
SHELBY.	323	2	3	3	4	4	49	110	103	38	7
STARK.	103	--	--	1	2	4	16	38	33	7	2
STEPHENSON. . .	724	3	4	10	13	18	134	282	200	52	8
TAZEWELL. . . .	1,925	13	12	24	27	62	286	715	579	173	32
UNION.	191	1	4	2	6	1	36	72	45	17	7
VERMILION. . . .	1,619	9	7	24	22	77	254	631	431	143	21
WABASH.	206	--	1	7	2	5	34	87	54	13	3
WARREN.	306	--	--	2	4	12	38	106	97	31	16
WASHINGTON. . .	172	1	--	3	1	4	25	61	52	21	4
WAYNE.	227	1	1	6	6	7	35	91	52	23	5
WHITE.	193	1	3	5	1	3	30	74	56	14	6
WHITESIDE. . . .	1,060	6	8	14	10	34	166	346	329	118	29
WILL.	4,672	27	34	70	64	140	781	1,720	1,345	419	64
WILLIAMSON. . . .	693	1	3	11	11	22	111	236	218	67	10
WINNEBAGO. . . .	3,963	15	29	49	51	123	617	1,444	1,169	388	77
WOODFORD. . . .	387	3	2	3	1	13	54	148	125	32	6
UNSPECIFIED. . .	1	--	--	--	--	--	--	1	--	--	--

TABLE No. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

LIVE BIRTHS BY WEIGHT

P R E M A T U R E

CITY	TOTAL LIVE BIRTHS	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ADDISON	462	3	1	4	7	9	68	195	135	37	3
ALSIPI	293	1	4	5	2	6	57	97	86	32	3
ALTON	632	5	4	18	10	31	113	274	128	43	6
ARLINGTON HEIGHTS	435	5	2	16	8	12	124	324	255	76	13
AURORA	1,630	8	13	22	20	43	290	590	475	145	21
HELLFVILLE	617	--	2	6	7	19	114	211	184	67	7
MELLWOOD	220	1	2	1	2	2	35	87	69	12	9
MELVIDRE	295	1	2	4	3	10	44	111	92	24	4
HENSENVILLE	198	2	4	2	6	5	28	71	60	16	4
MFRWYN	465	2	2	1	4	10	85	191	126	36	8
BLOOMINGTON	624	4	2	14	8	33	117	235	158	47	6
BLUE ISLAND	451	2	6	6	9	10	92	171	119	30	6
HOLINGHROOK	645	4	4	8	5	10	110	242	203	50	8
BRADLEY	159	2	--	2	2	5	21	75	39	10	2
BRIDGEVIEW	244	1	--	3	2	5	38	100	73	15	7
BROOKFIELD	230	2	--	1	3	4	44	88	64	18	6
HUFFALO GROVE	327	4	5	6	1	3	52	133	88	28	7
BURBANK	362	2	2	4	6	5	62	129	109	37	5
CAMOKIA	344	1	4	5	--	14	62	123	102	29	4
CALUMET CITY	492	3	1	6	6	12	86	186	139	41	10
CALUMET PARK	85	--	--	--	--	1	16	38	18	11	1
CANTON	191	2	2	3	6	4	32	68	58	14	2
CARBONDALE	217	--	1	2	1	7	36	104	51	14	1
CARPENTERSVILLE	463	3	3	7	5	13	98	157	128	43	6
CENTRALIA	281	1	1	2	5	7	73	100	72	16	4
CENTREVILLE	118	2	1	1	2	8	32	43	23	6	--
CHAMPAIGN	661	3	2	10	17	26	121	260	161	48	12
CHARLESTON	188	1	2	5	1	11	22	71	57	13	5
CHICAGO	55,695	487	537	1,112	1,214	2,442	12,434	21,292	12,475	3,104	596
CHICAGO HEIGHTS	771	7	4	13	24	21	146	301	197	52	6
CICERO	783	6	5	10	7	20	131	297	240	56	11
COLLINSVILLE	288	2	1	4	7	9	45	96	95	28	1
CRYSTAL LAKE	252	1	1	3	1	8	51	84	69	31	3
DANVILLE	730	4	5	12	11	40	123	280	185	61	9
DE KALB	302	--	4	2	4	6	37	108	97	40	4
DECATUR	1,582	17	13	23	21	54	298	611	422	107	16
DEERFIELD	209	--	1	4	1	3	29	82	75	9	4
DES PLAINES	866	1	3	5	11	25	150	342	236	77	16
DIXON	225	--	5	5	4	3	40	77	70	19	2
HOLTON	342	2	2	2	7	4	46	139	93	43	4
DOWNERS GROVE	575	1	1	10	3	13	89	224	173	52	9
EAST MOLINE	319	--	3	4	4	11	47	120	91	36	3
EAST PEORIA	345	4	2	4	4	12	44	129	105	39	4
EAST ST LOUIS	1,947	24	28	46	55	138	507	739	330	68	12
EDWARDSVILLE	147	--	1	2	3	4	30	59	37	9	2
EFFINGHAM	147	--	--	2	4	6	26	59	40	10	--
ELGIN	988	4	6	20	8	34	159	387	266	79	20
ELK GROVE	352	1	2	3	3	9	44	129	119	36	6
ELMHURST	455	1	4	3	8	17	61	165	145	48	3
ELMWOOD PARK	278	--	--	1	7	5	45	98	89	28	5
EVANSTON	970	11	4	9	18	42	177	354	266	81	8
EVERGREEN PARK	167	--	1	1	1	9	21	50	63	18	3
FAIRVIEW HEIGHTS	133	2	1	--	1	2	16	73	30	6	2
FOREST PARK	219	--	4	7	2	5	42	78	62	16	2
FRANKLIN PARK	202	1	--	5	1	7	36	70	61	17	4
FREEPORT	427	1	4	7	9	10	87	156	121	27	5
GALFSBURG	503	4	4	7	10	9	88	178	155	41	7
GLEN ELLYN	334	--	1	3	1	7	54	131	103	23	11
GLENCOE	63	--	--	--	--	--	8	32	15	8	--
GLENDALE HEIGHTS	269	2	1	2	3	4	50	92	84	24	7
GLENVIEW	342	2	--	3	--	6	57	123	110	39	2
GRANITE CITY	604	2	3	7	4	26	97	222	174	54	15
HANOVER PARK	525	1	2	--	9	18	81	192	165	43	14
HARVEY	701	2	4	15	19	35	149	278	146	44	9
HAZEL CREST	208	1	1	3	3	3	33	77	67	17	3
HICKORY HILLS	207	--	2	4	2	8	26	89	52	19	5
HIGHLAND PARK	228	--	--	--	3	4	29	102	62	23	5
HINSDALE	189	1	1	--	1	5	26	68	61	24	2
HOFFMAN ESTATES	556	4	4	1	12	14	69	220	171	52	8
HOMERWOOD	137	1	3	3	2	3	25	43	30	20	7
JACKSONVILLE	296	1	4	6	3	5	50	109	86	29	2
JOLIET	1,297	16	12	19	23	45	236	494	336	97	15
KANKAKEE	572	6	6	10	10	27	108	227	138	33	7
KEWANEE	201	1	1	3	1	4	36	77	55	19	4
LA GRANGE	210	--	1	4	2	6	30	82	57	25	3
LA GRANGE PARK	105	--	--	--	--	3	9	49	28	13	3
LA SALLE	143	--	--	2	2	8	20	55	47	8	1
LAKE FOREST	97	--	--	1	1	--	21	30	31	10	3
LANDING	354	2	2	6	2	7	55	129	97	35	15
LIBERTYVILLE	164	--	3	2	1	3	22	63	53	15	2

TABLE MH. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974
--CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LINCOLN	216	--	2	1	6	3	35	75	71	18	5
LINCOLNWOOD	51	--	1	1	--	1	10	20	15	3	--
LOMBARD	484	2	--	6	4	16	84	188	135	40	9
LOVES PARK	206	--	1	2	3	3	40	63	68	23	3
LYONS	131	--	1	4	1	3	21	48	42	11	--
MACOMB	168	--	--	1	7	6	27	63	50	9	5
MARION	167	1	2	3	4	2	34	59	44	13	3
MARKHAM	243	3	1	8	4	8	63	98	47	9	2
MATTOON	263	2	--	3	1	6	55	92	76	24	4
MAYWOOD	514	3	5	7	12	28	116	184	125	34	4
MELROSE PARK	471	2	2	7	4	12	92	197	115	33	7
MIDLOTHIAN	240	3	1	2	1	6	40	97	67	14	8
MOLINE	615	3	2	14	7	14	83	214	195	66	17
MONMOUTH	160	--	--	2	4	6	26	50	48	17	7
MORTON GROVE	174	--	2	3	2	1	40	65	54	8	1
MORTON	151	1	--	4	2	3	16	59	48	17	1
MOUNT PROSPECT	546	3	3	11	4	5	96	215	160	40	9
MOUNT VERNON	254	3	4	5	2	15	55	81	65	22	2
MUNDELEIN	325	2	2	2	3	12	57	112	101	30	4
MURPHYSBORO	123	2	--	2	4	3	23	38	33	15	3
NAPERVILLE	285	--	--	2	6	7	39	106	91	25	9
NILES	298	--	1	7	1	17	41	109	96	25	1
NORMAL	307	2	--	3	4	12	56	129	75	23	3
NORRIDGE	123	1	--	2	3	2	23	50	31	10	1
NORTH CHICAGO	303	2	2	6	10	14	62	117	67	20	3
NORTH LAKE	166	2	3	8	3	8	23	54	49	13	3
NORTHBROOK	295	4	5	--	3	9	57	122	73	20	2
O'FALLON	149	--	--	--	1	5	22	51	51	15	3
OAK FOREST	406	3	--	2	2	9	61	160	116	45	7
OAK LAWN	586	2	3	7	5	21	81	227	170	56	14
OAK PARK	630	3	2	4	5	17	80	259	193	54	13
ORLAND PARK	196	3	1	3	1	5	29	63	69	16	6
OTTAWA	218	--	--	4	2	9	39	93	59	8	4
PALATINE	424	--	1	3	6	9	67	154	136	40	12
PARIS	161	--	1	2	4	2	28	66	41	16	1
PARK FOREST	499	1	1	4	4	11	69	206	152	45	6
PARK RIDGE	326	1	3	4	6	7	53	118	95	29	10
PEKIN	559	5	4	9	13	21	87	217	153	41	8
PEORIA	1,981	4	17	34	26	67	360	738	547	157	31
PERU	141	1	--	2	--	2	27	52	44	12	1
PONTIAC	140	1	--	--	4	4	23	54	38	12	4
QUINCY	613	3	4	10	18	16	96	232	167	49	17
RANTOUL	572	1	3	13	8	9	127	224	147	33	7
RIVER FOREST	102	--	--	1	--	3	11	40	35	12	--
RIVER GROVE	156	1	1	3	4	3	29	64	39	11	1
RIVERDALE	193	2	1	1	3	6	25	84	50	16	5
RIVERSIDE	96	--	--	--	1	1	10	40	33	10	1
ROCK FALLS	207	2	2	3	2	6	43	72	60	13	4
ROCK ISLAND	701	4	7	12	12	31	108	244	220	56	7
ROCKFORD	2,423	13	18	34	38	81	378	917	679	217	47
HOLLING MEADOWS	320	2	1	2	4	10	46	133	92	29	1
HOMEVILLE	258	--	2	4	5	3	49	88	83	22	1
SCHAUMBURG	625	1	2	1	6	8	106	271	169	52	9
SCHILLER PARK	149	1	2	--	--	5	18	60	47	15	1
SKOKIE	476	3	3	4	9	13	99	173	132	35	4
SOUTH HOLLAND	269	--	1	3	2	4	34	110	83	25	7
SPRINGFIELD	1,459	10	4	18	24	48	275	532	412	109	21
ST. CHARLES	201	2	2	4	1	4	41	65	65	13	4
STERLING	289	1	2	3	1	13	49	101	82	31	6
STREAMWOOD	484	--	1	3	8	16	86	170	144	46	10
STREATOR	235	2	--	5	5	14	40	95	60	11	3
SUMMIT	210	1	2	2	2	3	40	86	56	18	--
TAYLORVILLE	145	--	--	1	4	5	28	53	38	15	1
TINLEY PARK	449	3	3	6	12	13	60	181	130	34	7
URBANA	396	1	2	7	5	11	77	143	119	24	6
VILLA PARK	374	3	2	4	3	12	61	123	127	33	6
WAUKEGAN	1,354	5	9	23	15	46	250	519	375	88	24
WEST CHICAGO	282	--	1	3	2	7	53	109	86	18	3
WESTCHESTER	112	--	--	1	1	4	16	49	29	8	3
WESTERN SPRINGS	100	--	--	1	--	2	17	29	28	21	1
WHEATON	449	--	--	3	3	12	72	182	158	54	5
WHEELING	377	1	3	5	7	11	54	139	120	30	7
WILMETTE	237	1	4	2	2	4	40	78	86	20	--
WINNETKA	86	--	--	1	--	--	16	30	31	7	1
WOOD DALE	171	--	2	4	2	4	32	70	42	12	3
WOOD RIVER	173	--	2	2	2	5	30	66	48	15	3
WOODHIDGE	302	--	3	1	4	7	44	111	85	40	7
WOODSTOCK	174	1	--	1	3	8	35	66	48	6	6
WORTH	197	1	--	3	5	6	31	74	56	17	4
ZION	396	--	3	7	3	12	66	137	131	34	3




TABLE MC. -- RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1973

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T										
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER	
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS						
ILLINOIS												
TOTAL. . .	168,992	1,051	1,227	2,617	2,702	5,830	31,209	63,594	45,085	13,135	2,479	
WHITE. .	129,430	601	715	1,590	1,597	3,600	20,962	48,398	38,005	11,688	2,224	
NONWHITE	39,562	450	512	1,027	1,105	2,230	10,247	15,196	7,080	1,447	255	
MALE. . . .	86,606	545	665	1,266	1,232	2,621	13,596	30,936	25,605	8,386	1,719	
WHITE. .	66,570	296	403	778	732	1,622	9,089	23,194	21,418	7,467	1,541	
NONWHITE	20,036	249	262	488	500	999	4,507	7,742	4,187	919	178	
FEMALE. . .	82,386	506	562	1,351	1,470	3,209	17,613	32,658	19,480	4,749	760	
WHITE. .	62,860	305	312	812	865	1,978	11,873	25,204	16,587	4,221	683	
NONWHITE	19,526	201	250	539	605	1,231	5,740	7,454	2,893	528	77	
DOWNSTATE												
TOTAL. . .	113,297	564	690	1,505	1,488	3,388	18,775	42,302	32,610	10,031	1,883	
WHITE. .	102,684	441	571	1,261	1,214	2,808	16,164	38,166	30,599	9,603	1,809	
NONWHITE	10,613	123	119	244	274	580	2,611	4,136	2,011	428	74	
MALE. . . .	58,351	285	398	736	692	1,533	8,169	20,354	18,435	6,418	1,297	
WHITE. .	52,928	218	336	625	573	1,255	7,022	18,252	17,236	6,136	1,246	
NONWHITE	5,423	67	62	111	119	278	1,147	2,102	1,199	282	51	
FEMALE. . .	54,946	279	292	769	796	1,855	10,606	21,948	14,175	3,613	586	
WHITE. .	49,756	223	235	636	641	1,553	9,142	19,914	13,363	3,467	563	
NONWHITE	5,190	56	57	133	155	302	1,464	2,034	812	146	23	
CHICAGO												
TOTAL. . .	55,695	487	537	1,112	1,214	2,442	12,434	21,292	12,475	3,104	596	
WHITE. .	26,746	160	144	329	383	792	4,798	10,232	7,406	2,085	415	
NONWHITE	28,949	327	393	783	831	1,650	7,636	11,060	5,069	1,019	181	
MALE. . . .	28,255	260	267	530	540	1,088	5,427	10,582	7,170	1,968	422	
WHITE. .	13,642	78	67	153	159	367	2,067	4,942	4,182	1,331	295	
NONWHITE	14,613	182	200	377	381	721	3,360	5,640	2,988	637	127	
FEMALE. . .	27,440	227	270	582	674	1,354	7,007	10,710	5,305	1,136	174	
WHITE. .	13,104	82	77	176	224	425	2,731	5,290	3,224	754	120	
NONWHITE	14,336	145	193	406	450	929	4,276	5,420	2,081	382	54	

¹EQUIVALENTS OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1,000 grams or less	= 2 lb. 3 oz. or less.	3,001 - 3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
1,001 - 1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.	3,501 - 4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
1,501 - 2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.	4,001 - 4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
2,001 - 2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.	4,501 - 5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
2,501 - 3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.	5,001 grams or more	= 11 lb. 1 oz. or more.

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1973

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	110,259	3,967	824	2,704	6,273	26,842	54,140	15,509
WHITE	96,033	2,569	644	2,039	4,272	22,421	49,346	14,742
NONWHITE	14,226	1,398	180	665	2,001	4,421	4,794	767
1. HEART DISEASE	47,273	227	16	132	1,259	10,858	26,162	8,619
WHITE	42,317	80	12	78	813	9,174	23,957	8,203
NONWHITE	4,956	147	4	54	446	1,684	2,205	416
A. ARTERIOSCLEROTIC	41,908	1	--	10	778	9,056	23,939	8,124
WHITE	38,454	1	--	7	564	7,933	22,187	7,762
NONWHITE	3,454	--	--	3	214	1,123	1,752	362
B. OTHER	5,365	226	16	122	481	1,802	2,223	495
WHITE	3,863	79	12	71	249	1,241	1,770	441
NONWHITE	1,502	147	4	51	232	561	453	54
2. MALIGNANT NEOPLASMS	19,815	49	107	166	1,047	7,226	9,999	1,221
WHITE	17,497	41	87	143	833	6,176	9,065	1,152
NONWHITE	2,318	8	20	23	214	1,050	934	69
3. CEREBROVASCULAR DISEASE	10,872	10	6	33	250	1,620	6,504	2,449
WHITE	9,669	7	4	26	137	1,277	5,891	2,327
NONWHITE	1,203	3	2	7	113	343	613	122
4. ACCIDENTS	5,326	284	400	1,298	1,215	1,038	874	217
WHITE	4,527	189	323	1,144	975	879	809	208
NONWHITE	799	95	77	154	240	159	65	9
A. MOTOR VEHICLE	2,552	85	170	824	671	462	311	29
WHITE	2,275	65	147	765	572	411	288	27
NONWHITE	277	20	23	59	99	51	23	2
B. OTHER	2,774	199	230	474	544	576	563	188
WHITE	2,252	124	176	379	403	468	521	181
NONWHITE	522	75	54	95	141	108	42	7
5. PNEUMONIA AND INFLUENZA	3,381	279	33	53	149	568	1,581	718
WHITE	2,825	172	27	41	86	411	1,412	676
NONWHITE	556	107	6	12	63	157	169	42
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,740	2,560	61	33	45	64	26	1
WHITE	1,920	1,726	43	30	39	56	25	1
NONWHITE	870	834	18	3	6	8	1	--
7. OTHER CIRCULATORY DISEASES	2,144	5	3	12	92	517	1,287	283
WHITE	1,944	5	3	8	61	435	1,167	265
NONWHITE	255	--	--	4	31	82	120	18
8. DIABETES MELLITUS	1,494	1	3	14	82	498	1,184	212
WHITE	1,707	1	3	9	56	384	1,056	198
NONWHITE	287	--	--	5	26	114	128	14
9. CIRRHOSIS OF LIVER	1,913	6	2	4	323	1,098	454	26
WHITE	1,619	3	2	2	208	954	426	24
NONWHITE	294	3	--	2	115	144	28	2
10. GENERAL ARTERIOSCLEROSIS	1,789	1	--	--	6	99	948	735
WHITE	1,691	1	--	--	4	83	884	719
NONWHITE	98	--	--	--	2	16	64	16
11. EMPHYSEMA	1,343	--	--	2	20	334	900	87
WHITE	1,269	--	--	2	17	304	862	84
NONWHITE	74	--	--	--	3	30	38	3
12. HOMICIDE	1,269	18	38	369	527	234	83	2
WHITE	494	8	18	125	181	109	56	2
NONWHITE	775	10	20	244	346	125	27	--

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1973--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	38,472	1,667	242	989	2,897	10,698	17,984	3,995
WHITE.	27,363	612	100	458	1,243	7,142	14,352	3,456
NONWHITE.	11,109	1,055	142	531	1,654	3,556	3,632	539
1. HEART DISEASE.	17,061	187	9	77	677	4,525	9,180	2,406
WHITE.	13,111	51	5	33	301	3,135	7,483	2,103
NONWHITE.	3,950	136	4	44	376	1,390	1,697	303
A. ARTERIOSCLEROTIC.	14,047	--	--	4	346	3,381	8,081	2,235
WHITE.	11,422	--	--	1	179	2,489	6,773	1,980
NONWHITE.	2,625	--	--	3	167	892	1,308	255
B. OTHER.	3,014	187	9	73	331	1,144	1,099	171
WHITE.	1,689	51	5	32	122	646	710	123
NONWHITE.	1,325	136	4	41	209	498	389	48
2. MALIGNANT NEOPLASMS.	6,662	16	30	46	328	2,624	3,265	353
WHITE.	4,866	10	13	29	159	1,783	2,564	308
NONWHITE.	1,796	6	17	17	169	841	701	45
3. CEREbroVASCULAR DISEASE.	3,129	4	3	11	135	656	1,834	486
WHITE.	2,215	1	1	6	40	386	1,373	408
NONWHITE.	914	3	2	5	95	270	461	78
4. ACCIDENTS.	1,452	94	105	289	395	306	229	34
WHITE.	852	27	47	178	201	188	184	27
NONWHITE.	600	67	58	111	194	118	45	7
A. MOTOR VEHICLE.	487	19	35	111	158	98	57	9
WHITE.	295	5	16	79	82	64	42	7
NONWHITE.	192	14	19	32	76	34	15	2
B. OTHER.	965	75	70	178	237	208	172	25
WHITE.	557	22	31	99	119	124	142	20
NONWHITE.	408	53	39	79	118	84	30	5
5. PNEUMONIA AND INFLUENZA.	1,268	92	8	17	74	285	612	180
WHITE.	852	32	3	9	27	157	470	154
NONWHITE.	416	60	5	8	47	128	142	26
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,101	1,042	18	7	13	15	5	1
WHITE.	444	409	6	6	9	9	4	1
NONWHITE.	657	633	12	1	4	6	1	--
7. OTHER CIRCULATORY DISEASES.	628	--	--	6	46	170	354	52
WHITE.	429	--	--	2	19	105	263	40
NONWHITE.	199	--	--	4	27	65	91	12
8. DIABETES MELLITUS.	760	--	--	6	40	225	433	56
WHITE.	538	--	--	2	17	139	336	44
NONWHITE.	222	--	--	4	23	86	97	12
9. CIRRHOSIS OF LIVER.	973	3	--	4	201	568	186	11
WHITE.	713	1	--	2	95	444	162	9
NONWHITE.	260	2	--	2	106	124	24	2
10. GENERAL ARTERIOSCLEROSIS.	458	1	--	--	2	32	273	150
WHITE.	413	1	--	--	2	25	244	141
NONWHITE.	45	--	--	--	--	7	29	9
11. EMPHYSEMA.	331	--	--	--	4	104	203	20
WHITE.	278	--	--	--	2	82	177	17
NONWHITE.	53	--	--	--	2	22	26	3
12. HOMICIDE.	923	11	25	277	393	164	51	2
WHITE.	261	3	5	70	99	53	29	2
NONWHITE.	662	8	20	207	294	111	22	--

TABLE 2A. -- THE THREE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1973--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	71,787	2,300	582	1,715	3,376	16,144	36,156	11,514
WHITE.	69,670	1,957	544	1,581	3,029	15,279	34,994	11,286
NONWHITE.	3,117	343	38	134	347	865	1,162	228
1. HEART DISEASE.	30,212	40	7	55	582	6,333	16,982	6,213
WHITE.	29,296	29	7	45	512	6,039	16,474	6,100
NONWHITE.	1,006	11	--	10	70	294	508	113
A. ARTERIOSCLEROTIC.	27,861	1	--	6	432	5,675	15,858	5,889
WHITE.	27,032	1	--	6	385	5,444	15,414	5,782
NONWHITE.	829	--	--	--	47	231	444	107
C. OTHER.	2,351	39	7	49	150	658	1,124	324
WHITE.	2,174	28	7	39	127	595	1,060	318
NONWHITE.	177	11	--	10	23	63	64	6
2. MALIGNANT NEOPLASMS.	13,153	33	77	120	719	4,602	6,734	868
WHITE.	12,631	31	74	114	674	4,393	6,501	844
NONWHITE.	522	2	3	6	45	209	233	24
3. CEREBROVASCULAR DISEASE.	7,743	6	3	22	115	964	4,670	1,963
WHITE.	7,454	6	3	20	97	891	4,518	1,919
NONWHITE.	289	--	--	2	18	73	152	44
4. ACCIDENTS.	3,874	190	295	1,009	820	732	645	183
WHITE.	3,675	162	276	966	774	691	625	181
NONWHITE.	199	28	19	43	46	41	20	2
A. MOTOR VEHICLE.	2,065	66	135	713	513	364	254	20
WHITE.	1,980	60	131	686	490	347	246	20
NONWHITE.	85	6	4	27	23	17	8	--
C. OTHER.	1,809	124	160	296	307	368	391	163
WHITE.	1,695	102	145	280	284	344	379	161
NONWHITE.	114	22	15	16	23	24	12	2
5. PNEUMONIA AND INFLUENZA.	2,113	187	25	36	75	283	969	538
WHITE.	1,973	140	24	32	59	254	942	522
NONWHITE.	140	47	1	4	16	29	27	16
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,549	1,518	43	26	32	49	21	--
WHITE.	1,476	1,317	37	24	30	47	21	--
NONWHITE.	213	201	6	2	2	2	--	--
7. OTHER CIRCULATORY DISEASES.	1,571	5	3	6	46	347	933	231
WHITE.	1,515	5	3	6	42	330	904	225
NONWHITE.	56	--	--	--	4	17	29	6
8. DIABETES MELLITUS.	1,234	1	3	8	42	273	751	156
WHITE.	1,169	1	3	7	39	245	720	154
NONWHITE.	65	--	--	1	3	28	31	2
9. CIRRHOSIS OF LIVER.	940	3	2	--	122	530	268	15
WHITE.	905	2	2	--	113	510	264	15
NONWHITE.	34	1	--	--	9	20	4	--
10. GENERAL ARTERIOSCLEROSIS.	1,331	--	--	--	4	67	675	585
WHITE.	1,278	--	--	--	2	58	640	578
NONWHITE.	53	--	--	--	2	9	35	7
11. EMPHYSEMA.	1,012	--	--	2	16	230	697	67
WHITE.	941	--	--	2	15	222	685	67
NONWHITE.	71	--	--	--	1	8	12	--
12. HOMICIDE.	346	5	13	92	134	70	32	--
WHITE.	238	5	13	55	82	56	27	--
NONWHITE.	108	--	--	37	52	14	5	--

TABLE 90.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE, 1973

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1973)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	981.3	429.3	38.9	134.5	231.8	1,141.7	5,241.0	16,857.6
WHITE	992.7	344.8	36.8	119.2	184.2	1,060.1	5,194.3	17,343.5
NONWHITE	910.8	781.0	48.6	221.7	517.1	1,873.3	5,775.9	10,957.1
1. HEART DISEASE	420.7	24.6	0.8	6.6	46.5	461.8	2,532.6	9,368.5
WHITE	437.4	10.7	0.7	4.6	35.1	433.8	2,521.8	9,650.6
NONWHITE	317.3	82.1	1.1	18.0	115.2	713.6	2,656.6	5,942.9
A. ARTERIOSCLEROTIC	373.0	0.1	-0-	0.5	28.8	385.2	2,317.4	8,830.4
WHITE	397.5	0.1	-0-	0.4	24.3	375.1	2,335.5	9,131.8
NONWHITE	221.1	-0-	-0-	1.0	55.3	475.8	2,110.8	5,171.4
B. OTHER	47.7	24.5	0.8	6.1	17.8	76.6	215.2	538.0
WHITE	39.9	10.6	0.7	4.2	10.7	186.3	58.7	518.8
NONWHITE	96.2	82.1	1.1	17.0	59.9	237.7	545.8	771.4
2. MALIGNANT NEOPLASMS	176.4	5.3	5.0	4.3	38.7	307.4	968.0	1,327.2
WHITE	180.9	5.5	5.0	8.4	35.9	292.0	954.2	1,355.3
NONWHITE	148.4	4.5	5.4	7.7	55.3	444.9	1,125.3	985.7
3. CEREBROVASCULAR DISEASE	96.8	1.1	0.3	1.6	9.2	68.9	629.6	2,662.0
WHITE	99.4	0.9	0.2	1.5	5.9	60.4	620.1	2,737.6
NONWHITE	77.0	1.7	0.5	2.3	29.2	145.3	738.6	1,742.9
4. ACCIDENTS	47.4	30.7	18.9	64.6	44.9	44.2	84.6	235.9
WHITE	46.8	25.4	18.5	66.9	42.0	41.6	85.2	244.7
NONWHITE	51.2	53.1	20.8	51.3	62.0	67.4	78.3	128.6
A. MOTOR VEHICLE	22.7	9.2	8.0	41.0	24.8	19.7	30.1	31.5
WHITE	23.5	8.7	8.4	44.7	24.7	19.4	30.3	31.8
NONWHITE	17.7	11.2	6.2	19.7	25.6	21.6	27.7	28.6
B. OTHER	24.7	21.5	10.8	23.6	20.1	24.5	54.5	204.3
WHITE	23.3	16.6	10.1	22.2	17.4	22.1	54.8	212.9
NONWHITE	33.4	41.9	14.6	31.7	36.4	45.8	50.6	100.0
5. PNEUMONIA AND INFLUENZA	30.1	30.2	1.6	2.6	5.5	24.2	153.0	780.4
WHITE	29.2	23.1	1.5	2.4	3.7	19.4	148.6	795.3
NONWHITE	35.6	59.8	1.6	4.0	16.3	66.5	203.6	600.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	24.8	277.1	2.9	1.6	1.7	2.7	2.5	1.1
WHITE	19.8	231.7	2.5	1.8	1.7	2.6	2.6	1.2
NONWHITE	55.7	465.9	4.9	1.0	1.6	3.4	1.2	-0-
7. OTHER CIRCULATORY DISEASES	19.6	0.5	0.1	0.6	3.4	22.0	124.6	307.6
WHITE	20.1	0.7	0.2	0.5	2.6	20.6	122.8	311.8
NONWHITE	16.3	-0-	-0-	1.3	8.0	34.7	144.6	257.1
8. DIABETES MELLITUS	17.7	0.1	0.1	0.7	3.0	21.2	114.6	230.4
WHITE	17.6	0.1	0.2	0.5	2.4	18.2	111.2	232.9
NONWHITE	18.4	-0-	-0-	1.7	6.7	48.3	154.2	200.0
9. CIRRHOSIS OF LIVER	17.0	0.6	0.1	0.2	11.9	46.7	43.9	28.3
WHITE	16.7	0.4	0.1	0.1	9.0	45.1	44.8	28.2
NONWHITE	18.8	1.7	-0-	0.7	29.7	61.0	33.7	28.6
10. GENERAL ARTERIOSCLEROSIS	15.4	0.1	-0-	-0-	0.2	4.2	91.8	798.9
WHITE	17.5	0.1	-0-	-0-	0.2	3.9	93.1	845.9
NONWHITE	6.3	-0-	-0-	-0-	0.5	6.8	77.1	228.6
11. EMPHYSEMA	12.0	-0-	-0-	0.1	0.7	14.2	87.1	94.6
WHITE	13.1	-0-	-0-	0.1	0.7	14.4	90.7	98.8
NONWHITE	4.7	-0-	-0-	-0-	0.8	12.7	45.8	42.9
12. HOMICIDE	11.3	1.7	1.8	18.4	19.5	10.0	8.0	2.2
WHITE	5.2	1.1	1.0	7.3	7.8	5.2	5.9	2.4
NONWHITE	49.3	4.5	5.4	81.3	89.4	53.0	32.5	-0-

TABLE 100.-- DEATH RATE FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE, 1973--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1973)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	1,154.6	617.4	40.7	176.0	358.5	1,490.0	5,258.5	15,980.0
WHITE.	1,274.5	437.1	31.7	134.7	242.8	1,322.6	5,125.7	17,280.0
NONWHITE.	947.1	811.5	50.7	239.2	558.8	1,997.8	5,858.1	10,780.0
1. HEART DISEASE.	513.2	69.3	1.5	13.7	83.8	630.2	2,684.2	9,624.0
WHITE.	610.7	36.4	1.6	9.7	58.8	580.6	2,672.5	10,515.0
NONWHITE.	336.7	104.6	1.4	19.8	127.0	780.9	2,737.1	6,060.0
A. ARTERIOSCLEROTIC.	423.1	-0-	-0-	0.7	42.8	470.9	2,362.9	8,940.0
WHITE.	532.0	-0-	-0-	0.3	35.0	460.9	2,418.9	9,900.0
NONWHITE.	223.8	-0-	-0-	1.4	56.4	501.1	2,109.7	5,100.0
B. OTHER.	90.8	69.3	1.5	13.0	41.0	159.3	321.3	684.0
WHITE.	78.7	36.4	1.6	9.4	23.8	119.6	253.6	615.0
NONWHITE.	113.0	104.6	1.4	18.5	70.6	279.8	627.4	960.0
2. MALIGNANT NEOPLASMS.	200.7	5.9	5.0	8.2	40.6	365.5	954.7	1,412.0
WHITE.	226.6	7.1	4.1	4.5	31.1	330.2	915.7	1,540.0
NONWHITE.	153.1	4.6	6.1	7.7	57.1	472.5	1,130.6	900.0
3. CEREBROVASCULAR DISEASE.	94.2	1.5	0.5	2.0	16.7	91.4	536.3	1,944.0
WHITE.	103.2	0.7	0.3	1.8	7.8	71.5	490.4	2,040.0
NONWHITE.	77.4	2.3	0.7	2.3	32.1	151.7	743.5	1,560.0
4. ACCIDENTS.	43.7	34.8	17.6	51.4	48.9	42.6	67.0	136.0
WHITE.	39.7	19.3	14.9	52.4	39.3	34.8	65.7	135.0
NONWHITE.	51.2	51.5	20.7	50.0	65.5	66.3	72.6	140.0
A. MOTOR VEHICLE.	14.7	7.0	5.9	14.8	19.6	13.6	16.7	36.0
WHITE.	13.7	3.6	5.1	23.2	16.0	11.9	15.0	35.0
NONWHITE.	16.4	10.8	6.8	14.4	25.7	19.1	24.2	40.0
B. OTHER.	29.1	27.8	11.8	31.7	29.3	29.0	50.3	100.0
WHITE.	25.9	15.7	9.8	29.1	23.2	23.0	50.7	100.0
NONWHITE.	34.8	40.8	13.9	35.6	39.9	47.2	48.4	100.0
5. PNEUMONIA AND INFLUENZA.	38.2	34.1	1.3	3.0	9.2	39.7	178.9	720.0
WHITE.	39.7	22.9	1.0	2.6	5.3	29.1	167.9	770.0
NONWHITE.	35.5	46.2	1.8	3.6	15.9	71.9	229.0	520.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	33.2	385.9	3.0	1.2	1.6	2.1	1.5	4.0
WHITE.	20.7	292.1	1.9	1.8	1.8	1.7	1.4	5.0
NONWHITE.	56.0	486.9	4.3	0.5	1.4	3.4	1.6	-0-
7. OTHER CIRCULATORY DISEASES.	18.9	-0-	-0-	1.1	5.7	23.7	103.5	208.0
WHITE.	20.0	-0-	-0-	0.6	3.7	19.4	93.9	200.0
NONWHITE.	17.0	-0-	-0-	1.8	9.1	36.5	146.8	240.0
8. DIABETES MELLITUS.	22.4	-0-	-0-	1.1	5.0	31.3	126.6	224.0
WHITE.	25.1	-0-	-0-	0.6	3.3	25.7	120.0	220.0
NONWHITE.	18.9	-0-	-0-	1.8	7.8	48.3	156.5	240.0
9. CIRRHOSIS OF LIVER.	29.3	1.1	-0-	0.7	24.9	79.1	54.4	44.0
WHITE.	33.2	0.7	-0-	0.6	18.6	82.2	57.9	45.0
NONWHITE.	22.2	1.5	-0-	0.9	35.8	69.7	38.7	40.0
10. GENERAL ARTERIOSCLEROSIS.	13.8	0.4	-0-	-0-	0.2	4.5	79.8	600.0
WHITE.	14.2	0.7	-0-	-0-	0.4	4.6	87.1	705.0
NONWHITE.	3.8	-0-	-0-	-0-	-0-	3.9	46.8	180.0
11. EMPHYSEMA.	10.0	-0-	-0-	-0-	0.5	14.5	59.4	80.0
WHITE.	12.4	-0-	-0-	-0-	0.4	15.2	63.2	85.0
NONWHITE.	4.5	-0-	-0-	-0-	0.7	12.4	41.9	60.0
12. HOMICIDE.	27.8	4.1	4.2	49.3	48.6	22.8	14.9	8.0
WHITE.	12.2	2.1	1.6	20.6	19.3	9.8	10.4	10.0
NONWHITE.	56.4	6.2	7.1	93.2	99.3	62.4	35.5	-0-

TABLE 94.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1973--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1973)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	906.9	351.7	38.2	118.4	177.9	988.6	5,232.4	17,185.1
WHITE.	912.3	323.5	37.9	115.4	167.6	970.1	5,223.0	17,363.1
NONWHITE.	801.3	700.0	42.2	171.8	381.3	1,491.4	5,533.3	11,400.0
1. HEART DISEASE.	381.7	6.1	0.5	3.8	30.7	387.8	2,457.6	9,273.1
WHITE.	389.0	4.8	0.5	3.3	28.3	383.4	2,458.8	9,384.6
NONWHITE.	258.6	22.4	-0-	12.8	76.9	506.9	2,419.0	5,650.0
A. ARTERIOSCLEROTIC.	352.0	0.2	-0-	0.4	22.8	347.5	2,294.9	8,789.6
WHITE.	359.1	0.2	-0-	0.4	21.3	345.7	2,300.6	8,895.4
NONWHITE.	213.1	-0-	-0-	-0-	51.6	398.3	2,114.3	5,350.0
B. OTHER.	29.7	6.0	0.5	3.4	7.9	40.3	162.7	483.6
WHITE.	29.9	4.6	0.5	2.8	7.0	37.8	158.2	489.2
NONWHITE.	45.5	22.4	-0-	12.8	25.3	108.6	304.8	300.0
2. MALIGNANT NEOPLASMS.	166.2	5.0	5.0	8.3	37.9	281.8	974.5	1,295.5
WHITE.	167.8	5.1	5.2	8.3	37.3	278.9	970.3	1,298.5
NONWHITE.	134.2	4.1	3.3	7.7	49.5	360.3	1,109.5	1,200.0
3. CEREBROVASCULAR DISEASE.	97.8	0.9	0.2	1.5	6.1	59.0	675.8	2,929.9
WHITE.	99.0	1.0	0.2	1.5	5.4	56.6	674.3	2,952.3
NONWHITE.	74.3	-0-	-0-	2.6	19.8	125.9	723.8	2,200.0
4. ACCIDENTS.	48.9	29.1	19.3	69.7	43.2	44.8	93.3	273.1
WHITE.	48.8	26.8	19.2	70.5	42.8	43.9	93.3	278.5
NONWHITE.	51.2	57.1	21.1	55.1	50.5	70.7	95.2	100.0
A. MOTOR VEHICLE.	26.1	10.1	8.9	49.2	27.0	22.3	36.8	29.9
WHITE.	26.3	9.9	9.1	50.1	27.1	22.0	36.7	30.8
NONWHITE.	21.9	12.2	4.4	34.6	25.3	29.3	38.1	-0-
B. OTHER.	22.9	19.0	10.5	20.4	16.2	22.5	56.6	243.3
WHITE.	22.5	16.9	10.1	20.4	15.7	21.8	56.6	247.7
NONWHITE.	29.3	44.9	16.7	20.5	25.3	41.4	57.1	100.0
5. PNEUMONIA AND INFLUENZA.	26.7	28.6	1.6	2.5	4.0	17.3	140.2	803.0
WHITE.	26.2	23.1	1.7	2.3	3.3	16.1	140.6	803.1
NONWHITE.	36.0	45.9	1.1	5.1	17.6	50.0	128.6	800.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	21.3	232.1	2.8	1.8	1.7	3.0	3.0	-0-
WHITE.	19.6	217.7	2.6	1.8	1.7	3.0	3.1	-0-
NONWHITE.	54.8	410.2	6.7	2.6	2.2	3.4	-0-	-0-
7. OTHER CIRCULATORY DISEASES.	19.8	0.8	0.2	0.4	2.4	21.2	135.0	344.8
WHITE.	20.1	0.8	0.2	0.4	2.3	21.0	134.9	346.2
NONWHITE.	14.4	-0-	-0-	-0-	4.4	29.3	138.1	300.0
8. DIABETES MELLITUS.	15.6	0.2	0.2	0.6	2.2	16.7	108.7	232.8
WHITE.	15.5	0.2	0.2	0.5	2.2	15.6	107.5	236.9
NONWHITE.	16.7	-0-	-0-	1.3	3.3	48.3	147.6	100.0
9. CIRRHOSIS OF LIVER.	11.9	0.5	0.1	-0-	6.4	32.5	38.8	22.4
WHITE.	12.0	0.3	0.1	-0-	6.3	32.4	39.4	23.1
NONWHITE.	8.7	2.0	-0-	-0-	9.9	34.5	19.0	-0-
10. GENERAL ARTERIOSCLEROSIS.	16.8	-0-	-0-	-0-	0.2	4.1	97.7	873.1
WHITE.	17.0	-0-	-0-	-0-	0.1	3.7	95.5	889.2
NONWHITE.	13.6	-0-	-0-	-0-	2.2	15.5	166.7	350.0
11. EMPHYSEMA.	12.8	-0-	-0-	0.1	0.8	14.1	100.9	100.0
WHITE.	13.2	-0-	-0-	0.1	0.8	14.1	102.2	103.1
NONWHITE.	5.4	-0-	-0-	-0-	1.1	13.8	57.1	-0-
12. HOMICIDE.	4.4	0.8	0.9	6.4	7.1	4.3	4.6	-0-
WHITE.	3.2	0.8	0.9	4.0	4.5	3.6	4.0	-0-
NONWHITE.	27.8	-0-	-0-	47.4	57.1	24.1	23.8	-0-

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	110,259	62,733	41,908	5,365	10,872	1,789	600	2,199	1,343
ADAMS.	1,004	605	384	25	131	26	6	33	20
ALEXANDER. . . .	224	134	98	3	25	1	--	7	6
BOND.	174	122	84	--	29	8	--	1	2
BOONE.	216	115	71	12	22	4	3	3	6
BROWN.	78	47	39	1	5	2	--	--	1
BUREAU.	441	270	171	12	62	13	4	8	8
CALHOUN.	80	43	24	1	11	2	--	5	2
CARROLL.	219	126	80	11	23	5	2	5	5
CASS.	190	122	87	4	19	7	1	4	4
CHAMPAIGN. . . .	913	505	315	27	89	44	6	24	19
CHRISTIAN. . . .	441	268	190	12	51	4	2	9	17
CLARK.	204	134	75	8	39	7	1	4	1
CLAY.	218	135	94	11	20	3	2	5	2
CLINTON.	259	151	96	10	30	6	3	6	1
COLES.	547	316	208	14	73	8	--	13	6
COOK.	55,661	31,289	20,733	3,682	4,859	715	304	996	528
CRAWFORD. . . .	274	185	122	15	39	4	2	3	3
CUMBERLAND. . . .	134	78	48	5	13	4	3	5	2
DE KALB.	487	270	179	12	58	7	2	12	9
DE WITT.	212	133	94	1	24	5	--	9	5
DOUGLAS.	215	134	91	9	25	3	3	3	7
DUPAGE.	3,062	1,666	1,101	88	333	52	15	77	35
EDGAR.	274	170	109	5	48	3	--	5	4
EDWARDS.	108	72	48	6	12	1	1	4	2
EFFINGHAM. . . .	274	155	90	10	28	19	--	8	5
FAYETTE.	254	146	94	6	33	5	4	4	1
FORD.	177	107	69	5	20	7	1	5	2
FRANKLIN.	661	436	312	7	94	12	1	10	5
FULTON.	494	285	182	34	51	5	5	8	8
GALLATIN.	103	62	39	4	13	3	--	3	--
GREENE.	254	150	86	17	30	6	3	8	6
GRUNDY.	254	141	98	12	26	1	2	2	3
HAMILTON.	136	88	60	2	17	4	--	5	2
HANCOCK.	291	185	128	10	29	7	1	10	10
HARDIN.	69	39	23	3	7	1	--	5	--
HENDERSON. . . .	101	57	37	5	14	1	--	--	1
HENRY.	559	331	235	15	65	4	2	10	8
IROQUOIS.	401	233	178	7	33	5	4	6	3
JACKSON.	494	312	212	16	64	6	3	11	7
JASPER.	142	85	63	2	10	6	--	4	2
JEFFERSON. . . .	424	234	119	27	52	20	3	13	9
JERSEY.	189	120	85	9	19	1	--	6	2
JO DAVIESS. . . .	249	142	102	10	22	2	1	5	--
JOHNSON.	95	54	40	4	9	--	--	1	--
KANE.	2,104	1,172	791	60	241	25	9	46	23
KANKAKEE.	847	483	363	17	61	28	3	11	14
KENDALL.	199	106	67	8	21	7	2	1	1
KNOX.	726	456	322	21	83	16	6	8	16
LAKE.	2,722	1,439	976	78	285	38	16	46	38
LA SALLE.	1,256	729	466	36	171	18	6	32	13

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	19,815	5,326	2,552	2,774	3,381	2,007	783	1,994	1,913	1,095
ADAMS	174	50	30	20	36	14	5	11	10	6
ALEXANDER	31	16	8	8	5	6	1	3	--	4
BOND	23	4	2	2	3	2	1	3	1	2
BOONE	39	17	8	9	5	2	2	4	1	1
BROWN	12	5	3	2	--	--	1	2	1	1
BUREAU	74	23	17	6	10	7	--	9	3	10
CALHOUN	16	9	4	5	1	--	--	1	1	--
CARROLL	42	17	7	10	6	1	2	5	2	--
CASS	24	16	6	10	2	1	1	4	1	--
CHAMPAIGN	164	46	26	20	32	16	10	15	12	10
CHRISTIAN	71	15	5	10	18	2	1	9	3	1
CLARK	32	8	6	2	2	3	--	1	--	1
CLAY	33	7	4	3	9	4	--	2	1	2
CLINTON	45	26	14	12	4	4	1	9	1	--
COLES	90	27	16	11	17	7	3	13	3	4
COOK	10,129	2,169	836	1,333	1,752	1,106	389	1,062	1,277	515
CRAWFORD	39	15	9	6	4	6	--	2	2	2
CUMBERLAND	26	7	4	3	2	3	--	2	1	2
DE KALB	85	34	18	16	15	11	4	6	7	4
DE WITT	32	14	10	4	3	3	3	2	3	2
DOUGLAS	32	17	9	8	6	1	2	4	--	--
DU PAGE	654	166	92	74	76	57	45	40	49	45
EDGAR	48	12	3	9	11	3	1	5	4	4
EDWARDS	12	6	5	1	5	1	--	1	--	--
EFFINGHAM	50	12	7	5	17	5	--	4	1	--
FAYETTE	39	14	10	4	11	3	1	9	1	--
FORD	25	13	6	7	9	4	2	1	1	1
FRANKLIN	99	23	10	13	10	9	3	11	4	8
FULTON	89	36	22	14	14	9	2	9	1	2
GALLATIN	16	3	1	2	6	--	2	1	--	2
GREENE	37	13	10	3	17	3	--	5	2	1
GRUNDY	49	18	12	6	7	7	--	1	1	5
HAMILTON	24	5	3	2	6	--	--	1	1	--
HANCOCK	45	12	4	8	7	2	1	3	1	2
HARDIN	12	6	2	4	3	--	--	--	1	1
HENDERSON	14	8	4	4	6	1	2	3	1	2
HENRY	93	28	19	9	17	7	2	14	5	3
IROQUOIS	85	20	12	8	6	10	2	3	3	3
JACKSON	78	31	18	13	11	7	2	5	2	4
JASPER	27	5	2	3	5	1	--	2	1	1
JEFFERSON	60	24	10	14	18	7	1	7	4	7
JERSEY	27	12	6	6	8	--	2	3	1	--
JO DAVIESS	50	13	4	9	11	3	4	4	2	2
JOHNSON	18	9	4	5	4	--	--	3	--	--
KANE	376	133	79	54	61	55	23	26	39	37
KANKAKEE	149	48	25	23	17	25	4	22	8	9
KENDALL	31	24	16	8	7	6	--	2	1	6
KNOX	105	28	14	14	17	12	7	6	4	6
LAKE	503	195	108	87	81	40	24	42	58	39
LA SALLE	238	83	49	34	44	14	6	18	12	8

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	C A R D I O V A S C U L A R D I S E A S E								
	ALL CAUSES	TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE. . . .	255	150	104	7	23	5	2	9	2
LEE.	406	219	145	16	42	5	2	9	1
LIVINGSTON. . .	436	264	173	16	48	12	1	14	2
LOGAN.	343	203	143	9	28	14	1	8	5
MCDONOUGH. . .	359	229	161	10	43	13	--	2	5
MCHENRY. . . .	1,016	563	387	28	93	24	13	18	12
MCLEAN.	921	535	382	19	99	12	5	18	18
MACON.	1,265	710	425	47	173	20	12	33	24
MACOUPIN. . . .	594	361	243	22	69	14	2	11	11
MADISON.	2,345	1,358	913	94	231	47	14	59	45
MARION.	527	289	211	14	47	4	2	11	9
MARSHALL. . . .	172	108	83	4	14	2	1	4	1
MASON.	216	137	108	4	21	2	--	2	2
MASSAC.	170	96	71	4	17	1	1	2	3
MENARD.	110	73	43	5	13	4	2	6	3
MERCER.	187	117	85	2	19	2	1	8	1
MONROE.	199	123	87	6	17	11	1	1	2
MONTGOMERY. . .	381	213	143	7	51	4	3	5	10
MORGAN.	420	265	173	13	52	13	2	12	4
MOULTRIE. . . .	164	103	71	1	26	2	2	1	2
OGLE.	408	234	158	14	42	2	6	12	8
PEORIA.	2,008	1,127	754	53	229	35	6	50	41
PERRY.	249	153	119	4	24	2	--	4	4
PIATT.	158	98	63	1	22	7	1	4	3
PIKE.	274	180	110	7	31	21	3	8	4
POPE.	55	29	25	--	3	--	--	1	--
PULASKI.	152	79	50	10	10	7	--	2	--
PUTNAM.	60	27	9	3	7	5	--	3	--
RANDOLPH. . . .	382	253	190	12	37	3	4	7	6
HIGHLAND. . . .	174	95	71	4	12	4	1	3	1
ROCK ISLAND. . .	1,486	843	628	36	127	18	13	21	27
ST. CLAIR. . . .	2,836	1,653	1,138	116	285	43	20	51	39
SALINE.	455	293	181	29	56	19	1	7	8
SANGAMON. . . .	1,829	1,021	694	30	208	26	6	57	21
SCHUYLER. . . .	109	77	68	1	6	2	--	--	--
SCOTT.	77	56	32	--	20	--	1	3	--
SHELBY.	311	190	113	15	47	8	3	4	6
STARK.	94	57	44	3	5	2	--	3	2
STEPHENSON. . .	521	301	208	10	60	5	7	11	6
TAZEWELL. . . .	952	509	331	45	96	16	2	19	17
UNION.	211	134	79	9	30	7	--	9	1
VERMILION. . . .	1,109	636	388	53	143	25	2	25	23
WARASH.	179	115	80	6	15	8	1	5	4
WARREN.	235	163	103	12	33	5	--	10	2
WASHINGTON. . .	224	142	110	6	18	2	1	5	3
WAYNE.	223	144	111	8	20	1	--	4	3
WHITE.	226	144	88	8	34	4	2	8	--
WHITESIDE. . . .	597	319	210	17	72	9	2	9	6
WILL.	2,034	1,082	741	56	195	38	7	45	23
WILLIAMSON. . .	671	378	243	14	90	12	1	18	10
WINNEBAGO. . . .	2,067	1,084	735	46	199	53	8	43	36
WOODFORD. . . .	292	162	103	10	32	8	3	6	3
UNSPECIFIED. . .	5	2	2	--	--	--	--	--	--

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE.	34	22	8	14	11	4	2	4	4	3
LEE.	66	32	20	12	10	8	6	9	1	7
LIVINGSTON.	77	34	23	11	13	8	1	6	6	2
LOGAN.	52	27	7	20	7	7	3	6	3	2
MCDONOUGH.	50	18	11	7	3	3	--	14	3	7
MCHENRY.	171	71	40	31	37	15	13	18	20	20
MCLEAN.	151	62	30	32	20	17	5	21	10	9
MACON.	232	64	33	31	34	39	12	26	18	13
MACOUPIN.	96	31	21	10	22	6	2	21	2	4
MADISON.	411	118	70	48	87	29	16	45	20	27
MARION.	91	26	10	16	24	6	--	17	8	7
MARSHALL.	30	11	7	4	10	1	--	--	--	2
MASON.	33	13	9	4	9	1	1	3	1	2
MASSAC.	26	9	5	4	11	1	--	3	2	1
MENARD.	16	2	2	--	5	--	--	2	1	1
MERCER.	24	10	6	4	11	1	1	9	--	--
MONROE.	33	11	7	4	2	1	2	3	4	2
MONTGOMERY.	71	30	22	8	9	2	4	2	5	2
MORGAN.	66	27	20	7	12	6	2	5	1	3
MOULTRIE.	27	7	4	3	4	3	2	2	3	1
OGLE.	65	32	16	16	5	5	5	7	4	7
PEORIA.	397	100	49	51	64	36	10	20	29	26
PERRY.	33	19	12	7	9	--	1	4	--	2
PIATT.	20	9	8	1	7	--	--	3	2	1
PIKE.	46	17	11	6	6	3	--	3	1	2
POPE.	11	5	2	3	2	--	--	1	2	--
PULASKI.	35	12	3	9	5	1	--	--	1	--
PUTNAM.	11	10	5	5	3	2	1	--	1	2
RANDOLPH.	65	16	10	6	7	2	1	8	3	3
RICHLAND.	30	7	5	2	12	2	2	7	2	4
ROCK ISLAND.	261	94	53	41	33	30	16	35	16	15
ST. CLAIR.	501	129	60	69	79	70	19	34	27	26
SALINE.	82	20	9	11	11	3	3	5	5	1
SANGAMON.	399	66	26	40	44	21	5	38	27	24
SCHUYLER.	16	6	3	3	3	2	--	--	1	1
SCOTT.	15	2	2	--	--	1	--	--	--	--
SHELBY.	53	12	3	9	13	6	1	3	--	2
STARK.	24	3	2	1	2	--	1	1	--	--
STEPHENSON.	94	31	12	19	14	6	4	4	7	4
TAZEWELL.	188	66	45	21	31	25	11	12	12	9
UNION.	32	13	8	5	5	1	--	6	1	--
VERMILION.	186	52	27	25	47	18	7	26	18	12
WARASH.	22	17	8	9	2	--	--	2	2	3
WARREN.	35	11	3	8	5	--	--	6	--	--
WASHINGTON.	36	16	4	12	10	1	--	3	1	--
WAYNE.	31	8	5	3	9	1	3	2	3	2
WHITE.	32	11	3	8	9	5	--	14	1	1
WHITESIDE.	127	32	15	17	26	11	3	8	8	6
WILL.	363	149	89	60	46	63	21	51	37	28
WILLIAMSON.	122	47	17	30	13	6	3	17	7	6
WINNEBAGO.	404	117	64	53	65	23	29	37	41	26
WOODFORD.	55	30	19	11	4	5	2	1	4	2
UNSPECIFIED.	1	--	--	--	--	--	1	--	--	--

TABLE 10A. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCU- LATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	981.3	558.3	373.0	47.7	96.8	15.9	5.3	19.6	12.0
ADAMS	1,400.3	843.8	535.6	34.9	182.7	36.3	8.4	46.0	27.9
ALEXANDER	1,821.1	1,089.4	796.7	24.4	203.3	8.1	-0-	56.9	48.8
BOND	1,183.7	829.9	571.4	-0-	197.3	54.4	-0-	6.8	13.6
BOONE	812.0	432.3	266.9	45.1	82.7	15.0	11.3	11.3	22.6
BROWN	1,392.9	839.3	696.4	17.9	89.3	35.7	-0-	-0-	17.9
BUREAU	1,208.2	739.7	468.5	32.9	169.9	35.6	11.0	21.9	21.9
CALHOUN	1,454.5	781.8	436.4	18.2	200.0	36.4	-0-	90.9	36.4
CARROLL	1,152.6	663.2	421.1	57.9	121.1	26.3	10.5	26.3	26.3
CASS	1,357.1	871.4	621.4	28.6	135.7	50.0	7.1	28.6	28.6
CHAMPAIGN	557.0	308.1	192.2	16.5	54.3	26.8	3.7	14.6	11.6
CHRISTIAN	1,191.9	724.3	513.5	32.4	137.8	10.8	5.4	24.3	45.9
CLARK	1,251.5	822.1	460.1	49.1	239.3	42.9	6.1	24.5	6.1
CLAY	1,503.4	931.0	648.3	75.9	137.9	20.7	13.8	34.5	13.8
CLINTON	887.0	517.1	328.8	34.2	102.7	20.5	10.3	20.5	3.4
COLES	1,111.8	642.3	422.8	28.5	148.4	16.3	-0-	26.4	12.2
COOK	1,017.4	571.9	379.0	67.3	88.8	13.1	5.6	18.2	9.7
CRAWFORD	1,405.1	948.7	625.6	76.9	200.0	20.5	10.3	15.4	15.4
CUMBERLAND . . .	1,353.5	787.9	484.8	50.5	131.3	40.4	30.3	50.5	20.2
DE KALB	695.7	385.7	255.7	17.1	82.9	10.0	2.9	17.1	12.9
DE WITT	1,232.6	773.3	546.5	5.8	139.5	29.1	-0-	52.3	29.1
DOUGLAS	1,143.6	712.8	484.0	47.9	133.0	16.0	16.0	16.0	37.2
DU PAGE	580.6	315.9	208.8	16.7	63.1	9.9	2.8	14.6	6.6
EDGAR	1,292.5	801.9	514.2	23.6	226.4	14.2	-0-	23.6	18.9
EDWARDS	1,521.1	1,014.1	676.1	84.5	169.0	14.1	14.1	56.3	28.2
EFFINGHAM	1,041.8	589.4	342.2	38.0	106.5	72.2	-0-	30.4	19.0
FAYETTE	1,203.8	691.9	445.5	28.4	156.4	23.7	19.0	19.0	4.7
FORD	1,156.9	699.3	451.0	32.7	130.7	45.8	6.5	32.7	13.1
FRANKLIN	1,636.1	1,079.2	772.3	17.3	232.7	29.7	2.5	24.8	12.4
FULTON	1,170.6	675.4	431.3	80.6	120.9	11.8	11.8	19.0	19.0
GALLATIN	1,430.6	861.1	541.7	55.6	180.6	41.7	-0-	41.7	-0-
GRENE	1,503.0	887.6	508.9	100.6	177.5	35.5	17.8	47.3	35.5
GRUNDY	913.7	507.2	352.5	43.2	93.5	3.6	7.2	7.2	10.8
HAMILTON	1,600.0	1,035.3	705.9	23.5	200.0	47.1	-0-	58.8	23.5
HANCOCK	1,287.6	818.6	566.4	44.2	128.3	31.0	4.4	44.2	44.2
HARDIN	1,380.0	780.0	460.0	60.0	140.0	20.0	-0-	100.0	-0-
HENDERSON	1,202.4	678.6	440.5	59.5	166.7	11.9	-0-	-0-	11.9
HENRY	1,056.7	625.7	444.2	28.4	122.9	7.6	3.8	18.9	15.1
IROQUOIS	1,162.3	675.4	515.9	20.3	95.7	14.5	11.6	17.4	8.7
JACKSON	909.8	574.6	390.4	29.5	117.9	11.0	5.5	20.3	12.9
JASPER	1,314.8	787.0	583.3	18.5	92.6	55.6	-0-	37.0	18.5
JEFFERSON	1,258.2	694.4	353.1	80.1	154.3	59.3	8.9	38.6	26.7
JERSEY	969.2	615.4	435.9	46.2	97.4	5.1	-0-	30.8	10.3
JO DAVIESS	1,137.0	648.4	465.8	45.7	100.5	9.1	4.6	22.8	-0-
JOHNSON	1,202.5	683.5	506.3	50.6	113.9	-0-	-0-	12.7	-0-
KANE	793.4	441.9	298.3	22.6	90.9	9.4	3.4	17.3	8.7
KANKAKEE	866.1	493.9	371.2	17.4	62.4	28.6	3.1	11.2	14.3
KENDALL	674.6	359.3	227.1	27.1	71.2	23.7	6.8	3.4	3.4
KNOX	1,196.0	751.2	530.5	34.6	136.7	26.4	9.9	13.2	26.4
LAKE	696.2	368.0	249.6	19.9	72.9	9.7	4.1	11.8	9.7
LA SALLE	1,126.5	653.8	417.9	32.3	153.4	16.1	5.4	28.7	11.7

TABLE 10A. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

COUNTY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	176.4	47.4	22.7	24.7	30.1	17.9	7.0	17.7	17.0	9.7
ADAMS.	242.7	69.7	41.8	27.9	50.2	19.5	7.0	15.3	13.9	8.4
ALEXANDER. . . .	252.0	130.1	65.0	65.0	40.7	48.8	8.1	24.4	-0-	32.5
ANDERSON.	156.5	27.2	13.6	13.6	20.4	13.6	6.8	20.4	6.8	13.6
ARIZONA.	146.6	63.9	30.1	33.8	18.8	7.5	7.5	15.0	3.8	3.8
BROWN.	214.3	89.3	53.6	35.7	-0-	-0-	17.9	35.7	17.9	17.9
BUREAU.	202.7	63.0	46.6	16.4	27.4	19.2	-0-	24.7	8.2	27.4
CALHOUN.	290.9	163.6	72.7	90.9	18.2	-0-	-0-	18.2	18.2	-0-
CARROLL.	221.1	89.5	36.8	52.6	31.6	5.3	10.5	26.3	10.5	-0-
CASS.	171.4	114.3	42.9	71.4	14.3	7.1	7.1	28.6	7.1	-0-
CHAMPAIGN. . . .	100.1	28.1	15.9	12.2	19.5	9.8	6.1	9.2	7.3	6.1
CHRISTIAN.	191.9	40.5	13.5	27.0	48.6	5.4	2.7	24.3	8.1	2.7
CLARK.	196.3	49.1	36.8	12.3	12.3	18.4	-0-	6.1	-0-	6.1
CLAY.	227.6	48.3	27.6	20.7	62.1	27.6	-0-	13.8	6.9	13.8
CLINTON.	154.1	89.0	47.9	41.1	13.7	13.7	3.4	30.8	3.4	-0-
COLES.	182.9	54.9	32.5	22.4	34.6	14.2	6.1	26.4	6.1	8.1
COOK.	185.1	39.6	15.3	24.4	32.0	20.2	7.1	19.4	23.3	9.4
CRAWFORD.	200.0	76.9	46.2	30.8	20.5	30.8	-0-	10.3	10.3	10.3
CUMBERLAND. . . .	262.6	70.7	40.4	30.3	20.2	30.3	-0-	20.2	10.1	20.2
DE KALB.	121.4	48.6	25.7	22.9	21.4	15.7	5.7	8.6	10.0	5.7
DE WITT.	186.0	81.4	58.1	23.3	17.4	17.4	17.4	11.6	17.4	11.6
DOUGLAS.	170.2	90.4	47.9	42.6	31.9	5.3	10.6	21.3	-0-	-0-
DU PAGE.	124.0	31.5	17.4	14.0	14.4	10.8	8.5	7.6	9.3	8.5
EDGAR.	226.4	56.6	14.2	42.5	51.9	14.2	4.7	23.6	18.9	18.9
EDWARDS.	169.0	84.5	70.4	14.1	70.4	14.1	-0-	14.1	-0-	-0-
EFFINGHAM.	190.1	45.6	26.6	19.0	64.6	19.0	-0-	15.2	3.8	-0-
FAYETTE.	184.8	66.4	47.4	19.0	52.1	14.2	4.7	42.7	4.7	-0-
FORD.	163.4	85.0	39.2	45.8	58.8	26.1	13.1	6.5	6.5	6.5
FRANKLIN.	245.0	56.9	24.8	32.2	24.8	22.3	7.4	27.2	9.9	19.8
FULTON.	210.9	85.3	52.1	33.2	33.2	21.3	4.7	21.3	2.4	4.7
GALLATIN.	222.2	41.7	13.9	27.8	83.3	-0-	27.8	13.9	-0-	27.8
GRENE.	218.9	76.9	59.2	17.8	100.6	17.8	-0-	29.6	11.8	5.9
GRUNDY.	176.3	64.7	43.2	21.6	25.2	25.2	-0-	3.6	3.6	18.0
HAMILTON.	282.4	58.8	35.3	23.5	70.6	-0-	-0-	11.8	11.8	-0-
HANCOCK.	199.1	53.1	17.7	35.4	31.0	8.8	4.4	13.3	4.4	8.8
HARDIN.	240.0	120.0	40.0	80.0	60.0	-0-	-0-	-0-	20.0	20.0
HENDERSON.	166.7	95.2	47.6	47.6	71.4	11.9	23.8	35.7	11.9	23.8
HENRY.	175.8	52.9	35.9	17.0	32.1	13.2	3.8	26.5	9.5	5.7
IROQUOIS.	246.4	58.0	34.8	23.2	17.4	29.0	5.8	8.7	8.7	8.7
JACKSON.	143.6	57.1	33.1	23.9	20.3	12.9	3.7	9.2	3.7	7.4
JASPER.	250.0	46.3	18.5	27.8	46.3	9.3	-0-	18.5	9.3	9.3
JEFFERSON.	178.0	71.2	29.7	41.5	53.4	20.8	3.0	20.8	11.9	20.8
JERSEY.	138.5	61.5	30.8	30.8	41.0	-0-	10.3	15.4	5.1	-0-
JO DAVIES.	228.3	59.4	18.3	41.1	50.2	13.7	18.3	18.3	9.1	9.1
JOHNSON.	227.8	113.9	50.6	63.3	50.6	-0-	-0-	38.0	-0-	-0-
KANE.	141.8	50.2	29.8	20.4	23.0	20.7	8.7	9.8	14.7	14.0
KANKAKEE.	152.4	49.1	25.6	23.5	17.4	25.6	4.1	22.5	8.2	9.2
KENDALL.	105.1	81.4	54.2	27.1	23.7	20.3	-0-	6.8	3.4	20.3
KNOX.	173.0	46.1	23.1	23.1	28.0	19.8	11.5	9.9	6.6	9.9
LAKE.	128.6	49.9	27.6	22.3	20.7	10.2	6.1	10.7	14.8	10.0
LA SALLE.	213.5	74.4	43.9	30.5	39.5	12.6	5.4	16.1	10.8	7.2

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

COUNTY	C A R D I O V A S C U L A R D I S E A S E								
	ALL CAUSES	TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE	1,416.7	833.3	577.8	38.9	127.8	27.8	11.1	50.0	11.1
LEE	1,121.5	605.0	400.6	44.2	116.0	13.8	5.5	24.9	2.8
LIVINGSTON . . .	1,060.8	642.3	420.9	38.9	116.8	29.2	2.4	34.1	4.9
LOGAN	1,099.4	650.6	458.3	28.8	89.7	44.9	3.2	25.6	16.0
MCDONOUGH . . .	893.0	569.7	400.5	24.9	107.0	32.3	-0-	5.0	12.4
MCHENRY	853.1	472.7	324.9	23.5	78.1	20.2	10.9	15.1	10.1
MCLEAN	781.8	454.2	324.3	16.1	84.0	10.2	4.2	15.3	15.3
MACON	1,018.5	571.7	342.2	37.8	139.3	16.1	9.7	26.6	19.3
MACOUPIN	1,317.1	800.4	538.8	48.8	153.0	31.0	4.4	24.4	24.4
MADISON	924.3	535.3	359.9	37.1	91.1	18.5	5.5	23.3	17.7
MARION	1,298.0	711.8	519.7	34.5	115.8	9.9	4.9	27.1	22.2
MARSHALL	1,376.0	864.0	664.0	32.0	112.0	16.0	8.0	32.0	8.0
MASON	1,263.2	801.2	631.6	23.4	122.8	11.7	-0-	11.7	11.7
MASSAC	1,268.7	716.4	529.9	29.9	126.9	7.5	7.5	14.9	22.4
MENARD	1,089.1	722.8	425.7	49.5	128.7	39.6	19.8	59.4	29.7
MERCER	1,093.6	684.2	497.1	11.7	111.1	11.7	5.8	46.8	5.8
MONROE	1,087.4	672.1	475.4	32.8	92.9	60.1	5.5	5.5	10.9
MONTGOMERY . . .	1,249.2	698.4	468.9	23.0	167.2	13.1	9.8	16.4	32.8
MORGAN	1,150.7	726.0	474.0	35.6	142.5	35.6	5.5	32.9	11.0
MOULTRIE	1,242.4	780.3	537.9	7.6	197.0	15.2	15.2	7.6	15.2
OGLE	969.1	555.8	375.3	33.3	99.8	4.8	14.3	28.5	19.0
PEORIA	995.5	558.8	373.8	26.3	113.5	17.4	3.0	24.8	20.3
PERRY	1,238.8	761.2	592.0	19.9	119.4	10.0	-0-	19.9	19.9
PIATT	1,006.4	624.2	401.3	6.4	140.1	44.6	6.4	25.5	19.1
PIKE	1,427.1	937.5	572.9	36.5	161.5	109.4	15.6	41.7	20.8
POPE	1,309.5	690.5	595.2	-0-	71.4	-0-	-0-	23.8	-0-
PULASKI	1,727.3	897.7	568.2	113.6	113.6	79.5	-0-	22.7	-0-
PUTNAM	1,153.8	519.2	173.1	57.7	134.6	96.2	-0-	57.7	-0-
RANDOLPH	1,186.3	785.7	590.1	37.3	114.9	9.3	12.4	21.7	18.6
RICHLAND	1,000.0	546.0	408.0	23.0	69.0	23.0	5.7	17.2	5.7
ROCK ISLAND . . .	897.3	509.1	374.2	21.7	76.7	10.9	7.9	12.7	16.3
ST. CLAIR	988.2	576.0	396.5	40.4	99.3	15.0	7.0	17.8	13.6
SALINE	1,679.0	1,081.2	667.9	107.0	206.6	70.1	3.7	25.8	29.5
SANGAMON	1,093.2	610.3	414.8	17.9	124.3	15.5	3.6	34.1	12.6
SCHUYLER	1,362.5	962.5	850.0	12.5	75.0	25.0	-0-	-0-	-0-
SCOTT	1,222.2	888.9	507.9	-0-	317.5	-0-	15.9	47.6	-0-
SHELBY	1,370.0	837.0	497.8	66.1	207.0	35.2	13.2	17.6	26.4
STARK	1,270.3	770.3	594.6	40.5	67.6	27.0	-0-	40.5	27.0
STEPHENSON . . .	1,083.2	625.8	432.4	20.8	124.7	10.4	14.6	22.9	12.5
TAZEWELL	767.1	410.2	266.7	36.3	77.4	12.9	1.6	15.3	13.7
UNION	1,263.5	802.4	473.1	53.9	179.6	41.9	-0-	53.9	6.0
VERMILION	1,135.1	651.0	397.1	54.2	146.4	25.6	2.0	25.6	23.5
WARASH	1,376.9	884.6	615.4	46.2	115.4	61.5	7.7	38.5	30.8
WARREN	1,103.3	765.3	483.6	56.3	154.9	23.5	-0-	46.9	9.4
WASHINGTON . . .	1,513.5	959.5	743.2	40.5	121.6	13.5	6.8	33.8	20.3
WAYNE	1,281.6	827.6	637.9	46.0	114.9	5.7	-0-	23.0	17.2
WHITE	1,369.7	872.7	533.3	48.5	206.1	24.2	12.1	48.5	-0-
WHITESIDE	935.7	500.0	324.2	26.6	112.9	14.1	3.1	14.1	9.4
WILL	739.1	393.2	269.3	20.3	70.9	13.8	2.5	16.4	8.4
WILLIAMSON	1,310.5	738.3	474.6	27.3	175.8	23.4	2.0	35.2	19.5
WINNEBAGO	851.0	446.3	302.6	18.9	81.9	21.8	3.3	17.7	14.8
WOODFORD	1,013.9	562.5	357.6	34.7	111.1	27.8	10.4	20.8	10.4

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1973--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE. . . .	188.9	122.2	44.4	77.8	51.1	22.2	11.1	22.2	22.2	16.7
LEE.	182.3	88.4	55.2	33.1	27.6	22.1	16.6	24.9	2.8	19.3
LIVINGSTON. . . .	187.3	82.7	56.0	26.8	31.6	19.5	2.4	14.6	14.6	4.9
LOGAN.	166.7	86.5	22.4	64.1	22.4	22.4	9.6	19.2	9.6	6.4
MCDONOUGH. . . .	124.4	44.8	27.4	17.4	7.5	7.5	-0-	34.8	7.5	17.4
MCHENRY.	143.6	59.6	33.6	26.0	31.1	12.6	10.9	15.1	16.8	16.8
MCLEAN.	128.2	52.6	25.5	27.2	17.0	14.4	4.2	17.8	8.5	7.6
MACON.	186.8	51.5	26.6	25.0	27.4	31.4	9.7	20.9	14.5	10.5
MACOUPIN.	212.9	68.7	46.6	22.2	48.8	13.3	4.4	46.6	4.4	8.9
MADISON.	162.0	46.5	27.6	18.9	34.3	11.4	6.3	17.7	7.9	10.6
MARION.	224.1	64.0	24.6	39.4	59.1	14.8	-0-	41.9	19.7	17.2
MARSHALL.	240.0	88.0	56.0	32.0	80.0	8.0	-0-	-0-	-0-	16.0
MASON.	193.0	76.0	52.6	23.4	52.6	5.8	5.8	17.5	5.8	11.7
MASSAC.	194.0	67.2	37.3	29.9	82.1	7.5	-0-	22.4	14.9	7.5
MENARD.	158.4	19.8	19.8	-0-	49.5	-0-	-0-	19.8	9.9	9.9
MERCER.	140.4	58.5	35.1	23.4	64.3	5.8	5.8	52.6	-0-	-0-
MONROE.	180.3	60.1	38.3	21.9	10.9	5.5	10.9	16.4	21.9	10.9
MONTGOMERY. . . .	232.8	98.4	72.1	26.2	29.5	6.6	13.1	6.6	16.4	6.6
MORGAN.	180.8	74.0	54.8	19.2	32.9	16.4	5.5	13.7	2.7	8.2
MOULTRIE.	204.5	53.0	30.3	22.7	30.3	22.7	15.2	15.2	22.7	7.6
OGLE.	154.4	76.0	38.0	38.0	11.9	11.9	11.9	16.6	9.5	16.6
PEORIA.	196.8	49.6	24.3	25.3	31.7	17.8	5.0	9.9	14.4	12.9
PERRY.	164.2	94.5	59.7	34.8	44.8	-0-	5.0	19.9	-0-	10.0
PIATT.	127.4	57.3	51.0	6.4	44.6	-0-	-0-	19.1	12.7	6.4
PIKE.	239.6	88.5	57.3	31.3	31.3	15.6	-0-	15.6	5.2	10.4
POPE.	261.9	119.0	47.6	71.4	47.6	-0-	-0-	23.8	47.6	-0-
PULASKI.	397.7	136.4	34.1	102.3	56.8	11.4	-0-	-0-	11.4	-0-
PUTNAM.	211.5	192.3	96.2	96.2	57.7	38.5	19.2	-0-	19.2	38.5
RANDOLPH.	201.9	49.7	31.1	18.6	21.7	6.2	3.1	24.8	9.3	9.3
RICHLAND.	172.4	40.2	28.7	11.5	69.0	11.5	11.5	40.2	11.5	23.0
ROCK ISLAND. . . .	157.6	56.8	32.0	24.8	19.9	18.1	9.7	21.1	9.7	9.1
ST. CLAIR.	174.6	44.9	20.9	24.0	27.5	24.4	6.6	11.8	9.4	9.1
SALINE.	302.6	73.8	33.2	40.6	40.6	11.1	11.1	18.5	18.5	3.7
SANGAMON.	238.5	39.5	15.5	23.9	26.3	12.6	3.0	22.7	16.1	14.3
SCHUYLER.	200.0	75.0	37.5	37.5	37.5	25.0	-0-	-0-	12.5	12.5
SCOTT.	238.1	31.7	31.7	-0-	-0-	15.9	-0-	-0-	-0-	-0-
SHELBY.	233.5	52.9	13.2	39.6	57.3	26.4	4.4	13.2	-0-	8.8
STARK.	324.3	40.5	27.0	13.5	27.0	-0-	13.5	13.5	-0-	-0-
STEPHENSON. . . .	195.4	64.4	24.9	39.5	29.1	12.5	8.3	8.3	14.6	8.3
TAZEWELL.	151.5	53.2	36.3	16.9	25.0	20.1	8.9	9.7	9.7	7.3
UNION.	191.6	77.8	47.9	29.9	29.9	6.0	-0-	35.9	6.0	-0-
VERMILION.	190.4	53.2	27.6	25.6	48.1	18.4	7.2	26.6	18.4	12.3
WABASH.	169.2	130.8	61.5	69.2	15.4	-0-	-0-	15.4	15.4	23.1
WARREN.	164.3	51.6	14.1	37.6	23.5	-0-	-0-	28.2	-0-	-0-
WASHINGTON. . . .	243.2	108.1	27.0	81.1	67.6	6.8	-0-	20.3	6.8	-0-
WAYNE.	178.2	46.0	28.7	17.2	51.7	5.7	17.2	11.5	17.2	11.5
WHITE.	193.9	66.7	18.2	48.5	54.5	30.3	-0-	84.8	6.1	6.1
WHITESTONE. . . .	199.1	50.2	23.5	26.6	40.8	17.2	4.7	12.5	12.5	9.4
WILL.	131.9	54.1	32.3	21.8	16.7	22.9	7.6	18.5	13.4	10.2
WILLIAMSON. . . .	238.3	91.8	33.2	58.6	25.4	11.7	5.9	33.2	13.7	11.7
WINNEBAGO.	166.3	48.2	26.3	21.8	26.8	13.6	11.9	15.2	16.9	10.7
WOODFORD.	191.0	104.2	66.0	38.2	31.3	17.4	6.9	3.5	13.9	6.9

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CERERRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	112	58	35	2	19	--	--	2	--
ALSTIP	80	53	33	4	11	1	2	2	--
ALTON	470	278	180	27	51	7	3	10	12
ARLINGTON HEIGHTS	416	258	186	11	46	2	--	13	3
AURORA	779	433	282	28	89	11	5	18	6
HELLEVILLE	633	400	275	20	76	10	5	14	10
HELLWOOD	181	116	80	7	18	6	--	5	--
HELVIDERE	133	71	43	7	16	2	2	1	3
RENSDEVILLE	124	58	40	3	10	1	--	4	1
PERWYN	739	439	301	39	70	7	3	19	10
BLOOMINGTON	450	263	184	10	54	4	3	8	4
BLUE ISLAND	286	160	109	10	27	3	1	10	3
BOLINGBROOK	70	32	20	4	4	3	--	1	1
BRADLEY	84	53	41	1	5	4	--	2	3
BRIDGEVIEW	84	51	37	4	9	--	--	1	1
BROOKFIELD	211	107	76	13	17	--	--	1	7
BUFFALO GROVE	49	27	21	2	3	--	--	1	--
BURBANK	200	108	77	9	15	2	--	5	1
CAHOKIA	130	69	45	4	15	4	--	1	3
CALUMET CITY	341	184	136	15	28	4	--	1	4
CALUMET PARK	65	42	30	6	3	--	1	2	1
CANTON	168	96	58	13	19	2	1	3	3
CARRONDALE	152	93	58	3	21	4	2	5	3
CARPENTERSVILLE	115	41	28	1	9	--	--	3	1
CENTRALIA	215	112	81	8	18	--	--	5	3
CENTREVILLE	70	34	28	2	2	--	1	1	--
CHAMPAIGN	360	188	113	8	35	19	4	9	11
CHARLESTON	153	95	63	3	21	4	--	4	1
CHICAGO	38,472	21,506	14,047	3,014	3,129	458	230	628	331
CHICAGO HEIGHTS	372	198	132	14	36	9	3	4	6
CICERO	786	451	331	44	47	8	6	15	13
COLLINSVILLE	220	126	96	2	20	4	2	2	6
CRYSTAL LAKE	140	75	51	3	14	5	1	1	2
DANVILLE	568	302	175	32	69	10	--	16	12
DE KALB	158	86	51	5	23	2	--	5	3
DECATUR	1,027	580	349	37	145	14	7	28	19
DEERFIELD	119	50	35	2	9	3	--	1	1
DES PLAINES	464	257	174	19	48	5	1	10	5
DIXON	205	113	75	8	20	2	2	6	--
DOLTON	207	114	82	7	20	2	--	3	3
DOWNERS GROVE	280	152	89	10	34	8	2	9	2
EAST MOLINE	167	106	80	3	15	5	1	2	3
EAST PEORIA	165	97	67	9	18	--	--	3	1
EAST ST LOUIS	896	485	320	45	88	10	6	16	10
EDWARDSVILLE	133	80	58	4	15	1	1	1	5
EFFINGHAM	111	67	37	2	13	10	--	5	5
ELGIN	605	353	239	14	80	8	3	9	7
ELK GROVE	78	32	21	2	7	--	1	1	--
ELMHURST	319	186	119	10	43	4	2	8	6
ELMWOOD PARK	266	154	115	12	16	5	--	6	2
EVANSTON	930	556	371	32	117	14	4	18	10
EVERGREEN PARK	275	177	124	6	32	8	4	3	4
FAIRVIEW HEIGHTS	107	61	49	2	6	--	--	4	1
FOREST PARK	234	130	84	8	26	4	1	7	3
FRANKLIN PARK	154	85	62	2	14	3	1	3	1
FREEPORT	345	204	139	10	39	4	6	6	4
GALFSBURG	445	273	193	12	57	5	4	2	13
GLEN ELLYN	182	97	55	2	25	4	2	9	3
GLENCOE	72	37	23	--	12	2	--	--	1
GLENDALE HEIGHTS	25	9	8	--	1	--	--	--	--
GLENVIEW	261	140	90	11	28	3	2	6	5
GRANITE CITY	382	237	155	13	43	9	1	16	4
HANOVER PARK	47	25	20	1	3	--	--	1	--
HARVEY	305	151	107	9	26	3	2	4	6
HAZEL CREST	78	49	37	3	6	1	--	2	--
HICKORY HILLS	55	29	18	1	6	2	--	2	1
HIGHLAND PARK	202	116	73	5	29	3	--	6	--
HINSDALE	141	68	45	4	16	--	--	3	2
HOFFMAN ESTATES	75	39	27	5	6	--	--	1	--
HOMERWOOD	186	116	73	8	27	3	--	5	3
JACKSONVILLE	290	182	120	10	33	10	2	7	1
JOLIET	918	519	361	20	94	20	4	20	10
KANKAKEE	332	182	128	4	28	16	2	4	7
Kewanee	221	116	80	3	28	2	--	3	3
LA GRANGE	200	117	69	8	32	2	1	5	1
LA GRANGE PARK	133	78	43	5	22	3	2	3	1
LA SALLE	150	89	61	7	13	5	--	3	--
LAKE FOREST	112	57	29	4	21	2	--	1	1
LANSING	202	106	84	5	12	3	--	2	1
LIBERTYVILLE	118	65	49	3	8	1	1	3	--

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

ACCIDENTS

CITY	CANCER	TOTAL	MOTOR VEHICLE	OTHER	PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
ADDISON	27	3	--	3	--	2	--	1	5	3
ALSTP	12	3	1	2	3	2	--	2	2	--
ALTON	78	16	8	8	20	7	2	12	2	6
ARLINGTON HEIGHTS	68	15	11	4	7	8	6	9	10	8
AURORA	147	47	26	21	24	15	9	10	18	13
HELLVILLE	128	21	10	11	18	2	2	5	2	9
HELLWOOD	30	4	2	2	4	3	--	2	--	6
HELVIDERE	23	10	4	6	4	2	2	3	--	1
HENSFVILLE	28	7	4	3	9	4	2	--	3	3
HERWYN	160	12	3	9	14	5	--	24	14	4
BLOOMINGTON	76	23	10	13	11	10	2	13	7	3
BLUE ISLAND	56	15	7	8	7	7	1	3	6	4
HOLINGBROOK	11	9	4	1	1	7	5	--	--	--
BRADLEY	18	4	1	3	--	--	--	1	--	1
BRIDGEVIEW	14	4	3	1	4	1	--	1	--	1
BROOKFIELD	55	4	2	2	5	2	3	4	7	3
BUFFALO GROVE	8	2	2	--	1	5	--	--	2	--
BURBANK	46	14	8	6	8	1	--	2	5	1
CAHOKIA	24	9	4	5	2	5	2	3	--	3
CALUMET CITY	72	11	6	5	12	6	3	10	12	1
CALUMET PARK	12	1	1	--	--	--	--	3	--	--
CANTON	32	5	4	1	8	2	1	5	--	--
CARRODALE	25	10	7	3	2	2	2	2	--	2
CARPENTERSVILLE	20	15	9	6	6	10	2	--	5	3
CENTRALIA	32	16	6	10	11	5	--	5	5	4
CENTREVILLE	10	2	--	2	7	6	--	2	1	--
CHAMPAIGN	73	10	7	3	21	4	4	7	6	4
CHARLESTON	22	5	1	4	2	4	1	4	2	--
CHICAGO	6,662	1,452	487	965	1,268	837	264	760	973	322
CHICAGO HEIGHTS	71	15	10	5	8	11	6	12	8	4
CICERO	144	24	7	17	31	9	4	23	18	7
COLLINSVILLE	47	8	6	2	6	2	4	4	--	1
CRYSTAL LAKE	26	11	6	5	6	1	3	2	3	3
DANVILLE	112	24	13	11	35	8	2	13	12	8
DE KALB	28	11	5	6	7	3	--	2	2	1
DECATUR	186	46	24	22	29	29	10	21	15	11
DEERFIELD	33	6	5	1	3	3	1	4	3	1
DES PLAINES	94	20	11	9	10	3	4	6	8	2
DIXON	33	11	7	4	6	1	3	5	--	4
DOLTON	49	8	5	3	9	5	1	3	5	1
DOWNERS GROVE	67	14	6	8	6	1	4	7	5	5
EAST MOLINE	25	7	2	5	3	4	1	4	--	2
EAST PEORIA	19	10	8	2	4	7	3	1	5	2
EAST ST LOUIS	141	31	13	18	29	33	6	12	10	3
EDWARDSVILLE	24	6	4	2	4	--	1	3	--	--
EFFINGHAM	18	5	3	2	6	1	--	--	--	--
ELGIN	111	20	13	7	17	15	5	7	9	9
FLK GROVE	21	6	5	1	2	3	3	2	1	1
FLMHURST	69	12	8	4	5	6	5	4	6	1
FLMWOOD PARK	62	11	6	5	7	--	2	5	6	1
EVANSTON	169	34	4	30	40	10	2	11	9	9
FVERGREEN PARK	59	7	3	4	4	--	1	2	--	2
FAIRVIEW HEIGHTS	21	6	1	5	1	3	--	--	1	2
FOREST PARK	51	8	5	3	3	3	2	4	4	5
FRANKLIN PARK	36	6	4	2	--	1	1	3	2	1
FREEDPORT	64	15	5	10	13	5	2	2	5	2
GALESBURG	65	13	6	7	10	10	4	5	3	6
GLEN ELLYN	38	10	4	6	5	1	2	1	4	4
GLENCOE	18	1	--	1	2	--	1	--	1	2
GLENDALE HEIGHTS	4	4	3	1	--	4	--	--	1	1
GLENVIEW	53	12	8	4	11	6	2	5	8	5
GRANITE CITY	63	20	9	11	12	5	3	6	4	2
HANOVER PARK	4	4	3	1	2	3	1	1	2	1
HARVEY	54	17	7	10	12	6	4	7	6	5
HAZEL CREST	14	3	--	3	2	1	--	--	3	--
HICKORY HILLS	15	1	--	1	2	2	1	--	1	--
HIGHLAND PARK	42	6	3	3	2	--	2	2	3	3
HINDSALF	35	8	5	3	4	2	1	1	2	4
HOFFMAN ESTATES	12	3	2	1	2	6	1	1	--	1
HOMEWOOD	35	4	3	1	6	1	2	--	2	6
JACKSONVILLE	50	17	12	5	10	2	2	4	--	2
JOLIFT	170	45	24	21	16	28	5	14	23	9
KANKAKEE	55	19	8	11	8	14	2	11	5	2
Kewanee	37	8	3	5	13	2	--	9	2	--
LA GRANGE	49	7	3	4	3	--	--	5	3	2
LA GRANGE PARK	29	5	1	4	4	--	--	1	4	1
LA SALLE	29	11	8	3	2	--	--	3	5	--
LAKE FOREST	21	10	5	5	1	--	--	1	2	2
LANSTING	50	8	5	3	5	8	3	7	2	2
LIBERTYVILLE	17	9	4	5	9	1	--	3	1	1

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	C A R D I O V A S C U L A R D I S E A S E								
	ALL CAUSES	TOTAL	HEART DISEASE ARTERIO- SCLEROTIC	OTHER	CERERRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
LINCOLN	177	106	72	5	13	10	1	5	4
LINCOLNWOOD	113	66	37	8	15	1	1	4	2
LOMBARD	238	113	77	8	21	3	1	3	4
LOVES PARK	75	38	23	2	9	3	--	1	2
LYONS	85	45	32	3	9	--	--	1	2
MACOMB	147	99	65	2	27	5	--	--	3
MARTON	201	117	59	4	43	5	--	6	5
MARKHAM	83	47	32	6	4	1	2	2	--
MATTOON	265	146	94	6	36	3	--	7	3
MAYWOOD	277	148	102	15	26	2	1	2	1
MELROSE PARK	265	160	110	16	25	4	2	3	4
MIDLOTHIAN	97	46	33	2	7	3	--	1	3
MOLINE	460	257	191	6	44	4	3	9	8
MONMOUTH	125	96	53	9	22	5	--	7	1
MORTON GROVE	166	98	65	3	18	4	--	8	1
MORTON	71	40	29	1	7	2	--	1	2
MOUNT PROSPECT	228	112	79	4	24	2	--	3	1
MOUNT VERNON	262	154	80	19	33	14	--	8	7
MUNDELEIN	100	48	35	4	6	2	--	1	2
MURPHYSBORO	143	96	64	5	23	1	1	2	1
NAPERVILLE	150	87	56	4	21	1	1	4	3
NILES	316	196	129	12	33	13	2	7	3
NORMAL	118	60	41	3	11	3	--	2	5
NORRIDGE	173	107	73	8	24	1	--	1	--
NORTH CHICAGO	129	59	42	2	11	1	1	2	3
NORTH LAKE	109	58	44	5	7	1	1	--	5
NORTHBROOK	188	96	53	6	27	5	1	4	4
OFFALLON	73	47	25	5	11	2	--	4	1
OAK FOREST	113	56	43	3	6	1	--	3	--
OAK LAWN	584	356	261	20	55	7	2	11	7
OAK PARK	789	484	317	35	95	10	6	21	13
ORLAND PARK	50	26	18	2	5	--	--	1	1
OTTAWA	221	140	94	9	29	4	--	4	--
PALATINE	210	113	71	7	22	5	1	7	3
PARIS	145	96	60	3	30	1	--	2	4
PARK FOREST	134	63	38	5	11	2	1	6	--
PARK RIDGE	340	194	124	9	50	6	--	5	10
PEKIN	331	170	101	17	38	5	2	7	6
PERIA	1,388	773	519	41	151	23	5	34	30
PERU	137	83	54	3	23	1	1	1	3
PONTIAC	100	63	40	5	10	6	--	2	--
QUINCY	779	477	312	17	96	20	6	26	16
RANTOUL	64	35	18	2	7	4	--	4	--
RIVER FOREST	133	74	54	5	10	4	--	1	1
RIVER GROVE	98	52	37	4	5	2	1	3	1
RIVERDALE	161	97	67	7	16	3	1	3	2
RIVERSIDE	117	61	43	4	10	3	--	1	2
ROCK FALLS	112	52	38	3	8	2	--	1	3
ROCK ISLAND	524	297	214	18	45	6	7	7	8
ROCKFORD	1,530	829	547	38	157	42	8	37	23
POLLING MEADOWS	83	27	16	3	4	3	--	1	4
HOMEQVILLE	60	15	9	--	5	--	--	1	--
SCHAUMBURG	84	38	21	6	9	--	--	2	--
SCHILLER PARK	59	44	32	3	6	1	--	2	1
SKOKIE	571	327	241	14	53	5	1	13	8
SOUTH HOLLAND	150	91	67	5	14	2	--	3	--
SPRINGFIELD	1,278	710	490	24	141	19	3	33	15
ST CHARLES	103	56	41	3	8	--	--	4	2
STERLING	136	78	54	3	15	4	1	1	2
STREAMWOOD	66	31	20	5	5	1	--	--	--
STREATOR	217	126	77	7	32	4	2	4	3
SUMMIT	92	49	32	7	8	--	--	2	--
TAYLORVILLE	137	86	65	6	14	--	--	1	3
TINLEY PARK	119	65	49	6	5	2	--	3	--
URBANA	198	116	79	6	19	10	--	2	4
VILLA PARK	180	101	73	4	14	4	1	5	2
WAUKEGAN	614	336	218	16	75	11	3	13	7
WEST CHICAGO	71	37	29	--	5	--	1	2	--
WESTCHESTER	150	91	70	4	12	1	1	3	1
WESTERN SPRINGS	93	57	37	4	12	1	--	3	--
WHEATON	263	147	94	6	28	10	3	6	2
WHEELING	108	52	31	2	13	1	--	5	2
WILMETTE	215	129	74	10	31	8	--	6	2
WINNETKA	113	61	37	2	16	--	--	6	--
WOOD DALE	94	54	43	5	4	1	--	1	4
WOOD RIVER	123	88	44	6	9	5	--	4	1
WOODRIDGE	30	15	11	--	4	--	--	--	--
WOODSTOCK	137	80	58	3	9	1	6	3	2
WORTH	82	43	32	1	6	1	--	3	2
ZION	171	104	64	--	32	3	3	2	2

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LINCOLN	27	11	2	9	3	3	2	4	2	2
LINCOLNWOOD	23	9	1	8	2	--	--	3	1	--
LOMBARD	64	15	8	7	7	3	3	4	7	5
LOVES PARK	12	3	1	2	4	2	2	1	2	2
LYONS	16	6	4	2	--	2	1	3	2	--
MACOMB	16	4	3	1	1	3	--	3	3	4
MARION	33	14	7	7	2	3	1	3	2	--
MARKHAM	13	2	1	1	6	6	--	1	--	2
MATTOON	44	14	10	4	13	3	2	6	--	3
MAYWOOD	54	16	4	12	12	6	1	6	5	3
MELROSE PARK	54	11	3	8	7	3	1	3	4	1
MIDLOTHIAN	20	5	3	2	2	4	1	3	3	1
MOLINE	40	22	12	10	14	9	9	11	8	3
MONMOUTH	15	4	1	3	2	--	--	3	--	--
MORTON GROVE	34	6	4	2	8	1	1	4	2	2
MORTON	16	5	2	3	2	2	--	1	--	--
MOUNT PROSPECT	57	14	7	7	8	8	2	4	4	5
MOUNT VERNON	29	16	5	11	10	4	1	4	1	3
MUNDELEIN	24	10	7	3	1	3	2	--	2	1
MURPHYSBORO	23	6	4	2	5	2	--	1	2	--
NAPERVILLE	24	8	3	5	5	3	2	1	1	2
NILES	67	5	3	2	11	1	1	5	4	1
NORMAL	21	10	6	4	4	2	1	1	2	2
NORRIDGE	40	5	3	2	5	1	--	3	2	3
NORTH CHICAGO	24	5	3	2	4	8	2	1	6	3
NORTH LAKE	21	4	2	2	8	2	1	1	3	2
NORTHBROOK	35	11	3	8	10	3	1	5	3	2
O'FALLON	10	2	2	--	2	2	1	1	2	1
OAK FOREST	23	11	6	5	1	4	--	3	3	2
OAK LAWN	124	16	9	7	11	3	6	8	10	3
OAK PARK	143	19	10	9	23	5	4	17	18	4
ORLAND PARK	10	2	--	2	2	3	--	--	1	--
OTTAWA	39	10	6	4	12	1	--	2	2	4
PALATINE	41	14	4	10	5	1	4	3	8	3
PARIS	25	3	--	3	3	1	3	3	3	2
PARK FOREST	26	11	4	7	7	3	--	2	3	4
PARK RIDGE	75	13	5	8	13	3	--	1	8	1
PEKIN	71	21	14	7	12	8	3	7	4	4
PEORIA	284	56	28	28	48	23	3	16	26	16
PERU	24	8	4	4	5	3	2	1	--	--
PONTIAC	20	4	2	2	3	2	--	1	2	--
QUINCY	134	31	16	15	30	13	3	8	4	3
RANTOUL	8	6	3	3	2	4	1	2	1	--
RIVER FOREST	32	5	2	3	3	1	--	1	3	--
RIVER GROVE	23	8	3	5	2	2	1	--	2	3
RIVERDALE	29	7	4	3	5	1	--	5	3	3
RIVERSIDE	31	2	2	--	5	--	--	2	1	2
ROCK FALLS	27	6	3	3	4	5	1	--	1	4
ROCK ISLAND	103	29	13	16	8	12	2	12	4	6
ROCKFORD	293	65	35	30	51	21	17	29	29	20
ROLLING MEADOWS	14	10	6	4	4	3	3	2	3	3
ROMEDEVILLE	13	6	3	3	2	1	1	4	2	4
SCHAUMBURG	18	4	3	1	--	4	3	1	3	1
SCHILLER PARK	8	1	1	--	1	2	1	1	--	--
SKOKIE	133	20	12	8	8	4	3	7	4	10
SOUTH HOLLAND	27	3	1	2	7	--	1	4	--	1
SPRINGFIELD	280	43	16	27	31	17	2	22	20	14
ST CHARLES	19	3	2	1	1	7	1	2	4	1
STERLING	21	11	4	7	3	2	2	3	3	1
STREAMWOOD	13	6	4	2	--	2	--	1	3	4
STREATOR	40	12	5	7	6	4	--	3	1	3
SUMMIT	26	1	--	1	1	4	1	--	--	2
TAYLORVILLE	20	6	3	3	9	--	--	4	1	--
TINLEY PARK	20	6	4	2	8	4	2	--	--	--
URBANA	29	12	6	6	3	2	2	2	4	4
VILLA PARK	31	14	10	4	5	4	3	1	2	2
WAUKEGAN	93	36	17	19	19	10	4	11	19	11
WEST CHICAGO	13	4	3	1	--	2	2	1	2	2
WESTCHESTER	32	8	4	4	--	1	1	2	1	1
WESTERN SPRINGS	23	5	3	2	3	1	--	--	--	2
WHEATON	59	17	11	6	7	4	3	5	1	5
WHEELING	22	13	5	8	2	5	1	1	1	3
WILMETTE	43	6	1	5	3	3	1	7	2	2
WINNETKA	31	5	3	2	2	--	1	2	1	1
WOOD DALE	20	2	2	--	--	3	--	4	--	--
WOOD RIVER	27	4	4	--	3	--	1	1	2	5
WOODRIDGE	6	3	1	2	--	2	1	--	--	--
WOODSTOCK	17	10	5	5	9	2	1	--	3	3
WORTH	17	2	2	--	2	1	2	4	1	--
ZION	25	9	5	4	7	--	3	3	1	1

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

CITY	C A R D I O V A S C U L A R D I S E A S E								
	ALL CAUSES	TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	437.5	226.6	136.7	7.8	74.2	-0-	-0-	7.8	-0-
ALSTP	650.4	430.9	268.3	32.5	89.4	8.1	16.3	16.3	-0-
ALTON	1,175.0	699.0	450.0	67.5	127.5	17.5	7.5	25.0	30.0
ARLINGTON HEIGHTS	585.9	363.4	262.0	15.5	64.8	2.8	-0-	18.3	4.2
AURORA	1,038.7	577.3	376.0	37.3	118.7	14.7	6.7	24.0	8.0
BELLEVIEW	1,507.1	952.4	654.8	47.6	181.0	23.8	11.9	33.3	23.8
BELLWOOD	838.0	537.0	370.4	32.4	83.3	27.8	-0-	23.1	-0-
BELVIDERE	923.6	493.1	298.6	48.6	111.1	13.9	13.9	6.9	20.8
BENSenville	911.8	426.5	294.1	22.1	73.5	7.4	-0-	29.4	7.4
BERWYN	1,404.9	834.6	572.2	74.1	133.1	13.3	5.7	36.1	19.0
BLOOMINGTON	1,119.4	654.2	457.7	24.9	134.3	10.0	7.5	19.9	10.0
BLUE ISLAND	1,238.1	692.6	471.9	43.3	116.9	13.0	4.3	43.3	13.0
BOLINGBROOK	333.3	152.4	95.2	19.0	19.0	14.3	-0-	4.8	4.8
BRADLEY	785.0	495.3	383.2	9.3	46.7	37.4	-0-	18.7	28.0
BRIDGEVIEW	622.2	377.8	274.1	29.6	66.7	-0-	-0-	7.4	7.4
BROOKFIELD	1,039.4	527.1	374.4	64.0	83.7	-0-	-0-	4.9	34.5
BUFFALO GROVE	306.3	168.8	131.3	12.5	18.8	-0-	-0-	6.3	-0-
BURBANK	664.5	358.8	255.8	29.9	49.8	6.6	-0-	16.6	3.3
CAHOKIA	628.0	333.3	217.4	19.3	72.5	19.3	-0-	4.8	14.5
CALUMET CITY	947.2	511.1	377.8	41.7	77.8	11.1	-0-	2.8	11.1
CALUMET PARK	631.1	407.8	291.3	58.3	29.1	-0-	9.7	19.4	9.7
CANTON	1,174.8	671.3	405.6	90.9	132.9	14.0	7.0	21.0	21.0
CARBONDALE	563.0	344.4	214.8	11.1	77.8	14.8	7.4	18.5	11.1
CARPENTERSVILLE	473.3	168.7	115.2	4.1	37.0	-0-	-0-	12.3	4.1
CENTRALIA	1,405.2	732.0	529.4	52.3	117.6	-0-	-0-	32.7	19.6
CENTREVILLE	608.7	295.7	243.5	17.4	17.4	-0-	8.7	8.7	-0-
CHAMPAIGN	608.1	317.6	190.9	13.5	59.1	32.1	6.8	15.2	18.6
CHARLESTON	932.9	579.3	384.1	18.3	128.0	24.4	-0-	24.4	6.1
CHICAGO	1,158.8	647.8	423.1	90.8	94.2	13.8	6.9	18.9	10.0
CHICAGO HEIGHTS	902.9	480.6	320.4	34.0	87.4	21.8	7.3	9.7	14.6
CICERO	1,171.4	672.1	493.3	65.6	70.0	11.9	8.9	22.4	19.4
COLLINSVILLE	1,100.0	630.0	480.0	10.0	100.0	20.0	10.0	10.0	30.0
CRYSTAL LAKE	869.6	465.8	316.8	18.6	87.0	31.1	6.2	6.2	12.4
DANVILLE	1,333.3	708.9	410.8	75.1	162.0	23.5	-0-	37.6	28.2
DE KALB	477.3	259.8	154.1	15.1	69.5	6.0	-0-	15.1	9.1
DECATUR	1,134.8	640.9	385.6	40.9	160.2	15.5	7.7	30.9	21.0
DEERFIELD	629.6	264.6	185.2	10.6	47.6	15.9	-0-	5.3	5.3
DES PLAINES	807.0	447.0	302.6	33.0	83.5	8.7	1.7	17.4	8.7
DIXON	1,126.4	620.9	412.1	44.0	109.9	11.0	11.0	33.0	-0-
DOLTON	793.1	436.8	314.2	26.8	76.6	7.7	-0-	11.5	11.5
DOWNERS GROVE	833.3	452.4	264.9	29.8	101.2	23.8	6.0	26.8	6.0
EAST MOLINE	799.0	507.2	382.8	14.4	71.8	23.9	4.8	9.6	14.4
EAST PEORIA	756.9	445.0	307.3	41.3	82.6	-0-	-0-	13.8	4.6
EAST ST LOUIS	1,278.2	691.9	456.5	64.2	125.5	14.3	8.6	22.8	14.3
EDWARDSVILLE	1,177.0	708.0	513.3	35.4	132.7	8.8	8.8	8.8	44.2
EFFINGHAM	1,037.4	626.2	345.8	18.7	121.5	93.5	-0-	46.7	46.7
ELGIN	1,061.4	619.3	419.3	24.6	140.4	14.0	5.3	15.8	12.3
ELK GROVE	339.1	139.1	91.3	8.7	30.4	-0-	4.3	4.3	-0-
ELMHURST	649.7	378.8	242.4	20.4	87.6	8.1	4.1	16.3	12.2
ELMWOOD PARK	1,015.3	587.8	438.9	45.8	61.1	19.1	-0-	22.9	7.6
EVANSTON	1,159.6	693.3	462.6	39.9	145.9	17.5	5.0	22.4	12.5
EVERGREEN PARK	1,041.7	670.5	469.7	22.7	121.2	30.3	15.2	11.4	12.6
FAIRVIEW HEIGHTS	748.3	426.6	342.7	14.0	42.0	-0-	-0-	28.0	7.0
FOREST PARK	1,509.7	834.7	541.9	51.6	167.7	25.8	6.5	45.2	19.4
FRANKLIN PARK	751.2	414.6	302.4	9.8	68.3	14.6	4.9	14.6	4.9
FREEPORT	1,232.1	728.6	496.4	35.7	139.3	14.3	21.4	21.4	14.3
GALESBURG	1,289.9	791.3	559.4	34.8	165.2	14.5	11.6	5.8	37.7
GLEN ELLYN	819.8	436.9	247.7	9.0	112.6	18.0	9.0	40.5	13.5
GLENCOE	672.9	345.8	215.0	-0-	112.1	18.7	-0-	-0-	9.3
GLENDALE HEIGHTS	184.6	67.2	59.7	-0-	7.5	-0-	-0-	-0-	-0-
GLENVIEW	893.8	479.5	308.2	37.7	95.9	10.3	6.8	20.5	17.1
GRANITE CITY	934.6	582.3	380.8	31.9	105.7	22.1	2.5	39.3	9.8
HANOVER PARK	237.4	126.3	101.0	5.1	15.2	-0-	-0-	5.1	-0-
HARVEY	879.0	435.2	308.4	25.9	74.9	8.6	5.8	11.5	17.3
HAZEL CREST	666.7	418.8	316.2	25.6	51.3	8.5	-0-	17.1	-0-
HICKORY HILLS	407.4	214.8	133.3	7.4	44.4	14.8	-0-	14.8	7.4
HIGHLAND PARK	625.4	359.1	226.0	15.5	89.8	9.3	-0-	18.6	-0-
HINSDALE	875.8	422.4	279.5	24.8	99.4	-0-	-0-	18.6	12.4
HOFFMAN ESTATES	235.8	122.6	84.9	15.7	18.9	-0-	-0-	3.1	-0-
HOMERIDGE	930.0	580.0	365.0	40.0	135.0	15.0	-0-	25.0	15.0
JACKSONVILLE	1,407.8	883.5	582.5	48.5	160.2	48.5	9.7	34.0	4.9
JOLIET	1,159.1	655.3	455.8	25.3	118.7	25.3	5.1	25.3	12.6
KANKAKEE	1,067.5	585.2	411.6	12.9	90.0	51.4	6.4	12.9	22.5
KENNAWEE	1,398.7	734.2	506.3	19.0	177.2	12.7	-0-	19.0	19.0
LA GRANGE	1,111.1	650.0	383.3	44.4	177.8	11.1	5.6	27.8	5.6
LA GRANGE PARK	852.6	500.0	275.6	32.1	141.0	19.2	12.8	19.2	6.4
LA SALLE	1,388.9	824.1	564.8	64.8	120.4	46.3	-0-	27.8	-0-
LAKE FOREST	713.4	363.1	184.7	25.5	133.8	12.7	-0-	6.4	6.4
LANSING	721.4	378.6	300.0	17.9	42.9	10.7	-0-	7.1	3.6
LIBERTYVILLE	891.9	492.4	371.2	22.7	60.6	7.6	7.6	22.7	-0-

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

CITY	ACCIDENTS				PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
	CANCER	TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	105.5	11.7	-0-	11.7	-0-	7.8	-0-	3.9	19.5	11.7
ALSIPI	97.6	24.4	8.1	16.3	24.4	16.3	-0-	16.3	16.3	-0-
ALTON	195.0	40.0	20.0	20.0	50.0	17.5	5.0	30.0	5.0	15.0
ARLINGTON HEIGHTS	95.8	21.1	15.5	5.6	9.9	11.3	8.5	12.7	14.1	11.3
AURORA	196.0	62.7	34.7	28.0	32.0	20.0	12.0	13.3	24.0	17.3
BELLEVIEW	304.8	50.0	23.8	26.2	42.9	4.8	4.8	11.9	4.8	21.4
BELLWOOD	138.9	18.5	9.3	9.3	18.5	13.9	-0-	9.3	-0-	27.8
BELVIDERE	159.7	69.4	27.8	41.7	27.8	13.9	13.9	20.8	-0-	6.9
BENSENVILLE	205.9	51.5	29.4	22.1	66.2	29.4	14.7	-0-	22.1	22.1
BERWYN	304.2	22.8	5.7	17.1	26.6	9.5	-0-	45.6	26.6	7.6
BLOOMINGTON	189.1	57.2	24.9	32.3	27.4	24.9	5.0	32.3	17.4	7.5
BLUE ISLAND	242.4	64.9	30.3	34.6	30.3	30.3	4.3	13.0	26.0	17.3
BOLINGBROOK	52.4	42.9	38.1	4.8	4.8	33.3	23.8	-0-	-0-	-0-
BROADWAY	168.2	37.4	9.3	28.0	-0-	-0-	-0-	9.3	-0-	9.3
BRIDGEVIEW	103.7	29.6	22.2	7.4	29.6	7.4	-0-	7.4	-0-	7.4
BROOKFIELD	270.9	19.7	9.9	9.9	24.6	9.9	14.8	19.7	34.5	14.8
BUFFALO GROVE	50.0	12.5	12.5	-0-	6.3	31.3	-0-	-0-	12.5	-0-
BURBANK	152.8	46.5	26.6	19.9	26.6	3.3	-0-	6.6	16.6	3.3
CAHOKIA	115.9	43.5	19.3	24.2	9.7	24.2	9.7	14.5	-0-	14.5
CALUMET CITY	200.0	30.6	16.7	13.9	33.3	16.7	8.3	27.8	33.3	2.8
CALUMET PARK	116.5	9.7	9.7	-0-	-0-	-0-	-0-	29.1	-0-	-0-
CANTON	223.8	35.0	28.0	7.0	55.9	14.0	7.0	35.0	-0-	-0-
CARBONDALE	92.6	37.0	25.9	11.1	7.4	7.4	7.4	7.4	-0-	7.4
CARPENTERSVILLE	82.3	61.7	37.0	24.7	24.7	41.2	8.2	-0-	20.6	12.3
CENTRALIA	209.2	104.6	39.2	65.4	71.9	32.7	-0-	32.7	32.7	26.1
CENTREVILLE	87.0	17.4	-0-	17.4	60.9	52.2	-0-	17.4	8.7	-0-
CHAMPAIGN	123.3	16.9	11.8	5.1	35.5	6.8	6.8	11.8	10.1	6.8
CHARLESTON	134.1	30.5	6.1	24.4	12.2	24.4	6.1	24.4	12.2	-0-
CHICAGO	200.7	43.7	14.7	29.1	38.2	25.2	8.0	22.9	29.3	9.7
CHICAGO HEIGHTS	172.3	36.4	24.3	12.1	19.4	26.7	14.6	29.1	14.6	9.7
CICERO	214.6	35.8	10.4	25.3	46.2	13.4	6.0	34.3	26.8	10.4
COLLINGSVILLE	235.0	40.0	30.0	10.0	30.0	10.0	20.0	20.0	-0-	5.0
CRYSTAL LAKE	161.5	68.3	37.3	31.1	37.3	6.2	18.6	12.4	18.6	18.6
DANVILLE	262.9	55.3	30.5	25.8	82.2	18.8	4.7	30.5	28.2	18.8
DE KALB	84.6	33.2	15.1	18.1	21.1	9.1	-0-	6.0	6.0	3.0
DECATUR	205.5	50.8	26.5	24.3	32.0	32.0	11.0	23.2	16.6	12.2
DEERFIELD	174.6	31.7	26.5	5.3	15.9	15.9	5.3	21.2	15.9	5.3
DES PLAINES	163.5	34.8	19.1	15.7	17.4	5.2	7.0	10.4	13.9	3.5
DIXON	181.3	60.4	38.5	22.0	33.0	5.5	16.5	27.5	-0-	22.0
DOLTON	187.7	30.7	19.2	11.5	34.5	19.2	3.8	11.5	19.2	3.8
DOWNERS GROVE	199.4	41.7	17.9	23.8	17.9	3.0	11.9	20.8	14.9	14.9
EAST MOLINE	119.6	33.5	9.6	23.9	14.4	19.1	4.8	19.1	-0-	9.6
EAST PEORIA	87.2	45.9	36.7	9.2	18.3	32.1	13.8	4.6	22.9	9.2
EAST ST LOUIS	201.1	44.2	18.5	25.7	41.4	47.1	8.6	17.1	14.3	4.3
EDWARDSVILLE	212.4	53.1	35.4	17.7	35.4	-0-	8.8	26.5	-0-	-0-
EFFINGHAM	168.2	46.7	28.0	18.7	56.1	9.3	-0-	-0-	-0-	-0-
ELGIN	194.7	35.1	22.8	12.3	29.8	26.3	8.8	12.3	15.8	15.8
ELK GROVE	91.3	26.1	21.7	4.3	8.7	13.0	13.0	8.7	4.3	4.3
ELMHURST	140.5	24.4	16.3	8.1	10.2	12.2	10.2	8.1	12.2	2.0
ELMWOOD PARK	236.6	42.0	22.9	19.1	26.7	-0-	7.6	19.1	22.9	3.8
EVANSTON	210.7	42.4	5.0	37.4	49.9	12.5	2.5	13.7	11.2	11.2
EVERGREEN PARK	223.5	26.5	11.4	15.2	15.2	-0-	3.8	7.6	-0-	7.6
FAIRVIEW HEIGHTS	146.9	42.0	7.0	35.0	7.0	21.0	-0-	-0-	7.0	14.0
FOREST PARK	329.0	51.6	32.3	19.4	19.4	19.4	12.9	25.8	25.8	32.3
FRANKLIN PARK	175.6	29.3	19.5	9.8	-0-	4.9	4.9	14.6	9.8	4.9
FREEDPORT	228.6	53.6	17.9	35.7	46.4	17.9	7.1	7.1	17.9	7.1
GALESBURG	188.4	37.7	17.4	20.3	29.0	29.0	11.6	14.5	8.7	17.4
GLEN ELLYN	171.2	45.0	18.0	27.0	22.5	4.5	9.0	4.5	18.0	18.0
GLENCOE	168.2	9.3	-0-	9.3	18.7	-0-	9.3	-0-	9.3	18.7
GLENDALE HEIGHTS	29.9	29.9	22.4	7.5	-0-	29.9	-0-	-0-	7.5	7.5
GLENVIEW	181.5	41.1	27.4	13.7	37.7	20.5	6.8	17.1	27.4	17.1
GRANITE CITY	154.8	49.1	22.1	27.0	29.5	12.3	7.4	14.7	9.8	4.9
HANOVER PARK	20.2	20.2	15.2	5.1	10.1	15.2	5.1	5.1	10.1	5.1
HARVEY	155.6	49.0	20.2	28.8	34.6	17.3	11.5	20.2	17.3	14.4
HAZEL CREST	119.7	25.6	-0-	25.6	17.1	8.5	-0-	-0-	25.6	-0-
HICKORY HILLS	111.1	7.4	-0-	7.4	14.8	14.8	7.4	-0-	7.4	-0-
HIGHLAND PARK	130.0	18.6	9.3	9.3	6.2	-0-	6.2	6.2	9.3	9.3
HINSDALE	217.4	49.7	31.1	18.6	24.8	12.4	6.2	6.2	12.4	24.8
HOFFMAN ESTATES	37.7	9.4	6.3	3.1	6.3	18.9	3.1	3.1	-0-	3.1
HOMEWOOD	175.0	20.0	15.0	5.0	30.0	5.0	10.0	-0-	10.0	30.0
JACKSONVILLE	242.7	82.5	58.3	24.3	48.5	9.7	9.7	19.4	-0-	9.7
JOLIET	214.6	56.8	30.3	26.5	20.2	35.4	6.3	17.7	29.0	11.4
KANKAKEE	176.8	61.1	25.7	35.4	25.7	45.0	6.4	35.4	16.1	6.4
KEWANEE	234.2	50.6	19.0	31.6	82.3	12.7	-0-	57.0	12.7	-0-
LA GRANGE	272.2	38.9	16.7	22.2	16.7	-0-	-0-	27.8	16.7	11.1
LA GRANGE PARK	185.9	32.1	6.4	25.6	25.6	-0-	-0-	6.4	25.6	6.4
LA SALLE	268.5	101.9	74.1	27.8	18.5	-0-	-0-	27.8	46.3	-0-
LAKE FOREST	133.8	63.7	31.8	31.8	6.4	-0-	-0-	6.4	12.7	12.7
LANSTING	178.6	28.6	17.9	10.7	17.9	28.6	10.7	25.0	7.1	7.1
LITERTYVILLE	128.8	68.2	30.3	37.9	68.2	7.6	-0-	22.7	7.6	7.6

TABLE 11H. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

CITY	C A R D I O V A S C U L A R D I S E A S E								
	ALL CAUSES	TOTAL	HEART DISEASE ARTERIO- SCLEROTIC	OTHER	CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	EMPHY- SEMA
LINCOLN	1,005.7	602.3	409.1	29.4	73.9	56.8	5.7	28.4	22.7
LINCOLNWOOD	862.6	503.8	282.4	61.1	114.5	7.6	7.6	30.5	15.3
LOMBARD	638.1	302.9	206.4	21.4	56.3	8.0	2.7	8.0	10.7
LOVES PARK	590.6	299.2	181.1	15.7	70.9	23.6	-0-	7.9	15.7
LYONS	752.2	398.2	283.2	26.5	79.6	-0-	-0-	8.8	17.7
MACOMR	665.2	448.0	294.1	9.0	122.2	22.6	-0-	-0-	13.6
MARION	1,546.2	900.0	453.8	30.8	330.8	38.5	-0-	46.2	38.5
MARSHAM	512.3	290.1	197.5	37.0	24.7	6.2	12.3	12.3	-0-
MATTOON	1,352.0	744.9	479.6	30.6	183.7	15.3	-0-	35.7	15.3
MAYWOOD	948.6	506.8	349.3	51.4	89.0	6.8	3.4	6.8	3.4
MELROSE PARK	1,152.2	695.7	478.3	69.6	108.7	17.4	8.7	13.0	17.4
MIDLOTHIAN	602.5	285.7	205.0	12.4	43.5	18.6	-0-	6.2	18.6
MOLINE	993.5	555.1	412.5	13.0	95.0	8.6	6.5	19.4	17.3
MONMOUTH	1,126.1	864.9	477.5	81.1	198.2	45.0	-0-	63.1	9.0
MORTON GROVE	626.4	369.8	245.3	11.3	67.9	15.1	-0-	30.2	3.8
MORTON	582.0	327.9	237.7	8.2	57.4	16.4	-0-	8.2	16.4
MOUNT PROSPECT	490.3	240.9	169.9	8.6	51.6	4.3	-0-	6.5	2.2
MOUNT VERNON	1,597.6	939.0	487.8	115.9	201.2	85.4	-0-	48.8	42.7
MUNDELEIN	584.8	280.7	204.7	23.4	35.1	11.7	-0-	5.8	11.7
MURPHYSBORO	1,402.0	941.2	627.5	49.0	225.5	9.8	9.8	19.6	9.8
NAPERVILLE	539.6	312.9	201.4	14.4	75.5	3.6	3.6	14.4	10.8
NILES	966.4	599.4	394.5	36.7	100.9	39.8	6.1	21.4	9.2
NORMAL	384.4	195.4	133.6	9.8	35.8	9.8	-0-	6.5	16.3
NORRIDGE	955.8	591.2	403.3	44.2	132.6	5.5	-0-	5.5	-0-
NORTH CHICAGO	272.2	124.5	88.6	4.2	23.2	2.1	2.1	4.2	6.3
NORTH LAKE	756.9	402.8	305.6	34.7	48.6	6.9	6.9	-0-	34.7
NORTHBROOK	681.2	347.8	192.0	21.7	97.8	18.1	3.6	14.5	14.5
O'FALLON	730.0	470.0	250.0	50.0	110.0	20.0	-0-	40.0	10.0
OAK FOREST	538.1	266.7	204.8	14.3	28.6	4.8	-0-	14.3	-0-
OAK LAWN	934.4	569.6	417.6	32.0	88.0	11.2	3.2	17.6	11.2
OAK PARK	1,260.4	773.2	506.4	55.9	151.8	16.0	9.6	33.5	20.8
ORLAND PARK	446.4	232.1	160.7	17.9	44.6	-0-	-0-	8.9	8.9
OTTAWA	1,175.5	744.7	500.0	47.9	154.3	21.3	-0-	21.3	-0-
PALATINE	726.6	391.0	245.7	24.2	76.1	17.3	3.5	24.2	10.4
PARIS	1,435.6	950.5	594.1	29.7	297.0	9.9	-0-	19.8	39.6
PARK FOREST	424.1	199.4	120.3	15.8	34.8	6.3	3.2	19.0	-0-
PARK RIDGE	785.2	448.0	286.4	20.8	115.5	13.9	-0-	11.5	23.1
PEKIN	1,050.8	539.7	320.6	54.0	120.6	15.9	6.3	22.2	19.0
PEORIA	1,090.3	607.2	407.7	32.2	118.6	18.1	3.9	26.7	23.6
PERU	1,161.0	703.4	457.6	25.4	194.9	8.5	8.5	8.5	25.4
PONTIAC	943.4	594.3	377.4	47.2	94.3	56.6	-0-	18.9	-0-
QUINCY	1,715.9	1,050.7	687.2	37.4	211.5	44.1	13.2	57.3	35.2
RANTOUL	250.0	136.7	70.3	7.8	27.3	15.6	-0-	15.6	-0-
RIVER FOREST	992.5	552.2	403.0	37.3	74.6	29.9	-0-	7.5	7.5
RIVER GROVE	837.6	444.4	316.2	34.2	42.7	17.1	8.5	25.6	8.5
RIVERDALE	1,000.0	602.5	416.1	47.5	99.4	18.6	6.2	18.6	12.4
RIVERSIDE	1,114.3	581.0	409.5	38.1	95.2	28.6	-0-	9.5	19.0
ROCK FALLS	1,087.4	504.9	368.9	29.1	77.7	19.4	-0-	9.7	29.1
ROCK ISLAND	1,043.8	591.6	426.3	35.9	89.6	12.0	13.9	13.9	15.9
ROCKFORD	1,024.8	555.3	366.4	25.5	105.2	28.1	5.4	24.8	15.4
ROLLING MEADOWS	432.3	140.6	83.3	15.6	20.8	15.6	-0-	5.2	20.8
ROMEDEVILLE	375.0	93.8	56.3	-0-	31.3	-0-	-0-	6.3	-0-
SCHAUMBURG	261.7	118.4	65.4	18.7	28.0	-0-	-0-	6.2	-0-
SCHILLER PARK	450.4	335.9	244.3	22.9	45.8	7.6	-0-	15.3	7.6
SKOKIE	825.1	472.5	348.3	20.2	76.6	7.2	1.4	18.8	11.6
SOUTH HOLLAND	588.2	356.9	262.7	19.6	54.9	7.8	-0-	11.8	-0-
SPRINGFIELD	1,384.6	769.2	530.9	26.0	152.8	20.6	3.3	35.8	16.3
ST CHARLES	763.0	414.8	303.7	22.2	59.3	-0-	-0-	29.6	14.8
STERLING	839.5	481.5	333.3	18.5	92.6	24.7	6.2	6.2	12.3
STREAMWOOD	297.3	139.6	90.1	22.5	22.5	4.5	-0-	-0-	-0-
STREATOR	1,391.0	807.7	493.6	44.9	205.1	25.6	12.8	25.6	19.2
SUMMIT	786.3	418.8	273.5	59.8	68.4	-0-	-0-	17.1	-0-
TAYLORVILLE	1,256.9	789.0	596.3	55.0	128.4	-0-	-0-	9.2	27.5
TINLEY PARK	676.1	369.3	278.4	34.1	28.4	11.4	-0-	17.0	-0-
URBANA	573.9	336.2	229.0	17.4	55.1	29.0	-0-	5.8	11.6
VILLA PARK	705.9	396.1	286.3	15.7	54.9	15.7	3.9	19.6	7.8
WAUKEMAN	938.8	513.8	333.3	24.5	114.7	16.8	4.6	19.9	10.7
WEST CHICAGO	612.1	319.0	250.0	-0-	43.1	-0-	8.6	17.2	-0-
WESTCHESTER	742.6	450.5	346.5	19.8	59.4	5.0	5.0	14.9	5.0
WESTERN SPRINGS	654.9	401.4	260.6	28.2	84.5	7.0	-0-	21.1	-0-
WHEATON	730.6	408.3	261.1	16.7	77.8	27.8	8.3	16.7	5.6
WHEELING	724.8	349.0	208.1	13.4	87.2	6.7	-0-	33.6	13.4
WILMETTE	667.7	400.6	229.8	31.1	96.3	24.8	-0-	18.6	6.2
WINNETKA	807.1	435.7	264.3	14.3	114.3	-0-	-0-	42.9	-0-
WOOD DALE	886.8	509.4	405.7	47.2	37.7	9.4	-0-	9.4	37.7
WOOD RIVER	924.8	511.3	330.8	45.1	67.7	37.6	-0-	30.1	7.5
WOODRIDGE	188.7	94.3	69.2	-0-	25.2	-0-	-0-	-0-	-0-
WOODSTOCK	1,245.5	727.3	527.3	27.3	81.8	9.1	54.5	27.3	18.2
WORTH	672.1	352.5	262.3	8.7	49.2	8.2	-0-	24.6	16.4
ZION	984.4	601.2	369.9	-0-	185.0	17.3	17.3	11.6	11.6

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1973
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1973)

CITY	ACCIDENTS										CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
	CANCER	TOTAL	MOTOR VEHICLE	OTHER	PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY								
LINCOLN	153.4	62.5	11.4	51.1	17.0	17.0	11.4	22.7	11.4	11.4				
LINCOLNWOOD	175.6	60.7	7.6	61.1	15.3	-0-	-0-	22.9	7.6	-0-				
LOMBARD	171.6	40.2	21.4	18.8	18.0	8.0	8.0	10.7	18.8	13.4				
LOVES PARK	94.5	23.6	7.9	19.7	31.5	15.7	15.7	7.9	15.7	15.7				
LYONS	141.6	53.1	35.4	17.7	-0-	17.7	8.8	26.5	17.7	-0-				
MACOMB	72.4	18.1	13.6	4.5	4.5	13.6	-0-	13.6	13.6	18.1				
MARION	253.8	107.7	53.8	53.8	15.4	23.1	7.7	23.1	15.4	-0-				
MARKHAM	80.2	12.3	6.2	6.2	37.0	37.0	-0-	6.2	-0-	12.3				
MATTOON	224.5	71.4	51.0	20.4	66.3	15.3	10.2	30.6	-0-	15.3				
MAYWOOD	184.9	54.8	13.7	41.1	41.1	20.5	3.4	20.5	17.1	10.3				
MELROSE PARK	234.8	47.8	13.0	34.8	30.4	13.0	4.3	13.0	17.4	4.3				
MIDLOTHIAN	124.2	31.1	18.6	12.4	12.4	24.8	6.2	18.6	18.6	6.2				
MOLINE	172.8	47.5	25.9	21.6	30.2	19.4	19.4	23.0	17.3	6.5				
MONMOUTH	135.1	36.0	9.0	27.0	18.0	-0-	-0-	27.0	-0-	-0-				
MORTON GROVE	128.3	22.6	15.1	7.5	30.2	3.8	3.8	15.1	7.5	7.5				
MORTON	131.1	41.0	16.4	24.6	16.4	16.4	-0-	8.2	-0-	-0-				
MOUNT PROSPECT	122.6	30.1	15.1	15.1	17.2	17.2	4.3	8.6	8.6	10.8				
MOUNT VERNON	176.8	97.6	30.5	67.1	61.0	24.4	6.1	24.4	6.1	18.3				
MUNDELEIN	140.4	58.5	40.9	17.5	5.8	17.5	11.7	-0-	11.7	5.8				
MURPHYSBORO	225.5	58.8	39.2	19.6	49.0	19.6	-0-	9.8	19.6	-0-				
NAPERVILLE	86.3	28.8	10.8	18.0	18.0	10.8	7.2	3.6	3.6	7.2				
NILES	204.9	15.3	9.2	6.1	33.6	3.1	3.1	15.3	12.2	3.1				
NORMAL	68.4	32.6	19.5	13.0	13.0	6.5	3.3	3.3	6.5	6.5				
NORRIDGE	221.0	27.6	16.6	11.0	27.6	5.5	-0-	16.6	11.0	16.6				
NORTH CHICAGO	50.6	10.5	6.3	4.2	8.4	16.9	4.2	2.1	12.7	6.3				
NORTH LAKE	145.8	27.8	13.9	13.9	55.6	13.9	6.9	6.9	20.8	13.9				
NORTH BROOK	126.8	39.9	10.9	29.0	36.2	10.9	3.6	18.1	10.9	7.2				
O'FALLON	100.0	20.0	20.0	-0-	20.0	20.0	10.0	10.0	20.0	10.0				
OAK FOREST	109.5	52.4	28.6	23.8	4.8	19.0	-0-	14.3	14.3	9.5				
OAK LAWN	198.4	25.6	14.4	11.2	17.6	4.8	9.6	12.8	16.0	4.8				
OAK PARK	228.4	30.4	16.0	14.4	36.7	8.0	6.4	27.2	28.8	6.4				
ORLAND PARK	89.3	17.9	-0-	17.9	17.9	26.8	-0-	-0-	8.9	-0-				
OTTAWA	202.1	53.2	31.9	21.3	63.8	5.3	-0-	10.6	10.6	21.3				
PALATINE	141.9	48.4	13.8	34.6	17.3	3.5	13.8	10.4	27.7	10.4				
PARIS	247.5	29.7	-0-	29.7	29.7	9.9	-0-	29.7	29.7	19.8				
PARK FOREST	82.3	34.8	12.7	22.2	22.2	9.5	-0-	6.3	9.5	12.7				
PARK RIDGE	173.2	30.0	11.5	18.5	30.0	6.9	-0-	2.3	18.5	2.3				
PEKIN	225.4	66.7	44.4	22.2	38.1	25.4	9.5	22.2	12.7	12.7				
PEORIA	223.1	44.0	22.0	22.0	37.7	18.1	2.4	12.6	20.4	12.6				
PERU	203.4	67.8	33.9	33.9	42.4	25.4	16.9	8.5	-0-	-0-				
PONTIAC	188.7	37.7	10.9	18.9	28.3	18.9	-0-	9.4	18.9	-0-				
QUINCY	295.2	68.3	35.2	33.0	66.1	28.6	6.6	17.6	8.8	6.6				
RANTOUL	31.3	23.4	11.7	11.7	7.8	15.6	3.9	7.8	3.9	-0-				
RIVER FOREST	238.8	37.3	14.9	22.4	22.4	7.5	-0-	7.5	22.4	-0-				
RIVER GROVE	196.6	68.4	25.6	42.7	17.1	17.1	8.5	-0-	17.1	25.6				
RIVERDALE	180.1	43.5	24.8	18.6	31.1	6.2	-0-	31.1	18.6	18.6				
RIVERSIDE	295.2	19.0	19.0	-0-	47.6	-0-	-0-	19.0	9.5	19.0				
ROCK FALLS	262.1	58.3	29.1	29.1	38.8	48.5	9.7	-0-	9.7	38.8				
ROCK ISLAND	205.2	57.8	25.9	31.9	15.9	23.9	4.0	23.9	8.0	12.0				
ROCKFORD	196.2	43.5	23.4	20.1	34.2	14.1	11.4	19.4	19.4	13.4				
ROLLING MEADOWS	72.9	52.1	31.3	20.8	20.8	15.6	15.6	10.4	15.6	15.6				
ROMEVILLE	81.3	37.5	18.8	18.8	12.5	6.3	6.3	25.0	12.5	25.0				
SCHAUMBURG	56.1	12.5	9.3	3.1	-0-	12.5	9.3	3.1	9.3	3.1				
SCHILLER PARK	61.1	7.6	7.6	-0-	7.6	15.3	7.6	7.6	-0-	-0-				
SKOKIE	192.2	28.9	17.3	11.6	11.6	5.8	4.3	10.1	5.8	14.5				
SOUTH HOLLAND	105.9	11.8	3.9	7.8	27.5	-0-	3.9	15.7	-0-	3.9				
SPRINGFIELD	303.4	46.6	17.3	29.3	33.6	18.4	2.2	23.8	21.7	15.2				
ST CHARLES	140.7	22.2	14.8	7.4	7.4	51.9	7.4	14.8	29.6	7.4				
STERLING	129.6	67.9	24.7	43.2	18.5	12.3	12.3	18.5	18.5	6.2				
STREAMWOOD	58.6	27.0	18.0	9.0	-0-	9.0	-0-	4.5	13.5	18.0				
STREATOR	256.4	76.9	32.1	44.9	38.5	25.6	-0-	19.2	6.4	19.2				
SUMMIT	222.2	8.5	-0-	8.5	8.5	34.2	8.5	-0-	-0-	17.1				
TAYLORVILLE	183.5	55.0	27.5	27.5	82.6	-0-	-0-	36.7	9.2	-0-				
TINLEY PARK	113.6	34.1	22.7	11.4	45.5	22.7	11.4	-0-	-0-	-0-				
URBANA	84.1	34.8	17.4	17.4	8.7	5.8	5.8	5.8	11.6	11.6				
VILLA PARK	121.6	54.9	39.2	15.7	19.6	15.7	11.8	3.9	7.8	7.8				
WAUKEGAN	142.2	55.0	26.0	29.1	29.1	15.3	6.1	16.8	29.1	16.8				
WEST CHICAGO	112.1	34.5	25.9	8.6	-0-	17.2	17.2	8.6	17.2	17.2				
WESTCHESTER	158.4	39.6	19.8	19.8	-0-	5.0	5.0	9.9	5.0	5.0				
WESTERN SPRINGS	162.0	35.2	21.1	14.1	21.1	7.0	-0-	-0-	-0-	14.1				
WHEATON	163.9	47.2	30.6	16.7	19.4	11.1	8.3	13.9	2.8	13.9				
WHEELING	147.7	87.2	33.6	53.7	13.4	33.6	6.7	6.7	6.7	20.1				
WILMETTE	133.5	18.6	3.1	15.5	9.3	9.3	3.1	21.7	6.2	6.2				
WINNETKA	221.4	35.7	21.4	14.3	14.3	-0-	7.1	14.3	7.1	7.1				
WOOD DALE	188.7	18.9	18.9	-0-	-0-	28.3	-0-	37.7	-0-	-0-				
WOOD RIVER	203.0	30.1	30.1	-0-	22.6	-0-	7.5	7.5	15.0	37.6				
WOODRIDGE	37.7	18.9	6.3	12.6	-0-	12.6	6.3	-0-	-0-	-0-				
WOODSTOCK	154.5	90.9	45.5	45.5	81.8	18.2	9.1	-0-	27.3	27.3				
WORTH	139.3	16.4	16.4	-0-	16.4	8.2	16.4	32.0	8.2	-0-				
ZION	144.5	52.0	28.9	23.1	40.5	-0-	17.3	17.3	5.8	5.8				

TABLE 12 - LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1973
FOR AGES UNDER 1 YEAR SEE TABLE D

Age 1 - 4 Years				Age 5 - 14 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
All Causes				569	All Causes		
1.	Accidents	E800-E949	219	1.	Accidents	E800-E949	824
	a. Motor vehicle	(E810-E823)	(77)		a. Motor vehicle	(E810-E823)	400
	b. Other	(Residue of E800-E949)	(142)		b. Other	(Residue of E800-E949)	(230)
2.	Congenital Anomalies	740-759	112	2.	Malignant Neoplasms	140-209	107
3.	Influenza and pneumonia	470-474, 480-486	63	3.	Congenital Anomalies	740-759	59
4.	Malignant Neoplasms	140-209	41	4.	Homicide	E960-E978	38
5.	Heart disease	393-429	39	5.	Influenza and pneumonia	470-474, 480-486	33
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			6.	Heart disease	393-429	16
6.	Meningitis, except meningococcal				(Excl. of 400.0, 400.2, 400.3, 401, 403)		
	and tuberculous	320	20	7.	Cystic Fibrosis of pancreas	273.0	15
7.	Homicide	E960-E978	12	8.	Injury undetermined whether accidentally		
8.	Anemias	280-285	9		or purposely inflicted	E980-E989	13
9.	Acute respiratory infections, except			9.	Anemias	280-285	7
	influenza	460-466	7	10.	Cerebrovascular disease	430-438	6
10.	Intestinal infections disease	000-009	6	10.	Asthma	493	6
11.	Chickenpox	052	5				
Age 15 - 24 Years				Age 25 - 44 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
All Causes				2,704	All Causes		
1.	Accidents	E800-E949	1,298	1.	Heart disease	393-429	1,259
	a. Motor vehicle	(E810-E823)	(824)		(Excl. of 400.0, 400.2, 400.3, 401, 403)		
	b. Other	(Residue of E800-E949)	(474)	2.	Accidents	E800-E949	1,215
2.	Homicide	E960-E978	369		a. Motor vehicle	(E810-E823)	(671)
3.	Suicide	E950-E959	182		b. Other	(Residue of E800-E949)	(544)
4.	Malignant Neoplasms	140-209	166	3.	Malignant Neoplasms	140-209	1,047
5.	Heart disease	393-429	132	4.	Homicide	E960-E978	527
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			5.	Cirrhosis of liver	571	323
6.	Drug dependence	304	69	6.	Suicide	E950-E959	322
7.	Influenza and pneumonia	470-474, 480-486	53	7.	Cerebrovascular disease	430-438	250
8.	Cerebrovascular disease	430-438	33	8.	Influenza and pneumonia	470-474, 480-486	149
9.	Congenital anomalies	740-759	32	9.	Other circulatory diseases	441-458	92
10.	Epilepsy	345	18	10.	Diabetes Mellitus	250	82
Age 45 - 64 Years				Age 65 Years and Over			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
All Causes				26,842	All Causes		
1.	Heart disease	393-429	10,858	1.	Heart disease	393-429	69,649
	(Excl. of 400.0, 400.2, 400.3, 401, 403)				(Excl. of 400.0, 400.2, 400.3, 401, 403)		
2.	Malignant Neoplasms	140-209	7,226	2.	Malignant Neoplasms	140-209	11,220
3.	Cerebrovascular disease	430-438	1,620	3.	Cerebrovascular disease	430-438	8,953
4.	Cirrhosis of liver	571	1,098	4.	Influenza and pneumonia	470-474, 480-486	2,299
5.	Accidents	E800-E949	1,038	5.	General Arteriosclerosis	440	1,683
	a. Motor vehicle	(E810-E823)	(462)	6.	Other circulatory diseases	441-458	1,570
	b. Other	(Residue of E800-E949)	(576)	7.	Diabetes Mellitus	250	1,396
6.	Influenza and pneumonia	470-474, 480-486	568	8.	Accidents	E800-E949	1,091
7.	Other circulatory diseases	441-458	517		a. Motor vehicle	(E810-E823)	(340)
8.	Diabetes Mellitus	250	498		b. Other	(Residue of E800-E949)	(751)
9.	Suicide	E950-E959	390	9.	Emphysema	492	987
10.	Emphysema	492	334	10.	Cirrhosis of liver	571	480

¹International Classification of Diseases (ICDA) 8th Revision.

TABLE 13 CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1963 to 1973

Disease	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963
ILLINOIS											
Actinomycosis	—	—	1	2	1	2	3	1	—	—	—
Amebiasis cases and carriers	92	119	153	170	167	151	102	172	193	319	216
Blastomycosis	3	2	7	4	10	1	1	1	3	1	5
Brucellosis	2	8	17	6	14	1	13	13	18	26	26
Chancroid	112	109	53	34	43	19	7	8	23	15	10
Chickenpox	14,101	9,326	6,142	4,374	5,508	6,997	6,737	9,067	9,165	11,870	14,259
Conjunctivitis, all forms	20	28	20	11	22	21	44	20	1	10	2
Diarrhea of newborn	11	289	225	233	155	99	149	105	125	102	90
Dysentery bacillary cases											
and carriers	2,465	1,432	1,108	1,135	1,188	1,184	1,304	769	685	721	555
Diphtheria cases and carriers	—	3	5	37	1	2	5	4	6	16	26
Encephalitis, acute and post	302	221	193	206	159	202	283	116	123	270	148
Erysipelas	17	20	20	4	+	+	+	+	+	+	+
Food infections	1,591	1,410	1,445	1,372	1,152	1,085	1,033	1,007	1,154	773	644
Food poisonings	143	489	96	214	258	244	79	178	772	468	551
Fungal infection, other	3	2	1	1	1	6	7	6	4	7	9
Gastroenteritis, (E. Coli) cases											
and carriers	810	971	1,054	346	958	455	453	254	135	68	37
German measles	1,264	1,163	1,396	1,871	1,825	3,328	1,621	2,935	4,850	29,685	2,108
Gonorrhea	45,977	45,035	48,290	51,668	50,337	42,464	38,957	33,733	29,091	26,866	25,300
Hepatitis, infectious and serum	2,715	2,858	2,682	2,045	1,872	2,016	1,801	1,206	1,247	1,229	1,472
Histoplasmosis	6	30	28	49	58	49	47	44	61	27	16
Influenza	1,138	3,424	185	+	+	+	+	+	+	+	+
Impetigo contagiosa	—	—	—	—	—	—	—	4	—	—	1
Leprosy	4	1	1	5	3	—	1	—	3	—	—
Leptospirosis	2	—	1	1	3	1	—	1	5	—	2
Malaria	18	36	62	68	124	64	38	16	1	3	1
Measles	2,162	4,654	3,460	3,085	1,746	1,291	1,347	11,514	5,036	16,906	11,862
Meningitis meningococcal	42	33	85	73	72	82	82	102	125	96	75
Meningitis, other	277	288	268	240	218	293	272	454	413	418	429
Mononucleosis, Inf.	939	658	690	49	+	+	+	+	+	+	+
Mumps	2,944	3,399	5,585	2,387	3,212	5,404	10,845	6,575	4,890	14,598	8,568
Paratyphoid cases and carries	***	***	***	***	***	***	***	—	5	1	—
Pneumonia	1,252	1,154	1,004	+	+	+	+	+	+	+	+
Poliomyelitis	—	—	1	1	1	3	1	3	4	5	14
Pittacosis and ornithosis	—	13	—	—	1	1	—	1	5	6	11
Rheumatic fever	799	856	992	1,190	1,178	1,332	1,425	1,613	1,705	2,059	1,794
Ringworm of the scalp	1	3	1	7	24	29	86	96	114	114	99
Rocky Mountain spotted fever	14	12	6	6	8	8	12	11	9	7	7
Scarlet fever and strap throat	9,461	8,503	7,560	7,451	7,431	8,052	7,978	9,125	6,167	6,283	5,906
Staphylococcal inf. (neonatal)	49	47	30	47	22	39	19	27	50	34	**
Staphylococcal inf. (other than neonatal)	746	591	651	895	753	603	902	889	709	773	**
Syphilis	4,864	7,084	6,569	5,204	6,725	7,168	7,248	6,402	7,293	5,338	6,009
Tetanus	3	8	5	8	13	9	17	5	18	16	10
Toxoplasmosis	10	2	11	3	1	1	3	1	2	—	—
Trichinosis	4	14	2	8	8	—	4	1	4	5	5
Tuberculosis	1,520	1,940	2,138	2,292	2,478	2,805	2,999	2,938	3,328	3,370	3,739
Tularemia	3	4	8	10	10	15	18	21	14	21	24
Typhoid cases and carriers	25	10	22	15	24	21	11	10	18	28	17
Typhus cases and carriers	1	—	—	3	—	—	—	1	1	—	—
Whooping cough	129	110	172	363	232	246	551	639	497	774	748

***No state total given since data are available for Downstate only.

***Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

†Not reportable prior to 1970.

TABLE 13. CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1963 to 1973 - CONTINUED

Disease	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963
CHICAGO											
Actinomycosis	-	-	-	1	-	2	-	-	-	-	-
Amoebiasis cases and carriers	19	33	41	80	93	66	26	20	56	21	13
Blastomycosis	-	-	1	2	-	-	-	-	-	-	-
Brucellosis	-	-	-	-	1	-	-	-	2	-	1
Chancroid	103	96	47	29	33	15	5	3	19	13	5
Chickenpox	939	880	670	415	688	813	920	1,583	1,869	1,391	2,725
Conjunctivitis, all forms	2	4	3	1	4	5	10	1	-	1	-
Diarrhea of newborn	9	288	222	223	149	96	140	98	117	90	68
Diphtheria cases and carriers	-	3	5	37	-	-	4	3	4	15	18
Dysentery bacillary cases and carriers	1,766	932	701	750	807	792	758	403	408	218	186
Encephalitis, acute and post	61	57	52	69	66	44	93	29	51	55	40
Erysipelas	4	1	1	2	+	+	+	+	+	+	+
Food infections	823	830	861	862	728	474	634	608	459	417	363
Food poisonings	1	-	-	-	-	9	7	20	27	27	42
Fungal infection, other	-	2	-	-	-	-	-	-	-	-	1
Gastroenteritis, (E. Coli) cases and carriers	644	773	926	212	829	276	292	129	82	18	3
German measles	55	58	50	161	181	210	197	347	1,027	1,821	426
Gonorrhea	32,260	33,607	37,742	42,503	41,425	34,964	31,619	27,850	24,540	22,497	21,667
Hepatitis, infectious and serum	785	878	885	758	677	652	674	379	374	357	432
Histoplasmosis	-	-	-	-	-	2	-	-	5	-	-
Influenza	45	22	1	+	+	+	+	+	+	+	+
Impetigo contagiosa	-	-	-	-	-	-	-	1	-	-	-
Leprosy	2	1	1	3	-	-	1	-	-	-	-
Leptospirosis	-	-	1	-	-	-	-	-	-	-	-
Malaria	4	3	8	10	1	6	8	5	-	1	-
Measles	1,002	1,286	422	1,659	1,411	986	630	3,331	2,408	4,639	2,879
Meningitis meningococcal	8	6	17	18	20	27	24	40	43	37	24
Meningitis, other	87	118	106	105	93	127	145	183	147	145	168
Mononucleosis, Inf.	27	39	30	6	+	+	+	+	+	+	+
Mumps	397	465	420	429	553	511	915	1,166	816	1,275	1,596
Paratyphoid cases and carriers	***	***	***	***	***	***	***	-	-	-	-
Pneumonia	1,159	1,061	992	+	+	+	+	+	+	+	+
Polio myelitis	-	-	-	-	1	3	1	1	-	1	4
Psittacosis and ornithosis	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	107	139	195	258	283	364	314	393	508	547	461
Ringworm of the scalp	-	-	-	-	8	4	23	32	53	31	24
Rocky Mountain spotted fever	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever and strep throat	119	205	146	154	282	274	318	538	815	777	871
Staphylococcal inf. (neonatal)	-	-	1	-	-	-	-	-	-	-	**
Staphylococcal inf. (other than neonatal)	-	3	-	-	-	-	-	-	1	2	**
Syphilis	3,397	5,624	4,769	3,640	5,097	5,857	5,900	5,177	6,238	4,443	4,995
Tetanus	1	1	-	3	5	4	6	-	4	2	3
Toxoplasmosis	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	1	6	1	4	6	-	-	1	3	1	5
Tuberculosis	899	1,270	1,385	1,536	1,671	1,963	1,989	1,977	2,179	2,202	2,322
Tularemia	-	-	-	-	1	-	-	-	-	-	-
Typhoid cases and carriers	16	8	12	11	8	6	5	4	9	14	8
Typhus cases and carriers	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	93	67	92	239	166	148	406	507	318	571	482

** Data not available from Chicago before 1964

*** Paratyphoid cases and carriers included as part of food infections totals beginning in 1967.

† Not reported prior to 1970

TABLE 13 — CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1963 to 1973 — CONTINUED

Disease	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963
DOWNSTATE											
Actinomycosis	—	—	1	1	1	—	3	1	—	—	—
Amebiasis cases and carriers	73	86	112	90	74	85	76	152	137	298	203
Blastomycosis	3	2	6	2	10	1	1	1	3	1	5
Brucellosis	2	8	17	6	13	1	13	13	16	26	25
Chancroid	9	13	6	5	10	4	2	5	4	2	5
Chickenpox	13,162	8,446	5,472	3,959	4,820	6,184	5,817	7,484	7,296	10,479	11,534
Conjunctivitis, all forms	18	24	17	10	18	16	34	19	1	9	2
Diarrhea of newborn	2	1	3	—	6	3	9	7	8	12	22
Diphtheria cases and carriers	—	—	—	—	1	2	1	1	2	1	8
Dysentery bacillary cases and carriers	699	500	407	385	381	392	546	366	277	503	369
Encephalitis, acute and post	241	164	141	137	93	158	190	87	72	215	108
Erysipelas	13	19	19	2	+	+	+	+	+	+	+
Food infections	768	580	584	510	424	338	399	399	695	356	281
Food poisonings	142	489	96	214	258	235	72	158	745	441	509
Fungal infection, other	3	—	1	1	1	6	7	6	4	7	8
Gastroenteritis, (E. Coli) cases and carriers	166	198	128	134	129	179	161	125	53	50	34
German measles	1,209	1,105	1,346	1,710	1,644	3,118	1,424	2,588	3,823	27,864	1,682
Gonorrhea	13,717	11,428	10,548	9,165	8,912	7,500	7,338	5,883	4,551	4,369	3,633
Hepatitis, infectious and serum	1,930	1,980	1,797	1,287	1,195	1,364	1,127	827	873	872	1,040
Histoplasmosis	6	30	28	49	58	47	47	44	56	27	16
Influenza	1,093	3,402	184	+	+	+	+	+	+	+	+
Impetigo contagiosa	—	—	—	—	—	—	—	3	—	—	1
Leprosy	2	—	—	2	3	—	—	—	3	—	—
Leptospirosis	2	—	—	1	3	1	—	1	5	—	2
Malaria	14	33	54	58	123	58	30	11	1	2	1
Measles	1,160	3,368	3,038	1,426	335	305	717	8,183	2,628	12,267	8,983
Meningitis meningococcal	34	27	68	55	52	55	58	62	82	59	51
Meningitis, other	190	170	162	135	125	166	127	271	266	273	261
Mononucleosis, Inf.	912	619	660	43	+	+	+	+	+	+	+
Mumps	2,547	2,934	5,165	1,958	2,659	4,893	9,930	5,409	4,074	13,323	6,972
Paratyphoid cases and carriers	***	***	***	***	***	***	***	—	5	1	—
Pneumonia	93	93	12	+	+	+	+	+	+	+	+
Poliomyelitis	—	—	1	1	—	—	—	2	4	4	10
Psittacosis and ornithosis	—	13	—	—	1	1	—	1	5	6	11
Rheumatic fever	692	717	797	932	895	968	1,111	1,220	1,197	1,512	1,333
Ringworm of the scalp	1	3	1	7	16	25	63	64	61	83	75
Rocky Mountain spotted fever	14	12	5	6	8	8	12	11	9	7	7
Scarlet fever and strep throat	9,342	8,298	7,414	7,297	7,149	7,778	7,660	8,587	5,352	5,506	5,035
Staphylococcal inf. (neonatal)	49	47	29	47	22	39	19	27	50	34	29
Staphylococcal inf. (other than neonatal)	746	588	651	895	753	603	902	889	708	771	767
Syphilis	1,467	1,460	1,800	1,564	1,628	1,311	1,348	1,225	1,055	895	1,014
Tetanus	2	7	5	5	8	5	11	5	14	14	7
Toxoplasmosis	10	2	11	3	1	1	3	1	2	—	—
Trichinosis	3	8	1	4	2	—	4	—	1	4	—
Tuberculosis	621	670	753	756	807	842	1,010	961	1,149	1,168	1,417
Tularemia	3	4	8	10	9	15	18	21	14	21	24
Typhoid cases and carriers	9	2	10	4	16	15	6	6	9	14	9
Typhus cases and carriers	1	—	3	—	—	—	—	1	1	—	—
Whooping cough	36	43	80	124	66	98	145	132	179	203	266

***Paratyphoid cases and carriers included as part of food infections totals beginning in 1967
(Not reportable prior to 1970.)

TABLE 14. MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1973

Female Age Group	Male Age Group													
	Total	Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
Total	119,843	15	10,792	49,137	25,109	11,065	6,450	4,861	3,965	2,871	2,028	1,404	2,030	116
Under 15 years	17		8	8	1									
15-19 Years	28,855	8	9,026	16,747	2,385	444	141	40	16	10	5	4		29
20-24 Years	47,982	5	1,592	29,181	12,879	2,886	843	315	125	51	23	9	2	41
25-29 Years	17,297	1	107	2,484	7,607	4,095	1,692	800	312	124	46	10	7	12
30-34 Years	8,167		26	464	1,556	2,416	1,777	993	578	217	64	26	14	6
35-39 Years	4,986		10	132	446	812	1,188	1,137	752	330	115	37	22	5
40-44 Years	3,688	1	4	47	127	295	537	909	891	506	231	95	43	2
45-49 Years	3,107		6	13	48	78	202	445	812	767	428	191	115	2
50-54 Years	2,166		1	10	13	22	58	159	308	552	522	297	224	
55-59 Years	1,501			2	3	7	9	43	132	229	408	349	316	3
60-64 Years	997					1	1	9	30	67	142	274	471	2
65+ Years	1,003		2	1		3	1	6	8	18	38	112	812	2
Unknown	107		10	48	14	6	1	5	1	—	6	—	4	12

TABLE 15. - DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1973

Female Age Group		Male Age Group													
		Total	Under 15 yrs.	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL		44,671	19	295	6,280	9,987	7,796	5,400	4,234	3,343	2,116	1,246	701	555	2,699
Under 15 years		26			5	8	5	3	1	1	1	—	—	1	1
15-19 years		1,428	1	207	975	158	22	7	6	2	—	—	—	—	50
20-24 years		9,648	4	73	4,619	3,896	669	114	38	14	5	6	2	2	206
25-29 years		10,082	4	8	465	5,021	3,276	677	244	91	26	11	6	1	252
30-34 years		6,830	6	1	51	487	3,040	2,102	615	231	78	30	11	2	176
35-39 years		4,702	1	—	9	97	389	1,851	1,494	464	163	55	16	9	154
40-44 years		3,486	—	—	1	27	98	306	1,286	1,107	332	126	44	14	145
45-49 years		2,550	1	—	4	20	20	108	273	997	685	233	77	43	89
50-54 years		1,487	1	—	3	5	4	31	73	214	544	345	124	60	83
55-59 years		775	—	—	1	2	2	6	23	49	108	266	191	81	46
60-64 years		371	—	—	—	—	1	1	3	9	27	71	119	117	23
65+ years		259	—	—	—	1	—	—	3	4	15	22	38	160	16
Unknown		3,027	1	6	147	265	270	194	175	160	132	81	73	65	1,458

TABLE 16 - NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1973

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown- Blank
Total	119,843	83,944	29,360	4,622	732	137	30	11	1	1		1,005
0	84,718	74,238	9,600	755	78	14	6	2				25
1	28,356	8,765	16,730	2,375	357	59	8	5	1	1		55
2	4,647	736	2,495	1,190	174	33	13	3				3
3	847	95	386	238	105	20	1					2
4	108	15	39	35	10	8	1					
5	35	4	11	12	5	2	1					
6	5		2		1	1		1				
7	1			1								
8	1			1								
9+												
Unknown-Blank	1,125	91	97	15	2							920



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

BUREAU OF ECONOMIC
BUSINESS RESEARCH

1974

SPRINGFIELD, ILLINOIS



**VITAL
STATISTICS
ILLINOIS
1974**



VITAL STATISTICS ILLINOIS

1974 **SPRINGFIELD
ILLINOIS**

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

September, 1975



EXPLANATION OF SYMBOLS

QUANTITY ZERO IN FREQUENCY TABLES	--
RATE OR PERCENT MORE THAN 0 BUT LESS THAN 0.05	0.0
FIGURES WITHIN PARENTHESIS NOT INCLUDED IN TOTALS	()
RATE ZERO CORRESPONDING TO -- ON FREQUENCY TABLE	-0--

TABLE OF CONTENTS
VITAL STATISTICS—ILLINOIS—CALENDAR YEAR 1974

	Page
Introduction	1
Population	1
Live births	1
Illegitimacy	1
Birthweight	1
Perinatal mortality	2
Neonatal and infant mortality	2
Maternal mortality	2
Deaths	2
Deaths from external causes	3
Other causes of death	3
Notifiable disease case reports	3
Marriage and divorce	3
Population by counties: 1974	4

Table

A.	--Resident live births by race classified by sex, legitimacy, status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1974	5
B.	--Causes of fetal death among infants born to Illinois mothers by weight at birth: 1974	5
C.	--Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1974	6
D.	--Leading causes of infant deaths, by age, Illinois residents: 1974	6
E.	--Ten leading causes of deaths among white and nonwhite races, Illinois residents: 1974	7
F.	--Components of resident heart disease deaths, Illinois: 1974	7
G.	--Resident cancer deaths by site and age, Illinois: 1974	7
H.	--Resident deaths due to cerebrovascular disease, Illinois: 1974	8
I.	--Deaths and rates from the principal diseases affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965, 1970, 1971 and 1974	8
J.	--Accidental deaths among Illinois residents by type of accident and age of decedent: 1974	9
K.	--Accidental deaths occurring in Illinois by type of accident occurred by population class: 1974	10
L.	--Marital status of bride and groom at time of marriage, Illinois: 1974	10
M.	--Divorces and annulments classified by the duration of marriage, Illinois: 1974	11
N.	--Marriages, divorces and annulments occurring in Illinois: 1958 to 1974	11

1.	--Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 to 197413
2A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of Illinois counties: 197414
2B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of Illinois counties: 197416
3A.	--Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 197418
3B.	--Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 197419
4.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 197420
5.	--Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 197423
6.	--Fetal deaths by weight among residents of Illinois counties: 197424
7.	--Fetal deaths by weight among residents of the larger cities of Illinois: 197427
8A.	--Live births by birth weight among residents of Illinois counties: 197428
8B.	--Live births by birth weight among residents of the larger cities of Illinois: 197430
8C.	--Resident live births by birth weight, sex and color, Illinois, Chicago, and Downstate: 197431
9A.	--The twelve leading causes of death by age and color, among residents of Illinois, Chicago, and Downstate: 197432
9B.	--Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 197435
10A.	--Death from important causes among residents of Illinois counties: 197438
10B.	--Death rates for important causes among residents of Illinois counties: 197442
11A.	--Deaths from important causes among residents of the larger cities of Illinois: 197446
11B.	--Death rates for important causes among residents of the larger cities of Illinois: 197448
12.	--Ten leading causes of deaths in selected age groups, Illinois: 197450
13.	--Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1964 to 197451
14.	--Marriages classified by sex and age, Illinois: 197454
15.	--Divorces classified by sex and age, Illinois: 197454
16.	--Number of previous marriages of bride and groom, Illinois: 197454

VITAL STATISTICS
ILLINOIS
CALENDAR YEAR 1974

INTRODUCTION

The tables in this report are the by-product of the legal documents prepared on live births, fetal deaths, deaths, marriages, divorces and annulments collected under the vital records reporting system. As the result of the cooperative efforts among the states and provinces and through the use of essentially uniform report forms, information on live births, fetal deaths and deaths occurring to Illinois residents elsewhere in the United States and Canada are included. The lack of an effective procedure for transferring information on marriages, divorces and annulments limits these data to events occurring in Illinois.

POPULATION

Illinois is currently undergoing major changes in population. In addition to the impact of the numbers of live births since the low figure of 107,910 in 1933 and the high figure of 239,871 in 1959, the state experienced an influx of white, including many Spanish-speaking, black and American Indian persons for several years beginning about 1955.

The rather sharp decline in both live births and deaths among both the white and other races in the City of Chicago for several years implies heavy population losses in the city since 1970. In contrast, the population in nearly all of the southern third of the state, except for losses in portions of Madison and St. Clair counties, is stabilizing, and in fact is increasing in some counties, after decades of out migration. Coal mining, gas and oil extraction, new small industries, recently constructed recreational facilities and the establishment of a network of community colleges are factors.

Population figures by white and non-white for broad groups used in providing the rates in Tables K, page 10, and 9B, pages 35 to 37, and for the city of Chicago have been developed in the Illinois Department of Public Health. The state population figure is taken from the United States Bureau of the Census "Current Population Reports", P-25, Number 533, October, 1974. The county populations were developed jointly under the Federal-State Cooperative Program for Local Population Estimates. They appear on the map on page 4.

LIVE BIRTHS

During 1974, of the 166,526 children born alive in Illinois, 1,464 were to mothers living outside of the state. Of the 168,991 live births to Illinois residents, 3,929 were born outside of the state.

The resident live birth rate was 15.2 per 1,000 population in 1974. The rate was 15.0 in 1973. These were the lowest since 1939, when the rate was 14.9. The lowest rate on record was 13.9 in 1933.

The greatest number of live births in Illinois history, 239,871, occurred in 1959. Of these 201,955 were white,

37,125 were black and 791 were divided among other races. Of 168,991 live births in 1974, 131,286 were white, 35,030 black and 2,675 among other races. By race, the white live births reached their peak of 203,033 in 1957 and the black live births their peak of 41,718 in 1971.

ILLEGITIMACY

The mother of a child born out of wedlock is often a teenager living in poor quality housing and in a neighborhood with many social problems. Her child tends to be of low birth weight for its race. Illegitimacy is thus a concern of family health programs.

Illegitimate live births among all races and by racial groups during the past five years are summarized in the following two tables. Among all races, 15.8 percent of live births in 1974 were illegitimate. Among Blacks, 53.8 percent of 1974 live births were illegitimate.

NUMBER OF ILLEGITIMATE LIVE BIRTHS

Year	All Races	White	Black	Other
1970	27,655	9,463	18,158	34
1971	29,205	8,930	20,239	36
1972	29,971	8,887	21,048	36
1973	27,386	7,755	19,602	29
1974	26,743	7,842	18,847	54

PERCENT OF ALL LIVE BIRTHS THAT ARE ILLEGITIMATE

Year	All Races	White	Black	Other
1970	13.5	5.8	44.6	1.8
1971	14.9	5.9	48.5	1.8
1972	16.8	6.5	53.9	1.5
1973	16.2	6.0	53.0	1.1
1974	15.8	6.0	53.8	2.0

BIRTHWEIGHT

The First World Health Assembly in 1948 established the weight range 2,500 grams (5 pounds, 8 ounces) or less as "premature". In Table 8C, page 31, the birth weights are classified by sex for white and other races for Illinois, Chicago and the remainder of the state (Downstate).

This table shows total live births and premature live births by sex and race among Illinois Residents in 1974. Both males and females of other races show excesses in percent "premature" compared with whites.

	Live Births	Under 2501 Grams		Median Weight
	Number	Number	Percent	Grams
Total	168,991	13,219	7.8	3,324
White	131,286	8,121	6.2	3,376
Other	37,705	5,098	13.5	3,149
Male	86,981	6,354	7.3	3,386
Female	82,010	6,865	8.4	3,265
White Male	67,684	3,955	5.8	3,443
Other Male	19,297	2,399	12.4	3,206
White Female	63,602	4,166	6.6	3,314
Other Female	18,408	2,699	14.7	3,090

The use of prematurity by birthweight as the measure of an infant's survival may be misleading, since median birth weight is traditionally lower for females and for both sexes among other races. The median weights shown here indicate that an area with a large non-white population will have a large percentage "premature" by birthweight. For this reason, the term "low birthweight" is being preferred. A child whose weight is low for its sex and race requires special care both at time of delivery and at home.

PERINATAL MORTALITY

With the decline in the number of live births has come a decline in the number of deaths before and during delivery (fetal deaths). Also, not only has the number of losses of live-born infants before they reach the age of one year been declining, but the losses have been declining more rapidly than the decline in births. The implication is that of the fewer persons being delivered, better care is being taken to insure their survival.

When the causes of fetal death shown in Table B are examined, it is found that one-third provide no information for lowering fetal loss. There were 342 fetal deaths from asphyxia, 156 from immaturity otherwise unqualified and 162 from unknown causes, a total of 660 or 33.4 percent, of the 1,984 fetal deaths reported in 1974. For those born alive and dying under the age of 7 days, Table D shows that of the 2,148 reported 552 died from asphyxia, and 226 from immaturity otherwise unqualified, or 36.2 percent.

The underlying causes are essentially the same for those dying before or during delivery and those dying during the first week of life. However, for 1,438, or 34.8 percent of the 4,132 losses during the perinatal period from the twentieth completed week of gestation to the end of the first week of life essentially no information has been recorded. This lack of information creates difficulties in genetic counselling and in studying the effects of radioactivity and other environmental hazards.

NEONATAL AND INFANT MORTALITY

The eleven causes of death listed in Table D represent 83.6 percent of all deaths under the age of 7 days, 76.5 percent of the deaths ages 7 to 27 days and 80.7 percent of those from 28 days to one year of age. Of the 3,271 deaths under the age of one year, 2,148 or 65.7 percent, were under the age of 7 days, 293, or 8.9 percent, were from 7 to 27 days of age and 830, or 25.4 percent, were 28 days old or older.

The infant death rate of 19.4 per 1,000 live births is the lowest of record. The rate was 20.1 in 1973, about one-fourth of the rate of 81.9 reported in 1923. In 1974, there were 14.4 deaths under the age of 28 days (neonatal deaths) per 1,000 live births, also a new low. In contrast, the death rate for the age range 28 days to one year (the post neonatal period) was 5.0, the same as in 1970, according to Table 1, page 13.

MATERNAL DEATHS

There were 38 resident maternal deaths in 1974, an increase from the 23 reported in 1973. The death rate in 1974 was 22.5 per 100,000 live births, the same as in 1972. The lowest rate of record was 13.5 in 1973. In 1974, there were 19 white and 19 black deaths from maternal causes in the state. Of these, 5 white and 15 black deaths were among Chicago residents. By age, 6 of the white and 9 of the black deaths were among mothers 30 years of age or older. Their death rates were 24.1 and 186.7 respectively. In contrast, the 13 white deaths and 10 black deaths under the age of 30 years provided rates of 12.2 and 33.1 respectively. By category in 1974 there were 16 deaths from hemorrhage, 11 from toxemias, 1 from infection and 10 from other causes in contrast to 8, 3, 4, and 8, respectively in 1973.

There were no deaths reported from either medically or legally induced abortion during the past five years.

DEATHS

In 1974, of the 105,542 persons dying in the state, 2,076 lived outside of Illinois. Of the 107,872 deaths among Illinois residents, 4,406 occurred outside of the state.

The death rate was 9.7 per 1,000 population in 1974. This is the lowest rate of record. Only in the age group 85 years and over did the number of deaths in 1974 exceed the number reported in 1970. There were 16,182 in this group in 1974 compared with 13,789 in 1970. For each age group shown in Table 9B, page 35, the death rate in 1974 was less than that for the corresponding age group in 1970.

According to Table E, the first three leading causes for both white and non-white racial groups were heart disease, cancer and cerebrovascular disease. Accidents were the fourth leading cause of death among white residents and homicides among non-white residents. These first four causes accounted for 72,309 or 77.0 percent, of the 93,932 white deaths and for 9,301 or 66.7 percent, of the non-white deaths. Numbers and rates for the 12 most frequently reported causes of death in Illinois, Chicago, and Downstate appear in Tables 9A and 9B, pages 32 to 37. Principal causes of death for selected age groups are listed in Table 12, page 50.

For each of the four most frequent causes of deaths, special tabulations in more detail by age are presented in Tables F, G, H, and J. Table I carries a report of deaths and rates for the principal respiratory diseases for 1974 and for each fifth year beginning with 1950. This table shows the continued decline of tuberculosis and the continued increase of lung cancer and emphysema over the past quarter of a century. In Table K, the deaths resulting from an accident which occurred in Illinois during 1974 are classified by type and by numbers and rates for population size groups in metropolitan and non-metropolitan areas. Accidental death rates were higher outside of places of 10,000 population or more, largely due to falls among the elderly who make up a greater proportion of the rural population and to motor vehicle accidents among those in the age range 15 to 44 years.

DEATHS FROM EXTERNAL CAUSES

For the past five years the number of deaths in Illinois from external causes by cause group were:

RESIDENT DEATHS FROM EXTERNAL CAUSES

	1970	1971	1972	1973	1974
Total	7,735	7,846	7,503	8,067	7,655
Motor vehicle accidents	2,448	2,499	2,378	2,552	2,103
Other accidents	2,729	2,804	2,607	2,774	2,730
Homicide	1,161	1,200	1,048	1,269	1,444
Suicide	1,026	1,009	1,048	1,095	1,001
Undetermined & other	371	334	422	377	377

*The Eighth Revision of the Classification of Disease (1965) provides for the separate classification of an external cause not determined by the certifier as being due to accident, homicide or suicide.

There were fewer deaths from motor vehicle accidents in 1974 than in any of the preceding four years. The reduction in motor vehicle accident deaths by more than 17 percent from 1973 to 1974 is probably the result of a combination of influences including, among others, slower speeds, less driving because of the gasoline shortage and more effective care of motor vehicle accident victims through the efforts of the recently established trauma care centers. Of the major categories of external cause deaths, only homicide showed an increase in 1974 over 1973. The increase (175) was offset by reductions in deaths due to accidental causes and suicide with the result that 412 fewer lives were lost due to external causes in 1974 than in 1973.

OTHER CAUSES OF DEATH

The next seven most common causes of death following those in Table 9A, page 32, and their frequencies were suicide — 1,001, hypertension without mention of heart disease — 547, ulcer of the stomach and duodenum — 502, hernia and intestinal obstruction — 369, bronchitis — 357, infections of the kidney — 328 and chronic nephritis and renal sclerosis — 323.

Causes of death from selected infective and parasitic diseases were: tuberculosis — 159; infectious hepatitis — 33; fungus infections — 18 (including 4 histoplasmosis and 6 moniliasis); acute infectious encephalitis — 18; syphilis — 13; meningococcal infections — 9; chickenpox — 7; poliomyelitis — 5 (including 3 late effects and 2 unspecified); measles (rubeola) — 3; infectious mononucleosis — 2; tetanus — 2; Boeck's Sarcoidosis — 15; whooping cough, Rocky Mountain Spotted fever and typhoid fever — 1 each.

No deaths were reported from mumps, rubella (German measles), brucellosis, diphtheria, or tularemia. Herpes zoster (shingles) caused 4 deaths, herpes simplex — 2 and acute rheumatic fever — 11. The septicemias accounted for 147 deaths. Dysentery, Salmonella infections, and other diseases arising in the intestinal tract caused 16 deaths and diarrhea, gastroenteritis and colitis, 89.

NOTIFIABLE DISEASE CASE REPORTS

Table 13, pages 51 to 53 presents by year the number of cases of diseases commonly reported to the Illinois Department of Public Health from 1964 to 1974 for Illinois, Chicago and Downstate. Infections from food have doubled from 773 reported in 1964 to 1,596 reported in 1974. After declining slightly in 1972 and 1973 gonorrhea cases increased to 48,576 reported in 1974. Infectious and serum hepatitis has doubled from 1,229 cases in 1964 to 2,533 in 1974. For the years 1972, 1973 and 1974 no new cases of acute anterior poliomyelitis have been reported. One-third as many cases of acute rheumatic fever, 689, were reported in 1974 as in 1964 when 2,059 were reported. This decline reflects the surveillance program initiated in 1957 when the State of Illinois began supplying prophylactic materials to physicians who completed periodic progress reports on their cases. The annual number of reported new cases of tuberculosis continues the downward trend begun over 25 years ago. The small number, 1,496 in 1974, indicates that this disease can easily be completely eradicated in a few years with special emphasis on case finding, treatment and surveillance.

MARRIAGE AND DIVORCE

Central registration of certificates of marriage, divorce and annulment began in Illinois on January 1, 1962. Before that date, counts of marriages and divorces by county of occurrence are available in United States government reports for varying periods of time beginning with 1867. Tables L, M, and N, pages 10 to 11 and 14, 15, and 16, page 54, present summaries for 1974.

There were 116,419 marriages, 47,878 divorces and 483 annulments reported in 1974. Marriages, divorces and annulments in 1973 were 119,843, 44,671 and 481, respectively. Divorces have been increasing for several years as indicated in Table N. Since slightly more than one-third of the divorces each year occur among marriages of less than five years' duration, the current increase is following the rapid increase in marriages that began in 1968.


Of the 116,419 marriages, 8,759 were between teenagers and 733 were between persons 65 years of age or older. The number of marriages where groom and bride were teenagers were 10,499 and 27,627, respectively. Of the 47,878 divorced couples, 185 were among teenagers and 177 were among couples both of whom were 65 years old or older. Of the 289 teenage husbands involved in divorces, 29 were under the age of 15 years. Among the 1,516 teenage wives, 24 were under the age of 15 years.

POPULATION BY COUNTIES: 1974

POPULATION BY COUNTIES AS OF JULY 1, 1974

TOTAL: 11,131,000

CHICAGO: 3,150,000



SOURCE:
ILLINOIS DEPARTMENT OF PUBLIC HEALTH

TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1974

	I L L I N O I S				C H I C A G O				D O W N S T A T E			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
TOTAL BIRTHS. . .	168,991	131,286	35,030	2,675	53,777	26,695	25,557	1,525	115,214	104,591	9,473	1,150
SEX												
MALE.	86,981	67,684	17,899	1,398	27,699	13,825	13,090	784	59,282	53,859	4,809	614
FEMALE.	82,010	63,602	17,131	1,277	26,078	12,870	12,467	741	55,932	50,732	4,664	536
LEGITIMACY												
LEGITIMATE. . .	142,248	123,444	16,183	2,621	36,532	23,676	11,361	1,495	105,716	99,768	4,822	1,126
ILLEGITIMATE. .	26,743	7,842	18,847	54	17,245	3,019	14,196	30	9,498	4,823	4,651	24
PLACE OF BIRTH AND ATTENDANT												
HOSPITAL. . . .	168,370	130,847	34,855	2,668	53,485	26,548	25,418	1,519	114,885	104,299	9,437	1,149
NON-HOSPITAL. .	621	439	175	7	292	147	139	6	329	292	36	1
PHYSICIAN. . . .	536	369	160	7	261	124	131	6	275	245	29	1
MIDWIFE.	5	5	--	--	4	4	--	--	1	1	--	--
OTHER.	80	65	15	--	27	19	8	--	53	46	7	--
AGE OF MOTHER												
TOTAL	168,991	131,286	35,030	2,675	53,777	26,695	25,557	1,525	115,214	104,591	9,473	1,150
10 - 14 YEARS .	728	177	550	1	470	58	412	--	258	119	138	1
15 - 19 YEARS .	30,601	18,800	11,737	64	12,454	3,857	8,566	31	18,147	14,943	3,171	33
20 - 24 YEARS .	56,422	44,530	11,454	438	17,715	9,151	8,331	233	38,707	35,379	3,123	205
25 - 29 YEARS .	50,493	42,845	6,467	1,181	13,342	7,967	4,715	660	37,151	34,878	1,752	521
30 - 34 YEARS .	21,781	17,921	3,086	774	6,546	3,800	2,272	474	15,235	14,121	814	300
35 - 39 YEARS .	7,189	5,597	1,399	193	2,604	1,466	1,025	113	4,585	4,131	374	80
40 - 44 YEARS .	1,667	1,329	315	23	593	358	221	14	1,074	971	94	9
45 AND OVER . .	92	70	21	1	45	31	14	--	47	39	7	1
UNSTATED. . . .	18	17	1	--	8	7	1	--	10	10	--	--
LEGITIMATE												
10 - 14 YEARS .	105	68	37	--	51	18	33	--	54	50	4	--
15 - 19 YEARS .	18,092	15,178	2,861	53	4,869	2,809	2,035	25	13,223	12,369	826	28
20 - 24 YEARS .	48,458	42,201	5,839	418	12,437	8,146	4,069	222	36,021	34,055	1,770	196
25 - 29 YEARS .	47,154	41,831	4,152	1,171	11,004	7,454	2,897	653	36,150	34,377	1,255	518
30 - 34 YEARS .	20,293	17,432	2,095	766	5,502	3,539	1,492	471	14,791	13,893	603	295
35 - 39 YEARS .	6,547	5,390	965	192	2,138	1,353	673	112	4,409	4,037	292	80
40 - 44 YEARS .	1,508	1,267	221	20	491	326	153	12	1,017	941	68	8
45 AND OVER . .	75	61	13	1	34	25	9	--	41	36	4	1
UNSTATED. . . .	16	16	--	--	6	6	--	--	10	10	--	--

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS BY WEIGHT AT BIRTH: 1974

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CAUSE OF DEATH	TOTAL	PER- CENT	FETUS WEIGHT IN GRAMS									
			UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501 AND OVER
ALL CAUSES	1,984	100.0	693	245	213	95	116	175	151	115	51	33
CONGENITAL ANOMALIES												
NERVOUS SYSTEM.	62	3.1	16	12	9	1	1	13	3	2	--	--
HEART AND CIRCULATORY	9	0.5	2	--	1	--	2	2	--	2	--	--
OTHER	39	2.0	11	11	8	1	--	2	2	1	1	--
MATERNAL NOT RELATED TO PREGNANCY												
CIRCULATORY AND G. U. DISEASES.	45	2.3	12	13	5	3	2	2	4	1	--	2
DIABETES MELITUS	59	3.0	6	8	9	4	2	5	5	6	9	3
OTHER	16	0.8	5	4	1	1	--	1	1	1	--	--
TOXEMIAS OF PREGNANCY	69	3.5	16	14	9	5	7	6	2	5	--	1
MATERNAL INFECTIONS	37	1.9	19	5	3	1	1	--	4	1	--	--
BIRTH INJURY												
DIFFICULT LABOR	--	0-	--	--	--	--	--	--	--	--	--	--
OTHER	15	0.8	3	3	--	1	1	2	1	2	1	--
ASPHYXIA, ANOXIA, HYPOXIA												
DIFFICULT LABOR	41	2.1	16	6	5	2	2	3	1	--	1	4
OTHER	301	15.2	102	33	32	14	18	30	27	19	11	8
OTHER DIFFICULT LABOR	33	1.7	8	3	7	2	2	2	4	1	2	1
PREMATURE RUPTURE OF MEMBRANES.	44	2.2	31	3	4	--	--	2	1	1	--	--
MEMBER OF MULTIPLE PREGNANCY.	64	3.2	34	7	2	4	6	4	--	--	--	--
OTHER COMPLICATIONS OF PREGNANCY.	28	1.4	16	1	1	1	3	2	--	--	--	1
PREMATURE SEPARATION OF PLACENTA.	252	12.7	91	36	38	12	19	20	12	10	5	1
OTHER PLACENTAL CONDITIONS.	178	9.0	39	29	25	14	16	16	9	12	3	5
PROLAPSED CORD.	78	3.9	23	4	6	--	3	8	11	9	4	4
OTHER CORD CONDITIONS	212	10.7	35	20	24	17	13	35	34	23	5	1
RH INCOMPATIBILITY.	17	0.9	4	1	3	4	1	2	1	--	--	--
OTHER HEMOLYTIC DISEASES.	8	0.4	2	2	--	--	--	1	--	2	--	--
IMMATUREITY, UNQUALIFIED	156	7.9	117	16	11	2	2	1	--	--	--	--
OTHER FETAL CONDITIONS.	49	2.5	34	3	--	1	1	--	--	2	2	--
CAUSE UNKNOWN	162	8.2	48	13	10	5	12	15	27	14	6	2
ALL OTHER CAUSES.	10	0.5	3	--	--	--	1	2	2	--	--	--

TABLE C. -- RESIDENT PERINATAL LOSS, AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1974

(THIS TABLE INCLUDES ALL FETAL DEATHS OF LESS THAN 20 WEEKS' GESTATION)

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*
BOTH SEXES:												
FETAL DEATHS	1984	1299	664	21	850	324	515	11	1134	975	149	10
DEATHS UNDER 1 WEEK OF AGE	2148	1471	660	17	816	322	482	12	1332	1149	178	5
TOTAL	4132	2770	1324	38	1666	646	997	23	2466	2124	327	15
LIVE BIRTHS AND FETAL DEATHS	170975	132585	35694	2696	54627	27019	26072	1536	116348	105566	9622	1160
RATIO*	24.2	20.9	37.1	14.1	30.5	23.9	38.2	15.0	21.2	20.1	34.0	12.9
MALE:												
FETAL DEATHS	1068	716	344	8	442	175	263	4	626	541	81	4
DEATHS UNDER 1 WEEK OF AGE	1227	849	368	10	442	170	265	7	785	679	103	3
TOTAL	2295	1565	712	18	884	345	528	11	1411	1220	184	7
LIVE BIRTHS AND FETAL DEATHS	88049	68400	18243	1406	28141	14000	13353	788	59908	54400	4890	618
RATIO*	26.1	22.9	39.0	12.8	31.4	24.6	39.5	14.0	23.6	22.4	37.6	11.3
FEMALE:												
FETAL DEATHS	916	583	320	13	408	149	252	7	508	434	68	6
DEATHS UNDER 1 WEEK OF AGE	921	622	292	7	374	152	217	5	547	470	75	2
TOTAL	1837	1205	612	20	782	301	469	12	1055	904	143	8
LIVE BIRTHS AND FETAL DEATHS	82926	64185	17451	1290	26486	13019	12719	748	56440	51166	4732	542
RATIO*	22.2	18.8	35.1	15.5	29.5	23.1	36.9	16.0	18.7	17.7	30.2	14.8

*PERINATAL MORTALITY RATIO IS 1,000 TIMES (FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER PLUS DEATHS UNDER 1 WEEK OF AGE) DIVIDED BY (LIVE BIRTHS PLUS FETAL DEATHS OF 20 WEEKS' GESTATION AND OVER). SEE TABLE A FOR LIVE BIRTHS.

*OTHER COLUMN FOR BOTH SEXES INCLUDES FETAL DEATHS WHOSE SEX OR RACE ARE UNKNOWN.

TABLE D. -- LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1974
(See Footnote)

Cause	Infant	Neonatal			Post Neonatal
	Under 1 year	Total	Under 7 Days	7 to 27 Days	28 Days & Over
All Causes	3,271	2,441	2,148	293	830
1. Asphyxia, unspecified 776.9	574	571	552	19	3
2. Congenital anomalies 740-759	509	345	264	81	164
a. Heart (746)	(205)	(137)	(94)	(43)	68
b. Nervous system (740-743)	(126)	(87)	(75)	(12)	39
3. Deaths from unknown causes 795.0-796.9	271	27	8	19	244
a. Sudden Infant Death Syndrome (795.0)	(254)	(23)	(5)	(18)	(231)
4. Immaturity, unqualified 777	234	234	226	8	--
b. Respiratory Distress Syndrome 776.2	231	224	208	16	7
6. Hyaline membrane disease 776.1	222	220	204	16	2
7. Member of multiple pregnancy 769.4	196	195	187	8	1
8. Influenza and pneumonia 470-474, 480-486	156	57	32	25	99
9. Birth injury 764.0-764.3, 765.0-765.3	126	124	109	15	2
766.0 766.3, 767.0-767.3					
768.0 768.3, 772					
10. Heart disease, except congenital 393-429	112	16	2	14	96
11. Accidents E800-E949	58	6	3	3	52
a. Motor vehicle (E810-E823)	(11)	--	--	--	(11)
b. Suffocation from food (E911)	(10)	(2)	(1)	(1)	(8)
c. Fire and flames (E890-E899)	(8)	--	--	--	(8)
d. Suffocation in bed (E913.0)	(7)	(1)	(1)	--	(6)

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1974

(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1974)

WHITE				NONWHITE			
CAUSE	NUMBER	RATE	PERCENT	CAUSE	NUMBER	RATE	PERCENT
ALL CAUSES.	93,932	977.4	100.0	ALL CAUSES.	13,940	916.5	100.0
1. HEART DISEASE.	40,693	423.4	43.3	1. HEART DISEASE.	4,923	323.7	35.3
2. MALIGNANT NEOPLASMS.	17,820	185.4	19.0	2. MALIGNANT NEOPLASMS.	2,317	152.3	16.6
3. CEREBROVASCULAR DISEASE.	9,679	100.7	10.3	3. CEREBROVASCULAR DISEASE.	1,160	76.3	8.3
4. ACCIDENTS.	4,117	42.8	4.4	4. HOMICIDE.	901	59.2	6.5
5. PNEUMONIA AND INFLUENZA.	2,547	26.5	2.7	5. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	786	51.7	5.6
6. OTHER CIRCULATORY DISEASES.	1,942	20.2	2.1	6. ACCIDENTS.	716	47.1	5.1
7. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,866	19.4	2.0	7. PNEUMONIA AND INFLUENZA.	488	32.1	3.5
8. DIABETES MELLITUS.	1,743	18.1	1.9	8. CIRRHOSIS OF LIVER.	326	21.4	2.3
9. CIRRHOSIS OF LIVER.	1,587	16.5	1.7	9. DIABETES MELLITUS.	268	17.6	1.9
10. GENERAL ARTERIOSCLEROSIS.	1,565	16.3	1.7	10. OTHER CIRCULATORY DISEASES.	228	15.0	1.6

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1974

AGE	TOTAL	HEART DISEASES									
		CHRONIC RHEUMATIC	ARTERIO-SCLEROTIC INCLUDING CORONARY	OTHER IS-CHMIC HEART	ACUTE AND SUBACUTE BACTERIAL ENDOCARDITIS	ACUTE MYOCARDITIS NOT SPECIFIED AS RHEUMATIC	ACUTE PERICARDITIS SPECIFIED AS NONRHEUMATIC	FUNCTIONAL DISEASE	CONGESTIVE HEART FAILURE	HYPER-TENSIVE	OTHER AND UNSPECIFIED
ALL AGES	45,616	738	40,577	14	50	21	7	392	288	951	2,578
UNDER 1 YEAR.	112	--	1	--	--	--	--	6	--	--	105
1 - 4 YEARS.	33	--	--	--	--	--	--	2	--	--	31
5 - 14 YEARS.	27	2	1	--	1	--	--	4	--	--	19
15 - 24 YEARS.	101	10	10	--	1	1	1	7	2	2	67
25 - 44 YEARS.	1,185	61	732	--	13	3	1	26	4	26	319
45 - 54 YEARS.	3,351	125	2,694	--	12	3	1	37	18	76	385
55 - 64 YEARS.	6,904	194	5,904	4	6	6	1	61	36	147	545
65 - 74 YEARS.	11,039	195	9,469	6	9	1	2	82	58	187	530
75 - 84 YEARS.	13,957	119	12,946	3	7	5	1	98	95	302	381
85 & OVER.	8,907	32	8,320	1	1	2	--	69	75	211	196

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1974

AGE	TOTAL	SITE										
		HUCCAL CAVITY AND PHARYNX	STOMACH	DIGESTIVE ORGANS EXCEPT STOMACH	BRONCHUS, TRACHEA, LUNG	OTHER SITES, RESPIRATORY SYSTEM*	BREAST	GENITAL ORGANS	NERVOUS SYSTEM, INCL. BRAIN	OTHER AND UNSPECIFIED SITES	LEUKEMIA & ALEUKEMIA	OTHER LYMPHATIC
ALL AGES.	20,137	461	849	4,955	4,319	333	1,887	2,534	471	2,417	833	1,078
UNDER 1 YEAR.	8	--	--	--	--	--	--	--	2	2	4	--
1 - 4 YEARS.	46	--	--	2	--	1	--	--	12	7	18	6
5 - 14 YEARS.	82	--	--	1	--	1	--	--	17	11	40	12
15 - 24 YEARS.	137	--	--	4	1	1	--	18	24	30	37	22
25 - 44 YEARS.	1,007	27	26	118	162	10	169	160	64	114	75	82
45 - 54 YEARS.	2,494	95	66	469	662	70	351	250	78	268	70	115
55 - 64 YEARS.	4,837	135	163	1,132	1,356	102	493	449	149	495	117	246
65 - 74 YEARS.	5,726	119	242	1,488	1,363	94	409	712	83	705	189	322
75 - 84 YEARS.	4,420	64	256	1,287	657	44	342	720	39	574	213	224
85 & OVER.	1,380	21	96	454	118	10	123	225	3	211	70	49

* INCLUDES 50 DEATHS FROM NEOPLASMS OF RESPIRATORY SYSTEM, SPECIFIED AS SECONDARY.

TABLE H. -- RESIDENT DEATHS DUE TO CEREBROVASCULAR DISEASE,
ILLINOIS: 1974

AGE	TOTAL	TYPE OF VASCULAR LESION				
		SUBARACH- NOID HEMOR- RHAGE	CERE- BRAL HEMOR- RHAGE	CEREBRAL THROM- BOSIS	CERE- BRAL EMBOL- ISM	OTHER
ALL AGES .	10,839	501	2,081	3,198	42	5,017
UNDER 1 YEAR .	12	3	4	--	--	5
1 - 4 YEARS .	6	1	1	1	--	3
5 - 14 YEARS.	11	3	5	2	--	1
15 - 24 YEARS.	31	19	7	1	--	4
25 - 44 YEARS.	254	103	86	15	--	50
45 - 54 YEARS.	489	117	170	43	3	156
55 - 64 YEARS.	1,121	121	330	218	7	445
65 - 74 YEARS.	2,326	79	489	652	4	1,102
75 - 84 YEARS.	4,033	44	650	1,370	17	1,952
85 AND OVER. .	2,556	11	339	896	11	1,299

TABLE I DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM,
ILLINOIS 1950, 1955, 1960, 1965, 1970 and 1974

Disease	List Number *	Number of Deaths 1974	Number of Deaths 1970	List Number *	Number of Deaths				Deaths Per 100,000 Population					
					1965	1960	1955	1950	1974	1970	1965	1960	1955	1950
Tuberculosis of respiratory system	010-012	112	215	001-008	389	579	827	1,950	1.0	1.9	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160-163	4,602	3,922	160-165	3,304	2,602	2,070	1,499	41.3	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea & lung primary	(162)	(4,319)	(3,672)	(162)	(1,364)	(1,106)	(1,245)	(580)	(38.8)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma . . .	493	108	124	241	218	305	329	228	1.0	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	460-465	23	29	470-475	23	38	34	70	0.2	0.3	0.2	0.4	0.4	0.8
Influenza	470-474	84	97	480-483	80	170	66	126	0.8	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480-486	2,951	3,360	490-493	3,837	4,003	3,300	2,340	26.5	30.2	36.0	39.6	35.0	26.7
a. Pneumonia, 4 weeks +		(2,894)	(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(26.0)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(57)	(126)	763	(306)	(253)	(253)	(143)	(0.5)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute and chronic	490-491	357	314	500, 501 502, 1	184	182	204	163	3.2	2.8	1.7	1.8	2.3	1.9
Bronchitis acute	514	42	60	526	79	104	87	98	0.4	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,258	1,199		991	467	161	63	11.3	10.8	9.3	4.6	1.7	0.7
a. with bronchitis	(Not tabulated)	(Not tabulated)	502-0		132	66	13	18			1.2	0.7	0.1	0.2
b. other	492	1,258	1,199	527, 1	859	401	148	45	11.3	10.8	8.1	4.0	1.6	0.5
Other respiratory	500-517, 519	371	485	510-525 527, 0 527, 2	322	308	293	235	3.3	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision

**International Classification of Diseases, 1955 Revision

TABLE J. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1974

AGE		TOTAL	TRANSPORT ACCIDENTS										NON - TRANSPORT ACCIDENTS											
			MOTOR VEHICLE					OTHER TRANSPORT																
			COLLISION			NON-COLLISION																		
			PED-ESTRIAN	OTHER MOTOR VEHICLE	R. H. BICYCLE	FIXED OBJECT	OTHER COLLISION						RUNNING OFF ROAD	OTHER TRAFFIC	NON-TRAFFIC	OTHER ROAD VEHICLE	WATER TRANSPORT	AIRCRAFT	RAILWAY	POISONING	FALLS	FIRE AND EXPLOSION	FIRE ARMS	MECHANICAL SUFFOCATION
NUMBER	ALL AGES	4833	408	854	71	51	374	2	219	94	30	14	89	51	61	346	844	413	31	162	252	448	19	
	UNDER 1 YEAR . . .	58	--	7	--	--	1	--	3	--	--	--	--	--	--	3	7	8	--	21	3	5	--	
	1 - 4 YEARS . . .	194	27	12	1	--	3	--	3	5	4	--	1	--	1	6	22	48	--	9	26	21	--	
	5 - 14 YEARS . . .	331	73	33	--	32	2	--	2	3	3	4	9	1	8	2	14	43	4	17	43	38	--	
	15 - 24 YEARS . . .	1149	61	294	25	10	185	1	105	39	5	4	27	14	14	98	28	35	8	17	102	75	2	
	25 - 44 YEARS . . .	1099	62	246	18	5	116	1	67	16	5	3	24	23	20	146	87	66	10	30	44	106	4	
	45 - 54 YEARS . . .	493	41	85	10	1	33	--	17	11	3	1	12	7	7	33	87	47	3	11	12	70	2	
	55 - 64 YEARS . . .	486	42	86	9	1	19	--	15	9	2	2	4	3	4	36	87	59	4	24	10	63	2	
	65 - 74 YEARS . . .	415	47	56	3	1	11	--	3	8	2	--	7	2	5	11	142	56	2	13	7	35	4	
	75 - 84 YEARS . . .	374	51	30	3	1	3	--	3	2	1	--	--	--	--	10	190	35	--	11	4	29	1	
	85 & OVER	234	4	5	2	--	1	--	1	1	--	--	--	1	2	1	180	16	--	9	1	8	4	
RATE*		ALL AGES	43.4	3.7	7.7	0.6	0.5	3.4	0.0	2.0	0.8	0.3	0.1	0.8	0.5	0.5	3.1	7.6	3.7	0.3	1.5	2.3	4.0	0.2
	UNDER 1 YEAR . . .	34.9	-0-	4.2	-0-	-0-	0.6	-0-	1.8	-0-	-0-	-0-	-0-	-0-	-0-	1.8	4.2	4.8	-0-	12.7	1.8	3.0	-0-	
	1 - 4 YEARS . . .	26.4	3.7	1.6	0.1	-0-	0.4	-0-	0.4	0.7	1.2	-0-	0.1	-0-	0.1	0.8	3.0	6.5	-0-	1.2	3.5	2.9	-0-	
	5 - 14 YEARS . . .	17.1	3.8	1.7	-0-	1.7	0.1	-0-	0.1	0.2	0.2	0.2	0.5	0.1	0.4	0.1	0.7	2.2	0.2	0.9	2.2	2.0	-0-	
	15 - 24 YEARS . . .	53.3	2.8	13.6	1.2	0.5	8.6	0.0	4.9	1.8	0.2	0.2	1.3	0.6	0.6	4.5	1.3	1.6	0.4	0.8	4.7	3.5	0.1	
	25 - 44 YEARS . . .	41.1	2.3	9.2	0.7	0.2	4.3	0.0	2.5	0.6	0.2	0.1	0.9	0.9	0.7	5.5	3.3	2.5	0.4	1.1	1.6	4.0	0.1	
	45 - 54 YEARS . . .	38.6	3.2	6.7	0.8	0.1	2.6	-0-	1.3	0.9	0.2	0.1	0.9	0.5	0.5	2.6	6.8	3.7	0.2	0.9	0.9	5.5	0.2	
	55 - 64 YEARS . . .	46.4	4.0	8.2	0.9	0.1	1.8	-0-	1.4	0.9	0.2	0.2	0.9	0.3	0.4	3.4	8.3	5.6	0.4	2.3	1.0	6.0	0.2	
	65 - 74 YEARS . . .	59.8	6.8	8.1	0.4	0.1	1.6	-0-	0.4	1.2	0.3	-0-	1.0	0.3	0.7	1.6	20.5	8.1	0.3	1.9	1.0	5.0	0.6	
	75 - 84 YEARS . . .	105.1	14.3	8.4	0.8	0.3	0.8	-0-	0.8	0.6	0.3	-0-	-0-	-0-	-0-	2.8	53.4	9.8	-0-	3.1	1.1	8.1	0.3	
	85 & OVER	238.8	4.1	5.1	2.0	-0-	1.0	-0-	1.0	1.0	-0-	-0-	-0-	1.0	2.0	1.0	83.7	16.3	-0-	9.2	1.0	6.1	4.1	

* DEATHS PER 100,000 POPULATION.

TABLE K. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1974

POPULATION CLASS	ALL ACCIDENTS	TOTAL	MOTOR VEHICLE			NON-MOTOR VEHICLE						
			PEDESTRIAN	OTHER VEHICLE	OTHER	OCCUPATIONAL		HOME			PUBLIC	
						FAHM	NON-FAHM	FIRE AND EXPLOSION	FALLS	OTHER	DROWNING	FALLS OTHER
NUMBER OF												
ALL ACCIDENTS	46,900	2,268	423	996	829	19	307	366	412	425	237	170 514
METROPOLITAN COUNTIES:												
CITIES												
CHICAGO	10,873	404	145	80	79	2	44	170	129	160	56	90 128
100,000 - 499,999	56	23	8	12	3	--	4	3	18	3	1	-- 4
50,000 - 99,999	255	92	23	37	32	--	15	18	36	38	10	9 37
25,000 - 49,999	237	107	24	45	38	3	25	23	22	24	3	8 22
10,000 - 24,999	291	124	37	47	40	--	26	24	36	36	10	10 25
RURAL	10,400	658	100	330	228	4	56	42	56	61	61	11 89
NONMETROPOLITAN COUNTIES:												
CITIES												
25,000 - 49,999	71	20	4	7	9	--	6	11	15	6	3	4 8
10,000 - 24,999	110	46	5	22	9	1	3	13	12	13	5	5 22
RURAL	10,233	618	42	325	251	7	108	51	60	60	42	16 61
PLACE UNKNOWN*	534	266	35	91	140	2	20	11	28	24	46	17 120
RATE PER 100,000 POPULATION:												
ALL ACCIDENTS	42.2	20.2	4.8	8.9	7.4	0.2	2.8	3.3	3.7	3.8	2.1	1.5 4.6
METROPOLITAN COUNTIES:												
CITIES												
CHICAGO	39.4	9.7	4.6	2.5	2.5	0.1	1.4	5.4	4.1	5.1	1.8	2.9 4.1
100,000 - 499,999	20.2	8.3	2.9	4.3	1.1	--	1.4	1.1	6.5	1.1	0.4	-- 1.4
50,000 - 99,999	22.1	8.0	2.0	3.2	2.8	--	1.3	1.6	3.1	3.3	0.9	0.8 3.2
25,000 - 49,999	18.0	8.1	1.8	3.4	2.9	0.2	1.9	1.7	1.7	1.8	0.2	0.6 1.7
10,000 - 24,999	25.1	10.7	3.2	4.1	3.5	--	2.2	2.1	3.1	3.1	0.9	0.9 2.2
RURAL	58.3	34.4	5.2	17.3	11.9	0.2	2.9	2.2	2.9	3.2	3.2	0.6 4.7
NONMETROPOLITAN COUNTIES:												
CITIES												
25,000 - 49,999	21.7	6.1	1.2	2.1	2.7	--	1.8	3.4	4.6	1.8	0.9	1.2 1.8
10,000 - 24,999	46.1	15.1	2.1	9.2	3.8	0.4	1.3	5.5	5.0	5.5	2.1	2.1 9.2
RURAL	69.1	38.7	2.6	20.4	15.7	0.4	6.8	3.2	3.8	3.8	2.6	1.0 3.8

*THOSE ARE DEATHS OCCURRING IN ILLINOIS WITH PLACE OF INJURY EITHER NOT STATED OR REPORTED AS OUT-OF-STATE.

TABLE L. -- MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE ILLINOIS: 1974

Bride	Total	Groom				
		Never Married	Widowed	Divorced	An-nulled	Un-known
TOTAL	116,419	80,484	4,690	29,781	128	1,436
Never Married . .	81,614	70,995	596	9,790	66	167
Widowed	5,279	781	2,287	2,183	9	19
Divorced	27,779	8,353	1,684	17,607	38	97
Annulled	125	45	7	59	12	2
Unknown	1,622	310	16	142	3	1,151

TABLE M. -- DIVORCES AND ANNULMENTS CLASSIFIED BY THE
DURATION OF MARRIAGE, ILLINOIS: 1974

Years Married	Divorces	Annulments
TOTAL	47,878	483
Under 1 Year	2,493	252
1 Year	2,173	72
2 Years	4,689	65
3 Years	4,483	23
4 Years	4,132	18
Under 5 Years	17,970	430
5 Years	3,768	8
6 Years	3,054	7
7 Years	2,416	6
8 Years	2,070	3
9 Years	1,901	3
5-9 Years	13,209	27
10-14 Years	6,557	11
15-19 Years	3,988	5
20-24 Years	2,843	3
25-29 Years	1,786	2
30-34 Years	720	1
35-39 Years	283	1
40-44 Years	95	-
45-49 Years	39	-
50 Years and Over	20	-
Unknown Years	368	3

TABLE N. -- MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN
ILLINOIS: 1958 TO 1974
(RATES ARE PER 1,000 POPULATION ESTIMATED AS OF JULY 1)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annulments
1958	83,400	8.5	20,870	2.1	20,719	151
1959	87,281	8.8	22,700	2.3	22,566	134
1960	88,029	8.7	21,870	2.2	21,652	218
1961	88,692	8.6	25,973	2.5	25,712	261
1962	87,645	8.5	18,820 *	1.8	18,634	186
1963	93,240	9.0	20,765 *	2.0	20,519	246
1964	97,171	9.2	21,283 *	2.0	21,050	233
1965	100,978	9.5	24,654	2.3	24,326	328
1966	102,622	9.6	27,862	2.6	27,488	374
1967	105,295	9.7	28,473	2.6	28,147	326
1968	112,449	10.2	32,119	2.9	31,713	406
1969	116,532	10.5	35,974	3.3	35,558	416
1970	115,478	10.4	36,450	3.3	36,054	396
1971	115,826	10.3	40,136	3.6	39,753	383
1972	118,592	10.5	43,092	3.8	42,628	464
1973	119,843	10.7	45,152	4.0	44,671	481
1974	116,419	10.5	48,361	4.3	47,878	483

*Reporting known to be incomplete




TABLE 1. - LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS,
WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1974
(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDYEAR POPULATION. INFANT AND NEONATAL DEATH
RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1974	11,131,000	168,991	15.2	107,872	9.7	3,271	19.4	2,441	14.4	38	2.2	1,984	11.7
1973*	11,236,000	168,992	15.0	110,259	9.8	3,398	20.1	2,551	15.1	23	1.3	2,161	12.8
1972*	11,251,000	177,848	15.8	110,970	9.9	3,618	20.3	2,681	15.1	40	2.2	2,358	13.3
1971*	11,196,000	195,311	17.4	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970*	11,113,976	205,203	18.5	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969*	11,050,000	196,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,658	13.6
1968*	10,991,000	193,281	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,657	13.7
1967*	10,850,000	195,644	18.0	110,030	10.2	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966*	10,715,000	201,284	18.8	111,155	10.4	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965*	10,650,000	208,063	19.5	108,138	10.2	5,339	25.7	3,890	18.7	69	3.3	3,096	14.9
1964*	10,500,000	222,259	21.2	106,802	10.2	5,590	25.2	4,141	18.6	71	3.2	3,372	15.2
1963*	10,400,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962*	10,330,000	230,484	22.3	104,695	10.1	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961*	10,258,000	237,051	23.1	101,696	9.9	5,757	24.3	4,209	17.8	61	2.6	3,472	14.6
1960*	10,113,000	238,760	23.6	103,038	10.2	5,959	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	208,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949†	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948†	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947†	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946†	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945†	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944†	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943†	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942†	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941†	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940†	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939††	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938††	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937††	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936††	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935††	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934††	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933††	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932††	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931††	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930††	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929††	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928††	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927††	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926††	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925††	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924††	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923††	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922††	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921††	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920††	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919††	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918††	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950 - 1974: Resident data from tabulations in the Illinois Department of Public Health.
(1953 - 1954 Maternal deaths from Vital Statistics of the United States)

† 1940 - 1949: Resident data from Vital Statistics of the United States for each year.

†† 1918 - 1939: Occurrence data from United States Bureau of the Census publications.

n.a. (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: 1960 - 1974 by the Illinois Department of Public Health.

1950 - 1959 from United States Bureau of Census Series P-25, No. 304, and 1918 - 1949 from
Series P-25, No. 139.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ILLINOIS. . .	168,991	131,286	37,705	3,271	2,136	1,135	2,441	1,657	784	1,984	1,299	685
ADAMS.	1,079	1,040	39	17	17	--	14	14	--	12	10	2
ALEXANDER. . . .	222	129	93	4	2	2	4	2	2	2	1	1
BOND.	180	177	3	5	5	--	3	3	--	--	--	--
BOONE.	432	428	4	10	10	--	7	7	--	4	4	--
BROWN.	62	62	--	--	--	--	--	--	--	--	--	--
BURBANK.	532	530	2	4	4	--	4	4	--	7	7	--
CALHOUN.	72	72	--	1	1	--	1	1	--	--	--	--
CARROLL.	268	265	3	5	5	--	5	5	--	2	2	--
CASS.	202	202	--	4	4	--	2	2	--	3	3	--
CHAMPAIGN. . . .	2,470	2,085	385	29	21	8	21	17	4	17	14	3
CHRISTIAN. . . .	510	506	4	7	7	--	6	6	--	8	8	--
CLARK.	233	232	1	5	5	--	4	4	--	2	2	--
CLAY.	192	191	1	3	3	--	2	2	--	6	6	--
CLINTON.	407	402	5	8	8	--	6	6	--	5	5	--
COLES.	649	635	14	10	10	--	8	8	--	10	8	2
COOK.	82,620	52,718	29,902	1,758	843	915	1,280	651	629	1,116	548	568
CRAWFORD. . . .	243	243	--	--	--	--	--	--	--	1	1	--
CUMBERLAND. . . .	159	159	--	1	1	--	1	1	--	4	4	--
DE KALB.	938	900	38	21	21	--	19	19	--	8	8	--
DE WITT.	230	230	--	7	7	--	6	6	--	2	2	--
DOUGLAS.	308	306	2	3	3	--	3	3	--	3	3	--
DU PAGE.	7,745	7,525	220	104	102	2	73	71	2	62	59	3
EDGAR.	314	314	--	4	4	--	3	3	--	1	1	--
EDWARDS.	97	96	1	--	--	--	--	--	--	2	2	--
EFFINGHAM. . . .	421	420	1	4	4	--	4	4	--	3	3	--
FAYETTE.	275	272	3	4	4	--	4	4	--	1	1	--
FORD.	188	184	4	3	3	--	3	3	--	2	2	--
FRANKLIN.	524	523	1	11	11	--	8	8	--	5	5	--
FULTON.	632	627	5	6	6	--	4	4	--	4	4	--
GALLATIN.	102	101	1	1	1	--	1	1	--	1	1	--
GREENE.	239	239	--	8	8	--	6	6	--	2	2	--
GRUNDY.	436	435	1	5	5	--	4	4	--	5	5	--
HAMILTON.	84	84	--	--	--	--	--	--	--	1	1	--
HANCOCK.	273	273	--	12	12	--	9	9	--	1	1	--
HARDIN.	81	81	--	--	--	--	--	--	--	--	--	--
HENDERSON. . . .	120	120	--	1	1	--	1	1	--	--	--	--
HENRY.	803	779	24	16	15	1	12	11	1	10	10	--
IROQUOIS.	444	434	10	3	3	--	1	1	--	5	5	--
JACKSON.	663	557	106	10	8	2	7	6	1	5	3	2
JASPER.	159	159	--	3	3	--	3	3	--	3	3	--
JEFFERSON. . . .	511	466	45	12	12	--	7	7	--	9	6	3
JERSEY.	262	260	2	1	1	--	1	1	--	3	3	--
JO DAVIESS. . . .	355	354	1	7	7	--	6	6	--	--	--	--
JOHNSON.	110	107	3	3	3	--	3	3	--	--	--	--
KANE.	4,633	4,294	339	84	76	8	58	52	6	46	38	8
KANKAKEE.	1,656	1,279	377	42	26	16	27	17	10	16	9	7
KENDALL.	499	490	9	9	8	1	6	5	1	6	6	--
KNOX.	897	847	50	24	22	2	19	17	2	5	4	1
LAKE.	5,831	5,173	658	84	72	12	63	55	8	59	52	7
LA SALLE.	1,515	1,497	18	28	27	1	22	22	--	18	16	2

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

COUNTY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LAWRENCE.	212	211	1	4	4	--	4	4	--	1	1	--
LEE	523	517	6	8	8	--	7	7	--	7	7	--
LIVINGSTON.	577	573	4	10	10	--	7	7	--	5	5	--
LOGAN	417	414	3	7	7	--	5	5	--	3	3	--
MCDONOUGH	411	398	13	11	11	--	11	11	--	2	2	--
MCHENRY	1,747	1,732	15	27	27	--	20	20	--	21	21	--
MCLEAN.	1,640	1,563	77	29	27	2	23	21	2	17	15	2
MACON	1,949	1,629	320	47	41	6	39	35	4	17	10	7
MACOUPIN.	672	665	7	9	8	1	8	7	1	6	6	--
MADISON	3,575	3,248	327	73	62	11	62	55	7	33	27	6
MARION.	567	536	31	14	13	1	14	13	1	7	7	--
MARSHALL.	188	187	1	4	4	--	3	3	--	1	1	--
MASON	279	279	--	7	7	--	7	7	--	4	4	--
MASSAC.	173	160	13	1	1	--	--	--	--	3	3	--
MENARD.	146	146	--	7	7	--	5	5	--	--	--	--
MERCER.	245	244	1	1	1	--	1	1	--	3	3	--
MONROE.	238	238	--	2	2	--	2	2	--	1	1	--
MONTGOMERY.	450	446	4	7	7	--	4	4	--	8	8	--
MORGAN.	490	463	27	6	6	--	4	4	--	4	4	--
MOULTRIE.	189	189	--	3	3	--	2	2	--	1	1	--
OGLE.	606	604	2	11	11	--	6	6	--	15	15	--
PEORIA.	3,154	2,631	523	52	42	10	35	30	5	38	31	7
PERRY	307	298	9	8	7	1	7	6	1	5	5	--
PIATT	209	207	2	7	7	--	5	5	--	1	1	--
PIKE.	262	260	2	4	4	--	4	4	--	2	2	--
POPE.	48	46	2	--	--	--	--	--	--	1	1	--
PULASKI	126	67	59	3	3	--	3	3	--	3	1	2
PUTNAM.	88	88	--	1	1	--	--	--	--	--	--	--
RANDOLPH.	501	473	28	10	9	1	9	8	1	6	6	--
RICHLAND.	225	224	1	4	4	--	3	3	--	5	5	--
ROCK ISLAND	2,469	2,208	261	40	32	8	31	25	6	31	29	2
ST. CLAIR	4,737	2,792	1,945	119	54	65	84	40	44	61	30	31
SALINE.	319	307	12	4	4	--	4	4	--	4	4	--
SANGAMON.	2,485	2,198	287	44	32	12	30	20	10	23	17	6
SCHUYLER.	110	109	1	2	2	--	1	1	--	--	--	--
SCOTT	85	84	1	2	2	--	2	2	--	--	--	--
SHELBY.	347	347	--	7	7	--	6	6	--	3	3	--
STARK	97	97	--	2	2	--	2	2	--	1	1	--
STEPHENSON.	701	644	57	15	10	5	13	9	4	6	5	1
TAZEWELL.	2,021	2,018	3	17	17	--	15	15	--	17	17	--
UNION	199	199	--	5	5	--	3	3	--	1	1	--
VERMILION	1,538	1,359	179	24	20	4	19	15	4	20	16	4
WABASH.	170	170	--	4	4	--	3	3	--	2	2	--
WARREN.	295	286	9	4	4	--	2	2	--	2	2	--
WASHINGTON.	172	172	--	1	1	--	1	1	--	--	--	--
WAYNE	188	188	--	5	5	--	4	4	--	4	4	--
WHITE	178	178	--	4	4	--	4	4	--	3	3	--
WHITESIDE	1,015	1,003	12	17	17	--	15	15	--	11	11	--
WILL.	4,842	4,276	566	95	75	20	84	66	18	44	40	4
WILLIAMSON.	679	660	19	8	8	--	8	8	--	7	7	--
WINNEBAGO	3,792	3,294	498	77	59	18	53	43	10	33	29	4
WOODFORD.	459	457	2	7	7	--	6	6	--	4	4	--
UNSPECIFIED	2	2	--	--	--	--	--	--	--	--	--	--

TABLE 2B. -- LIVE BIRTH RATES, AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1974. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	LIVE BIRTHS TOTAL	INFANT DEATHS			NEONATAL DEATHS			FETAL DEATHS		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ILLINOIS . . .	15.2	19.4	16.3	30.1	14.4	12.6	20.8	11.7	9.9	18.2
ADAMS	15.1	15.8	16.3	-0-	13.0	13.5	-0-	11.1	9.6	51.3
ALEXANDER	18.8	18.0	15.5	21.5	18.0	15.5	21.5	9.0	7.4	10.8
BOND	11.8	27.8	28.2	-0-	16.7	16.9	-0-	-0-	-0-	-0-
BOONE	16.2	23.1	23.4	-0-	16.2	16.4	-0-	9.3	9.3	-0-
BROWN	11.1	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
BUREAU	14.8	7.5	7.5	-0-	7.5	7.5	-0-	13.2	13.2	-0-
CALHOUN	13.3	13.9	13.9	-0-	13.9	13.9	-0-	-0-	-0-	-0-
CARROLL	14.0	18.7	18.9	-0-	18.7	18.9	-0-	7.5	7.5	-0-
CASS	14.5	19.8	19.8	-0-	9.9	9.9	-0-	14.9	14.9	-0-
CHAMPAIGN	15.4	11.7	10.1	20.8	8.5	8.2	10.4	6.9	6.7	7.8
CHRISTIAN	14.0	13.7	13.8	-0-	11.8	11.9	-0-	15.7	15.8	-0-
CLARK	14.0	21.5	21.6	-0-	17.2	17.2	-0-	8.6	8.6	-0-
CLAY	13.0	15.6	15.7	-0-	10.4	10.5	-0-	31.3	31.4	-0-
CLINTON	13.8	19.7	19.9	-0-	14.7	14.9	-0-	12.3	12.4	-0-
COLES	13.9	15.4	15.7	-0-	12.3	12.6	-0-	15.4	12.6	142.9
COOK	15.2	21.3	16.0	30.6	15.5	12.3	21.0	13.5	10.4	19.0
CRAWFORD	12.5	-0-	-0-	-0-	-0-	-0-	-0-	4.1	4.1	-0-
CUMBERLAND	15.7	6.3	6.3	-0-	6.3	6.3	-0-	25.2	25.2	-0-
DE KALB	13.3	22.4	23.3	-0-	20.3	21.1	-0-	8.5	8.9	-0-
DE WITT	14.1	30.4	30.4	-0-	26.1	26.1	-0-	8.7	8.7	-0-
DOUGLAS	16.4	9.7	9.8	-0-	9.7	9.8	-0-	9.7	9.8	-0-
DUPAGE	15.2	13.4	13.6	9.1	9.4	9.4	9.1	8.0	7.8	13.6
EDGAR	14.9	12.7	12.7	-0-	9.6	9.6	-0-	3.2	3.2	-0-
EDWARDS	13.1	-0-	-0-	-0-	-0-	-0-	-0-	20.6	20.8	-0-
EFFINGHAM	16.1	9.5	9.5	-0-	9.5	9.5	-0-	7.1	7.1	-0-
FAYETTE	13.2	14.5	14.7	-0-	14.5	14.7	-0-	3.6	3.7	-0-
FORD	13.2	16.0	16.3	-0-	16.0	16.3	-0-	10.6	10.9	-0-
FRANKLIN	13.1	21.0	21.0	-0-	15.3	15.3	-0-	9.5	9.6	-0-
FULTON	15.1	9.5	9.6	-0-	6.3	6.4	-0-	6.3	6.4	-0-
GALLATIN	14.4	9.8	9.9	-0-	9.8	9.9	-0-	9.8	9.9	-0-
GREENE	14.4	33.5	33.5	-0-	25.1	25.1	-0-	8.4	8.4	-0-
GRUNDY	15.9	11.5	11.5	-0-	9.2	9.2	-0-	11.5	11.5	-0-
HAMILTON	9.5	-0-	-0-	-0-	-0-	-0-	-0-	11.9	11.9	-0-
HANCOCK	12.2	44.0	44.0	-0-	33.0	33.0	-0-	3.7	3.7	-0-
HARDIN	16.9	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-
HENDERSON	14.6	8.3	8.3	-0-	8.3	8.3	-0-	-0-	-0-	-0-
HENRY	15.0	19.9	19.3	41.7	14.9	14.1	41.7	12.5	12.8	-0-
INDIANA	13.5	6.8	6.9	-0-	2.3	2.3	-0-	11.3	11.5	-0-
JACKSON	12.6	15.1	14.4	18.9	10.6	10.8	9.4	7.5	5.4	18.9
JASPER	14.6	18.9	18.9	-0-	18.9	18.9	-0-	18.9	18.9	-0-
JEFFERSON	15.5	23.5	25.8	-0-	13.7	15.0	-0-	17.6	12.9	66.7
JERSEY	13.6	3.8	3.8	-0-	3.8	3.8	-0-	11.5	11.5	-0-
JO DAVIESS	16.3	19.7	19.8	-0-	16.9	16.9	-0-	-0-	-0-	-0-
JOHNSON	12.9	27.3	28.0	-0-	27.3	28.0	-0-	-0-	-0-	-0-
KANE	17.5	18.1	17.7	23.6	12.5	12.1	17.7	9.9	8.8	23.6
KANKAKEE	17.4	25.4	20.3	42.4	16.3	13.3	26.5	9.7	7.0	18.6
KENDALL	17.4	18.0	16.3	111.1	12.0	10.2	111.1	12.0	12.2	-0-
KNOX	14.9	26.8	26.0	40.0	21.2	20.1	40.0	5.6	4.7	20.0
LAKE	14.7	14.4	13.9	18.2	10.8	10.6	12.2	10.1	10.1	10.6
LA SALLE	13.8	18.5	18.0	55.6	14.5	14.7	-0-	11.9	10.7	111.1

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1974. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

COUNTY	L I V E B I R T H S T O T A L	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LAWRENCE.	11.5	18.9	19.0	-0-	18.9	19.0	-0-	4.7	4.7	-0-
LEE	14.6	15.3	15.5	-0-	13.4	13.5	-0-	13.4	13.5	-0-
LIVINGSTON.	13.8	17.3	17.5	-0-	12.1	12.2	-0-	8.7	8.7	-0-
LOGAN	13.8	16.8	16.9	-0-	12.0	12.1	-0-	7.2	7.2	-0-
MCDONOUGH	10.4	26.8	27.6	-0-	26.8	27.6	-0-	4.9	5.0	-0-
MCHENRY	14.5	15.5	15.6	-0-	11.4	11.5	-0-	12.0	12.1	-0-
MCLEAN.	14.0	17.7	17.3	26.0	14.0	13.4	26.0	10.4	9.6	26.0
MACON	15.8	24.1	25.2	18.8	20.0	21.5	12.5	8.7	6.1	21.9
MACOUPIN.	14.9	13.4	12.0	142.9	11.9	10.5	142.9	8.9	9.0	-0-
MADISON	14.3	20.4	19.1	33.6	17.3	16.9	21.4	9.2	8.3	18.3
MARION.	14.2	24.7	24.3	32.3	24.7	24.3	32.3	12.3	13.1	-0-
MARSHALL.	15.5	21.3	21.4	-0-	16.0	16.0	-0-	5.3	5.3	-0-
MASON	15.9	25.1	25.1	-0-	25.1	25.1	-0-	14.3	14.3	-0-
MASSAC.	12.8	5.8	6.3	-0-	-0-	-0-	-0-	17.3	18.8	-0-
MENARD.	14.2	47.9	47.9	-0-	34.2	34.2	-0-	-0-	-0-	-0-
MERCER.	14.5	4.1	4.1	-0-	4.1	4.1	-0-	12.2	12.3	-0-
MONROE.	12.8	8.4	8.4	-0-	8.4	8.4	-0-	4.2	4.2	-0-
MONTGOMERY.	14.9	15.6	15.7	-0-	8.9	9.0	-0-	17.8	17.9	-0-
MORGAN.	13.6	12.2	13.0	-0-	8.2	8.6	-0-	8.2	8.6	-0-
MOULTRIE.	14.3	15.9	15.9	-0-	10.6	10.6	-0-	5.3	5.3	-0-
OGLE.	14.1	18.2	18.2	-0-	9.9	9.9	-0-	24.8	24.8	-0-
PEORIA.	15.7	16.5	16.0	19.1	11.1	11.4	9.6	12.0	11.8	13.4
PERRY	15.6	26.1	23.5	111.1	22.8	20.1	111.1	16.3	16.8	-0-
PIATT	13.5	33.5	33.8	-0-	23.9	24.2	-0-	4.8	4.8	-0-
PIKE.	13.4	15.3	15.4	-0-	15.3	15.4	-0-	7.6	7.7	-0-
POPE.	11.4	-0-	-0-	-0-	-0-	-0-	-0-	20.8	21.7	-0-
PULASKI	14.2	23.8	44.8	-0-	23.8	44.8	-0-	23.8	14.9	33.9
PUTNAM.	16.6	11.4	11.4	-0-	-0-	-0-	-0-	-0-	-0-	-0-
RANDOLPH.	15.7	20.0	19.0	35.7	18.0	16.9	35.7	12.0	12.7	-0-
RICHLAND.	13.4	17.8	17.9	-0-	13.3	13.4	-0-	22.2	22.3	-0-
ROCK ISLAND	15.3	16.2	14.5	30.7	12.6	11.3	23.0	12.6	13.1	7.7
ST. CLAIR	16.8	25.1	19.3	33.4	17.7	14.3	22.6	12.9	10.7	15.9
SALINE.	11.9	12.5	13.0	-0-	12.5	13.0	-0-	12.5	13.0	-0-
SANGAMON.	15.0	17.7	14.6	41.8	12.1	9.1	34.8	9.3	7.7	20.9
SCHUYLER.	13.8	18.2	18.3	-0-	9.1	9.2	-0-	-0-	-0-	-0-
SCOTT	13.5	23.5	23.8	-0-	23.5	23.8	-0-	-0-	-0-	-0-
SHELBY.	15.4	20.2	20.2	-0-	17.3	17.3	-0-	8.6	8.6	-0-
STARK	13.3	20.6	20.6	-0-	20.6	20.6	-0-	10.3	10.3	-0-
STEPHENSON.	14.8	21.4	15.5	87.7	18.5	14.0	70.2	8.6	7.8	17.5
TAZEWELL.	16.5	8.4	8.4	-0-	7.4	7.4	-0-	8.4	8.4	-0-
UNION	12.4	25.1	25.1	-0-	15.1	15.1	-0-	5.0	5.0	-0-
VERMILION	15.5	15.6	14.7	22.3	12.4	11.0	22.3	13.0	11.8	22.3
WABASH.	12.6	23.5	23.5	-0-	17.6	17.6	-0-	11.8	11.8	-0-
WARREN.	13.7	13.6	14.0	-0-	6.8	7.0	-0-	6.8	7.0	-0-
WASHINGTON.	11.4	5.8	5.8	-0-	5.8	5.8	-0-	-0-	-0-	-0-
WAYNE	10.9	26.6	26.6	-0-	21.3	21.3	-0-	21.3	21.3	-0-
WHITE	10.7	22.5	22.5	-0-	22.5	22.5	-0-	16.9	16.9	-0-
WHITESIDE	16.3	16.7	16.9	-0-	14.8	15.0	-0-	10.8	11.0	-0-
WILL.	18.0	19.6	17.5	35.3	17.3	15.4	31.8	9.1	9.4	7.1
WILLIAMSON.	13.4	11.8	12.1	-0-	11.8	12.1	-0-	10.3	10.6	-0-
WINNEBAGO	15.6	20.3	17.9	36.1	14.0	13.1	20.1	8.7	8.8	8.0
WOODFORD.	15.7	15.3	15.3	-0-	13.1	13.1	-0-	8.7	8.8	-0-

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

CITY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	498	491	7	10	10	--	7	7	--	13	12	1
ALTON	603	420	183	15	7	8	11	7	4	5	2	3
ARLINGTON HEIGHTS	859	843	16	17	17	--	14	14	--	3	3	--
AURORA	1,774	1,511	213	32	27	5	22	18	4	18	15	3
BELLEVIEW	540	568	12	13	13	--	12	12	--	11	10	1
BELLEVILLE	459	456	3	4	4	--	4	4	--	4	4	--
BLOOMINGTON	738	683	55	13	11	2	9	7	2	6	5	1
BOLINGBROOK	726	707	19	9	9	--	7	7	--	8	8	--
BURBANK	350	348	2	5	5	--	5	5	--	1	1	--
CALUMET CITY	477	457	20	11	11	--	10	10	--	5	5	--
CARHONDALE	202	125	77	3	1	2	2	1	1	1	--	1
CHAMPAIGN	643	489	154	7	5	2	5	4	1	4	2	2
CHICAGO	53,777	26,695	27,082	1,344	492	852	941	361	580	850	324	526
CHICAGO HEIGHTS	748	501	247	16	6	10	12	4	8	10	2	8
CICERO	818	812	6	22	22	--	17	17	--	10	10	--
DANVILLE	691	522	169	10	6	4	6	2	4	12	8	4
DE KALB	311	284	27	8	8	--	8	8	--	2	2	--
DECATUR	1,522	1,203	319	39	33	6	34	30	4	12	5	7
DES PLAINES	987	941	46	13	13	--	9	9	--	6	6	--
DOLTON	277	277	--	3	3	--	3	3	--	3	3	--
DOWNERS GROVE	536	507	29	5	4	1	4	3	1	2	2	--
EAST ST LOUIS	1,862	164	1,698	68	9	59	46	7	39	31	2	29
ELGIN	1,094	996	98	21	19	2	15	14	1	14	10	4
ELK GROVE	368	357	11	1	1	--	1	1	--	2	2	--
ELMHURST	512	499	13	5	5	--	1	1	--	1	1	--
ELMWOOD PARK	289	285	4	6	6	--	6	6	--	3	3	--
EVANSTON	881	617	264	10	6	4	7	5	2	7	3	4
EVERGREEN PARK	162	162	--	3	3	--	3	3	--	1	1	--
FREEPORT	407	350	57	12	7	5	10	6	4	4	3	1
GALLSFURG	540	492	48	9	7	2	7	5	2	3	2	1
GLENVIEW	414	406	8	1	1	--	1	1	--	2	2	--
GRANITE CITY	607	601	6	12	12	--	11	11	--	10	10	--
HARVEY	740	278	462	24	8	16	20	6	14	9	5	4
HIGHLAND PARK	272	266	6	6	6	--	6	6	--	1	1	--
HOFFMAN ESTATES	598	586	12	7	7	--	7	7	--	2	2	--
JOLIET	1,335	949	386	40	27	13	36	24	12	15	12	3
KANKAKEE	572	341	231	16	8	8	9	5	4	6	3	3
LANSING	389	386	3	13	13	--	12	12	--	5	5	--
LOMBARD	501	493	8	7	7	--	4	4	--	--	--	--
MAYWOOD	474	132	342	5	--	5	4	--	4	9	--	9
MOLINE	629	617	12	10	9	1	8	7	1	8	8	--
MORTON GROVE	181	175	6	2	2	--	2	2	--	3	3	--
MOUNT PROSPECT	585	573	12	7	7	--	6	6	--	5	5	--
NAPERVILLE	322	313	9	2	2	--	2	2	--	3	3	--
NILES	247	234	13	2	2	--	2	2	--	4	4	--
NORMAL	340	322	18	4	4	--	3	3	--	5	4	1
NORTH CHICAGO	298	131	167	4	1	3	3	1	2	6	3	3
NORTHBROOK	345	336	9	5	5	--	5	5	--	3	3	--
OAK LAWN	543	535	8	11	11	--	10	10	--	8	8	--
OAK PARK	695	582	113	7	5	2	5	5	--	8	8	--
PALATINE	567	565	2	7	7	--	5	5	--	6	6	--
PARK FOREST	473	417	56	6	6	--	4	4	--	3	3	--
PARK RIDGE	319	315	4	4	4	--	4	4	--	4	4	--
PERKIN	584	583	1	4	4	--	4	4	--	6	6	--
PEORIA	2,036	1,530	506	33	23	10	18	13	5	26	19	7
QUINCY	662	625	37	11	11	--	8	8	--	6	4	2
RANTOUL	579	508	71	6	4	2	3	2	1	5	4	1
ROCK ISLAND	749	552	197	16	11	5	11	8	3	8	6	2
ROCKFORD	2,288	1,836	452	58	41	17	42	32	10	21	18	3
SCHAUMBURG	745	727	18	6	6	--	6	6	--	6	6	--
SKOKIE	493	463	30	4	3	1	3	2	1	7	6	1
SOUTH HOLLAND	221	217	4	1	1	--	1	1	--	3	3	--
SPRINGFIELD	1,458	1,183	275	36	24	12	25	15	10	16	10	6
URBANA	424	301	123	9	5	4	6	4	2	3	3	--
VILLA PARK	388	377	11	4	4	--	4	4	--	2	2	--
WAUKEGAN	1,377	1,055	322	29	20	9	20	14	6	14	10	4
WHEATON	541	516	25	5	5	--	5	5	--	7	5	2
WILMISTE	221	217	4	4	4	AA	1	1	AA	1	1	AA

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1974. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	L I V E B I R T H S T O T A L S	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ADDISON	19.5	20.1	20.4	-0-	14.1	14.3	-0-	26.1	24.4	142.9
ALTON	15.0	24.9	16.7	43.7	18.2	16.7	21.9	8.3	4.8	16.4
ARLINGTON HEIGHTS	12.1	19.8	20.2	-0-	16.3	16.6	-0-	3.5	3.6	-0-
AURORA	22.7	18.6	17.9	23.5	12.8	11.9	18.8	10.4	9.9	14.1
HELLEVILLE	13.8	22.4	22.9	-0-	20.7	21.1	-0-	19.0	17.6	83.3
BERWYN	8.7	8.7	8.8	-0-	8.7	8.8	-0-	8.7	8.8	-0-
BLOOMINGTON	18.2	17.6	16.1	36.4	12.2	10.2	36.4	8.1	7.3	18.2
BOLINGBROOK	28.5	12.4	12.7	-0-	9.6	9.9	-0-	11.0	11.3	-0-
BURBANK	11.6	14.3	14.4	-0-	14.3	14.4	-0-	2.9	2.9	-0-
CALUMET CITY	13.3	23.1	24.1	-0-	21.0	21.9	-0-	10.5	10.9	-0-
CARBONDALE	7.8	14.9	8.0	26.0	9.9	8.0	13.0	5.0	-0-	13.0
CHAMPAIGN	10.9	10.9	10.2	13.0	7.8	8.2	6.5	6.2	4.1	13.0
CHICAGO	17.1	25.0	18.4	31.5	17.5	13.5	21.4	15.8	12.1	19.4
CHICAGO HEIGHTS	18.2	21.4	12.0	40.5	16.0	8.0	32.4	13.4	4.0	32.4
CICERO	12.2	26.9	27.1	-0-	20.8	20.9	-0-	12.2	12.3	-0-
DANVILLE	16.3	14.5	11.5	23.7	8.7	3.8	23.7	17.4	15.3	23.7
DE KALB	10.2	25.7	28.2	-0-	25.7	28.2	-0-	6.4	7.0	-0-
DECATUR	16.7	25.6	27.4	18.8	22.3	24.9	12.5	7.9	4.2	21.9
DES PLAINES	17.2	13.2	13.8	-0-	9.1	9.6	-0-	6.1	6.4	-0-
DOLTON	10.5	10.8	10.8	-0-	10.8	10.8	-0-	10.8	10.8	-0-
DOWNERS GROVE	15.3	9.3	7.9	34.5	7.5	5.9	34.5	3.7	3.9	-0-
EAST ST LOUIS	29.8	36.5	54.9	34.7	24.7	42.7	23.0	16.6	12.2	17.1
ELGIN	19.2	19.2	19.1	20.4	13.7	14.1	10.2	12.8	10.0	40.8
ELK GROVE	14.7	2.7	2.8	-0-	2.7	2.8	-0-	5.4	5.6	-0-
ELMHURST	10.4	9.8	10.0	-0-	2.0	2.0	-0-	2.0	2.0	-0-
ELMWOOD PARK	11.0	20.8	21.1	-0-	20.8	21.1	-0-	10.4	10.5	-0-
EVANSTON	11.0	11.4	9.7	15.2	7.9	8.1	7.6	7.9	4.9	15.2
EVERGREEN PARK	6.1	18.5	18.5	-0-	18.5	18.5	-0-	6.2	6.2	-0-
FREEPORT	15.1	29.5	20.0	87.7	24.6	17.1	70.2	9.8	8.6	17.5
GALESBURG	15.4	16.7	14.2	41.7	13.0	10.2	41.7	5.6	4.1	20.8
GLENVIEW	14.1	2.4	2.5	-0-	2.4	2.5	-0-	4.8	4.9	-0-
GRANITE CITY	15.0	19.8	20.0	-0-	18.1	18.3	-0-	16.5	16.6	-0-
HARVEY	21.4	32.4	28.8	34.6	27.0	21.6	30.3	12.2	18.0	8.7
HIGHLAND PARK	8.5	22.1	22.6	-0-	22.1	22.6	-0-	3.7	3.8	-0-
HOFFMAN ESTATES	18.7	11.7	11.9	-0-	11.7	11.9	-0-	3.3	3.4	-0-
JOLIET	16.9	30.0	28.5	33.7	27.0	25.3	31.1	11.2	12.6	7.8
KANKAKEE	18.8	28.0	23.5	34.6	15.7	14.7	17.3	10.5	8.8	13.0
LANSING	13.7	33.4	33.7	-0-	30.8	31.1	-0-	12.9	13.0	-0-
LOMBARD	13.4	14.0	14.2	-0-	8.0	8.1	-0-	-0-	-0-	-0-
MAYWOOD	16.6	10.5	-0-	14.6	8.4	-0-	11.7	19.0	-0-	26.3
MOLINE	13.8	15.9	14.6	83.3	12.7	11.3	83.3	12.7	13.0	-0-
MORTON GROVE	6.8	11.0	11.4	-0-	11.0	11.4	-0-	16.6	17.1	-0-
MOUNT PROSPECT	12.5	12.0	12.2	-0-	10.3	10.5	-0-	8.5	8.7	-0-
NAPERVILLE	11.5	6.2	6.4	-0-	6.2	6.4	-0-	9.3	9.6	-0-
NILES	7.5	8.1	8.5	-0-	8.1	8.5	-0-	16.2	17.1	-0-
NORMAL	11.2	11.8	12.4	-0-	8.8	9.3	-0-	14.7	12.4	55.6
NORTH CHICAGO	6.3	13.4	7.6	18.0	10.1	7.6	12.0	20.1	22.9	18.0
NORTHBROOK	12.4	14.5	14.9	-0-	14.5	14.9	-0-	8.7	8.9	-0-
OAK LAWN	8.7	20.3	20.6	-0-	18.4	18.7	-0-	14.7	15.0	-0-
OAK PARK	11.2	10.1	8.6	17.7	7.2	8.6	-0-	11.5	13.7	-0-
PALATINE	19.4	12.3	12.4	-0-	8.8	8.8	-0-	10.6	10.6	-0-
PARK FOREST	14.6	12.7	14.4	-0-	8.5	9.6	-0-	6.3	7.2	-0-
PARK RIDGE	7.3	12.5	12.7	-0-	12.5	12.7	-0-	12.5	12.7	-0-
PEKIN	18.2	6.8	6.9	-0-	6.8	6.9	-0-	10.3	10.3	-0-
PEORIA	16.0	16.2	15.0	19.8	8.8	8.5	9.9	12.8	12.4	13.8
QUINCY	14.5	16.6	17.6	-0-	12.1	12.8	-0-	9.1	6.4	54.1
RANTOUL	22.6	10.4	7.9	28.2	5.2	3.9	14.1	8.6	7.9	14.1
ROCK ISLAND	15.0	21.4	19.9	25.4	14.7	14.5	15.2	10.7	10.9	10.2
ROCKFORD	15.3	25.3	22.3	37.6	18.4	17.4	22.1	9.2	9.8	6.6
SCHAUMBURG	20.3	8.1	8.3	-0-	8.1	8.3	-0-	8.1	8.3	-0-
SKOKIE	7.1	8.1	6.5	33.3	6.1	4.3	33.3	14.2	13.0	33.3
SOUTH HOLLAND	8.7	4.5	4.6	-0-	4.5	4.6	-0-	13.6	13.8	-0-
SPRINGFIELD	15.7	24.7	20.3	43.6	17.1	12.7	36.4	11.0	8.5	21.8
URBANA	12.2	21.2	16.6	32.5	14.2	13.3	16.3	7.1	10.0	-0-
VILLA PARK	15.2	10.3	10.6	-0-	10.3	10.6	-0-	5.2	5.3	-0-
WAUKEGAN	21.2	21.1	19.0	28.0	14.5	13.3	18.6	10.2	9.5	12.4
WHEATON	14.9	9.2	9.7	-0-	9.2	9.7	-0-	12.9	9.7	80.0
WILMETTE	6.8	18.1	18.4	-0-	4.5	4.6	-0-	4.5	4.6	-0-

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
ILLINOIS. . .	168,991	13,219	7.82	168,370	99.63	2,148	12.7	293	1.7	830	4.9	38
ADAMS	1,079	84	7.78	1,078	99.91	12	11.1	2	1.9	3	2.8	1
ALEXANDER	222	20	9.01	221	99.55	3	13.5	1	4.5	--	-0-	--
BOND	180	6	3.33	178	98.89	2	11.1	1	5.6	2	11.1	--
BOONE	432	22	5.09	430	99.54	6	13.9	1	2.3	3	6.9	--
BROWN	62	6	9.68	62	100.00	--	-0-	--	-0-	--	-0-	--
BUREAU	532	28	5.26	532	100.00	3	5.6	1	1.9	--	-0-	--
CALHOUN	72	5	6.94	72	100.00	1	13.9	--	-0-	--	-0-	--
CARROLL	268	10	3.73	268	100.00	5	18.7	--	-0-	--	-0-	--
CASS	202	8	3.96	201	99.50	2	9.9	--	-0-	2	9.9	--
CHAMPAIGN	2,470	185	7.49	2,467	99.88	18	7.3	3	1.2	8	3.2	--
CHRISTIAN	510	39	7.65	510	100.00	4	7.8	2	3.9	1	2.0	--
CLARK	233	10	4.29	233	100.00	4	17.2	--	-0-	1	4.3	--
CLAY	192	21	10.94	192	100.00	1	5.2	1	5.2	1	5.2	--
CLINTON	407	30	7.37	405	99.51	6	14.7	--	-0-	2	4.9	--
COLES	649	41	6.32	648	99.85	6	9.2	2	3.1	2	3.1	--
COOK	82,620	7,288	8.82	82,206	99.50	1,122	13.6	158	1.9	478	5.8	24
CRAWFORD	243	13	5.35	243	100.00	--	-0-	--	-0-	--	-0-	--
CUMBERLAND	154	6	3.77	159	100.00	1	6.3	--	-0-	--	-0-	--
DE KALB	938	63	6.72	936	99.79	15	16.0	4	4.3	2	2.1	--
DE WITT	230	14	6.09	230	100.00	4	17.4	2	8.7	1	4.3	--
DOUGLAS	308	15	4.87	308	100.00	3	9.7	--	-0-	--	-0-	--
DUPAGE	7,745	409	5.28	7,718	99.65	61	7.9	12	1.5	31	4.0	1
EDGAR	314	14	4.46	313	99.68	3	9.6	--	-0-	1	3.2	--
EDWARDS	97	7	7.22	96	98.97	--	-0-	--	-0-	--	-0-	--
EFFINGHAM	421	22	5.23	421	100.00	4	9.5	--	-0-	--	-0-	--
FAYETTE	275	21	7.64	273	99.27	4	14.5	--	-0-	--	-0-	--
FORD	188	19	10.11	187	99.47	3	16.0	--	-0-	--	-0-	--
FRANKLIN	524	36	6.87	524	100.00	8	15.3	--	-0-	3	5.7	--
FULTON	632	45	7.12	632	100.00	4	6.3	--	-0-	2	3.2	--
GALLATIN	102	7	6.86	102	100.00	1	9.8	--	-0-	--	-0-	--
GREENE	234	9	3.77	237	99.16	6	25.1	--	-0-	2	8.4	--
GRUNDY	436	23	5.28	435	99.77	4	9.2	--	-0-	1	2.3	--
HAMILTON	84	8	9.52	83	98.81	--	-0-	--	-0-	--	-0-	--
HANCOCK	273	23	8.42	272	99.63	7	25.6	2	7.3	3	11.0	--
HARDIN	81	1	1.23	81	100.00	--	-0-	--	-0-	--	-0-	--
HENDERSON	120	9	7.50	120	100.00	1	8.3	--	-0-	--	-0-	--
HENRY	803	59	7.35	799	99.50	10	12.5	2	2.5	4	5.0	--
JEFFERSON	444	24	5.41	444	100.00	--	-0-	1	2.3	2	4.5	--
JACKSON	663	42	6.33	662	99.85	7	10.6	--	-0-	3	4.5	--
JASPER	159	8	5.03	159	100.00	3	18.9	--	-0-	--	-0-	--
JEFFERSON	511	42	8.22	510	99.80	7	13.7	--	-0-	5	9.8	--
JERSEY	262	12	4.58	261	99.62	1	3.8	--	-0-	--	-0-	--
JO DAVIES	355	17	4.79	354	99.72	6	16.9	--	-0-	1	2.8	--
JOHNSON	110	13	11.82	110	100.00	3	27.3	--	-0-	--	-0-	--
KANE	4,633	335	7.23	4,614	99.59	45	9.7	13	2.8	26	5.6	--
KANKAKEE	1,656	107	6.46	1,653	99.82	22	13.3	5	3.0	15	9.1	--
KENDALL	499	30	6.01	496	99.40	6	12.0	--	-0-	3	6.0	--
KNOX	897	49	5.46	896	99.89	16	17.8	3	3.3	5	5.6	--
LAKE	5,831	378	6.48	5,805	99.55	55	9.4	8	1.4	21	3.6	--
LA SALLE	1,515	117	7.72	1,514	99.93	22	14.5	--	-0-	6	4.0	1

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 4. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

COUNTY	L I V E B I R T H S					I N F A N T D E A T H S B Y A G E						M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS		
		NUMBR	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
LAWRENCE	212	18	8.49	212	100.00	4	18.9	--	-0-	--	-0-	--
LEE	523	35	6.69	523	100.00	5	9.6	2	3.8	1	1.9	--
LIVINGSTON . . .	577	47	8.15	574	99.48	6	10.4	1	1.7	3	5.2	--
LOGAN	417	24	5.76	417	100.00	5	12.0	--	-0-	2	4.8	--
MCDONOUGH . . .	411	31	7.54	410	99.76	11	26.8	--	-0-	--	-0-	--
MCHENRY	1,747	90	5.15	1,739	99.54	15	8.6	5	2.9	7	4.0	--
MCLEAN	1,640	103	6.28	1,636	99.76	23	14.0	--	-0-	6	3.7	1
MACON	1,949	169	8.67	1,946	99.85	38	19.5	1	0.5	8	4.1	--
MACOUPIN	672	39	5.80	668	99.40	3	4.5	5	7.4	1	1.5	--
MADISON	3,575	292	8.17	3,572	99.92	54	15.1	8	2.2	11	3.1	--
MARION	567	50	8.82	566	99.82	13	22.9	1	1.8	--	-0-	--
MARSHALL	188	14	7.45	187	99.47	2	10.6	1	5.3	1	5.3	--
MASON	279	16	5.73	277	99.28	5	17.9	2	7.2	--	-0-	--
MASSAC	173	12	6.94	173	100.00	--	-0-	--	-0-	1	5.8	--
MENARD	146	14	9.59	146	100.00	5	34.2	--	-0-	2	13.7	--
MERCER	245	14	5.71	244	99.59	--	-0-	1	4.1	--	-0-	--
MONROE	238	8	3.36	238	100.00	2	8.4	--	-0-	--	-0-	--
MONTGOMERY . . .	450	27	6.00	450	100.00	3	6.7	1	2.2	3	6.7	--
MORGAN	490	32	6.53	489	99.80	4	8.2	--	-0-	2	4.1	--
MOULTRIE	189	14	7.41	189	100.00	2	10.6	--	-0-	1	5.3	--
OGLE	606	29	4.79	604	99.67	5	8.3	1	1.7	5	8.3	--
PEORIA	3,154	219	6.94	3,149	99.84	30	9.5	5	1.6	17	5.4	1
PERRY	307	27	8.79	307	100.00	7	22.8	--	-0-	1	3.3	--
PIATT	209	10	4.78	208	99.52	2	9.6	3	14.4	2	9.6	--
PIKE	262	17	6.49	262	100.00	4	15.3	--	-0-	--	-0-	--
POPE	48	2	4.17	48	100.00	--	-0-	--	-0-	--	-0-	--
PULASKI	126	12	9.52	126	100.00	3	23.8	--	-0-	--	-0-	--
PUTNAM	88	1	1.14	87	98.86	--	-0-	--	-0-	1	11.4	--
RANDOLPH	501	26	5.19	501	100.00	9	18.0	--	-0-	1	2.0	--
RICHLAND	225	22	9.78	225	100.00	3	13.3	--	-0-	1	4.4	--
ROCK ISLAND . . .	2,469	150	6.08	2,463	99.76	27	10.9	4	1.6	9	3.6	--
ST. CLAIR	4,737	471	9.94	4,733	99.92	78	16.5	6	1.3	35	7.4	1
SALINE	319	20	6.27	318	99.69	4	12.5	--	-0-	--	-0-	--
SANGAMON	2,485	185	7.44	2,480	99.80	29	11.7	1	0.4	14	5.6	--
SCHUYLER	110	5	4.55	110	100.00	1	9.1	--	-0-	1	9.1	--
SCOTT	85	4	4.71	85	100.00	2	23.5	--	-0-	--	-0-	--
SHELBY	347	38	10.95	347	100.00	6	17.3	--	-0-	1	2.9	--
STARK	97	1	1.03	97	100.00	2	20.6	--	-0-	--	-0-	--
STEPHENSON . . .	701	46	6.56	698	99.57	12	17.1	1	1.4	2	2.9	2
TAZEWELL	2,021	116	5.74	2,015	99.70	12	5.9	3	1.5	2	1.0	--
UNION	199	19	9.55	197	98.99	3	15.1	--	-0-	2	10.1	--
VERMILION	1,538	139	9.04	1,535	99.80	18	11.7	1	0.7	5	3.3	1
WABASH	170	18	10.59	170	100.00	3	17.6	--	-0-	1	5.9	--
WARREN	295	14	4.75	295	100.00	2	6.8	--	-0-	2	6.8	--
WASHINGTON . . .	172	4	2.33	172	100.00	1	5.8	--	-0-	--	-0-	--
WAYNE	188	12	6.38	187	99.47	3	16.0	1	5.3	1	5.3	--
WHITE	178	6	3.37	178	100.00	4	22.5	--	-0-	--	-0-	--
WHITESIDE	1,015	54	5.32	1,013	99.80	14	13.8	1	1.0	2	2.0	2
WILL	4,842	357	7.37	4,830	99.75	78	16.1	6	1.2	11	2.3	1
WILLIAMSON	679	47	6.92	679	100.00	7	10.3	1	1.5	--	-0-	--
WINNEBAGO	3,792	269	7.09	3,785	99.82	47	12.4	6	1.6	24	6.3	2
WOODFORD	459	29	6.32	458	99.78	5	10.9	1	2.2	1	2.2	--
UNSPECIFIED . . .	2	1	50.00	2	100.00	--	-0-	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

Am. Mus. Nat. Hist. 1891

TABLE 5. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

CITY	L I V E B I R T H S										I N F A N T D E A T H S B Y A G E				M A T E R N A L D E A T H S
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 28 DAYS		1 TO 11 MONTHS					
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE				
ADDISON	498	29	5.82	497	99.80	7	14.1	--	-0-	3	6.0	--			
ALTON	603	50	9.95	603	100.00	9	14.9	2	3.3	4	6.6	--			
ARLINGTON HEIGHTS	859	52	6.05	857	99.77	13	15.1	1	1.2	3	3.5	--			
AURORA	1,724	134	7.77	1,717	99.59	17	9.9	5	2.9	10	5.8	--			
BELLEVILLE	580	39	6.72	580	100.00	11	19.0	1	1.7	1	1.7	--			
BERWYN	459	19	4.14	458	99.78	4	8.7	--	-0-	--	-0-	--			
BLOOMINGTON	738	50	6.78	734	99.46	9	12.2	--	-0-	4	5.4	--			
BOLINGBROOK	726	43	5.92	724	99.72	5	8.3	1	1.4	2	2.8	--			
BURBANK	350	20	5.71	349	99.71	4	11.4	1	2.9	--	-0-	--			
CALUMET CITY	477	27	5.66	475	99.58	10	21.0	--	-0-	1	2.1	--			
CARBONDALE	202	15	7.43	201	99.50	2	9.9	--	-0-	1	5.0	--			
CHAMPAIGN	643	48	7.47	641	99.69	4	6.2	1	1.6	2	3.1	--			
CHICAGO	53,777	5,531	10.29	53,485	99.46	816	15.2	125	2.3	403	7.5	20			
CHICAGO HEIGHTS	748	69	9.22	747	99.87	11	14.7	1	1.3	4	5.3	--			
CICERO	818	56	6.85	814	99.51	14	17.1	3	3.7	5	6.1	--			
DANVILLE	691	79	11.43	690	99.86	6	8.7	--	-0-	4	5.8	1			
DE KALB	311	24	8.36	311	100.00	6	19.3	2	6.4	--	-0-	--			
DECATUR	1,522	142	9.33	1,519	99.80	33	21.7	1	0.7	5	3.3	--			
DES PLAINES	987	53	5.37	983	99.59	7	7.1	2	2.0	4	4.1	--			
DOLTON	277	19	6.86	277	100.00	3	10.8	--	-0-	--	-0-	--			
DOWNERS GROVE	536	26	4.85	533	99.44	4	7.5	--	-0-	1	1.9	--			
EAST ST LOUIS	1,862	279	14.98	1,861	99.95	44	23.6	2	1.1	22	11.8	--			
ELGIN	1,094	80	7.31	1,091	99.73	12	11.0	3	2.7	6	5.5	--			
ELK GROVE	368	13	3.53	367	99.73	1	2.7	--	-0-	--	-0-	--			
ELMHURST	512	21	4.10	512	100.00	1	2.0	--	-0-	4	7.8	1			
ELMWOOD PARK	289	16	5.54	289	100.00	5	17.3	1	3.5	--	-0-	--			
EVANSTON	881	63	7.15	871	98.86	6	6.8	1	1.1	3	3.4	--			
EVERGREEN PARK	162	7	4.32	162	100.00	3	18.5	--	-0-	--	-0-	--			
FREEPORT	407	28	6.88	405	99.51	9	22.1	1	2.5	2	4.9	2			
GALESBURG	540	31	5.74	540	100.00	6	11.1	1	1.9	2	3.7	--			
GLENVIEW	414	18	4.35	412	99.52	1	2.4	--	-0-	--	-0-	--			
GRANITE CITY	607	52	8.57	607	100.00	11	18.1	--	-0-	1	1.6	--			
HARVEY	740	81	10.95	736	99.46	20	27.0	--	-0-	4	5.4	--			
HIGHLAND PARK	272	19	6.99	272	100.00	6	22.1	--	-0-	--	-0-	--			
HOFFMAN ESTATES	598	31	5.18	598	100.00	6	10.0	1	1.7	--	-0-	--			
JOLIET	1,335	121	9.06	1,331	99.70	34	25.5	2	1.5	4	3.0	1			
KANKAKEE	572	40	6.99	571	99.83	6	10.5	3	5.2	7	12.2	--			
LANSING	389	29	7.46	387	99.49	12	30.8	--	-0-	1	2.6	--			
LOMBARD	501	29	5.79	496	99.00	4	8.0	--	-0-	3	6.0	--			
MAYWOOD	474	44	9.28	472	99.58	4	8.4	--	-0-	1	2.1	--			
MOLINE	629	35	5.56	628	99.84	7	11.1	1	1.6	2	3.2	--			
MORTON GROVE	181	9	4.97	179	98.90	1	5.5	1	5.5	--	-0-	--			
MOUNT PROSPECT	585	24	4.10	584	99.83	5	8.5	1	1.7	1	1.7	--			
NAPERVILLE	322	10	3.11	320	99.38	2	6.2	--	-0-	--	-0-	--			
NILES	247	13	5.26	246	99.60	2	8.1	--	-0-	--	-0-	--			
NORMAL	340	18	5.29	340	100.00	3	8.8	--	-0-	1	2.9	1			
NORTH CHICAGO	298	30	10.07	297	99.66	3	10.1	--	-0-	1	3.4	--			
NORTHBROOK	345	12	3.48	345	100.00	4	11.6	1	2.9	--	-0-	--			
OAK LAWN	543	32	5.89	543	100.00	10	18.4	--	-0-	1	1.8	--			
OAK PARK	695	44	6.33	681	97.99	3	4.3	2	2.9	2	2.9	--			
PALATINE	567	26	4.59	564	99.47	5	8.8	--	-0-	2	3.5	--			
PARK FOREST	473	15	3.17	472	99.79	3	6.3	1	2.1	2	4.2	--			
PARK RIDGE	319	12	3.76	319	100.00	3	9.4	1	3.1	--	-0-	--			
PEKIN	584	36	6.16	582	99.66	3	5.1	1	1.7	--	-0-	--			
PEORIA	2,036	152	7.47	2,032	99.80	15	7.4	3	1.5	15	7.4	1			
QUINCY	662	63	9.52	661	99.85	7	10.6	1	1.5	3	4.5	1			
RANTOUL	579	39	6.74	578	99.83	3	5.2	--	-0-	3	5.2	--			
ROCK ISLAND	749	51	6.81	747	99.73	10	13.4	1	1.3	5	6.7	--			
ROCKFORD	2,288	169	7.39	2,281	99.69	37	16.2	5	2.2	16	7.0	2			
SCHAUMBURG	745	43	5.77	745	100.00	5	6.7	1	1.3	--	-0-	--			
SKOKIE	493	26	5.27	490	99.39	3	6.1	--	-0-	1	2.0	--			
SOUTH HOLLAND	221	10	4.52	221	100.00	1	4.5	--	-0-	--	-0-	--			
SPRINGFIELD	1,458	126	8.64	1,454	99.73	24	16.5	1	0.7	11	7.5	--			
URBANA	424	37	8.73	424	100.00	5	11.8	1	2.4	3	7.1	--			
VILLA PARK	388	26	6.70	388	100.00	3	7.7	1	2.6	--	-0-	--			
WAUKEGAN	1,377	104	7.55	1,375	99.85	16	11.6	4	2.9	9	6.5	--			
WHEATON	541	25	4.62	538	99.45	5	9.2	--	-0-	--	-0-	--			
WILMETTE	221	7	3.17	219	99.10	1	4.5	--	-0-	3	13.6	2			

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ILLINOIS.	1,984	693	245	213	95	116	175	151	115	51	33
ADAMS.	12	3	--	4	--	--	--	2	2	--	1
ALEXANDER.	2	--	--	--	--	--	--	--	--	--	--
ANDERSON.	--	--	--	--	--	--	--	--	--	--	--
BOONE.	4	--	1	1	--	1	1	--	--	--	--
BROWN.	--	--	--	--	--	--	--	--	--	--	--
BUREAU.	7	--	--	1	--	1	2	1	1	--	--
CALHOUN.	--	--	--	--	--	--	--	--	--	--	--
CARROLL.	2	1	--	--	--	--	1	--	--	--	--
CASS.	3	--	2	--	--	--	--	--	1	--	--
CHAMPAIGN.	17	5	2	2	--	1	4	--	1	--	1
CHRISTIAN.	8	2	--	3	--	--	1	--	1	1	--
CLARK.	2	1	--	--	--	1	--	--	--	--	--
CLAY.	6	2	1	2	--	--	--	1	--	--	--
CLINTON.	5	3	--	--	--	--	--	1	--	--	--
COLES.	10	3	--	1	--	1	3	1	--	--	1
COOK.	1,116	446	151	126	55	65	86	70	56	23	15
CRAWFORD.	1	--	1	--	--	--	--	--	--	--	--
CUMBERLAND.	4	1	1	--	--	1	--	1	--	--	--
DE KALB.	8	1	1	--	--	--	1	2	1	--	--
DE WITT.	2	1	--	--	1	--	--	--	--	--	--
DOUGLAS.	3	2	--	1	--	--	--	--	--	--	--
DUPAGE.	62	28	4	4	1	6	7	5	4	1	--
EDGAR.	1	--	--	1	--	--	--	--	--	--	--
EDWARDS.	2	1	--	--	--	--	--	1	--	--	--
EFFINGHAM.	3	1	1	--	--	--	--	--	--	--	--
EYEAH.	1	--	--	--	--	--	--	--	--	1	--
FORD.	2	1	--	1	--	--	--	--	--	--	--
FRANKLIN.	5	1	--	--	--	--	3	--	1	--	--
FULTON.	4	1	1	--	--	--	--	1	--	1	--
GALLATIN.	1	--	--	--	--	--	1	--	--	--	--
GREEN.	2	--	--	1	--	--	1	--	--	--	--
GRUNDY.	5	3	1	--	--	--	--	--	--	--	--
HAMILTON.	1	--	--	--	--	--	1	--	--	--	--
HANCOCK.	1	--	--	--	--	--	--	--	1	--	--
HARDIN.	--	--	--	--	--	--	--	--	--	--	--
HENDERSON.	--	--	--	--	--	--	--	--	--	--	--
HENRY.	10	3	1	1	--	1	1	1	2	--	--
INDIAN.	5	--	1	--	1	1	--	--	2	--	--
JACKSON.	5	--	--	--	1	--	2	--	--	--	--
JASPER.	3	1	1	--	--	--	--	--	--	--	1
JEFFERSON.	9	1	--	2	1	1	--	1	2	--	1
JERSEY.	3	1	--	--	1	1	--	--	--	--	--
JO DAVIES.	--	--	--	--	--	--	--	--	--	--	--
JOHNSON.	--	--	--	--	--	--	--	--	--	--	--
KANE.	46	11	9	3	3	4	3	4	--	2	--
KANKAKEE.	16	4	3	5	1	1	1	--	--	--	1
KENDALL.	6	1	1	--	1	--	2	--	1	--	--
KNOX.	5	--	1	1	--	--	1	1	--	--	--
LAKE.	59	20	7	5	4	6	3	8	2	2	--
LA SALLE.	18	8	--	3	1	--	2	1	3	--	--

TABLE 6. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974-CONTINUED

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
LAWRENCE.	1	1	--	--	--	--	--	--	--	--	--
LEE.	7	4	1	--	--	--	1	1	--	--	--
LIVINGSTON.	5	--	--	1	--	--	1	1	--	--	1
LOGAN.	3	--	1	--	--	--	--	--	1	--	1
MCDONOUGH.	2	1	--	--	--	--	--	--	--	--	--
MCHENRY.	21	4	1	2	4	1	2	2	4	--	--
MCLEAN.	17	5	1	--	1	1	6	1	--	1	--
MACON.	17	8	2	1	1	2	2	1	--	--	--
MACOUPIN.	6	1	--	--	1	--	1	1	2	--	--
MADISON.	33	7	--	5	1	2	--	1	2	2	--
MARION.	7	2	--	2	--	2	--	--	--	--	--
MARSHALL.	1	--	--	--	--	--	1	--	--	--	--
MASON.	4	1	--	1	1	--	--	--	--	--	1
MASSAC.	3	2	1	--	--	--	--	--	--	--	--
MENARD.	--	--	--	--	--	--	--	--	--	--	--
MERCER.	3	2	--	--	--	--	--	1	--	--	--
MONROE.	1	--	--	--	--	--	--	--	--	--	1
MONTGOMERY.	8	3	1	1	1	--	--	--	2	--	--
MORGAN.	4	--	--	--	1	--	1	1	--	--	1
MOULTRIE.	1	1	--	--	--	--	--	--	--	--	--
OGLE.	15	3	2	2	1	--	2	2	2	--	--
PEORIA.	38	14	6	5	--	--	1	6	2	--	--
PERRY.	5	2	--	1	--	--	2	--	--	--	--
PIATT.	1	--	--	1	--	--	--	--	--	--	--
PIKE.	2	1	--	1	--	--	--	--	--	--	--
POPE.	1	--	--	--	--	--	--	--	--	--	--
PULASKI.	3	--	--	--	--	--	1	--	--	--	--
PUTNAM.	--	--	--	--	--	--	--	--	--	--	--
RANDOLPH.	6	4	1	--	--	--	--	--	1	--	--
RICHLAND.	5	4	--	--	--	--	1	--	--	--	--
ROCK ISLAND.	31	6	4	3	2	--	5	5	4	1	1
ST. CLAIR.	61	19	12	4	4	5	8	2	1	3	2
SALINE.	4	--	2	--	--	1	--	--	--	--	--
SANGAMON.	23	7	4	1	3	1	--	4	1	2	--
SCHUYLER.	--	--	--	--	--	--	--	--	--	--	--
SCOTT.	--	--	--	--	--	--	--	--	--	--	--
SHELBY.	3	1	--	--	--	--	1	--	1	--	--
STARK.	1	--	--	1	--	--	--	--	--	--	--
STEPHENSON.	6	3	--	--	--	--	2	1	--	--	--
TAZEWELL.	17	4	--	1	--	2	4	2	--	3	1
UNION.	1	1	--	--	--	--	--	--	--	--	--
VERMILION.	20	5	3	1	--	--	2	4	3	2	--
WABASH.	2	--	--	--	1	--	--	1	--	--	--
WARREN.	2	--	--	1	--	1	--	--	--	--	--
WASHINGTON.	--	--	--	--	--	--	--	--	--	--	--
WAYNE.	4	1	--	--	--	2	--	--	--	--	--
WHITE.	3	1	--	--	--	--	--	1	--	--	--
WHITESIDE.	11	1	1	3	1	--	--	1	2	1	1
WILL.	44	7	5	--	--	3	--	3	2	4	--
WILLIAMSON.	7	1	1	--	1	--	2	2	--	--	--
WINNEBAGO.	33	8	4	6	--	1	2	5	4	--	2
WOODFORD.	4	1	1	1	--	--	--	--	--	1	--
UNSPECIFIED.	--	--	--	--	--	--	--	--	--	--	--

London 2nd Decr - 1844 - 25th Decr 1844

TABLE 7. -- FETAL DEATHS BY WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL FETAL DEATHS	FETUS WEIGHT IN GRAMS									
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
ADDISON	13	9	2	--	--	1	--	--	1	--	--
ALTON	5	2	--	1	--	--	--	--	--	1	--
ARLINGTON HEIGHTS	3	--	1	--	--	1	1	--	--	--	--
AURORA	18	6	3	--	2	1	1	--	--	--	--
BELLEVIEWE	11	5	1	--	--	2	1	--	--	1	--
BERWYN	4	2	--	--	--	--	--	--	1	1	--
BLOOMINGTON	6	2	--	--	--	--	4	--	--	--	--
BOLINGBROOK	8	3	3	--	--	--	--	1	--	1	--
BURBANK	1	1	--	--	--	--	--	--	--	--	--
CALUMET CITY	5	--	2	--	1	--	1	--	--	--	--
CARBONDALE	1	--	--	--	1	--	--	--	--	--	--
CHAMPAIGN	4	--	--	1	--	--	2	--	1	--	--
CHICAGO	850	350	114	100	39	52	63	55	33	16	12
CHICAGO HEIGHTS	10	3	2	1	2	1	1	--	--	--	--
CICERO	10	7	1	--	1	--	--	--	1	--	--
DANVILLE	12	3	2	--	--	--	2	2	1	2	--
DE KALB	2	--	--	--	--	--	--	--	--	--	--
DECATUR	12	5	1	1	1	2	2	--	--	--	--
DES PLAINES	6	3	--	--	1	--	1	1	--	--	--
DOLTON	3	1	--	--	1	--	--	--	1	--	--
DOWNERS GROVE	2	1	--	--	--	1	--	--	--	--	--
EAST ST LOUIS	31	10	7	2	4	3	2	1	--	2	--
ELGIN	14	2	3	1	1	2	2	2	--	--	--
ELK GROVE	2	--	1	--	--	--	1	--	--	--	--
ELMHURST	1	--	1	--	--	--	--	--	--	--	--
ELMWOOD PARK	3	2	--	--	--	--	1	--	--	--	--
EVANSTON	7	5	--	2	--	--	--	--	--	--	--
EVERGREEN PARK	1	--	--	--	1	--	--	--	--	--	--
FREEPORT	4	2	--	--	--	--	1	1	--	--	--
GALESBURG	3	--	--	--	--	--	1	1	--	--	--
GLENVIEW	2	1	--	--	--	--	--	1	--	--	--
GRANITE CITY	10	2	--	--	--	--	1	1	--	--	--
HARVEY	9	2	--	--	--	3	1	1	2	--	--
HIGHLAND PARK	1	--	--	1	--	--	--	--	--	--	--
HOFFMAN ESTATES	2	--	--	--	--	--	1	1	--	--	--
JOLIET	15	1	--	--	--	1	--	--	--	1	--
KANKAKEE	6	2	1	3	--	--	--	--	--	--	--
LANSING	5	1	--	2	--	--	--	--	1	1	--
LUMBARD	--	--	--	--	--	--	--	--	--	--	--
MAYWOOD	9	3	3	--	1	--	--	2	--	--	--
MOLINE	8	1	--	1	--	--	1	2	2	--	1
MORTON GROVE	3	1	--	--	--	2	--	--	--	--	--
MOUNT PROSPECT	5	2	--	2	--	--	1	--	--	--	--
NAPERVILLE	3	1	--	--	1	--	--	1	--	--	--
NILES	4	--	1	--	--	1	1	--	--	1	--
NORMAL	5	1	--	--	--	--	1	1	--	1	--
NORTH CHICAGO	6	3	1	--	--	--	--	--	--	1	--
NORTHBROOK	3	2	--	--	--	--	--	--	--	--	--
OAK LAWN	8	--	1	4	1	--	1	--	--	1	--
OAK PARK	8	4	1	--	--	--	--	--	2	--	--
PALATINE	6	1	1	1	1	--	1	1	--	--	--
PARK FOREST	3	1	1	1	--	--	--	--	--	--	--
PARK RIDGE	4	1	--	1	--	--	1	--	1	--	--
PEKIN	6	--	--	--	--	2	2	--	--	1	1
PEORIA	26	9	4	3	--	--	1	6	--	--	--
QUINCY	6	3	--	2	--	--	--	--	1	--	--
RANTOUL	5	--	1	1	--	1	2	--	--	--	--
ROCK ISLAND	8	--	2	1	1	--	2	1	1	--	--
ROCKFORD	21	4	2	4	--	--	1	4	3	--	2
SCHAUMBURG	6	4	1	--	--	--	--	--	--	--	1
SKOKIE	7	4	--	--	--	--	2	1	--	--	--
SOUTH HOLLAND	3	1	--	--	--	--	--	--	2	--	--
SPRINGFIELD	16	5	4	1	1	1	--	3	--	1	--
URBANA	3	1	1	--	--	--	--	--	--	--	--
VILLA PARK	2	1	--	--	--	1	--	--	--	--	--
WAUKEGAN	14	6	2	--	--	1	1	2	1	--	--
WHEATON	7	3	--	1	--	--	1	2	--	--	--
WILMETTE	1	--	--	--	--	--	--	--	1	--	--

TABLE BA. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS.	168,991	1,066	1,201	2,556	2,706	5,690	30,028	63,608	46,054	13,451	2,536
ADAMS	1,079	5	5	20	25	29	169	390	301	114	21
ALEXANDER	222	3	--	6	1	10	36	84	59	17	6
BOND	180	--	2	--	3	1	20	67	61	24	2
BROWN	432	1	1	5	3	12	58	158	146	33	15
BROWN	62	--	--	1	2	3	9	19	20	6	1
BUREAU	532	1	5	6	5	11	68	198	176	53	9
CALHOUN	72	--	--	1	1	3	7	28	21	10	--
CARROLL	268	1	--	--	4	5	46	86	98	18	9
CASS	202	1	--	1	4	2	28	72	70	19	5
CHAMPAIGN	2,470	16	19	35	41	74	368	935	738	213	29
CHRISTIAN	510	2	6	6	8	17	74	184	160	42	11
CLARK	233	1	--	2	2	5	38	86	81	16	2
CLAY	192	--	5	5	5	6	27	70	48	20	5
CLINTON	407	5	4	3	6	12	57	115	143	52	10
COLES	644	2	3	6	8	22	94	242	201	58	11
COOK	82,620	603	690	1,400	1,493	3,102	16,347	31,578	20,787	5,572	1,016
CHAMFORD	243	--	--	1	4	8	43	88	76	21	2
CUMBERLAND	159	1	2	1	--	2	16	51	67	18	1
DE KALB	938	5	4	11	11	32	117	323	307	105	22
DE WITT	230	2	1	4	4	3	41	86	70	15	4
DOUGLAS	308	--	--	4	2	9	41	119	103	23	6
DUPAGE	7,745	35	28	80	70	196	1,161	2,975	2,328	742	129
EDGAR	314	--	--	4	2	8	46	120	87	43	4
EDWARDS	97	--	1	1	2	3	14	33	36	7	--
EFFINGHAM	421	1	2	2	4	13	53	161	123	52	9
FAYETTE	275	2	--	1	4	14	42	82	82	37	10
FORD	188	--	3	8	2	6	31	63	55	18	2
FRANKLIN	524	3	3	6	5	19	77	197	133	69	12
FULTON	632	4	--	8	13	20	98	225	196	55	13
GALLATIN	102	1	--	--	2	4	15	39	35	4	2
GREENE	239	2	2	2	2	1	36	95	64	30	5
GRUNDY	436	3	--	2	5	13	91	144	124	49	5
HAMILTON	84	--	--	1	1	6	11	31	25	7	2
HANCOCK	273	6	1	2	4	10	32	100	83	31	4
HARDIN	81	--	--	--	--	1	12	33	27	8	--
HENDERSON	120	1	1	1	2	4	20	36	41	12	2
HENRY	803	3	5	13	14	24	89	277	269	90	19
JEFFERSON	444	1	1	4	5	13	57	158	137	55	13
JACKSON	663	1	9	7	5	20	127	258	182	43	10
JASPER	154	--	1	1	2	4	26	65	44	11	5
JEFFERSON	511	1	3	8	11	19	83	191	155	34	4
JERSEY	262	--	--	3	2	7	41	96	77	31	5
JO DAVIES	355	1	1	3	3	9	50	136	98	46	8
JOHNSON	110	2	--	2	5	4	19	39	29	10	--
KANE	4,633	19	25	66	75	150	781	1,708	1,332	373	99
KANKAKEE	1,656	10	13	23	19	42	299	645	453	123	26
KENDALL	499	2	2	8	6	12	66	186	145	52	20
KNOX	897	3	9	11	12	14	147	361	239	85	16
LAKE	5,831	23	38	79	78	160	921	2,226	1,730	491	83
LA SALLE	1,515	11	11	19	28	48	273	571	404	120	30

TABLE AA. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974 --CONTINUED

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

COUNTY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
LAWRENCE. . . .	212	1	2	5	1	9	41	70	56	25	2
LEE	523	4	2	11	8	10	76	181	161	54	16
LIVINGSTON. . .	577	1	6	11	12	17	94	194	168	62	12
LOGAN	417	2	3	3	5	11	56	157	134	39	7
MCDONOUGH . . .	411	3	4	8	5	11	70	161	108	36	4
MCHENRY	1,747	11	6	21	15	37	247	648	559	169	33
MCLEAN.	1,640	12	10	18	22	41	304	663	423	130	16
MACON	1,949	14	14	36	38	67	327	715	552	160	24
MACOUPIN. . . .	672	2	3	9	6	19	100	246	187	82	17
MADISON	3,575	25	18	57	50	142	611	1,313	1,024	270	62
MARION.	567	7	2	14	6	21	113	216	142	40	6
MARSHALL. . . .	188	3	2	2	2	5	28	67	60	16	3
MASON	279	3	2	3	2	6	50	103	78	24	7
MASSAC.	173	--	1	3	4	4	28	63	50	20	--
MENARD.	146	4	2	2	4	2	25	49	39	16	3
MERCER.	245	--	4	1	2	7	35	94	75	21	6
MONROE.	238	--	2	4	2	--	45	91	71	19	4
MONTGOMERY. . .	450	2	--	7	4	14	55	173	138	52	5
MORGAN.	490	2	3	8	5	14	57	185	170	35	9
MOULTRIE. . . .	189	1	--	3	3	7	25	64	67	16	3
OGLE.	606	2	1	5	9	12	84	230	184	65	14
PEORIA.	3,154	16	22	47	41	93	509	1,163	922	296	43
PERRY	307	2	4	4	5	12	36	103	98	35	8
PIATT	209	--	2	1	1	6	37	85	54	19	4
PIKE.	262	1	1	1	5	9	48	95	69	32	1
POPE.	48	--	--	--	1	1	11	19	10	6	--
PULASKI	126	2	--	3	4	3	28	50	29	7	--
PUTNAM.	88	--	--	--	--	1	18	26	29	10	4
RANDOLPH. . . .	501	2	3	6	3	12	68	180	167	51	8
RICHLAND. . . .	225	1	2	6	4	9	33	88	61	19	2
ROCK ISLAND . .	2,469	12	16	23	33	66	363	899	763	239	53
ST. CLAIR	4,737	34	33	98	99	207	923	1,802	1,160	316	59
SALINE.	319	--	--	8	1	11	43	117	100	30	8
SANGAMON. . . .	2,485	14	18	32	30	91	373	961	700	229	34
SCHUYLER. . . .	110	--	--	2	--	3	16	41	33	11	4
SCOTT	85	--	1	1	1	1	15	26	26	11	3
SHELBY.	347	--	4	9	7	18	60	129	85	25	10
STARK	97	--	--	1	--	--	14	36	33	9	4
STEPHENSON. . .	701	4	4	7	14	17	124	251	211	57	12
TAZEWELL. . . .	2,021	8	7	21	30	50	304	732	625	204	39
UNION	199	--	2	5	5	7	26	71	65	15	3
VERMILION . . .	1,538	11	13	24	29	62	239	555	439	138	28
WABASH.	170	--	3	3	4	8	34	61	44	12	1
WARREN.	295	--	2	--	4	8	32	115	89	39	5
WASHINGTON. . .	172	1	--	--	1	2	21	50	64	28	5
WAYNE	188	1	1	4	3	3	21	64	67	19	5
WHITE	178	1	2	--	1	2	27	75	52	15	1
WHITESIDE . . .	1,015	6	2	14	13	19	151	337	332	117	23
WILL.	4,842	35	32	72	68	150	828	1,793	1,344	417	99
WILLIAMSON. . .	679	4	4	4	12	23	104	253	191	68	15
WINNEBAGO . . .	3,792	25	29	43	59	113	562	1,337	1,149	409	66
WOODFORD. . . .	459	3	1	3	8	14	67	180	131	40	12
UNSPECIFIED . .	2	--	--	--	--	1	--	1	--	--	--

TABLE MB. -- LIVE BIRTHS BY BIRTH WEIGHT AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

CITY	TOTAL LIVE BIRTHS	LIVE BIRTHS BY WEIGHT									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ADDISON	498	3	2	8	7	9	81	186	148	45	9
ALTON	603	3	2	13	16	26	125	229	145	37	6
ARLINGTON HEIGHTS	859	10	6	8	8	20	120	333	261	79	13
AURORA	1,724	8	13	19	34	60	288	630	500	128	41
BELLVILLE	580	2	3	7	8	19	86	210	190	46	9
BERWYN	459	1	4	1	3	10	74	201	126	35	3
BLOOMINGTON	738	6	7	9	9	19	150	284	188	59	6
BOLINGBROOK	726	5	1	9	11	17	128	267	218	51	18
BURBANK	350	2	1	4	3	10	64	131	96	33	6
CALUMET CITY	477	3	3	6	8	7	78	163	149	49	11
CARBONDALE	202	1	3	3	1	7	46	73	48	16	4
CHAMPAIGN	643	7	5	11	9	15	100	254	179	55	6
CHICAGO	53,777	459	544	1,065	1,136	2,327	11,603	20,710	12,342	3,010	560
CHICAGO HEIGHTS	748	6	9	13	11	30	131	291	201	48	8
CICERO	818	9	4	14	7	22	158	290	235	66	13
DANVILLE	691	3	7	17	15	37	107	246	187	61	11
DE KALB	311	5	1	3	5	12	40	106	102	29	7
DECATUR	1,522	14	10	32	30	56	268	559	413	120	19
DES PLAINES	987	4	3	7	10	29	191	381	281	73	8
DOLTON	277	2	1	5	6	5	35	106	78	33	6
DOWNERS GROVE	536	--	2	5	2	17	88	206	152	53	11
EAST ST LOUIS	1,862	23	15	67	63	111	460	688	335	77	20
ELGIN	1,094	3	5	17	16	39	193	398	303	98	20
ELK GROVE	368	1	1	2	4	5	65	131	120	33	6
ELMHURST	512	1	1	4	5	10	76	170	172	60	13
ELMWOOD PARK	289	2	4	1	2	7	48	100	95	25	5
EVANSTON	881	3	7	14	12	27	157	341	236	71	13
EVERGREEN PARK	162	2	--	2	--	3	26	64	45	18	1
FREEPORT	407	3	2	6	7	10	72	158	120	25	4
GALLSBURG	540	1	5	8	9	8	99	211	145	48	6
GLENVIEW	414	--	--	3	2	13	83	169	106	33	5
GRANITE CITY	607	6	3	9	9	25	87	218	184	57	8
HARVEY	740	10	7	13	21	30	148	266	187	51	7
HIGHLAND PARK	272	2	2	2	6	7	54	111	73	15	--
HOFFMAN ESTATES	598	1	5	8	6	11	80	206	205	71	5
JOLIET	1,335	13	14	23	23	48	264	476	333	114	25
KANKAKEE	572	4	6	8	6	16	105	238	148	34	7
LANSING	389	6	3	6	3	11	49	162	107	36	6
LOMBARD	501	2	1	5	7	14	83	175	164	43	7
MAYWOOD	474	3	1	7	9	24	97	193	103	32	5
MOJINI	629	3	5	3	6	18	85	234	203	57	15
MORTON GROVE	181	2	--	2	3	2	25	73	56	17	1
MOUNT PROSPECT	585	--	5	5	7	7	75	243	180	60	3
NAPERVILLE	322	--	1	--	4	5	45	120	107	33	7
NILES	247	1	1	1	--	10	46	99	57	29	3
NORMAL	340	1	1	3	5	8	50	153	93	22	4
NORTH CHICAGO	298	--	7	4	8	11	67	100	83	17	1
NORTHBROOK	345	2	2	5	1	2	66	142	85	33	7
OAK LAWN	543	5	3	5	3	16	92	224	130	56	9
OAK PARK	695	3	1	8	9	23	119	242	218	61	11
PALATINE	567	1	1	6	5	13	83	200	183	65	10
PARK FOREST	473	--	2	3	1	9	70	184	144	45	14
PARK RIDGE	319	--	--	3	1	8	48	120	93	39	7
PEKIN	584	2	1	7	15	11	93	215	171	59	10
PEORIA	2,036	9	17	31	32	63	365	737	573	183	24
QUINCY	662	2	4	17	29	20	113	228	185	62	11
RANTOUL	579	2	5	5	7	20	94	211	180	49	6
ROCK ISLAND	749	4	6	10	15	16	135	282	202	69	9
ROCKFORD	2,288	20	16	25	38	70	357	827	648	247	40
SCHAUMBURG	745	2	1	8	14	18	115	279	218	73	17
SKOKIE	493	--	--	6	4	16	96	193	137	31	9
SOUTH HOLLAND	221	1	--	4	3	2	31	62	81	29	8
SPRINGFIELD	1,458	11	12	24	21	58	226	558	381	145	20
URBANA	424	3	5	9	6	14	66	173	110	34	4
VILLA PARK	388	4	1	4	5	12	60	151	114	32	5
WAUKEGAN	1,377	9	8	24	17	46	218	560	372	103	20
WHEATON	541	1	2	2	2	18	82	209	166	53	6
WILMETTE	221	--	--	3	--	4	30	101	64	19	--

TABLE HC. -- RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1974

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS TOTAL . . .	168,991	1,066	1,201	2,556	2,706	5,690	30,028	63,608	46,054	13,451	2,536
WHITE . .	131,286	638	701	1,555	1,682	3,545	20,622	49,028	39,160	11,995	2,288
NONWHITE	37,705	428	500	1,001	1,024	2,145	9,406	14,580	6,894	1,456	248
MALE . . .	86,981	549	620	1,264	1,317	2,604	13,132	31,108	26,139	8,462	1,731
WHITE . .	67,684	335	364	799	825	1,632	8,959	23,625	22,024	7,525	1,556
NONWHITE	19,297	214	256	465	492	972	4,173	7,483	4,115	937	175
FEMALE . .	82,010	517	581	1,292	1,389	3,086	16,896	32,500	19,915	4,989	805
WHITE . .	63,602	303	337	756	857	1,913	11,663	25,403	17,136	4,470	732
NONWHITE	18,408	214	244	536	532	1,173	5,233	7,097	2,779	519	73
DOWNSTATE TOTAL . . .	119,214	607	657	1,491	1,570	3,363	18,425	42,898	33,712	10,441	1,976
WHITE . .	104,591	491	530	1,212	1,308	2,778	15,896	38,727	31,704	9,988	1,892
NONWHITE	10,623	116	127	279	262	585	2,529	4,171	2,008	453	84
MALE . . .	59,282	330	334	746	778	1,519	7,986	20,704	18,981	6,506	1,357
WHITE . .	53,859	263	270	621	645	1,257	6,876	18,582	17,777	6,233	1,299
NONWHITE	5,423	67	64	125	133	262	1,110	2,122	1,204	273	58
FEMALE . .	54,932	277	323	745	792	1,844	10,439	22,194	14,731	3,935	619
WHITE . .	50,732	228	260	591	663	1,521	9,020	20,145	13,927	3,755	593
NONWHITE	5,200	49	63	154	129	323	1,419	2,049	804	180	26
CHICAGO TOTAL . . .	53,777	459	544	1,065	1,136	2,327	11,603	20,710	12,342	3,010	560
WHITE . .	26,695	147	171	343	374	767	4,726	10,301	7,456	2,007	396
NONWHITE	27,082	312	373	722	762	1,560	6,877	10,409	4,886	1,003	164
MALE . . .	27,699	219	286	518	539	1,085	5,146	10,404	7,158	1,956	374
WHITE . .	13,825	72	94	178	180	375	2,083	5,043	4,247	1,292	257
NONWHITE	13,874	147	192	340	359	710	3,063	5,361	2,911	664	117
FEMALE . .	26,078	240	258	547	597	1,242	6,457	10,306	5,184	1,054	186
WHITE . .	12,870	75	77	165	194	392	2,643	5,258	3,209	715	139
NONWHITE	13,208	165	181	382	403	850	3,814	5,048	1,975	339	47

¹Equivalents of the Gram Weights in Terms of Pounds and Ounces are as Follows:

1,000 Grams or Less = 2 lb. 3 oz. or Less,
1,001 - 1,500 Grams = 2 lb. 4 oz. - 3 lb. 4 oz.,
1,501 - 2,000 Grams = 3 lb. 5 oz. - 4 lb. 6 oz.,
2,001 - 2,500 Grams = 4 lb. 7 oz. - 5 lb. 8 oz.,
2,501 - 3,000 Grams = 5 lb. 9 oz. - 6 lb. 9 oz.,
3,001 - 3,500 Grams = 6 lb. 10 oz. - 7 lb. 11 oz.,
3,501 - 4,000 Grams = 7 lb. 12 oz. - 8 lb. 13 oz.,
4,001 - 4,500 Grams = 8 lb. 14 oz. - 9 lb. 14 oz.,
4,501 - 5,000 Grams = 9 lb. 15 oz. - 11 lb. 0 oz.,
5,001 Grams or More = 11 lb. 1 oz. or More.

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1974

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS: ALL CAUSES	107,872	3,785	734	2,559	6,063	25,912	52,637	16,182
WHITE	93,932	2,496	559	1,924	4,098	21,561	47,979	15,315
NONWHITE	13,940	1,289	175	635	1,965	4,351	4,658	867
1. HEART DISEASE	45,616	145	27	101	1,185	10,255	24,996	8,907
WHITE	40,693	52	15	57	732	8,570	22,835	8,432
NONWHITE	4,923	93	12	44	453	1,685	2,161	475
A. ARTERIOSCLEROTIC	40,577	1	1	10	732	8,598	22,915	8,320
WHITE	37,031	1	1	6	525	7,427	21,168	7,903
NONWHITE	3,546	--	--	4	207	1,171	1,747	417
H. OTHER	5,039	144	26	91	453	1,657	2,081	587
WHITE	3,662	51	14	51	207	1,143	1,667	529
NONWHITE	1,377	93	12	40	246	514	414	58
2. MALIGNANT NEOPLASMS	20,137	54	82	137	1,007	7,331	10,146	1,380
WHITE	17,820	44	71	119	811	6,232	9,245	1,298
NONWHITE	2,317	10	11	18	196	1,099	901	82
3. CEREBROVASCULAR DISEASE	10,839	18	11	31	254	1,610	6,359	2,556
WHITE	9,679	14	8	26	178	1,254	5,775	2,424
NONWHITE	1,160	4	3	5	76	356	584	132
4. ACCIDENTS	4,833	252	331	1,149	1,099	979	789	234
WHITE	4,117	177	246	1,026	888	838	721	221
NONWHITE	716	75	85	123	211	141	68	13
A. MOTOR VEHICLE	2,103	71	148	725	536	384	225	14
WHITE	1,888	61	118	682	465	342	207	13
NONWHITE	215	10	30	43	71	42	18	1
H. OTHER	2,730	181	183	424	563	595	564	220
WHITE	2,229	116	128	344	423	496	514	208
NONWHITE	501	65	55	80	140	99	50	12
5. PNEUMONIA AND INFLUENZA	3,035	181	33	56	128	430	1,494	713
WHITE	2,547	101	29	42	74	319	1,310	672
NONWHITE	488	80	4	14	54	111	184	41
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,652	2,475	39	38	37	40	21	2
WHITE	1,866	1,710	33	33	31	37	20	2
NONWHITE	786	765	6	5	6	3	1	--
7. OTHER CIRCULATORY DISEASES	2,170	5	2	15	85	502	1,262	299
WHITE	1,942	3	2	11	56	424	1,165	281
NONWHITE	228	2	--	4	29	78	97	18
8. DIABETES MELLITUS	2,011	--	5	16	87	507	1,205	191
WHITE	1,743	--	4	12	63	400	1,095	169
NONWHITE	268	--	1	4	24	107	110	22
9. CIRRHOSIS OF LIVER	1,913	3	3	7	317	1,071	488	24
WHITE	1,587	2	3	2	208	899	450	23
NONWHITE	326	1	--	5	109	172	38	1
10. GENERAL ARTERIOSCLEROSIS	1,645	--	--	--	3	62	854	726
WHITE	1,565	--	--	--	1	53	797	714
NONWHITE	80	--	--	--	2	9	57	12
11. HOMICIDE	1,444	28	34	435	614	267	61	5
WHITE	543	15	11	160	217	106	29	5
NONWHITE	901	13	23	275	397	161	32	--
12. EMPHYSEMA	1,258	--	--	1	10	330	844	73
WHITE	1,197	--	--	1	5	313	808	70
NONWHITE	61	--	--	--	5	17	36	3

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS,
CHICAGO, AND DOWNSTATE: 1974--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	36,484	1,534	215	938	2,812	9,818	16,894	4,273
WHITE.	25,567	565	80	419	1,186	6,342	13,346	3,629
NONWHITE.	10,917	969	135	519	1,626	3,476	3,548	644
1. HEART DISEASE.	16,101	119	15	64	659	4,126	8,560	2,558
WHITE.	12,134	31	4	26	248	2,752	6,882	2,191
NONWHITE.	3,967	88	11	38	411	1,374	1,678	367
A. ARTERIOSCLEROTIC.	13,423	--	--	4	328	3,147	7,564	2,380
WHITE.	10,671	--	--	1	141	2,219	6,248	2,062
NONWHITE.	2,752	--	--	3	187	928	1,316	318
B. OTHER.	2,678	119	15	60	331	979	996	178
WHITE.	1,463	31	4	25	107	533	634	129
NONWHITE.	1,215	88	11	35	224	446	362	49
2. MALIGNANT NEOPLASMS.	6,473	18	17	36	319	2,565	3,136	382
WHITE.	4,665	9	10	22	172	1,694	2,438	320
NONWHITE.	1,808	9	7	14	147	871	698	62
3. CEREBROVASCULAR DISEASE.	3,077	7	4	11	112	637	1,749	557
WHITE.	2,240	4	3	7	55	362	1,343	466
NONWHITE.	837	3	1	4	57	275	406	91
4. ACCIDENTS.	1,284	86	98	226	359	287	198	30
WHITE.	740	27	32	131	190	183	153	24
NONWHITE.	544	59	66	95	169	104	45	6
A. MOTOR VEHICLE.	389	17	39	79	106	86	57	5
WHITE.	244	10	14	54	58	56	48	4
NONWHITE.	145	7	25	25	48	30	9	1
B. OTHER.	895	69	59	147	253	201	141	25
WHITE.	496	17	18	77	132	127	105	20
NONWHITE.	399	52	41	70	121	74	36	5
5. PNEUMONIA AND INFLUENZA.	1,158	66	5	23	65	191	597	211
WHITE.	778	18	3	13	23	98	445	178
NONWHITE.	380	48	2	10	42	93	152	33
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	996	943	10	9	15	13	6	--
WHITE.	416	379	5	6	10	11	5	--
NONWHITE.	580	564	5	3	5	2	1	--
7. OTHER CIRCULATORY DISEASES.	615	2	1	3	26	160	351	72
WHITE.	440	--	1	2	5	100	272	60
NONWHITE.	175	2	--	1	21	60	79	12
8. DIABETES MELLITUS.	699	--	1	4	40	198	391	65
WHITE.	500	--	--	3	17	124	307	49
NONWHITE.	199	--	1	1	23	74	84	16
9. CIRRHOSIS OF LIVER.	879	2	--	5	181	486	195	10
WHITE.	605	1	--	1	88	342	164	9
NONWHITE.	274	1	--	4	93	144	31	1
10. GENERAL ARTERIOSCLEROSIS.	348	--	--	--	1	18	217	112
WHITE.	297	--	--	--	--	11	180	106
NONWHITE.	51	--	--	--	1	7	37	6
11. HOMICIDE.	1,041	18	20	332	449	185	35	2
WHITE.	290	6	1	95	121	51	14	2
NONWHITE.	751	12	19	237	328	134	21	--
12. EMPHYSEMA.	292	--	--	--	6	80	188	18
WHITE.	248	--	--	--	2	67	164	15
NONWHITE.	44	--	--	--	4	13	24	3

TABLE 9A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1974--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	71,388	2,251	519	1,621	3,251	16,094	35,743	11,909
WHITE.	68,365	1,931	479	1,505	2,912	15,219	34,633	11,686
NONWHITE.	3,023	320	40	116	339	875	1,110	223
1. HEART DISEASE.	29,515	26	12	37	526	6,129	16,436	6,349
WHITE.	28,559	21	11	31	484	5,818	15,953	6,241
NONWHITE.	956	5	1	6	42	311	483	108
A. ARTERIOSCLEROTIC.	27,154	1	1	6	404	5,451	15,351	5,940
WHITE.	26,360	1	1	5	384	5,208	14,920	5,841
NONWHITE.	794	--	--	1	20	243	431	99
H. OTHER.	2,361	25	11	31	122	678	1,085	409
WHITE.	2,199	20	10	26	100	610	1,033	400
NONWHITE.	162	5	1	5	22	68	52	9
2. MALIGNANT NEOPLASMS.	13,664	36	65	101	688	4,766	7,010	998
WHITE.	13,155	35	61	97	639	4,538	6,807	978
NONWHITE.	509	1	4	4	49	228	203	20
3. CEREbroVASCULAR DISEASE.	7,762	11	7	20	142	973	4,610	1,999
WHITE.	7,439	10	5	19	123	892	4,432	1,958
NONWHITE.	323	1	2	1	19	81	178	41
4. ACCIDENTS.	3,549	166	233	923	740	692	591	204
WHITE.	3,377	150	214	895	698	655	568	197
NONWHITE.	172	16	19	28	42	37	23	7
A. MOTOR VEHICLE.	1,714	54	109	646	430	298	168	9
WHITE.	1,644	51	104	628	407	286	159	9
NONWHITE.	70	3	5	18	23	12	9	--
H. OTHER.	1,835	112	124	277	310	394	423	195
WHITE.	1,733	99	110	267	291	369	409	188
NONWHITE.	102	13	14	10	19	25	14	7
5. PNEUMONIA AND INFLUENZA.	1,877	115	28	33	63	239	897	502
WHITE.	1,769	83	26	29	51	221	865	494
NONWHITE.	108	32	2	4	12	18	32	8
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,656	1,532	29	29	22	27	15	2
WHITE.	1,450	1,331	28	27	21	26	15	2
NONWHITE.	206	201	1	2	1	1	--	--
7. OTHER CIRCULATORY DISEASES.	1,555	3	1	12	59	342	911	227
WHITE.	1,502	3	1	9	51	324	893	221
NONWHITE.	53	--	--	3	8	18	18	6
8. DIABETES MELLITUS.	1,312	--	4	12	47	309	814	126
WHITE.	1,243	--	4	9	46	276	788	120
NONWHITE.	69	--	--	3	1	33	26	6
9. CIRRHOSIS OF LIVER.	1,034	1	3	2	136	585	293	14
WHITE.	982	1	3	1	120	557	286	14
NONWHITE.	52	--	--	1	16	28	7	--
10. GENERAL ARTERIOSCLEROSIS.	1,297	--	--	--	2	44	637	614
WHITE.	1,268	--	--	--	1	42	617	608
NONWHITE.	29	--	--	--	1	2	20	6
11. HOMICIDE.	403	10	14	103	165	82	26	3
WHITE.	253	9	10	65	96	55	15	3
NONWHITE.	150	1	4	38	69	27	11	--
12. EMPHYSEMA.	966	--	--	1	4	250	656	55
WHITE.	949	--	--	1	3	246	644	55
NONWHITE.	17	--	--	--	1	4	12	--

TABLE 9B.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1974

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1974)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	969.1	419.6	38.0	118.7	226.9	1,115.5	5,013.0	16,512.2
WHITE	977.4	334.1	35.1	103.9	178.8	1,038.1	4,992.6	17,016.7
NONWHITE	916.5	831.6	51.5	209.6	517.1	1,768.7	5,233.7	10,837.5
1. HEART DISEASE	409.8	16.1	1.4	4.7	44.3	441.5	2,380.6	9,088.8
WHITE	423.4	7.0	0.9	3.1	31.9	412.6	2,376.2	9,368.9
NONWHITE	323.7	60.0	3.5	14.5	119.2	685.0	2,428.1	5,937.5
A. ARTERIOSCLEROTIC	364.5	0.1	0.1	0.5	27.4	370.1	2,182.4	8,489.8
WHITE	385.3	0.1	0.1	0.3	22.9	357.6	2,202.7	8,781.1
NONWHITE	233.1	-0-	-0-	1.3	54.5	476.0	1,962.9	5,212.5
B. OTHER	45.3	16.0	1.3	4.2	17.0	71.3	198.2	599.0
WHITE	38.1	6.8	0.9	2.8	9.0	55.0	173.5	587.8
NONWHITE	90.5	60.0	3.5	13.2	64.7	208.9	465.2	725.0
2. MALIGNANT NEOPLASMS	180.9	6.0	4.2	6.4	37.7	315.6	966.3	1,408.2
WHITE	185.4	5.9	4.5	6.4	35.4	300.0	962.0	1,442.2
NONWHITE	152.3	6.5	3.2	5.9	51.6	446.7	1,012.4	1,025.0
3. CEREBROVASCULAR DISEASE	97.4	2.0	0.6	1.4	9.5	69.3	605.6	2,608.2
WHITE	100.7	1.9	0.5	1.4	7.8	60.4	600.9	2,693.3
NONWHITE	76.3	2.6	0.9	1.7	20.0	144.7	656.2	1,650.0
4. ACCIDENTS	43.4	27.9	17.1	53.3	41.1	42.1	75.1	238.8
WHITE	42.8	23.7	15.5	55.4	38.7	40.3	75.0	245.6
NONWHITE	47.1	48.4	25.0	40.6	55.5	57.3	76.4	162.5
A. MOTOR VEHICLE	18.9	7.9	7.7	33.6	20.1	16.5	21.4	14.3
WHITE	19.6	8.2	7.4	36.8	20.3	16.5	21.5	14.4
NONWHITE	14.1	6.5	8.8	14.2	18.7	17.1	20.2	12.5
B. OTHER	24.5	20.1	9.5	19.7	21.1	25.6	53.7	224.5
WHITE	23.2	15.5	8.0	18.6	18.5	23.9	53.5	231.1
NONWHITE	32.9	41.9	16.2	26.4	36.8	40.2	56.2	150.0
5. PNEUMONIA AND INFLUENZA	27.3	20.1	1.7	2.6	4.8	18.5	142.3	727.6
WHITE	26.5	13.5	1.8	2.3	3.2	15.4	136.3	746.7
NONWHITE	32.1	51.6	1.2	4.6	14.2	45.1	206.7	512.5
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	23.8	274.4	2.0	1.8	1.4	1.7	2.0	2.0
WHITE	19.4	228.9	2.1	1.8	1.4	1.8	2.1	2.2
NONWHITE	51.7	493.5	1.8	1.7	1.6	1.2	1.1	-0-
7. OTHER CIRCULATORY DISEASES	19.5	0.6	0.1	0.7	3.2	21.6	120.2	305.1
WHITE	20.2	0.4	0.1	0.6	2.4	20.4	121.2	312.2
NONWHITE	15.0	1.3	-0-	1.3	7.6	31.7	109.0	225.0
8. DIABETES MELLITUS	18.1	-0-	0.3	0.7	3.3	21.8	114.8	194.9
WHITE	18.1	-0-	0.3	0.6	2.7	19.3	113.9	187.8
NONWHITE	17.6	-0-	0.3	1.3	6.3	43.5	123.6	275.0
9. CIRRHOSIS OF LIVER	17.2	0.3	0.2	0.3	11.9	46.1	46.5	24.5
WHITE	16.5	0.3	0.2	0.1	9.1	43.3	46.8	25.6
NONWHITE	21.4	0.6	-0-	1.7	28.7	69.9	42.7	12.5
10. GENERAL ARTERIOSCLEROSIS	14.8	-0-	-0-	-0-	0.1	2.7	81.3	740.8
WHITE	16.3	-0-	-0-	-0-	0.0	2.6	82.9	793.3
NONWHITE	5.3	-0-	-0-	-0-	0.5	3.7	64.0	150.0
11. HOMICIDE	13.0	3.1	1.8	20.2	23.0	11.5	5.8	5.1
WHITE	5.7	2.0	0.7	8.6	9.5	5.1	3.0	5.6
NONWHITE	59.2	8.4	6.8	90.8	104.5	65.4	36.0	-0-
12. EMPHYSEMA	11.3	-0-	-0-	0.0	0.4	14.2	80.4	74.5
WHITE	12.5	-0-	-0-	0.1	0.2	15.1	84.1	77.8
NONWHITE	4.0	-0-	-0-	-0-	1.3	6.9	40.4	37.5

TABLE 98.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1974--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1974)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	1,158.2	616.1	41.0	161.7	367.1	1,420.8	5,397.4	16,434.6
WHITE.	1,275.2	406.5	29.6	118.0	251.8	1,268.4	5,338.4	18,145.0
NONWHITE.	953.4	880.9	52.9	230.7	551.2	1,814.9	5,631.7	10,733.3
1. HEART DISEASE.	511.1	47.8	2.9	11.0	86.0	597.1	2,734.8	9,838.5
WHITE.	605.2	22.3	1.5	7.3	52.7	550.4	2,752.8	10,955.0
NONWHITE.	346.5	80.0	4.3	16.9	139.3	719.4	2,663.5	6,116.7
A. ARTERIOSCLEROTIC.	426.1	-0-	-0-	0.7	42.8	455.4	2,416.6	9,153.8
WHITE.	532.2	-0-	-0-	0.3	29.9	443.8	2,499.2	10,310.0
NONWHITE.	240.3	-0-	-0-	1.3	63.4	485.9	2,088.9	5,300.0
B. OTHER.	85.0	47.8	2.9	10.3	43.2	141.7	318.2	684.6
WHITE.	73.0	22.3	1.5	7.0	22.7	106.6	253.6	645.0
NONWHITE.	106.1	80.0	4.3	15.6	75.9	233.5	574.6	816.7
2. MALIGNANT NEOPLASMS.	205.5	7.2	3.2	6.2	41.6	371.2	1,001.9	1,469.2
WHITE.	232.7	6.5	3.7	6.2	36.5	338.8	975.2	1,600.0
NONWHITE.	157.9	8.2	2.7	6.2	49.8	456.0	1,107.9	1,033.3
3. CEREBROVASCULAR DISEASE.	97.7	2.8	0.8	1.9	14.6	92.2	558.8	2,142.3
WHITE.	111.7	2.9	1.1	2.0	11.7	72.4	537.2	2,330.0
NONWHITE.	73.1	2.7	0.4	1.8	19.3	144.0	644.4	1,516.7
4. ACCIDENTS.	40.8	34.5	18.7	39.0	46.9	41.5	63.3	115.4
WHITE.	36.9	19.4	11.9	36.9	40.3	36.6	61.2	120.0
NONWHITE.	47.5	53.6	25.9	42.2	57.3	54.5	71.4	100.0
A. MOTOR VEHICLE.	12.3	6.8	7.4	13.6	13.8	12.4	18.2	19.0
WHITE.	12.2	7.2	5.2	15.2	12.3	11.2	19.2	20.0
NONWHITE.	12.7	6.4	9.8	11.1	16.3	15.7	14.3	16.7
B. OTHER.	28.4	27.7	11.2	25.3	33.0	29.1	45.0	96.2
WHITE.	24.7	12.2	6.7	21.7	28.0	25.4	42.0	100.0
NONWHITE.	34.8	47.3	16.1	31.1	41.0	38.7	57.1	83.3
5. PNEUMONIA AND INFLUENZA.	36.8	26.5	1.0	4.0	8.5	27.6	190.7	811.5
WHITE.	38.8	12.9	1.1	3.7	4.9	19.6	178.0	890.0
NONWHITE.	33.2	43.6	0.8	4.4	14.2	48.7	241.3	550.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	31.6	378.7	1.9	1.6	2.0	1.9	1.9	-0-
WHITE.	20.7	272.7	1.9	1.7	2.1	2.2	2.0	-0-
NONWHITE.	50.7	512.7	2.0	1.3	1.7	1.0	1.6	-0-
7. OTHER CIRCULATORY DISEASES.	19.5	0.8	0.2	0.5	3.4	23.2	112.1	276.9
WHITE.	21.9	-0-	0.4	0.6	1.1	20.0	108.8	300.0
NONWHITE.	15.3	1.8	-0-	0.4	7.1	31.4	125.4	200.0
8. DIABETES MELLITUS.	22.2	-0-	0.2	0.7	5.2	28.7	124.9	250.0
WHITE.	24.9	-0-	-0-	0.8	3.6	24.8	122.8	245.0
NONWHITE.	17.4	-0-	0.4	0.4	7.8	38.7	133.3	266.7
9. CIRRHOSIS OF LIVER.	27.9	0.8	-0-	0.9	23.6	70.3	62.3	38.5
WHITE.	30.2	0.7	-0-	0.3	18.7	68.4	65.6	45.0
NONWHITE.	23.9	0.9	-0-	1.8	31.5	75.4	49.2	16.7
10. GENERAL ARTERIOSCLEROSIS.	11.0	-0-	-0-	-0-	0.1	2.6	69.3	430.8
WHITE.	14.8	-0-	-0-	-0-	-0-	2.2	72.0	530.0
NONWHITE.	4.5	-0-	-0-	-0-	0.3	3.7	58.7	100.0
11. HOMICIDE.	33.0	7.2	3.8	57.2	58.6	26.8	11.2	7.7
WHITE.	14.5	4.3	0.4	26.8	25.7	10.2	5.6	10.0
NONWHITE.	65.6	10.9	7.5	105.3	111.2	70.2	33.3	-0-
12. EMPHYSEMA.	9.3	-0-	-0-	-0-	0.8	11.6	60.1	69.2
WHITE.	12.4	-0-	-0-	-0-	0.4	13.4	65.6	75.0
NONWHITE.	3.8	-0-	-0-	-0-	1.4	6.8	38.1	50.0

TABLE 9B.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1974--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1974)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	894.5	344.7	36.9	102.9	170.6	986.2	4,849.8	16,540.3
WHITE.	898.9	317.6	36.3	100.5	159.9	965.1	4,871.0	16,694.3
NONWHITE	804.0	711.1	47.1	148.7	398.8	1,590.9	4,269.2	11,150.0
1. HEART DISEASE.	369.8	4.0	0.9	2.3	27.6	375.6	2,230.1	8,818.1
WHITE.	375.5	3.5	0.8	2.1	26.6	368.9	2,243.7	8,915.7
NONWHITE	254.3	11.1	1.2	7.7	49.4	565.5	1,857.7	5,400.0
A. ARTERIOSCLEROTIC.	340.2	0.2	0.1	0.4	21.2	334.0	2,082.9	8,250.0
WHITE.	346.6	0.2	0.1	0.3	21.1	330.2	2,098.5	8,344.3
NONWHITE	211.2	-0-	-0-	1.3	23.5	441.8	1,657.7	4,950.0
B. OTHER	29.6	3.8	0.8	2.0	6.4	41.5	147.2	568.1
WHITE.	28.9	3.3	0.8	1.7	5.5	38.7	145.3	571.4
NONWHITE	43.1	11.1	1.2	6.4	25.9	123.6	200.0	450.0
2. MALIGNANT NEOPLASMS.	171.2	5.5	4.6	6.4	36.1	292.0	951.2	1,386.1
WHITE.	173.0	5.8	4.6	6.5	35.1	287.8	957.4	1,397.1
NONWHITE	135.4	2.2	4.7	5.1	57.6	414.5	780.8	1,000.0
3. CEREBROVASCULAR DISEASE.	97.3	1.7	0.5	1.3	7.5	59.6	625.5	2,776.4
WHITE.	97.8	1.6	0.4	1.3	6.8	56.6	623.3	2,797.1
NONWHITE	85.9	2.2	2.4	1.3	22.4	147.3	684.6	2,050.0
4. ACCIDENTS.	44.5	25.4	16.6	58.6	38.8	42.4	80.2	283.3
WHITE.	44.4	24.7	16.2	59.8	38.3	41.5	79.9	281.4
NONWHITE	45.7	35.6	22.4	35.9	49.4	67.3	88.5	350.0
A. MOTOR VEHICLE	21.5	8.3	7.8	41.0	22.6	18.3	22.8	12.5
WHITE.	21.6	8.4	7.9	42.0	22.4	18.1	22.4	12.9
NONWHITE	18.6	6.7	5.9	23.1	27.1	21.8	34.6	-0-
B. OTHER	23.0	17.2	8.8	17.6	16.3	24.1	57.4	270.8
WHITE.	22.8	16.3	8.3	17.8	16.0	23.4	57.5	268.6
NONWHITE	27.1	28.9	16.5	12.8	22.4	45.5	53.8	350.0
5. PNEUMONIA AND INFLUENZA.	23.5	17.6	2.0	2.1	3.3	14.6	121.7	697.2
WHITE.	23.3	13.7	2.0	1.9	2.8	14.0	121.7	705.7
NONWHITE	28.7	71.1	2.4	5.1	14.1	32.7	123.1	400.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	20.7	234.6	2.1	1.8	1.2	1.7	2.0	2.8
WHITE.	19.1	218.9	2.1	1.8	1.2	1.6	2.1	2.9
NONWHITE	54.8	446.7	1.2	2.6	1.2	1.8	-0-	-0-
7. OTHER CIRCULATORY DISEASES	19.5	0.5	0.1	0.8	3.1	21.0	123.6	315.3
WHITE.	19.8	0.5	0.1	0.6	2.8	20.5	125.6	315.7
NONWHITE	14.1	-0-	-0-	3.8	9.4	32.7	69.2	300.0
8. DIABETES MELLITUS.	16.4	-0-	0.3	0.8	2.5	18.9	110.4	175.0
WHITE.	16.3	-0-	0.3	0.6	2.5	17.5	110.8	171.4
NONWHITE	18.4	-0-	-0-	3.8	1.2	60.0	100.0	300.0
9. CIRRHOSIS OF LIVER	13.0	0.2	0.2	0.1	7.1	35.8	39.8	19.4
WHITE.	12.9	0.2	0.2	0.1	6.6	35.3	40.2	20.0
NONWHITE	13.8	-0-	-0-	1.3	18.8	50.9	26.9	-0-
10. GENERAL ARTERIOSCLEROSIS	16.3	-0-	-0-	-0-	0.1	2.7	86.4	852.8
WHITE.	16.7	-0-	-0-	-0-	0.1	2.7	86.8	868.6
NONWHITE	7.7	-0-	-0-	-0-	1.2	3.6	76.9	300.0
11. HOMICIDE	5.0	1.5	1.0	6.5	8.7	5.0	3.5	4.2
WHITE.	3.3	1.5	0.8	4.3	5.3	3.5	2.1	4.3
NONWHITE	39.9	2.2	4.7	48.7	81.2	49.1	42.3	-0-
12. EMPHYSEMA.	12.1	-0-	-0-	0.1	0.2	15.3	89.0	76.4
WHITE.	12.5	-0-	-0-	0.1	0.2	15.6	90.6	78.6
NONWHITE	4.5	-0-	-0-	-0-	1.2	7.3	46.2	-0-

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS. . .	107,472	60,817	40,577	5,039	10,839	1,645	547	2,170	1,258
ADAMS.	977	580	394	24	111	16	5	30	13
ALEXANDER. . . .	210	126	84	5	27	3	--	7	5
BOND.	182	123	88	4	19	7	--	5	4
BOONE.	238	130	83	6	31	6	2	2	5
BROWN.	75	54	45	3	4	1	1	--	--
BURLINGAME. . . .	404	256	175	14	44	15	1	7	4
CALHOUN.	99	61	34	4	19	3	1	--	1
CARROLL.	211	122	69	13	23	12	1	4	6
CASS.	196	121	92	2	18	3	1	5	3
CHAMPAIGN. . . .	882	509	322	21	104	38	6	18	17
CHRISTIAN. . . .	467	274	184	27	40	6	4	13	7
CLARK.	214	140	73	10	38	8	1	10	3
CLAY.	216	127	79	9	22	8	2	7	6
CLINTON.	292	170	117	9	29	3	1	11	4
COLES.	535	316	202	11	81	10	6	6	8
COOK.	53,527	29,911	20,060	3,280	4,750	579	273	969	458
CRAWFORD. . . .	234	143	83	9	46	2	--	3	4
CUMBERLAND. . . .	121	79	46	4	22	2	--	5	1
DE KALB.	489	257	156	20	50	10	1	20	4
DE WITT.	224	128	81	8	27	5	1	6	6
DOUGLAS.	205	130	84	10	25	6	--	5	4
DU PAGE.	3,287	1,721	1,165	93	344	41	10	68	49
EDGAR.	295	168	113	7	36	4	2	6	4
EDWARDS.	89	60	44	5	8	1	--	2	1
EFFINGHAM. . . .	255	142	79	10	35	8	--	10	4
FAYETTE.	260	162	111	4	41	2	1	3	2
FORD.	190	113	86	4	15	2	2	4	--
FRANKLIN.	620	372	277	10	61	9	4	11	7
FULTON.	526	309	207	35	44	8	3	12	6
GALLATIN.	107	58	40	1	14	1	--	2	1
GREENE.	252	151	100	14	28	4	--	5	--
GRUNDY.	257	151	94	10	37	4	--	6	8
HAMILTON.	159	113	72	3	32	4	--	2	2
HANCOCK.	315	195	120	16	35	13	2	9	2
HARDIN.	68	33	25	1	5	--	--	2	--
HENDERSON. . . .	84	47	31	4	11	1	--	--	--
HENRY.	601	358	233	21	74	13	3	14	6
INOQUITS.	383	224	162	10	37	6	4	5	7
JACKSON.	471	266	170	11	70	6	--	9	7
JASPER.	135	73	55	--	13	4	--	1	5
JEFFERSON. . . .	419	236	120	30	56	14	1	15	8
JERSEY.	168	102	68	12	13	4	2	3	7
JO DAVIES.	258	157	102	8	32	9	2	4	6
JOHNSON.	110	57	39	5	8	1	--	4	2
KANE.	2,109	1,183	770	48	271	35	11	48	35
KANKAKEE.	916	494	342	27	78	24	7	16	9
KENDALL.	181	88	61	7	17	--	2	1	6
KNOX.	664	407	275	9	76	31	4	12	6
LAKE.	2,590	1,255	818	92	266	26	6	47	34
LA SALLE.	1,202	686	437	39	165	16	6	23	16

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	20,137	4,833	2,103	2,730	3,035	1,861	791	2,011	1,913	1,001
ADAMS	163	38	14	24	37	10	4	11	10	7
ALEXANDER	36	12	2	10	6	3	--	3	4	--
BOND	31	5	2	3	3	2	2	2	1	1
BOONE	46	10	5	5	6	2	5	5	2	5
BROWN	14	3	1	2	2	--	--	--	--	--
BUREAU	66	15	10	5	3	2	3	8	2	6
CALHOUN	15	7	5	2	--	1	--	5	1	--
CARROLL	34	13	7	6	9	3	1	2	2	4
CASS	36	5	3	2	2	2	2	3	2	5
CHAMPAIGN	155	39	16	23	20	19	5	16	20	8
CHRISTIAN	82	24	14	10	14	4	4	4	2	4
CLARK	24	14	6	8	6	3	1	5	--	2
CLAY	39	14	7	7	5	1	2	3	1	--
CLINTON	53	25	16	9	9	5	1	4	3	1
COLES	105	24	8	16	9	8	4	13	5	3
COOK	10,060	1,970	703	1,267	1,588	996	382	1,006	1,225	450
CRAWFORD	42	11	5	6	13	--	1	1	3	--
CUMBERLAND	22	6	1	5	3	1	--	1	--	1
DE KALB	96	29	14	15	14	12	7	7	8	7
DE WITT	48	7	4	3	7	5	1	--	1	3
DOUGLAS	26	10	5	5	6	3	2	5	3	3
DU PAGE	713	196	106	90	81	59	44	57	59	48
EDGAR	60	20	12	8	7	--	2	4	5	1
EDWARDS	12	2	--	2	3	--	--	1	1	1
EFFINGHAM	49	14	7	7	12	4	2	3	2	3
FAYETTE	47	11	4	7	9	3	1	3	1	4
FORD	35	10	6	4	11	3	1	4	1	--
FRANKLIN	102	30	10	20	26	7	--	12	4	2
FULTON	118	22	12	10	18	4	2	8	2	5
GALLATIN	23	4	2	2	3	1	--	1	--	1
GREENE	40	12	6	6	10	5	2	7	3	2
GRUNDY	39	13	11	2	4	3	1	3	4	3
HAMILTON	25	7	3	4	2	--	--	2	--	1
HANCOCK	42	23	14	9	10	7	3	5	2	3
HARDIN	17	5	1	4	2	--	--	3	--	--
HENDERSON	14	5	4	1	2	1	--	3	2	1
HENRY	104	38	18	20	8	8	9	13	9	4
IROQUOIS	77	18	10	8	15	--	1	2	6	4
JACKSON	88	23	14	9	8	5	3	9	8	8
JASPER	21	8	2	6	4	3	--	2	2	2
JEFFERSON	73	20	8	12	14	6	2	8	2	5
JERSEY	25	10	6	4	7	--	--	4	1	1
JO DAVIESS	43	16	9	7	7	4	3	6	2	1
JOHNSON	21	13	6	7	2	3	--	2	--	1
KANE	406	120	57	63	44	32	26	26	41	21
KANKAKEE	175	55	29	26	14	18	13	27	13	6
KENDALL	34	15	8	7	7	5	2	6	1	2
KNOX	116	26	11	15	12	12	8	7	3	8
LAKE	537	162	88	74	92	43	25	51	46	39
LA SALLE	244	59	27	32	26	20	5	20	14	12

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE	275	165	106	11	33	7	4	4	7
LEE	149	140	122	11	29	5	--	13	8
LIVINGSTON . . .	486	280	192	14	51	9	--	14	6
LOGAN	322	194	143	11	21	12	1	6	5
MCDONOUGH . . .	396	236	166	11	36	14	--	9	7
MCHENRY	987	570	406	29	92	12	9	22	12
MCLEAN	901	542	363	24	113	14	3	25	14
MACON	1,151	657	401	46	148	18	9	35	22
MACQUINN	677	416	283	17	81	16	5	14	12
MADISON	2,333	1,330	857	100	253	51	13	56	26
MARION	546	321	222	19	42	8	5	25	10
MARSHALL	138	79	56	3	12	3	--	5	3
MASON	219	133	104	5	15	2	2	5	2
MASSAC	190	101	64	4	27	2	1	3	1
MCNARD	121	71	51	1	13	3	--	3	--
MERCER	208	124	91	7	20	4	--	2	4
MONROE	181	117	88	8	10	8	1	2	3
MONTGOMERY . . .	397	252	181	8	48	5	2	8	4
MORGAN	469	297	210	12	54	10	1	10	11
MOULTREE	182	115	80	3	31	--	--	1	2
OGLE	400	217	155	6	43	5	1	7	7
PEORIA	1,970	1,123	695	70	251	43	6	58	26
PERRY	289	169	123	5	34	2	1	4	2
PIATT	177	107	75	7	18	4	1	2	7
PIKE	256	176	102	5	39	21	5	4	4
POPE	55	29	21	1	5	1	--	1	--
PULASKI	119	63	41	7	10	2	1	2	1
POTNAM	37	20	16	1	--	2	--	1	--
RANDOLPH	365	212	156	14	29	4	4	5	8
RICHLAND	194	120	93	4	9	9	1	4	2
ROCK ISLAND . . .	1,536	874	655	31	122	22	14	30	19
ST. CLAIR	2,794	1,541	939	133	337	43	18	71	32
SALINE	417	266	181	22	47	11	--	5	4
SANGAMON	1,674	938	629	36	188	38	15	32	21
SCHUYLER	124	85	74	1	8	--	--	2	2
SCOTT	76	46	33	--	7	4	--	2	1
SHELBY	288	170	101	21	35	9	1	3	5
STARK	107	65	46	4	14	1	--	--	1
STEPHENSON . . .	509	294	207	16	46	5	5	15	7
TAZEWELL	910	495	324	36	94	15	4	22	12
UNION	217	136	97	3	26	4	1	5	8
VERMILION	1,111	604	387	37	135	12	3	30	25
WAHASH	165	95	62	7	16	5	1	4	1
WARREN	249	161	94	19	38	4	2	4	5
WASHINGTON . . .	206	120	93	1	15	3	--	8	2
WAYNE	226	133	94	8	25	--	--	6	4
WHITE	263	149	113	7	24	2	--	3	2
WHITESIDE	589	314	207	19	63	11	1	13	8
WILL	2,017	1,120	753	58	232	37	5	35	34
WILLIAMSON	647	363	250	17	68	17	4	7	10
WINNEBAGO	2,085	1,098	680	56	250	60	13	39	33
WOODFORD	309	193	126	13	30	12	5	7	3
UNSPECIFIED . . .	4	3	2	1	--	--	--	--	--

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE.	44	14	8	6	8	4	--	9	2	1
LEE	63	32	13	19	7	3	3	12	8	4
LIVINGSTON.	82	30	19	11	24	6	6	6	6	5
LOGAN	57	16	6	10	10	4	1	7	2	3
MCDONOUGH	68	12	3	9	6	10	--	17	2	6
MCHENRY	183	58	32	26	22	15	7	20	11	9
MCLEAN.	165	26	14	12	20	17	7	15	13	10
MACON	207	47	20	27	28	31	10	28	12	13
MACOUPIN.	118	25	14	11	18	4	--	16	5	5
MADISON	440	121	58	63	50	40	22	45	32	21
MARION.	92	23	13	10	20	12	2	9	7	4
MARSHALL.	22	8	5	3	3	2	3	3	--	3
MASON	48	5	3	2	7	5	--	1	5	2
MASSAC.	35	14	4	10	8	--	--	3	2	1
MENARD.	20	6	3	3	7	5	--	--	--	2
MERCER.	39	9	7	2	3	--	1	7	2	4
MONROE.	30	11	9	2	2	2	--	2	1	1
MONTGOMERY.	63	19	12	7	15	3	2	6	1	2
MORGAN.	67	28	12	16	15	3	2	10	5	5
MOULTRIE.	29	9	6	3	4	2	--	2	2	1
OGLE.	75	28	16	12	6	4	6	6	9	6
PEORIA.	375	75	29	46	64	26	13	24	35	16
PERRY	61	18	5	13	3	5	3	3	4	1
PIATT	31	7	7	--	1	1	1	3	1	1
PIKE.	34	9	4	5	2	3	2	2	1	3
POPE.	10	5	--	5	1	--	--	2	--	--
PULASKI	19	4	1	3	8	3	--	3	2	1
PUTNAM.	5	2	--	2	1	--	--	1	--	--
RANDOLPH.	56	23	13	10	10	7	2	6	4	1
RICHLAND.	27	13	6	7	5	2	1	4	2	3
ROCK ISLAND	305	81	39	42	33	24	7	29	22	16
ST. CLAIR	495	159	66	93	62	68	20	50	39	26
SALINE.	78	15	4	11	7	3	1	14	2	2
SANGAMON.	334	88	28	60	43	27	15	25	35	22
SCHUYLER.	21	3	2	1	4	--	1	1	1	--
SCOTT	16	2	1	1	2	2	--	3	--	--
SHELBY.	42	15	12	3	18	5	5	4	--	4
STARK	17	6	1	5	2	1	--	7	1	--
STEPHENSON.	104	13	4	9	23	11	2	11	3	5
TAEWELL.	175	52	30	22	32	11	3	12	7	12
UNION	31	17	8	9	2	2	2	1	1	1
VERMILION	229	53	17	36	44	14	6	30	10	5
WABASH.	28	7	5	2	4	3	1	1	1	2
WARREN.	37	12	1	11	2	1	2	5	1	3
WASHINGTON.	42	11	7	4	4	1	--	--	--	3
WAYNE	42	11	3	8	7	3	2	3	1	1
WHITE	33	31	14	17	8	4	--	3	3	--
WHITESIDE	103	43	24	19	30	11	3	20	1	3
WILL.	372	113	59	54	33	68	22	51	35	24
WILLIAMSON.	121	39	26	13	10	6	2	15	4	2
WINNEBAGO	413	103	57	46	56	33	20	43	39	33
WOODFORD.	41	24	14	10	9	6	1	8	2	4
UNSPECIFIED	--	--	--	--	--	--	--	--	--	--

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ILLINOIS.	969.1	546.4	364.5	45.3	97.4	14.8	4.9	19.5	11.3
ADAMS	1,366.4	811.2	551.0	33.6	155.2	22.4	7.0	42.0	18.2
ALEXANDER	1,779.7	1,067.8	711.9	42.4	228.8	25.4	-0-	59.3	42.4
BOND	1,197.4	809.2	578.9	26.3	125.0	46.1	-0-	32.9	26.3
BOONE	894.7	488.7	312.0	22.6	116.5	22.6	7.5	7.5	18.8
BROWN	1,339.3	964.3	803.6	53.6	71.4	17.9	17.9	-0-	-0-
BUREAU	1,122.2	711.1	486.1	38.9	122.2	41.7	2.8	19.4	11.1
CALHOUN	1,833.3	1,129.6	629.6	74.1	351.9	55.6	18.5	-0-	18.5
CARROLL	1,104.7	638.7	361.3	68.1	120.4	62.8	5.2	20.9	31.4
CASS	1,410.1	870.5	661.9	14.4	129.5	21.6	7.2	36.0	21.6
CHAMPAIGN	548.5	316.5	200.2	13.1	64.7	23.6	3.7	11.2	10.6
CHRISTIAN	1,279.5	750.7	504.1	74.0	109.6	16.4	11.0	35.6	19.2
CLARK	1,289.2	843.4	439.8	60.2	228.9	48.2	6.0	60.2	18.1
CLAY	1,459.5	858.1	533.8	60.8	148.6	54.1	13.5	47.3	40.5
CLINTON	986.5	574.3	395.3	30.4	98.0	10.1	3.4	37.2	13.5
COLFS	1,143.2	675.2	431.6	23.5	173.1	21.4	12.8	12.8	17.1
COOK	986.9	551.5	369.9	60.5	87.6	10.7	5.0	17.9	8.4
CRAWFORD	1,200.0	733.3	425.6	46.2	235.9	10.3	-0-	15.4	20.5
CUMBERLAND	1,198.0	782.2	455.4	39.6	217.8	19.8	-0-	49.5	9.9
DE KALB	695.6	365.6	221.9	28.4	71.1	14.2	1.4	28.4	5.7
DE WITT	1,374.2	785.3	496.9	49.1	165.6	30.7	6.1	36.8	36.8
DOUGLAS	1,090.4	691.5	446.8	53.2	133.0	31.9	-0-	26.6	21.3
DUPAGE	645.3	337.8	228.7	18.3	67.5	8.0	2.0	13.3	9.6
EDGAR	1,398.1	796.2	535.5	33.2	170.6	19.0	9.5	28.4	19.0
EDWARDS	1,202.7	810.8	594.6	67.6	108.1	13.5	-0-	27.0	13.5
EFFINGHAM	973.3	542.0	301.5	38.2	133.6	30.5	-0-	38.2	15.3
EFFETTE	1,250.0	778.8	533.7	19.2	197.1	9.6	4.8	14.4	9.6
FORD	1,338.0	795.8	605.6	28.2	105.6	14.1	14.1	28.2	-0-
FRANKLIN	1,553.9	932.3	694.2	25.1	152.9	22.6	10.0	27.6	17.5
FULTON	1,255.4	737.5	494.0	83.5	105.0	19.1	7.2	28.6	14.3
GALLATIN	1,507.0	816.9	563.4	14.1	197.2	14.1	-0-	28.2	14.1
GREENE	1,518.1	909.6	602.4	84.3	168.7	24.1	-0-	30.1	-0-
GRUNDY	934.5	549.1	341.8	36.4	134.5	14.5	-0-	21.8	29.1
HAMILTON	1,406.8	1,284.1	818.2	34.1	363.6	45.5	-0-	27.7	22.7
HANCOCK	1,406.3	870.5	535.7	71.4	156.3	58.0	8.9	40.2	8.9
HARDY	1,416.7	687.5	520.8	20.8	104.2	-0-	-0-	41.7	-0-
HENDERSON	1,024.4	573.2	378.0	48.8	134.1	12.2	-0-	-0-	-0-
HENRY	1,119.2	666.7	433.9	39.1	137.8	24.2	5.6	26.1	11.2
HOLOGUES	1,160.6	678.8	490.9	30.3	112.1	18.2	12.1	15.2	21.2
JACKSON	897.1	506.7	323.8	21.0	133.3	11.4	-0-	17.1	13.3
JASPER	1,238.5	669.7	504.6	-0-	119.3	36.7	-0-	9.2	45.9
JEFFERSON	1,269.7	715.2	363.6	90.9	169.7	42.4	3.0	45.5	24.2
JERSEY	870.5	528.5	352.3	62.2	67.4	20.7	10.4	15.5	36.3
JO DAVIES	1,183.5	720.2	467.9	36.7	146.8	41.3	9.2	18.3	27.5
JOHNSON	1,294.1	670.6	458.8	58.8	94.1	11.8	-0-	47.1	23.5
KANE	796.5	446.8	290.8	18.1	102.3	13.2	4.2	18.1	13.2
KANKAKEE	965.2	520.5	360.4	28.5	82.2	25.3	7.4	16.9	9.5
KENDALL	632.9	307.7	213.3	24.5	59.4	-0-	7.0	3.5	21.0
KNOX	1,103.0	676.1	456.8	15.0	126.2	51.5	6.6	19.9	10.0
LAKE	652.7	316.3	206.1	23.2	67.0	6.6	1.5	11.8	8.6
LA SALLE	1,097.7	626.5	399.1	35.6	150.7	14.6	5.5	21.0	14.6

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ILLINOIS. . .	180.9	43.4	18.9	24.5	27.3	16.7	7.1	18.1	17.2	9.0
ADAMS	228.0	53.1	19.6	33.6	51.7	14.0	5.6	15.4	14.0	9.8
ALEXANDER	305.1	101.7	16.9	84.7	50.8	25.4	-0-	25.4	33.9	-0-
BOND	203.9	32.9	13.2	19.7	19.7	13.2	13.2	13.2	6.6	6.6
BOONE	172.9	37.6	18.8	18.8	22.6	7.5	18.8	18.8	7.5	18.8
BROWN	250.0	53.6	17.9	35.7	35.7	-0-	-0-	-0-	-0-	-0-
BUREAU	183.3	41.7	27.8	13.9	8.3	5.6	8.3	22.2	5.6	16.7
CALHOUN	277.8	129.6	92.6	37.0	-0-	18.5	-0-	92.6	18.5	-0-
CARROLL	178.0	68.1	36.6	31.4	47.1	15.7	5.2	10.5	10.5	20.9
CASS	259.0	36.0	21.6	14.4	14.4	14.4	14.4	21.6	14.4	36.0
CHAMPAIGN	96.4	24.3	10.0	14.3	12.4	11.8	3.1	10.0	12.4	5.0
CHRISTIAN	224.7	65.8	38.4	27.4	38.4	11.0	11.0	11.0	5.5	11.0
CLARK	144.6	84.3	36.1	48.2	36.1	18.1	6.0	30.1	-0-	12.0
CLAY	263.5	94.6	47.3	47.3	33.8	6.8	13.5	20.3	6.8	-0-
CLINTON	179.1	84.5	54.1	30.4	30.4	16.9	3.4	13.5	10.1	3.4
COLES	224.4	51.3	17.1	34.2	19.2	17.1	8.5	27.8	10.7	6.4
COOK	185.5	36.3	13.0	23.4	29.3	18.4	7.0	18.5	22.6	8.3
CRAWFORD	215.4	56.4	25.6	30.8	66.7	-0-	5.1	5.1	15.4	-0-
CUMBERLAND	217.8	59.4	9.9	49.5	29.7	9.9	-0-	9.9	-0-	9.9
DE KALB	136.6	41.3	19.9	21.3	19.9	17.1	10.0	10.0	11.4	10.0
DE WITT	294.5	42.9	24.5	18.4	42.9	30.7	6.1	-0-	6.1	18.4
DOUGLAS	138.3	53.2	26.6	26.6	31.9	16.0	10.6	26.6	16.0	16.0
DU PAGE	140.0	38.5	20.8	17.7	15.9	11.6	8.6	11.2	11.6	9.4
EDGAR	284.4	94.8	56.9	37.9	33.2	-0-	9.5	19.0	23.7	4.7
EDWARDS	162.2	27.0	-0-	27.0	40.5	-0-	-0-	13.5	13.5	13.5
EFFINGHAM	187.0	53.4	26.7	26.7	45.8	15.3	7.6	11.5	7.6	11.5
FAYETTE	226.0	52.9	19.2	33.7	43.3	14.4	4.8	14.4	4.8	19.2
FORD	246.5	70.4	42.3	28.2	77.5	21.1	7.0	28.2	7.0	-0-
FRANKLIN	255.6	75.2	25.1	50.1	65.2	17.5	-0-	30.1	10.0	5.0
FULTON	281.6	52.5	28.6	23.9	43.0	9.5	4.8	19.1	4.8	11.9
GALLATIN	323.9	56.3	28.2	28.2	42.3	14.1	-0-	14.1	-0-	14.1
GREENE	241.0	72.3	36.1	36.1	60.2	30.1	12.0	42.2	18.1	12.0
GRUNDY	141.8	47.3	40.0	7.3	14.5	10.9	3.6	10.9	14.5	10.9
HAMILTON	284.1	79.5	34.1	45.5	22.7	-0-	-0-	22.7	-0-	11.4
HANCOCK	187.5	102.7	62.5	40.2	44.6	31.3	13.4	22.3	8.9	13.4
HARDIN	354.2	104.2	20.8	83.3	41.7	-0-	-0-	62.5	-0-	-0-
HENDERSON	170.7	61.0	48.8	12.2	24.4	12.2	-0-	36.6	24.4	12.2
HENRY	193.7	70.8	33.5	37.2	14.9	14.9	16.8	24.2	16.8	7.4
IROQUOIS	233.3	54.5	30.3	24.2	45.5	-0-	3.0	6.1	18.2	12.1
JACKSON	167.6	43.8	26.7	17.1	15.2	9.5	5.7	17.1	15.2	15.2
JASPER	192.7	73.4	18.3	55.0	36.7	27.5	-0-	18.3	18.3	18.3
JEFFERSON	221.2	60.6	24.2	36.4	42.4	18.2	6.1	24.2	6.1	15.2
JERSEY	129.5	51.8	31.1	20.7	36.3	-0-	-0-	20.7	5.2	5.2
JO DAVIESS	197.2	73.4	41.3	32.1	32.1	18.3	13.8	27.5	9.2	4.6
JOHNSON	247.1	152.9	70.6	82.4	23.5	35.3	-0-	23.5	-0-	11.8
KANE	153.3	45.3	21.5	23.8	16.6	12.1	9.8	9.8	15.5	7.9
KANKAKEE	184.4	58.0	30.6	27.4	14.8	19.0	13.7	28.5	13.7	6.3
KENDALL	118.9	52.4	28.0	24.5	24.5	17.5	7.0	21.0	3.5	7.0
KNOX	192.7	43.2	18.3	24.9	19.9	19.9	13.3	11.6	5.0	13.3
LAKE	135.3	40.8	22.2	18.6	23.2	10.8	6.3	12.9	11.6	9.8
LA SALLE	222.8	53.9	24.7	29.2	23.7	18.3	4.6	18.3	12.8	11.0

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

COUNTY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
LAWRENCE	1,494.6	896.7	576.1	59.8	179.3	38.0	21.7	21.7	38.0
LEE	974.9	502.8	340.8	30.7	81.0	14.0	-0-	36.3	27.3
LIVINGSTON	1,165.5	671.5	460.4	33.6	122.3	21.6	-0-	33.6	14.4
LOGAN	1,062.7	640.3	471.9	36.3	69.3	39.6	3.3	19.8	16.5
MCDONOUGH	997.5	594.5	418.1	27.7	90.7	35.3	-0-	22.7	17.6
MCHENRY	819.8	473.4	337.2	24.1	76.4	10.0	7.5	18.3	10.0
MCLEAN	768.8	462.5	309.7	20.5	96.4	11.9	2.6	21.3	11.9
MACON	935.0	533.7	325.8	37.4	120.2	14.6	7.3	28.4	17.9
MACOMBIN	1,497.8	920.4	626.1	37.6	179.2	35.4	11.1	31.0	26.5
MADISON	934.3	532.6	343.2	40.0	101.3	20.4	5.2	22.4	10.4
MARTIN	1,346.7	806.5	557.8	47.7	105.5	20.1	12.6	62.8	25.1
MARSHALL	1,140.5	652.9	462.8	24.8	99.2	24.8	-0-	41.3	24.8
MASON	1,251.4	760.0	594.3	28.6	85.7	11.4	11.4	28.6	11.4
MASSAC	1,407.4	748.1	474.1	29.6	200.0	14.8	7.4	22.2	7.4
MENARD	1,174.8	689.3	495.1	9.7	126.2	29.1	-0-	29.1	-0-
MERCER	1,230.8	733.7	538.5	41.4	118.3	23.7	-0-	11.8	23.7
MONROE	973.1	629.0	473.1	43.0	53.8	43.0	5.4	10.8	16.1
MONTGOMERY	1,314.6	834.4	599.3	26.5	158.9	16.6	6.6	26.5	13.2
MORGAN	1,306.4	827.3	585.0	33.4	150.4	27.9	2.8	27.9	30.6
MOULTRIE	1,378.8	871.2	606.1	22.7	234.8	-0-	-0-	7.6	15.2
OGLE	928.1	503.5	359.6	13.9	99.8	11.6	2.3	16.2	16.2
PEORIA	982.5	560.1	346.6	34.9	125.2	21.4	3.0	28.9	13.0
PEPPY	1,467.0	857.9	624.4	25.4	172.6	10.2	5.1	20.3	10.2
PIATT	1,141.9	690.3	483.9	45.2	116.1	25.8	6.5	12.9	45.2
PIKE	1,306.1	898.0	520.4	25.5	199.0	107.1	25.5	20.4	20.4
POPE	1,309.5	690.5	500.0	23.8	119.0	23.8	-0-	23.8	-0-
PULASKI	1,337.1	707.9	460.7	78.7	112.4	22.5	11.2	22.5	11.2
PUTNAM	698.1	377.4	301.9	18.9	-0-	37.7	-0-	18.9	-0-
RANDOLPH	1,144.2	664.6	489.0	43.9	90.9	12.5	12.5	15.7	25.1
RICHARD	1,154.8	714.3	553.6	23.8	53.6	53.6	6.0	23.8	11.9
ROCK ISLAND	954.6	543.2	407.1	19.3	75.8	13.7	8.7	18.6	11.8
ST. CLAIR	992.9	547.6	333.7	47.3	119.8	15.3	6.4	25.2	11.4
SALINE	1,550.2	988.8	672.9	81.8	174.7	40.9	-0-	18.6	14.9
SANGAMON	1,009.7	565.7	379.4	21.7	113.4	22.9	9.0	19.3	12.7
SCHOYLER	1,550.0	1,062.5	925.0	12.5	100.0	-0-	-0-	25.0	25.0
SCOTT	1,206.3	730.2	523.8	-0-	111.1	63.5	-0-	31.7	15.9
SHELBY	1,274.3	752.2	446.9	92.9	154.9	39.8	4.4	13.3	22.1
STARK	1,465.8	890.4	630.1	54.8	191.8	13.7	-0-	-0-	13.7
STEPHENSON	1,071.6	618.9	435.8	33.7	96.8	10.5	10.5	31.6	14.7
TAZEWELL	742.9	404.1	264.5	29.4	76.7	12.2	3.3	18.0	9.8
UNION	1,356.3	850.0	606.3	18.8	162.5	25.0	6.3	31.3	50.0
VERMILION	1,117.7	607.6	389.3	37.2	135.8	12.1	3.0	30.2	25.2
WARREN	1,222.2	703.7	459.3	51.9	118.5	37.0	7.4	29.6	7.4
WARREN	1,158.1	748.8	437.2	88.4	176.7	18.6	9.3	18.6	23.3
WASHINGTON	1,364.2	794.7	615.9	6.6	99.3	19.9	-0-	53.0	13.2
WAYNE	1,314.0	773.3	546.5	46.5	145.3	-0-	-0-	34.9	23.3
WHITE	1,584.3	897.6	680.7	42.2	144.6	12.0	-0-	18.1	12.0
WHITESIDE	946.9	504.8	332.8	30.5	101.3	17.7	1.6	20.9	12.9
WILL	747.9	415.3	279.2	21.5	86.0	13.7	1.9	13.0	12.6
WILLIAMSON	1,273.6	714.6	492.1	33.5	133.9	33.5	7.9	13.8	19.7
WINNEBAGO	858.4	452.0	280.0	23.1	102.9	24.7	5.4	16.1	13.6
WOODFORD	1,058.2	661.0	431.5	44.5	102.7	41.1	17.1	24.0	10.3

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1974--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

COUNTY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
LAWRENCE	239.1	76.1	43.5	32.6	43.5	21.7	-0-	48.9	10.9	5.4
LEE	176.0	89.4	36.3	53.1	19.6	8.4	8.4	33.5	22.3	11.2
LIVINGSTON . . .	196.6	71.9	45.6	26.4	57.6	14.4	14.4	14.4	14.4	12.0
LOGAN	184.1	52.8	19.8	33.0	33.0	13.2	3.3	23.1	6.6	9.9
MCDONOUGH . . .	171.3	30.2	7.6	22.7	15.1	25.2	-0-	42.8	5.0	15.1
MCHENRY	152.0	48.2	26.6	21.6	18.3	12.5	5.8	16.6	9.1	7.5
MCLEAN	140.8	22.2	11.9	10.2	17.1	14.5	6.0	12.8	11.1	8.5
MACON	168.2	38.2	16.2	21.9	22.7	25.2	8.1	22.7	9.7	10.6
MACOUPIN	261.1	55.3	31.0	24.3	39.8	8.8	-0-	35.4	11.1	11.1
MADISON	176.2	48.5	23.2	25.2	20.0	16.0	8.8	18.0	12.8	8.4
MARION	231.2	57.8	32.7	25.1	50.3	30.2	5.0	22.6	17.6	10.1
MARSHALL	181.8	66.1	41.3	24.8	24.8	16.5	24.8	24.8	-0-	24.8
MASON	274.3	28.6	17.1	11.4	40.0	28.6	-0-	5.7	28.6	11.4
MASSAC	259.3	103.7	29.6	74.1	59.3	-0-	-0-	22.2	14.8	7.4
MENARD	194.2	58.3	29.1	29.1	68.0	48.5	-0-	-0-	-0-	19.4
MERCER	230.8	53.3	41.4	11.8	17.8	-0-	5.9	41.4	11.8	23.7
MONROE	161.3	59.1	48.4	10.8	10.8	10.8	-0-	10.8	5.4	5.4
MONTGOMERY . . .	208.6	62.9	39.7	23.2	49.7	9.9	6.6	19.9	3.3	6.6
MORGAN	186.6	78.0	33.4	44.6	41.8	8.4	5.6	27.9	13.9	13.9
MOULTRIE	219.7	68.2	45.5	22.7	30.3	15.2	-0-	15.2	15.2	7.6
OGLE	174.0	65.0	37.1	27.8	13.9	9.3	13.9	13.9	20.9	13.9
PEORIA	187.0	37.4	14.5	22.9	31.9	13.0	6.5	12.0	17.5	8.0
PERRY	309.6	91.4	25.4	66.0	15.2	25.4	15.2	15.2	20.3	5.1
PIATT	200.0	45.2	45.2	-0-	6.5	6.5	6.5	19.4	6.5	6.5
PIKE	173.5	45.9	20.4	25.5	10.2	15.3	10.2	10.2	5.1	15.3
POPE	238.1	119.0	-0-	119.0	23.8	-0-	-0-	47.6	-0-	-0-
PULASKI	213.5	44.9	11.2	33.7	89.9	33.7	-0-	33.7	22.5	11.2
PUTNAM	94.3	37.7	-0-	37.7	18.9	-0-	-0-	18.9	-0-	-0-
RANDOLPH	175.5	72.1	40.8	31.3	31.3	21.9	6.3	18.8	12.5	3.1
RICHLAND	160.7	77.4	35.7	41.7	29.8	11.9	6.0	23.8	11.9	17.9
ROCK ISLAND . . .	189.6	50.3	24.2	26.1	20.5	14.9	4.4	18.0	13.7	9.9
ST. CLAIR	175.9	56.5	23.5	33.0	22.0	24.2	7.1	17.8	13.9	9.2
SALINE	290.0	55.8	14.9	40.9	26.0	11.2	3.7	52.0	7.4	7.4
SANGAMON	201.4	53.1	16.9	36.2	25.9	16.3	9.0	15.1	21.1	13.3
SCHUYLER	262.5	37.5	25.0	12.5	50.0	-0-	12.5	12.5	12.5	-0-
SCOTT	254.0	31.7	15.9	15.9	31.7	31.7	-0-	47.6	-0-	-0-
SHELBY	185.8	66.4	53.1	13.3	79.6	22.1	22.1	17.7	-0-	17.7
STARK	232.9	82.2	13.7	68.5	27.4	13.7	-0-	95.9	13.7	-0-
STEPHENSON . . .	218.9	27.4	8.4	18.9	48.4	23.2	4.2	23.2	6.3	10.5
TAZEWELL	142.9	42.4	24.5	18.0	26.1	9.0	2.4	9.8	5.7	9.8
UNION	193.8	106.3	50.0	56.3	12.5	12.5	12.5	6.3	6.3	6.3
VERMILION	230.4	53.3	17.1	36.2	44.3	14.1	6.0	30.2	10.1	5.0
WAHASH	207.4	51.9	37.0	14.8	29.6	22.2	7.4	7.4	7.4	14.8
WARREN	172.1	55.8	4.7	51.2	9.3	4.7	9.3	23.3	4.7	14.0
WASHINGTON . . .	278.1	72.8	46.4	26.5	26.5	6.6	-0-	-0-	-0-	19.9
WAYNE	244.2	64.0	17.4	46.5	40.7	17.4	11.6	17.4	5.8	5.8
WHITE	198.8	186.7	84.3	102.4	48.2	24.1	-0-	18.1	18.1	-0-
WHITESIDE	165.6	69.1	38.6	30.5	48.2	17.7	4.8	32.2	1.6	4.8
WILL	137.9	41.9	21.9	20.0	12.2	25.2	8.2	18.9	13.0	8.9
WILLIAMSON	238.2	76.8	51.2	25.6	19.7	11.8	3.9	29.5	7.9	3.9
WINNEBAGO	170.0	42.4	23.5	18.9	23.1	13.6	8.2	17.7	16.1	13.6
WOODFORD	140.4	82.2	47.9	34.2	30.8	20.5	3.4	27.4	6.8	13.7

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	98	43	30	3	8	1	--	1	2
ALTON	457	268	168	27	47	12	3	11	7
ARLINGTON HEIGHTS	389	213	156	3	43	4	3	4	5
AURORA	756	431	254	17	128	13	4	15	17
BELLEVILLE	622	380	236	22	91	7	7	17	6
BERWYN	712	427	304	25	63	11	2	22	2
BLOOMINGTON	445	269	184	10	54	6	3	12	7
BOLINGBROOK	49	22	17	1	2	1	--	1	1
BURBANK	211	125	91	14	13	3	--	4	3
CALUMET CITY	325	176	119	12	31	4	2	8	5
CARRONDALE	134	71	48	2	19	1	--	1	1
CHAMPAIGN	378	222	139	8	46	14	2	13	6
CHICAGO	36,484	20,341	13,423	2,678	3,077	348	200	615	292
CHICAGO HEIGHTS	425	227	128	14	54	23	3	5	4
CICERO	853	511	357	39	84	11	3	17	9
DANVILLE	531	280	171	16	69	6	2	16	13
DE KALB	151	80	46	8	17	2	--	7	2
DECATUR	967	553	338	37	127	13	8	30	18
DES PLAINES	500	255	167	14	51	10	2	11	6
DOLTON	167	101	78	5	13	2	2	1	2
DOWNERS GROVE	363	188	118	13	43	4	--	10	--
EAST ST LOUIS	918	493	295	61	103	9	3	22	9
ELGIN	602	344	230	15	74	8	3	14	5
ELK GROVE	80	33	19	2	11	1	--	--	--
ELMHURST	371	199	149	7	36	2	3	2	4
ELMWOOD PARK	229	130	90	8	21	3	--	8	2
EVANSTON	824	493	325	32	106	9	3	18	13
EVERGREEN PARK	308	176	128	8	30	5	2	3	4
FREEPORT	314	177	129	10	27	1	3	7	3
GALESBURG	407	240	160	6	51	15	4	4	6
GLENVIEW	258	161	118	7	23	9	--	4	4
GRANITE CITY	377	202	143	10	35	3	2	9	4
HARVEY	301	153	114	12	21	--	--	6	2
HIGHLAND PARK	192	103	61	3	30	1	1	7	1
HOFFMAN ESTATES	82	42	27	3	9	1	--	2	2
JOLIET	879	509	337	25	114	16	3	14	13
KANKAKEE	380	205	141	6	34	14	3	7	5
LANSING	205	101	69	9	20	1	--	2	5
LOMBARD	238	146	98	9	33	1	1	4	5
MAYWOOD	224	116	79	11	16	--	1	9	1
MOLINE	492	290	214	6	48	8	2	12	9
MORTON GROVE	163	98	72	7	14	1	2	2	5
MOUNT PROSPECT	260	132	90	7	23	3	3	6	3
NAPERVILLE	172	93	61	4	14	6	--	8	1
NILES	306	188	134	8	30	5	2	9	3
NORMAL	120	64	38	4	18	1	--	3	2
NORTH CHICAGO	133	65	43	4	15	--	--	3	3
NORTHBROOK	205	108	59	7	35	2	--	5	--
OAK LAWN	592	383	270	23	62	10	5	13	2
OAK PARK	726	424	283	31	80	9	4	17	7
PALATINE	210	111	82	3	18	6	--	2	1
PARK FOREST	162	75	46	5	19	3	--	2	2
PARK RIDGE	374	216	150	7	49	2	3	5	5
PEKIN	294	164	102	14	36	3	2	7	3
PEORIA	1,329	744	465	47	162	25	3	42	14
QUINCY	725	431	301	17	75	12	4	22	9
RANTOUL	52	27	17	2	7	1	--	--	1
ROCK ISLAND	548	315	236	15	41	9	8	6	3
ROCKFORD	1,493	811	494	42	192	44	9	30	22
SCHAUMBURG	92	39	22	5	10	--	--	2	--
SKOKIE	498	282	208	10	45	4	3	12	4
SOUTH HOLLAND	190	106	82	7	14	1	1	1	2
SPRINGFIELD	1,199	678	456	26	136	31	9	20	11
URBANA	199	116	70	5	29	8	2	2	6
VILLA PARK	196	98	69	5	14	4	--	6	4
WAUKEGAN	572	277	178	19	59	9	--	12	9
WHEATON	227	124	75	6	31	3	2	7	6
WILMETTE	236	132	79	8	31	3	2	9	--

TABLE 11A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	18	11	7	4	1	6	3	--	1	2
ALTON	80	20	3	17	12	4	6	7	10	4
ARLINGTON HEIGHTS	71	20	10	10	5	11	5	14	9	5
AURORA	141	30	10	20	23	11	11	10	21	4
BELLVILLE	124	24	7	17	12	9	6	5	6	4
BERWYN	157	15	6	9	13	3	1	16	15	7
BLOOMINGTON	86	6	4	2	12	7	2	11	10	3
BOLINGBROOK	8	3	3	--	1	6	--	1	--	--
BURBANK	50	6	3	3	5	3	3	2	2	4
CALUMET CITY	63	13	6	7	4	8	2	11	9	3
CARBONDALE	23	2	--	2	2	1	1	4	2	4
CHAMPAIGN	71	11	2	9	9	4	1	5	11	3
CHICAGO	6,473	1,284	389	895	1,158	725	271	699	879	280
CHICAGO HEIGHTS	74	23	10	13	13	11	2	10	8	2
CICERO	158	18	4	14	19	14	3	23	22	11
DANVILLE	118	30	6	24	19	4	4	12	3	1
DE KALB	24	7	3	4	5	7	1	1	4	1
DECATUR	180	35	16	19	23	27	9	25	9	12
DES PLAINES	135	22	10	12	8	7	7	7	16	4
DOLTON	36	5	3	2	4	2	1	3	1	--
DOWNERS GROVE	88	21	11	10	9	3	1	9	9	4
EAST ST LOUIS	130	41	17	24	28	38	7	17	14	5
ELGIN	124	30	14	16	7	7	7	5	13	7
ELK GROVE	19	5	1	4	3	1	1	4	3	1
ELMHURST	97	11	4	7	8	1	3	5	9	5
ELMWOOD PARK	49	4	1	3	7	5	1	3	6	--
EVANSTON	155	24	6	18	31	4	3	8	7	5
EVERGREEN PARK	80	4	2	2	6	3	--	6	8	2
FREEPORT	63	9	3	6	15	8	1	8	3	1
GALESBURG	78	17	7	10	8	4	3	5	2	7
GLENVIEW	42	8	6	2	7	1	--	5	6	4
GRANITE CITY	77	21	16	5	4	9	4	4	7	6
HARVEY	58	16	8	8	8	20	1	3	8	3
HIGHLAND PARK	45	5	4	1	4	4	1	1	2	2
HOFFMAN ESTATES	16	4	2	2	--	5	2	2	3	1
JULIET	165	30	13	17	15	29	9	16	22	5
KANKAKEE	81	18	11	7	6	8	2	8	4	2
LANSING	55	9	7	2	2	10	3	2	4	2
LOMBARD	48	8	2	6	3	4	1	3	2	4
MAYWOOD	45	10	5	5	8	3	3	6	7	--
MOLINE	93	19	6	13	10	7	3	9	7	7
MORTON GROVE	30	4	3	1	4	--	2	3	4	1
MOUNT PROSPECT	57	16	12	4	5	7	--	3	4	5
NAPERVILLE	40	15	12	3	6	1	1	3	1	4
NILES	61	7	2	5	7	2	1	6	3	1
NORMAL	20	4	4	--	1	2	2	2	1	4
NORTH CHICAGO	33	3	1	2	4	3	1	1	4	--
NORTHBROOK	47	9	5	4	11	4	1	1	4	3
OAK LAWN	115	15	9	6	14	6	4	11	14	1
OAK PARK	154	23	7	16	23	4	2	13	8	3
PALATINE	43	14	5	9	10	5	1	2	6	5
PARK FOREST	38	17	10	7	1	3	1	3	3	2
PARK RIDGE	87	10	3	7	11	3	3	9	4	7
PEKIN	56	14	9	5	14	4	1	2	2	5
PEORIA	268	44	17	27	50	16	7	13	22	7
QUINCY	116	26	8	18	31	5	3	9	9	5
RANTOUL	12	3	--	3	1	2	1	--	--	1
ROCK ISLAND	109	27	13	14	13	9	1	9	8	1
ROCKFORD	283	66	36	30	38	26	14	23	29	24
SCHAUMBURG	25	10	6	4	3	4	2	1	1	1
SKOKIE	111	12	4	8	16	3	4	14	4	7
SOUTH HOLLAND	46	9	7	2	5	1	--	5	1	1
SPRINGFIELD	229	58	13	45	31	22	11	22	26	14
URBANA	32	4	--	4	4	6	2	3	7	1
VILLA PARK	45	9	4	5	6	3	2	5	5	1
WAUKEGAN	99	36	19	17	19	13	8	14	14	7
WHEATON	40	15	7	8	7	3	4	7	2	2
WILMETTE	51	5	2	3	8	1	--	2	7	4

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	382.8	168.0	117.2	11.7	31.3	3.9	-0-	3.9	7.8
ALTON	1,139.7	668.3	419.0	67.3	117.2	29.9	7.5	27.4	17.5
ARLINGTON HEIGHTS	549.4	300.8	220.3	4.2	60.7	5.6	4.2	5.6	7.1
AURORA	994.7	567.1	334.2	22.4	168.4	17.1	5.3	19.7	22.4
BELLEVIEW	1,477.4	902.6	560.6	52.3	216.2	16.6	16.6	40.4	14.3
BERWYN	1,353.6	811.8	577.9	47.5	119.8	20.9	3.8	41.8	3.8
BLOOMINGTON	1,098.8	664.2	454.3	24.7	133.3	14.8	7.4	29.6	17.3
HOLINGBROOK	192.2	86.3	66.7	3.9	7.8	3.9	-0-	3.9	3.9
BURBANK	698.7	413.9	301.3	46.4	43.0	9.9	-0-	13.2	9.9
CALUMET CITY	902.8	488.9	330.6	33.3	86.1	11.1	5.6	22.2	13.9
CARRONDALE	515.4	273.1	184.6	7.7	73.1	3.8	-0-	3.8	3.8
CHAMPAIGN	640.7	376.3	235.6	13.6	78.0	23.7	3.4	22.0	10.2
CHICAGO	1,158.2	645.7	426.1	85.0	97.7	11.0	6.3	19.5	9.3
CHICAGO HEIGHTS	1,036.6	553.7	312.2	34.1	131.7	56.1	7.3	12.2	9.8
CICERO	1,271.2	761.5	532.0	58.1	125.2	16.4	4.5	25.3	13.4
DANVILLE	1,252.4	660.4	403.3	37.7	162.7	14.2	4.7	37.7	30.7
DE KALB	495.1	262.3	150.8	26.2	55.7	6.6	-0-	23.0	6.6
DECATUR	1,062.6	607.7	371.4	40.7	139.6	14.3	8.8	33.0	19.8
DES PLAINES	869.6	443.5	290.4	24.3	88.7	17.4	3.5	19.1	10.4
DULTON	635.0	384.0	296.6	19.0	49.4	7.6	7.6	3.8	7.6
DOWNERS GROVE	1,037.1	537.1	337.1	37.1	122.9	11.4	-0-	28.6	-0-
EAST ST LOUIS	1,468.8	788.8	472.0	97.6	164.8	14.4	4.8	35.2	14.4
ELGIN	1,054.3	602.5	402.8	26.3	129.6	14.0	5.3	24.5	8.8
ELK GROVE	320.0	132.0	76.0	8.0	44.0	4.0	-0-	-0-	-0-
ELMHURST	757.1	406.1	304.1	14.3	73.5	4.1	6.1	4.1	8.2
ELMWOOD PARK	870.7	494.3	342.2	30.4	79.8	11.4	-0-	30.4	7.6
EVANSTON	1,030.0	616.3	406.3	40.0	132.5	11.3	3.8	22.5	16.3
EVERGREEN PARK	1,166.7	666.7	484.8	30.3	113.6	18.9	7.6	11.4	15.2
FREEPORT	1,163.0	655.6	477.8	37.0	100.0	3.7	11.1	25.9	11.1
GALESHURG	1,162.9	685.7	457.1	17.1	145.7	42.9	11.4	11.4	17.1
GLENVIEW	877.6	547.6	401.4	23.8	78.2	30.6	-0-	13.6	13.6
GRANITE CITY	928.6	497.5	352.2	24.6	86.2	7.4	4.9	22.2	9.9
HARVEY	869.9	442.2	329.5	34.7	60.7	-0-	-0-	17.3	5.8
HIGHLAND PARK	600.0	321.9	190.6	9.4	93.8	3.1	3.1	21.9	3.1
HOFFMAN ESTATES	256.3	131.3	84.4	9.4	28.1	3.1	-0-	6.3	6.3
JOLIET	1,112.7	644.3	426.6	31.6	144.3	20.3	3.8	17.7	16.5
KANKAKEE	1,245.9	672.1	462.3	19.7	111.5	45.9	9.8	23.0	16.4
LANSING	724.4	356.9	243.8	31.8	70.7	3.5	-0-	7.1	7.1
LOMHARD	638.1	391.4	262.7	24.1	88.5	2.7	2.7	10.7	13.4
MAYWOOD	786.0	407.0	277.2	38.6	56.1	-0-	3.5	31.6	3.5
MOLINE	1,078.9	636.0	469.3	13.2	105.3	17.5	4.4	26.3	19.7
MORTON GROVE	615.1	369.8	271.7	26.4	52.8	3.8	7.5	7.5	18.9
MOUNT PROSPECT	555.6	282.1	192.3	15.0	49.1	6.4	6.4	12.8	6.4
NAPERVILLE	614.3	332.1	217.9	14.3	50.0	21.4	-0-	28.6	3.6
NILES	927.3	569.7	406.1	24.2	90.9	15.2	6.1	27.3	9.1
NORMAL	394.7	210.5	125.0	13.2	59.2	3.3	-0-	9.9	6.6
NORTH CHICAGO	282.4	138.0	91.3	8.5	31.8	-0-	-0-	6.4	6.4
NORTHBROOK	737.4	388.5	212.2	25.2	125.9	7.2	-0-	18.0	-0-
OAK LAWN	951.8	615.8	434.1	37.0	99.7	16.1	8.0	20.9	3.2
OAK PARK	1,171.0	683.9	456.5	50.0	129.0	14.5	6.5	27.4	11.3
PALATINE	716.7	378.8	279.9	10.2	61.4	20.5	-0-	6.8	3.4
PARK FOREST	498.5	230.8	141.5	15.4	58.5	9.2	-0-	6.2	6.2
PARK RIDGE	859.8	496.6	344.8	16.1	112.6	4.6	6.9	11.5	11.5
PEKIN	915.9	510.9	317.8	43.6	112.1	9.3	6.2	21.8	9.3
PLORIS	1,044.0	584.4	365.3	36.9	127.3	19.6	2.4	33.0	11.0
QUINCY	1,593.4	947.3	661.5	37.4	164.8	26.4	8.8	48.4	19.8
RANTOUL	203.1	105.5	66.4	7.8	27.3	3.9	-0-	-0-	3.9
ROCK ISLAND	1,096.0	630.0	472.0	30.0	82.0	18.0	16.0	12.0	6.0
ROCKFORD	998.0	542.1	330.2	28.1	128.3	29.4	6.0	20.1	14.7
SCHAUMBURG	250.7	106.3	59.9	13.6	27.2	-0-	-0-	5.4	-0-
SKOKIE	716.5	405.8	299.3	14.4	64.7	5.8	4.3	17.3	5.8
SOUTH HOLLAND	745.1	415.7	321.6	27.5	54.9	3.9	3.9	3.9	7.8
SPRINGFIELD	1,292.0	730.6	491.4	28.0	146.6	33.4	9.7	21.6	11.9
URBANA	571.8	333.3	201.1	14.4	83.3	23.0	5.7	5.7	17.2
VILLA PARK	768.6	384.3	270.6	19.6	54.9	15.7	-0-	23.5	15.7
WAUKEGAN	880.0	426.2	273.8	29.2	90.8	13.8	-0-	18.5	13.8
WHEATON	625.3	341.6	206.6	16.5	85.4	8.3	5.5	19.3	16.5
WILMETTE	730.7	408.7	244.6	24.8	96.0	9.3	6.2	27.9	-0-

TABLE 11B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1974
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1974)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	70.3	43.0	27.3	15.6	3.9	23.4	11.7	-0-	3.9	7.8
ALTON	199.5	49.9	7.5	42.4	29.9	10.0	15.0	17.5	24.9	10.0
ARLINGTON HEIGHTS	100.3	28.2	14.1	14.1	7.1	15.5	7.1	19.8	12.7	7.1
AURORA	185.5	39.5	13.2	26.3	30.3	14.5	14.5	13.2	27.6	5.3
BELLVILLE	294.5	57.0	16.6	40.4	28.5	21.4	14.3	11.9	14.3	9.5
BERWYN	298.5	28.5	11.4	17.1	24.7	5.7	1.9	30.4	28.5	13.3
BLOOMINGTON	212.3	14.8	9.9	4.9	29.6	17.3	4.9	27.2	24.7	7.4
BOLINGBROOK	31.4	11.8	11.8	-0-	3.9	23.5	-0-	3.9	-0-	-0-
BURBANK	165.6	19.9	9.9	9.9	16.6	9.9	9.9	6.6	6.6	13.2
CALUMET CITY	175.0	36.1	16.7	19.4	11.1	22.2	5.6	30.6	25.0	8.3
CARBONDALE	88.5	7.7	-0-	7.7	7.7	3.8	3.8	15.4	7.7	15.4
CHAMPAIGN	120.3	18.6	3.4	15.3	15.3	6.8	1.7	8.5	18.6	5.1
CHICAGO	205.5	40.8	12.3	28.4	36.8	23.0	8.6	22.2	27.9	8.9
CHICAGO HEIGHTS	180.5	56.1	24.4	31.7	31.7	26.8	4.9	24.4	19.5	4.9
CICERO	235.5	26.8	6.0	20.9	28.3	20.9	4.5	34.3	32.8	16.4
DANVILLE	278.3	70.8	14.2	56.6	44.8	9.4	9.4	28.3	7.1	2.4
DE KALB	78.7	23.0	9.8	13.1	16.4	23.0	3.3	3.3	13.1	3.3
DECATUR	197.8	38.5	17.6	20.9	25.3	29.7	9.9	27.5	9.9	13.2
DES PLAINES	234.8	38.3	17.4	20.9	13.9	12.2	12.2	12.2	27.8	7.0
DOLTON	136.9	19.0	11.4	7.6	15.2	7.6	3.8	11.4	3.8	-0-
DOWNERS GROVE	251.4	60.0	31.4	28.6	25.7	8.6	2.9	25.7	25.7	11.4
EAST ST LOUIS	208.0	65.6	27.2	38.4	44.8	60.8	11.2	27.2	22.4	8.0
ELGIN	217.2	52.5	24.5	28.0	12.3	12.3	12.3	8.8	22.8	12.3
ELK GROVE	76.0	20.0	4.0	16.0	12.0	4.0	4.0	16.0	12.0	4.0
ELMHURST	198.0	22.4	8.2	14.3	16.3	2.0	6.1	10.2	18.4	10.2
ELMWOOD PARK	186.3	15.2	3.8	11.4	26.6	19.0	3.8	11.4	22.8	-0-
EVANSTON	193.8	30.0	7.5	22.5	38.8	5.0	3.8	10.0	8.8	6.3
EVERGREEN PARK	303.0	15.2	7.6	7.6	22.7	11.4	-0-	22.7	30.3	7.6
FREEPORT	233.3	33.3	11.1	22.2	55.6	29.6	3.7	29.6	11.1	3.7
GALESBURG	222.9	48.6	20.0	28.6	22.9	11.4	8.6	14.3	5.7	20.0
GLENVIEW	142.9	27.2	20.4	6.8	23.8	3.4	-0-	17.0	20.4	13.6
GRANITE CITY	189.7	51.7	39.4	12.3	9.9	22.2	9.9	9.9	17.2	14.8
HARVEY	167.6	46.2	23.1	23.1	23.1	57.8	2.9	8.7	23.1	8.7
HIGHLAND PARK	140.6	15.6	12.5	3.1	12.5	12.5	3.1	3.1	6.3	6.3
HOFFMAN ESTATES	50.0	12.5	6.3	6.3	-0-	15.6	6.3	6.3	9.4	3.1
JOLIET	208.9	38.0	16.5	21.5	19.0	36.7	11.4	20.3	27.8	6.3
KANKAKEE	265.6	59.0	36.1	23.0	19.7	26.2	6.6	26.2	13.1	6.6
LANSING	194.3	31.8	24.7	7.1	7.1	35.3	10.6	7.1	14.1	7.1
LOMBARD	128.7	21.4	5.4	16.1	8.0	10.7	2.7	8.0	5.4	10.7
MAYWOOD	157.9	35.1	17.5	17.5	28.1	10.5	10.5	21.1	24.6	-0-
MOLINE	203.9	41.7	13.2	28.5	21.9	15.4	6.6	19.7	15.4	15.4
MORTON GROVE	113.2	15.1	11.3	3.8	15.1	-0-	7.5	11.3	15.1	3.8
MOUNT PROSPECT	121.8	34.2	25.6	8.5	10.7	15.0	-0-	6.4	8.5	10.7
NAPERVILLE	142.9	53.6	42.9	10.7	21.4	3.6	3.6	10.7	3.6	14.3
NILES	184.8	21.2	6.1	15.2	21.2	6.1	3.0	18.2	9.1	3.0
NORMAL	65.8	13.2	13.2	-0-	3.3	6.6	6.6	6.6	3.3	13.2
NORTH CHICAGO	70.1	6.4	2.1	4.2	8.5	6.4	2.1	2.1	8.5	-0-
NORTHBROOK	169.1	32.4	18.0	14.4	39.6	14.4	3.6	3.6	14.4	10.8
OAK LAWN	184.9	24.1	14.5	9.6	22.5	9.6	6.4	17.7	22.5	1.6
OAK PARK	248.4	37.1	11.3	25.8	37.1	6.5	3.2	21.0	12.9	4.8
PALATINE	146.8	47.8	17.1	30.7	34.1	17.1	3.4	6.8	20.5	17.1
PARK FOREST	116.9	52.3	30.8	21.5	3.1	9.2	3.1	9.2	9.2	6.2
PARK RIDGE	200.0	23.0	6.9	16.1	25.3	6.9	6.9	20.7	9.2	16.1
PEKIN	174.5	43.6	28.0	15.6	43.6	12.5	3.1	6.2	6.2	15.6
PEORIA	210.5	34.6	13.4	21.2	39.3	12.6	5.5	10.2	17.3	5.5
QUINCY	254.9	57.1	17.6	39.6	68.1	11.0	6.6	19.8	19.8	11.0
RANTOUL	46.9	11.7	-0-	11.7	3.9	7.8	3.9	-0-	-0-	3.9
ROCK ISLAND	218.0	54.0	26.0	28.0	26.0	18.0	2.0	18.0	16.0	2.0
ROCKFORD	189.2	44.1	24.1	20.1	25.4	17.4	9.4	15.4	19.4	16.0
SCHAUMBURG	68.1	27.2	16.3	10.9	8.2	10.9	5.4	2.7	2.7	2.7
SKOKIE	159.7	17.3	5.8	11.5	23.0	4.3	5.8	20.1	5.8	10.1
SOUTH HOLLAND	180.4	35.3	27.5	7.8	19.6	3.9	-0-	19.6	3.9	3.9
SPRINGFIELD	246.8	62.5	14.0	48.5	33.4	23.7	11.9	23.7	28.0	15.1
URBANA	92.0	11.5	-0-	11.5	11.5	17.2	5.7	8.6	20.1	2.9
VILLA PARK	176.5	35.3	15.7	19.6	23.5	11.8	7.8	19.6	19.6	3.9
WAUKEGAN	152.3	55.4	29.2	26.2	29.2	20.0	12.3	21.5	21.5	10.8
WHEATON	110.2	41.3	19.3	22.0	19.3	8.3	11.0	19.3	5.5	5.5
WILMETTE	157.9	15.5	6.2	9.3	24.8	3.1	-0-	6.2	21.7	12.4

TABLE 12 - LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1974
FOR AGES UNDER 1 YEAR SEE TABLE D.

Age 1 - 4 Years				Age 5 - 14 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		514		All Causes		734
1	Accidents	E800-E949	194	1	Accidents	E800-E949	331
	a. Motor vehicle	(E810-E823)	(60)		a. Motor vehicle	(E810-E823)	(148)
	b. Other	(Residue of E800-E949)	(134)		b. Other	(Residue of E800-E949)	(183)
2	Congenital Anomalies	740-759	79	2	Malignant Neoplasms	140-209	82
3	Malignant Neoplasms	140-209	46	3	Congenital Anomalies	740-759	39
4	Heart Disease	393-429	33	4	Homicide	E960-E978	34
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			5	Influenza and pneumonia	470-474, 480-486	33
5	Influenza and pneumonia	470-474, 480-486	25	6	Heart Disease	393-429	27
5	Homicide	E960-E978	25		(Excl. of 400.0, 400.2, 400.3, 401, 403)		
				7	Cystic Fibrosis of pancreas	273.0	15
				8	Injury undetermined	(E980-E989)	13
					whether accidentally or purposely inflicted		
				9	Cerebrovascular disease	430-438	11
				9	Suicide	E950-E959	11

Age 15 - 24 Years				Age 25 - 44 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		2,559		All Causes		6,063
1	Accidents	E800-E949	1,149	1	Heart Disease	393-429	1,185
	a. Motor vehicle	(E810-E823)	(725)		(Excl. of 400.0, 400.2, 400.3, 401, 403)		
	b. Other	(Residue of E800-E949)	(424)	2	Accidents	E800-E949	1,099
2	Homicide	E960-E978	435		a. Motor vehicle	(E810-E823)	(536)
3	Suicide	E950-E959	155		b. Other	(Residue of E800-E949)	(563)
4	Malignant Neoplasms	140-209	137	3	Malignant Neoplasms	140-209	1,007
5	Heart Disease	393-429	101	4	Homicide	E960-E978	614
	(Excl. of 400.0, 400.2, 400.3, 401, 403)			5	Cirrhosis of liver	571	317
6	Drug dependence	304	84	6	Suicide	E950-E959	312
7	Influenza and pneumonia	470-474, 480-486	56	7	Cerebrovascular disease	430-438	254
8	Congenital Anomalies	740-759	36	8	Influenza and pneumonia	470-474, 480-486	128
9	Cerebrovascular disease	430-438	31	9	Diabetes Mellitus	250	87
10	Epilepsy	345	21	10	Other circulatory diseases	441-458	85

Age 45 - 64 Years				Age 65 Years and Over			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		25,912		All Causes		68,819
1	Heart Disease	393-429	10,255	1	Heart Disease	393-429	33,903
	(Excl. of 400.0, 400.2, 400.3, 401, 403)				(Excl. of 400.0, 400.2, 400.3, 401, 403)		
2	Malignant Neoplasms	140-209	7,331	2	Malignant Neoplasms	140-209	11,526
3	Cerebrovascular disease	430-438	1,732	3	Cerebrovascular disease	430-438	8,915
4	Cirrhosis of liver	571	1,071	4	Influenza and pneumonia	470-474, 480-486	2,207
5	Accidents	E800-E949	979	5	General Arteriosclerosis	440	1,580
	a. Motor vehicle	(E810-E823)	(384)	6	Other circulatory diseases	441-458	1,561
	b. Other	(Residue of E800-E949)	(595)	7	Diabetes Mellitus	250	1,396
6	Other circulatory diseases	441-458	533	8	Accidents	E800-E949	1,023
7	Diabetes Mellitus	250	507		a. Motor vehicle	(E810-E823)	(239)
8	Influenza and pneumonia	470-474, 480-486	430		b. Other	(Residue of E800-E949)	(784)
9	Suicide	E950-E959	331	9	Emphysema	492	917
10	Emphysema	492	330	10	Cirrhosis of liver	571	512

¹International Classification of Diseases (ICDA) 8th Revision.

TABLE 13. CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO AND DOWNSTATE: 1964 to 1974

DISEASE	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
ILLINOIS											
Actinomycosis	1	--	--	1	2	1	2	3	1	--	--
Ameliasis cases and carriers	102	92	119	153	170	167	151	102	172	193	319
Blastomycosis	1	3	2	7	4	10	1	1	1	3	1
Brucellosis	27	2	8	17	6	14	1	13	13	18	26
Chancroid	112	112	109	53	34	43	19	7	8	23	15
Chickenpox	8,202	14,101	9,326	6,142	4,374	5,508	6,997	6,737	9,067	9,165	11,870
Conjunctivitis, all forms	29	20	28	20	11	22	21	44	20	1	10
Diarrhea of newborn	212	11	289	225	233	155	99	149	105	125	102
Diphtheria cases and carriers	2	--	3	5	37	1	2	5	4	6	16
Dysentery bacillary cases and carriers	1,857	2,465	1,432	1,108	1,135	1,188	1,184	1,304	769	685	721
Encephalitis, acute and post	166	302	221	193	206	159	202	283	116	123	270
Erysipelas	9	17	20	20	4	+	+	+	+	+	+
Food infections	1,596	1,591	1,410	1,445	1,372	1,152	1,085	1,033	1,007	1,154	773
Food poisonings	368	143	499	96	214	258	244	79	178	772	468
Fungal infection, other	2	3	2	1	1	1	6	7	6	4	7
Gastroenteritis, (E. Coli) cases and carriers	373	810	971	1,054	346	958	455	453	254	135	63
German measles	635	1,264	1,163	1,396	1,871	1,825	3,328	1,621	2,935	4,850	29,685
Gonorrhea	48,576	45,977	45,035	48,290	51,668	50,337	42,464	38,957	33,733	29,091	26,866
Hepatitis, infectious and serum	2,533	2,715	2,858	2,682	2,045	1,872	2,016	1,801	1,206	1,247	1,229
Histoplasmosis	10	6	30	28	49	58	49	47	44	61	27
Influenza	197	1,138	3,424	185	+	+	+	+	+	+	+
Impetigo contagiosa	--	--	--	--	--	--	--	--	4	--	--
Leprosy	3	4	1	1	5	3	--	1	--	3	--
Leptospirosis	1	2	--	1	1	3	1	--	1	5	--
Malaria	6	18	36	62	68	124	64	38	16	1	3
Measles	2,259	2,162	4,654	3,460	3,085	1,746	1,291	1,347	11,514	5,036	16,906
Meningitis meningococcal	36	42	33	85	73	72	82	82	102	125	96
Meningitis, other	256	277	288	268	240	218	293	272	454	413	418
Mononucleosis, Inf.	768	939	658	690	49	+	+	+	+	+	+
Mumps	1,707	2,944	3,399	5,585	2,387	3,212	5,404	10,845	6,575	4,890	14,598
Paratyphoid cases and carriers	***	***	***	***	***	***	***	***	--	5	1
Pneumonia	1,030	1,252	1,154	1,004	+	+	+	+	+	+	+
Polio myelitis	--	--	--	1	1	1	3	1	3	4	5
Psittacosis, ornithosis	1	--	13	--	--	1	1	--	1	5	6
Rheumatic fever	689	799	856	992	1,190	1,178	1,332	1,425	1,613	1,705	2,059
Ringworm of the scalp	--	1	3	1	7	24	29	86	96	114	114
Rocky Mountain spotted fever	14	14	12	6	6	8	8	12	11	9	7
Scarlet fever and strep throat	9,975	9,461	8,503	7,560	7,451	7,431	8,052	7,978	9,125	6,167	6,283
Staphylococcal inf. (neonatal)	95	49	47	30	47	22	39	19	27	50	34
Staphylococcal inf. (other than neonatal)	922	746	591	651	895	753	603	902	889	709	773
Syphilis	5,287	4,864	7,084	6,569	5,204	6,725	7,168	7,248	6,402	6,293	5,338
Tetanus	4	3	8	5	8	13	9	17	5	18	16
Toxoplasmosis	8	10	2	11	3	1	1	3	1	2	--
Trichinosis	14	4	14	2	8	8	--	4	1	4	5
Tuberculosis	1,496	1,520	1,940	2,138	2,292	2,478	2,805	2,999	2,938	3,328	3,370
Tularemia	6	3	4	8	10	10	15	18	21	14	21
Typhoid cases and carriers	24	25	10	22	15	24	21	11	10	18	28
Typhus cases and carriers	--	1	--	--	3	--	--	--	1	1	--
Whooping cough	269	129	110	172	363	232	246	551	639	497	774

***Paratyphoid cases and carriers included as part of food infections totals
beginning in 1967
† Not reportable prior to 1970

TABLE 13. CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO AND DOWNSTATE: 1964 to 1974 -- Continued

DISEASE	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
CHICAGO											
Actinomycosis	-	--	--	--	1	--	2	--	--	--	--
Amoebiasis cases and carriers	6	19	33	41	80	93	66	26	20	56	21
Blastomycosis	--	--	--	1	2	--	--	--	--	--	--
Brucellosis	2	--	--	--	--	1	--	--	--	2	--
Chancroid	103	103	96	47	29	33	15	5	3	19	13
Chickenpox	744	939	880	670	415	688	813	920	1,583	1,869	1,391
Conjunctivitis, all forms	--	2	4	3	1	4	5	10	1	--	1
Diarrhea of newborn	212	9	288	222	233	149	96	140	98	117	90
Diphtheria cases and carriers	2	--	3	5	37	--	--	4	3	4	15
Dysentery bacillary cases and carriers	993	1,766	932	701	750	807	792	758	403	408	218
Encephalitis, acute and post	34	61	57	52	69	66	44	93	29	51	55
Erysipelas	2	4	1	1	2	+	+	+	+	+	+
Food infections	1,001	823	830	861	862	728	747	634	608	459	417
Food poisonings	172	1	--	--	--	--	9	7	20	27	27
Fungal infection, other	--	--	2	--	--	--	--	--	--	--	--
Gastroenteritis, (E. Coli) cases and carriers	196	644	773	926	212	829	276	292	129	82	18
German measles	109	55	58	50	161	181	210	197	347	1,027	1,821
Gonorrhea	32,285	32,260	33,607	37,742	42,503	41,425	34,964	31,619	27,850	24,540	22,497
Hepatitis, Inf. and serum	799	785	878	885	758	677	652	674	379	374	357
Histoplasmosis	--	--	--	--	--	--	2	--	--	5	--
Influenza	3	45	22	1	+	+	+	+	+	+	+
Impetigo contagiosa	--	--	--	--	--	--	--	--	1	--	--
Leprosy	3	2	1	1	3	--	--	1	--	--	--
Leptospirosis	--	--	--	1	--	--	--	--	--	--	--
Malaria	--	4	3	8	10	1	6	8	5	--	1
Measles	746	1,002	1,286	422	1,659	1,411	986	630	3,331	2,408	4,639
Meningitis Meningococcal	5	8	6	17	18	20	27	24	40	43	37
Meningitis, other	86	87	118	106	105	93	127	145	183	147	145
Mononucleosis, Inf.	11	27	39	30	6	+	+	+	+	+	+
Mumps	372	397	465	420	429	553	511	915	1,166	816	1,275
Paratyphoid cases and carriers	***	***	***	***	***	***	***	***	--	--	--
Pneumonia	916	1,159	1,061	992	+	+	+	+	+	+	+
Polio myelitis	--	--	--	--	--	1	3	1	1	--	1
Psittacosis, ornithosis	--	--	--	--	--	--	--	--	--	--	--
Rheumatic fever	68	107	139	195	258	283	364	314	393	508	547
Ringworm of the scalp	--	--	--	--	--	8	4	23	32	53	31
Rocky Mountain spotted fever	--	--	--	1	--	--	--	--	--	--	--
Scarlet fever and strep throat	115	119	205	146	154	282	274	318	538	815	777
Staphylococcal inf. (neonatal)	--	--	--	1	--	--	--	--	--	--	--
Staphylococcal inf. (other than neonatal)	--	--	3	--	--	--	--	--	--	1	2
Syphilis	3,962	3,397	5,624	4,769	3,640	5,097	5,857	5,900	5,177	6,238	4,443
Tetanus	1	1	1	--	3	5	4	6	--	4	2
Toxoplasmosis	--	--	--	--	--	--	--	--	--	--	--
Trichinosis	--	1	6	1	4	6	--	--	1	3	1
Tuberculosis	870	899	1,270	1,385	1,536	1,671	1,963	1,989	1,977	2,179	2,202
Tularemia	--	--	--	--	--	1	--	--	--	--	--
Typhoid cases and carriers	13	16	8	12	11	8	6	5	4	9	14
Typhus cases and carriers	--	--	--	--	--	--	--	--	--	--	--
Whooping cough	213	93	67	92	239	166	148	406	507	318	571

***Paratyphoid cases and carriers included as part of food infections totals
beginning in 1967

+Not reportable prior to 1970

TABLE 13. - CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH
FOR ILLINOIS, CHICAGO AND DOWNSTATE: 1964 to 1974 -- Continued

DISEASE	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964
DOWNSTATE											
Actinomycoses	1	--	--	1	1	1	--	3	1	--	--
Amphias cases and carriers	96	73	86	112	90	74	85	76	152	137	298
Blastomycosis	1	3	2	6	2	10	1	1	1	3	1
Burkellous	25	2	8	17	6	13	1	13	13	16	26
Chancroid	9	9	13	6	5	10	4	2	5	4	2
Chickenpox	7,458	13,162	8,446	5,472	3,959	4,820	6,184	5,817	7,484	7,296	10,479
Conjunctivitis, all forms	29	18	24	17	10	18	16	34	19	1	9
Diarrhea of newborn	--	2	1	3	--	6	3	9	7	8	12
Diphtheria cases and carriers	--	--	--	--	--	1	2	1	1	2	1
Dysentery bacillary cases and carriers	864	699	500	407	385	381	392	546	366	277	503
Encephalitis, acute and post	132	241	164	141	137	93	158	190	87	72	215
Erysipelas	7	13	19	19	2	+	+	+	+	+	+
Food infections	595	768	580	584	510	424	338	399	399	695	356
Food poisonings	196	142	489	96	214	258	235	72	158	745	441
Fungal infection, other	2	3	--	1	1	1	6	7	6	4	7
Gastroenteritis, (E. Coli) cases and carriers	177	166	198	128	134	129	179	161	125	53	50
German measles	526	1,209	1,105	1,346	1,710	1,644	3,118	1,424	2,588	3,823	27,864
Gonorrhea	16,291	13,717	11,428	10,548	9,165	8,912	7,500	7,338	5,883	4,551	4,369
Hepatitis, Inf. and serum	1,734	1,930	1,980	1,797	1,287	1,195	1,364	1,127	827	873	872
Histoplasmosis	10	6	30	28	49	58	47	47	44	56	27
Influenza	194	1,093	3,402	184	+	+	+	+	+	+	+
Impetigo contagiosa	--	--	--	--	--	--	--	--	3	--	--
Leprosy	--	2	--	--	2	3	--	--	--	3	--
Leptospirosis	1	2	--	--	1	3	1	--	1	5	--
Malaria	6	14	33	54	58	123	58	30	11	1	2
Measles	1,513	1,160	3,368	3,038	1,426	335	305	717	8,183	2,628	12,267
Meningitis meningococcal	31	34	27	68	55	52	55	58	62	82	59
Meningitis, other	170	190	170	162	135	125	166	127	271	266	273
Mononucleosis, Inf.	757	912	619	660	43	+	+	+	+	+	+
Mumps	1,335	2,547	2,934	5,165	1,958	2,659	4,893	9,930	5,409	4,074	13,323
Paratyphoid cases and carriers	***	***	***	***	***	***	***	***	--	5	1
Pneumonia	114	93	93	12	+	+	+	+	+	+	+
Polio myelitis	--	--	--	1	1	--	--	--	2	4	4
Psittacosis, ornithosis	1	--	13	--	--	1	1	--	1	5	6
Rheumatic fever	621	692	717	797	932	895	968	1,111	1,220	1,197	1,512
Ringworm of the scalp	--	1	3	1	7	16	25	63	64	61	83
Rocky Mountain spotted fever	14	14	12	5	6	8	8	12	11	9	7
Scarlet fever and strep throat	9,860	9,342	8,298	7,414	7,297	7,149	7,778	7,660	8,587	5,352	5,506
Staphylococcal inf. (neonatal)	95	49	47	29	47	22	39	19	27	50	34
Staphylococcal inf. (other than neonatal)	922	746	588	651	895	753	603	902	889	708	771
Syphilis	1,325	1,467	1,460	1,800	1,564	1,628	1,311	1,348	1,225	1,055	895
Tetanus	3	2	7	5	5	8	5	11	5	14	14
Toxoplasmosis	8	10	2	11	3	1	1	3	1	2	--
Trichinosis	14	3	8	1	4	2	--	4	--	1	4
Tuberculosis	626	621	670	753	756	807	842	1,010	961	1,149	1,168
Tularemia	6	3	4	8	10	9	15	18	21	14	21
Typhoid cases and carriers	11	9	2	10	4	16	15	6	6	9	14
Typhus cases and carriers	--	1	--	--	3	--	--	--	1	1	--
Whooping cough	56	36	43	80	124	66	98	145	132	179	203

***Paratyphoid cases and carriers included as part of food infections totals
beginning in 1967

† Not reportable prior to 1970

TABLE 14 MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1974


Female Age Group	Total	Male Age Group												
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL	116,419	0	10,490	46,567	25,007	11,345	6,483	4,617	3,731	2,843	1,948	1,382	1,886	111
Under 15 years	8	--	1	4	2	1	--	--	--	--	--	--	--	--
15-19 years	27,619	3	8,755	15,904	2,294	451	117	44	13	5	3	2	1	27
20-24 years	46,124	3	1,590	27,446	12,794	2,938	804	297	132	55	14	11	1	39
25-29 years	17,697	1	108	2,606	7,775	4,245	1,697	734	319	120	55	17	9	11
30-34 years	8,139	--	25	406	1,553	2,451	1,780	989	555	240	88	28	13	11
35-39 years	5,114	--	5	113	426	865	1,307	1,091	723	352	155	44	26	6
40-44 years	3,442	--	1	40	106	271	510	843	796	488	230	103	49	5
45-49 years	2,849	1	--	12	33	87	193	399	741	704	392	201	84	2
50-54 years	2,078	1	--	4	9	28	50	153	324	554	442	271	201	1
55-59 years	1,417	--	1	3	7	3	14	53	94	228	393	325	299	2
60-64 years	967	--	--	--	1	1	5	5	17	66	142	260	468	2
65+ years	936	--	--	2	1	2	2	3	14	27	34	118	733	--
Unknown	69	--	4	27	11	1	4	6	3	4	--	2	2	5

TABLE 15. -- DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1974

Female Age Group	Total	Male Age Group												
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un- known
TOTAL	47,878	29	289	6,890	11,270	8,422	5,753	4,318	3,362	2,301	1,252	664	565	2,763
Under 15 years	24	1	--	5	4	5	5	2	--	1	--	1	--	--
15-19 years	1,492	1	183	1,089	153	22	7	4	1	--	--	--	--	32
20-24 years	10,563	10	90	5,078	4,283	653	134	46	22	10	3	4	2	228
25-29 years	11,244	4	3	486	5,835	3,546	770	229	73	28	14	3	3	250
30-34 years	7,369	4	3	56	562	3,330	2,245	616	215	92	26	9	5	206
35-39 years	5,033	--	--	16	98	432	1,989	1,601	503	152	70	14	10	148
40-44 years	3,412	2	1	5	39	118	286	1,290	1,067	346	81	41	19	116
45-49 years	2,543	3	1	1	9	26	84	246	991	733	256	76	36	81
50-54 years	1,593	2	--	--	5	10	28	82	233	634	357	130	60	52
55-59 years	768	--	--	--	2	2	7	17	63	130	267	183	56	41
60-64 years	382	--	--	--	1	1	2	6	22	28	75	108	121	18
65+ years	275	1	--	--	--	2	1	2	8	11	18	29	177	26
Unknown	3,180	1	8	153	279	275	195	177	164	136	85	66	76	1,565

TABLE 16. - NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1974

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown Blank
TOTAL	116,419	80,525	29,518	4,516	732	137	36	8	1	--	2	944
0	81,657	71,034	9,715	779	99	3	2	1	--	--	--	24
1	28,126	8,610	16,791	2,251	326	62	14	4	--	--	--	68
2	4,646	707	2,504	1,190	186	42	10	1	--	--	--	6
3	776	82	351	222	97	17	4	1	1	--	--	1
4	148	19	50	50	17	9	3	--	--	--	--	--
5	37	5	13	9	2	4	2	1	--	--	1	--
6	6	1	1	2	1	--	1	--	--	--	--	--
7	2	--	--	--	1	--	--	--	--	--	1	--
8	1	--	1	--	--	--	--	--	--	--	--	--
9+	--	--	--	--	--	--	--	--	--	--	--	--
Unknown Blank	1,020	67	92	13	3	--	--	--	--	--	--	845



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

SPRINGFIELD, ILLINOIS



**VITAL
STATISTICS
ILLINOIS
1975**

THE LIBRARY OF THE
NOV 15 1976
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

... ..

VITAL STATISTICS ILLINOIS

1975 SPRINGFIELD
ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SEPTEMBER, 1976



THE UNIVERSITY OF CHICAGO

EXPLANATION OF SYMBOLS

QUANTITY ZERO IN FREQUENCY TABLES	---
RATE OR PERCENT MORE THAN 0 BUT LESS THAN 0.05	0.0
FIGURES WITHIN PARENTHESES NOT INCLUDED IN TOTALS	()
RATE ZERO CORRESPONDING TO --- ON FREQUENCY TABLE	0
RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION	*
CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE	...

[Faint handwritten notes at the bottom of the page]

TABLE OF CONTENTS

VITAL STATISTICS—ILLINOIS—CALENDAR YEAR 1975

Introduction	1.01
------------------------	------

Part I. General Summary

Population changes since 1970	1.01
✓ Live births	1.01
Illegitimacy	1.01
Birthweight	1.02
Perinatal mortality	1.02
Neonatal and infant mortality	1.02
Sudden infant death syndrome	1.02
Maternal deaths	1.03
✓ Deaths	1.03
Drugs and medicaments	1.03
Other causes of death	1.04
St. Louis encephalitis epidemic	1.04
Marriage and divorce	1.04
Illinois map showing estimated population by county and Health Service Area: 1975	1.05
Illinois map showing cities with populations of 25,000 or more: 1975	1.06

Tables

A. Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1975	1.07
B. Causes of fetal death among infants born to Illinois mothers by weight at birth: 1975	1.07
C. Resident perinatal losses and perinatal mortality rate by race and sex, Illinois, Chicago, and Downstate: 1975	1.08
D. Leading causes of infant deaths, by age, Illinois residents: 1975	1.08
E. Ten leading causes of deaths among white and non-white races, Illinois residents: 1975	1.09
F. Components of resident heart disease deaths, Illinois: 1975	1.09
G. Resident cancer deaths by site and age, Illinois: 1975	1.09
H. Resident deaths due to cerebrovascular disease, Illinois: 1975	1.10
I. Accidental deaths among Illinois residents by type of accident and age of decedent: 1975	1.10
J. Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1975	1.11

K.	Deaths and rates from the principal diseases affecting the respiratory system, Illinois: 1950, 1955, 1960, 1965, 1970, and 1975	I.11
L.	Marital status of bride and groom at time of marriage, Illinois: 1975	I.12
M.	Divorces and annulments classified by the duration of marriage, Illinois: 1975	I.12
N.	Marriages, divorces and annulments occurring in Illinois: 1958-1975	I.12
O.	Marriages classified by sex and age, Illinois: 1975	I.13
P.	Divorces classified by sex and age, Illinois: 1975	I.13
Q.	Number of previous marriages of bride and groom, Illinois: 1975	I.13
R.	Live births, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918-1975	I.14
S.	Resident live births by birthweight, sex, and color, Illinois, Chicago, and Downstate: 1975	I.15
T.	The twelve leading causes of death by age and color among residents of Illinois, Chicago, and Downstate: 1975	I.16
U.	Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1975	I.19
V.	Ten leading causes of death for selected age groups, Illinois: 1975	I.22

Part II. Health Service Area and County Tables

Illinois Summary	II.01
HSA 01 Northwest	II.02
Boone	II.03
Carroll	II.04
De Kalb	II.05
Jo Daviess	II.06
Lee	II.07
Ogle	II.08
Stephenson	II.09
Whiteside	II.10
Winnebago	II.11
HSA 02 North Central	II.12
Bureau	II.13
Fulton	II.14
Henderson	II.15
Knox	II.16
La Salle	II.17
Marshall	II.18
Mc Donough	II.19
Peoria	II.20
Putnam	II.21
Stark	II.22
Tazewell	II.23
Warren	II.24
Woodford	II.25

HSA 03 West Central	.11.26
Adams	.11.27
Brown	.11.28
Calhoun	.11.29
Cass	.11.30
Christian	.11.31
Greene	.11.32
Hancock	.11.33
Jersey	.11.34
Logan	.11.35
Macoupin	.11.36
Mason	.11.37
Menard	.11.38
Montgomery	.11.39
Morgan	.11.40
Pike	.11.41
Sangamon	.11.42
Schuyler	.11.43
Scott	.11.44
 HSA 04 East Central	 .11.45
Champaign	.11.46
Clark	.11.47
Coles	.11.48
Cumberland	.11.49
De Witt	.11.50
✓ Douglas	.11.51
Edgar	.11.52
Ford	.11.53
Iroquois	.11.54
Livingston	.11.55
Macon	.11.56
Mc Lean	.11.57
Moultrie	.11.58
Piatt	.11.59
Shelby	.11.60
Vermilion	.11.61
 HSA 05 Southern	 .11.62
Alexander	.11.63
Bond	.11.64
Clay	.11.65
Crawford	.11.66
Edwards	.11.67
Effingham	.11.68
Fayette	.11.69
Franklin	.11.70
Gallatin	.11.71
Hamilton	.11.72
Hardin	.11.73
Jackson	.11.74
Jasper	.11.75
Jefferson	.11.76
Johnson	.11.77
Lawrence	.11.78
Marion	.11.79
Massac	.11.80
Perry	.11.81
Pope	.11.82

HSA 05(cont'd)

Pulaski11.83
Randolph11.84
Richland11.85
Saline11.86
Union11.87
Wabash11.88
Washington11.89
Wayne11.90
White11.91
Williamson11.92
 HSA 06 City of Chicago11.93
 HSA 07 Cook Suburban—Du Page11.94
Cook (excluding Chicago)11.95
Du Page11.96
 HSA 08 K—L—M11.97
Kane11.98
Lake11.99
Mc Henry11.100
 HSA 09 WKKKG11.101
Grundy11.102
Kankakee11.103
Kendall11.104
Will11.105
 HSA 10 Illowa (excluding Iowa portion)11.106
Henry11.107
Mercer11.108
Rock Island11.109
 HSA 11 Illmo (excluding Missouri portion)11.110
Clinton11.111
Madison11.112
Monroe11.113
St. Clair11.114
 Alphabetical Index to County Names11.115

Part III. City Tables

1. Live births, infant deaths, neonatal deaths, and fetal deaths by race among residents of the larger cities of Illinois: 1975111.01
2. Live birth rates and infant death, neonatal death, and fetal death race specific rates among residents of the larger cities of Illinois: 1975111.02
3. Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1975111.03
4. Deaths from important causes among residents of the larger cities of Illinois: 1975111.04
5. Death rates for important causes among residents of the larger cities of Illinois: 1975111.06

Part IV. Appendices

Appendix 1. Data Sources and analysis

The registration system	IV.01
Completeness of vital events reporting	IV.01
Cut-off dates and interstate exchange	IV.02
Construction of the population bases	IV.02
Vital rate analysis	IV.02
Rate stability	IV.03
Exhibit 1. Certificate of live birth	IV.04
Exhibit 2. Certificate of fetal death	IV.05
Exhibit 3. Medical certificate of death	IV.06
Exhibit 4. Coroner's certificate of death	IV.07
Exhibit 5. Marriage application and record	IV.08
Exhibit 6. Certificate of divorce or annulment	IV.09
Figure 1. Pattern of vital registration and statistics in Illinois	IV.10
Figure 2. Vital records processing within Illinois Department of Public Health, Division of Data Processing	IV.11
Appendix 2. Definition of terms	IV.12
Appendix 3. Definition of rates and ratios	IV.13
Appendix 4. Causes of death with ICDA numbers that are used in this report	IV.15
Appendix 5. References and notes	IV.19

2000-1999-1998-1997-1996-1995-1994-1993-1992-1991-1990-1989-1988-1987-1986-1985-1984-1983-1982-1981-1980-1979-1978-1977-1976-1975-1974-1973-1972-1971-1970-1969-1968-1967-1966-1965-1964-1963-1962-1961-1960-1959-1958-1957-1956-1955-1954-1953-1952-1951-1950-1949-1948-1947-1946-1945-1944-1943-1942-1941-1940-1939-1938-1937-1936-1935-1934-1933-1932-1931-1930-1929-1928-1927-1926-1925-1924-1923-1922-1921-1920-1919-1918-1917-1916-1915-1914-1913-1912-1911-1910-1909-1908-1907-1906-1905-1904-1903-1902-1901-1900-1899-1898-1897-1896-1895-1894-1893-1892-1891-1890-1889-1888-1887-1886-1885-1884-1883-1882-1881-1880-1879-1878-1877-1876-1875-1874-1873-1872-1871-1870-1869-1868-1867-1866-1865-1864-1863-1862-1861-1860-1859-1858-1857-1856-1855-1854-1853-1852-1851-1850-1849-1848-1847-1846-1845-1844-1843-1842-1841-1840-1839-1838-1837-1836-1835-1834-1833-1832-1831-1830-1829-1828-1827-1826-1825-1824-1823-1822-1821-1820-1819-1818-1817-1816-1815-1814-1813-1812-1811-1810-1809-1808-1807-1806-1805-1804-1803-1802-1801-1800-1799-1798-1797-1796-1795-1794-1793-1792-1791-1790-1789-1788-1787-1786-1785-1784-1783-1782-1781-1780-1779-1778-1777-1776-1775-1774-1773-1772-1771-1770-1769-1768-1767-1766-1765-1764-1763-1762-1761-1760-1759-1758-1757-1756-1755-1754-1753-1752-1751-1750-1749-1748-1747-1746-1745-1744-1743-1742-1741-1740-1739-1738-1737-1736-1735-1734-1733-1732-1731-1730-1729-1728-1727-1726-1725-1724-1723-1722-1721-1720-1719-1718-1717-1716-1715-1714-1713-1712-1711-1710-1709-1708-1707-1706-1705-1704-1703-1702-1701-1700-1699-1698-1697-1696-1695-1694-1693-1692-1691-1690-1689-1688-1687-1686-1685-1684-1683-1682-1681-1680-1679-1678-1677-1676-1675-1674-1673-1672-1671-1670-1669-1668-1667-1666-1665-1664-1663-1662-1661-1660-1659-1658-1657-1656-1655-1654-1653-1652-1651-1650-1649-1648-1647-1646-1645-1644-1643-1642-1641-1640-1639-1638-1637-1636-1635-1634-1633-1632-1631-1630-1629-1628-1627-1626-1625-1624-1623-1622-1621-1620-1619-1618-1617-1616-1615-1614-1613-1612-1611-1610-1609-1608-1607-1606-1605-1604-1603-1602-1601-1600-1599-1598-1597-1596-1595-1594-1593-1592-1591-1590-1589-1588-1587-1586-1585-1584-1583-1582-1581-1580-1579-1578-1577-1576-1575-1574-1573-1572-1571-1570-1569-1568-1567-1566-1565-1564-1563-1562-1561-1560-1559-1558-1557-1556-1555-1554-1553-1552-1551-1550-1549-1548-1547-1546-1545-1544-1543-1542-1541-1540-1539-1538-1537-1536-1535-1534-1533-1532-1531-1530-1529-1528-1527-1526-1525-1524-1523-1522-1521-1520-1519-1518-1517-1516-1515-1514-1513-1512-1511-1510-1509-1508-1507-1506-1505-1504-1503-1502-1501-1500-1499-1498-1497-1496-1495-1494-1493-1492-1491-1490-1489-1488-1487-1486-1485-1484-1483-1482-1481-1480-1479-1478-1477-1476-1475-1474-1473-1472-1471-1470-1469-1468-1467-1466-1465-1464-1463-1462-1461-1460-1459-1458-1457-1456-1455-1454-1453-1452-1451-1450-1449-1448-1447-1446-1445-1444-1443-1442-1441-1440-1439-1438-1437-1436-1435-1434-1433-1432-1431-1430-1429-1428-1427-1426-1425-1424-1423-1422-1421-1420-1419-1418-1417-1416-1415-1414-1413-1412-1411-1410-1409-1408-1407-1406-1405-1404-1403-1402-1401-1400-1399-1398-1397-1396-1395-1394-1393-1392-1391-1390-1389-1388-1387-1386-1385-1384-1383-1382-1381-1380-1379-1378-1377-1376-1375-1374-1373-1372-1371-1370-1369-1368-1367-1366-1365-1364-1363-1362-1361-1360-1359-1358-1357-1356-1355-1354-1353-1352-1351-1350-1349-1348-1347-1346-1345-1344-1343-1342-1341-1340-1339-1338-1337-1336-1335-1334-1333-1332-1331-1330-1329-1328-1327-1326-1325-1324-1323-1322-1321-1320-1319-1318-1317-1316-1315-1314-1313-1312-1311-1310-1309-1308-1307-1306-1305-1304-1303-1302-1301-1300-1299-1298-1297-1296-1295-1294-1293-1292-1291-1290-1289-1288-1287-1286-1285-1284-1283-1282-1281-1280-1279-1278-1277-1276-1275-1274-1273-1272-1271-1270-1269-1268-1267-1266-1265-1264-1263-1262-1261-1260-1259-1258-1257-1256-1255-1254-1253-1252-1251-1250-1249-1248-1247-1246-1245-1244-1243-1242-1241-1240-1239-1238-1237-1236-1235-1234-1233-1232-1231-1230-1229-1228-1227-1226-1225-1224-1223-1222-1221-1220-1219-1218-1217-1216-1215-1214-1213-1212-1211-1210-1209-1208-1207-1206-1205-1204-1203-1202-1201-1200-1199-1198-1197-1196-1195-1194-1193-1192-1191-1190-1189-1188-1187-1186-1185-1184-1183-1182

VITAL STATISTICS – ILLINOIS – CALENDAR YEAR 1975

INTRODUCTION

Vital Statistics in Illinois, 1975 represents the first major change in content and format since the current series replaced the *Health Statistics Bulletin* in 1958.

Under the National Health Planning and Resources Development Act of 1974 (P.L. 93-641), signed by the President on January 4, 1975, the State of Illinois has been divided into 11 health services areas (HSA's), each of which is under the jurisdiction of a health systems agency. (1) Except for Chicago city and Suburban Cook county-DuPage county, all of the HSA's consist of groups of counties. Nine of the areas lie wholly within the state, one partly in Iowa and one partly in Missouri. In this report, data are shown only for the Illinois portions of the joint areas.

This annual report has been redesigned and enlarged especially to highlight the health service areas. The report is divided into four parts: a summary limited generally to state-wide tabulations and related discussions, tabulations for each county and each health service area, tabulations for cities of 25,000 population or more, and a set of technical appendices.

Information presented in the report is extracted from the five certificates—birth, death, fetal death, marriage and divorce—that are required to be filed with the Illinois Department of Public Health by law. The birth, death and fetal death tables include data received from other states and the Canadian provinces on Illinois residents born or dying in their jurisdictions and exclude data on non-residents of Illinois born or dying in Illinois. The marriage and divorce tables are limited to those events which occurred in the state. The appendices include samples of the five certificates and a flow chart showing how the data are collected, transmitted and processed.

PART I GENERAL SUMMARY

POPULATION CHANGES SINCE 1970

The Illinois population has shown both increases and decreases in the years since the 1970 Census was taken. After peaking at an estimated 11,244,000 as of July 1, 1972, the number has declined to an estimated 11,145,000 as of July 1, 1975. The 1970 Census population, including recent corrections, was 11,113,141.

The southernmost 30 counties (HSA 5) and the Chicago metropolitan area, (HSA's 6,7,8,9) except for Chicago itself (HSA 6) have been increasing. Along with Chicago, the northwestern corner (HSA 1) and the Illinois part of the St. Louis metropolitan area (HSA 11) have been decreasing. The remainder of the state shows essentially no change from 1970 to 1975.

For age groups selected to emphasize special clusterings, as preschool (*under age 5 years*) and elementary school (*ages 5 to 13 years*), there have been marked changes from 1970 to 1975. (2) Changes of the magnitude and directions shown in this table serve to alert planners to review those programs that are age oriented.

AGE DISTRIBUTION OF THE ILLINOIS POPULATION
IN 1970 AND 1975

YEAR	ALL AGES	UNDER 5	5-13	14-17	18-20	21-44	45-64	65 & OVER
(NUMBER IN THOUSANDS)								
1970	11,113	937	2,014	846	561	3,322	2,344	1,089
1975	11,145	843	1,756	892	629	3,562	2,310	1,153
(PERCENT)								
1970	100.0	8.4	18.1	7.6	5.1	29.9	21.1	9.8
1975	100.0	7.6	15.8	8.0	5.6	32.0	20.7	10.3

Guided by the above age distribution based on United States Bureau of the Census figures, the Illinois Department of Public Health prepared the populations for the selected age groups needed in the summary tables.

Appendix 1 contains the description of how the populations used for the rates shown in the county tables were constructed. The Illinois Department of Public Health developed the populations for the 70 largest cities (*population 25,000 or more*) from special censuses and from the U. S. Bureau of the Census provisional estimates for the U. S. Department of Treasury Revenue Sharing Program.

From 1970 to 1974, the life expectancy of persons age 65 and over has not only increased, but the gap between the sexes has widened. For males in the United States, a person at age 65 years could expect to live 13.1 more years on the average in 1970 and 13.4 years in 1974. For females the corresponding life expectancies were 17.0 and 17.5. (3,4) These differentials for Illinois can be inferred from the death rates by sex in the county tables in Part II.

LIVE BIRTHS

During 1975, of the 166,870 children born alive in Illinois, 1,568 were to mothers living outside of the state. Of the 169,248 live births to Illinois residents, 3,946 were born outside of the state.

The resident live birth rate was 15.2 per 1,000 population, a slight increase over the 15.1 in 1974 and 1973. The highest rate on record was 24.7 in 1957 and the lowest was 13.9 in 1933.

The greatest number of live births in history, 239,871, occurred in 1959. Of these, 201,955 were white, 37,125 were black and 791 were among other races. Of the births in 1975, there were 130,594 white, 35,847 black and 2,807 among other races. By race, the white live births reached their peak of 203,033 in 1957 and the black live births their peak of 41,718 in 1971.

ILLEGITIMACY

After declining in 1973 and 1974 from the peak of 29,205 illegitimate live births for a previous all-time high ratio of 16.9 percent of all live births in 1972, the number of illegitimate live births rose to 28,920 in 1975 to establish a new high ratio of 17.1. For the past six years the numbers of teenage live births and the number illegitimate with the fraction illegitimate were as follows.

TOTAL AND ILLEGITIMATE LIVE BIRTHS AMONG MOTHERS
UNDER AGE OF 20 YEARS

YEAR	TOTAL NUMBER	ILLEGITIMATE NUMBER	PERCENT
1970	34,742	13,723	39.5
1971	34,067	14,157	41.6
1972	33,308	14,930	44.8
1973	32,078	13,336	41.6
1974	31,329	13,132	41.9
1975	31,120	13,759	44.2

In 1970, the teenage live births represented 16.9 percent of all live births and the illegitimate live births 49.6 percent of all illegitimate live births. The corresponding percentages in 1975 were 18.4 and 47.6.

BIRTHWEIGHT

A child whose weight at birth is low for its sex and race presents an excellent chance of being a high-risk infant requiring special care. Table S provides information on birthweight by sex and race for 10 weight groups in Illinois, Chicago and Downstate (*remainder of the state exclusive of the city of Chicago*). The individual county tables in Part II and the city tables in Part III show the number and percent premature (*birth weight less than 2,501 grams or 5 pounds, 8 ounces*). In 1975, the 13,094 premature babies provided 7.7 percent of the total. Of these, the 7,876 white premature births represented 6.0 percent of the white live births and the 5,218 nonwhite, 13.5 percent of the nonwhite births. Because black babies are on the average of lighter weight than white babies, the percent premature by birthweight among the nonwhite races is overstated. When the upper limit of 2,251 grams is used for the nonwhite races, the percentage changes from 13.5 to 8.0, a proportion which tends to put the races on a more equal basis for assessing the true chance of survival using only the birthweight.(5)

PERINATAL MORTALITY

Since many deaths occur immediately before, during or immediately following delivery, many of the underlying causes are either of genetic origin or arise from prenatal and delivery complications. The importance of the perinatal period is increasing as the loss of life due to the impact of the external environment is being lessened. The age span for measuring perinatal loss is still determined largely by the completeness of vital records registration. In this report (Table C), the period is from the twentieth completed week of gestation to the end of the first week of life. During this period, there were 1,954 fetal deaths and 1,926 hebdomadal deaths (*under age of one week*) in Illinois. The perinatal mortality rate is 22.7 perinatal losses per 1,000 (*fetal deaths plus live births*), a decline from 62.9 in 1925.

Table B presents selected causes by birthweight among the fetal deaths and Table D the principal causes for deaths under the age of 7 days. Among the fetal deaths, there were 334 from asphyxia, hypoxia, anoxia and 218 from unknown causes. In addition to these, there were 445 deaths from asphyxia and 239 from immaturity, unqualified under the age of 7 days. The

inadequacy of these causes creates serious problems in attempting to provide genetic counseling services and in attempting to provide useful information on perinatal loss.

NEONATAL AND INFANT MORTALITY

In 1975, both the numbers of neonatal and infant deaths and their rates established record lows for Illinois. There were 2,221 deaths under 28 days of age (*neonatal*) and 3,107 under one year of age (*infant*). The rates per 1,000 live births were 13.1 and 18.4 respectively. Both rates have been declining slowly during the past decade after showing very little change from year to year during the preceding 15 years. The death rate in the period 28 days to one year (*post-neonatal*) was 5.3, the same as in 1969. Congenital anomalies and a new category, sudden infant death syndrome, accounted for 497 of the 886 resident deaths in this latter age group.

SUDDEN INFANT DEATH SYNDROME

Sudden, unexplained, deaths of infants, the large portion of whom are between 2 and 4 months of age, have been reported throughout recorded human history. The very lack of unequivocal pathological findings complicates efforts to classify the disease entity for statistical uses.(6)

Sudden infant death syndrome is not assigned as the underlying cause of death unless the term appears alone on the record. As a sudden death, only the Coroner can certify the record. However, under the 1957 Illinois Coroner's Law, each officer has available to him at least one licensed physician, preferably a pathologist, to assist him with the autopsy and/or medical investigation. The name of the physician appears on the Coroner's Certificate of Death. In 1970, the Illinois Department of Public Health added a fourth digit to the *International Classification of Diseases* title Sudden Death (*Cause Unknown*) to focus attention on Sudden Infant Death Syndrome (SIDS). In 1974, the National Center for Health Statistics did likewise and identified the conditions to be placed under the title.(7) In 1972, The Illinois General Assembly established the Sudden Infant Death Syndrome Study Commission. The Commission's findings were published in 1974 under the title *Infant Survival*.

The complex of causes or conditions that are now being collectively consolidated into the single entity, sudden infant death syndrome, has in the past been reported under many diverse titles, usually those associated with respiratory disease or heart disease. The trend since 1970 in the causes reported is shown in the accompanying table. Of course, not all of the deaths from the first three causes listed would have been classified as SIDS if the current classification procedures had been followed in the years before 1975.

RESIDENT POSTNEONATAL DEATHS FROM
SUDDEN INFANT DEATH SYNDROME AND
OTHER SELECTED CAUSES, ILLINOIS: 1970 TO 1975

	1970	1971	1972	1973	1974	1975
BRONCHITIS,	239	211	105	10	8	10
INFLUENZA AND PNEUMONIA,	224	192	195	147	99	83
HEART DISEASE, EXCEPT CONGENITAL,	49	82	184	163	96	17
SUDDEN INFANT DEATH SYNDROME,	12	34	45	137	231	344
TOTAL OF 4 CAUSES,	524	519	529	457	434	454
ALL POSTNEONATAL DEATHS,	1,027	1,023	937	847	830	886
PERCENT DUE TO 4 CAUSES,	51.0	50.7	56.5	54.0	52.3	51.2

A special study of all of the death certificates of infants who died in Illinois during 1974 indicated that there were probably 451 deaths that could be attributed to SIDS. Of these, 256 of all ages under one year listed the condition as the only cause, 21 additional mentioned it with another cause, 109 listed acute cardiac dilatation, cause unknown, and 65 listed only symptoms and diseases often related to SIDS. Of the 451 deaths, 239 occurred in Chicago, 93 in the remainder of the Chicago Metropolitan Statistical Area and 119 elsewhere in Illinois. Altogether 804 postneonatal deaths occurred in Illinois in 1974. Of these, 402, or exactly one-half, listed SIDS or possible SIDS.

By age, sex and race the SIDS deaths were distributed as in this table.

SUDDEN INFANT DEATH SYNDROME DEATHS
OCCURRING IN ILLINOIS IN 1974
CLASSIFIED BY AGE, SEX AND RACE

AGE	TOTAL	MALE			FEMALE		
		WHITE	BLACK	OTHER	WHITE	BLACK	OTHER
ALL AGES	451	131	129	2	88	97	4
UNDER 21 DAYS	30	5	10	--	9	7	--
21 TO 27 DAYS	19	5	6	--	4	4	--
28 TO 59 DAYS	88	26	27	--	16	17	2
2 MONTHS	111	34	32	1	23	20	1
3 MONTHS	81	32	16	--	15	16	1
4 MONTHS	37	7	9	1	9	11	--
5 MONTHS	31	9	9	--	3	10	--
6 TO 11 MONTHS	54	13	20	--	9	12	--

MATERNAL DEATHS

There were 28 maternal deaths in 1975 compared to 38 in 1974. The death rate was 16.5 per 100,000 live births in 1975 and 22.5 in 1974. The lowest rate of record was 13.5 in 1973 when 23 deaths were reported. In 1975, there were 11 white and 17 black deaths in Illinois and one white and 12 black deaths in Chicago. By age, 6 white and 6 black deaths in Illinois and one white and 2 black deaths in Chicago occurred among persons 30 years or older. By county of residence, Cook had 14 (*Chicago - 13*), Champaign and Peoria - 2 each, and Bureau, Crawford, Hamilton, Henderson, Kane, Lake, Macon, Pike, Sangamon and Wabash - one each.

DEATHS

In 1975, of the 101,079 persons dying in the state, 2,049 lived outside of Illinois. Of the 103,166 deaths among Illinois residents, 4,136 occurred outside of the state.

The death rate among Illinois residents in 1975 was 9.3 per 1,000 population, continuing the very slow downward trend in the death rate since the 1918 influenza epidemic. The numbers of deaths in the age groups 15 to 24 years and ages 85 years and over have increased since 1970. Although the total number of deaths in the age group 65 to 84 years has declined, the number among the nonwhite races has increased. Further details are shown in Table T. The death rates by race per 100,000 population, as shown in Table U, decreased for all age groups except for the nonwhite, ages 65 to 84 years. Among the principal causes of death listed in Table U, malignant neoplasms, accidents other than motor vehicle and homicides have increased in number since 1970. The decline in the number of deaths among the diseases of the cardiovascular system from 63,142 in 1970 to 57,011 in 1975 accounts for 83.9 percent of the decline from 110,474 deaths for all causes in 1970 to 103,166 in 1975.

Tables E through K, together with T, U and V, present more detail on the causes of deaths. Table E presents the leading causes by race. Tables F, G, H and J, list subdivisions of each of the four leading causes by age. Table I presents the number of deaths and rates for the diseases of the respiratory system for each fifth year beginning with 1950.

From 1950 to 1975, respiratory system cancer was increasing from 1,499 to 4,770 and emphysema from 63 to 1,172 while respiratory system tuberculosis was decreasing from 1,950 to 102.

The leading causes of death in each of seven major age groups are presented in Table D for infants and in Table V for the other ages. A review of Table V reveals that deaths due to external causes account for one-half or more of all deaths from ages 5 through 44 years. Among persons ages 15 to 24 years, homicide outranks suicide 397 to 180 and in the group 25 to 44 years 560 to 357. These two groups account for 957, or 72.8 percent, of the 1,315 homicides and 537, or 50.8 percent, of the 1,057 suicides among Illinois residents in 1975.

DRUGS AND MEDICAMENTS

A death from drugs and medicaments, exclusive of therapeutic misadventure, is reported as an accident, suicide or as an external cause undetermined. Among the persons ages 15 to 24 years, the number of deaths assigned to each of these categories is higher in 1975 than in 1969. Also, during the same period, the proportion of deaths in the 15 to 24 year age group has increased from 22.2 percent of the deaths at all ages in 1969 to 41.9 percent in 1975.

RESIDENT DEATHS FROM DRUGS AND MEDICAMENTS
BY CAUSE, ALL AGES AND AGES TO 15 TO 24 YEARS
ILLINOIS: 1969 TO 1975

	1969	1970	1971	1972	1973	1974	1975
ALL AGES	306	338	396	302	279	298	401
15 TO 24 YEARS	68	93	110	109	92	94	168
PERCENT	22.2	27.5	27.8	36.1	33.0	31.5	41.9
ALL AGES	306	338	396	302	279	298	401
ACCIDENT	164	195	247	164	123	144	254
SUICIDE	98	94	91	82	99	91	82
UNDETERMINED*	44	49	58	56	57	63	65
15 TO 24 YEARS	68	93	110	109	92	94	168
ACCIDENT	43	66	87	71	55	53	121
SUICIDE	16	15	14	19	18	17	20
UNDETERMINED*	9	12	9	19	19	24	27

* NOT DETERMINED BY THE CORONER AS TO WHETHER ACCIDENTAL OR SUICIDE

Tables T and U present numbers and rates for the leading causes of deaths in Illinois, Chicago, and Downstate in selected age groups for the white and non-white race groups. The numbers and rates for the leading causes of death among persons ages 65 years and over are also given by sex in the state, health service area, and county tables in Part II. Principal causes of death and rates from the 70 largest cities are in the City Tables (Part III).

OTHER CAUSES OF DEATH

The next most frequent causes of death following those listed in Table T were suicide (1,057), hypertension without mention of heart disease (526), ulcer of stomach and duodenum (432), hernia and intestinal obstruction (363), bronchitis (349), chronic nephritis and renal sclerosis (327) and infections of the kidney (268).

Causes of death from selected infective and parasitic diseases were: tuberculosis (157), infectious hepatitis (33), fungus infections (17—including 5 *moniliasis* and 3 *histoplasmosis*), meningococcal infections (14), syphilis (13), Boeck's sarcoidosis (13), measles (*rubeola*) (5), German measles (*rubella*) (1), Rocky Mountain spotted fever (2), diphtheria (1), chicken pox (1), poliomyelitis (late effects) (4), tetanus (2), and whooping cough (1).

Herpes zoster (*shingles*) caused 1 death and herpes simplex 9 deaths. Acute rheumatic fever accounted for 10 deaths, septicemias for 184, dysentery, Salmonella infections and other diseases arising in the intestinal tract for 18 and gastroenteritis and colitis, 79.

THE ST. LOUIS ENCEPHALITIS EPIDEMIC

The first major outbreak of St. Louis encephalitis in Illinois since 1933 occurred in 1975. The first case believed to be from this disease was at Paris in Edgar county in 1932. In 1933, the disease reached epidemic proportions with 185 cases and 59 deaths in Illinois, most of them in Madison, Morgan and St. Clair counties. An additional 1,114 cases and 224 deaths were reported from St. Louis City and St. Louis County in Missouri. The virus was isolated, identified and named during this epidemic.(8)

In 1975, there were 578 cases and 47 deaths from St. Louis encephalitis in Illinois. Of these, 131 cases and 10 deaths occurred in Chicago, 158 cases and 15 deaths in the remainder of Cook County and 289 cases and 22 deaths in 66 of the remaining 101 counties. Based on the 1970 Census, the attack rate per 100,000 population was 9.5 in suburban Cook county, 3.9 in Chicago and 5.1 in the remainder of the state. Attack rates of 40 or higher per 100,000 population were reported in Christian county (45), Cumberland (41), Hamilton (46), Richland (59) and White (40). Other high counties were Clay (27), Effingham (28), Gallatin (27) and Wayne (29).

MARRIAGE AND DIVORCE


Data on marriage and divorce in this report are limited to Tables L to Q, inclusive.

Reports were received in 1975 for 111,459 marriages, 50,452 divorces and 502 annulments. The marriage rate was 10.0 per 1,000 population in 1975, a drop from 10.5 in 1974 when 116,419 marriages were performed in the state. The combined divorce and annulment rate was 4.6, an increase from 4.3 in 1974, when 48,361 divorces and annulments were reported. During the last decade, the marriage rate increased each year from 9.5 per 1,000 population in 1965 to 10.7 in 1973 before decreasing during the past two years. During the same period, the dissolution rate has exactly doubled from 2.3 in 1965. In 1975, marriages of under 3 years' duration accounted for 19.7 percent of all of the reported divorces, as compared to 22.8 percent in 1968. On the other hand, the proportion of divorces involving marriages under 10 years' duration has steadily increased during the decade from 61.0 in 1965 to 65.6 in 1975.

POPULATION BY COUNTIES: 1975

POPULATION BY COUNTIES AS OF JULY 1, 1975

TOTAL: 11,145,000
CHICAGO: 3,150,000



ILLINOIS CITIES WITH POPULATIONS OF 25,000 OR MORE: 1975




TABLE A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER
ILLINOIS, CHICAGO, AND DOWNSTATE: 1975

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER	TOTAL	WHITE	NEGRO	OTHER
TOTAL BIRTHS	169,248	130,594	35,847	2,807	54,019	26,509	26,024	1,486	115,229	104,085	9,825	1,321
SEX												
MALE	86,895	67,122	18,305	1,468	27,726	13,652	13,308	766	59,167	53,470	4,997	700
FEMALE	82,353	63,472	17,542	1,341	26,293	12,857	12,716	720	56,062	50,615	4,826	621
LEGITIMACY												
LEGITIMATE	140,328	121,696	15,861	2,771	35,676	23,084	11,131	1,463	104,650	98,612	4,730	1,308
ILLEGITIMATE	28,920	8,898	19,986	36	18,341	3,425	14,893	23	10,579	5,473	5,093	13
PLACE OF BIRTH AND ATTENDANT												
HOSPITAL	164,538	126,779	35,001	2,758	53,505	26,194	25,838	1,473	111,033	100,585	9,163	1,285
NON-HOSPITAL	4,710	3,815	846	49	514	315	186	13	4,196	3,500	660	36
PHYSICIAN	4,564	3,708	813	43	470	290	168	12	4,094	3,418	645	31
MIDWIFE	1	--	1	--	1	--	1	--	--	--	--	--
OTHER	145	107	32	6	43	25	17	1	102	82	15	5
AGE OF MOTHER												
TOTAL	169,248	130,594	35,847	2,807	54,019	26,509	26,024	1,486	115,229	104,085	9,823	1,321
10 - 14 YEARS	757	217	540	--	452	63	389	--	305	154	151	--
15 - 19 YEARS	30,363	18,617	11,677	69	12,403	5,902	8,466	35	17,960	14,715	3,211	34
20 - 24 YEARS	56,414	43,866	12,079	469	17,909	8,883	8,803	223	38,505	34,983	3,276	246
25 - 29 YEARS	51,367	43,311	6,838	1,218	15,845	8,212	4,941	692	37,522	35,999	1,897	526
30 - 34 YEARS	21,835	18,004	3,047	784	6,294	3,715	2,184	395	15,541	14,289	863	389
35 - 39 YEARS	6,814	5,313	1,266	235	2,455	1,384	947	124	4,359	3,929	319	111
40 - 44 YEARS	1,590	1,187	371	32	619	331	271	17	971	856	100	15
45 AND OVER	88	64	24	--	35	16	19	--	53	48	5	--
UNSTATED	20	15	5	--	7	3	4	--	13	12	1	--
LEGITIMATE												
10 - 14 YEARS	98	54	44	--	49	12	37	--	49	42	7	--
15 - 19 YEARS	17,263	14,566	2,642	55	4,626	2,681	1,718	27	12,637	11,885	724	28
20 - 24 YEARS	47,307	41,142	5,705	460	11,963	7,730	3,956	217	35,404	33,412	1,749	243
25 - 29 YEARS	47,661	42,122	4,329	1,210	11,283	7,616	2,981	686	36,378	34,506	1,348	524
30 - 34 YEARS	20,338	17,499	2,828	781	5,266	3,449	1,424	393	15,042	14,050	604	388
35 - 39 YEARS	6,199	5,112	854	233	2,034	1,280	631	123	4,165	3,832	223	110
40 - 44 YEARS	1,399	1,124	243	32	486	299	170	17	913	825	73	15
45 AND OVER	78	63	15	--	28	15	13	--	50	48	2	--
UNSTATED	15	14	1	--	3	2	1	--	12	12	--	--

TABLE B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS BY WEIGHT AT BIRTH: 1975

(TOTAL FETAL DEATH COLUMN INCLUDES WEIGHT NOT STATED)

CAUSE OF DEATH	FETUS WEIGHT IN GRAMS											
	TOTAL	PER- CENT	UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS	2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501 AND OVER
ALL CAUSES	1,954	100.0	644	236	196	94	110	187	187	122	38	37
CONGENITAL ANOMALIES												
NERVOUS SYSTEM	50	2.6	4	6	9	2	5	4	7	--	2	2
HEART AND CIRCULATORY	10	0.5	1	--	4	2	--	1	1	--	--	--
OTHER	32	1.6	9	3	4	3	3	3	1	4	1	1
MATERNAL NOT RELATED TO PREGNANCY												
CIRCULATORY AND G. U. DISEASES	38	1.9	17	3	7	1	--	1	3	3	1	1
DIABETES MELLITUS	59	3.0	4	6	2	5	2	11	8	10	9	2
OTHER	26	1.3	13	2	2	1	2	3	1	--	1	--
TOXEMIAS OF PREGNANCY	72	3.7	13	25	10	2	4	6	3	1	1	2
MATERNAL INFECTIONS	19	1.0	11	--	--	1	--	1	2	1	--	1
BIRTH INJURY												
DIFFICULT LABOR	1	0.1	--	--	--	--	--	--	--	--	1	--
OTHER	7	0.4	1	2	1	--	1	1	--	1	--	--
ASPHYXIA, ANOXIA, HYPOXIA												
DIFFICULT LABOR	30	1.5	9	--	2	2	1	2	4	3	2	2
OTHER	304	15.6	100	25	34	18	22	36	26	20	5	4
OTHER DIFFICULT LABOR	18	0.9	8	3	1	--	--	2	2	1	--	1
PREMATURE RUPTURE OF MEMBRANES	44	2.3	32	6	2	1	--	--	1	--	--	1
MEMBER OF MULTIPLE PREGNANCY	21	1.1	8	6	3	2	--	1	--	--	--	--
OTHER COMPLICATIONS OF PREGNANCY	30	1.5	22	4	--	1	--	1	1	--	1	--
PREMATURE SEPARATION OF PLACENTA	279	14.3	105	31	42	11	17	28	20	12	--	3
OTHER PLACENTAL CONDITIONS	198	10.1	55	29	18	15	17	22	16	13	3	4
PROLAPSED CORD	77	3.9	19	7	9	2	2	8	17	7	--	2
OTHER CORD CONDITIONS	223	11.4	36	25	18	7	16	30	42	29	6	6
RH INCOMPATIBILITY	12	0.6	7	--	1	--	1	3	--	--	--	--
OTHER HEMOLYTIC DISEASES	9	0.5	1	--	--	1	--	3	1	--	1	2
IMMATURITY, UNQUALIFIED	126	6.4	89	18	2	4	6	--	1	--	--	--
OTHER FETAL CONDITIONS	32	1.6	12	1	3	2	--	1	2	5	1	--
CAUSE UNKNOWN	218	11.2	61	31	21	12	9	18	25	12	4	3
ALL OTHER CAUSES	19	1.0	7	1	1	1	2	1	1	--	--	--

TABLE C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1975
(THIS TABLE INCLUDES 50 FETAL DEATHS OF LESS THAN 20 WEEKS* GESTATION)

	ILLINOIS				CHICAGO				DOWNSTATE			
	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*	TOTAL	WHITE	NEGRO	OTHER*
BOTH SEXES:												
FETAL DEATHS	1954	1276	654	24	804	299	493	12	1150	977	161	12
DEATHS UNDER 1 WEEK OF AGE	1926	1254	657	15	766	275	494	7	1160	979	173	8
TOTAL	3880	2530	1311	39	1570	574	977	19	2310	1956	334	20
LIVE BIRTHS AND FETAL DEATHS	171202	131870	36501	2831	54823	26808	26517	1498	116379	105062	9984	1333
RATIO*	22.7	19.2	35.9	13.8	28.6	21.4	36.8	12.7	19.8	18.6	33.5	15.0
MALE:												
FETAL DEATHS	1015	676	327	12	406	154	246	6	609	522	81	6
DEATHS UNDER 1 WEEK OF AGE	1090	722	363	5	426	155	270	1	664	567	93	4
TOTAL	2105	1398	690	17	832	309	516	7	1273	1089	174	10
LIVE BIRTHS AND FETAL DEATHS	87908	67798	18632	1478	28132	13806	13554	772	59776	53992	5078	706
RATIO*	25.9	20.6	37.0	11.5	29.6	22.4	38.1	9.1	21.3	20.2	34.3	14.2
FEMALE:												
FETAL DEATHS	939	600	327	12	398	145	247	6	541	455	80	6
DEATHS UNDER 1 WEEK OF AGE	836	532	294	10	340	120	214	6	496	412	80	4
TOTAL	1775	1132	621	22	738	265	461	12	1037	867	160	10
LIVE BIRTHS AND FETAL DEATHS	85294	64072	17869	1353	26691	13002	12963	726	56603	51070	4906	627
RATIO*	21.3	17.7	34.8	16.3	27.6	20.4	35.6	16.5	18.3	17.0	32.6	15.9

PERINATAL MORTALITY RATIO IS 1,000 TIMES (FETAL DEATHS OF 20 WEEKS GESTATION AND OVER PLUS DEATHS UNDER 1 WEEK OF AGE) DIVIDED BY (LIVE BIRTHS PLUS FETAL DEATHS OF 20 WEEKS* GESTATION AND OVER). SEE TABLE A FOR LIVE BIRTHS.

*OTHER COLUMNS FOR BOTH SEXES INCLUDES FETAL DEATHS WHOSE SEX OR RACE ARE UNKNOWN.

TABLE D. -- LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1975
(SEE FOOTNOTE)

CAUSE	INFANT	NEONATAL			POST NEONATAL
	UNDER 1 YEAR	TOTAL	UNDER 7 DAYS	7 TO 27 DAYS	28 DAYS & OVER
All Causes	3,107	2,221	1,926	295	886
1. Asphyxia, unspecified 776.9	467	460	446	15	7
2. Congenital anomalies 740-759	460	307	218	89	153
a. Heart (746)	(167)	(102)	(65)	(37)	(65)
b. Nervous System (740-743)	(111)	(84)	(64)	(20)	(27)
3. Deaths from unknown causes 795.0-796.9	390	33	8	25	357
a. Sudden Infant Death Syndrome (795.0)	(372)	(28)	(3)	(25)	(344)
4. Immaturity, unqualified 777	246	242	239	3	4
5. Hyaline membrane disease 776.1	235	230	190	40	5
6. Respiratory Distress Syndrome 776.2	228	219	192	27	9
7. Member of multiple pregnancy 769.4	214	211	201	10	3
8. Influenza and pneumonia 740-474, 480-486	135	51	39	12	84
9. Birth injury 764.0-764.3, 765.0-765.3, 766.0-766.3, 767.0-767.3, 768.0-768.3, 772	84	77	65	12	7
10. Accidents E800-E949	65	3	1	2	62
a. Falls (E880-E887)	(16)	-	-	-	(16)
b. Fire and Flames (E890-E899)	(13)	-	-	-	(13)
c. Motor Vehicle (E800-E823)	(12)	(2)	-	(2)	(10)
d. Suffocation from food (E911)	(8)	-	-	-	(8)
e. Suffocation in bed (E913.0)	(8)	-	-	-	(8)

Numbers are from the 8th Revision of the International Classification of Diseases (ICDA)

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1975
(RATES ARE PER 100,000 ESTIMATED POPULATION AS OF JULY 1, 1975)

WHITE				NONWHITE			
CAUSE	NUMBER	RATE	PERCENT	CAUSE	NUMBER	RATE	PERCENT
ALL CAUSES	89,559	950.2	100.0	ALL CAUSES	15,607	697.1	100.0
1. HEART DISEASE	58,519	400.2	45.0	1. HEART DISEASE	9,544	299.1	55.5
2. MALIGNANT NEOPLASMS	17,754	184.4	19.8	2. MALIGNANT NEOPLASMS	2,337	153.9	17.1
3. CEREBROVASCULAR DISEASE	8,884	92.3	9.5	3. CEREBROVASCULAR DISEASE	1,048	69.0	7.7
4. ACCIDENTS	4,099	42.6	4.6	4. ACCIDENTS	819	53.9	6.0
5. PNEUMONIA AND INFLUENZA	2,507	26.0	2.8	5. HOMICIDE	795	52.6	5.0
6. OTHER CIRCULATORY DISEASES	1,857	19.1	2.1	6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	780	51.3	5.7
7. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	1,643	17.1	1.8	7. PNEUMONIA AND INFLUENZA	460	30.3	3.4
8. DIABETES MELLITUS	1,537	16.0	1.7	8. CIRRHOSIS OF LIVER	366	24.1	2.7
9. CIRRHOSIS OF LIVER	1,370	14.2	1.5	9. DIABETES MELLITUS	248	16.3	1.8
10. GENERAL ARTERIOSCLEROSIS	1,355	14.1	1.5	10. OTHER CIRCULATORY DISEASES	226	14.9	1.7

TABLE F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1975

AGE	TOTAL	HEART DISEASES									
		CHRONIC RHEU- MATIC	ARTERIO- SCLER- OTIC INCLUD- ING CORONARY	OTHER IS- CHEMIC HEART	ACUTE AND SUBACUTE BACTER- IAL ENDOCAR- DITIS	ACUTE MYOCAR- DITIS NOT SPECI- FIED AS RHEU- MATIC	ACUTE PERICAR- DITIS SPECI- FIED AS NONRHEU- MATIC	FUNC- TIONAL DISEASE	CONGES- TIVE HEART FAILURE	HYPER- TENSIVE	OTHER AND UNSPEC- IFIED
ALL AGES	43,063	655	38,912	10	35	25	6	572	317	764	1,767
UNDER 1 YEAR	21	--	1	--	--	2	--	10	3	--	5
1 - 4 YEARS	8	--	1	--	--	1	--	2	--	--	4
5 - 14 YEARS	13	4	--	--	1	1	--	2	--	--	5
15 - 24 YEARS	83	9	3	--	3	1	1	27	2	3	34
25 - 44 YEARS	1,057	55	751	1	2	4	--	39	5	27	173
45 - 54 YEARS	3,024	96	2,573	--	8	1	1	46	10	56	233
55 - 64 YEARS	6,664	147	5,832	2	10	3	1	123	41	108	397
65 - 74 YEARS	10,429	188	9,450	4	7	4	1	114	64	180	417
75 - 84 YEARS	13,249	121	12,320	2	4	5	2	126	103	233	333
85 & OVER	8,515	35	7,981	1	--	3	--	83	89	157	166

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE, ILLINOIS: 1975

AGE	TOTAL	SITE										
		BUCCAL CAVITY AND PHARYNX	STOMACH	DIGES- TIVE ORGANS EXCEPT STOMACH	BRON- CHUS, TRACH- EA, LUNG	OTHER SITES, RESPIR- ATORY SYSTEM*	BREAST	GENITAL ORGANS	NERVOUS SYSTEM, INCL. BRAIN	OTHER AND UNSPEC- IFIED SITES	LEUKE- MIA & ALEUKE- MIA	OTHER LYM- PHATIC
ALL AGES	20,091	420	794	4,986	4,511	304	1,918	2,362	474	2,455	799	1,068
UNDER 1 YEAR	6	--	--	1	--	--	--	--	5	--	--	--
1 - 4 YEARS	34	--	--	--	--	--	--	--	11	4	15	4
5 - 14 YEARS	112	1	--	1	--	--	--	2	30	21	44	13
15 - 24 YEARS	147	2	1	8	1	1	--	26	9	37	33	29
25 - 44 YEARS	902	15	27	120	146	11	153	118	58	108	71	75
45 - 54 YEARS	2,569	84	81	445	750	41	374	248	82	256	56	152
55 - 64 YEARS	4,930	131	154	1,115	1,364	109	513	466	130	502	132	215
65 - 74 YEARS	5,732	117	237	1,525	1,422	81	426	641	115	691	187	290
75 - 84 YEARS	4,381	54	207	1,333	700	49	348	628	28	623	195	216
85 & OVER	1,378	17	87	438	128	12	104	233	6	213	66	74

* INCLUDES 45 DEATHS FROM NEOPLASMS OF RESPIRATORY SYSTEM, SPECIFIED AS SECONDARY.

TABLE H. -- RESIDENT DEATHS DUE TO CEREBROVASCULAR DISEASE,
ILLINOIS: 1975

AGE	TOTAL	TYPE OF VASCULAR LESION				
		SUBARACH- NOID HEMOR- RHAGE	CEREB- RAL HEMOR- RHAGE	CEREBRAL THROM- BOSIS	CEREB- RAL EMBOL- ISM	OTHER
ALL AGES .	9,932	445	1,800	2,904	34	4,749
UNDER 1 YEAR .	8	1	3	--	--	4
1 - 4 YEARS .	6	2	1	--	--	3
5 - 14 YEARS .	15	8	2	--	--	5
15 - 24 YEARS .	29	10	12	1	--	6
25 - 44 YEARS .	210	95	68	7	--	40
45 - 54 YEARS .	450	111	149	44	2	144
55 - 64 YEARS .	1,030	109	275	218	9	419
65 - 74 YEARS .	2,158	59	458	595	3	1,043
75 - 84 YEARS .	3,649	33	559	1,200	12	1,845
85 AND OVER .	2,377	17	273	839	8	1,240

TABLE I. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1975

		TRANSPORT ACCIDENTS											NON - TRANSPORT ACCIDENTS										
AGE	TOTAL	MOTOR VEHICLE								OTHER TRANSPORT			POI- SON- ING- S	FAL- LS	FIRE AND EXPLO- SION	ME- CHAN- ICAL SUFFO- CA- TION	DROW- NING	THER- MAL IN- JURY	THER- MAL DEATH	THER- MAL DEATH			
		COLLISION				NON-COLLISION				OTHER ROAD- VEHICLE	WATER TRAN- SPORT	AIR- CRAFT									RAIL- WAY		
		PED- ESTRI- AN	OTH- ER MOTOR VEHICLE	BI- CY- CLE	FI- XE- D VEHICLE	OTH- ER VEHICLE	OTH- ER VEHICLE	OTH- ER VEHICLE	OTH- ER VEHICLE														
NUMBER																							
ALL AGES	4918	388	816	89	45	382	1	281	115	29	15	48	49	52	507	827	364	14	152	301	428	15	
UNDER 1 YEAR . . .	65	--	6	--	--	2	--	1	2	1	--	--	--	--	--	16	13	--	21	--	3	--	
1 - 4 YEARS . . .	182	25	5	--	--	2	--	1	2	7	2	3	2	1	12	15	56	--	8	20	16	1	
5 - 14 YEARS . . .	351	83	30	10	22	9	--	9	2	2	3	9	5	5	6	13	36	2	12	63	30	--	
15 - 24 YEARS . . .	1249	50	290	31	11	157	1	143	43	4	3	16	8	9	196	33	21	7	13	114	96	3	
25 - 44 YEARS . . .	1133	73	228	27	7	114	--	85	26	8	3	10	20	13	182	69	58	4	33	58	113	2	
45 - 54 YEARS . . .	478	40	73	8	1	42	--	19	11	3	3	4	11	5	50	72	38	1	16	19	60	2	
55 - 64 YEARS . . .	422	27	76	5	2	31	--	15	10	2	1	2	2	9	37	88	37	--	14	13	49	2	
65 - 74 YEARS . . .	409	42	55	6	1	20	--	4	17	1	--	4	1	6	16	130	44	--	12	11	38	1	
75 - 84 YEARS . . .	402	15	43	2	1	4	--	4	2	1	--	--	--	4	6	212	44	--	20	2	18	4	
85 & OVER	227	13	6	--	--	1	--	--	--	--	--	--	--	--	2	179	17	--	3	1	5	--	
RATE*																							
ALL AGES	44.1	3.5	7.3	0.8	0.4	3.4	0.0	2.5	1.0	0.3	0.1	0.4	0.4	0.5	4.5	7.4	3.3	0.1	1.4	2.7	3.8	0.1	
UNDER 1 YEAR . . .	58.7	-0-	3.6	-0-	-0-	1.2	-0-	0.6	1.2	0.6	-0-	-0-	-0-	-0-	-0-	9.5	7.7	-0-	12.5	-0-	1.8	-0-	
1 - 4 YEARS . . .	25.4	3.5	1.3	-0-	-0-	0.3	-0-	0.1	0.3	1.0	0.3	0.4	0.3	0.1	1.7	2.1	7.8	-0-	1.1	2.8	2.2	0.1	
5 - 14 YEARS . . .	17.9	4.2	1.5	0.5	1.1	0.5	-0-	0.5	0.1	0.1	0.2	0.5	0.3	0.3	0.3	0.7	1.8	0.1	0.6	3.2	1.5	-0-	
15 - 24 YEARS . . .	51.6	2.3	13.4	1.4	0.5	7.2	0.0	6.6	2.0	0.2	0.1	0.7	0.4	0.4	9.0	1.5	1.0	0.3	0.6	5.3	4.4	0.1	
25 - 44 YEARS . . .	42.4	2.7	8.5	1.0	0.3	4.3	-0-	3.2	1.0	0.3	0.1	0.4	0.7	0.5	6.8	2.6	2.2	0.1	1.2	2.2	4.2	0.1	
45 - 54 YEARS . . .	52.8	3.3	6.1	0.7	0.1	3.5	-0-	1.6	0.9	0.3	0.3	0.3	0.9	0.4	4.2	6.0	3.2	0.1	1.3	1.6	5.0	0.2	
55 - 64 YEARS . . .	31.9	2.4	6.8	0.4	0.2	2.8	-0-	1.3	0.9	0.2	0.1	0.2	0.2	0.8	3.3	7.9	3.3	-0-	1.3	1.2	4.4	0.2	
65 - 74 YEARS . . .	59.0	6.1	7.9	0.9	0.1	2.9	-0-	0.6	2.5	0.1	-0-	0.6	0.1	0.9	2.3	18.8	6.2	-0-	1.7	1.6	5.5	0.1	
75 - 84 YEARS . . .	112.6	9.0	12.0	0.6	0.3	1.1	-0-	1.1	0.6	0.3	-0-	-0-	-0-	-0-	1.7	59.4	12.3	-0-	5.6	0.6	5.0	1.1	
85 & OVER	258.9	13.7	6.2	-0-	-0-	1.1	-0-	-0-	-0-	-0-	-0-	-0-	-0-	-0-	2.1	188.4	17.9	-0-	3.2	1.1	5.3	-0-	

* DEATHS PER 100,000 POPULATION.

TABLE J. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1975

POPULATION CLASS	ALL ACCI- DENTS	MOTOR VEHICLE				NON-MOTOR VEHICLE							
		TOTAL	PEDES- TRIAN	OTHER VEHICLE	OTHER	OCCUPATIONAL		HOME			PUBLIC		
						FARM	NON- FARM	FIRE AND EX- PLOSION	FALLS	OTHER	DROWN- ING	FALLS	OTHER
NUMBER:													
ALL ACCIDENTS	4815	2270	404	945	941	7	290	575	413	621	275	164	470
METROPOLITAN COUNTIES:													
CITIES													
CHICAGO	1191	334	142	100	92	--	34	136	129	290	51	76	141
100,000 - 499,999	91	32	11	14	7	1	7	8	19	8	2	6	8
50,000 - 99,999	304	119	34	50	35	--	13	29	44	49	14	13	23
25,000 - 49,999	263	119	27	59	33	2	17	18	35	45	3	10	14
10,000 - 24,999	281	119	27	51	41	--	14	28	25	49	8	7	31
RURAL	1023	677	83	325	269	--	50	36	36	71	70	5	78
NONMETROPOLITAN COUNTIES:													
CITIES													
25,000 - 49,999	59	20	3	9	8	--	4	5	10	8	1	3	8
10,000 - 24,999	110	47	11	19	17	1	2	6	16	21	3	6	8
RURAL	1000	582	42	245	295	3	84	51	56	62	63	21	78
PLACE UNKNOWN*	493	241	24	73	144	--	25	8	43	18	60	17	81
RATE PER 100,000 POPULATION:													
ALL ACCIDENTS	43.2	20.5	3.6	8.5	8.4	0.1	2.2	2.9	3.7	5.6	2.5	1.5	4.2
METROPOLITAN COUNTIES:													
CITIES													
CHICAGO	37.6	10.6	4.5	3.2	2.9	-0-	1.1	4.3	4.1	9.2	1.6	2.4	4.5
100,000 - 499,999	32.7	11.5	3.9	5.0	2.5	0.4	2.5	2.9	6.8	2.9	0.7	2.2	2.9
50,000 - 99,999	26.3	10.3	2.9	4.3	3.0	-0-	1.1	2.5	3.8	4.2	1.2	1.1	2.0
25,000 - 49,999	18.3	8.3	1.9	4.1	2.3	0.1	1.2	1.3	2.4	3.1	0.2	0.7	1.0
10,000 - 24,999	25.2	10.7	2.4	4.6	3.7	-0-	1.3	2.5	2.2	4.4	0.7	0.6	2.8
RURAL	55.7	36.9	4.5	17.7	14.6	-0-	2.7	2.0	2.0	3.9	3.8	0.3	4.2
NONMETROPOLITAN COUNTIES:													
CITIES													
25,000 - 49,999	24.7	8.4	1.3	3.8	3.3	-0-	1.7	2.1	4.2	3.3	0.4	1.3	3.3
10,000 - 24,999	31.5	13.5	3.2	5.4	4.9	0.3	0.6	1.7	4.6	6.0	0.9	1.7	2.3
RURAL	63.2	36.8	2.7	15.5	18.6	0.2	5.3	3.2	3.5	3.9	4.0	1.3	4.9

*THESE ARE DEATHS OCCURRING IN ILLINOIS WITH PLACE OF INJURY EITHER NOT STATED OR REPORTED AS OUT-OF-STATE.

TABLE K. -- DEATHS AND RATES FROM THE PRINCIPAL DISEASES AFFECTING THE RESPIRATORY SYSTEM, ILLINOIS: 1950, 1955, 1960, 1965, 1970 and 1975

Disease	Number*	Number of Deaths 1975	Number of Deaths 1970	List Number**	Number of deaths				Deaths Per 100,000 Population					
					1965	1960	1955	1950	1975	1970	1965	1960	1955	1950
Tuberculosis of respiratory system	010-012	102	215	001-008	389	579	827	1,950	0.9	1.9	3.7	5.7	9.0	22.3
Cancer of respiratory system (TOTAL)	160-163	4,770	3,922	160-165	3,304	2,602	2,070	1,499	42.8	35.3	31.0	25.7	22.4	17.1
a. Bronchus, trachea & lung primary	(167)	(4,511)	(3,672)	(162)	(1,364)	(1,106)	(1,245)	(580)	(40.5)	(33.0)	(12.8)	(10.9)	(13.5)	(6.6)
Asthma	493	113	124	241	218	305	329	228	1.0	1.1	2.0	3.0	3.6	2.6
Acute upper respiratory	480-465	26	29	470-475	23	38	34	70	0.2	0.3	0.2	0.4	0.4	0.8
Influenza	470-474	191	97	480-483	80	170	66	126	1.7	0.9	0.8	1.7	0.7	1.4
Pneumonia, all ages	480-486	2,776	3,360	490-493	3,837	4,003	3,300	2,340	24.9	30.2	36.0	39.6	35.0	26.7
a. Pneumonia, 4 weeks +		(2,725)	(3,234)		(3,531)	(3,750)	(3,047)	(2,197)	(24.5)	(29.1)	(33.1)	(37.1)	(32.3)	(25.1)
b. Pneumonia, under 4 weeks		(51)	(126)	763	(306)	(253)	(253)	(143)	(0.4)	(1.1)	(2.9)	(2.5)	(2.7)	(1.6)
Bronchitis, acute and chronic	466, 490-491	390	314	500-501 502.1	184	182	204	163	3.5	2.8	1.7	1.8	2.3	1.9
Bronchiectasis	518	35	60	526	79	104	87	98	0.3	0.5	0.7	1.0	0.9	1.1
Emphysema (TOTAL)	492	1,172	1,199	991	467	161	63	10.5	10.8	9.3	4.6	1.7	0.7	0.2
a. with bronchitis	(Not tabulated)			502.0	132	66	13	18		1.2	0.7	0.1		
b. other	492	1,172	1,199	527.1	859	401	148	45	10.5	10.8	8.1	4.0	1.6	0.5
Other respiratory	500-517 519	731	485	510-525 527.0 527.2	322	308	293	235	6.6	4.4	3.0	3.0	3.2	2.7

*International Classification of Diseases, 1965 Revision
**International Classification of Diseases, 1955 Revision

TABLE L. --- MARITAL STATUS OF BRIDE AND GROOM AT TIME OF MARRIAGE
ILLINOIS: 1975

Bride	Groom					
	Total	Never Married	Widowed	Divorced	Annulled	Unknown
TOTAL	111,459	75,093	4,445	30,099	131	1,691
Never Married	76,603	65,522	586	10,157	63	275
Widowed	4,882	743	2,107	2,009	4	19
Divorced	27,997	8,417	1,727	17,679	53	121
Annulled	141	68	13	49	9	2
Unknown	1,836	343	12	205	2	1,274

TABLE M. --- DIVORCES AND ANNULMENTS CLASSIFIED BY THE
DURATION OF MARRIAGE, ILLINOIS: 1975

Years Married	Divorces	Annulments
TOTAL	50,452	502
Under 1 Year	2,509	254
1 Year	2,286	66
2 Years	5,124	59
3 Years	4,953	32
4 Years	4,337	19
Under 5 Years	19,209	430
5 Years	3,775	14
6 Years	3,225	6
7 Years	2,715	9
8 Years	2,235	8
9 Years	1,933	3
5-9 Years	13,883	40
10-14 Years	6,746	18
15-19 Years	4,133	6
20-24 Years	2,867	2
25-29 Years	1,889	1
30-34 Years	818	—
35-39 Years	299	—
40-44 Years	128	—
45-49 Years	45	—
50 Years and Over	20	—
Unknown Years	415	5

TABLE N. --- MARRIAGES, DIVORCES AND ANNULMENTS OCCURRING IN
ILLINOIS: 1958 to 1975
(Rates are per 1,000 Population Estimated as of July 1)

Year	Marriages		Divorces and Annulments			
	Number	Rate	Total	Rate	Divorces	Annulments
1958	83,400	8.5	20,870	2.1	20,719	151
1959	87,281	8.8	22,700	2.3	22,566	134
1960	88,029	8.7	21,870	2.2	21,652	218
1961	88,692	8.6	25,973	2.5	25,712	261
1962	87,645	8.5	18,820*	1.8	18,634	186
1963	93,240	9.0	20,785*	2.0	20,519	246
1964	97,171	9.2	21,283*	2.0	21,050	233
1965	100,978	9.5	24,654	2.3	24,326	328
1966	102,622	9.6	27,862	2.6	27,488	374
1967	106,295	9.7	28,473	2.6	28,147	326
1968	112,449	10.2	32,119	2.9	31,713	406
1969	116,532	10.5	35,974	3.3	35,558	416
1970	115,478	10.4	36,450	3.3	36,054	396
1971	115,826	10.3	40,136	3.6	39,753	383
1972	118,592	10.5	43,092	3.8	42,628	464
1973	119,843	10.7	45,152	4.0	44,671	481
1974	116,419	10.5	48,361	4.3	47,878	483
1975	111,459	10.0	50,954	4.6	50,452	502

*Reporting known to be incomplete

TABLE O. — MARRIAGES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1975

Female Age Group	Male Age Group													
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un-known
TOTAL	11,459	9	9,248	42,943	26,160	11,424	6,533	4,447	3,693	2,798	1,824	1,306	1,969	105
Under 15 years	13	1	5	4	1	—	1	—	—	1	—	—	—	—
15-19 years	24,450	—	7,591	14,044	2,183	415	116	46	16	10	2	1	2	24
20-24 years	44,038	4	1,489	25,713	12,574	2,879	819	296	135	51	29	6	7	36
25-29 years	18,119	—	108	2,531	8,074	4,328	1,820	723	328	126	42	14	14	12
30-34 years	8,403	—	27	436	1,711	2,591	1,793	980	498	227	86	23	26	5
35-39 years	4,863	1	9	121	433	850	1,210	1,005	702	329	129	44	23	7
40-44 years	3,460	—	2	42	115	259	524	832	821	510	219	83	48	5
45-49 years	2,709	—	1	15	35	66	180	385	758	635	358	150	120	6
50-54 years	2,012	—	—	1	14	21	48	133	314	613	430	282	154	2
55-59 years	1,387	2	—	1	6	4	12	36	87	211	368	347	312	1
60-64 years	920	1	—	—	—	3	3	4	22	58	123	255	450	1
65 + years	985	—	—	—	1	2	2	4	11	23	36	99	806	1
Unknown	100	—	16	35	13	6	5	3	1	5	2	2	7	5

TABLE P. — DIVORCES CLASSIFIED BY SEX AND AGE, ILLINOIS: 1975

Female Age Group	Male Age Group													
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65 + years	Un-known
TOTAL	50,452	26	352	7,113	11,974	8,967	6,124	4,387	3,465	2,438	1,278	692	667	2,969
Under 15 years	39	—	—	11	12	4	2	4	2	1	1	—	—	2
15-19 years	1,592	—	233	1,066	191	35	7	4	—	—	—	—	—	56
20-24 years	10,980	7	99	5,280	4,461	658	162	52	18	6	5	2	—	230
25-29 years	11,986	10	7	528	6,276	3,774	733	238	88	39	11	6	1	275
30-34 years	7,936	1	1	47	587	3,572	2,490	624	244	102	32	6	8	222
35-39 years	5,194	1	2	22	101	460	2,063	1,608	506	167	68	20	7	169
40-44 years	3,627	2	—	7	27	133	322	1,324	1,103	404	118	43	21	123
45-49 years	2,661	1	1	2	11	29	88	258	1,043	770	234	79	34	111
50-54 years	1,635	1	—	1	2	15	32	75	218	668	365	119	74	65
55-59 years	823	—	—	—	—	1	3	15	62	118	292	195	102	35
60-64 years	391	—	—	—	—	—	—	4	14	37	56	131	124	25
65 + years	306	—	—	—	—	—	—	1	4	11	18	39	209	24
Unknown	3,282	3	9	149	306	286	222	180	163	115	78	52	87	1,632

TABLE Q. — NUMBER OF PREVIOUS MARRIAGES OF BRIDE AND GROOM, ILLINOIS: 1975

Bride	Total	Groom										
		0	1	2	3	4	5	6	7	8	9+	Unknown Blank
TOTAL	111,459	75,126	29,909	4,557	734	150	36	7	2	1	1	936
0	76,636	65,559	10,128	814	81	12	3	—	—	1	—	38
1	28,033	8,645	16,597	2,302	338	65	11	4	1	—	—	70
2	4,742	742	2,571	1,177	192	40	13	2	1	—	—	4
3	806	89	403	192	96	18	6	1	—	—	—	1
4	149	14	59	43	21	9	2	—	—	—	—	1
5	34	4	12	6	5	5	1	—	—	—	—	—
6	11	1	5	4	—	1	—	—	—	—	—	—
7	3	—	2	—	1	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—	—	—
9+	—	—	—	—	—	—	—	—	—	—	—	—
Unknown-Blank	1,045	72	132	19	—	—	—	—	—	—	—	822

TABLE R.- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS,
WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1975
(LIVE BIRTH RATES AND DEATH RATES PER 1,000 ESTIMATED MIDEAR POPULATION. INFANT AND NEONATAL DEATH
RATES AND FETAL DEATH RATIOS PER 1,000 LIVE BIRTHS. MATERNAL DEATH RATES PER 10,000 LIVE BIRTHS)

Year	Estimated Population	Live Births		Deaths		Infant Deaths		Neonatal Deaths		Maternal Deaths		Fetal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Ratio
1975	11,145,000	169,248	15.2	103,168	9.3	3,107	18.4	2,221	13.1	28	1.7	1,954	11.6
1974	11,160,000	168,991	15.1	107,872	9.7	3,271	19.4	2,441	14.4	38	2.2	1,984	11.7
1973	11,176,000	168,992	15.1	110,269	9.8	3,388	20.1	2,551	15.1	23	1.3	2,161	12.8
1972	11,244,000	177,848	15.8	110,970	9.9	3,618	20.3	2,681	16.1	40	2.2	2,368	13.3
1971	11,182,000	195,311	17.5	109,491	9.8	4,107	21.0	3,084	15.8	51	2.6	2,644	13.5
1970	11,128,000	205,203	18.4	110,474	9.9	4,415	21.5	3,388	16.5	57	2.8	2,811	13.7
1969	11,039,000	195,699	17.7	111,107	10.1	4,387	22.4	3,342	17.1	65	3.3	2,858	13.8
1968	10,995,000	193,261	17.6	112,905	10.3	4,536	23.5	3,389	17.5	72	3.7	2,857	13.7
1967	10,947,000	195,644	17.8	110,030	10.1	4,611	23.6	3,386	17.3	84	4.3	2,755	14.1
1966	10,836,000	201,284	18.6	111,155	10.3	5,121	25.4	3,745	18.6	57	2.8	2,881	14.3
1965	10,893,000	208,063	19.5	108,138	10.1	5,339	26.7	3,890	18.7	69	3.3	3,096	14.9
1964	10,580,000	222,259	21.0	106,802	10.1	5,690	25.2	4,141	18.6	71	3.2	3,372	15.2
1963	10,402,000	224,787	21.6	107,761	10.4	5,372	23.9	3,981	17.7	70	3.1	3,335	14.8
1962	10,280,000	230,484	22.4	104,695	10.2	5,527	24.0	4,061	17.6	70	3.0	3,393	14.7
1961	10,130,000	237,051	23.4	101,696	10.0	5,767	24.3	4,209	17.8	61	2.6	3,472	14.6
1960	10,086,000	238,760	23.7	103,038	10.2	5,969	25.0	4,322	18.1	70	2.9	3,528	14.8
1959*	9,986,000	239,871	24.0	101,406	10.2	5,990	25.0	4,318	18.0	72	3.0	3,489	14.5
1958*	9,886,000	234,712	23.7	101,729	10.3	5,857	25.0	4,211	17.9	74	3.2	3,615	15.4
1957*	9,668,000	238,579	24.7	102,293	10.6	6,070	25.4	4,417	18.5	80	3.4	3,653	15.3
1956*	9,530,000	229,571	24.1	96,956	10.2	5,642	24.6	4,158	18.1	77	3.3	3,399	14.8
1955*	9,435,000	220,541	23.4	95,585	10.1	5,479	24.8	3,969	18.0	83	3.8	3,328	15.1
1954*	9,252,000	217,229	23.5	92,307	10.0	5,442	25.1	4,018	18.5	76	3.5	3,235	14.9
1953*	9,065,000	206,813	22.8	96,607	10.7	5,326	25.8	3,812	18.4	88	4.3	3,323	16.1
1952*	8,956,000	205,438	22.9	94,173	10.5	5,115	24.9	3,721	18.1	92	4.5	3,239	15.8
1951*	8,790,000	201,082	22.9	93,254	10.6	5,023	25.0	3,776	18.8	107	5.3	3,270	16.3
1950*	8,738,000	189,640	21.7	92,260	10.6	4,855	25.6	3,580	18.9	114	6.0	3,083	16.3
1949+	8,670,000	189,313	21.8	92,568	10.7	5,195	27.4	3,812	20.1	132	7.0	3,274	17.3
1948+	8,552,000	184,871	21.6	91,328	10.7	5,123	27.7	3,792	20.5	151	8.2	3,284	17.8
1947+	8,341,000	196,007	23.5	93,686	11.2	5,672	28.9	4,236	21.6	204	10.4	3,669	18.7
1946+	8,155,000	174,825	21.4	89,566	11.0	5,316	30.4	4,015	23.0	237	13.6	3,667	21.0
1945+	7,601,000	138,705	18.2	90,116	11.9	4,377	31.6	3,001	21.6	235	16.9	2,951	21.3
1944+	7,719,000	142,005	18.4	88,180	11.4	4,602	32.4	3,107	21.9	254	17.9	3,158	22.2
1943+	7,761,000	155,735	20.1	92,058	11.9	5,184	33.3	3,474	22.3	320	20.5	3,470	22.3
1942+	8,057,000	156,232	19.4	87,777	10.9	5,170	33.1	3,613	23.1	326	20.9	3,445	22.1
1941+	7,995,000	136,159	17.0	86,582	10.8	4,661	34.2	3,215	23.6	340	25.0	3,186	23.4
1940+	7,905,000	124,615	15.8	89,099	11.3	4,398	35.3	3,004	24.1	369	29.6	3,152	25.3
1939++	7,890,000	117,841	14.9	86,994	11.0	4,474	38.0	3,011	25.6	370	31.4	2,978	25.3
1938++	7,866,000	122,562	15.6	84,769	10.8	5,016	40.9	3,244	26.5	412	33.6	3,207	26.1
1937++	7,857,000	115,282	14.7	87,739	11.2	4,967	43.1	3,208	27.8	450	39.0	3,058	26.5
1936++	7,840,000	112,167	14.3	92,806	11.6	5,246	46.8	3,315	29.6	500	44.6	3,099	27.6
1935++	7,797,000	111,884	14.3	85,518	11.0	5,138	45.9	3,380	30.2	555	49.6	3,308	29.6
1934++	7,772,000	110,226	14.2	87,205	11.2	5,825	52.8	3,633	33.0	568	51.5	3,333	30.2
1933++	7,768,000	107,910	13.9	82,513	10.6	5,284	49.0	3,402	31.5	537	49.8	3,219	29.8
1932++	7,736,000	111,512	14.4	83,180	10.8	5,884	52.8	3,639	32.6	625	56.0	3,446	30.9
1931++	7,687,000	118,788	15.5	85,788	11.2	6,961	58.6	4,067	34.2	659	55.5	4,080	34.3
1930++	7,644,000	128,121	16.8	83,591	10.9	7,152	55.8	4,356	34.0	699	54.6	4,311	33.6
1929++	7,606,000	128,633	16.9	87,788	11.5	7,901	61.4	4,751	36.9	874	67.9	4,452	34.6
1928++	7,576,000	129,667	17.1	90,195	11.9	8,326	64.2	4,760	36.7	743	57.3	4,677	36.1
1927++	7,519,000	133,662	17.8	82,849	11.0	8,605	64.4	4,989	37.3	743	55.6	4,693	35.1
1926++	7,395,000	133,939	18.1	85,331	11.5	9,294	69.4	5,043	37.7	871	65.0	4,879	36.4
1925++	7,306,000	135,437	18.5	81,593	11.2	9,822	72.5	5,156	38.1	789	58.3	4,885	36.1
1924++	7,215,000	137,118	19.0	77,133	10.7	9,734	71.0	5,475	39.9	844	61.6	5,290	38.6
1923++	7,068,000	131,920	18.7	81,753	11.6	10,809	81.9	5,467	41.4	846	64.1	5,157	39.0
1922++	6,958,000	134,050	19.3	75,771	10.9	10,195	76.1	5,438	40.6	847	63.2	4,826	36.0
1921++	6,858,000	n.a.	n.a.	73,424	10.7	10,674	n.a.	5,620	n.a.	944	n.a.	n.a.	n.a.
1920++	6,663,000	n.a.	n.a.	82,296	12.4	11,641	n.a.	5,584	n.a.	1,141	n.a.	n.a.	n.a.
1919++	6,392,000	n.a.	n.a.	77,256	12.1	11,148	n.a.	5,317	n.a.	960	n.a.	n.a.	n.a.
1918++	6,275,000	n.a.	n.a.	100,396	16.0	13,109	n.a.	5,897	n.a.	1,160	n.a.	n.a.	n.a.

* 1950 - 1975 Resident data from tabulations in the Illinois Department of Public Health.
(1953 - 1954 Maternal deaths from Vital Statistics of the United States)

+ 1940 - 1949. Resident data from Vital Statistics of the United States for each year.

++ 1918 - 1939. Occurrence data from United States Bureau of the Census publications.

n.a. (not available): Illinois was admitted to the United States Birth Registration Area in 1922.

Population estimates: United States Bureau of the Census Series P-25, Nos. 139, 304, 460, 520,
615 and P-26, Nos. 27, 78 and 128 (revised).

TABLE S. -- RESIDENT LIVE BIRTHS BY BIRTH WEIGHT, SEX AND COLOR,
ILLINOIS, CHICAGO, AND DOWNSTATE: 1975

(TOTAL LIVE BIRTH COLUMN INCLUDES WEIGHT NOT STATED)

	TOTAL LIVE BIRTHS	L I V E B I R T H S B Y W E I G H T									
		P R E M A T U R E					2501- 3000 GRAMS	3001- 3500 GRAMS	3501- 4000 GRAMS	4001- 4500 GRAMS	4501- AND OVER
		UNDER 1001 GRAMS	1001- 1500 GRAMS	1501- 2000 GRAMS	2001- 2250 GRAMS	2251- 2500 GRAMS					
ILLINOIS											
TOTAL . . .	169,248	1,145	1,184	2,499	2,655	5,611	30,122	63,608	46,155	13,651	2,530
WHITE . .	130,594	614	660	1,478	1,620	3,504	20,134	48,772	39,245	12,217	2,302
NONWHITE	38,654	531	524	1,021	1,035	2,107	9,988	14,836	6,910	1,434	228
MALE . . .	86,893	578	634	1,210	1,302	2,483	13,165	31,071	25,940	8,694	1,764
WHITE . .	67,122	315	354	726	816	1,555	8,677	23,399	21,854	7,787	1,612
NONWHITE	19,771	263	280	484	486	928	4,488	7,672	4,086	907	152
FEMALE . .	82,355	567	550	1,289	1,353	3,128	16,957	32,537	20,215	4,957	766
WHITE . .	63,472	299	306	752	804	1,949	11,457	25,373	17,391	4,430	690
NONWHITE	18,883	268	244	537	549	1,179	5,500	7,164	2,824	527	76
DOWNSTATE											
TOTAL . . .	115,229	619	626	1,440	1,537	3,308	18,384	42,839	33,863	10,553	1,995
WHITE . .	104,085	479	511	1,160	1,269	2,730	15,562	38,526	31,810	10,077	1,921
NONWHITE	11,144	140	115	280	268	578	2,822	4,313	2,053	476	74
MALE . . .	59,167	310	345	703	761	1,471	7,974	20,595	18,883	6,702	1,390
WHITE . .	53,470	243	282	571	632	1,211	6,676	18,429	17,648	6,412	1,345
NONWHITE	5,697	67	63	132	129	260	1,298	2,166	1,235	290	45
FEMALE . .	56,062	309	281	737	776	1,837	10,410	22,244	14,980	3,851	605
WHITE . .	50,615	236	229	589	637	1,519	8,886	20,097	14,162	3,665	576
NONWHITE	5,447	73	52	148	139	318	1,524	2,147	818	186	29
CHICAGO											
TOTAL . . .	54,019	526	558	1,059	1,118	2,303	11,738	20,769	12,292	3,098	535
WHITE . .	26,509	135	149	318	351	774	4,572	10,246	7,435	2,140	381
NONWHITE	27,510	391	409	741	767	1,529	7,166	10,523	4,857	958	154
MALE . . .	27,726	268	289	507	541	1,012	5,191	10,476	7,057	1,992	374
WHITE . .	13,652	72	72	155	184	344	2,001	4,970	4,206	1,375	267
NONWHITE	14,074	196	217	352	357	668	3,190	5,506	2,851	617	107
FEMALE . .	26,293	258	269	552	577	1,291	6,547	10,293	5,235	1,106	161
WHITE . .	12,857	63	77	163	167	430	2,571	5,276	3,229	765	114
NONWHITE	13,436	195	192	389	410	861	3,976	5,017	2,006	341	47

TABLE T. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	103,166	3,581	718	2,640	5,797	24,905	50,054	15,471
WHITE	89,539	2,254	546	1,961	3,889	20,725	45,470	14,694
NONWHITE	13,627	1,327	172	679	1,908	4,180	4,584	777
1. HEART DISEASE	43,063	29	13	83	1,057	9,698	23,678	8,515
WHITE	38,519	19	8	51	676	8,118	21,575	8,072
NONWHITE	4,544	10	5	32	381	1,570	2,103	443
A. ARTERIOSCLEROTIC	36,912	2	--	3	751	8,405	21,770	7,981
WHITE	35,436	2	--	2	528	7,241	20,071	7,592
NONWHITE	3,476	--	--	1	223	1,164	1,699	389
B. OTHER	4,151	27	13	80	306	1,283	1,908	534
WHITE	3,083	17	8	49	148	877	1,504	480
NONWHITE	1,068	10	5	31	158	406	404	54
2. MALIGNANT NEOPLASMS	20,091	40	112	147	902	7,399	10,113	1,378
WHITE	17,754	32	93	125	715	6,335	9,151	1,305
NONWHITE	2,337	8	19	24	187	1,064	962	73
3. CEREBROVASCULAR DISEASE	9,932	14	15	29	210	1,480	5,807	2,377
WHITE	8,884	8	10	22	138	1,155	5,274	2,277
NONWHITE	1,048	6	5	7	72	325	533	100
4. ACCIDENTS	4,918	247	351	1,249	1,133	909	811	227
WHITE	4,099	145	262	1,086	880	754	755	217
NONWHITE	819	102	89	163	253	146	56	10
A. MOTOR VEHICLE	2,146	58	167	730	568	365	238	20
WHITE	1,927	45	132	699	494	313	224	20
NONWHITE	219	13	35	31	74	52	14	--
B. OTHER	2,772	189	184	519	565	535	573	207
WHITE	2,172	100	130	387	386	441	531	197
NONWHITE	600	89	54	132	179	94	42	10
5. PNEUMONIA AND INFLUENZA	2,967	166	16	51	138	481	1,414	701
WHITE	2,597	97	13	42	70	365	1,261	659
NONWHITE	460	69	3	9	68	116	153	42
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	2,423	2,256	41	35	24	38	28	1
WHITE	1,643	1,496	35	33	20	35	24	--
NONWHITE	780	760	6	2	4	3	4	1
7. OTHER CIRCULATORY DISEASES	2,063	2	2	22	87	460	1,183	307
WHITE	1,837	2	2	16	58	386	1,085	288
NONWHITE	226	--	--	6	29	74	98	19
8. DIABETES MELLITUS	1,785	--	4	7	76	408	1,086	204
WHITE	1,537	--	4	4	58	326	954	191
NONWHITE	248	--	--	3	18	82	132	13
9. CIRRHOSIS OF LIVER	1,736	2	--	10	346	970	395	13
WHITE	1,370	2	--	4	197	800	354	13
NONWHITE	366	--	--	6	149	170	41	--
10. GENERAL ARTERIOSCLEROSIS	1,427	--	--	--	4	81	727	615
WHITE	1,355	--	--	--	3	71	686	595
NONWHITE	72	--	--	--	1	10	41	20
11. HOMICIDE	1,315	25	20	397	560	246	59	8
WHITE	516	6	9	136	198	120	40	7
NONWHITE	799	19	11	261	362	126	19	1
12. EMPHYSEMA	1,172	1	--	--	14	284	798	75
WHITE	1,112	1	--	--	12	252	773	74
NONWHITE	60	--	--	--	2	32	25	1

TABLE T. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	34,125	1,477	197	1,970	2,604	9,227	15,000	3,850
WHITE.	23,549	503	80	433	1,033	5,896	12,298	3,306
NONWHITE.	10,576	974	117	537	1,571	3,331	3,502	544
1. HEART DISEASE.	14,687	12	5	45	532	3,817	7,955	2,321
WHITE.	11,079	4	2	21	211	2,542	6,299	2,600
NONWHITE.	3,608	8	3	24	321	1,275	1,656	321
A. ARTERIOSCLEROTIC.	12,820	--	--	1	342	3,153	7,162	2,162
WHITE.	10,117	--	--	--	154	2,227	5,853	1,883
NONWHITE.	2,703	--	--	1	188	926	1,309	279
B. OTHER.	1,867	12	5	44	190	664	793	159
WHITE.	962	4	2	21	57	315	446	117
NONWHITE.	905	8	3	23	133	349	347	42
2. MALIGNANT NEOPLASMS.	6,283	14	27	40	286	2,442	3,138	336
WHITE.	4,456	7	13	22	136	1,613	2,417	288
NONWHITE.	1,787	7	14	18	150	829	721	48
3. CEREBROVASCULAR DISEASE.	2,721	6	4	11	91	549	1,596	464
WHITE.	1,950	--	1	7	35	280	1,221	406
NONWHITE.	771	6	3	4	56	269	375	58
4. ACCIDENTS.	1,368	99	89	303	374	264	210	29
WHITE.	761	23	35	177	171	158	174	23
NONWHITE.	607	76	54	126	203	106	36	6
A. MOTOR VEHICLE.	389	14	38	80	116	79	56	6
WHITE.	238	5	16	59	62	42	48	6
NONWHITE.	151	9	22	21	54	37	8	--
B. OTHER.	979	85	51	223	258	185	154	23
WHITE.	523	18	19	118	109	116	126	17
NONWHITE.	456	67	32	105	149	69	28	6
5. PNEUMONIA AND INFLUENZA.	1,041	67	4	19	79	206	469	197
WHITE.	672	19	3	11	24	110	344	161
NONWHITE.	369	48	1	8	55	96	125	36
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	928	874	14	9	7	13	10	1
WHITE.	366	330	8	7	4	12	7	--
NONWHITE.	560	544	6	2	3	1	3	1
7. OTHER CIRCULATORY DISEASES.	624	--	1	10	36	146	349	82
WHITE.	447	--	1	6	14	89	268	69
NONWHITE.	177	--	--	4	22	57	81	13
8. DIABETES MELLITUS.	608	--	2	6	30	146	362	62
WHITE.	418	--	2	3	16	86	260	51
NONWHITE.	190	--	--	3	14	60	102	11
9. CIRRHOSIS OF LIVER.	870	--	--	7	227	464	167	5
WHITE.	558	--	--	2	94	323	134	5
NONWHITE.	312	--	--	5	133	141	33	--
10. GENERAL ARTERIOSCLEROSIS.	268	--	--	--	--	16	164	88
WHITE.	233	--	--	--	--	13	142	78
NONWHITE.	35	--	--	--	--	3	22	10
11. HOMICIDE.	901	18	13	278	391	163	34	4
WHITE.	249	2	4	67	95	60	17	4
NONWHITE.	652	16	9	211	296	103	17	--
12. EMPHYSEMA.	254	--	--	--	2	81	156	15
WHITE.	214	--	--	--	--	60	139	15
NONWHITE.	40	--	--	--	2	21	17	--

TABLE T. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	69,041	2,104	521	1,670	3,193	15,678	34,254	11,621
WHITE.	65,990	1,751	466	1,528	2,856	14,829	33,172	11,388
NONWHITE.	3,051	353	55	142	337	949	1,082	233
1. HEART DISEASE.	28,376	17	8	38	525	5,871	15,723	6,194
WHITE.	27,440	15	6	30	465	5,576	15,276	6,072
NONWHITE.	936	2	2	8	60	295	447	122
A. ARTERIOSCLEROTIC.	26,092	2	--	2	409	5,252	14,608	5,819
WHITE.	25,319	2	--	2	374	5,014	14,218	5,709
NONWHITE.	773	--	--	--	35	238	390	110
B. OTHER.	2,284	15	8	36	116	619	1,115	375
WHITE.	2,121	13	6	28	91	562	1,058	363
NONWHITE.	163	2	2	8	25	57	57	12
2. MALIGNANT NEOPLASMS.	13,808	26	85	107	616	4,957	6,975	1,042
WHITE.	13,258	25	80	101	579	4,722	6,734	1,017
NONWHITE.	550	1	5	6	37	235	241	25
3. CEREBROVASCULAR DISEASE.	7,211	8	11	18	119	931	4,211	1,913
WHITE.	6,934	8	9	15	103	875	4,053	1,871
NONWHITE.	277	--	2	3	16	56	158	42
4. ACCIDENTS.	3,550	148	262	946	759	636	601	198
WHITE.	3,338	122	227	909	709	596	581	194
NONWHITE.	212	26	35	37	50	40	20	4
A. MOTOR VEHICLE.	1,757	44	129	650	452	286	182	14
WHITE.	1,689	40	116	640	432	271	176	14
NONWHITE.	68	4	13	10	20	15	6	--
B. OTHER.	1,793	104	133	296	307	350	419	184
WHITE.	1,649	82	111	269	277	325	405	180
NONWHITE.	144	22	22	27	30	25	14	4
5. PNEUMONIA AND INFLUENZA.	1,926	99	12	32	59	275	945	504
WHITE.	1,835	78	10	31	46	255	917	498
NONWHITE.	91	21	2	1	13	20	28	6
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	1,495	1,382	27	26	17	25	18	--
WHITE.	1,275	1,166	27	26	16	23	17	--
NONWHITE.	220	216	--	--	1	2	1	--
7. OTHER CIRCULATORY DISEASES.	1,439	2	1	12	51	314	834	225
WHITE.	1,390	2	1	10	44	297	817	219
NONWHITE.	49	--	--	2	7	17	17	6
8. DIABETES MELLITUS.	1,177	--	2	1	46	262	724	142
WHITE.	1,119	--	2	1	42	240	694	140
NONWHITE.	58	--	--	--	4	22	30	2
9. CIRRHOSIS OF LIVER.	866	2	--	3	119	506	228	8
WHITE.	812	2	--	2	103	477	220	8
NONWHITE.	54	--	--	1	16	29	8	--
10. GENERAL ARTERIOSCLEROSIS.	1,159	--	--	--	4	65	563	527
WHITE.	1,122	--	--	--	3	58	544	517
NONWHITE.	37	--	--	--	1	7	19	10
11. HOMICIDE.	414	7	7	119	169	83	25	4
WHITE.	267	4	5	69	103	60	23	3
NONWHITE.	147	3	2	50	66	23	2	1
12. EMPHYSEMA.	918	1	--	--	12	203	642	60
WHITE.	898	1	--	--	12	192	634	59
NONWHITE.	20	--	--	--	--	11	8	1

TABLE U. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1975)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
ILLINOIS, ALL CAUSES	925.7	405.1	36.6	121.7	217.1	1,077.2	4,767.0	16,265.3
WHITE	930.2	310.0	33.7	105.4	169.8	1,002.2	4,673.2	16,697.7
NONWHITE	897.1	845.2	49.9	219.7	502.1	1,713.1	5,953.2	11,100.0
1. HEART DISEASE	386.4	3.3	0.7	3.8	39.6	419.0	2,255.0	8,963.2
WHITE	400.2	2.6	0.5	2.7	29.5	392.6	2,217.4	9,172.7
NONWHITE	299.1	6.4	1.4	10.4	100.3	643.4	2,731.2	6,328.6
A. ARTERIOSCLEROTIC	349.1	0.2	-0-	0.1	28.1	363.5	2,073.3	8,401.1
WHITE	368.1	0.3	-0-	0.1	23.1	350.1	2,062.8	8,627.3
NONWHITE	228.8	-0-	-0-	0.3	58.7	477.0	2,206.5	5,557.1
B. OTHER	37.2	3.1	0.7	3.7	11.5	55.5	181.7	562.1
WHITE	32.0	2.3	0.5	2.6	6.5	42.4	154.6	545.5
NONWHITE	70.3	6.4	1.4	10.0	41.6	166.4	524.7	771.4
2. MALIGNANT NEOPLASMS	180.3	4.5	5.7	6.8	33.8	320.0	963.1	1,450.5
WHITE	184.4	4.4	5.7	6.6	31.2	306.3	940.5	1,483.0
NONWHITE	153.9	5.1	5.5	7.8	49.2	436.1	1,249.4	1,042.9
3. CEREBROVASCULAR DISEASE	89.1	1.6	0.8	1.3	7.9	64.0	553.0	2,502.1
WHITE	92.3	1.1	0.6	1.2	6.0	55.9	542.0	2,587.5
NONWHITE	69.0	3.8	1.4	2.3	18.9	133.2	692.2	1,428.6
4. ACCIDENTS	44.1	27.9	17.9	57.6	42.4	38.9	77.2	238.9
WHITE	42.6	19.9	16.2	58.4	38.4	36.5	77.6	246.6
NONWHITE	53.9	65.0	25.8	52.8	66.6	59.8	72.7	142.9
A. MOTOR VEHICLE	19.3	6.6	8.5	33.0	21.3	15.8	22.7	21.1
WHITE	20.0	6.2	8.2	37.6	21.6	15.1	23.0	22.7
NONWHITE	14.4	8.3	10.1	10.0	19.5	21.3	18.2	-0-
B. OTHER	24.9	21.4	9.4	23.9	21.2	23.1	54.6	217.9
WHITE	22.6	13.8	8.0	20.8	16.9	21.3	54.6	223.9
NONWHITE	39.5	56.7	15.7	42.7	47.1	38.5	54.5	142.9
5. PNEUMONIA AND INFLUENZA	26.6	18.8	0.8	2.4	5.2	20.8	134.7	737.9
WHITE	26.0	13.3	0.8	2.3	3.1	17.6	129.6	748.9
NONWHITE	30.3	43.9	0.9	2.9	17.9	47.5	198.7	600.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY	21.7	255.2	2.1	1.6	0.9	1.6	2.7	1.1
WHITE	17.1	205.8	2.2	1.8	0.9	1.7	2.5	-0-
NONWHITE	51.3	484.1	1.7	0.6	1.1	1.2	5.2	14.3
7. OTHER CIRCULATORY DISEASES	18.5	0.2	0.1	1.0	3.3	19.9	112.7	323.2
WHITE	15.1	0.3	0.1	0.9	2.5	18.7	111.5	327.3
NONWHITE	14.9	-0-	-0-	1.9	7.6	30.3	127.3	271.4
8. DIABETES MELLITUS	16.0	-0-	0.2	0.3	2.8	17.6	103.4	214.7
WHITE	16.0	-0-	0.2	0.2	2.5	15.8	98.0	217.0
NONWHITE	16.3	-0-	-0-	1.0	4.7	33.6	171.4	185.7
9. CIRRHOSIS OF LIVER	15.6	0.2	-0-	0.5	13.0	42.0	37.6	13.7
WHITE	14.2	0.3	-0-	0.2	8.6	38.7	36.4	14.8
NONWHITE	24.1	-0-	-0-	1.9	39.2	69.7	53.2	-0-
10. GENERAL ARTERIOSCLEROSIS	12.8	-0-	-0-	-0-	0.1	3.5	69.2	647.4
WHITE	14.1	-0-	-0-	-0-	0.1	3.4	70.5	676.1
NONWHITE	4.7	-0-	-0-	-0-	0.3	4.1	53.2	285.7
11. HOMICIDE	11.6	2.8	1.0	18.3	21.0	10.6	5.6	8.4
WHITE	5.4	0.8	0.6	7.3	8.6	5.8	4.1	8.0
NONWHITE	52.6	12.1	3.2	84.5	95.3	51.6	24.7	14.3
12. EMPHYSEMA	10.5	0.1	-0-	-0-	0.5	12.3	76.0	78.9
WHITE	11.6	0.1	-0-	-0-	0.5	12.2	79.4	84.1
NONWHITE	3.9	-0-	-0-	-0-	0.5	13.1	32.5	14.3

TABLE U. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1975)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-84 YEARS	85 AND OVER
CHICAGO, ALL CAUSES.	1,083.3	612.9	37.2	164.4	338.2	1,347.0	5,096.8	15,400.0
WHITE.	1,173.9	386.9	29.5	120.3	218.4	1,186.3	4,822.7	16,530.0
NONWHITE	924.5	877.5	45.3	233.5	529.0	1,771.8	6,367.3	10,880.0
1. HEART DISEASE.	466.3	5.0	0.9	7.6	69.1	557.2	2,566.1	9,284.0
WHITE.	552.3	3.1	0.7	5.8	44.6	511.5	2,470.2	10,000.0
NONWHITE	315.4	7.2	1.2	10.4	108.1	678.2	3,010.9	6,420.0
A. ARTERIOSCLEROTIC.	407.0	-0-	-0-	0.2	44.4	460.3	2,310.3	8,648.0
WHITE.	504.3	-0-	-0-	-0-	32.6	448.1	2,295.3	9,415.0
NONWHITE	236.3	-0-	-0-	0.4	63.3	492.6	2,380.0	5,580.0
B. OTHER	59.3	5.0	0.9	7.5	24.7	96.9	255.8	636.0
WHITE.	48.0	3.1	0.7	5.8	12.1	63.4	174.9	585.0
NONWHITE	79.1	7.2	1.2	10.0	44.8	185.6	630.9	840.0
2. MALIGNANT NEOPLASMS.	199.5	5.8	5.1	6.8	37.1	356.5	1,012.3	1,344.0
WHITE.	224.1	5.4	4.8	6.1	28.8	324.5	947.8	1,440.0
NONWHITE	156.2	6.3	5.4	7.8	50.5	441.0	1,310.9	960.0
3. CEREBROVASCULAR DISEASE.	86.4	2.5	0.8	1.9	11.8	80.1	514.8	1,856.0
WHITE.	97.2	-0-	0.4	1.9	7.4	56.3	478.8	2,030.0
NONWHITE	67.4	5.4	1.2	1.7	18.9	143.1	681.8	1,160.0
4. ACCIDENTS.	43.4	41.1	16.8	51.4	48.6	38.5	67.7	116.0
WHITE.	37.9	17.7	12.9	49.2	36.2	31.8	68.2	115.0
NONWHITE	53.1	68.5	20.9	54.8	68.4	56.4	65.5	120.0
A. MOTOR VEHICLE	12.3	5.8	7.2	13.0	15.1	11.5	18.1	24.0
WHITE.	11.9	3.8	5.9	16.4	13.1	8.5	18.8	30.0
NONWHITE	13.2	8.1	8.5	9.1	18.2	19.7	14.5	-0-
B. OTHER	31.1	35.3	9.6	37.8	33.5	27.0	49.7	92.0
WHITE.	26.1	13.8	7.0	32.8	23.0	23.3	49.4	85.0
NONWHITE	39.9	60.4	12.4	45.7	50.2	36.7	50.9	120.0
5. PNEUMONIA AND INFLUENZA.	33.0	27.8	0.8	3.2	10.3	30.1	151.3	788.0
WHITE.	33.5	14.6	1.1	3.1	5.1	22.1	134.9	805.0
NONWHITE	32.3	43.2	0.4	3.5	18.5	51.1	227.3	720.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	29.5	362.7	2.6	1.5	0.9	1.9	3.2	4.0
WHITE.	18.3	253.8	3.0	1.9	0.8	2.4	2.7	-0-
NONWHITE	49.0	490.1	2.3	0.9	1.0	0.5	5.5	20.0
7. OTHER CIRCULATORY DISEASES	19.8	-0-	0.2	1.7	4.7	21.3	112.6	328.0
WHITE.	22.3	-0-	0.4	1.7	3.0	17.9	105.1	345.0
NONWHITE	15.5	-0-	-0-	1.7	7.4	30.3	147.3	260.0
8. DIABETES MELLITUS.	19.3	-0-	0.4	1.0	3.9	21.3	116.8	248.0
WHITE.	20.8	-0-	0.7	0.8	3.4	17.3	102.0	255.0
NONWHITE	16.6	-0-	-0-	1.3	4.7	31.9	185.5	220.0
9. CIRRHOSIS OF LIVER	27.6	-0-	-0-	1.2	29.5	67.7	53.9	20.0
WHITE.	27.8	-0-	-0-	0.6	19.9	65.0	52.5	25.0
NONWHITE	27.3	-0-	-0-	2.2	44.8	75.0	60.0	-0-
10. GENERAL ARTERIOSCLEROSIS	8.5	-0-	-0-	-0-	-0-	2.3	52.9	352.0
WHITE.	11.6	-0-	-0-	-0-	-0-	2.6	55.7	390.0
NONWHITE	3.1	-0-	-0-	-0-	-0-	1.6	40.0	200.0
11. HOMICIDE	28.6	7.5	2.5	47.1	50.8	23.8	11.0	16.0
WHITE.	12.4	1.5	1.5	18.6	20.1	12.1	6.7	20.0
NONWHITE	57.0	14.4	3.5	91.7	99.7	54.8	30.9	-0-
12. EMPHYSEMA.	8.1	-0-	-0-	-0-	0.3	11.8	50.3	60.0
WHITE.	10.7	-0-	-0-	-0-	-0-	12.1	54.5	75.0
NONWHITE	3.5	-0-	-0-	-0-	0.7	11.2	30.9	-0-

TABLE U. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1975--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1975)

CAUSE AND RACE	ALL AGES	0-4 YEARS	5-14 YEARS	15-24 YEARS	25-44 YEARS	45-64 YEARS	65-74 YEARS	85 AND OVER
DOWNSTATE, ALL CAUSES.	863.6	327.2	36.3	105.7	168.1	953.6	4,628.9	16,601.4
WHITE.	866.0	293.3	34.6	101.8	157.2	943.9	4,620.1	16,747.1
NONWHITE	813.6	767.4	63.2	179.7	406.0	1,516.1	4,918.2	11,650.0
1. HEART DISEASE.	354.9	2.6	0.6	2.4	27.6	360.8	2,124.7	8,848.6
WHITE.	360.1	2.5	0.4	2.0	25.6	354.9	2,127.6	8,929.4
NONWHITE	249.6	4.3	2.3	10.1	72.3	526.8	2,031.8	6,100.0
A. ARTERIOSCLEROTIC.	326.4	0.3	-0-	0.1	21.5	322.8	1,974.1	8,310.9
WHITE.	332.3	0.3	-0-	0.1	20.6	319.2	1,980.2	8,395.6
NONWHITE	206.1	-0-	-0-	-0-	42.2	425.0	1,772.7	5,500.0
B. OTHER.	28.6	2.3	0.6	2.3	6.1	38.0	150.7	535.7
WHITE.	27.8	2.2	0.4	1.9	5.0	35.8	147.4	533.8
NONWHITE	43.5	4.3	2.3	10.1	30.1	101.8	259.1	600.0
2. MALIGNANT NEOPLASMS.	172.7	4.0	5.9	6.6	32.4	304.7	942.6	1,488.6
WHITE.	174.0	4.2	5.9	6.7	31.9	300.6	937.9	1,495.6
NONWHITE	146.7	2.2	5.7	7.6	44.6	419.6	1,095.5	1,250.0
3. CEREBROVASCULAR DISEASE.	90.2	1.2	0.8	1.1	6.3	57.2	569.1	2,732.9
WHITE.	91.0	1.3	0.7	1.0	5.7	55.7	564.5	2,751.5
NONWHITE	73.9	-0-	2.3	3.8	19.3	100.0	718.2	2,100.0
4. ACCIDENTS.	44.4	23.0	18.3	59.9	39.9	39.1	81.2	282.9
WHITE.	43.8	20.4	16.8	60.6	39.0	37.9	80.9	285.3
NONWHITE	56.5	36.5	40.2	46.8	60.2	71.4	90.9	200.0
A. MOTOR VEHICLE.	22.0	6.8	9.0	41.1	23.8	17.6	24.6	20.0
WHITE.	22.2	6.7	8.6	42.6	23.8	17.3	24.5	20.6
NONWHITE	18.1	8.7	14.9	12.7	24.1	26.8	27.3	-0-
B. OTHER.	22.4	16.2	9.3	18.7	16.2	21.5	56.6	262.9
WHITE.	21.6	13.7	8.2	17.9	15.2	20.7	56.4	264.7
NONWHITE	38.4	47.8	25.3	34.2	36.1	44.6	63.6	200.0
5. PNEUMONIA AND INFLUENZA.	24.1	15.4	0.8	2.0	3.1	16.9	127.7	720.0
WHITE.	24.1	13.1	0.7	2.1	2.5	16.2	127.7	732.4
NONWHITE	24.3	45.7	2.3	1.3	15.7	35.7	127.3	300.0
6. CONGENITAL ANOMALIES AND DISEASES OF EARLY INFANCY.	18.7	214.9	1.9	1.6	0.9	1.5	2.4	-0-
WHITE.	16.7	195.3	2.0	1.7	0.9	1.5	2.4	-0-
NONWHITE	58.7	469.6	-0-	-0-	1.2	3.6	4.5	-0-
7. OTHER CIRCULATORY DISEASES.	16.0	0.3	0.1	0.8	2.7	19.3	112.7	321.4
WHITE.	18.2	0.3	0.1	0.7	2.4	18.9	113.8	322.1
NONWHITE	13.1	-0-	-0-	2.5	8.4	30.4	77.3	300.0
8. DIABETES MELLITUS.	14.7	-0-	0.1	0.1	2.4	16.1	97.8	202.9
WHITE.	14.7	-0-	0.1	0.1	2.3	15.3	96.7	205.9
NONWHITE	15.5	-0-	-0-	-0-	4.8	39.3	136.4	100.0
9. CIRRHOSIS OF LIVER.	10.8	0.3	-0-	0.2	6.3	31.1	30.8	11.4
WHITE.	10.7	0.3	-0-	0.1	5.7	30.4	30.6	11.8
NONWHITE	14.4	-0-	-0-	1.3	19.3	51.8	36.4	-0-
10. GENERAL ARTERIOSCLEROSIS.	14.5	-0-	-0-	-0-	0.2	4.0	76.1	752.9
WHITE.	14.7	-0-	-0-	-0-	0.2	3.7	75.8	760.3
NONWHITE	9.9	-0-	-0-	-0-	1.2	12.5	86.4	500.0
11. HOMICIDE.	5.2	1.1	0.5	7.5	8.9	5.1	3.4	5.7
WHITE.	3.5	0.7	0.4	4.6	5.7	3.8	3.2	4.4
NONWHITE	39.2	6.5	2.3	63.3	79.5	41.1	9.1	50.0
12. EMPHYSEMA.	11.5	0.2	-0-	-0-	0.6	12.5	86.8	85.7
WHITE.	11.8	0.2	-0-	-0-	0.7	12.2	88.3	86.8
NONWHITE	5.3	-0-	-0-	-0-	-0-	19.6	36.4	50.0

TABLE V — LEADING CAUSES OF DEATHS IN SELECTED AGE GROUPS, ILLINOIS: 1975
FOR AGES UNDER 1 YEAR SEE TABLE D.

Age 1 - 4 Years				Age 5 - 14 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		474		All Causes		718
1.	Accidents	E800-E949	182	1.	Accidents	E800-E949	351
	a. Motor vehicle	(E810-E823)	(48)		a. Motor vehicle	(E810-E823)	(187)
	b. Other	(Residue of E800-E949)	(136)		b. Other	(Residue of E800-E949)	(184)
2.	Congenital anomalies	740-759	55	2.	Malignant neoplasms	140-209	112
3.	Malignant neoplasms	140-209	34	3.	Congenital anomalies	740-759	40
4.	Influenza and Pneumonia	470-474, 480-486	31	4.	Homicide	E960-E978	20
5.	Homicide	E960-E978	18	5.	Influenza and pneumonia	470-474, 480-486	16
				6.	Cerebrovascular	430-438	15
				7.	Injury undetermined	E980-E989	15
					whether accidentally or purposely inflicted		
				8.	Heart disease	393-429	13
					(excl. of 400, 401, 403)		
				9.	Cystic fibrosis of pancreas	273.0	9
				10.	Suicide	E950-E959	8
Age 15 - 24 Years				Age 25 - 44 Years			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		2,640		All Causes		5,797
1.	Accidents	E800-E949	1,249	1.	Accidents	E800-E949	1,133
	a. Motor Vehicle	(E810-E823)	(730)		a. Motor vehicle	(E810-E823)	(568)
	b. Other	(Residue of E800-E823)	(519)		b. Other	(Residue of E800-E949)	(565)
2.	Homicide	E960-E978	397	2.	Heart disease	393-429	1,057
3.	Suicide	E950-E959	180		(excl. of 400, 401, 403)		
4.	Malignant neoplasms	140-209	147	3.	Malignant neoplasms	140-209	902
5.	Injury undetermined	E980-E989	100	4.	Homicide	E960-E978	560
	whether accidentally or purposely inflicted			5.	Suicide	E950-E959	357
6.	Heart disease	393-429	83	6.	Cirrhosis of Liver	571	346
	(excl. of 400, 401, 403)			7.	Cerebrovascular disease	430-438	210
7.	Influenza and pneumonia	470-474, 480-486	51	8.	Influenza and pneumonia	470-474, 480-486	138
8.	Drug dependence	304	41	9.	Injury undetermined	E980-E989	127
9.	Congenital anomalies	740-759	35		whether accidentally or purposely inflicted		
10.	Cerebrovascular disease	430-438	29	10.	Other circulatory disease	390-392, 441-458	87
Age 45-64 Years				Age 65 Years and Over			
Rank	Cause	8th Rev. No. ¹	No.	Rank	Cause	8th Rev. No. ¹	No.
	All Causes		24,905		All Causes		65,525
1.	Heart Disease	393-429	9,688	1.	Heart disease	393-429	32,193
	(excl. of 400, 401, 403)				(Excl. of 400, 401, 403)		
2.	Malignant neoplasms	140-209	7,399	2.	Malignant neoplasms	140-209	11,491
3.	Cerebrovascular disease	430-438	1,480	3.	Cerebrovascular disease	430-438	8,184
4.	Cirrhosis of liver	571	970	4.	Influenza and pneumonia	470-474, 480-486	2,115
5.	Accidents	E800-E949	900	5.	Other Circulatory diseases	390-392, 441-458	1,490
	a. Motor vehicle	(E810-E823)	(365)	6.	General arteriosclerosis	440	1,342
	b. Other	(Residue of E800-E949)	(535)	7.	Diabetes mellitus	250	1,290
6.	Influenza and pneumonia	470-474, 480-486	481	8.	Accidents	E800-E949	1,038
7.	Other circulatory disease	390-392, 441-458	460		a. Motor vehicle	(E810-E823)	(258)
8.	Diabetes mellitus	250	408		b. Other	(Residue of E800-E949)	(780)
9.	Suicide	E950-E959	354	9.	Emphysema	492	873
10.	Emphysema	492	284	10.	Hypertension without	400, 401, 403	412
					mention of heart disease		

¹International Classification of Diseases (ICDA) 8th Revision.
1.22

PART II

ILLINOIS
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES		70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER
POPULATION TOTAL	11,145,000	9,626,000	1,519,000						
MALE 65 YEARS +	472,400	436,250	36,150						
FEMALE 65 YEARS +	672,700	627,050	45,650						
LIVE BIRTHS TOTAL	169,248	130,594	38,654	15.2	13.6	25.4	16.4	14.7	26.9
MALE	86,893	67,122	19,771
FEMALE	82,355	63,472	18,883
TO MOTHERS UNDER 20 YEARS	31,120	18,834	12,286	183.9	144.2	317.8	180.6	141.1	317.8
ILLEGITIMATE LIVE BIRTHS	28,920	8,858	20,022	170.9	68.1	518.0	153.8	60.3	478.4
TO MOTHERS UNDER 20 YEARS	13,759	4,214	9,545	475.8	473.6	476.7	491.5	469.4	501.1
PREMATURE (UNDER 2501 GRAMS)	13,094	7,676	5,218	77.4	60.3	135.0	79.7	63.4	136.3
FETAL DEATHS TOTAL	1,954	1,276	678	11.5	9.8	17.5	13.0	11.1	19.8
ILLEGITIMATE FETAL DEATHS	552	138	414	282.5	108.2	610.6	243.3	98.0	525.1
TO MOTHERS UNDER 20 YEARS	258	66	192	467.4	478.3	463.8	460.3	447.6	464.9
PREMATURE (UNDER 2501 GRAMS)	1,280	762	498	655.1	612.9	734.5	653.2	602.9	750.7
NEONATAL DEATHS (UNDER 28 DAYS)	2,221	1,444	777	13.1	11.1	20.1	15.4	13.5	22.2
INFANT DEATHS (UNDER 1 YEAR)	3,107	1,947	1,160	18.4	14.9	30.0	20.5	17.4	31.5
PERINATAL LOSS < 7 DAYS + FETAL	3,880	2,530	1,350	22.7	19.2	34.3	26.7	23.1	38.9
MALE	2,105	1,396	707	23.9	20.6	35.2	28.7	24.9	42.1
FEMALE	1,775	1,132	643	21.3	17.7	33.5	24.5	21.3	35.6
ASPHYXIA UNSPECIFIED	524	306	216	3.1	2.3	5.5	4.8	3.5	9.4
IMMATURITY UNQUALIFIED	365	226	139	2.1	1.7	3.5	2.0	1.7	3.3
DEATHS TOTAL (EXCEPT FETAL)	103,166	89,539	13,627	925.7	930.2	697.1	982.6	992.7	918.0
MALE TOTAL	56,899	48,919	7,980
MALE 65 YEARS +	32,581	29,817	2,764	6856.9	6834.8	7645.9	7405.9	7434.3	7088.1
FEMALE TOTAL	46,267	40,620	5,647
FEMALE 65 YEARS +	32,944	30,347	2,597	4897.3	4839.6	5688.9	5254.0	5232.5	5526.9
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	43,063	38,519	4,544	386.4	400.2	299.1	422.4	438.2	321.7
ARTERIOSCLEROTIC OR ISCHEMIC	38,912	35,436	3,476	349.1	368.1	228.8	377.4	400.1	233.2
MALE 65 YEARS +	14,455	13,481	974	3059.9	3090.2	2694.3	3382.6	3449.8	2630.9
FEMALE 65 YEARS +	15,296	14,182	1,114	2273.8	2261.7	2440.3	2474.5	2489.8	2279.7
OTHER HEART DISEASES TOTAL	4,151	3,083	1,068	37.2	32.0	70.3	45.0	38.1	88.5
MALE 65 YEARS +	1,170	927	243	247.7	212.5	672.2	280.3	247.6	646.1
FEMALE 65 YEARS +	1,272	1,057	215	189.1	168.6	471.0	209.1	187.0	489.6
CANCER ALL SITES	20,091	17,754	2,337	180.3	184.4	153.9	175.8	181.0	142.8
MALE 65 YEARS +	6,203	5,573	630	1313.1	1277.5	1742.7	1300.1	1289.1	1423.9
FEMALE 65 YEARS +	5,288	4,883	405	786.1	778.7	887.2	763.2	761.7	781.8
CANCER DIGESTIVE ORGANS TOTAL	5,780	5,046	734	51.9	52.4	48.3	52.1	53.3	44.4
MALE 65 YEARS +	1,907	1,680	227	403.7	385.1	627.9	412.2	406.5	477.1
FEMALE 65 YEARS +	1,920	1,767	153	265.4	281.8	335.2	286.4	285.0	304.3
CANCER RESPIRATORY SYSTEM	4,770	4,192	578	42.8	43.5	38.1	37.9	38.6	33.4
MALE 65 YEARS +	1,898	1,727	171	401.8	395.9	473.0	367.4	367.3	368.1
FEMALE 65 YEARS +	465	424	41	69.1	67.6	89.8	56.1	55.5	64.1
CEREBROVASCULAR DISEASE TOTAL	9,932	8,884	1,048	89.1	92.3	69.0	98.4	101.8	77.2
MALE 65 YEARS +	3,483	3,210	273	737.3	735.8	755.2	811.2	814.8	770.4
FEMALE 65 YEARS +	4,701	4,341	360	698.8	692.3	788.6	793.9	788.7	859.3
GENERAL ARTERIOSCLEROSIS TOTAL	1,427	1,355	72	12.8	14.1	4.7	16.0	17.6	5.9
MALE 65 YEARS +	573	543	30	121.3	124.5	83.0	149.4	154.9	87.9
FEMALE 65 YEARS +	769	738	31	114.3	117.7	67.9	152.8	157.5	93.3
HYPERTENSIVE DISEASE NON-HEART	526	436	90	4.7	4.5	5.9	5.3	5.1	6.9
MALE 65 YEARS +	184	168	16	39.0	38.5	44.3	48.0	47.6	52.7
FEMALE 65 YEARS +	228	201	27	33.9	32.1	59.1	35.7	34.3	53.3
OTHER CIRCULATORY DISEASES	2,053	1,837	226	18.5	19.1	14.9	19.2	19.7	15.9
MALE 65 YEARS +	828	766	62	175.3	175.6	171.5	179.5	180.9	163.8
FEMALE 65 YEARS +	662	607	55	98.4	96.8	120.5	102.2	100.5	124.9
EMPHYSEMA, BRONCHITIS, ASTHMA	1,634	1,517	117	14.7	15.8	7.7	15.2	16.3	8.2
MALE 65 YEARS +	935	894	41	197.9	204.9	113.4	201.8	210.2	108.0
FEMALE 65 YEARS +	221	217	4	32.9	34.6	*	35.1	36.2	22.1
PNEUMONIA AND INFLUENZA	2,967	2,507	460	26.6	26.0	30.3	29.1	27.9	36.6
DIABETES MELLITUS	1,785	1,537	248	16.0	16.0	16.3	18.0	17.9	18.2
CIRRHOSIS OF LIVER	1,736	1,370	366	15.6	14.2	24.1	17.0	16.5	20.3
DISEASES OF EARLY INFANCY	1,743	1,106	637	15.6	11.5	41.9	19.9	15.3	49.1
CONGENITAL ANOMALIES	680	537	143	6.1	5.6	9.4	7.5	7.0	10.7
MOTOR VEHICLE ACCIDENTS	2,146	1,927	219	19.3	20.0	14.4	21.4	22.3	16.2
ALL OTHER ACCIDENTS	2,772	2,172	600	24.9	22.6	39.5	24.4	22.7	35.6
SUICIDE	1,057	961	96	9.5	10.0	6.3	9.3	9.9	5.3
HOMICIDE	1,315	516	799	11.8	5.4	52.6	11.0	4.6	51.3
UNDETERMINED EXTERNAL CAUSES	387	255	132	3.5	2.6	8.7	3.4	2.9	6.2
ALL OTHER CAUSES	7,842	6,349	1,493	70.4	66.0	98.3	69.3	66.1	90.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE CORRESPONDING TO -- IN FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 NORTHWEST
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	572,400	549,300 23,100				
MALE 65 YEARS +	24,750	24,350 400				
FEMALE 65 YEARS +	34,000	33,550 450				
LIVE BIRTHS TOTAL	8,446	7,795 651	14.8	14.2 28.2	16.8	16.2 31.4
MALE	4,286	3,972 314
FEMALE	4,160	3,823 337
TO MOTHERS UNDER 20 YEARS	1,554	1,337 217	184.0	171.5 333.3	187.6	175.2 345.9
ILLEGITIMATE LIVE BIRTHS	817	516 301	96.7	66.2 462.4	89.3	63.3 421.3
TO MOTHERS UNDER 20 YEARS	429	272 157	525.1	527.1 521.6	532.9	521.7 554.4
PREMATURE (UNDER 2501 GRAMS)	520	441 79	61.6	56.6 121.4	63.9	59.4 121.8
FETAL DEATHS TOTAL	80	70 10	9.5	9.0 15.4	10.3	10.0 14.9
ILLEGITIMATE FETAL DEATHS	16	8 8	*	*	116.7	89.9 *
TO MOTHERS UNDER 20 YEARS	9	5 4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	56	46 8	*	*	549.3	537.1 *
NEONATAL DEATHS (UNDER 28 DAYS)	86	75 11	10.2	9.6 16.9	13.8	13.3 20.3
INFANT DEATHS (UNDER 1 YEAR)	111	99 12	13.1	12.7 16.4	16.3	17.4 30.4
PERINATAL LOSS < 7 DAYS + FETAL	152	133 19	17.8	16.9 26.7	22.5	21.7 32.8
MALE	97	84 13	22.4	20.9 40.5	25.0	24.2 34.9
FEMALE	55	49 6	13.1	12.7 *	20.0	19.1 30.5
ASPHYXIA UNSPECIFIED	16	16 2	2.1	2.0 *	2.2	2.0 3.7
IMMATURITY UNQUALIFIED	17	13 4	2.0	1.7 *	1.3	1.3 *
DEATHS TOTAL (EXCEPT FETAL)	4,667	4,545 122	815.3	827.4 528.1	890.1	901.8 599.6
MALE TOTAL	2,600	2,526 74
MALE 65 YEARS +	1,633	1,613 20	6598.0	6624.2 5000.0	7003.9	7021.5 5939.1
FEMALE TOTAL	2,067	2,019 48
FEMALE 65 YEARS +	1,546	1,523 23	4547.1	4539.5 5111.1	5105.1	5123.3 3759.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	1,793	1,761 32	313.2	320.6 138.5	352.4	361.0 139.6
ARTERIOSCLEROTIC OR ISCHEMIC	1,653	1,628 25	288.8	296.4 108.2	326.1	334.5 117.0
MALE 65 YEARS +	650	644 6	2626.3	2644.8 *	3055.7	3065.9 2436.5
FEMALE 65 YEARS +	668	656 10	1964.7	1961.3 2222.2	2164.4	2179.9 1048.0
OTHER HEART DISEASES TOTAL	140	133 7	24.5	24.2 *	26.3	26.4 22.5
MALE 65 YEARS +	51	51 --	206.1	209.4 -0-	195.2	194.2 *
FEMALE 65 YEARS +	44	43 1	129.4	128.2 *	179.8	179.9 *
CANCER ALL SITES	937	911 26	163.7	165.8 112.6	161.3	164.2 89.1
MALE 65 YEARS +	323	320 3	1305.1	1314.2 *	1213.5	1215.9 1066.0
FEMALE 65 YEARS +	255	248 7	750.0	739.2 *	770.4	770.1 786.0
CANCER DIGESTIVE ORGANS TOTAL	265	255 10	46.3	46.4 43.3	46.6	47.7 19.6
MALE 65 YEARS +	78	76 --	315.2	320.3 -0-	397.9	402.0 *
FEMALE 65 YEARS +	96	91 5	282.4	271.2 *	276.6	277.4 *
CANCER RESPIRATORY SYSTEM	196	193 3	34.2	35.1 *	30.1	30.2 27.0
MALE 65 YEARS +	100	98 2	404.0	402.5 *	292.0	289.3 *
FEMALE 65 YEARS +	22	22 --	64.7	65.6 -0-	48.1	46.3 *
CEREBROVASCULAR DISEASE TOTAL	485	476 9	84.7	86.7 *	95.6	97.2 54.5
MALE 65 YEARS +	174	171 3	703.0	702.3 *	813.1	808.9 1066.0
FEMALE 65 YEARS +	239	237 2	702.9	706.4 *	847.9	847.6 873.4
GENERAL ARTERIOSCLEROSIS TOTAL	100	99 1	17.5	18.0 *	15.6	16.2 -0-
MALE 65 YEARS +	46	45 1	185.9	184.8 *	142.3	144.6 -0-
FEMALE 65 YEARS +	45	45 --	132.4	134.1 -0-	156.4	158.5 -0-
HYPERTENSIVE DISEASE NON-HEART	27	26 1	4.7	4.7 *	4.9	4.9 *
MALE 65 YEARS +	13	13 --	52.5	53.4 -0-	54.6	53.8 *
FEMALE 65 YEARS +	10	10 --	29.4	29.8 -0-	38.5	38.4 *
OTHER CIRCULATORY DISEASES	106	103 3	18.5	18.8 *	20.0	20.4 9.0
MALE 65 YEARS +	45	44 1	181.6	180.7 *	210.9	210.2 *
FEMALE 65 YEARS +	32	32 --	94.1	95.4 -0-	101.6	102.4 *
EMPHYSEMA, BRONCHITIS, ASTHMA	89	89 --	15.5	16.2 -0-	18.2	18.6 *
MALE 65 YEARS +	59	59 --	236.4	242.3 -0-	255.6	258.2 *
FEMALE 65 YEARS +	9	9 --	*	*	43.3	43.9 -0-
PNEUMONIA AND INFLUENZA	128	126 --	22.4	23.3 -0-	26.3	28.9 15.3
DIABETES MELLITUS	79	75 4	13.8	13.7 *	16.5	16.8 9.0
CIRRHOSIS OF LIVER	55	54 1	9.6	9.8 *	12.0	12.0 13.5
DISEASES OF EARLY INFANCY	61	53 8	10.7	9.6 *	17.2	16.0 46.8
CONGENITAL ANOMALIES	28	26 2	4.9	4.7 *	8.6	8.3 17.1
MOTOR VEHICLE ACCIDENTS	148	145 3	25.9	26.4 *	28.7	28.5 33.3
ALL OTHER ACCIDENTS	139	128 11	24.3	23.3 47.6	25.9	25.6 33.3
SUICIDE	64	64 --	11.2	11.7 -0-	11.4	11.6 *
HOMICIDE	13	10 3	2.3	1.6 *	3.2	2.3 26.1
UNDETERMINED EXTERNAL CAUSES	3	3 --	*	*	2.0	2.0 *
ALL OTHER CAUSES	412	394 18	72.0	71.7 77.9	66.2	67.3 90.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 BOONE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	26,500	26,400	100			
MALE 65 YEARS +	1,050	1,050				
FEMALE 65 YEARS +	1,400	1,400				
LIVE BIRTHS TOTAL	411	406	5	15.5	15.4	*
MALE	224	223	1
FEMALE	187	183	4
TO MOTHERS UNDER 20 YEARS	69	66	1	167.9	167.6	*
ILLEGITIMATE LIVE BIRTHS	26	24	2	63.3	59.1	*
TO MOTHERS UNDER 20 YEARS	17	16	1	*	*	*
PREMATURE (UNDER 2501 GRAMS)	22	22	--	53.5	54.2	-0-
FETAL DEATHS TOTAL	5	5	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	7	7	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	8	8	--	*	*	-0-
MALE	1	1	--	*	*	-0-
FEMALE	7	7	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	215	214	1	811.3	810.6	*
MALE TOTAL	110	110	--
MALE 65 YEARS +	76	76	--	7428.6	7428.6	-0-
FEMALE TOTAL	105	104	1
FEMALE 65 YEARS +	77	76	1	5500.0	5428.6	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	82	81	1	309.4	306.8	*
ARTERIOSCLEROTIC OR ISCHEMIC	73	72	1	275.5	272.7	*
MALE 65 YEARS +	32	32	--	3047.6	3047.6	-0-
FEMALE 65 YEARS +	30	29	1	2142.9	2071.4	*
OTHER HEART DISEASES TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
CANCER ALL SITES	44	44	--	166.0	166.7	-0-
MALE 65 YEARS +	14	14	--	1333.3	1333.3	-0-
FEMALE 65 YEARS +	14	14	--	1000.0	1000.0	-0-
CANCER DIGESTIVE ORGANS TOTAL	16	16	--	60.4	60.6	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	11	11	--	41.5	41.7	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	23	23	--	86.8	87.1	-0-
MALE 65 YEARS +	11	11	--	1047.6	1047.6	-0-
FEMALE 65 YEARS +	10	10	--	714.3	714.3	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	7	7	--	*	*	-0-
DIABETES MELLITUS	4	4	--	*	*	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-
CONGENITAL ANOMALIES	3	3	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	5	5	--	*	*	-0-
ALL OTHER ACCIDENTS	--	--	--	-0-	-0-	-0-
SUICIDE	4	4	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	17	17	--	64.2	64.4	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 CARROLL COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER	70-74 TOTAL	RATIOS WHITE OTHER
POPULATION TOTAL	17,300	15,200 100				
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,456	1,450				
LIVE BIRTHS TOTAL	251	245 6	13.0	12.8	15.5	15.4 23.9
MALE	114	112 2
FEMALE	137	133 4
TO MOTHERS UNDER 20 YEARS	41	39 2	163.3	159.2	191.8	191.3
ILLEGITIMATE LIVE BIRTHS	16	15 1	63.7	61.2	54.7	54.0
TO MOTHERS UNDER 20 YEARS	10	9 1	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	12	11 1	47.8	44.9	50.6	49.9
FETAL DEATHS TOTAL	--	-- --	-0-	-0-	10.1	10.2 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2 --	*	*	12.2	11.6
INFANT DEATHS (UNDER 1 YEAR)	3	3 --	*	*	14.9	14.3
PERINATAL LOSS < 7 DAYS + FETAL	2	2 --	*	*	21.4	21.0
MALE	--	-- --	-0-	-0-	17.7	17.9
FEMALE	2	2 --	*	*	25.6	24.8
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	206	206 2	1077.7	1072.9	1142.9	1149.4
MALE TOTAL	109	108 1
MALE 65 YEARS +	75	75 --	6250.0	6250.0	6810.6	6856.2
FEMALE TOTAL	99	98 1
FEMALE 65 YEARS +	73	73 --	5034.5	5034.5	5336.0	5357.9
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	74	74 --	363.4	385.4	488.3	492.0
ARTERIOSCLEROTIC OR ISCHEMIC	64	64 --	331.6	333.3	431.9	435.1
MALE 65 YEARS +	26	26 --	2166.7	2166.7	3073.1	3093.6
FEMALE 65 YEARS +	27	27 --	1862.1	1862.1	1887.3	1895.0
OTHER HEART DISEASES TOTAL	10	10 --	51.8	52.1	56.5	56.5
MALE 65 YEARS +	6	6 --	*	*	249.2	250.0
FEMALE 65 YEARS +	3	3 --	*	*	420.9	422.6
CANCER ALL SITES	34	32 2	176.2	166.7	194.5	196.0
MALE 65 YEARS +	14	14 --	1166.7	1166.7	1229.2	1237.5
FEMALE 65 YEARS +	10	10 --	689.7	689.7	869.0	872.5
CANCER DIGESTIVE ORGANS TOTAL	9	9 --	*	*	50.2	50.6
MALE 65 YEARS +	4	4 --	*	*	382.1	384.6
FEMALE 65 YEARS +	4	4 --	*	*	217.2	218.1
CANCER RESPIRATORY SYSTEM	10	10 --	51.8	52.1	35.6	35.8
MALE 65 YEARS +	7	7 --	*	*	332.2	334.4
FEMALE 65 YEARS +	2	2 --	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	25	25 --	129.5	130.2	119.2	120.1
MALE 65 YEARS +	6	6 --	*	*	697.7	702.3
FEMALE 65 YEARS +	13	13 --	896.6	896.6	869.0	872.5
GENERAL ARTERIOSCLEROSIS TOTAL	5	5 --	*	*	34.5	34.8
MALE 65 YEARS +	2	2 --	*	*	166.1	167.2
FEMALE 65 YEARS +	3	3 --	*	*	312.3	313.6
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	*	*	*
MALE 65 YEARS +	1	1 --	*	*	-0-	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	12	12 --	62.2	62.5	27.2	27.4
MALE 65 YEARS +	3	3 --	*	*	215.9	217.4
FEMALE 65 YEARS +	8	8 --	*	*	135.8	136.3
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1 --	*	*	26.1	26.3
MALE 65 YEARS +	--	-- --	-0-	-0-	299.0	301.0
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	5	5 --	*	*	32.4	32.7
DIABETES MELLITUS	2	2 --	*	*	13.6	13.7
CIRRHOSIS OF LIVER	3	3 --	*	*	12.5	12.6
DISEASES OF EARLY INFANCY	2	2 --	*	*	12.5	11.6
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	12.5	12.6
MOTOR VEHICLE ACCIDENTS	7	7 --	*	*	32.4	32.7
ALL OTHER ACCIDENTS	13	13 --	67.4	67.7	40.8	41.1
SUICIDE	2	2 --	*	*	10.5	10.5
HOMICIDE	1	1 --	*	*	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	21	21 --	108.8	109.4	76.4	78.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 DE KALB COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	71,300	65,900 1,400				
MALE 65 YEARS +	2,350	2,350				
FEMALE 65 YEARS +	3,350	3,350				
LIVE BIRTHS TOTAL	843	841 32	12.2	12.0 22.9	14.4	14.3 19.5
MALE	458	443 15
FEMALE	415	396 17
TO MOTHERS UNDER 20 YEARS	112	106 6	128.3	126.0	150.2	151.0 119.0
ILLEGITIMATE LIVE BIRTHS	51	44 7	58.4	52.3	50.7	49.2 111.1
TO MOTHERS UNDER 20 YEARS	27	22 5	*	*	568.1	576.1 *
PREMATURE (UNDER 2501 GRAMS)	41	36 3	47.0	45.2	59.4	59.5 *
FETAL DEATHS TOTAL	9	9 --	*	*	10.3	9.7 *
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	*	*
TO MOTHERS UNDER 20 YEARS	1	1 --	*	*	-0-	-0- -0-
PREMATURE (UNDER 2501 GRAMS)	4	4 --	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	11	9 2	12.6	*	13.8	14.2 -0-
INFANT DEATHS (UNDER 1 YEAR)	14	12 2	16.0	14.3	17.4	17.6 -0-
PERINATAL LOSS < 7 DAYS + FETAL	16	16 2	20.4	18.8	22.7	22.5 *
MALE	11	9 2	23.6	*	24.6	24.8 *
FEMALE	7	7 --	*	*	20.6	19.9 *
ASPHYXIA UNSPECIFIED	1	1 --	*	*	2.5	2.6 -0-
IMMATURITY UNQUALIFIED	2	-- 2	*	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	442	435 7	619.9	622.3	691.4	699.7 248.1
MALE TOTAL	247	244 3
MALE 65 YEARS +	149	149 --	6340.4	6340.4	7120.7	7115.6 *
FEMALE TOTAL	195	191 4
FEMALE 65 YEARS +	128	126 2	3820.9	3761.2	4981.6	4984.6 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	164	162 2	230.0	231.8	279.5	283.2 *
ARTERIOSCLEROTIC OR ISCHEMIC	139	138 1	195.0	197.4	257.3	260.9 *
MALE 65 YEARS +	53	53 --	2255.3	2255.3	3370.7	3379.7 *
FEMALE 65 YEARS +	49	48 1	1462.7	1432.8	1985.3	1987.7 *
OTHER HEART DISEASES TOTAL	25	24 1	35.1	34.3	22.2	22.3 *
MALE 65 YEARS +	9	9 --	*	*	267.2	260.6 *
FEMALE 65 YEARS +	8	7 1	*	*	165.4	166.2 -0-
CANCER ALL SITES	101	101 --	141.7	144.5	122.3	122.5 *
MALE 65 YEARS +	31	31 --	1319.1	1319.1	1103.4	1094.7 *
FEMALE 65 YEARS +	22	22 --	656.7	656.7	772.1	769.2 *
CANCER DIGESTIVE ORGANS TOTAL	29	29 --	40.7	41.5	35.3	35.9 -0-
MALE 65 YEARS +	6	6 --	*	*	367.9	391.0 -0-
FEMALE 65 YEARS +	8	8 --	*	*	294.1	295.4 -0-
CANCER RESPIRATORY SYSTEM	23	23 --	32.3	32.9	22.7	22.6 *
MALE 65 YEARS +	16	16 --	680.9	680.9	224.1	225.9 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	39	39 --	54.7	55.8	66.8	67.8 *
MALE 65 YEARS +	14	14 --	595.7	595.7	517.2	521.3 -0-
FEMALE 65 YEARS +	17	17 --	507.5	507.5	882.4	880.0 *
GENERAL ARTERIOSCLEROSIS TOTAL	8	8 --	*	*	10.0	10.1 -0-
MALE 65 YEARS +	4	4 --	*	*	120.7	121.6 -0-
FEMALE 65 YEARS +	3	3 --	*	*	128.7	129.2 -0-
HYPERTENSIVE DISEASE NON-HEART	3	3 --	*	*	*	*
MALE 65 YEARS +	1	1 --	*	*	*	*
FEMALE 65 YEARS +	1	1 --	*	*	*	*
OTHER CIRCULATORY DISEASES	11	11 --	15.4	15.7	21.6	22.0 -0-
MALE 65 YEARS +	3	3 --	*	*	284.5	286.7 -0-
FEMALE 65 YEARS +	7	7 --	*	*	177.7	178.5 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9 --	*	*	13.4	13.6 -0-
MALE 65 YEARS +	5	6 --	*	*	258.6	260.6 -0-
FEMALE 65 YEARS +	2	2 --	*	*	*	*
PNEUMONIA AND INFLUENZA	18	18 --	25.2	25.8	20.5	20.9 -0-
DIABETES MELLITUS	6	6 --	*	*	12.2	12.2 *
CIRRHOSIS OF LIVER	5	5 --	*	*	10.8	11.0 -0-
DISEASES OF EARLY INFANCY	7	5 2	*	*	15.9	16.2 -0-
CONGENITAL ANOMALIES	4	4 --	*	*	7.1	7.2 -0-
MOTOR VEHICLE ACCIDENTS	12	12 --	16.8	17.2	25.9	26.4 -0-
ALL OTHER ACCIDENTS	12	11 1	16.8	15.7	19.3	19.4 *
SUICIDE	8	8 --	*	*	7.4	7.5 -0-
HOMICIDE	--	-- --	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	*
ALL OTHER CAUSES	35	33 2	49.1	47.2	53.2	53.9 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 JO DAVIESS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	22,100	22,100				
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,600	1,600				
LIVE BIRTHS TOTAL	329	329	--	14.9	14.9	-0-
MALE	158	158	--
FEMALE	171	171	--
TO MOTHERS UNDER 20 YEARS	54	54	--	164.1	164.1	-0-
ILLEGITIMATE LIVE BIRTHS	15	15	--	45.6	45.6	-0-
TO MOTHERS UNDER 20 YEARS	9	9	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	19	19	--	57.8	57.8	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	3	3	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	6	6	--	*	*	-0-
MALE	4	4	--	*	*	-0-
FEMALE	2	2	--	*	*	-0-
ASPHYXIA UNSPECIFIED	2	2	--	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	249	249	--	1126.7	1126.7	-0-
MALE TOTAL	154	154	--
MALE 65 YEARS +	106	106	--	8833.3	8833.3	-0-
FEMALE TOTAL	95	95	--
FEMALE 65 YEARS +	60	60	--	5000.0	5000.0	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	98	98	--	443.4	443.4	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	90	90	--	407.2	407.2	-0-
MALE 65 YEARS +	38	38	--	3166.7	3166.7	-0-
FEMALE 65 YEARS +	34	34	--	2125.0	2125.0	-0-
OTHER HEART DISEASES TOTAL	8	8	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER ALL SITES	43	43	--	194.6	194.6	-0-
MALE 65 YEARS +	17	17	--	1416.7	1416.7	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
CANCER DIGESTIVE ORGANS TOTAL	6	6	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	9	9	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	33	33	--	149.3	149.3	-0-
MALE 65 YEARS +	12	12	--	1000.0	1000.0	-0-
FEMALE 65 YEARS +	16	16	--	1125.0	1125.0	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
OTHER CIRCULATORY DISEASES	4	4	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	6	6	--	*	*	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-
CIRRHOSIS OF LIVER	3	3	--	*	*	-0-
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	8	8	--	*	*	-0-
ALL OTHER ACCIDENTS	6	6	--	*	*	-0-
SUICIDE	4	4	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	29	29	--	131.2	131.2	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 LEF COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	35,600	34,700 900			
MALE 65 YEARS +	1,800	1,750 50			
FEMALE 65 YEARS +	2,600	2,600			
LIVE BIRTHS TOTAL	516	513 3	14.5	14.8 *	15.1 15.2 11.8
MALE	261	259 2
FEMALE	255	254 1
TO MOTHERS UNDER 20 YEARS	92	91 1	178.3	177.4 *	182.0 182.0 *
ILLEGITIMATE LIVE BIRTHS	41	39 2	79.5	76.0 *	71.4 65.0 *
TO MOTHERS UNDER 20 YEARS	18	17 1	*	*	515.3 542.9 *
PREMATURE (UNDER 2501 GRAMS)	36	36 --	69.8	70.2 -0-	61.9 62.4 *
FETAL DEATHS TOTAL	5	5 --	*	*	16.4 16.0 *
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	* *
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	* *
PREMATURE (UNDER 2501 GRAMS)	4	4 --	*	*	-0- *
NEONATAL DEATHS (UNDER 28 DAYS)	10	10 --	19.4	19.5 -0-	14.9 14.9 *
INFANT DEATHS (UNDER 1 YEAR)	12	12 --	23.3	23.4 -0-	18.9 18.9 *
PERINATAL LOSS < 7 DAYS + FETAL	12	12 --	23.0	23.2 -0-	29.7 29.6 *
MALE	10	10 --	37.7	38.0 -0-	35.9 35.9 *
FEMALE	2	2 --	*	*	23.3 23.1 *
ASPHYXIA UNSPECIFIED	2	2 --	*	*	* *
IMMATURITY UNQUALIFIED	2	2 --	*	*	-0- -0-
DEATHS TOTAL (EXCEPT FETAL)	357	354 3	1002.8	1020.2 *	1046.3 1057.8 589.5
MALE TOTAL	211	210 1
MALE 65 YEARS +	133	133 --	7368.9	7600.0 -0-	6929.9 6906.6 *
FEMALE TOTAL	146	144 2
FEMALE 65 YEARS +	109	109 --	4192.3	4192.3 -0-	5102.1 5106.5 *
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	162	162 --	455.1	466.9 -0-	424.1 429.9 *
ARTERIOSCLEROTIC OR ISCHEMIC	153	153 --	429.8	440.9 -0-	391.2 397.2 *
MALE 65 YEARS +	62	62 --	3444.4	3542.9 -0-	3125.7 3104.6 *
FEMALE 65 YEARS +	69	69 --	2653.8	2653.8 -0-	2219.7 2231.7 -0-
OTHER HEART DISEASES TOTAL	9	9 --	*	*	32.9 32.6 *
MALE 65 YEARS +	3	3 --	*	*	278.1 270.0 *
FEMALE 65 YEARS +	1	1 --	*	*	177.3 170.5 *
CANCER ALL SITES	65	64 1	182.6	184.4 *	168.4 171.1 *
MALE 65 YEARS +	18	18 --	1000.0	1028.6 -0-	978.9 989.9 -0-
FEMALE 65 YEARS +	17	17 --	653.8	653.8 -0-	732.2 728.4 *
CANCER DIGESTIVE ORGANS TOTAL	19	19 --	53.4	54.8 -0-	48.3 49.0 *
MALE 65 YEARS +	3	3 --	*	*	233.6 236.2 -0-
FEMALE 65 YEARS +	7	7 --	*	*	269.7 271.2 -0-
CANCER RESPIRATORY SYSTEM	10	10 --	28.1	28.8 -0-	29.6 30.4 -0-
MALE 65 YEARS +	5	5 --	*	*	200.2 202.5 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	* *
CEREBROVASCULAR DISEASE TOTAL	27	27 --	75.8	77.8 -0-	105.9 106.9 *
MALE 65 YEARS +	15	15 --	833.3	857.1 -0-	723.0 719.9 *
FEMALE 65 YEARS +	10	10 --	384.6	384.6 -0-	840.1 836.9 *
GENERAL ARTERIOSCLEROSIS TOTAL	8	8 --	*	*	14.3 14.6 -0-
MALE 65 YEARS +	6	6 --	*	*	122.4 123.7 -0-
FEMALE 65 YEARS +	1	1 --	*	*	107.9 108.5 -0-
HYPERTENSIVE DISEASE NON-HEART	3	3 --	*	*	* *
MALE 65 YEARS +	3	3 --	*	*	* *
FEMALE 65 YEARS +	--	-- --	-0-	-0-	* *
OTHER CIRCULATORY DISEASES	5	5 --	*	*	24.7 24.8 *
MALE 65 YEARS +	1	1 --	*	*	200.2 202.5 -0-
FEMALE 65 YEARS +	1	1 --	*	*	77.1 77.5 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3 --	*	*	19.8 19.7 *
MALE 65 YEARS +	2	2 --	*	*	233.6 236.2 -0-
FEMALE 65 YEARS +	1	1 --	*	*	* *
PNEUMONIA AND INFLUENZA	6	6 --	*	*	28.0 28.7 -0-
DIABETES MELLITUS	10	10 --	28.1	28.8 -0-	34.0 34.3 *
CIRRHOSIS OF LIVER	4	4 --	*	*	7.7 7.9 -0-
DISEASES OF EARLY INFANCY	6	6 --	*	*	15.4 15.8 -0-
CONGENITAL ANOMALIES	4	4 --	*	*	12.6 12.9 -0-
MOTOR VEHICLE ACCIDENTS	11	11 --	30.9	31.7 -0-	42.8 41.6 *
ALL OTHER ACCIDENTS	8	8 --	*	*	36.8 37.7 -0-
SUICIDE	6	6 --	*	*	14.8 14.6 *
HOMICIDE	1	1 --	*	*	* *
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	* *
ALL OTHER CAUSES	27	25 2	75.8	72.0 *	87.2 87.2 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 OGLE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	42,400	42,300	100						
MALE 65 YEARS +	2,000	2,000							
FEMALE 65 YEARS +	2,650	2,650							
LIVE BIRTHS TOTAL	642	637	5	15.1	15.1	*	15.8	15.8	22.6
MALE	303	299	4
FEMALE	339	338	1
TO MOTHERS UNDER 20 YEARS	121	120	1	188.5	188.4	*	178.2	178.5	*
ILLEGITIMATE LIVE BIRTHS	38	37	1	59.2	58.1	*	53.8	53.8	*
TO MOTHERS UNDER 20 YEARS	21	20	1	*	*	*	516.5	516.7	*
PREMATURE (UNDER 2501 GRAMS)	45	44	1	70.1	69.1	*	56.2	56.2	*
FETAL DEATHS TOTAL	7	7	--	*	*	-0-	11.2	11.2	-0-
ILLEGITIMATE FETAL DEATHS	2	2	--	*	*	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	9	9	--	*	*	-0-	14.7	14.8	-0-
INFANT DEATHS (UNDER 1 YEAR)	12	12	--	18.7	18.8	-0-	19.4	19.5	-0-
PERINATAL LOSS < 7 DAYS + FETAL	15	15	--	23.1	23.3	-0-	22.4	22.5	-0-
MALE	11	11	--	35.6	36.1	-0-	25.2	25.3	-0-
FEMALE	4	4	--	*	*	-0-	19.6	19.6	-0-
ASPHYXIA UNSPECIFIED	2	2	--	*	*	-0-	4.1	4.1	-0-
IMMATURITY UNQUALIFIED	3	3	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	395	395	--	931.6	933.8	-0-	951.2	952.8	*
MALE TOTAL	215	215	--
MALE 65 YEARS +	129	129	--	6450.0	6450.0	-0-	7377.3	7381.2	-0-
FEMALE TOTAL	180	180	--
FEMALE 65 YEARS +	134	134	--	5056.6	5056.6	-0-	5291.4	5299.6	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	144	144	--	339.6	340.4	-0-	396.0	396.6	*
ARTERIOSCLEROTIC OR ISCHEMIC	133	133	--	313.7	314.4	-0-	364.8	365.8	-0-
MALE 65 YEARS +	53	53	--	2650.0	2650.0	-0-	3197.9	3199.6	-0-
FEMALE 65 YEARS +	55	55	--	2075.5	2075.5	-0-	2525.3	2529.2	-0-
OTHER HEART DISEASES TOTAL	11	11	--	25.9	26.0	-0-	31.3	30.9	*
MALE 65 YEARS +	2	2	--	*	*	-0-	221.6	221.8	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	202.0	202.3	-0-
CANCER ALL SITES	85	85	--	200.5	200.9	-0-	163.7	164.2	-0-
MALE 65 YEARS +	30	30	--	1500.0	1500.0	-0-	1160.9	1161.6	-0-
FEMALE 65 YEARS +	27	27	--	1018.9	1018.9	-0-	823.6	824.9	-0-
CANCER DIGESTIVE ORGANS TOTAL	31	31	--	73.1	73.3	-0-	47.1	47.2	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-	316.6	316.8	-0-
FEMALE 65 YEARS +	11	11	--	415.1	415.1	-0-	295.3	295.7	-0-
CANCER RESPIRATORY SYSTEM	14	14	--	33.0	33.1	-0-	26.6	26.7	-0-
MALE 65 YEARS +	10	10	--	500.0	500.0	-0-	263.9	264.0	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	37	37	--	87.3	87.5	-0-	112.4	112.7	-0-
MALE 65 YEARS +	13	13	--	650.0	650.0	-0-	981.5	982.0	-0-
FEMALE 65 YEARS +	17	17	--	641.5	641.5	-0-	878.0	879.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	6	6	--	*	*	-0-	7.9	8.0	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	85.5	85.6	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-	5.6	5.6	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	5	5	--	*	*	-0-	20.1	20.1	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	200.5	200.6	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	101.0	101.2	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9	--	*	*	-0-	22.4	22.5	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	379.9	380.1	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	9	9	--	*	*	-0-	19.1	19.2	-0-
DIABETES MELLITUS	9	9	--	*	*	-0-	13.5	13.6	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-	10.7	10.8	-0-
DISEASES OF EARLY INFANCY	8	8	--	*	*	-0-	16.8	16.8	-0-
CONGENITAL ANOMALIES	2	2	--	*	*	-0-	11.2	11.2	-0-
MOTOR VEHICLE ACCIDENTS	21	21	--	49.5	49.6	-0-	37.8	37.9	-0-
ALL OTHER ACCIDENTS	16	16	--	37.7	37.8	-0-	32.2	31.8	*
SUICIDE	1	1	--	*	*	-0-	9.8	9.8	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	39	39	--	92.0	92.2	-0-	66.7	66.9	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 STEPHENSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	47,800	45,400	2,400						
MALE 65 YEARS +	2,450	2,400	50						
FEMALE 65 YEARS +	3,650	3,550	100						
LIVE BIRTHS TOTAL	667	607	60	14.0	13.4	25.0	15.9	15.2	28.2
MALE	321	290	31
FEMALE	346	317	29
TO MOTHERS UNDER 20 YEARS	113	91	22	169.4	149.9	*	175.0	156.9	358.6
ILLEGITIMATE LIVE BIRTHS	59	26	33	88.5	42.8	*	82.5	48.3	431.5
TO MOTHERS UNDER 20 YEARS	35	15	20	*	*	*	564.7	503.0	635.1
PREMATURE (UNDER 2501 GRAMS)	38	33	5	57.0	54.4	*	63.3	56.0	137.0
FETAL DEATHS TOTAL	7	7	--	*	*	-0-	9.6	8.6	*
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	*
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	*
PREMATURE (UNDER 2501 GRAMS)	5	5	--	*	*	-0-	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	6	6	--	*	*	-0-	15.1	14.0	*
INFANT DEATHS (UNDER 1 YEAR)	8	8	--	*	*	-0-	18.2	16.9	32.1
PERINATAL LOSS < 7 DAYS + FETAL	12	12	--	17.8	19.5	-0-	23.2	21.0	45.7
MALE	7	7	--	*	*	-0-	22.9	21.3	*
FEMALE	5	5	--	*	*	-0-	23.5	20.6	*
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	*
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	476	461	15	995.8	1015.4	625.0	1060.3	1078.5	716.0
MALE TOTAL	256	248	8
MALE 65 YEARS +	161	159	2	6571.4	6625.0	*	7417.8	7452.6	5964.9
FEMALE TOTAL	220	213	7
FEMALE 65 YEARS +	166	161	5	4547.9	4535.2	*	5219.8	5205.9	5915.5
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	198	195	3	414.2	429.5	*	458.3	470.3	230.5
ARTERIOSCLEROTIC OR ISCHEMIC	195	192	3	407.9	422.9	*	433.0	445.5	197.5
MALE 65 YEARS +	72	72	--	2938.8	3000.0	-0-	3322.4	3326.3	*
FEMALE 65 YEARS +	88	85	3	2411.0	2394.4	*	2543.5	2555.0	*
OTHER HEART DISEASES TOTAL	3	3	--	*	*	-0-	25.2	24.8	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	135.8	143.2	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	149.3	146.6	*
CANCER ALL SITES	103	99	4	215.5	218.1	*	195.9	202.3	*
MALE 65 YEARS +	38	38	--	1551.0	1583.3	-0-	1472.0	1482.1	*
FEMALE 65 YEARS +	25	24	1	684.9	676.1	*	752.0	755.8	*
CANCER DIGESTIVE ORGANS TOTAL	35	32	3	73.2	70.5	*	57.0	59.2	*
MALE 65 YEARS +	13	13	--	530.6	541.7	-0-	468.8	471.6	*
FEMALE 65 YEARS +	10	9	1	274.0	*	*	265.4	270.7	-0-
CANCER RESPIRATORY SYSTEM	17	17	--	35.6	37.4	-0-	34.7	36.5	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-	361.8	370.5	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	48	46	2	100.4	101.3	*	104.1	104.4	98.8
MALE 65 YEARS +	14	14	--	571.4	583.3	-0-	773.0	783.2	*
FEMALE 65 YEARS +	24	24	--	657.5	676.1	-0-	696.7	671.2	*
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	--	*	*	-0-	7.4	7.8	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	66.4	67.7	-0-
HYPERTENSIVE DISEASE NON-HEART	3	3	--	*	*	-0-	14.0	14.4	*
MALE 65 YEARS +	2	2	--	*	*	-0-	131.6	134.7	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	88.5	84.6	*
OTHER CIRCULATORY DISEASES	9	9	--	*	*	-0-	28.5	29.1	*
MALE 65 YEARS +	3	3	--	*	*	-0-	238.5	227.4	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	105.1	107.2	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	12	12	--	25.1	26.4	-0-	20.7	21.8	-0-
MALE 65 YEARS +	10	10	--	408.2	416.7	-0-	279.6	286.3	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	10	10	--	20.9	22.0	-0-	40.9	42.6	*
DIABETES MELLITUS	6	5	1	*	*	*	15.3	16.1	-0-
CIRRHOSIS OF LIVER	5	5	--	*	*	-0-	13.6	13.5	*
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-	19.0	17.0	*
CONGENITAL ANOMALIES	3	2	1	*	*	*	6.6	5.7	*
MOTOR VEHICLE ACCIDENTS	13	13	--	27.2	28.6	-0-	24.0	22.2	*
ALL OTHER ACCIDENTS	11	10	1	23.0	22.0	*	29.8	29.1	*
SUICIDE	6	6	--	*	*	-0-	11.6	11.7	*
HOMICIDE	1	1	--	*	*	-0-	*	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	42	39	3	87.9	85.9	*	66.5	67.4	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 WHITESIDE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	63,000	62,500 500				
MALE 65 YEARS +	2,900	2,900				
FEMALE 65 YEARS +	3,800	3,800				
LIVE BIRTHS TOTAL	1,053	1,039 14	16.7	16.6 24.0	17.5	17.4 25.0
MALE	528	524 4
FEMALE	525	515 10
TO MOTHERS UNDER 20 YEARS	232	229 3	220.3	220.4 *	202.2	201.6 *
ILLEGITIMATE LIVE BIRTHS	76	74 2	72.2	71.2 *	68.9	67.2 *
TO MOTHERS UNDER 20 YEARS	44	43 1	*	*	524.7	520.2 *
PREMATURE (UNDER 2501 GRAMS)	63	62 1	59.8	59.7 *	63.5	63.0 *
FETAL DEATHS TOTAL	7	7 --	*	*	12.2	12.1 *
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	6	6 --	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	10	10 --	9.5	9.6 -0-	14.5	14.5 *
INFANT DEATHS (UNDER 1 YEAR)	13	13 --	12.3	12.5 -0-	18.1	17.7 *
PERINATAL LOSS < 7 DAYS + FETAL	15	15 --	14.2	14.3 -0-	25.5	25.4 *
MALE	8	8 --	*	*	30.4	30.1 *
FEMALE	7	7 --	*	*	20.0	20.3 -0-
ASPHYXIA UNSPECIFIED	2	2 --	*	*	1.9	2.0 -0-
IMMATURITY UNQUALIFIED	3	3 --	*	*	2.3	2.3 -0-
DEATHS TOTAL (EXCEPT FETAL)	539	539 --	855.6	862.4 -0-	935.5	940.2 372.4
MALE TOTAL	311	311 --
MALE 65 YEARS +	195	195 --	6724.1	6724.1 -0-	7015.8	7019.0 *
FEMALE TOTAL	228	228 --
FEMALE 65 YEARS +	182	182 --	4789.5	4789.5 -0-	5401.0	5411.5 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	210	210 --	333.3	336.0 -0-	349.9	352.3 *
ARTERIOSCLEROTIC OR ISCHEMIC	196	196 --	311.1	313.6 -0-	321.4	323.5 *
MALE 65 YEARS +	78	78 --	2689.7	2689.7 -0-	2790.9	2797.7 -0-
FEMALE 65 YEARS +	76	76 --	2052.6	2052.6 -0-	2049.9	2055.9 -0-
OTHER HEART DISEASES TOTAL	14	14 --	22.2	22.4 -0-	28.5	28.8 -0-
MALE 65 YEARS +	8	8 --	*	*	196.8	197.3 -0-
FEMALE 65 YEARS +	4	4 --	*	*	201.8	202.4 -0-
CANCER ALL SITES	93	93 --	147.6	148.8 -0-	177.0	178.2 *
MALE 65 YEARS +	33	33 --	1137.9	1137.9 -0-	1307.6	1310.8 -0-
FEMALE 65 YEARS +	27	27 --	710.5	710.5 -0-	860.3	857.5 *
CANCER DIGESTIVE ORGANS TOTAL	29	29 --	46.0	46.4 -0-	52.0	52.4 -0-
MALE 65 YEARS +	6	6 --	*	*	471.0	472.2 -0-
FEMALE 65 YEARS +	12	12 --	315.8	315.8 -0-	302.7	303.6 -0-
CANCER RESPIRATORY SYSTEM	22	22 --	34.9	35.2 -0-	30.4	30.6 -0-
MALE 65 YEARS +	11	11 --	379.3	379.3 -0-	281.2	281.9 -0-
FEMALE 65 YEARS +	2	2 --	*	*	58.4	58.6 -0-
CEREBROVASCULAR DISEASE TOTAL	57	57 --	90.5	91.2 -0-	99.3	99.8 *
MALE 65 YEARS +	21	21 --	724.1	724.1 -0-	892.8	887.9 *
FEMALE 65 YEARS +	30	30 --	789.5	789.5 -0-	817.8	820.2 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	12	12 --	19.0	19.2 -0-	20.4	20.5 -0-
MALE 65 YEARS +	6	6 --	*	*	182.8	183.2 -0-
FEMALE 65 YEARS +	6	6 --	*	*	191.2	191.7 -0-
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	*	*
MALE 65 YEARS +	2	2 --	*	*	*	*
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	9	9 --	*	*	15.7	15.5 *
MALE 65 YEARS +	5	5 --	*	*	147.6	140.9 *
FEMALE 65 YEARS +	1	1 --	*	*	90.3	90.5 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	11	11 --	17.5	17.6 -0-	18.2	18.3 -0-
MALE 65 YEARS +	7	7 --	*	*	232.0	232.6 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	*
PNEUMONIA AND INFLUENZA	18	18 --	28.6	28.8 -0-	42.6	42.7 *
DIABETES MELLITUS	10	10 --	15.9	16.0 -0-	22.2	22.4 -0-
CIRRHOSIS OF LIVER	3	3 --	*	*	10.0	10.1 -0-
DISEASES OF EARLY INFANCY	7	7 --	*	*	20.4	20.5 -0-
CONGENITAL ANOMALIES	2	2 --	*	*	6.6	6.3 *
MOTOR VEHICLE ACCIDENTS	26	26 --	41.3	41.6 -0-	33.2	33.2 *
ALL OTHER ACCIDENTS	22	22 --	34.9	35.2 -0-	29.4	29.7 -0-
SUICIDE	11	11 --	17.5	17.6 -0-	8.5	8.5 -0-
HOMICIDE	--	-- --	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	3.1	3.2 -0-
ALL OTHER CAUSES	46	46 --	73.0	73.6 -0-	74.6	74.6 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 01 WINNEBAGO COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER	70-74 TOTAL	RATIOS WHITE OTHER
POPULATION TOTAL	244,400	226,800 17,600				
MALE 65 YEARS +	9,800	9,500 300				
FEMALE 65 YEARS +	13,500	13,150 350				
LIVE BIRTHS TOTAL	3,704	3,178 526	15.2	14.0 29.9	17.8	16.6 34.1
MALE	1,919	1,664 255
FEMALE	1,785	1,514 271
TO MOTHERS UNDER 20 YEARS	726	539 181	194.4	169.6 344.1	198.9	174.0 364.7
ILLEGITIMATE LIVE BIRTHS	495	242 253	133.6	76.1 481.0	122.0	73.5 445.3
TO MOTHERS UNDER 20 YEARS	246	121 127	501.0	500.0 502.0	525.2	502.5 550.2
PREMATURE (UNDER 2501 GRAMS)	244	176 68	65.9	55.4 129.3	68.3	59.7 125.3
FETAL DEATHS TOTAL	37	27 10	10.0	8.5 19.0	9.1	8.5 13.4
ILLEGITIMATE FETAL DEATHS	12	4 8	*	*	155.8	118.0 *
TO MOTHERS UNDER 20 YEARS	7	3 4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	27	19 8	*	*	537.7	503.1 *
NEONATAL DEATHS (UNDER 28 DAYS)	32	23 9	8.6	7.2 *	13.1	12.0 20.8
INFANT DEATHS (UNDER 1 YEAR)	39	29 10	10.5	9.1 19.0	18.3	16.3 31.7
PERINATAL LOSS < 7 DAYS + FETAL	64	47 17	17.1	14.7 31.7	26.8	19.2 31.6
MALE	45	34 11	23.1	20.2 42.0	22.8	20.9 35.4
FEMALE	19	13 6	10.6	8.5 *	18.7	17.4 27.6
ASPHYXIA UNSPECIFIED	9	7 2	*	*	2.0	1.7 3.5
IMMATURITY UNQUALIFIED	4	2 2	*	*	1.1	1.0 *
DEATHS TOTAL (EXCEPT FETAL)	1,786	1,692 94	730.8	746.0 534.1	826.9	841.5 626.7
MALE TOTAL	987	926 61
MALE 65 YEARS +	607	589 18	6193.9	6200.0 6000.0	6745.5	6771.6 5869.6
FEMALE TOTAL	799	766 33
FEMALE 65 YEARS +	597	582 15	4422.2	4425.9 4285.7	4832.0	4867.6 3473.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	661	635 26	270.5	280.0 147.7	313.0	326.2 132.6
ARTERIOSCLEROTIC OR ISCHEMIC	610	590 20	249.6	260.1 113.6	292.9	306.0 112.1
MALE 65 YEARS +	236	230 6	2408.2	2421.1 *	2870.1	2886.7 2318.8
FEMALE 65 YEARS +	238	233 5	1763.0	1771.9 *	2066.9	2096.0 958.1
OTHER HEART DISEASES TOTAL	51	45 6	20.9	19.8 *	20.1	20.1 20.5
MALE 65 YEARS +	14	14 --	142.9	147.4 -0-	158.4	156.6 *
FEMALE 65 YEARS +	13	13 --	96.3	98.9 -0-	125.5	125.7 *
CANCER ALL SITES	369	350 19	151.0	154.3 108.0	152.7	157.0 94.0
MALE 65 YEARS +	128	125 3	1306.1	1315.8 *	1191.1	1192.1 1159.4
FEMALE 65 YEARS +	106	100 6	785.2	760.5 *	699.7	699.2 718.6
CANCER DIGESTIVE ORGANS TOTAL	91	84 7	37.2	37.0 *	42.6	44.0 22.9
MALE 65 YEARS +	31	31 --	316.3	326.3 -0-	401.3	409.0 *
FEMALE 65 YEARS +	35	31 4	259.3	235.7 *	241.9	240.4 *
CANCER RESPIRATORY SYSTEM	80	77 3	32.7	34.0 *	31.4	31.4 32.5
MALE 65 YEARS +	38	36 2	367.6	378.9 *	314.7	304.5 *
FEMALE 65 YEARS +	12	12 --	88.9	91.3 -0-	50.5	48.7 *
CEREBROVASCULAR DISEASE TOTAL	196	189 7	80.2	83.3 *	91.1	93.9 51.8
MALE 65 YEARS +	66	63 3	673.5	663.2 *	830.0	817.9 1231.9
FEMALE 65 YEARS +	100	98 2	740.7	745.2 *	845.1	850.0 658.7
GENERAL ARTERIOSCLEROSIS TOTAL	44	43 1	18.0	19.0 *	17.4	18.6 -0-
MALE 65 YEARS +	19	18 1	193.9	189.5 *	179.5	184.9 -0-
FEMALE 65 YEARS +	20	20 --	148.1	152.1 -0-	177.6	182.3 -0-
HYPERTENSIVE DISEASE NON-HEART	11	10 1	4.5	4.4 *	3.9	3.9 *
MALE 65 YEARS +	4	4 --	*	*	50.7	47.9 *
FEMALE 65 YEARS +	5	5 --	*	*	27.6	28.3 -0-
OTHER CIRCULATORY DISEASES	45	42 3	18.4	18.5 *	18.8	19.7 *
MALE 65 YEARS +	23	22 1	234.7	231.6 *	221.8	224.1 *
FEMALE 65 YEARS +	9	9 --	*	*	94.9	95.8 *
EMPHYSEMA, BRONCHITIS, ASTHMA	32	32 --	13.1	14.1 -0-	17.2	17.8 *
MALE 65 YEARS +	22	22 --	224.5	231.6 -0-	234.4	237.1 *
FEMALE 65 YEARS +	2	2 --	*	*	49.0	50.3 -0-
PNEUMONIA AND INFLUENZA	49	49 --	20.0	21.6 -0-	24.3	24.8 18.1
DIABETES MELLITUS	31	28 3	12.7	12.3 *	14.7	15.0 *
CIRRHOSIS OF LIVER	28	27 1	11.5	11.9 *	14.2	14.1 15.7
DISEASES OF EARLY INFANCY	24	18 6	9.8	7.9 *	17.3	14.7 53.0
CONGENITAL ANOMALIES	10	9 1	4.1	*	8.6	7.9 18.1
MOTOR VEHICLE ACCIDENTS	45	42 3	18.4	18.5 *	24.1	23.6 30.1
ALL OTHER ACCIDENTS	51	42 9	20.9	18.5 *	21.2	20.1 36.2
SUICIDE	22	22 --	9.0	9.7 -0-	13.2	13.6 *
HOMICIDE	10	7 3	4.1	*	5.0	3.1 31.3
UNDETERMINED EXTERNAL CAUSES	2	2 --	*	*	2.1	2.0 *
ALL OTHER CAUSES	156	145 11	63.8	63.9 62.5	68.1	65.5 104.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 NORTH CENTRAL
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	693,900	673,000	20,900			
MALE 65 YEARS +	34,300	33,800	500			
FEMALE 65 YEARS +	48,800	48,150	650			
LIVE BIRTHS TOTAL	10,496	9,810	686	15.1	14.6	32.8
MALE	5,411	5,054	357
FEMALE	5,085	4,756	329
TO MOTHERS UNDER 20 YEARS	1,915	1,695	220	182.5	172.8	320.7
ILLEGITIMATE LIVE BIRTHS	975	625	346	92.9	64.1	504.4
TO MOTHERS UNDER 20 YEARS	535	359	176	548.7	570.7	508.7
PREMATURE (UNDER 2501 GRAMS)	722	627	95	68.8	63.9	138.5
FETAL DEATHS TOTAL	99	93	6	9.4	9.5	11.2
ILLEGITIMATE FETAL DEATHS	13	10	3	*	*	186.8
TO MOTHERS UNDER 20 YEARS	7	5	2	*	*	575.2
PREMATURE (UNDER 2501 GRAMS)	58	53	5	*	*	609.9
NEONATAL DEATHS (UNDER 28 DAYS)	126	108	18	12.0	11.0	26.2
INFANT DEATHS (UNDER 1 YEAR)	174	150	24	16.6	15.3	35.0
PERINATAL LOSS < 7 DAYS + FETAL	212	191	21	20.0	19.3	30.3
MALE	114	104	10	20.9	20.4	27.6
FEMALE	98	87	11	19.1	18.1	33.3
ASPHYXIA UNSPECIFIED	28	24	4	2.6	2.4	*
IMMATURITY UNQUALIFIED	15	12	3	1.4	1.2	*
DEATHS TOTAL (EXCEPT FETAL)	6,696	6,541	155	965.0	971.9	741.6
MALE TOTAL	3,637	3,552	85
MALE 65 YEARS +	2,340	2,305	35	6822.2	6819.5	7000.0
FEMALE TOTAL	3,059	2,989	70
FEMALE 65 YEARS +	2,329	2,304	25	4772.5	4785.0	3846.2
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	2,686	2,646	40	387.1	393.2	191.4
ARTERIOSCLEROTIC OR ISCHEMIC	2,399	2,373	26	345.7	352.6	124.4
MALE 65 YEARS +	982	973	9	2863.0	2878.7	*
FEMALE 65 YEARS +	978	972	6	2904.1	2018.7	*
OTHER HEART DISEASES TOTAL	287	273	14	41.4	40.6	67.0
MALE 65 YEARS +	107	103	4	312.0	304.7	*
FEMALE 65 YEARS +	119	114	5	243.9	236.8	*
CANCER ALL SITES	1,314	1,285	29	189.9	191.5	138.8
MALE 65 YEARS +	427	418	9	1244.9	1236.7	*
FEMALE 65 YEARS +	370	367	3	758.2	762.2	*
CANCER DIGESTIVE ORGANS TOTAL	351	346	5	50.6	51.4	*
MALE 65 YEARS +	123	121	2	358.6	358.0	*
FEMALE 65 YEARS +	130	130	--	266.4	270.0	-0-
CANCER RESPIRATORY SYSTEM	285	274	11	41.1	40.7	52.6
MALE 65 YEARS +	122	117	5	355.7	346.2	*
FEMALE 65 YEARS +	24	22	2	49.2	45.7	*
CEREBROVASCULAR DISEASE TOTAL	776	767	9	111.8	114.0	*
MALE 65 YEARS +	293	290	3	854.2	858.0	*
FEMALE 65 YEARS +	407	403	4	834.0	837.0	*
GENERAL ARTERIOSCLEROSIS TOTAL	112	110	2	16.1	16.3	*
MALE 65 YEARS +	43	42	1	125.4	124.3	*
FEMALE 65 YEARS +	59	56	1	120.9	120.5	*
HYPERTENSIVE DISEASE NON-HEART	23	20	3	3.3	3.0	*
MALE 65 YEARS +	8	8	--	*	*	-0-
FEMALE 65 YEARS +	11	9	2	22.5	*	*
OTHER CIRCULATORY DISEASES	153	149	4	22.0	22.1	*
MALE 65 YEARS +	54	63	1	186.6	186.4	*
FEMALE 65 YEARS +	47	46	1	96.3	95.5	*
EMPHYSEMA, BRONCHITIS, ASTHMA	130	128	2	18.7	19.0	*
MALE 65 YEARS +	67	66	1	195.3	195.3	*
FEMALE 65 YEARS +	21	21	--	43.0	43.6	-0-
PNEUMONIA AND INFLUENZA	226	219	7	32.6	32.5	*
DIABETES MELLITUS	96	95	1	13.8	14.1	*
CIRRHOSIS OF LIVER	68	62	6	9.8	9.2	*
DISEASES OF EARLY INFANCY	95	79	16	13.7	11.7	76.6
CONGENITAL ANOMALIES	39	37	2	5.6	5.5	*
MOTOR VEHICLE ACCIDENTS	184	182	2	26.5	27.0	*
ALL OTHER ACCIDENTS	178	171	7	25.7	25.4	*
SUICIDE	88	88	--	12.7	13.1	-0-
HOMICIDE	29	22	7	4.2	3.3	*
UNDETERMINED EXTERNAL CAUSES	21	20	1	3.0	3.0	*
ALL OTHER CAUSES	474	457	17	68.3	67.9	81.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 BUREAU COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	36,400	36,300	100			
MALE 65 YEARS +	2,450	2,450				
FEMALE 65 YEARS +	3,200	3,200				
LIVE BIRTHS TOTAL	496	492	4	13.6	13.6	*
MALE	252	251	1
FEMALE	244	241	3
TO MOTHERS UNDER 20 YEARS	84	84	--	169.4	170.7	-0-
ILLEGITIMATE LIVE BIRTHS	28	28	--	56.5	56.9	-0-
TO MOTHERS UNDER 20 YEARS	18	18	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	32	31	1	64.5	53.0	*
FETAL DEATHS TOTAL	7	7	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	6	6	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	6	6	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	14	14	--	28.2	28.5	-0-
PERINATAL LOSS < 7 DAYS + FETAL	13	13	--	25.8	26.1	-0-
MALE	7	7	--	*	*	-0-
FEMALE	6	6	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	428	428	--	1175.8	1179.1	-0-
MALE TOTAL	247	247	--
MALE 65 YEARS +	170	170	--	6938.8	6938.8	-0-
FEMALE TOTAL	181	181	--
FEMALE 65 YEARS +	141	141	--	4406.3	4406.3	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	195	195	--	535.7	537.2	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	151	151	--	414.8	416.0	-0-
MALE 65 YEARS +	68	68	--	2775.5	2775.5	-0-
FEMALE 65 YEARS +	66	66	--	2062.5	2062.5	-0-
OTHER HEART DISEASES TOTAL	44	44	--	120.9	121.2	-0-
MALE 65 YEARS +	19	19	--	775.5	775.5	-0-
FEMALE 65 YEARS +	11	11	--	343.8	343.8	-0-
CANCER ALL SITES	81	81	--	222.5	223.1	-0-
MALE 65 YEARS +	33	33	--	1346.9	1346.9	-0-
FEMALE 65 YEARS +	15	15	--	468.8	468.8	-0-
CANCER DIGESTIVE ORGANS TOTAL	18	18	--	49.5	49.6	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	28	28	--	76.9	77.1	-0-
MALE 65 YEARS +	14	14	--	571.4	571.4	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	38	38	--	104.4	104.7	-0-
MALE 65 YEARS +	15	15	--	612.2	612.2	-0-
FEMALE 65 YEARS +	22	22	--	687.5	687.5	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	14	14	--	38.5	38.6	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	3	3	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	7	7	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
PNEUMONIA AND INFLUENZA	13	13	--	35.7	35.8	-0-
DIABETES MELLITUS	13	13	--	35.7	35.8	-0-
CIRRHOSIS OF LIVER	4	4	--	*	*	-0-
DISEASES OF EARLY INFANCY	6	6	--	*	*	-0-
CONGENITAL ANOMALIES	4	4	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	7	7	--	*	*	-0-
ALL OTHER ACCIDENTS	9	9	--	*	*	-0-
SUICIDE	3	3	--	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	21	21	--	57.7	57.9	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 FULTON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	42,500	42,300	200						
MALE 65 YEARS +	2,650	2,650							
FEMALE 65 YEARS +	3,600	3,550	50						
LIVE BIRTHS TOTAL	633	626	7	14.9	14.8	*	14.7	14.7	34.7
MALE	314	310	4
FEMALE	319	316	3
TO MOTHERS UNDER 20 YEARS	138	136	2	218.0	217.3	*	222.0	222.1	*
ILLEGITIMATE LIVE BIRTHS	38	38	--	60.0	60.7	-0-	65.6	64.6	*
TO MOTHERS UNDER 20 YEARS	20	20	--	*	*	-0-	566.0	562.2	*
PREMATURE (UNDER 2501 GRAMS)	44	44	--	69.5	70.3	-0-	81.5	81.6	*
FETAL DEATHS TOTAL	6	6	--	*	*	-0-	9.6	9.3	*
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	7	7	--	*	*	-0-	16.6	16.7	-0-
INFANT DEATHS (UNDER 1 YEAR)	11	11	--	17.4	17.6	-0-	20.4	20.6	-0-
PERINATAL LOSS < 7 DAYS + FETAL	13	13	--	20.3	20.6	-0-	24.6	24.5	*
MALE	11	11	--	34.5	34.9	-0-	26.8	27.1	-0-
FEMALE	2	2	--	*	*	-0-	22.1	21.7	*
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-	4.7	4.8	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	506	506	--	1190.6	1196.2	-0-	1233.6	1235.4	*
MALE TOTAL	281	281	--
MALE 65 YEARS +	200	200	--	7547.2	7547.2	-0-	7534.4	7560.3	-0-
FEMALE TOTAL	225	225	--
FEMALE 65 YEARS +	192	192	--	5333.3	5408.5	-0-	5289.4	5286.2	*
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	230	230	--	541.2	543.7	-0-	545.6	546.8	*
ARTERIOSCLEROTIC OR ISCHEMIC	173	173	--	407.1	409.0	-0-	474.2	475.1	*
MALE 65 YEARS +	86	86	--	3245.3	3245.3	-0-	3262.4	3293.6	-0-
FEMALE 65 YEARS +	64	64	--	1777.8	1802.8	-0-	2361.0	2358.3	*
OTHER HEART DISEASES TOTAL	57	57	--	134.1	134.8	-0-	71.4	71.6	-0-
MALE 65 YEARS +	20	20	--	754.7	754.7	-0-	603.1	605.1	-0-
FEMALE 65 YEARS +	30	30	--	833.3	845.1	-0-	266.7	267.7	-0-
CANCER ALL SITES	94	94	--	221.2	222.2	-0-	212.2	211.2	*
MALE 65 YEARS +	31	31	--	1169.8	1169.8	-0-	1068.7	1072.4	-0-
FEMALE 65 YEARS +	37	37	--	1027.6	1042.3	-0-	822.9	814.6	*
CANCER DIGESTIVE ORGANS TOTAL	22	22	--	51.8	52.0	-0-	52.4	62.7	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-	328.2	329.4	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-	289.4	290.5	-0-
CANCER RESPIRATORY SYSTEM	17	17	--	40.0	40.2	-0-	41.3	41.0	*
MALE 65 YEARS +	6	6	--	*	*	-0-	259.5	260.4	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	68.1	62.7	*
CEREBROVASCULAR DISEASE TOTAL	60	60	--	141.2	141.8	-0-	137.1	137.6	-0-
MALE 65 YEARS +	24	24	--	905.7	905.7	-0-	895.1	896.2	-0-
FEMALE 65 YEARS +	27	27	--	750.0	760.6	-0-	617.3	620.3	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	6	6	--	*	*	-0-	16.9	17.0	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	129.8	130.2	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	96.5	96.8	-0-
HYPERTENSIVE DISEASE NON-HEART	3	3	--	*	*	-0-	7.0	7.1	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	12	12	--	28.2	28.4	-0-	26.3	26.4	-0-
MALE 65 YEARS +	6	8	--	*	*	-0-	229.0	229.8	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	79.5	79.7	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	13	13	--	30.6	30.7	-0-	22.5	22.6	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-	259.5	260.4	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	10	10	--	23.5	23.6	-0-	37.1	37.2	-0-
DIABETES MELLITUS	5	5	--	*	*	-0-	21.1	21.2	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-	6.1	6.1	-0-
DISEASES OF EARLY INFANCY	4	4	--	*	*	-0-	19.7	19.8	-0-
CONGENITAL ANOMALIES	3	3	--	*	*	-0-	8.5	8.5	-0-
MOTOR VEHICLE ACCIDENTS	17	17	--	40.0	40.2	-0-	43.7	43.8	-0-
ALL OTHER ACCIDENTS	11	11	--	25.9	26.0	-0-	28.2	28.3	-0-
SUICIDE	4	4	--	*	*	-0-	9.9	9.9	-0-
HOMICIDE	2	2	--	*	*	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-	*	*	-0-
ALL OTHER CAUSES	28	28	--	65.9	66.2	-0-	89.7	89.6	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 HENDERSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	8,200	6,200							
MALE 65 YEARS +	500	500							
FEMALE 65 YEARS +	600	600							
LIVE BIRTHS TOTAL	112	112	--	13.7	13.7	-0-	14.3	14.3	*
MALE	59	59	--
FEMALE	53	53	--
TO MOTHERS UNDER 20 YEARS	29	29	--	258.9	258.9	-0-	218.7	219.1	-0-
ILLEGITIMATE LIVE BIRTHS	10	10	--	89.3	89.3	-0-	76.6	76.9	-0-
TO MOTHERS UNDER 20 YEARS	4	4	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*	-0-	65.1	65.2	-0-
FETAL DEATHS TOTAL	2	2	--	*	*	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	2	2	--	*	*	-0-	16.7	16.7	-0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4	--	*	*	-0-	*	*	-0-
MALE	2	2	--	*	*	-0-	*	*	-0-
FEMALE	2	2	--	*	*	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	80	80	--	975.6	975.6	-0-	1109.3	1108.7	*
MALE TOTAL	46	46	--
MALE 65 YEARS +	27	27	--	5400.0	5400.0	-0-	6639.8	6626.3	*
FEMALE TOTAL	34	34	--
FEMALE 65 YEARS +	28	28	--	4666.7	4666.7	-0-	5551.7	5570.9	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	26	26	--	317.1	317.1	-0-	491.4	489.8	*
ARTERIOSCLEROTIC OR ISCHEMIC	24	24	--	292.7	292.7	-0-	450.9	449.2	*
MALE 65 YEARS +	11	11	--	2209.0	2209.0	-0-	2857.4	2868.7	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	2689.7	2659.0	-0-
OTHER HEART DISEASES TOTAL	2	2	--	*	*	-0-	40.6	40.6	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CANCER ALL SITES	18	18	--	219.5	219.5	-0-	176.5	176.6	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-	1325.0	1333.3	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-	448.3	449.8	-0-
CANCER DIGESTIVE ORGANS TOTAL	7	7	--	*	*	-0-	40.6	40.6	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	442.7	444.4	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	3	3	--	*	*	-0-	42.9	43.0	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	402.4	404.0	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	10	10	--	122.0	122.0	-0-	124.0	124.3	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	764.6	767.7	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-	1000.0	1003.5	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	2	2	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	2	2	--	*	*	-0-	40.6	40.6	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	*	*	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	3	3	--	*	*	-0-	45.3	45.4	-0-
ALL OTHER ACCIDENTS	1	1	--	*	*	-0-	33.4	33.5	-0-
SUICIDE	3	3	--	*	*	-0-	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	6	6	--	*	*	-0-	63.5	63.6	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 KNOX COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	61,100	59,000	2,100						
MALE 65 YEARS +	3,450	3,350	100						
FEMALE 65 YEARS +	5,150	5,000	150						
LIVE BIRTHS TOTAL	851	803	48	13.9	13.6	22.9	14.7	14.5	21.1
MALE	443	422	21
FEMALE	408	381	27
TO MOTHERS UNDER 20 YEARS	157	145	12	184.5	180.6	*	206.3	198.1	363.6
ILLEGITIMATE LIVE BIRTHS	76	58	18	89.3	72.2	*	84.0	66.9	413.6
TO MOTHERS UNDER 20 YEARS	37	30	7	*	*	*	538.7	521.1	*
PREMATURE (UNDER 2501 GRAMS)	50	45	5	58.8	56.0	*	65.6	62.0	136.4
FETAL DEATHS TOTAL	8	8	--	*	*	-0-	9.2	9.2	*
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	*
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	*
PREMATURE (UNDER 2501 GRAMS)	6	6	--	*	*	-0-	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	6	6	--	*	*	-0-	18.1	18.1	*
INFANT DEATHS (UNDER 1 YEAR)	12	11	1	14.1	13.7	*	23.7	24.0	*
PERINATAL LOSS < 7 DAYS + FETAL	14	14	--	16.3	17.3	-0-	25.5	25.4	*
MALE	6	6	--	*	*	-0-	30.7	30.4	*
FEMALE	8	8	--	*	*	-0-	20.1	20.2	*
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	3.6	3.7	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	641	628	13	1049.1	1064.4	619.0	1145.7	1151.3	988.5
MALE TOTAL	348	341	7
MALE 65 YEARS +	239	236	3	6927.5	7044.8	*	7157.9	7179.8	6383.0
FEMALE TOTAL	293	287	6
FEMALE 65 YEARS +	213	210	3	4135.9	4200.0	*	5066.9	5072.8	4848.5
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	275	271	4	450.1	459.3	*	523.2	529.5	345.5
ARTERIOSCLEROTIC OR ISCHEMIC	259	256	3	423.9	433.9	*	497.1	503.5	316.7
MALE 65 YEARS +	103	102	1	2985.5	3044.8	*	3578.9	3620.0	2127.7
FEMALE 65 YEARS +	117	116	1	2271.8	2320.0	*	2433.1	2445.4	1969.7
OTHER HEART DISEASES TOTAL	16	15	1	26.2	25.4	*	26.1	26.0	*
MALE 65 YEARS +	6	6	--	*	*	-0-	152.0	144.3	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	82.7	84.9	-0-
CANCER ALL SITES	122	120	2	199.7	203.4	*	195.7	195.9	151.9
MALE 65 YEARS +	37	37	--	1072.5	1104.5	-0-	1222.2	1220.7	*
FEMALE 65 YEARS +	23	23	--	446.6	460.0	-0-	728.3	727.6	*
CANCER DIGESTIVE ORGANS TOTAL	30	29	1	49.1	49.2	*	52.2	52.0	*
MALE 65 YEARS +	10	10	--	289.9	298.5	-0-	304.1	288.6	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	255.9	262.7	-0-
CANCER RESPIRATORY SYSTEM	28	27	1	45.8	45.8	*	47.5	46.8	*
MALE 65 YEARS +	13	13	--	376.8	388.1	-0-	403.5	408.9	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	55.1	48.5	*
CEREBROVASCULAR DISEASE TOTAL	78	77	1	127.7	130.5	*	121.5	121.3	124.6
MALE 65 YEARS +	44	44	--	1275.4	1313.4	-0-	760.2	763.7	*
FEMALE 65 YEARS +	29	28	1	563.1	560.0	*	783.5	772.0	*
GENERAL ARTERIOSCLEROSIS TOTAL	18	17	1	29.5	28.8	*	33.7	34.2	*
MALE 65 YEARS +	1	1	--	*	*	-0-	288.1	228.5	*
FEMALE 65 YEARS +	10	9	1	194.2	*	*	220.5	226.4	-0-
HYPERTENSIVE DISEASE NON-HEART	4	4	--	*	*	-0-	9.6	8.9	*
MALE 65 YEARS +	1	1	--	*	*	-0-	70.2	72.2	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	63.0	52.5	*
OTHER CIRCULATORY DISEASES	12	11	1	19.6	18.6	*	16.8	17.1	*
MALE 65 YEARS +	8	7	1	*	*	*	111.1	114.3	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	74.8	76.8	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	12	12	--	19.6	20.3	-0-	22.8	23.6	-0-
MALE 65 YEARS +	10	10	--	289.9	298.5	-0-	210.5	216.5	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	43.3	44.5	-0-
PNEUMONIA AND INFLUENZA	16	16	--	26.2	27.1	-0-	33.3	32.5	*
DIABETES MELLITUS	7	7	--	*	*	-0-	10.2	10.3	*
CIRRHOSIS OF LIVER	5	5	--	*	*	-0-	6.3	6.2	*
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-	15.5	18.8	*
CONGENITAL ANOMALIES	6	6	--	*	*	-0-	10.6	10.9	-0-
MOTOR VEHICLE ACCIDENTS	13	13	--	21.3	22.0	-0-	23.4	23.2	*
ALL OTHER ACCIDENTS	13	12	1	21.3	20.3	*	22.8	22.6	*
SUICIDE	4	4	--	*	*	-0-	9.9	9.9	*
HOMICIDE	4	3	1	*	*	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	50	48	2	81.8	81.4	*	81.9	82.4	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 LA SALLE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	108,400	107,600	800			
MALE 65 YEARS +	6,100	6,050	50			
FEMALE 65 YEARS +	8,650	8,650				
LIVE BIRTHS TOTAL	1,462	1,439	23	13.5	13.4	28.8
MALE	750	737	13
FEMALE	712	702	10
TO MOTHERS UNDER 20 YEARS	268	261	7	183.3	181.4	*
ILLEGITIMATE LIVE BIRTHS	90	83	7	61.6	57.7	*
TO MOTHERS UNDER 20 YEARS	55	51	4	*	*	530.2
PREMATURE (UNDER 2501 GRAMS)	98	98	--	67.0	68.1	-0-
FETAL DEATHS TOTAL	20	20	--	13.7	13.9	-0-
ILLEGITIMATE FETAL DEATHS	3	3	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	10	10	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	21	21	--	14.4	14.6	-0-
INFANT DEATHS (UNDER 1 YEAR)	27	27	--	18.5	18.8	-0-
PERINATAL LOSS < 7 DAYS + FETAL	40	40	--	27.0	27.4	-0-
MALE	22	22	--	29.0	29.5	-0-
FEMALE	18	18	--	24.9	25.2	-0-
ASPHYXIA UNSPECIFIED	10	10	--	6.7	6.9	-0-
IMMATUREITY UNQUALIFIED	4	4	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	1,228	1,225	3	1132.8	1138.5	*
MALE TOTAL	682	681	1
MALE 65 YEARS +	459	458	1	7524.6	7570.2	*
FEMALE TOTAL	546	544	2
FEMALE 65 YEARS +	429	428	1	4959.5	4948.0	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	504	503	1	464.9	467.5	*
ARTERIOSCLEROTIC OR ISCHEMIC	416	415	1	439.1	441.4	*
MALE 65 YEARS +	191	190	1	3131.1	3140.5	*
FEMALE 65 YEARS +	194	194	--	2242.8	2242.8	-0-
OTHER HEART DISEASES TOTAL	28	28	--	29.0	29.0	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	16	16	--	185.0	185.6	-0-
CANCER ALL SITES	233	232	1	214.9	215.6	*
MALE 65 YEARS +	82	82	--	1344.3	1355.4	-0-
FEMALE 65 YEARS +	67	67	--	774.6	774.6	-0-
CANCER DIGESTIVE ORGANS TOTAL	65	65	--	60.0	60.4	-0-
MALE 65 YEARS +	26	26	--	426.2	429.8	-0-
FEMALE 65 YEARS +	25	25	--	289.0	289.0	-0-
CANCER RESPIRATORY SYSTEM	46	46	--	42.4	42.8	-0-
MALE 65 YEARS +	20	20	--	327.9	330.6	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	161	161	--	148.5	149.6	-0-
MALE 65 YEARS +	68	68	--	1114.8	1124.0	-0-
FEMALE 65 YEARS +	81	81	--	936.4	936.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	14	14	--	12.9	13.0	-0-
MALE 65 YEARS +	10	10	--	163.9	165.3	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	17	17	--	15.7	15.8	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	20	20	--	18.5	18.6	-0-
MALE 65 YEARS +	10	10	--	163.9	165.3	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
PNEUMONIA AND INFLUENZA	52	52	--	48.0	48.3	-0-
DIABETES MELLITUS	22	22	--	20.3	20.4	-0-
CIRRHOSIS OF LIVER	12	12	--	11.1	11.2	-0-
DISEASES OF EARLY INFANCY	17	17	--	15.7	15.8	-0-
CONGENITAL ANOMALIES	6	6	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	31	31	--	28.6	28.8	-0-
ALL OTHER ACCIDENTS	31	31	--	28.6	28.8	-0-
SUICIDE	15	15	--	13.9	13.9	-0-
HOMICIDE	4	4	--	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	3	3	--	*	*	-0-
ALL OTHER CAUSES	82	81	1	75.6	75.3	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 MARSHALL COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	13,100	13,100				
MALE 65 YEARS +	800	800				
FEMALE 65 YEARS +	1,150	1,150				
LIVE BIRTHS TOTAL	201	201	15.3	15.3	14.2	14.2
MALE	93	93
FEMALE	108	108
TO MOTHERS UNDER 20 YEARS	36	36	179.1	179.1	149.8	150.0
ILLEGITIMATE LIVE BIRTHS	10	10	49.8	49.8	59.5	59.6
TO MOTHERS UNDER 20 YEARS	5	5	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	8	8	*	*	68.0	68.1
FETAL DEATHS TOTAL	2	2	*	*	10.6	10.6
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	11.7	11.7
INFANT DEATHS (UNDER 1 YEAR)	1	1	*	*	14.9	14.9
PERINATAL LOSS < 7 DAYS + FETAL	3	3	*	*	21.0	21.1
MALE	2	2	*	*	24.2	24.3
FEMALE	1	1	*	*	*	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	152	152	1160.3	1160.3	1178.5	1180.0
MALE TOTAL	78	78
MALE 65 YEARS +	62	62	7750.0	7750.0	7263.5	7281.9
FEMALE TOTAL	74	74
FEMALE 65 YEARS +	64	64	5565.2	5565.2	4964.0	4968.5
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	70	70	534.4	534.4	547.2	547.8
ARTERIOSCLEROTIC OR ISCHEMIC	67	67	511.5	511.5	521.6	522.1
MALE 65 YEARS +	30	30	3750.0	3750.0	3430.0	3438.7
FEMALE 65 YEARS +	30	30	2698.7	2698.7	2428.1	2430.2
OTHER HEART DISEASES TOTAL	3	3	*	*	25.6	25.7
MALE 65 YEARS +	3	3	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CANCER ALL SITES	26	26	198.5	198.5	177.9	178.1
MALE 65 YEARS +	10	10	1250.0	1250.0	1134.9	1137.8
FEMALE 65 YEARS +	9	9	*	*	539.6	540.1
CANCER DIGESTIVE ORGANS TOTAL	7	7	*	*	51.3	51.3
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	5	5	*	*	251.8	252.0
CANCER RESPIRATORY SYSTEM	4	4	*	*	31.7	31.7
MALE 65 YEARS +	3	3	*	*	252.2	252.8
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	23	23	175.6	175.6	131.2	131.3
MALE 65 YEARS +	6	6	*	*	832.3	834.4
FEMALE 65 YEARS +	15	15	1304.3	1304.3	809.4	810.1
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	*	*	31.7	31.7
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	251.8	252.0
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	*	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	2	2	*	*	28.6	28.7
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	*	*	19.6	19.6
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	4	4	*	*	37.7	37.7
DIABETES MELLITUS	1	1	*	*	*	*
CIRRHOSIS OF LIVER	--	--	-0-	-0-	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	4	4	*	*	46.7	46.8
ALL OTHER ACCIDENTS	5	5	*	*	28.6	28.7
SUICIDE	1	1	*	*	19.6	19.6
HOMICIDE	--	--	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	12	12	91.6	91.6	63.3	63.4

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 MC DONOUGH COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	39,400	38,900	500						
MALE 65 YEARS +	1,600	1,600							
FEMALE 65 YEARS +	2,400	2,400							
LIVE BIRTHS TOTAL	415	405	10	10.5	10.4	20.0	11.8	11.7	23.8
MALE	222	219	3
FEMALE	193	186	7
TO MOTHERS UNDER 20 YEARS	67	66	1	161.4	163.0	*	176.9	174.4	*
ILLEGITIMATE LIVE BIRTHS	33	32	1	79.5	79.0	*	61.7	58.1	*
TO MOTHERS UNDER 20 YEARS	21	21	--	*	*	-0-	541.1	529.9	*
PREMATURE (UNDER 2501 GRAMS)	23	22	1	55.4	54.3	*	63.8	62.9	*
FETAL DEATHS TOTAL	1	1	--	*	*	-0-	8.9	8.7	*
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	7	6	1	*	*	*	10.6	10.4	*
INFANT DEATHS (UNDER 1 YEAR)	9	8	1	*	*	*	14.4	14.3	*
PERINATAL LOSS < 7 DAYS + FETAL	6	5	1	*	*	*	19.3	18.9	*
MALE	5	4	1	*	*	*	25.2	24.2	*
FEMALE	1	1	--	*	*	-0-	12.9	13.3	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	1	--	1	*	-0-	*	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	306	304	2	776.6	781.5	*	864.6	874.1	*
MALE TOTAL	159	158	1
MALE 65 YEARS +	93	93	--	5812.5	5812.5	-0-	7845.3	7864.6	-0-
FEMALE TOTAL	147	146	1
FEMALE 65 YEARS +	124	124	--	5166.7	5166.7	-0-	5704.6	5713.1	*
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	146	146	--	370.6	375.3	-0-	393.6	397.3	*
ARTERIOSCLEROTIC OR ISCHEMIC	134	134	--	340.1	344.5	-0-	373.1	377.1	*
MALE 65 YEARS +	48	48	--	3000.0	3000.0	-0-	3916.5	3926.2	-0-
FEMALE 65 YEARS +	59	59	--	2458.3	2458.3	-0-	2736.0	2735.6	*
OTHER HEART DISEASES TOTAL	12	12	--	30.5	30.8	-0-	20.5	20.2	*
MALE 65 YEARS +	5	5	--	*	*	-0-	196.4	196.9	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-	108.1	108.4	-0-
CANCER ALL SITES	54	54	--	137.1	138.8	-0-	134.9	136.7	-0-
MALE 65 YEARS +	15	15	--	937.5	937.5	-0-	1141.8	1144.6	-0-
FEMALE 65 YEARS +	18	18	--	750.0	750.0	-0-	773.4	775.6	-0-
CANCER DIGESTIVE ORGANS TOTAL	18	18	--	45.7	46.3	-0-	33.0	33.4	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	294.7	295.4	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	207.9	208.5	-0-
CANCER RESPIRATORY SYSTEM	6	6	--	*	*	-0-	31.5	31.9	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	368.3	369.2	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	31.5	31.7	-0-
CEREBROVASCULAR DISEASE TOTAL	33	33	--	83.8	84.8	-0-	90.4	91.6	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-	871.7	873.8	-0-
FEMALE 65 YEARS +	23	23	--	958.3	958.3	-0-	748.4	750.6	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	--	*	*	-0-	23.0	23.3	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	196.4	196.9	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	241.2	241.9	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	5	5	--	*	*	-0-	17.0	17.2	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	159.6	160.0	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	--	*	*	-0-	18.5	18.7	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	306.9	307.7	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	7	7	--	*	*	-0-	17.0	17.2	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-	36.0	36.4	-0-
CIRRHOSIS OF LIVER	3	2	1	*	*	*	6.5	6.6	-0-
DISEASES OF EARLY INFANCY	5	4	1	*	*	*	10.5	10.1	*
CONGENITAL ANOMALIES	3	3	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-	21.5	21.8	-0-
ALL OTHER ACCIDENTS	3	3	--	*	*	-0-	17.5	17.7	-0-
SUICIDE	4	4	--	*	*	-0-	13.0	13.2	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	24	24	--	60.9	61.7	-0-	55.9	56.7	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 PEORIA COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	197,600	181,200 16,400				
MALE 65 YEARS +	8,750	8,400 350				
FEMALE 65 YEARS +	13,150	12,700 450				
LIVE BIRTHS TOTAL	3,291	2,725 566	16.7	15.0 34.5	16.6	15.2 33.1
MALE	1,665	1,367 298
FEMALE	1,626	1,358 268
TO MOTHERS UNDER 20 YEARS	616	425 191	167.2	156.0 337.5	189.5	161.0 339.9
ILLEGITIMATE LIVE BIRTHS	512	199 313	155.6	73.0 553.0	135.2	66.2 499.1
TO MOTHERS UNDER 20 YEARS	269	109 160	525.4	547.7 511.2	523.7	520.1 526.2
PREMATURE (UNDER 2501 GRAMS)	271	164 87	82.3	67.5 153.7	69.9	60.1 121.0
FETAL DEATHS TOTAL	34	28 6	10.3	10.3 *	12.7	11.6 18.9
ILLEGITIMATE FETAL DEATHS	8	5 3	*	*	266.7	136.6 *
TO MOTHERS UNDER 20 YEARS	5	3 2	*	*	*	* *
PREMATURE (UNDER 2501 GRAMS)	22	17 5	*	*	639.8	602.5 *
NEONATAL DEATHS (UNDER 28 DAYS)	43	26 17	13.1	9.5 30.0	14.1	13.3 18.6
INFANT DEATHS (UNDER 1 YEAR)	57	35 22	17.3	12.8 38.9	18.8	17.1 27.7
PERINATAL LOSS < 7 DAYS + FETAL	71	51 20	21.4	18.5 35.0	25.0	23.2 35.0
MALE	31	22 9	18.4	16.0 *	28.0	24.8 44.9
FEMALE	40	29 11	24.3	21.1 40.9	22.0	21.5 24.8
ASPHYXIA UNSPECIFIED	8	4 4	*	*	3.8	3.1 7.1
IMMATURITY UNQUALIFIED	4	2 2	*	*	1.9	1.5 4.1
DEATHS TOTAL (EXCEPT FETAL)	1,814	1,683 131	918.0	928.8 798.8	985.4	1005.8 751.4
MALE TOTAL	931	859 72
MALE 65 YEARS +	575	547 28	6571.4	6511.9 8000.0	7289.0	7364.4 5485.7
FEMALE TOTAL	883	824 59
FEMALE 65 YEARS +	644	625 19	4897.3	4921.3 4222.2	5150.0	5163.0 4796.6
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	636	603 33	321.9	332.8 201.2	386.0	401.8 204.5
ARTERIOSCLEROTIC OR ISCHEMIC	577	557 20	292.0	307.4 122.0	358.9	376.5 156.8
MALE 65 YEARS +	231	224 7	2640.0	2666.7 *	3652.8	3084.8 2285.7
FEMALE 65 YEARS +	240	236 4	1825.1	1858.3 *	2248.3	2268.1 1713.1
OTHER HEART DISEASES TOTAL	59	46 13	29.9	25.4 79.3	27.1	25.3 47.7
MALE 65 YEARS +	21	17 4	240.0	202.4 *	133.0	126.6 *
FEMALE 65 YEARS +	24	19 5	182.5	149.6 *	164.8	147.2 642.4
CANCER ALL SITES	375	351 24	189.8	193.7 146.3	186.8	191.7 130.5
MALE 65 YEARS +	113	106 7	1291.4	1261.9 *	1334.9	1350.1 971.4
FEMALE 65 YEARS +	108	105 3	821.3	826.8 *	792.2	797.7 642.4
CANCER DIGESTIVE ORGANS TOTAL	90	87 3	45.5	48.0 *	50.8	51.7 40.1
MALE 65 YEARS +	31	30 1	354.3	357.1 *	355.5	356.0 *
FEMALE 65 YEARS +	31	31 --	235.7	244.1 -0-	277.8	272.2 428.3
CANCER RESPIRATORY SYSTEM	90	81 9	45.5	44.7 *	48.0	49.2 33.9
MALE 65 YEARS +	35	31 4	403.0	369.0 *	472.5	485.1 *
FEMALE 65 YEARS +	8	6 2	*	*	62.6	61.7 *
CEREBROVASCULAR DISEASE TOTAL	232	224 8	117.4	123.6 *	115.8	121.2 53.9
MALE 65 YEARS +	74	71 3	845.7	845.2 *	945.0	953.4 742.9
FEMALE 65 YEARS +	135	132 3	1026.6	1039.4 *	880.7	892.7 556.7
GENERAL ARTERIOSCLEROSIS TOTAL	28	27 1	14.2	14.9 *	22.1	23.1 *
MALE 65 YEARS +	7	6 1	*	*	224.8	224.6 *
FEMALE 65 YEARS +	21	21 --	159.7	165.4 -0-	181.6	182.0 *
HYPERTENSIVE DISEASE NON-HEART	8	5 3	*	*	3.9	3.3 *
MALE 65 YEARS +	1	1 --	*	*	34.4	35.8 -0-
FEMALE 65 YEARS +	5	3 2	*	*	22.9	20.6 *
OTHER CIRCULATORY DISEASES	56	53 3	28.3	29.2 *	28.0	29.3 12.5
MALE 65 YEARS +	18	18 --	205.7	214.3 -0-	256.9	265.2 *
FEMALE 65 YEARS +	21	20 1	159.7	157.5 *	151.1	151.9 *
EMPHYSEMA, BRONCHITIS, ASTHMA	41	39 2	20.7	21.5 *	22.1	23.3 *
MALE 65 YEARS +	19	18 1	217.1	214.3 *	279.8	286.7 *
FEMALE 65 YEARS +	7	7 --	*	*	54.9	55.4 *
PNEUMONIA AND INFLUENZA	75	68 7	38.0	37.5 *	32.2	30.8 48.9
DIABETES MELLITUS	20	19 1	10.1	10.5 *	12.2	12.5 *
CIRRHOSIS OF LIVER	27	22 5	13.7	12.1 *	15.0	15.2 12.5
DISEASES OF EARLY INFANCY	33	18 15	16.7	9.9 91.5	17.3	14.7 46.4
CONGENITAL ANOMALIES	9	7 2	*	*	7.2	7.2 *
MOTOR VEHICLE ACCIDENTS	41	39 2	20.7	21.5 *	23.2	23.1 23.8
ALL OTHER ACCIDENTS	49	43 6	24.8	23.7 *	23.9	22.9 35.1
SUICIDE	30	30 --	15.2	16.6 -0-	11.2	12.1 *
HOMICIDE	16	10 6	8.1	5.5 *	5.7	3.4 32.6
UNDETERMINED EXTERNAL CAUSES	11	10 1	5.6	5.5 *	3.6	3.2 *
ALL OTHER CAUSES	127	115 12	64.3	63.5 73.2	69.2	67.0 95.1

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 PUTNAM COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	5,500	5,500				
MALE 65 YEARS +	300	300				
FEMALE 65 YEARS +	350	350				
LIVE BIRTHS TOTAL	74	74	13.5	13.5	16.2	16.2
MALE	48	48
FEMALE	26	26
TO MOTHERS UNDER 20 YEARS	13	13	*	*	106.1	106.4
ILLEGITIMATE LIVE BIRTHS	4	4	*	*	*	*
TO MOTHERS UNDER 20 YEARS	3	3	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	4	4	*	*	66.0	66.2
FETAL DEATHS TOTAL	1	1	*	*	*	*
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	*	*
INFANT DEATHS (UNDER 1 YEAR)	1	1	*	*	25.9	26.0
PERINATAL LOSS < 7 DAYS + FETAL	2	2	*	*	30.3	30.4
MALE	2	2	*	*	47.4	47.6
FEMALE	--	--	-0-	-0-	*	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	54	54	981.8	981.8	1061.3	1059.9
MALE TOTAL	31	31
MALE 65 YEARS +	19	19	6333.3	6333.3	8382.4	8382.4
FEMALE TOTAL	23	23
FEMALE 65 YEARS +	15	15	4285.7	4285.7	4497.0	4451.0
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	22	22	400.0	400.0	370.3	371.1
ARTERIOSCLEROTIC OR ISCHEMIC	20	20	363.6	363.6	326.3	329.1
MALE 65 YEARS +	8	8	*	*	3014.7	3014.7
FEMALE 65 YEARS +	6	6	*	*	1301.8	1305.6
OTHER HEART DISEASES TOTAL	2	2	*	*	42.0	42.1
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CANCER ALL SITES	18	18	327.3	327.3	183.2	183.7
MALE 65 YEARS +	2	2	*	*	1470.6	1470.6
FEMALE 65 YEARS +	4	4	*	*	887.6	890.2
CANCER DIGESTIVE ORGANS TOTAL	3	3	*	*	64.9	65.0
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
CANCER RESPIRATORY SYSTEM	5	5	*	*	*	*
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	3	3	*	*	114.5	114.8
MALE 65 YEARS +	2	2	*	*	882.4	882.4
FEMALE 65 YEARS +	1	1	*	*	710.1	712.2
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	-0-	-0-	42.0	42.1
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	*	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	--	--	-0-	-0-	38.2	38.3
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	*	*	*	*
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	-0-	-0-
PNEUMONIA AND INFLUENZA	1	1	*	*	*	*
DIABETES MELLITUS	2	2	*	*	*	*
CIRRHOSIS OF LIVER	--	--	-0-	-0-	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	--	--	-0-	-0-	38.2	38.3
ALL OTHER ACCIDENTS	1	1	*	*	42.0	42.1
SUICIDE	--	--	-0-	-0-	*	*
HOMICIDE	--	--	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	1	1	*	*	84.0	80.4

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 STARK COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	7,100	7,100							
MALE 65 YEARS +	450	450							
FEMALE 65 YEARS +	600	600							
LIVE BIRTHS TOTAL	100	98	2	14.1	13.8	*	13.3	13.3	-0-
MALE	62	60	2
FEMALE	38	38	--
TO MOTHERS UNDER 20 YEARS	19	18	1	190.0	*	*	182.8	182.8	-0-
ILLEGITIMATE LIVE BIRTHS	2	2	--	*	*	-0-	55.4	55.4	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	53.4	53.4	-0-
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	1	1	--	*	*	-0-	28.3	28.3	-0-
MALE	1	1	--	*	*	-0-	*	*	-0-
FEMALE	--	--	--	-0-	-0-	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNGUALIFIED	1	1	--	*	*	-0-	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	98	98	--	1380.3	1380.3	-0-	1333.5	1335.3	-0-
MALE TOTAL	54	54	--
MALE 65 YEARS +	36	36	--	8000.0	8000.0	-0-	9162.6	9162.6	-0-
FEMALE TOTAL	44	44	--
FEMALE 65 YEARS +	37	37	--	6166.7	6166.7	-0-	5780.7	5780.7	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	51	51	--	718.3	718.3	-0-	617.8	618.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	49	49	--	690.1	690.1	-0-	566.1	566.8	-0-
MALE 65 YEARS +	18	18	--	4000.0	4000.0	-0-	4482.8	4482.8	-0-
FEMALE 65 YEARS +	23	23	--	3833.3	3833.3	-0-	2558.1	2558.1	-0-
OTHER HEART DISEASES TOTAL	2	2	--	*	*	-0-	51.7	51.8	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER ALL SITES	16	16	--	225.4	225.4	-0-	236.8	237.1	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-	1428.6	1428.6	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	930.2	930.2	-0-
CANCER DIGESTIVE ORGANS TOTAL	5	5	--	*	*	-0-	59.9	60.0	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	492.6	492.6	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	4	4	--	*	*	-0-	65.3	65.4	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	640.4	640.4	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	9	9	--	*	*	-0-	130.6	130.8	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	788.2	788.2	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-	830.6	830.6	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	3	3	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-	32.7	32.7	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	1	1	--	*	*	-0-	51.7	51.8	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	40.8	40.9	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	4	4	--	*	*	-0-	27.2	27.3	-0-
ALL OTHER ACCIDENTS	3	3	--	*	*	-0-	40.8	40.9	-0-
SUICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	5	5	--	*	*	-0-	84.4	84.5	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 TAZEWELL COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	124,100	123,800	300			
MALE 65 YEARS +	4,650	4,650				
FEMALE 65 YEARS +	6,100	6,100				
LIVE BIRTHS TOTAL	2,069	2,056	13	16.7	16.6	43.3
MALE	1,093	1,085	8
FEMALE	976	971	5
TO MOTHERS UNDER 20 YEARS	349	348	1	168.7	169.3	*
ILLEGITIMATE LIVE BIRTHS	116	114	2	56.1	55.4	*
TO MOTHERS UNDER 20 YEARS	61	60	1	525.9	526.3	*
PREMATURE (UNDER 2501 GRAMS)	139	139	--	67.2	67.6	-0-
FETAL DEATHS TOTAL	11	11	--	5.3	5.4	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	5	5	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	29	29	--	14.0	14.1	-0-
INFANT DEATHS (UNDER 1 YEAR)	34	34	--	16.4	16.5	-0-
PERINATAL LOSS < 7 DAYS + FETAL	36	36	--	17.3	17.4	-0-
MALE	23	23	--	20.9	21.1	-0-
FEMALE	13	13	--	13.3	13.3	-0-
ASPHYXIA UNSPECIFIED	7	7	--	*	*	-0-
IMMATURITY UNQUALIFIED	3	3	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	900	900	--	725.2	727.0	-0-
MALE TOTAL	521	521	--
MALE 65 YEARS +	284	284	--	6107.5	6107.5	-0-
FEMALE TOTAL	379	379	--
FEMALE 65 YEARS +	260	260	--	4262.3	4262.3	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	343	343	--	276.4	277.1	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	297	297	--	239.3	239.9	-0-
MALE 65 YEARS +	119	119	--	2559.1	2559.1	-0-
FEMALE 65 YEARS +	98	98	--	1606.6	1606.6	-0-
OTHER HEART DISEASES TOTAL	46	46	--	37.1	37.2	-0-
MALE 65 YEARS +	17	17	--	365.6	365.6	-0-
FEMALE 65 YEARS +	21	21	--	344.3	344.3	-0-
CANCER ALL SITES	183	183	--	147.5	147.8	-0-
MALE 65 YEARS +	57	57	--	1225.8	1225.8	-0-
FEMALE 65 YEARS +	45	45	--	737.7	737.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	52	52	--	41.9	42.0	-0-
MALE 65 YEARS +	19	19	--	408.6	408.6	-0-
FEMALE 65 YEARS +	19	19	--	311.5	311.5	-0-
CANCER RESPIRATORY SYSTEM	41	41	--	33.0	33.1	-0-
MALE 65 YEARS +	16	16	--	344.1	344.1	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	72	72	--	58.0	58.2	-0-
MALE 65 YEARS +	25	25	--	537.6	537.6	-0-
FEMALE 65 YEARS +	34	34	--	557.4	557.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	10	10	--	8.1	8.1	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	32	32	--	25.8	25.8	-0-
MALE 65 YEARS +	14	14	--	301.1	301.1	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	16	16	--	12.9	12.9	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
PNEUMONIA AND INFLUENZA	34	34	--	27.4	27.5	-0-
DIABETES MELLITUS	15	15	--	12.1	12.1	-0-
CIRRHOSIS OF LIVER	6	6	--	*	*	-0-
DISEASES OF EARLY INFANCY	23	23	--	18.5	18.6	-0-
CONGENITAL ANOMALIES	5	5	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	40	40	--	32.2	32.3	-0-
ALL OTHER ACCIDENTS	32	32	--	25.8	25.8	-0-
SUICIDE	17	17	--	13.7	13.7	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	4	4	--	*	*	-0-
ALL OTHER CAUSES	67	67	--	54.0	54.1	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 WARREN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	21,100	20,700 400				
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,850	1,850				
LIVE BIRTHS TOTAL	305	294 11	14.5	14.2	27.5	14.8 14.7 22.0
MALE	162	156 6
FEMALE	143	138 5
TO MOTHERS UNDER 20 YEARS	63	60 3	206.6	204.1	*	193.9 191.6 *
ILLEGITIMATE LIVE BIRTHS	31	27 4	101.6	91.8	*	79.7 69.7 *
TO MOTHERS UNDER 20 YEARS	22	19 3	*	*	*	527.6 555.6 *
PREMATURE (UNDER 2501 GRAMS)	17	16 1	55.7	54.4	*	67.8 63.2 *
FETAL DEATHS TOTAL	4	4 --	*	*	-0-	13.2 13.5 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	-0-	* * -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	-0-	* * -0-
PREMATURE (UNDER 2501 GRAMS)	2	2 --	*	*	-0-	* * -0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1 --	*	*	-0-	16.3 14.8 *
INFANT DEATHS (UNDER 1 YEAR)	4	4 --	*	*	-0-	20.1 18.7 *
PERINATAL LOSS < 7 DAYS + FETAL	5	5 --	*	*	-0-	27.9 27.4 *
MALE	2	2 --	*	*	-0-	18.6 18.1 *
FEMALE	3	3 --	*	*	-0-	37.9 37.6 *
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	-0-	* * *
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	-0-	* * -0-
DEATHS TOTAL (EXCEPT FETAL)	227	222 5	1075.8	1072.5	*	1180.6 1185.9 900.0
MALE TOTAL	126	122 4
MALE 65 YEARS +	85	82 3	7063.3	6833.3	*	7404.5 7463.7 *
FEMALE TOTAL	101	100 1
FEMALE 65 YEARS +	78	77 1	4216.2	4162.2	*	5315.2 5328.2 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	94	92 2	445.5	444.4	*	531.3 537.6 *
ARTERIOSCLEROTIC OR ISCHEMIC	81	79 2	383.9	381.6	*	458.9 463.8 *
MALE 65 YEARS +	36	36 --	3000.0	3000.0	-0-	3328.0 3376.4 -0-
FEMALE 65 YEARS +	27	26 1	1459.5	1405.4	*	2163.0 2162.2 *
OTHER HEART DISEASES TOTAL	13	13	61.6	62.8	-0-	72.5 73.8 -0-
MALE 65 YEARS +	5	5 --	*	*	-0-	414.0 420.0 -0-
FEMALE 65 YEARS +	6	6 --	*	*	-0-	467.4 474.4 -0-
CANCER ALL SITES	39	37 2	184.8	178.7	*	183.0 182.7 *
MALE 65 YEARS +	19	17 2	1583.3	1416.7	*	1114.6 1098.5 *
FEMALE 65 YEARS +	8	8 --	*	*	-0-	706.5 706.0 *
CANCER DIGESTIVE ORGANS TOTAL	13	12 1	61.6	58.0	*	55.7 54.9 *
MALE 65 YEARS +	8	7 1	*	*	*	318.5 306.9 *
FEMALE 65 YEARS +	3	3 --	*	*	-0-	260.9 264.8 -0-
CANCER RESPIRATORY SYSTEM	7	6 1	*	*	*	30.7 31.2 -0-
MALE 65 YEARS +	4	3 1	*	*	*	270.7 274.6 -0-
FEMALE 65 YEARS +	1	1 --	*	*	-0-	* * -0-
CEREBROVASCULAR DISEASE TOTAL	28	28	132.7	135.3	-0-	155.1 153.3 *
MALE 65 YEARS +	10	10 --	833.3	833.3	-0-	987.3 985.5 *
FEMALE 65 YEARS +	16	16 --	864.9	864.9	-0-	969.1 981.8 *
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	*	*	-0-	19.5 19.9 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	* * -0-
FEMALE 65 YEARS +	3	3 --	*	*	-0-	184.8 187.5 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	*	-0-	* * -0-
MALE 65 YEARS +	1	1 --	*	*	-0-	* * -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	* * -0-
OTHER CIRCULATORY DISEASES	2	2 --	*	*	-0-	33.4 34.1 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	270.7 274.6 -0-
FEMALE 65 YEARS +	1	1 --	*	*	-0-	* * -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7 --	*	*	-0-	22.3 22.7 -0-
MALE 65 YEARS +	4	4 --	*	*	-0-	222.9 226.2 -0-
FEMALE 65 YEARS +	1	1 --	*	*	-0-	* * -0-
PNEUMONIA AND INFLUENZA	5	5 --	*	*	-0-	29.7 29.3 *
DIABETES MELLITUS	1	1 --	*	*	-0-	22.3 21.8 *
CIRRHOSIS OF LIVER	3	3 --	*	*	-0-	* * -0-
DISEASES OF EARLY INFANCY	--	-- --	-0-	-0-	-0-	19.5 18.0 *
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	-0-	* * -0-
MOTOR VEHICLE ACCIDENTS	6	6 --	*	*	-0-	27.9 28.4 -0-
ALL OTHER ACCIDENTS	8	8 --	*	*	-0-	32.5 33.1 -0-
SUICIDE	4	4 --	*	*	-0-	12.1 12.3 -0-
HOMICIDE	--	-- --	-0-	-0-	-0-	-0- -0- -0-
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	-0-	* * -0-
ALL OTHER CAUSES	25	24 1	118.5	115.9	*	72.5 72.9 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 02 WOODFORD COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	29,400	29,300	100			
MALE 65 YEARS +	1,400	1,400				
FEMALE 65 YEARS +	2,000	2,000				
LIVE BIRTHS TOTAL	487	485	2	16.6	16.6	*
MALE	248	247	1
FEMALE	239	238	1
TO MOTHERS UNDER 20 YEARS	76	74	2	156.1	152.6	*
ILLEGITIMATE LIVE BIRTHS	25	24	1	51.3	49.5	*
TO MOTHERS UNDER 20 YEARS	19	18	1	*	*	*
PREMATURE (UNDER 2501 GRAMS)	26	26	--	53.4	53.6	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4	--	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-
FEMALE	4	4	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	262	261	1	891.2	890.8	*
MALE TOTAL	133	133	--
MALE 65 YEARS +	91	91	--	6500.0	6500.0	-0-
FEMALE TOTAL	129	128	1
FEMALE 65 YEARS +	104	103	1	5200.0	5150.0	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	94	94	--	319.7	320.8	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	91	91	--	309.5	310.6	-0-
MALE 65 YEARS +	33	33	--	2357.1	2357.1	-0-
FEMALE 65 YEARS +	45	45	--	2250.0	2250.0	-0-
OTHER HEART DISEASES TOTAL	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CANCER ALL SITES	59	59	--	200.7	201.4	-0-
MALE 65 YEARS +	15	15	--	1071.4	1071.4	-0-
FEMALE 65 YEARS +	23	23	--	1159.0	1150.0	-0-
CANCER DIGESTIVE ORGANS TOTAL	21	21	--	71.4	71.7	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	10	10	--	500.0	500.0	-0-
CANCER RESPIRATORY SYSTEM	6	6	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	29	29	--	98.6	99.0	-0-
MALE 65 YEARS +	14	14	--	1000.0	1000.0	-0-
FEMALE 65 YEARS +	12	12	--	600.0	600.0	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	11	11	--	37.4	37.5	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	3	3	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	6	6	--	*	*	-0-
DIABETES MELLITUS	5	5	--	*	*	-0-
CIRRHOSIS OF LIVER	3	3	--	*	*	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-
ALL OTHER ACCIDENTS	12	12	--	40.8	41.0	-0-
SUICIDE	3	3	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	24	23	1	81.6	78.5	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 WEST CENTRAL
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	562,200	548,900 13,300				
MALE 65 YEARS +	33,600	33,050 550				
FEMALE 65 YEARS +	48,150	47,500 650				
LIVE BIRTHS TOTAL	7,979	7,636 343	14.2	13.9 25.8	14.8	14.5 27.1
MALE	4,083	3,907 176
FEMALE	3,896	3,729 167
TO MOTHERS UNDER 20 YEARS	1,552	1,424 128	194.5	186.5 373.2	191.2	185.3 329.1
ILLEGITIMATE LIVE BIRTHS	730	538 192	91.5	70.5 559.8	86.4	70.8 446.7
TO MOTHERS UNDER 20 YEARS	417	307 110	571.2	570.6 572.9	537.3	538.8 531.8
PREMATURE (UNDER 2501 GRAMS)	494	445 45	61.9	58.8 131.2	64.9	61.8 136.2
FETAL DEATHS TOTAL	76	73 3	9.5	9.6 *	12.2	12.0 17.4
ILLEGITIMATE FETAL DEATHS	9	7 2	*	*	126.0	96.2 *
TO MOTHERS UNDER 20 YEARS	5	5 --	*	*	-0-	* *
PREMATURE (UNDER 2501 GRAMS)	50	48 2	*	*	563.0	546.0 *
NEONATAL DEATHS (UNDER 28 DAYS)	95	82 13	11.9	10.7 37.9	14.3	13.8 24.9
INFANT DEATHS (UNDER 1 YEAR)	117	99 18	14.7	13.0 52.5	18.4	17.8 30.7
PERINATAL LOSS < 7 DAYS + FETAL	157	143 14	19.5	18.5 40.5	25.2	24.5 40.4
MALE	81	71 10	19.7	18.0 56.2	27.8	26.9 51.2
FEMALE	76	72 4	19.3	19.1 *	22.3	22.0 29.6
ASPHYXIA UNSPECIFIED	14	12 2	1.7	1.6 *	1.8	1.8 *
IMMATURITY UNQUALIFIED	22	19 3	2.7	2.5 *	3.5	3.2 10.3
DEATHS TOTAL (EXCEPT FETAL)	6,507	6,375 132	1157.4	1161.4 992.5	1230.5	1230.4 1234.5
MALE TOTAL	3,506	3,430 76
MALE 65 YEARS +	2,377	2,336 39	7074.4	7074.1 7090.9	7643.1	7626.9 8608.1
FEMALE TOTAL	3,001	2,945 56
FEMALE 65 YEARS +	2,367	2,338 29	4915.9	4922.1 4461.5	5262.9	5253.1 5960.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	2,748	2,704 44	488.8	492.6 330.8	542.4	545.5 407.8
ARTERIOSCLEROTIC OR ISCHEMIC	2,553	2,516 37	454.1	458.4 278.2	509.7	512.7 379.6
MALE 65 YEARS +	1,043	1,027 16	3104.2	3107.4 2909.1	3555.6	3559.3 3333.3
FEMALE 65 YEARS +	1,089	1,078 11	2261.7	2269.5 1692.3	2498.6	2497.1 2602.1
OTHER HEART DISEASES TOTAL	195	188 7	34.7	34.3 *	32.7	32.8 28.2
MALE 65 YEARS +	59	56 3	175.6	169.4 *	186.3	187.6 *
FEMALE 65 YEARS +	83	83 --	172.4	174.7 -0-	147.8	148.2 *
CANCER ALL SITES	1,200	1,173 27	213.4	213.7 203.0	207.3	206.8 227.5
MALE 65 YEARS +	414	405 9	1232.1	1225.4 *	1254.1	1246.3 1721.6
FEMALE 65 YEARS +	336	330 6	697.8	694.7 *	702.1	699.2 907.7
CANCER DIGESTIVE ORGANS TOTAL	327	319 8	58.2	58.1 *	60.1	59.7 78.4
MALE 65 YEARS +	112	110 2	333.3	332.8 *	375.6	372.1 586.1
FEMALE 65 YEARS +	122	120 2	253.4	252.6 *	249.8	248.6 332.8
CANCER RESPIRATORY SYSTEM	289	282 7	51.4	51.4 *	45.9	45.9 48.6
MALE 65 YEARS +	130	127 3	386.9	384.3 *	368.4	365.4 549.5
FEMALE 65 YEARS +	26	26 --	54.0	54.7 -0-	54.8	55.5 -0-
CEREBROVASCULAR DISEASE TOTAL	686	680 6	122.0	123.9 *	139.7	139.6 145.9
MALE 65 YEARS +	272	271 1	809.5	820.0 *	888.2	880.9 1318.7
FEMALE 65 YEARS +	326	321 5	677.1	675.8 *	835.2	833.8 938.0
GENERAL ARTERIOSCLEROSIS TOTAL	143	143 --	25.4	26.1 -0-	29.9	30.3 *
MALE 65 YEARS +	54	54 --	160.7	163.4 -0-	201.4	202.9 *
FEMALE 65 YEARS +	85	85 --	176.5	178.9 -0-	203.4	205.0 *
HYPERTENSIVE DISEASE NON-HEART	34	32 2	6.0	5.8 *	7.3	7.3 *
MALE 65 YEARS +	13	13 --	38.7	39.3 -0-	51.9	52.1 *
FEMALE 65 YEARS +	18	16 2	37.4	33.7 *	38.3	38.0 *
OTHER CIRCULATORY DISEASES	161	158 3	28.6	28.8 *	26.6	26.7 22.0
MALE 65 YEARS +	68	67 1	202.4	202.7 *	202.6	204.1 *
FEMALE 65 YEARS +	56	56 --	116.3	117.9 -0-	107.0	106.8 *
EMPHYSEMA, BRONCHITIS, ASTHMA	145	143 2	25.8	26.1 *	23.0	23.2 *
MALE 65 YEARS +	88	88 --	261.9	266.3 -0-	241.8	242.8 *
FEMALE 65 YEARS +	12	12 --	24.9	25.3 -0-	32.9	33.3 -0-
PNEUMONIA AND INFLUENZA	205	199 6	36.5	36.3 *	34.7	34.6 39.2
DIABETES MELLITUS	107	105 2	19.0	19.1 *	20.4	20.1 32.9
CIRRHOSIS OF LIVER	59	57 2	10.5	10.4 *	11.8	11.7 20.4
DISEASES OF EARLY INFANCY	78	65 13	13.9	11.8 97.7	17.2	16.2 61.2
CONGENITAL ANOMALIES	24	24 --	4.3	4.4 -0-	6.7	6.8 *
MOTOR VEHICLE ACCIDENTS	147	146 1	26.1	26.6 *	32.0	32.2 25.1
ALL OTHER ACCIDENTS	170	165 5	30.2	30.1 *	29.8	29.7 34.5
SUICIDE	66	65 1	11.7	11.8 *	11.8	11.9 *
HOMICIDE	27	25 2	4.8	4.2 *	3.1	2.6 25.1
UNDETERMINED EXTERNAL CAUSES	16	16 --	2.8	2.9 -0-	5.1	4.6 28.2
ALL OTHER CAUSES	491	477 14	87.3	86.9 105.3	81.6	80.6 125.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 ADAMS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATIOS WHITE	OTHER	1975 TOTAL	RATIOS WHITE	OTHER
POPULATION TOTAL	70,000	68,400	1,600						
MALE 65 YEARS +	4,850	4,750	100						
FEMALE 65 YEARS +	6,750	6,650	100						
LIVE BIRTHS TOTAL	1,001	957	44	14.3	14.0	27.5	15.3	15.0	26.8
MALE	532	510	22
FEMALE	469	447	22
TO MOTHERS UNDER 20 YEARS	191	176	15	190.8	183.9	*	163.5	155.8	350.2
ILLEGITIMATE LIVE BIRTHS	95	75	20	94.9	78.4	*	81.3	63.6	506.9
TO MOTHERS UNDER 20 YEARS	54	44	10	*	*	*	498.9	483.5	545.5
PREMATURE (UNDER 2501 GRAMS)	60	53	7	59.9	55.4	*	74.3	70.9	156.7
FETAL DEATHS TOTAL	12	12	--	12.0	12.5	-0-	14.1	14.0	*
ILLEGITIMATE FETAL DEATHS	3	3	--	*	*	-0-	*	*	*
TO MOTHERS UNDER 20 YEARS	2	2	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	9	9	--	*	*	-0-	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	14	10	4	14.0	10.4	*	16.5	15.9	*
INFANT DEATHS (UNDER 1 YEAR)	17	12	5	17.0	12.5	*	20.2	19.5	*
PERINATAL LOSS < 7 DAYS + FETAL	26	22	4	25.7	22.1	*	29.1	28.3	49.8
MALE	12	8	4	22.3	*	*	32.9	32.5	*
FEMALE	14	14	--	29.5	30.9	-0-	25.0	23.7	*
ASPHYXIA UNSPECIFIED	5	3	2	*	*	*	3.4	3.2	*
IMMATURITY UNQUALIFIED	4	4	--	*	*	-0-	2.4	2.1	*
DEATHS TOTAL (EXCEPT FETAL)	941	918	23	1344.3	1342.1	1437.5	1375.9	1370.3	1529.9
MALE TOTAL	490	476	14
MALE 65 YEARS +	337	333	4	6948.5	7010.5	*	7777.8	7733.6	9807.7
FEMALE TOTAL	451	442	9
FEMALE 65 YEARS +	363	358	5	5377.8	5383.5	*	5149.6	5139.6	5959.1
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	375	370	5	535.7	540.9	*	574.7	577.4	456.5
ARTERIOSCLEROTIC OR ISCHEMIC	352	348	4	502.9	508.8	*	545.8	548.7	419.5
MALE 65 YEARS +	138	138	--	2845.4	2905.3	-0-	3464.5	3468.8	3269.2
FEMALE 65 YEARS +	155	153	2	2296.3	2300.8	*	2328.9	2332.6	*
OTHER HEART DISEASES TOTAL	23	22	1	32.9	32.2	*	28.8	28.7	*
MALE 65 YEARS +	8	7	1	*	*	*	123.0	121.5	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	118.5	120.1	-0-
CANCER ALL SITES	157	152	5	224.3	222.2	*	235.2	232.1	370.1
MALE 65 YEARS +	48	47	1	989.7	989.5	*	1238.2	1210.7	2500.0
FEMALE 65 YEARS +	52	51	1	770.4	766.9	*	714.1	714.5	*
CANCER DIGESTIVE ORGANS TOTAL	57	55	2	81.4	80.4	*	70.6	67.9	185.1
MALE 65 YEARS +	19	18	1	391.8	378.9	*	401.8	389.6	*
FEMALE 65 YEARS +	24	24	--	355.6	360.9	-0-	231.1	228.2	*
CANCER RESPIRATORY SYSTEM	27	27	--	38.6	39.5	-0-	50.4	49.3	*
MALE 65 YEARS +	13	13	--	268.0	273.7	-0-	352.6	339.3	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	59.3	60.0	-0-
CEREBROVASCULAR DISEASE TOTAL	123	123	--	175.7	179.8	-0-	166.3	165.9	185.1
MALE 65 YEARS +	50	50	--	1030.9	1052.6	-0-	959.4	955.2	*
FEMALE 65 YEARS +	58	58	--	859.3	872.2	-0-	844.4	840.6	*
GENERAL ARTERIOSCLEROSIS TOTAL	23	23	--	32.9	33.6	-0-	34.2	34.4	*
MALE 65 YEARS +	8	8	--	*	*	-0-	184.5	180.1	*
FEMALE 65 YEARS +	15	15	--	222.2	225.6	-0-	228.1	231.2	-0-
HYPERTENSIVE DISEASE NON-HEART	6	6	--	*	*	-0-	10.1	10.3	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	61.5	62.8	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	56.3	57.0	-0-
OTHER CIRCULATORY DISEASES	27	27	--	38.6	39.5	-0-	37.5	37.5	*
MALE 65 YEARS +	8	8	--	*	*	-0-	254.2	251.4	*
FEMALE 65 YEARS +	12	12	--	177.8	180.5	-0-	127.4	126.1	*
EMPHYSEMA, BRONCHITIS, ASTHMA	17	17	--	24.3	24.9	-0-	26.0	26.6	-0-
MALE 65 YEARS +	10	10	--	206.2	210.5	-0-	258.3	263.9	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	35.6	36.0	-0-
PNEUMONIA AND INFLUENZA	45	42	3	64.3	61.4	*	51.8	51.6	*
DIABETES MELLITUS	11	10	1	15.7	14.6	*	17.1	16.9	*
CIRRHOSIS OF LIVER	8	7	1	*	*	*	12.6	12.6	*
DISEASES OF EARLY INFANCY	14	10	4	20.0	14.6	*	20.2	19.2	*
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	5.9	5.7	*
MOTOR VEHICLE ACCIDENTS	19	19	--	27.1	27.8	-0-	29.1	29.5	*
ALL OTHER ACCIDENTS	21	19	2	30.0	27.8	*	26.6	26.9	*
SUICIDE	20	20	--	28.6	29.2	-0-	14.8	15.2	-0-
HOMICIDE	4	4	--	*	*	-0-	3.6	3.2	*
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-	*	*	*
ALL OTHER CAUSES	69	67	2	98.6	98.0	*	106.4	103.7	222.1

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 BROWN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	5,400	5,400							
MALE 65 YEARS +	500	500							
FEMALE 65 YEARS +	600	600							
LIVE BIRTHS TOTAL	77	77	--	14.3	14.3	-0-	13.4	13.4	-0-
MALE	42	42	--
FEMALE	35	35	--
TO MOTHERS UNDER 20 YEARS	19	19	--	*	*	-0-	214.3	214.3	-0-
ILLEGITIMATE LIVE BIRTHS	6	6	--	*	*	-0-	63.2	63.2	-0-
TO MOTHERS UNDER 20 YEARS	6	6	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*	-0-	54.9	54.9	-0-
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	3	3	--	*	*	-0-	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	3	3	--	*	*	-0-	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE	3	3	--	*	*	-0-	-0-	-0-	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	90	90	--	1666.7	1666.7	-0-	1568.4	1573.6	-0-
MALE TOTAL	46	46	--
MALE 65 YEARS +	34	34	--	6800.0	6800.0	-0-	7545.6	7576.4	-0-
FEMALE TOTAL	44	44	--
FEMALE 65 YEARS +	38	38	--	6333.3	6333.3	-0-	4583.3	4583.3	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	48	48	--	888.9	888.9	-0-	811.8	814.4	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	47	47	--	870.4	870.4	-0-	786.0	788.6	-0-
MALE 65 YEARS +	20	20	--	4000.0	4000.0	-0-	4137.9	4154.8	-0-
FEMALE 65 YEARS +	22	22	--	3666.7	3666.7	-0-	2660.3	2660.3	-0-
OTHER HEART DISEASES TOTAL	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CANCER ALL SITES	13	13	--	240.7	240.7	-0-	282.8	283.8	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	1257.6	1262.7	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	641.0	641.0	-0-
CANCER DIGESTIVE ORGANS TOTAL	5	5	--	*	*	-0-	58.8	59.0	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	2	2	--	*	*	-0-	66.1	66.3	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	7	7	--	*	*	-0-	113.9	114.2	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	446.2	448.1	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	512.8	512.8	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	2	2	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	--	--	--	-0-	-0-	-0-	*	*	-0-
DIABETES MELLITUS	--	--	--	-0-	-0-	-0-	*	*	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	3	3	--	*	*	-0-	47.8	47.9	-0-
ALL OTHER ACCIDENTS	2	2	--	*	*	-0-	51.4	51.6	-0-
SUICIDE	1	1	--	*	*	-0-	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	5	5	--	*	*	-0-	113.9	114.2	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 CALHOUN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	5,500	5,500							
MALE 65 YEARS +	500	500							
FEMALE 65 YEARS +	500	500							
LIVE BIRTHS TOTAL	79	79	--	14.4	14.4	-0-	14.4	14.4	-0-
MALE	41	41	--
FEMALE	38	38	--
TO MOTHERS UNDER 20 YEARS	17	17	--	*	*	-0-	178.4	178.4	-0-
ILLEGITIMATE LIVE BIRTHS	5	5	--	*	*	-0-	50.3	50.3	-0-
TO MOTHERS UNDER 20 YEARS	4	4	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	4	4	--	*	*	-0-	62.8	62.8	-0-
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	--	-0-	-0-	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	--	--	--	-0-	-0-	-0-	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE	--	--	--	-0-	-0-	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	70	70	--	1272.7	1272.7	-0-	1469.6	1470.6	-0-
MALE TOTAL	40	40	--
MALE 65 YEARS +	33	33	--	6600.0	6600.0	-0-	7029.1	7029.1	-0-
FEMALE TOTAL	30	30	--
FEMALE 65 YEARS +	24	24	--	4800.0	4800.0	-0-	5072.8	5072.8	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	29	29	--	527.3	527.3	-0-	556.1	556.5	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	28	28	--	509.1	509.1	-0-	512.7	513.1	-0-
MALE 65 YEARS +	12	12	--	2400.0	2400.0	-0-	2835.0	2835.0	-0-
FEMALE 65 YEARS +	11	11	--	2200.0	2200.0	-0-	1787.9	1787.9	-0-
OTHER HEART DISEASES TOTAL	1	1	--	*	*	-0-	43.3	43.4	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER ALL SITES	11	11	--	200.0	200.0	-0-	238.3	238.5	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	932.0	932.0	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	748.4	748.4	-0-
CANCER DIGESTIVE ORGANS TOTAL	2	2	--	*	*	-0-	90.3	90.3	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	1	1	--	*	*	-0-	39.7	39.7	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	17	17	--	309.1	309.1	-0-	223.9	224.0	-0-
MALE 65 YEARS +	11	11	--	2200.0	2200.0	-0-	1320.4	1320.4	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	1081.1	1081.1	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	1	1	--	*	*	-0-	50.6	50.6	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	--	*	*	-0-	36.1	36.1	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	2	2	--	*	*	-0-	*	*	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	54.2	54.2	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	1	1	--	*	*	-0-	54.2	54.2	-0-
ALL OTHER ACCIDENTS	--	--	--	-0-	-0-	-0-	46.9	47.0	-0-
SUICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	7	7	--	*	*	-0-	108.3	108.4	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 CASS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	13,800	13,800				
MALE 65 YEARS +	900	900				
FEMALE 65 YEARS +	1,250	1,250				
LIVE BIRTHS TOTAL	213	213	15.4	15.4	16.1	16.1
MALE	106	106
FEMALE	107	107
TO MOTHERS UNDER 20 YEARS	33	33	154.9	154.9	209.8	209.3
ILLEGITIMATE LIVE BIRTHS	15	15	70.4	70.4	83.9	83.2
TO MOTHERS UNDER 20 YEARS	9	9	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	11	11	51.6	51.6	45.5	45.5
FETAL DEATHS TOTAL	--	--	-0-	-0-	12.2	12.3
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	*	*	12.2	12.3
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	15.7	15.8
PERINATAL LOSS < 7 DAYS + FETAL	2	2	*	*	23.2	23.4
MALE	1	1	*	*	26.1	26.1
FEMALE	1	1	*	*	20.2	20.2
ASPHYXIA UNSPECIFIED	1	1	*	*	*	*
IMMATURITY UNQUALIFIED	1	1	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	174	174	1260.9	1260.9	1416.9	1419.1
MALE TOTAL	82	82
MALE 65 YEARS +	59	59	6555.6	6555.6	8535.8	8545.5
FEMALE TOTAL	92	92
FEMALE 65 YEARS +	80	80	6400.0	6400.0	5969.9	5984.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	89	89	644.9	644.9	632.2	633.2
ARTERIOSCLEROTIC OR ISCHEMIC	87	87	630.4	630.4	606.8	607.8
MALE 65 YEARS +	32	32	3555.6	3555.6	4177.1	4181.8
FEMALE 65 YEARS +	40	40	3200.0	3200.0	2707.8	2714.3
OTHER HEART DISEASES TOTAL	2	2	*	*	25.4	25.4
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	2	2	*	*	190.0	190.5
CANCER ALL SITES	24	24	173.9	173.9	228.6	229.0
MALE 65 YEARS +	10	10	1111.1	1111.1	1339.4	1340.9
FEMALE 65 YEARS +	9	9	*	*	839.3	841.3
CANCER DIGESTIVE ORGANS TOTAL	9	9	*	*	69.2	69.3
MALE 65 YEARS +	2	2	*	*	408.6	409.1
FEMALE 65 YEARS +	5	5	*	*	332.5	333.3
CANCER RESPIRATORY SYSTEM	1	1	*	*	43.7	43.8
MALE 65 YEARS +	1	1	*	*	363.2	363.6
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	11	11	79.7	79.7	186.3	186.6
MALE 65 YEARS +	4	4	*	*	1225.9	1227.3
FEMALE 65 YEARS +	7	7	*	*	1045.1	1047.6
GENERAL ARTERIOSCLEROSIS TOTAL	6	6	*	*	26.8	26.9
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	5	5	*	*	269.2	269.8
HYPERTENSIVE DISEASE NON-HEART	1	1	*	*	*	*
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	6	6	*	*	22.6	22.6
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	3	3	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	*	*	21.2	21.2
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
PNEUMONIA AND INFLUENZA	6	6	*	*	28.2	28.3
DIABETES MELLITUS	4	4	*	*	18.3	18.4
CIRRHOSIS OF LIVER	1	1	*	*	*	*
DISEASES OF EARLY INFANCY	2	2	*	*	18.3	18.4
CONGENITAL ANOMALIES	1	1	*	*	*	*
MOTOR VEHICLE ACCIDENTS	3	3	*	*	35.3	35.3
ALL OTHER ACCIDENTS	4	4	*	*	50.8	50.9
SUICIDE	2	2	*	*	15.5	15.5
HOMICIDE	--	--	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	12	12	87.0	87.0	104.4	104.6

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 CHRISTIAN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	36,300	36,100 200				
MALE 65 YEARS +	2,250	2,250				
FEMALE 65 YEARS +	3,250	3,200 50				
LIVE BIRTHS TOTAL	494	494 --	13.6	13.7 -0-	14.6	14.6 17.1
MALE	277	277 --
FEMALE	217	217 --
TO MOTHERS UNDER 20 YEARS	94	94 --	190.3	190.3 -0-	211.8	212.7 -0-
ILLEGITIMATE LIVE BIRTHS	35	35 --	70.9	70.9 -0-	66.7	66.7 *
TO MOTHERS UNDER 20 YEARS	21	21 --	*	*	592.2	595.5 -0-
PREMATURE (UNDER 2501 GRAMS)	33	33 --	66.8	66.8 -0-	61.9	62.2 -0-
FETAL DEATHS TOTAL	1	1 --	*	*	11.6	11.6 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	13	13 --	26.3	26.3 -0-	10.4	10.5 -0-
INFANT DEATHS (UNDER 1 YEAR)	15	15 --	30.4	30.4 -0-	13.0	13.1 -0-
PERINATAL LOSS < 7 DAYS + FETAL	13	13 --	26.3	26.3 -0-	20.6	20.7 -0-
MALE	7	7 --	*	*	21.7	21.8 -0-
FEMALE	6	6 --	*	*	19.5	19.7 -0-
ASPHYXIA UNSPECIFIED	4	4 --	*	*	*	*
IMMATURITY UNQUALIFIED	2	2 --	*	*	4.4	4.4 -0-
DEATHS TOTAL (EXCEPT FETAL)	439	438 1	1209.4	1213.3 *	1267.7	1290.4 *
MALE TOTAL	251	250 1
MALE 65 YEARS +	167	166 1	7422.2	7377.8 *	8087.2	8115.0 *
FEMALE TOTAL	188	188 --
FEMALE 65 YEARS +	142	142 --	4369.2	4437.5 -0-	5271.1	5283.5 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	181	181 --	498.6	501.4 -0-	538.7	539.7 *
ARTERIOSCLEROTIC OR ISCHEMIC	167	167 --	460.1	462.6 -0-	493.5	494.3 *
MALE 65 YEARS +	69	69 --	3066.7	3066.7 -0-	3316.7	3322.7 *
FEMALE 65 YEARS +	64	64 --	1969.2	2000.0 -0-	2332.9	2337.7 *
OTHER HEART DISEASES TOTAL	14	14 --	38.6	38.8 -0-	45.2	45.4 -0-
MALE 65 YEARS +	3	3 --	*	*	254.4	255.6 -0-
FEMALE 65 YEARS +	5	5 --	*	*	195.5	196.4 -0-
CANCER ALL SITES	94	93 1	259.0	257.6 *	229.3	229.1 *
MALE 65 YEARS +	35	34 1	1555.6	1511.1 *	1408.5	1414.9 -0-
FEMALE 65 YEARS +	22	22 --	676.9	687.5 -0-	756.6	753.9 *
CANCER DIGESTIVE ORGANS TOTAL	23	23 --	63.4	63.7 -0-	67.5	67.3 *
MALE 65 YEARS +	11	11 --	488.9	488.9 -0-	454.3	456.4 -0-
FEMALE 65 YEARS +	6	6 --	*	*	271.1	272.4 -0-
CANCER RESPIRATORY SYSTEM	28	27 1	77.1	74.8 *	57.7	58.0 -0-
MALE 65 YEARS +	13	12 1	577.8	533.3 *	463.4	465.5 -0-
FEMALE 65 YEARS +	1	1 --	*	*	88.3	88.7 -0-
CEREBROVASCULAR DISEASE TOTAL	35	35 --	96.4	97.0 -0-	148.2	148.7 -0-
MALE 65 YEARS +	15	15 --	666.7	666.7 -0-	990.5	995.0 -0-
FEMALE 65 YEARS +	17	17 --	523.1	531.3 -0-	863.8	867.9 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	6	6 --	*	*	33.2	33.4 -0-
MALE 65 YEARS +	3	3 --	*	*	227.2	228.2 -0-
FEMALE 65 YEARS +	3	3 --	*	*	220.7	221.7 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	*	12.0	12.0 -0-
MALE 65 YEARS +	1	1 --	*	*	*	*
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	12	12 --	33.1	33.2 -0-	24.0	24.1 -0-
MALE 65 YEARS +	7	7 --	*	*	172.6	173.4 -0-
FEMALE 65 YEARS +	2	2 --	*	*	94.6	95.0 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	13	13 --	35.8	36.0 -0-	35.4	35.5 -0-
MALE 65 YEARS +	8	8 --	*	*	327.1	328.6 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	*
PNEUMONIA AND INFLUENZA	16	16 --	44.1	44.3 -0-	37.6	37.7 -0-
DIABETES MELLITUS	11	11 --	30.3	30.5 -0-	26.1	26.2 -0-
CIRRHOSIS OF LIVER	4	4 --	*	*	11.4	11.5 -0-
DISEASES OF EARLY INFANCY	10	10 --	27.5	27.7 -0-	11.4	11.5 -0-
CONGENITAL ANOMALIES	3	3 --	*	*	6.0	6.0 -0-
MOTOR VEHICLE ACCIDENTS	4	4 --	*	*	31.0	31.2 -0-
ALL OTHER ACCIDENTS	9	9 --	*	*	27.2	27.3 -0-
SUICIDE	2	2 --	*	*	10.3	10.4 -0-
HOMICIDE	--	-- --	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	*
ALL OTHER CAUSES	38	38 --	104.7	105.3 -0-	99.7	100.1 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 GREENE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1974 TOTAL	NUMBER WHITE OTHER	1974 TOTAL	RATES WHITE OTHER	1974 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	16,600	16,600				
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,600	1,600				
LIVE BIRTHS TOTAL	224	224	13.5	13.5	-0-	14.6 14.6 *
MALE	123	123
FEMALE	101	101
TO MOTHERS UNDER 20 YEARS	64	64	285.7	285.7	-0-	257.7 258.3 -0-
ILLEGITIMATE LIVE BIRTHS	27	27	120.5	120.5	-0-	86.3 86.9 *
TO MOTHERS UNDER 20 YEARS	19	19	*	*	-0-	695.5 616.8 -0-
PREMATURE (UNDER 2501 GRAMS)	11	11	49.1	49.1	-0-	51.9 52.0 -0-
FETAL DEATHS TOTAL	2	2	*	*	-0-	14.6 14.6 -0-
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	* * -0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	* * -0-
PREMATURE (UNDER 2501 GRAMS)	1	1	*	*	-0-	* * -0-
NEONATAL DEATHS (UNDER 28 DAYS)	5	5	*	*	-0-	18.6 18.7 -0-
INFANT DEATHS (UNDER 1 YEAR)	5	6	*	*	-0-	22.7 22.7 -0-
PERINATAL LOSS < 7 DAYS + FETAL	6	6	*	*	-0-	31.2 31.2 -0-
MALE	5	5	*	*	-0-	30.9 30.9 -0-
FEMALE	1	1	*	*	-0-	31.6 31.6 -0-
ASPHYXIA UNSPECIFIED	2	2	*	*	-0-	* * -0-
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	-0-	* * -0-
DEATHS TOTAL (EXCEPT FETAL)	232	232	1397.6	1397.6	-0-	1441.4 1442.1 *
MALE TOTAL	127	127
MALE 65 YEARS +	87	87	7250.0	7250.0	-0-	8006.6 8006.6 -0-
FEMALE TOTAL	105	105
FEMALE 65 YEARS +	86	86	5375.0	5375.0	-0-	5376.9 5371.1 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	107	107	644.6	644.6	-0-	645.7 645.4 *
ARTERIOSCLEROTIC OR ISCHEMIC	90	90	542.2	542.2	-0-	535.9 535.5 *
MALE 65 YEARS +	40	40	3333.3	3333.3	-0-	3388.7 3388.7 -0-
FEMALE 65 YEARS +	37	37	2312.5	2312.5	-0-	2148.2 2138.4 *
OTHER HEART DISEASES TOTAL	17	17	102.4	102.4	-0-	109.8 109.9 -0-
MALE 65 YEARS +	5	5	*	*	-0-	581.4 581.4 -0-
FEMALE 65 YEARS +	8	8	*	*	-0-	427.1 427.7 -0-
CANCER ALL SITES	39	39	234.9	234.9	-0-	211.3 211.6 -0-
MALE 65 YEARS +	14	14	1166.7	1166.7	-0-	1229.2 1229.2 -0-
FEMALE 65 YEARS +	9	9	*	*	-0-	628.1 628.9 -0-
CANCER DIGESTIVE ORGANS TOTAL	15	15	90.4	90.4	-0-	53.1 53.2 -0-
MALE 65 YEARS +	5	5	*	*	-0-	382.1 382.1 -0-
FEMALE 65 YEARS +	6	6	*	*	-0-	150.8 150.9 -0-
CANCER RESPIRATORY SYSTEM	10	10	60.2	60.2	-0-	35.4 35.5 -0-
MALE 65 YEARS +	7	7	*	*	-0-	315.6 315.6 -0-
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	* * -0-
CEREBROVASCULAR DISEASE TOTAL	19	19	114.5	114.5	-0-	142.8 143.0 -0-
MALE 65 YEARS +	6	6	*	*	-0-	830.6 830.6 -0-
FEMALE 65 YEARS +	11	11	687.5	687.5	-0-	728.6 729.6 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	10	10	60.2	60.2	-0-	41.3 41.4 -0-
MALE 65 YEARS +	6	6	*	*	-0-	265.8 265.8 -0-
FEMALE 65 YEARS +	4	4	*	*	-0-	238.7 239.0 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1	*	*	-0-	* * -0-
MALE 65 YEARS +	--	--	-0-	-0-	-0-	* * -0-
FEMALE 65 YEARS +	1	1	*	*	-0-	* * -0-
OTHER CIRCULATORY DISEASES	3	3	*	*	-0-	29.5 29.6 -0-
MALE 65 YEARS +	3	3	*	*	-0-	182.7 182.7 -0-
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	138.2 138.4 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7	*	*	-0-	28.3 28.4 -0-
MALE 65 YEARS +	4	4	*	*	-0-	215.9 215.9 -0-
FEMALE 65 YEARS +	1	1	*	*	-0-	* * -0-
PNEUMONIA AND INFLUENZA	7	7	*	*	-0-	56.7 56.7 -0-
DIABETES MELLITUS	1	1	*	*	-0-	27.2 27.2 -0-
CIRRHOSIS OF LIVER	1	1	*	*	-0-	14.2 14.2 -0-
DISEASES OF EARLY INFANCY	3	3	*	*	-0-	22.4 22.5 -0-
CONGENITAL ANOMALIES	2	2	*	*	-0-	* * -0-
MOTOR VEHICLE ACCIDENTS	6	6	*	*	-0-	50.8 50.8 -0-
ALL OTHER ACCIDENTS	4	4	*	*	-0-	30.7 30.7 -0-
SUICIDE	3	3	*	*	-0-	* * -0-
HOMICIDE	--	--	-0-	-0-	-0-	* * -0-
UNDETERMINED EXTERNAL CAUSES	1	1	*	*	-0-	* * -0-
ALL OTHER CAUSES	18	18	108.4	108.4	-0-	109.8 109.9 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 HANCOCK COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	21,900	21,800	100			
MALE 65 YEARS +	1,500	1,500				
FEMALE 65 YEARS +	2,100	2,100				
LIVE BIRTHS TOTAL	327	325	2	14.9	14.9	*
MALE	167	166	1
FEMALE	160	159	1
TO MOTHERS UNDER 20 YEARS	62	62	--	189.6	190.8	-0-
ILLEGITIMATE LIVE BIRTHS	15	15	--	45.9	46.2	-0-
TO MOTHERS UNDER 20 YEARS	9	9	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	28	27	1	85.6	83.1	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	6	6	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	7	7	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	6	6	--	*	*	-0-
MALE	5	5	--	*	*	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	282	282	--	1287.7	1293.6	-0-
MALE TOTAL	134	134	--
MALE 65 YEARS +	93	93	--	6200.0	6200.0	-0-
FEMALE TOTAL	148	148	--
FEMALE 65 YEARS +	125	125	--	5952.4	5952.4	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	120	120	--	547.9	550.5	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	107	107	--	488.6	490.8	-0-
MALE 65 YEARS +	32	32	--	2133.3	2133.3	-0-
FEMALE 65 YEARS +	61	61	--	2904.8	2904.8	-0-
OTHER HEART DISEASES TOTAL	13	13	--	59.4	59.6	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-
CANCER ALL SITES	56	56	--	255.7	256.9	-0-
MALE 65 YEARS +	23	23	--	1533.3	1533.3	-0-
FEMALE 65 YEARS +	14	14	--	666.7	666.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	7	7	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	25	25	--	114.2	114.7	-0-
MALE 65 YEARS +	10	10	--	666.7	666.7	-0-
FEMALE 65 YEARS +	15	15	--	714.3	714.3	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	10	10	--	45.9	45.9	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	4	4	--	*	*	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-
DISEASES OF EARLY INFANCY	4	4	--	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	12	12	--	54.8	55.0	-0-
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-
SUICIDE	2	2	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	21	21	--	95.9	96.3	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 JERSEY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	19,400	19,300	100			
MALE 65 YEARS +	900	900				
FEMALE 65 YEARS +	1,200	1,200				
LIVE BIRTHS TOTAL	248	247		12.8	12.8	*
MALE	119	119	--
FEMALE	129	128	1
TO MOTHERS UNDER 20 YEARS	43	43	--	173.4	174.1	-0-
ILLEGITIMATE LIVE BIRTHS	16	16	--	64.5	64.8	-0-
TO MOTHERS UNDER 20 YEARS	11	11	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	11	11	--	44.4	44.5	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	4	4	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	3	3	--	*	*	-0-
MALE	2	2	--	*	*	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	164	164	--	845.4	849.7	-0-
MALE TOTAL	91	91	--
MALE 65 YEARS +	60	60	--	666.7	666.7	-0-
FEMALE TOTAL	73	73	--
FEMALE 65 YEARS +	57	57	--	475.0	475.0	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	55	55	--	283.5	285.0	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	51	51	--	262.9	264.2	-0-
MALE 65 YEARS +	20	20	--	222.2	222.2	-0-
FEMALE 65 YEARS +	21	21	--	175.0	175.0	-0-
OTHER HEART DISEASES TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CANCER ALL SITES	33	33	--	170.1	171.0	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-
CANCER DIGESTIVE ORGANS TOTAL	7	7	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	12	12	--	61.9	62.2	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CIRCULATORY DISEASE TOTAL	14	14	--	72.2	72.5	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	9	9	--	*	*	-0-
DIABETES MELLITUS	5	5	--	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-
DISEASE OF EARLY INFANCY	2	2	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-
ALL OTHER ACCIDENTS	1	1	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	14	14	--	72.2	72.5	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 LOGAN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	30,500	29,800 700				
MALE 65 YEARS +	1,700	1,700				
FEMALE 65 YEARS +	2,650	2,650				
LIVE BIRTHS TOTAL	424	420 4	13.9	14.1 *	13.0	13.1 7.6
MALE	192	189 3
FEMALE	232	231 1
TO MOTHERS UNDER 20 YEARS	79	79 --	186.3	188.1 --	173.5	174.8 *
ILLEGITIMATE LIVE BIRTHS	39	39 --	92.0	92.9 --	53.8	52.5 *
TO MOTHERS UNDER 20 YEARS	22	22 --	*	*	648.6	654.2 *
PREMATURE (UNDER 2501 GRAMS)	30	29 1	70.8	69.0 *	61.6	61.4 *
FETAL DEATHS TOTAL	1	1 --	*	*	12.6	12.8 --
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2 --	*	*	15.5	15.7 --
INFANT DEATHS (UNDER 1 YEAR)	3	3 --	*	*	18.4	18.7 --
PERINATAL LOSS < 7 DAYS + FETAL	2	2 --	*	*	27.3	27.6 --
MALE	2	2 --	*	*	33.4	33.8 --
FEMALE	--	-- --	-0-	-0-	21.1	21.4 --
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	349	348 1	1144.3	1167.8 *	1072.3	1091.4 *
MALE TOTAL	185	185 --
MALE 65 YEARS +	114	114 --	6705.9	6705.9 --	7332.9	7320.0 *
FEMALE TOTAL	164	163 1
FEMALE 65 YEARS +	133	132 1	5018.9	4981.1 *	4900.4	4917.4 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	162	161 1	531.1	540.3 *	498.0	508.3 *
ARTERIOSCLEROTIC OR ISCHEMIC	142	141 1	465.6	473.2 *	465.9	476.1 --
MALE 65 YEARS +	54	54 --	3176.5	3176.5 --	3792.9	3811.3 --
FEMALE 65 YEARS +	68	67 1	2566.0	2528.3 *	2469.7	2486.2 --
OTHER HEART DISEASES TOTAL	20	20 --	65.6	67.1 --	32.2	32.2 *
MALE 65 YEARS +	6	6 --	*	*	216.7	217.8 --
FEMALE 65 YEARS +	10	10 --	377.4	377.4 --	164.1	157.4 *
CANCER ALL SITES	65	65 --	213.1	218.1 --	188.5	191.3 *
MALE 65 YEARS +	16	16 --	941.2	941.2 --	1131.8	1113.1 *
FEMALE 65 YEARS +	21	21 --	792.5	792.5 --	789.4	794.6 --
CANCER DIGESTIVE ORGANS TOTAL	15	15 --	49.2	50.3 --	53.0	54.1 --
MALE 65 YEARS +	2	2 --	*	*	289.0	290.4 --
FEMALE 65 YEARS +	8	8 --	*	*	289.2	291.1 --
CANCER RESPIRATORY SYSTEM	17	17 --	55.7	57.0 --	38.5	38.7 *
MALE 65 YEARS +	5	5 --	*	*	313.1	302.5 *
FEMALE 65 YEARS +	1	1 --	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	22	22 --	72.1	73.6 --	84.5	85.7 *
MALE 65 YEARS +	7	7 --	*	*	602.0	605.0 --
FEMALE 65 YEARS +	9	9 --	*	*	492.4	495.7 --
GENERAL ARTERIOSCLEROSIS TOTAL	7	7 --	*	*	41.0	41.2 *
MALE 65 YEARS +	3	3 --	*	*	276.9	278.3 --
FEMALE 65 YEARS +	4	4 --	*	*	297.0	291.1 *
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	*	*
MALE 65 YEARS +	1	1 --	*	*	*	*
FEMALE 65 YEARS +	1	1 --	*	*	*	*
OTHER CIRCULATORY DISEASES	7	7 --	*	*	14.5	14.8 --
MALE 65 YEARS +	2	2 --	*	*	192.7	193.6 --
FEMALE 65 YEARS +	3	3 --	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9 --	*	*	15.8	16.1 --
MALE 65 YEARS +	5	5 --	*	*	180.6	181.5 --
FEMALE 65 YEARS +	1	1 --	*	*	*	*
PNEUMONIA AND INFLUENZA	8	8 --	*	*	23.3	23.8 --
DIABETES MELLITUS	3	3 --	*	*	20.8	21.3 --
CIRRHOSIS OF LIVER	5	5 --	*	*	7.6	7.7 --
DISEASES OF EARLY INFANCY	1	1 --	*	*	17.7	18.0 --
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	6.3	6.4 --
MOTOR VEHICLE ACCIDENTS	8	8 --	*	*	29.6	30.3 --
ALL OTHER ACCIDENTS	11	11 --	36.1	36.9 --	34.0	34.8 --
SUICIDE	4	4 --	*	*	10.1	9.7 *
HOMICIDE	--	-- --	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	2	2 --	*	*	6.9	7.1 --
ALL OTHER CAUSES	33	33 --	108.2	110.7 --	68.7	69.6 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 MACOUPIN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	46,200	45,900 300				
MALE 65 YEARS +	3,150	3,100 50				
FEMALE 65 YEARS +	4,250	4,250 0				
LIVE BIRTHS TOTAL	599	595 4	13.0	13.0	14.5	14.5 22.7
MALE	306	305 1
FEMALE	293	290 3
TO MOTHERS UNDER 20 YEARS	119	118 1	198.7	198.3	200.5	198.3
ILLEGITIMATE LIVE BIRTHS	36	34 2	60.1	57.1	61.2	56.4
TO MOTHERS UNDER 20 YEARS	17	16 1	*	*	539.6	549.7
PREMATURE (UNDER 2501 GRAMS)	31	31 --	51.8	52.1	52.7	53.2 -0-
FETAL DEATHS TOTAL	4	4 --	*	*	11.5	11.6 -0-
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	*	*
TO MOTHERS UNDER 20 YEARS	1	1 --	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	5	5 --	*	*	10.9	10.7 *
INFANT DEATHS (UNDER 1 YEAR)	9	9 --	*	*	15.1	15.0 *
PERINATAL LOSS < 7 DAYS + FETAL	7	7 --	*	*	20.4	20.5 -0-
MALE	5	5 --	*	*	22.5	22.7 -0-
FEMALE	2	2 --	*	*	18.0	18.1 -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	590	590 --	1277.1	1285.4	1379.7	1381.5 1052.6
MALE TOTAL	322	322 --
MALE 65 YEARS +	232	232 --	7365.1	7483.9	7905.8	7905.2 *
FEMALE TOTAL	268	268 --
FEMALE 65 YEARS +	223	223 --	5247.1	5247.1	5360.8	5367.8 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	271	271 --	586.6	590.4	638.0	639.2 *
ARTERIOSCLEROTIC OR ISCHEMIC	247	247 --	534.6	544.1	594.9	596.4 *
MALE 65 YEARS +	114	114 --	3619.0	3677.4	3609.2	3619.5 *
FEMALE 65 YEARS +	104	104 --	2447.1	2447.1	2682.8	2686.3 *
OTHER HEART DISEASES TOTAL	24	24 --	51.9	52.3	43.1	42.9 *
MALE 65 YEARS +	7	7 --	*	*	292.8	288.3 *
FEMALE 65 YEARS +	11	11 --	258.8	258.8	189.3	189.8 -0-
CANCER ALL SITES	93	93 --	201.3	202.6	225.6	225.5 *
MALE 65 YEARS +	31	31 --	984.1	1000.0	1336.7	1332.5 *
FEMALE 65 YEARS +	31	31 --	729.4	729.4	629.3	631.2 -0-
CANCER DIGESTIVE ORGANS TOTAL	22	22 --	47.6	47.9	72.5	72.5 *
MALE 65 YEARS +	6	6 --	*	*	432.8	429.2 *
FEMALE 65 YEARS +	11	11 --	258.8	258.8	260.2	261.0 -0-
CANCER RESPIRATORY SYSTEM	20	20 --	43.3	43.6	42.2	42.4 -0-
MALE 65 YEARS +	9	9 --	*	*	311.9	313.9 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	*
CIRCULATORY DISEASE TOTAL	50	50 --	108.2	108.9	153.9	154.3 *
MALE 65 YEARS +	23	23 --	730.2	741.9	935.7	935.3 *
FEMALE 65 YEARS +	22	22 --	517.6	517.6	809.1	811.6 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	7	7 --	*	*	34.3	34.5 -0-
MALE 65 YEARS +	3	3 --	*	*	171.9	173.0 -0-
FEMALE 65 YEARS +	3	3 --	*	*	203.5	204.1 -0-
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	8.8	8.4 *
MALE 65 YEARS +	1	1 --	*	*	76.4	70.5 *
FEMALE 65 YEARS +	1	1 --	*	*	*	*
OTHER CIRCULATORY DISEASES	14	14 --	30.3	30.5	23.7	23.9 -0-
MALE 65 YEARS +	8	8 --	*	*	203.7	205.0 -0-
FEMALE 65 YEARS +	3	3 --	*	*	75.7	75.9 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9 --	*	*	23.3	23.4 -0-
MALE 65 YEARS +	5	5 --	*	*	235.5	237.0 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	21	21 --	45.5	45.8	41.3	41.1 *
DIABETES MELLITUS	21	21 --	45.5	45.8	31.7	31.4 *
CIRRHOSIS OF LIVER	6	6 --	*	*	7.5	7.5 -0-
DISEASES OF EARLY INFANCY	4	4 --	*	*	12.3	12.4 -0-
CONGENITAL ANOMALIES	4	4 --	*	*	5.7	5.7 -0-
MOTOR VEHICLE ACCIDENTS	10	10 --	21.6	21.8	39.6	39.8 -0-
ALL OTHER ACCIDENTS	16	16 --	34.6	34.9	27.7	27.9 -0-
SUICIDE	6	6 --	*	*	10.6	10.6 -0-
HOMICIDE	1	1 --	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	3	3 --	*	*	5.3	5.4 -0-
ALL OTHER CAUSES	52	52 --	112.6	113.3	89.7	89.7 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 MASON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES			70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER	
POPULATION TOTAL	18,000	18,000								
MALE 65 YEARS +	1,150	1,150								
FEMALE 65 YEARS +	1,450	1,450								
LIVE BIRTHS TOTAL	311	308	3	17.3	17.1	*	15.2	15.2	*	
MALE	158	156	2
FEMALE	153	152	1
TO MOTHERS UNDER 20 YEARS	66	66	--	212.2	214.3	-0-	237.1	237.4	-0-	
ILLEGITIMATE LIVE BIRTHS	14	14	--	45.0	45.5	-0-	61.8	61.9	-0-	
TO MOTHERS UNDER 20 YEARS	9	9	--	*	*	-0-	*	*	-0-	
PREMATURE (UNDER 2501 GRAMS)	24	24	--	77.2	77.9	-0-	71.0	70.4	*	
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-	18.5	18.6	-0-	
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-	
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-	
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-	
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	--	-0-	-0-	-0-	15.4	15.5	-0-	
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-	18.5	18.6	-0-	
PERINATAL LOSS < 7 DAYS + FETAL	--	--	--	-0-	-0-	-0-	31.8	31.9	-0-	
MALE	--	--	--	-0-	-0-	-0-	38.5	38.5	-0-	
FEMALE	--	--	--	-0-	-0-	-0-	24.8	24.9	-0-	
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-	
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-	
DEATHS TOTAL (EXCEPT FETAL)	221	221	--	1227.8	1227.8	-0-	1264.1	1266.2	-0-	
MALE TOTAL	124	124	--
MALE 65 YEARS +	76	80	--	6956.5	6956.5	-0-	7608.1	7614.8	-0-	
FEMALE TOTAL	97	97	--
FEMALE 65 YEARS +	82	82	--	5655.2	5655.2	-0-	5020.9	5021.4	-0-	
DEATHS BY SELECTED CAUSE										
HEART DISEASE TOTAL	96	96	--	533.3	533.3	-0-	632.1	633.1	-0-	
ARTERIOSCLEROTIC OR ISCHEMIC	95	95	--	527.8	527.8	-0-	606.3	607.3	-0-	
MALE 65 YEARS +	36	36	--	3130.4	3130.4	-0-	3989.4	3992.9	-0-	
FEMALE 65 YEARS +	45	45	--	3102.4	3103.4	-0-	2879.0	2885.0	-0-	
OTHER HEART DISEASES TOTAL	1	1	--	*	*	-0-	25.8	25.8	-0-	
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-	
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-	
CANCER ALL SITES	47	47	--	261.1	261.1	-0-	205.2	205.6	-0-	
MALE 65 YEARS +	20	20	--	1739.1	1739.1	-0-	1271.0	1272.1	-0-	
FEMALE 65 YEARS +	12	12	--	827.6	827.6	-0-	556.3	557.5	-0-	
CANCER DIGESTIVE ORGANS TOTAL	11	11	--	61.1	61.1	-0-	71.5	71.7	-0-	
MALE 65 YEARS +	7	7	--	*	*	-0-	353.0	353.4	-0-	
FEMALE 65 YEARS +	2	2	--	*	*	-0-	306.0	306.6	-0-	
CANCER RESPIRATORY SYSTEM	9	9	--	*	*	-0-	41.0	41.1	-0-	
MALE 65 YEARS +	4	4	--	*	*	-0-	335.4	335.7	-0-	
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-	
CEREBROVASCULAR DISEASE TOTAL	21	21	--	116.7	116.7	-0-	113.7	113.9	-0-	
MALE 65 YEARS +	7	7	--	*	*	-0-	723.7	724.4	-0-	
FEMALE 65 YEARS +	11	11	--	758.6	758.6	-0-	625.9	627.2	-0-	
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-	12.9	12.9	-0-	
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-	
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-	
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-	
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-	
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-	
OTHER CIRCULATORY DISEASES	7	7	--	*	*	-0-	21.1	21.1	-0-	
MALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-	
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-	
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4	--	*	*	-0-	19.9	20.0	-0-	
MALE 65 YEARS +	4	4	--	*	*	-0-	194.2	194.3	-0-	
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-	
PNEUMONIA AND INFLUENZA	7	7	--	*	*	-0-	48.1	48.2	-0-	
DIABETES MELLITUS	3	3	--	*	*	-0-	*	*	-0-	
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	12.9	12.9	-0-	
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-	17.6	17.6	-0-	
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*	-0-	
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-	44.6	44.6	-0-	
ALL OTHER ACCIDENTS	11	11	--	61.1	61.1	-0-	27.0	27.0	-0-	
SUICIDE	2	2	--	*	*	-0-	11.7	11.7	-0-	
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-	
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-	
ALL OTHER CAUSES	13	13	--	72.2	72.2	-0-	71.5	71.7	-0-	

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 MENARD COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975	RATES		70-74	RATES	
		WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
POPULATION TOTAL	10,700	10,700							
MALE 65 YEARS +	650	650							
FEMALE 65 YEARS +	900	900							
LIVE BIRTHS TOTAL	166	165	1	15.5	15.4	*	14.2	14.2	*
MALE	90	90	--
FEMALE	76	75	1
TO MOTHERS UNDER 20 YEARS	31	31	--	186.7	187.9	-0-	152.5	152.7	-0-
ILLEGITIMATE LIVE BIRTHS	9	9	--	*	*	-0-	56.3	56.4	-0-
TO MOTHERS UNDER 20 YEARS	9	9	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*	-0-	68.7	68.8	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-	15.1	15.1	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-	24.7	24.8	-0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4	--	*	*	-0-	23.1	23.2	-0-
MALE	2	2	--	*	*	-0-	34.2	34.2	-0-
FEMALE	2	2	--	*	*	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	102	102	--	953.3	953.3	-0-	1157.2	1158.4	*
MALE TOTAL	60	60	--
MALE 65 YEARS +	39	39	--	6000.0	6000.0	-0-	7055.1	7057.0	*
FEMALE TOTAL	42	42	--
FEMALE 65 YEARS +	34	34	--	3777.8	3777.8	-0-	5196.3	5208.3	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	41	41	--	383.2	383.2	-0-	578.6	579.2	*
ARTERIOSCLEROTIC OR ISCHEMIC	41	41	--	383.2	383.2	-0-	555.2	555.7	*
MALE 65 YEARS +	19	19	--	2923.1	2923.1	-0-	3811.0	3797.5	*
FEMALE 65 YEARS +	15	15	--	1666.7	1666.7	-0-	2655.9	2662.0	-0-
OTHER HEART DISEASES TOTAL	--	--	--	-0-	-0-	-0-	23.4	23.5	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER ALL SITES	14	14	--	130.8	130.8	-0-	175.3	174.2	*
MALE 65 YEARS +	4	4	--	*	*	-0-	1196.9	1202.5	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	600.5	601.9	-0-
CANCER DIGESTIVE ORGANS TOTAL	2	2	--	*	*	-0-	58.4	58.7	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	378.0	379.7	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	277.1	277.8	-0-
CANCER RESPIRATORY SYSTEM	5	5	--	*	*	-0-	39.0	37.2	*
MALE 65 YEARS +	3	3	--	*	*	-0-	409.4	411.4	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	12	12	--	112.1	112.1	-0-	118.8	119.4	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	598.4	601.3	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	785.2	787.0	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-	31.2	31.3	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	4	4	--	*	*	-0-	39.0	39.1	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	315.0	316.5	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	6	6	--	*	*	-0-	46.8	47.0	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	6	6	--	*	*	-0-	27.3	27.4	-0-
ALL OTHER ACCIDENTS	2	2	--	*	*	-0-	*	*	-0-
SUICIDE	1	1	--	*	*	-0-	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	8	8	--	*	*	-0-	56.5	56.7	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 MONTGOMERY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	30,400	30,300 100				
MALE 65 YEARS +	2,050	2,050				
FEMALE 65 YEARS +	2,990	2,960				
LIVE BIRTHS TOTAL	598	395 3	13.1	13.0 *	14.5	14.2 38.2
MALE	190	189 1
FEMALE	208	206 2
TO MOTHERS UNDER 20 YEARS	87	85 2	218.6	215.2 *	188.4	188.0 *
ILLEGITIMATE LIVE BIRTHS	24	22 2	60.3	55.7 *	78.6	77.4 *
TO MOTHERS UNDER 20 YEARS	16	14 2	*	*	459.3	458.3 *
PREMATURE (UNDER 2501 GRAMS)	21	21 --	52.8	53.2 -0-	53.0	52.5 *
FETAL DEATHS TOTAL	4	4 --	*	*	13.7	13.8 -0-
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	-0-	-0- -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	-0-	-0- -0-
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0-	*	* -0-
NEONATAL DEATHS (UNDER 28 DAYS)	7	7 --	*	*	12.3	12.4 -0-
INFANT DEATHS (UNDER 1 YEAR)	7	7 --	*	*	15.5	15.7 -0-
PERINATAL LOSS < 7 DAYS + FETAL	8	8 --	*	*	24.8	25.0 -0-
MALE	4	4 --	*	*	20.2	20.3 -0-
FEMALE	4	4 --	*	*	30.2	30.4 -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	* -0-
IMMATURITY UNQUALIFIED	2	2 --	*	*	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	390	388 2	1282.9	1280.5 *	1390.0	1387.5 2247.2
MALE TOTAL	215	214 1
MALE 65 YEARS +	148	148 --	7219.5	7219.5 -0-	7766.2	7749.6 *
FEMALE TOTAL	175	174 1
FEMALE 65 YEARS +	138	137 1	4758.6	4724.1 *	5267.9	5260.3 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	159	158 1	523.0	521.5 *	618.4	617.6 *
ARTERIOSCLEROTIC OR ISCHEMIC	147	146 1	483.6	481.5 *	581.8	580.9 *
MALE 65 YEARS +	61	61 --	2975.6	2975.6 -0-	3675.1	3666.2 *
FEMALE 65 YEARS +	53	53 --	1827.6	1827.6 -0-	2534.3	2530.2 *
OTHER HEART DISEASES TOTAL	12	11 --	39.5	39.6 -0-	36.6	36.8 -0-
MALE 65 YEARS +	2	2 --	*	*	168.4	168.9 -0-
FEMALE 65 YEARS +	7	7 --	*	*	178.6	179.2 -0-
CANCER ALL SITES	67	67 --	220.4	221.1 -0-	233.6	233.0 *
MALE 65 YEARS +	25	25 --	1214.5	1214.5 -0-	1178.8	1182.3 -0-
FEMALE 65 YEARS +	21	21 --	724.1	724.1 -0-	673.1	668.7 *
CANCER DIGESTIVE ORGANS TOTAL	15	15 --	49.3	49.5 -0-	62.8	62.4 *
MALE 65 YEARS +	7	7 --	*	*	307.1	308.0 -0-
FEMALE 65 YEARS +	6	6 --	*	*	219.8	220.6 -0-
CANCER RESPIRATORY SYSTEM	15	15 --	49.3	49.5 -0-	62.2	62.4 -0-
MALE 65 YEARS +	6	6 --	*	*	406.1	407.4 -0-
FEMALE 65 YEARS +	2	2 --	*	*	68.7	68.9 -0-
CEREBROVASCULAR DISEASE TOTAL	58	57 1	190.8	188.1 *	185.2	183.8 *
MALE 65 YEARS +	18	18 --	878.0	878.0 -0-	1159.0	1142.6 *
FEMALE 65 YEARS +	32	31 1	1103.4	1069.0 *	906.6	903.1 *
GENERAL ARTERIOSCLEROSIS TOTAL	7	7 --	*	*	27.5	27.6 -0-
MALE 65 YEARS +	4	4 --	*	*	178.3	178.8 -0-
FEMALE 65 YEARS +	3	3 --	*	*	158.0	158.6 -0-
HYPERTENSIVE DISEASE NON-HEART	3	3 --	*	*	12.4	12.5 -0-
MALE 65 YEARS +	2	2 --	*	*	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	*	75.5	75.8 -0-
OTHER CIRCULATORY DISEASES	10	10 --	32.9	33.0 -0-	27.5	27.6 -0-
MALE 65 YEARS +	5	5 --	*	*	188.2	188.8 -0-
FEMALE 65 YEARS +	3	3 --	*	*	89.3	89.6 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	8	8 --	*	*	24.2	24.3 -0-
MALE 65 YEARS +	7	7 --	*	*	198.1	198.7 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
PNEUMONIA AND INFLUENZA	17	17 --	55.9	56.1 -0-	32.7	32.2 *
DIABETES MELLITUS	5	5 --	*	*	22.3	22.3 -0-
CIRRHOSIS OF LIVER	2	2 --	*	*	8.5	8.5 -0-
DISEASES OF EARLY INFANCY	6	6 --	*	*	14.4	14.4 -0-
CONGENITAL ANOMALIES	1	1 --	*	*	7.2	7.2 -0-
MOTOR VEHICLE ACCIDENTS	6	6 --	*	*	48.4	48.6 -0-
ALL OTHER ACCIDENTS	15	15 --	49.3	49.5 -0-	26.2	26.3 -0-
SUICIDE	--	-- --	-0-	-0-	11.1	11.2 -0-
HOMICIDE	1	1 --	*	*	*	* -0-
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	*	* -0-
ALL OTHER CAUSES	24	24 --	18.0	19.2 -0-	81.7	86.0 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 MORGAN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	35,500	34,400	1,100						
MALE 65 YEARS +	2,050	1,950	100						
FEMALE 65 YEARS +	3,200	3,100	100						
LIVE BIRTHS TOTAL	480	445	31	13.5	13.1	28.2	14.2	13.9	20.5
MALE	233	221	12
FEMALE	247	228	19
TO MOTHERS UNDER 20 YEARS	95	85	10	197.9	189.3	*	175.2	169.2	304.3
ILLEGITIMATE LIVE BIRTHS	60	44	16	125.0	98.0	*	88.6	71.6	452.2
TO MOTHERS UNDER 20 YEARS	28	20	8	*	*	*	508.8	534.1	*
PREMATURE (UNDER 2501 GRAMS)	28	22	6	58.3	49.0	*	65.7	62.2	139.1
FETAL DEATHS TOTAL	3	3	--	*	*	-0-	13.6	14.2	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	5	5	--	*	*	-0-	15.9	16.7	-0-
INFANT DEATHS (UNDER 1 YEAR)	7	7	--	*	*	-0-	19.8	20.7	-0-
PERINATAL LOSS < 7 DAYS + FETAL	7	7	--	*	*	-0-	28.4	29.7	-0-
MALE	3	3	--	*	*	-0-	30.6	32.0	-0-
FEMALE	4	4	--	*	*	-0-	26.2	27.3	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	405	387	18	1140.8	1125.0	1636.4	1200.6	1182.0	1785.7
MALE TOTAL	221	214	7
MALE 65 YEARS +	161	157	4	7853.7	8051.3	*	7585.5	7501.3	9863.0
FEMALE TOTAL	184	173	11
FEMALE 65 YEARS +	144	138	6	4500.0	4451.6	*	5217.9	5166.7	7272.7
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	190	186	4	535.2	540.7	*	574.5	570.0	714.3
ARTERIOSCLEROTIC OR ISCHEMIC	178	174	4	501.4	505.8	*	543.7	539.4	678.6
MALE 65 YEARS +	77	76	1	3756.1	3897.4	*	3861.2	3872.3	3561.6
FEMALE 65 YEARS +	71	70	1	2218.8	2258.1	*	2747.9	2719.3	3896.1
OTHER HEART DISEASES TOTAL	12	12	--	33.8	34.9	-0-	30.8	30.6	*
MALE 65 YEARS +	6	6	--	*	*	-0-	185.7	182.5	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	126.3	129.5	-0-
CANCER ALL SITES	66	63	3	185.9	183.1	*	174.8	170.2	321.4
MALE 65 YEARS +	25	24	1	1219.5	1230.8	*	1075.3	1044.1	*
FEMALE 65 YEARS +	22	20	2	687.5	645.2	*	568.5	563.3	*
CANCER DIGESTIVE ORGANS TOTAL	18	17	1	50.7	49.4	*	56.1	52.7	*
MALE 65 YEARS +	8	8	--	*	*	-0-	303.0	283.8	*
FEMALE 65 YEARS +	5	4	1	*	*	*	195.8	187.8	*
CANCER RESPIRATORY SYSTEM	17	16	1	47.9	46.5	*	40.7	38.6	*
MALE 65 YEARS +	10	9	1	487.8	*	*	351.9	334.5	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	30	28	2	84.5	81.4	*	142.9	139.5	250.0
MALE 65 YEARS +	12	12	--	585.4	615.4	-0-	958.0	932.6	*
FEMALE 65 YEARS +	14	12	2	437.5	387.1	*	852.8	828.7	*
GENERAL ARTERIOSCLEROSIS TOTAL	9	9	--	*	*	-0-	28.6	28.9	*
MALE 65 YEARS +	4	4	--	*	*	-0-	146.6	152.1	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	221.1	220.1	*
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-	6.6	6.8	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	14	13	1	39.4	37.8	*	25.3	25.0	*
MALE 65 YEARS +	6	6	--	*	*	-0-	195.5	192.6	*
FEMALE 65 YEARS +	6	6	--	*	*	-0-	94.8	97.1	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	11	9	2	31.0	*	*	19.8	19.9	*
MALE 65 YEARS +	6	6	--	*	*	-0-	215.1	212.9	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	16	14	2	45.1	40.7	*	30.8	31.2	*
DIABETES MELLITUS	7	7	--	*	*	-0-	17.6	15.9	*
CIRRHOSIS OF LIVER	4	4	--	*	*	-0-	8.8	7.9	*
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-	17.0	17.6	-0-
CONGENITAL ANOMALIES	3	3	--	*	*	-0-	8.8	9.1	-0-
MOTOR VEHICLE ACCIDENTS	10	10	--	28.2	29.1	-0-	40.1	40.3	*
ALL OTHER ACCIDENTS	6	6	--	*	*	-0-	28.6	26.1	*
SUICIDE	3	3	--	*	*	-0-	12.6	13.0	-0-
HOMICIDE	2	1	1	*	*	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	*
ALL OTHER CAUSES	29	26	3	81.7	75.6	*	56.6	55.0	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

H I A L T H S E R V I C E A R E A 0 3 P I K E C O U N T Y
S E L E C T E D V I T A L S T A T I S T I C S A M O N G R E S I D E N T S

I T E M	1 9 7 5 TOTAL	N U M B E R WHITE OTHER	1 9 7 5 TOTAL	R A T E S WHITE OTHER	1 9 7 5 TOTAL	R A T E S WHITE OTHER	1 9 7 4 TOTAL	R A T E S WHITE OTHER
POPULATION TOTAL	19,100	19,100						
MALE 65 YEARS +	1,450	1,450						
FEMALE 65 YEARS +	1,900	1,900						
LIVE BIRTHS TOTAL	255	253	2	13.4	13.2	*	14.3	14.3
MALE	129	128	1
FEMALE	126	125	1
TO MOTHERS UNDER 20 YEARS	52	51	1	203.9	201.6	*	231.7	232.6
ILLEGITIMATE LIVE BIRTHS	13	13	--	51.0	51.4	-0-	68.7	69.0
TO MOTHERS UNDER 20 YEARS	9	9	--	*	*	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	19	19	--	74.5	75.1	-0-	66.5	66.8
FETAL DEATHS TOTAL	5	5	--	*	*	-0-	11.0	11.0
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	--	*	*	-0-	15.4	15.4
INFANT DEATHS (UNDER 1 YEAR)	2	2	--	*	*	-0-	16.1	16.1
PERINATAL LOSS < 7 DAYS + FETAL	7	7	--	*	*	-0-	26.0	26.1
MALE	2	2	--	*	*	-0-	28.8	28.9
FEMALE	5	5	--	*	*	-0-	23.3	23.4
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	241	240	1	1261.8	1256.6	*	1419.8	1418.6
MALE TOTAL	137	136	1
MALE 65 YEARS +	90	90	--	6206.9	6206.9	-0-	7282.8	7308.2
FEMALE TOTAL	104	104	--
FEMALE 65 YEARS +	82	82	--	4315.8	4315.8	-0-	5564.9	5564.1
DEATHS BY SELECTED CAUSE								
HEART DISEASE TOTAL	99	98	1	518.3	513.1	*	596.4	597.2
ARTERIOSCLEROTIC OR ISCHEMIC	92	91	1	481.7	476.4	*	569.2	570.0
MALE 65 YEARS +	39	39	--	2689.7	2689.7	-0-	3182.8	3193.9
FEMALE 65 YEARS +	34	34	--	1789.5	1789.5	-0-	2428.9	2431.5
OTHER HEART DISEASES TOTAL	7	7	--	*	*	-0-	27.2	27.2
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*
FEMALE 65 YEARS +	5	5	--	*	*	-0-	120.4	120.5
CANCER ALL SITES	43	43	--	225.1	225.1	-0-	210.3	209.5
MALE 65 YEARS +	16	16	--	1103.4	1103.4	-0-	1056.3	1060.0
FEMALE 65 YEARS +	10	10	--	526.3	526.3	-0-	645.5	646.2
CANCER DIGESTIVE ORGANS TOTAL	15	15	--	78.5	78.5	-0-	52.3	51.3
MALE 65 YEARS +	5	5	--	*	*	-0-	291.9	292.9
FEMALE 65 YEARS +	4	4	--	*	*	-0-	229.8	230.0
CANCER RESPIRATORY SYSTEM	4	4	--	*	*	-0-	52.3	52.4
MALE 65 YEARS +	2	2	--	*	*	-0-	291.9	292.9
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	28	28	--	146.6	146.6	-0-	166.4	166.6
MALE 65 YEARS +	13	13	--	896.6	896.6	-0-	847.8	850.8
FEMALE 65 YEARS +	10	10	--	526.3	526.3	-0-	875.3	876.2
GENERAL ARTERIOSCLEROSIS TOTAL	12	12	--	62.8	62.8	-0-	125.5	124.7
MALE 65 YEARS +	7	7	--	*	*	-0-	694.9	697.4
FEMALE 65 YEARS +	5	5	--	*	*	-0-	765.9	755.8
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-	*	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*
OTHER CIRCULATORY DISEASES	4	4	--	*	*	-0-	27.2	27.2
MALE 65 YEARS +	1	1	--	*	*	-0-	222.4	223.2
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7	--	*	*	-0-	27.2	26.2
MALE 65 YEARS +	5	5	--	*	*	-0-	180.7	181.3
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	5	5	--	*	*	-0-	29.3	29.3
DIABETES MELLITUS	1	1	--	*	*	-0-	22.0	22.0
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-	*	*
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-	20.9	21.0
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	11	11	--	57.6	57.6	-0-	32.4	32.5
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-	38.7	38.8
SUICIDE	6	6	--	*	*	-0-	12.6	12.6
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*
ALL OTHER CAUSES	16	16	--	83.8	83.8	-0-	86.8	87.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 SANGAMON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	168,800	159,700 9,100				
MALE 65 YEARS +	7,700	7,400 300				
FEMALE 65 YEARS +	12,300	11,900 400				
LIVE BIRTHS TOTAL	2,504	2,257 247	14.8	14.1	27.1	15.6 14.8 30.2
MALE	1,290	1,157 133
FEMALE	1,214	1,100 114
TO MOTHERS UNDER 20 YEARS	466	367 99	186.1	162.6	400.8	184.9 168.2 337.8
ILLEGITIMATE LIVE BIRTHS	310	158 152	123.8	70.0	115.4	120.5 84.1 452.4
TO MOTHERS UNDER 20 YEARS	167	78 89	538.7	493.7	585.5	540.9 537.6 546.6
PREMATURE (UNDER 2501 GRAMS)	164	134 30	65.5	59.4	121.5	72.1 64.7 139.6
FETAL DEATHS TOTAL	33	30 3	13.2	13.3	*	12.0 11.1 20.3
ILLEGITIMATE FETAL DEATHS	4	2 2	*	*	*	224.4 138.5 *
TO MOTHERS UNDER 20 YEARS	2	2 --	*	*	-0-	* * *
PREMATURE (UNDER 2501 GRAMS)	26	24 2	*	*	*	673.1 646.2 *
NEONATAL DEATHS (UNDER 28 DAYS)	26	17 9	10.4	7.5	*	14.3 12.8 27.3
INFANT DEATHS (UNDER 1 YEAR)	31	18 13	12.4	8.0	52.6	19.3 17.7 34.3
PERINATAL LOSS < 7 DAYS + FETAL	56	46 10	22.1	20.1	40.0	25.2 22.9 45.9
MALE	26	20 6	19.9	17.1	*	28.6 25.1 61.5
FEMALE	30	26 4	24.3	23.3	*	21.6 20.6 30.4
ASPHYXIA UNSPECIFIED	1	1 --	*	*	-0-	1.5 1.4 *
IMMATURITY UNQUALIFIED	8	5 3	*	*	*	4.7 3.9 12.2
DEATHS TOTAL (EXCEPT FETAL)	1,640	1,554 86	971.6	973.1	945.1	1061.4 1052.9 1221.0
MALE TOTAL	888	836 52
MALE 65 YEARS +	578	548 30	7506.5	7405.4	10000.0	7612.6 7576.2 8476.8
FEMALE TOTAL	752	718 34
FEMALE 65 YEARS +	547	531 16	4447.2	4462.2	4000.0	5252.9 5219.2 6175.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	633	601 32	375.0	376.3	351.6	439.7 442.1 393.6
ARTERIOSCLEROTIC OR ISCHEMIC	592	566 26	350.7	354.4	285.7	419.6 422.4 367.7
MALE 65 YEARS +	248	233 15	3220.8	3148.6	5000.0	3454.9 3449.8 3576.2
FEMALE 65 YEARS +	243	236 7	1975.6	1983.2	*	2467.3 2460.3 2660.3
OTHER HEART DISEASES TOTAL	41	35 6	24.3	21.9	*	20.0 19.7 25.9
MALE 65 YEARS +	12	10 2	155.8	135.1	*	117.6 122.5 -0-
FEMALE 65 YEARS +	8	8 --	*	*	-0-	80.4 78.1 *
CANCER ALL SITES	344	326 18	203.8	204.1	197.8	196.4 196.2 200.4
MALE 65 YEARS +	114	108 6	1480.5	1459.5	*	1424.2 1420.0 1523.2
FEMALE 65 YEARS +	85	82 3	691.1	689.1	*	758.8 748.3 1045.1
CANCER DIGESTIVE ORGANS TOTAL	89	84 5	52.7	52.6	*	55.8 56.0 51.9
MALE 65 YEARS +	23	22 1	298.7	297.3	*	432.9 431.6 *
FEMALE 65 YEARS +	34	33 1	276.4	277.3	*	273.0 270.9 *
CANCER RESPIRATORY SYSTEM	105	100 5	62.2	62.6	*	45.8 46.4 35.4
MALE 65 YEARS +	43	42 1	558.4	567.6	*	443.6 445.5 *
FEMALE 65 YEARS +	11	11 --	89.4	92.4	-0-	63.7 66.0 -0-
CEREBROVASCULAR DISEASE TOTAL	201	198 3	119.1	124.0	*	123.0 122.1 139.1
MALE 65 YEARS +	71	70 1	922.1	945.9	*	897.8 877.1 1390.7
FEMALE 65 YEARS +	102	100 2	829.3	840.3	*	892.8 894.2 855.1
GENERAL ARTERIOSCLEROSIS TOTAL	30	30 --	17.8	18.8	-0-	15.8 16.6 *
MALE 65 YEARS +	6	8 --	*	*	-0-	144.3 147.6 *
FEMALE 65 YEARS +	20	20 --	162.6	168.1	-0-	122.3 126.7 -0-
HYPERTENSIVE DISEASE NON-HEART	11	9 2	6.5	*	*	5.8 5.7 *
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	53.4 55.7 -0-
FEMALE 65 YEARS +	9	7 2	*	*	*	31.8 29.5 *
OTHER CIRCULATORY DISEASES	36	36 2	22.5	22.5	*	25.4 25.7 *
MALE 65 YEARS +	17	16 1	225.8	216.2	*	211.1 220.0 -0-
FEMALE 65 YEARS +	11	11 --	89.4	92.4	-0-	137.4 137.2 *
EMPHYSEMA, BRONCHITIS, ASTHMA	39	39 --	23.1	24.4	-0-	21.0 21.5 *
MALE 65 YEARS +	22	22 --	285.7	297.3	-0-	288.6 289.6 *
FEMALE 65 YEARS +	4	4 --	*	*	-0-	35.2 36.5 -0-
PNEUMONIA AND INFLUENZA	31	30 1	18.4	18.8	*	25.1 24.3 40.1
DIABETES MELLITUS	29	28 1	17.2	17.5	*	18.8 18.2 30.6
CIRRHOSIS OF LIVER	25	24 1	14.8	15.0	*	17.0 16.7 23.6
DISEASES OF EARLY INFANCY	23	14 9	13.6	8.8	*	18.8 15.5 80.1
CONGENITAL ANOMALIES	7	7 --	*	*	-0-	7.6 7.7 *
MOTOR VEHICLE ACCIDENTS	27	26 1	16.0	16.3	*	22.3 21.9 30.6
ALL OTHER ACCIDENTS	49	46 3	29.0	28.8	*	28.4 28.1 35.4
SUICIDE	10	9 1	5.9	*	*	11.9 12.0 *
HOMICIDE	17	14 3	10.1	8.8	*	4.9 3.7 28.3
UNDETERMINED EXTERNAL CAUSES	7	7 --	*	*	-0-	9.5 8.0 37.7
ALL OTHER CAUSES	119	110 9	70.5	68.9	*	70.1 67.1 124.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 SCHUYLER COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER	10-14 TOTAL	RATIOS WHITE OTHER
POPULATION TOTAL	8,000	8,000				
MALE 65 YEARS +	650	650				
FEMALE 65 YEARS +	800	800				
LIVE BIRTHS TOTAL	190	100	12.5	12.5	-0-	13.2
MALE	51	51
FEMALE	49	49
TO MOTHERS UNDER 20 YEARS	19	19	190.0	190.0	-0-	231.2
ILLEGITIMATE LIVE BIRTHS	8	8	*	*	-0-	71.4
TO MOTHERS UNDER 20 YEARS	5	5	*	*	-0-	69.9
PREMATURE (UNDER 2501 GRAMS)	2	2	*	*	-0-	43.2
FETAL DEATHS TOTAL	5	5	*	*	-0-	*
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	*
PREMATURE (UNDER 2501 GRAMS)	4	4	*	*	-0-	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	*	*	-0-	*
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	-0-	*
PERINATAL LOSS < 7 DAYS + FETAL	6	6	*	*	-0-	22.3
MALE	4	4	*	*	-0-	*
FEMALE	2	2	*	*	-0-	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	96	96	1225.0	1225.0	-0-	1342.8
MALE TOTAL	49	49
MALE 65 YEARS +	35	35	5384.6	5384.6	-0-	6696.8
FEMALE TOTAL	49	49
FEMALE 65 YEARS +	42	42	5250.0	5250.0	-0-	4872.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	62	62	775.0	775.0	-0-	830.5
ARTERIOSCLEROTIC OR ISCHEMIC	60	60	750.0	750.0	-0-	818.1
MALE 65 YEARS +	21	21	3230.8	3230.8	-0-	4524.9
FEMALE 65 YEARS +	30	30	3750.0	3750.0	-0-	3459.2
OTHER HEART DISEASES TOTAL	2	2	*	*	-0-	*
MALE 65 YEARS +	1	1	*	*	-0-	-0-
FEMALE 65 YEARS +	1	1	*	*	-0-	*
CANCER ALL SITES	15	15	187.5	187.5	-0-	164.1
MALE 65 YEARS +	8	8	*	*	-0-	784.3
FEMALE 65 YEARS +	4	4	*	*	-0-	511.6
CANCER DIGESTIVE ORGANS TOTAL	5	5	*	*	-0-	39.8
MALE 65 YEARS +	2	2	*	*	-0-	*
FEMALE 65 YEARS +	2	2	*	*	-0-	*
CANCER RESPIRATORY SYSTEM	4	4	*	*	-0-	47.2
MALE 65 YEARS +	2	2	*	*	-0-	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	5	5	*	*	-0-	97.0
MALE 65 YEARS +	3	3	*	*	-0-	543.0
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	365.4
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	*	*	-0-	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	2	2	*	*	-0-	*
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	-0-	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	*
OTHER CIRCULATORY DISEASES	1	1	*	*	-0-	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	*
FEMALE 65 YEARS +	1	1	*	*	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	--	--	-0-	-0-	-0-	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	1	1	*	*	-0-	29.8
DIABETES MELLITUS	--	--	-0-	-0-	-0-	*
CIRRHOSIS OF LIVER	--	--	-0-	-0-	-0-	*
DISEASES OF EARLY INFANCY	--	--	-0-	-0-	-0-	*
CONGENITAL ANOMALIES	1	1	*	*	-0-	*
MOTOR VEHICLE ACCIDENTS	2	2	*	*	-0-	34.8
ALL OTHER ACCIDENTS	2	2	*	*	-0-	27.4
SUICIDE	2	2	*	*	-0-	24.9
HOMICIDE	--	--	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	-0-	*
ALL OTHER CAUSES	5	5	*	*	-0-	59.7

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 03 SCOTT COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES		70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER
POPULATION TOTAL	6,100	6,100							
MALE 65 YEARS +	450	450							
FEMALE 65 YEARS +	550	550							
LIVE BIRTHS TOTAL	79	78	1	13.0	12.8	*	13.9	13.8	*
MALE	37	37	--
FEMALE	42	41	1
TO MOTHERS UNDER 20 YEARS	15	15	--	*	*	-0-	219.6	221.2	-0-
ILLEGITIMATE LIVE BIRTHS	3	3	--	*	*	-0-	88.6	87.1	*
TO MOTHERS UNDER 20 YEARS	2	2	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	74.8	75.3	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	--	-0-	-0-	-0-	25.7	25.9	-0-
INFANT DEATHS (UNDER 1 YEAR)	--	--	--	-0-	-0-	-0-	25.7	25.9	-0-
PERINATAL LOSS < 7 DAYS + FETAL	1	1	--	*	*	-0-	39.2	39.4	-0-
MALE	1	1	--	*	*	-0-	*	*	-0-
FEMALE	--	--	--	-0-	-0-	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	79	79	--	1295.1	1295.1	-0-	1298.4	1299.5	-0-
MALE TOTAL	44	44	--
MALE 65 YEARS +	30	30	--	6666.7	6666.7	-0-	6954.5	6986.3	-0-
FEMALE TOTAL	35	35	--
FEMALE 65 YEARS +	27	27	--	4909.1	4909.1	-0-	5858.2	5858.2	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	31	31	--	508.2	508.2	-0-	540.2	540.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	30	30	--	491.8	491.8	-0-	527.2	527.6	-0-
MALE 65 YEARS +	11	11	--	2444.4	2444.4	-0-	3363.6	3379.0	-0-
FEMALE 65 YEARS +	15	15	--	2727.3	2727.3	-0-	2014.9	2014.9	-0-
OTHER HEART DISEASES TOTAL	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CANCER ALL SITES	19	19	--	311.5	311.5	-0-	211.5	211.7	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-	1136.4	1141.6	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	970.1	970.1	-0-
CANCER DIGESTIVE ORGANS TOTAL	8	8	--	*	*	-0-	58.6	58.6	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	373.1	373.1	-0-
CANCER RESPIRATORY SYSTEM	5	5	--	*	*	-0-	48.8	48.9	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	454.5	456.6	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	8	8	--	*	*	-0-	205.0	205.2	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	909.1	913.2	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	1492.5	1492.5	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	4	4	--	*	*	-0-	*	*	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	35.8	35.8	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	1	1	--	*	*	-0-	35.8	35.8	-0-
ALL OTHER ACCIDENTS	1	1	--	*	*	-0-	*	*	-0-
SUICIDE	1	1	--	*	*	-0-	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	8	8	--	*	*	-0-	81.4	81.4	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 EAST CENTRAL
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	775,400	739,700 35,700				
MALE 65 YEARS +	34,400	33,650 750				
FEMALE 65 YEARS +	51,100	50,150 950				
LIVE BIRTHS TOTAL	11,458	10,405 1,053	14.8	14.1 29.5	15.5	14.9 28.9
MALE	6,028	5,491 537
FEMALE	5,430	4,914 516
TO MOTHERS UNDER 20 YEARS	2,217	1,850 367	193.5	177.8 348.5	189.4	177.0 328.1
ILLEGITIMATE LIVE BIRTHS	1,185	664 521	103.4	63.8 494.8	86.4	56.8 418.8
TO MOTHERS UNDER 20 YEARS	652	367 285	550.2	552.7 547.0	527.9	518.0 542.6
PREMATURE (UNDER 2501 GRAMS)	804	666 138	70.2	64.0 131.1	71.0	66.5 121.0
FETAL DEATHS TOTAL	111	96 13	9.7	9.4 12.3	10.6	10.2 14.6
ILLEGITIMATE FETAL DEATHS	13	7 6	117.1	*	120.7	81.3 *
TO MOTHERS UNDER 20 YEARS	7	3 4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	65	57 8	585.6	*	597.2	593.6 *
NEONATAL DEATHS (UNDER 28 DAYS)	132	112 20	11.5	10.8 19.0	14.6	14.3 17.6
INFANT DEATHS (UNDER 1 YEAR)	189	158 31	16.5	15.2 29.4	19.2	18.7 24.7
PERINATAL LOSS < 7 DAYS + FETAL	230	200 30	19.9	19.0 28.1	23.6	23.0 29.8
MALE	124	109 15	20.4	19.7 27.7	24.7	24.3 28.3
FEMALE	106	91 15	19.3	18.3 28.6	22.4	21.6 31.2
ASPHYXIA UNSPECIFIED	24	20 4	2.1	1.5 *	2.7	2.5 5.0
IMMATURITY UNQUALIFIED	14	13 1	1.2	1.2 *	2.5	2.3 4.4
DEATHS TOTAL (EXCEPT FETAL)	7,118	6,862 256	918.0	927.7 717.1	953.9	964.8 716.2
MALE TOTAL	3,781	3,650 131
MALE 65 YEARS +	2,419	2,369 50	7032.0	7040.1 6666.7	7377.8	7385.8 7022.7
FEMALE TOTAL	3,337	3,212 125
FEMALE 65 YEARS +	2,593	2,525 68	5074.4	5034.9 7157.9	5266.5	5261.0 5553.2
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	2,860	2,800 60	368.8	378.5 168.1	389.2	397.7 203.0
ARTERIOSCLEROTIC OR ISCHEMIC	2,589	2,540 49	333.9	343.4 137.3	358.1	367.0 164.8
MALE 65 YEARS +	1,034	1,024 10	3005.8	3043.1 1333.3	3184.1	3202.4 2376.5
FEMALE 65 YEARS +	1,055	1,025 26	2064.6	2051.8 2736.8	2280.3	2283.2 2127.7
OTHER HEART DISEASES TOTAL	271	260 11	34.9	35.1 30.8	31.0	30.7 38.1
MALE 65 YEARS +	82	79 3	238.4	234.8 *	236.9	234.4 347.1
FEMALE 65 YEARS +	121	119 2	236.8	237.3 *	191.7	189.3 319.1
CANCER ALL SITES	1,303	1,254 49	168.0	169.5 137.3	166.6	169.0 115.0
MALE 65 YEARS +	417	400 17	1212.2	1188.7 2266.7	1268.2	1264.3 1441.9
FEMALE 65 YEARS +	368	356 12	720.2	709.9 1263.2	739.2	739.5 723.4
CANCER DIGESTIVE ORGANS TOTAL	346	334 12	44.6	45.2 33.6	46.8	47.5 31.7
MALE 65 YEARS +	113	109 4	328.5	323.9 *	368.9	367.0 453.9
FEMALE 65 YEARS +	125	121 4	244.6	241.3 *	261.6	261.7 255.3
CANCER RESPIRATORY SYSTEM	310	300 10	40.0	40.6 28.0	34.3	34.6 26.4
MALE 65 YEARS +	142	136 6	412.8	404.2 *	367.2	366.4 400.5
FEMALE 65 YEARS +	33	32 1	64.6	63.8 *	48.4	48.1 *
CEREBROVASCULAR DISEASE TOTAL	928	896 30	119.7	121.4 84.0	120.6	123.1 67.5
MALE 65 YEARS +	320	314 6	930.2	933.1 *	974.7	975.7 934.6
FEMALE 65 YEARS +	480	466 14	939.3	929.2 1473.7	979.8	984.2 744.7
GENERAL ARTERIOSCLEROSIS TOTAL	137	132 5	17.7	17.8 *	22.1	22.6 11.1
MALE 65 YEARS +	46	44 2	133.7	130.8 *	189.2	190.4 *
FEMALE 65 YEARS +	87	85 2	170.3	169.5 *	203.3	202.7 234.0
HYPERTENSIVE DISEASE NON-HEART	39	37 2	5.0	5.0 *	5.0	4.9 8.8
MALE 65 YEARS +	16	16 --	46.5	47.5 -0-	43.6	41.6 *
FEMALE 65 YEARS +	17	17 --	33.3	33.9 -0-	36.1	35.6 *
OTHER CIRCULATORY DISEASES	145	139 6	18.7	18.8 *	20.6	20.8 16.4
MALE 65 YEARS +	58	57 1	168.6	169.4 *	194.5	194.6 *
FEMALE 65 YEARS +	49	47 2	95.9	93.7 *	102.0	101.9 *
EMPHYSEMA, BRONCHITIS, ASTHMA	167	166 1	21.5	22.4 *	21.2	21.5 14.7
MALE 65 YEARS +	113	113 --	328.5	335.8 -0-	281.1	282.6 *
FEMALE 65 YEARS +	21	21 --	41.1	41.9 -0-	39.7	39.6 *
PNEUMONIA AND INFLUENZA	237	231 6	30.6	31.2 *	28.0	27.9 30.5
DIABETES MELLITUS	120	114 6	15.5	15.4 *	15.9	15.5 23.5
CIRRHOSIS OF LIVER	65	55 10	8.4	7.4 28.0	10.2	10.2 10.0
DISEASES OF EARLY INFANCY	101	82 19	13.0	11.1 53.2	17.9	16.7 44.6
CONGENITAL ANOMALIES	48	42 6	6.2	5.7 *	6.8	6.7 9.4
MOTOR VEHICLE ACCIDENTS	160	153 7	20.6	20.7 *	27.5	28.0 14.7
ALL OTHER ACCIDENTS	145	142 3	23.9	23.3 36.4	22.4	22.3 24.0
SUICIDE	74	71 3	9.5	9.6 *	9.1	9.2 6.5
HOMICIDE	25	16 9	3.0	2.2 *	2.8	1.6 27.0
UNDETERMINED EXTERNAL CAUSES	9	7 2	*	*	1.9	1.7 *
ALL OTHER CAUSES	517	493 24	66.7	66.6 67.2	66.3	65.5 84.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 CHAMPAIGN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975			RATES			70-74 RATES		
	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
POPULATION TOTAL	163,400	149,900	13,500						
MALE 65 YEARS +	4,050	3,850	200						
FEMALE 65 YEARS +	6,700	6,400	300						
LIVE BIRTHS TOTAL	2,388	1,991	397	14.6	13.3	29.4	16.6	15.5	29.8
MALE	1,242	1,048	194
FEMALE	1,146	943	203
TO MOTHERS UNDER 20 YEARS	446	322	124	186.8	161.7	312.3	184.7	167.6	288.1
ILLEGITIMATE LIVE BIRTHS	282	95	187	118.1	47.7	471.0	85.4	36.8	378.9
TO MOTHERS UNDER 20 YEARS	147	50	97	521.3	*	518.7	533.8	534.7	533.3
PREMATURE (UNDER 2501 GRAMS)	171	124	47	71.6	62.3	118.4	72.2	63.8	122.7
FETAL DEATHS TOTAL	25	20	5	10.5	10.0	*	7.8	7.5	9.3
ILLEGITIMATE FETAL DEATHS	4	2	2	*	*	*	103.8	*	*
TO MOTHERS UNDER 20 YEARS	2	1	1	*	*	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	13	10	3	*	*	*	547.2	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	28	21	7	11.7	10.5	*	12.0	11.3	16.0
INFANT DEATHS (UNDER 1 YEAR)	44	32	12	18.4	16.1	30.2	17.0	16.1	22.2
PERINATAL LOSS < 7 DAYS + FETAL	50	38	12	20.7	18.9	29.9	18.5	17.8	23.0
MALE	24	17	7	19.1	16.1	*	19.1	18.8	20.7
FEMALE	26	21	5	22.5	22.1	*	17.9	16.7	25.4
ASPHYXIA UNSPECIFIED	3	2	1	*	*	*	2.1	1.8	*
IMMATURITY UNQUALIFIED	2	2	--	*	*	-0-	1.2	0.9	*
DEATHS TOTAL (EXCEPT FETAL)	890	811	79	544.7	541.0	585.2	567.9	565.0	601.7
MALE TOTAL	440	395	45
MALE 65 YEARS +	249	234	15	6148.1	6077.9	7500.0	6803.9	6735.5	8039.2
FEMALE TOTAL	450	416	34
FEMALE 65 YEARS +	329	308	21	4910.4	4812.5	7000.0	4976.4	4996.7	4539.0
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	302	282	20	184.8	188.1	148.1	209.9	212.7	176.5
ARTERIOSCLEROTIC OR ISCHEMIC	286	268	18	175.0	178.8	133.3	194.7	198.3	152.0
MALE 65 YEARS +	92	88	4	2271.6	2285.7	*	2871.8	2819.1	3823.5
FEMALE 65 YEARS +	136	125	11	2029.9	1953.1	3666.7	2091.3	2099.5	1914.9
OTHER HEART DISEASES TOTAL	16	14	2	9.8	9.3	*	15.2	14.4	24.6
MALE 65 YEARS +	4	4	--	*	*	-0-	211.0	211.8	*
FEMALE 65 YEARS +	7	7	--	*	*	-0-	126.0	122.0	*
CANCER ALL SITES	172	159	13	105.3	106.1	96.3	105.0	106.4	89.0
MALE 65 YEARS +	62	58	4	1530.9	1506.5	*	1302.1	1298.2	1372.5
FEMALE 65 YEARS +	47	44	3	701.5	687.5	*	708.7	715.2	*
CANCER DIGESTIVE ORGANS TOTAL	43	39	4	26.3	26.0	*	27.0	27.2	24.6
MALE 65 YEARS +	13	12	1	321.0	311.7	*	386.0	380.2	*
FEMALE 65 YEARS +	16	15	1	238.8	234.4	*	223.6	227.4	*
CANCER RESPIRATORY SYSTEM	45	43	2	27.5	28.7	*	21.8	21.7	23.0
MALE 65 YEARS +	24	23	1	592.6	597.4	*	386.0	391.1	*
FEMALE 65 YEARS +	6	6	--	*	*	-0-	63.0	62.6	*
CELEBROVASCULAR DISEASE TOTAL	109	100	9	66.7	66.7	*	61.7	63.2	44.5
MALE 65 YEARS +	36	33	3	888.9	857.1	*	746.3	744.2	*
FEMALE 65 YEARS +	56	52	4	835.8	812.5	*	878.7	896.5	*
GENERAL ARTERIOSCLEROSIS TOTAL	44	42	2	26.9	28.0	*	20.1	21.0	*
MALE 65 YEARS +	10	9	1	246.9	*	*	267.6	271.6	*
FEMALE 65 YEARS +	33	32	1	492.5	500.0	*	343.3	346.1	*
HYPERTENSIVE DISEASE NON-HEART	6	6	--	*	*	-0-	2.6	2.4	*
MALE 65 YEARS +	2	2	--	*	*	-0-	61.8	59.8	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	14	13	1	8.6	8.7	*	12.8	12.6	15.3
MALE 65 YEARS +	7	6	1	*	*	*	200.7	201.0	*
FEMALE 65 YEARS +	5	5	--	*	*	-0-	110.2	112.1	*
EMPHYSEMA, BRONCHITIS, ASTHMA	13	13	--	8.0	8.7	-0-	10.7	10.8	*
MALE 65 YEARS +	8	8	--	*	*	-0-	226.5	239.0	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	50.4	49.4	*
PNEUMONIA AND INFLUENZA	24	22	2	14.7	14.7	*	16.3	16.3	16.9
DIABETES MELLITUS	13	13	--	8.0	8.7	-0-	8.5	7.8	16.9
CIRRHOSIS OF LIVER	17	14	3	10.4	9.3	*	8.4	7.9	*
DISEASES OF EARLY INFANCY	20	13	7	12.2	8.7	*	16.1	13.7	43.0
CONGENITAL ANOMALIES	16	14	2	9.8	9.3	*	5.8	5.3	*
MOTOR VEHICLE ACCIDENTS	30	26	4	18.4	17.3	*	20.2	21.0	*
ALL OTHER ACCIDENTS	29	24	5	17.7	16.0	*	15.2	14.7	21.5
SUICIDE	15	14	1	9.2	9.3	*	6.8	7.0	*
HOMICIDE	7	2	5	*	*	*	3.5	*	30.7
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	2.1	1.5	*
ALL OTHER CAUSES	59	54	5	36.1	36.0	*	42.3	39.6	73.7

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 CLARK COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	16,200	16,200				
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,700	1,700				
LIVE BIRTHS TOTAL	179	179	11.0	11.0	13.5	13.5
MALE	109	109
FEMALE	70	70
TO MOTHERS UNDER 20 YEARS	35	35	195.5	195.5	184.3	183.2
ILLEGITIMATE LIVE BIRTHS	9	9	*	*	49.8	48.1
TO MOTHERS UNDER 20 YEARS	8	8	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	10	10	55.9	55.9	62.7	62.9
FETAL DEATHS TOTAL	--	--	-0-	-0-	12.9	13.0
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	--	--	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	-0-	-0-	19.4	19.4
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	24.0	24.1
PERINATAL LOSS < 7 DAYS + FETAL	--	--	-0-	-0-	29.1	29.2
MALE	--	--	-0-	-0-	24.9	25.0
FEMALE	--	--	-0-	-0-	33.5	33.6
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	212	212	1308.6	1308.6	1399.7	1401.1
MALE TOTAL	109	109
MALE 65 YEARS +	81	81	6750.0	6750.0	7084.0	7096.2
FEMALE TOTAL	103	103
FEMALE 65 YEARS +	83	83	4882.4	4882.4	5464.5	5467.9
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	87	87	537.0	537.0	553.7	554.2
ARTERIOSCLEROTIC OR ISCHEMIC	78	78	481.5	481.5	496.4	496.9
MALE 65 YEARS +	30	30	2500.0	2500.0	2624.4	2628.9
FEMALE 65 YEARS +	33	33	1941.2	1941.2	2224.9	2226.3
OTHER HEART DISEASES TOTAL	9	9	*	*	57.2	57.3
MALE 65 YEARS +	2	2	*	*	291.6	292.1
FEMALE 65 YEARS +	7	7	*	*	256.7	256.9
CANCER ALL SITES	32	32	197.5	197.5	297.8	208.0
MALE 65 YEARS +	8	8	*	*	1029.2	1030.9
FEMALE 65 YEARS +	14	14	823.5	823.5	599.0	599.4
CANCER DIGESTIVE ORGANS TOTAL	11	11	67.9	67.9	58.5	58.5
MALE 65 YEARS +	4	4	*	*	274.4	274.9
FEMALE 65 YEARS +	3	3	*	*	220.0	220.2
CANCER RESPIRATORY SYSTEM	4	4	*	*	37.3	37.4
MALE 65 YEARS +	4	4	*	*	257.3	257.7
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	30	30	185.2	185.2	226.4	226.7
MALE 65 YEARS +	16	16	1333.3	1333.3	1320.8	1323.0
FEMALE 65 YEARS +	12	12	705.9	705.9	1112.5	1113.1
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	*	*	41.1	41.1
MALE 65 YEARS +	2	2	*	*	205.8	206.2
FEMALE 65 YEARS +	2	2	*	*	244.5	244.6
HYPERTENSIVE DISEASE NON-HEART	1	1	*	*	*	*
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	2	2	*	*	43.5	43.6
MALE 65 YEARS +	1	1	*	*	274.4	274.9
FEMALE 65 YEARS +	1	1	*	*	146.7	146.8
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5	*	*	23.6	23.7
MALE 65 YEARS +	3	3	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	8	8	*	*	24.9	24.9
DIABETES MELLITUS	8	8	*	*	23.6	23.7
CIRRHOSIS OF LIVER	1	1	*	*	*	*
DISEASES OF EARLY INFANCY	--	--	-0-	-0-	16.2	16.2
CONGENITAL ANOMALIES	--	--	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	4	4	*	*	37.3	37.4
ALL OTHER ACCIDENTS	4	4	*	*	36.1	36.1
SUICIDE	2	2	*	*	*	*
HOMICIDE	1	1	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	23	23	142.0	142.0	134.4	134.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 COLES COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	47,800	47,400 400				
MALE 65 YEARS +	2,250	2,200 50				
FEMALE 65 YEARS +	3,400	3,400				
LIVE BIRTHS TOTAL	649	629 20	13.6	13.3 50.0	14.2	14.1 24.0
MALE	340	331 9
FEMALE	309	298 11
TO MOTHERS UNDER 20 YEARS	138	130 8	212.6	206.7	186.9	186.5
ILLEGITIMATE LIVE BIRTHS	49	45 4	75.5	71.5	62.4	60.4
TO MOTHERS UNDER 20 YEARS	26	22 4	*	*	467.9	471.2
PREMATURE (UNDER 2501 GRAMS)	32	30 2	49.3	47.7	60.7	61.0
FETAL DEATHS TOTAL	8	8 --	*	*	11.7	11.0
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3 --	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	8	8 --	*	*	13.7	13.9
INFANT DEATHS (UNDER 1 YEAR)	10	10 --	15.4	15.6	19.8	19.8
PERINATAL LOSS < 7 DAYS + FETAL	15	15 --	22.8	23.5	22.4	21.8
MALE	10	10 --	28.9	29.7	26.1	24.9
FEMALE	5	5 --	*	*	18.4	18.7
ASPHYXIA UNSPECIFIED	2	2 --	*	*	*	-0-
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	499	497 2	1043.9	1048.5	1051.6	1055.1
MALE TOTAL	254	253 1
MALE 65 YEARS +	181	181 --	8044.4	8227.3	7985.6	7989.1
FEMALE TOTAL	245	244 1
FEMALE 65 YEARS +	192	191 1	5647.1	5617.6	5689.7	5687.9
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	186	185 1	389.1	390.1	422.0	423.3
ARTERIOSCLEROTIC OR ISCHEMIC	174	173 1	364.0	365.0	402.9	404.0
MALE 65 YEARS +	75	75 --	3333.3	3409.1	3659.3	3658.6
FEMALE 65 YEARS +	76	75 1	2235.3	2205.9	2450.3	2447.9
OTHER HEART DISEASES TOTAL	12	12 --	25.1	25.3	19.1	19.3
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	7	7 --	*	*	112.7	113.2
CANCER ALL SITES	75	75 --	156.9	158.2	174.6	175.3
MALE 65 YEARS +	29	29 --	1288.9	1318.2	1342.9	1343.6
FEMALE 65 YEARS +	20	20 --	588.2	588.2	706.0	708.8
CANCER DIGESTIVE ORGANS TOTAL	17	17 --	35.6	35.9	49.2	49.3
MALE 65 YEARS +	7	7 --	*	*	441.6	435.8
FEMALE 65 YEARS +	6	6 --	*	*	237.3	238.2
CANCER RESPIRATORY SYSTEM	21	21 --	43.9	44.3	36.2	36.5
MALE 65 YEARS +	11	11 --	488.9	500.0	360.5	363.1
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	89	89 --	186.2	187.8	149.0	149.4
MALE 65 YEARS +	28	28 --	1244.4	1272.7	1171.7	1171.1
FEMALE 65 YEARS +	49	49 --	1441.2	1441.2	1145.1	1143.5
GENERAL ARTERIOSCLEROSIS TOTAL	5	5 --	*	*	22.0	22.2
MALE 65 YEARS +	2	2 --	*	*	162.2	163.4
FEMALE 65 YEARS +	3	3 --	*	*	201.7	202.5
HYPERTENSIVE DISEASE NON-HEART	6	6 --	*	*	8.1	8.2
MALE 65 YEARS +	4	4 --	*	*	*	-0-
FEMALE 65 YEARS +	1	1 --	*	*	59.3	59.6
OTHER CIRCULATORY DISEASES	11	11 --	23.0	23.2	19.1	19.3
MALE 65 YEARS +	2	2 --	*	*	189.3	190.6
FEMALE 65 YEARS +	5	5 --	*	*	89.0	89.3
EMPHYSEMA, BRONCHITIS, ASTHMA	24	24 --	50.2	50.6	27.7	27.1
MALE 65 YEARS +	15	15 --	666.7	681.8	324.5	317.7
FEMALE 65 YEARS +	2	2 --	*	*	77.1	71.5
PNEUMONIA AND INFLUENZA	19	19 --	39.7	40.1	30.9	31.2
DIABETES MELLITUS	10	10 --	20.9	21.1	23.2	23.4
CIRRHOSIS OF LIVER	4	3 1	*	*	11.4	11.5
DISEASES OF EARLY INFANCY	6	6 --	*	*	15.5	15.6
CONGENITAL ANOMALIES	4	4 --	*	*	7.3	7.4
MOTOR VEHICLE ACCIDENTS	11	11 --	23.0	23.2	28.5	28.7
ALL OTHER ACCIDENTS	13	13 --	27.2	27.4	22.0	21.8
SUICIDE	4	4 --	*	*	10.2	9.9
HOMICIDE	--	-- --	-0-	-0-	*	-0-
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	*	-0-
ALL OTHER CAUSES	31	31 --	64.9	65.4	15.7	16.4

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 CUMBERLAND COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	10,200	10,200				
MALE 65 YEARS +	650	650				
FEMALE 65 YEARS +	850	850				
LIVE BIRTHS TOTAL	175	175	17.2	17.2	16.0	16.0
MALE	96	96
FEMALE	79	79
TO MOTHERS UNDER 20 YEARS	36	36	205.7	205.7	217.1	217.1
ILLEGITIMATE LIVE BIRTHS	9	9	*	*	38.5	38.5
TO MOTHERS UNDER 20 YEARS	4	4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	8	8	*	*	42.2	42.2
FETAL DEATHS TOTAL	2	2	*	*	*	*
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	*	*
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	13.6	13.6
PERINATAL LOSS < 7 DAYS + FETAL	3	3	*	*	20.9	20.9
MALE	1	1	*	*	22.9	22.9
FEMALE	2	2	*	*	*	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	125	125	1225.5	1225.5	1169.7	1169.0
MALE TOTAL	66	66
MALE 65 YEARS +	50	50	7692.3	7692.3	7334.4	7303.5
FEMALE TOTAL	59	59
FEMALE 65 YEARS +	47	47	5529.4	5529.4	4957.9	4969.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	46	46	451.0	451.0	477.0	477.5
ARTERIOSCLEROTIC OR ISCHEMIC	40	40	392.2	392.2	447.3	447.8
MALE 65 YEARS +	18	18	2769.2	2769.2	2958.4	2958.4
FEMALE 65 YEARS +	17	17	2000.0	2000.0	2069.8	2074.8
OTHER HEART DISEASES TOTAL	6	6	*	*	29.7	29.7
MALE 65 YEARS +	3	3	*	*	*	*
FEMALE 65 YEARS +	2	2	*	*	*	*
CANCER ALL SITES	27	27	264.7	264.7	195.9	194.2
MALE 65 YEARS +	10	10	1538.5	1538.5	1140.2	1109.4
FEMALE 65 YEARS +	8	8	*	*	698.0	699.6
CANCER DIGESTIVE ORGANS TOTAL	6	6	*	*	63.3	61.4
MALE 65 YEARS +	2	2	*	*	431.4	400.6
FEMALE 65 YEARS +	4	4	*	*	240.7	241.3
CANCER RESPIRATORY SYSTEM	7	7	*	*	33.6	33.7
MALE 65 YEARS +	5	5	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	11	11	107.8	107.8	178.1	178.3
MALE 65 YEARS +	3	3	*	*	1263.5	1263.5
FEMALE 65 YEARS +	8	8	*	*	1034.9	1037.4
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	*	*	21.8	21.8
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
HYPERTENSIVE DISEASE NON-HEART	1	1	*	*	*	*
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	1	1	*	*	35.6	35.7
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6	*	*	19.8	19.8
MALE 65 YEARS +	6	6	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	9	9	*	*	41.6	41.6
DIABETES MELLITUS	1	1	*	*	*	*
CIRRHOSIS OF LIVER	1	1	*	*	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	3	3	*	*	31.7	31.7
ALL OTHER ACCIDENTS	6	6	*	*	27.7	27.7
SUICIDE	3	3	*	*	*	*
HOMICIDE	--	--	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	8	8	*	*	71.3	71.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 DE WITT COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	16,700	16,700				
MALE 65 YEARS +	950	950				
FEMALE 65 YEARS +	1,350	1,350				
LIVE BIRTHS TOTAL	238	238	--	14.3	14.3	-0-
MALE	121	121	--
FEMALE	117	117	--
TO MOTHERS UNDER 20 YEARS	35	35	--	147.1	147.1	-0-
ILLEGITIMATE LIVE BIRTHS	14	14	--	58.8	58.8	-0-
TO MOTHERS UNDER 20 YEARS	4	4	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	16	16	--	67.2	67.2	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	--	-0-	-0-	-0-
INFANT DEATHS (UNDER 1 YEAR)	--	--	--	-0-	-0-	-0-
PERINATAL LOSS < 7 DAYS + FETAL	1	1	--	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNGUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	200	199	1	1197.6	1191.6	*
MALE TOTAL	108	108	--
MALE 65 YEARS +	81	81	--	8526.3	8526.3	-0-
FEMALE TOTAL	92	91	1
FEMALE 65 YEARS +	79	78	1	5851.9	5777.8	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	86	86	--	515.0	515.0	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	77	77	--	461.1	461.1	-0-
MALE 65 YEARS +	35	35	--	3684.2	3684.2	-0-
FEMALE 65 YEARS +	32	32	--	2370.4	2370.4	-0-
OTHER HEART DISEASES TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CANCER ALL SITES	35	35	--	209.6	209.6	-0-
MALE 65 YEARS +	13	13	--	1368.4	1368.4	-0-
FEMALE 65 YEARS +	9	9	--	889.5	878.3	*
CANCER DIGESTIVE ORGANS TOTAL	5	5	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	11	11	--	65.9	65.9	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	40	40	--	239.5	239.5	-0-
MALE 65 YEARS +	13	13	--	1368.4	1368.4	-0-
FEMALE 65 YEARS +	25	25	--	1851.9	1851.9	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	--	-0-	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	6	5	1	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	1	1	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	5	5	--	*	*	-0-
DIABETES MELLITUS	2	2	--	*	*	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	5	5	--	*	*	-0-
ALL OTHER ACCIDENTS	4	4	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	9	9	--	*	*	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATIO IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATIO CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 DOUGLAS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	18,500	18,400	100			
MALE 65 YEARS +	900	900				
FEMALE 65 YEARS +	1,350	1,350				
LIVE BIRTHS TOTAL	344	343	1	18.6	18.6	*
MALE	190	190	--
FEMALE	154	153	1
TO MOTHERS UNDER 20 YEARS	69	69	--	200.6	201.2	-0-
ILLEGITIMATE LIVE BIRTHS	22	22	--	64.0	64.1	-0-
TO MOTHERS UNDER 20 YEARS	14	14	--	*	*	*
PREMATURE (UNDER 2501 GRAMS)	26	26	--	75.6	75.8	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	4	4	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	5	5	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	6	6	--	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-
FEMALE	6	6	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	188	188	--	1016.2	1021.7	-0-
MALE TOTAL	98	98	--
MALE 65 YEARS +	65	65	--	7222.2	7222.2	-0-
FEMALE TOTAL	90	90	--
FEMALE 65 YEARS +	65	65	--	4814.8	4814.8	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	91	91	--	491.9	494.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	74	74	--	400.0	402.2	-0-
MALE 65 YEARS +	29	29	--	3222.2	3222.2	-0-
FEMALE 65 YEARS +	29	29	--	2148.1	2148.1	-0-
OTHER HEART DISEASES TOTAL	17	17	--	91.9	92.4	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-
CANCER ALL SITES	32	32	--	173.0	173.9	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	13	13	--	963.0	963.0	-0-
CANCER DIGESTIVE ORGANS TOTAL	7	7	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	4	4	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	15	15	--	81.1	81.5	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	3	3	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	4	4	--	*	*	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	4	4	--	*	*	-0-
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-
SUICIDE	--	--	--	-0-	-0-	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	15	15	--	81.1	81.5	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 EDGAR COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	21,400	21,300	100						
MALE 65 YEARS +	1,400	1,400							
FEMALE 65 YEARS +	2,000	2,000							
LIVE BIRTHS TOTAL	331	331	--	15.5	15.5	-0-	15.1	15.2	*
MALE	168	168	--
FEMALE	163	163	--
TO MOTHERS UNDER 20 YEARS	71	71	--	214.5	214.5	-0-	210.5	210.7	-0-
ILLEGITIMATE LIVE BIRTHS	21	21	--	63.4	63.4	-0-	60.3	60.4	-0-
TO MOTHERS UNDER 20 YEARS	12	12	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	26	26	--	78.5	78.5	-0-	68.3	68.4	-0-
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-	9.8	9.9	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*	-0-	12.9	12.9	-0-
INFANT DEATHS (UNDER 1 YEAR)	5	5	--	*	*	-0-	18.5	18.5	-0-
PERINATAL LOSS < 7 DAYS + FETAL	3	3	--	*	*	-0-	21.3	21.4	-0-
MALE	3	3	--	*	*	-0-	28.4	28.4	-0-
FEMALE	--	--	--	-0-	-0-	-0-	13.8	13.9	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	264	262	2	1233.6	1230.0	*	1293.0	1288.7	2222.2
MALE TOTAL	131	130	1
MALE 65 YEARS +	87	86	1	6214.3	6142.9	*	6904.4	6867.4	*
FEMALE TOTAL	133	132	1
FEMALE 65 YEARS +	109	108	1	5450.0	5400.0	*	5237.6	5226.2	*
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	99	99	--	462.6	464.8	-0-	553.3	551.2	*
ARTERIOSCLEROTIC OR ISCHEMIC	91	91	--	425.2	427.2	-0-	522.6	521.3	*
MALE 65 YEARS +	41	41	--	2928.6	2928.6	-0-	3352.4	3326.2	*
FEMALE 65 YEARS +	32	32	--	1600.0	1600.0	-0-	2214.4	2216.6	*
OTHER HEART DISEASES TOTAL	8	8	--	*	*	-0-	30.7	29.9	*
MALE 65 YEARS +	3	3	--	*	*	-0-	185.4	186.4	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	131.4	122.0	*
CANCER ALL SITES	44	43	1	205.6	201.9	*	198.4	198.4	*
MALE 65 YEARS +	14	13	1	1000.0	928.6	*	927.2	931.9	-0-
FEMALE 65 YEARS +	16	16	--	800.0	800.0	-0-	748.2	752.4	-0-
CANCER DIGESTIVE ORGANS TOTAL	16	16	--	74.8	75.1	-0-	55.9	55.2	*
MALE 65 YEARS +	5	5	--	*	*	-0-	214.0	215.1	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	262.9	264.4	-0-
CANCER RESPIRATORY SYSTEM	10	9	1	46.7	*	*	47.5	47.7	-0-
MALE 65 YEARS +	4	3	1	*	*	*	370.9	372.8	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	48	48	--	224.3	225.4	-0-	191.0	190.9	*
MALE 65 YEARS +	11	11	--	785.7	785.7	-0-	913.0	903.2	*
FEMALE 65 YEARS +	32	32	--	1600.0	1600.0	-0-	1253.8	1260.8	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	7	7	--	*	*	-0-	16.8	16.8	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-	*	*	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	*
OTHER CIRCULATORY DISEASES	3	3	--	*	*	-0-	21.4	20.6	*
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9	--	*	*	-0-	27.9	28.1	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	171.2	172.0	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	5	5	--	*	*	-0-	44.7	44.0	*
DIABETES MELLITUS	4	4	--	*	*	-0-	22.4	22.5	-0-
CIRRHOSIS OF LIVER	3	3	--	*	*	-0-	14.9	15.0	-0-
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-	12.1	12.2	-0-
CONGENITAL ANOMALIES	2	2	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-	40.1	40.2	-0-
ALL OTHER ACCIDENTS	9	8	1	*	*	*	34.5	34.6	-0-
SUICIDE	3	3	--	*	*	-0-	15.8	15.9	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	15	15	--	70.1	70.4	-0-	81.0	80.5	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 FORD COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	14,900	14,800 100				
MALE 65 YEARS +	950	950				
FEMALE 65 YEARS +	1,300	1,300				
LIVE BIRTHS TOTAL	205	202 3	13.8	13.6 *	13.2	13.2 *
MALE	105	102 3
FEMALE	100	100 --
TO MOTHERS UNDER 20 YEARS	43	42 1	209.8	207.9 *	196.1	196.3 *
ILLEGITIMATE LIVE BIRTHS	14	14 --	68.3	69.3 -0-	52.9	52.3 *
TO MOTHERS UNDER 20 YEARS	8	8 --	*	* -0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	10	10 --	48.8	49.5 -0-	68.6	68.0 *
FETAL DEATHS TOTAL	8	8 --	*	* -0-	11.8	11.8 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	* -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	5	5 --	*	* -0-	*	* -0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1 --	*	* -0-	14.7	14.8 -0-
INFANT DEATHS (UNDER 1 YEAR)	1	1 --	*	* -0-	19.6	19.7 -0-
PERINATAL LOSS < 7 DAYS + FETAL	9	9 --	*	* -0-	25.2	25.3 -0-
MALE	4	4 --	*	* -0-	39.3	39.4 -0-
FEMALE	5	5 --	*	* -0-	*	* -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	* -0-
IMMATURITY UNQUALIFIED	2	2 --	*	* -0-	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	188	188 --	1261.7	1270.3 -0-	1226.4	1229.6 *
MALE TOTAL	105	105 --
MALE 65 YEARS +	58	58 --	6105.3	6105.3 -0-	7536.5	7547.2 *
FEMALE TOTAL	83	83 --
FEMALE 65 YEARS +	72	72 --	5538.5	5538.5 -0-	5170.3	5198.4 -0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	70	70 --	469.8	473.0 -0-	558.8	559.4 *
ARTERIOSCLEROTIC OR ISCHEMIC	70	70 --	469.8	473.0 -0-	530.2	530.7 *
MALE 65 YEARS +	28	28 --	2947.4	2947.4 -0-	3319.4	3312.4 *
FEMALE 65 YEARS +	27	27 --	2076.9	2076.9 -0-	2693.5	2708.2 -0-
OTHER HEART DISEASES TOTAL	--	-- --	-0-	-0-	28.5	28.7 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	229.6	230.6 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
CANCER ALL SITES	45	45 --	302.0	304.1 -0-	200.9	202.1 -0-
MALE 65 YEARS +	12	12 --	1263.2	1263.2 -0-	1461.4	1467.5 -0-
FEMALE 65 YEARS +	14	14 --	1076.9	1076.9 -0-	634.7	638.1 -0-
CANCER DIGESTIVE ORGANS TOTAL	9	9 --	*	* -0-	55.7	56.1 -0-
MALE 65 YEARS +	2	2 --	*	* -0-	438.4	440.3 -0-
FEMALE 65 YEARS +	5	5 --	*	* -0-	216.7	217.9 -0-
CANCER RESPIRATORY SYSTEM	11	11 --	73.8	74.3 -0-	41.5	41.7 -0-
MALE 65 YEARS +	4	4 --	*	* -0-	417.5	419.3 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	9	9 --	*	* -0-	110.2	109.5 *
MALE 65 YEARS +	1	1 --	*	* -0-	563.7	566.0 -0-
FEMALE 65 YEARS +	5	5 --	*	* -0-	712.1	716.0 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	10	10 --	67.1	67.6 -0-	27.2	27.4 -0-
MALE 65 YEARS +	3	3 --	*	* -0-	229.6	230.6 -0-
FEMALE 65 YEARS +	7	7 --	*	* -0-	154.8	155.6 -0-
HYPERTENSIVE DISEASE NON-HEART	--	-- --	-0-	-0-	*	* -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
OTHER CIRCULATORY DISEASES	6	6 --	*	* -0-	20.7	20.9 -0-
MALE 65 YEARS +	1	1 --	*	* -0-	*	* -0-
FEMALE 65 YEARS +	4	4 --	*	* -0-	*	* -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5 --	*	* -0-	19.4	19.6 -0-
MALE 65 YEARS +	5	5 --	*	* -0-	208.8	209.6 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
PNEUMONIA AND INFLUENZA	13	13 --	87.2	87.8 -0-	50.6	50.9 -0-
DIABETES MELLITUS	4	4 --	*	* -0-	13.0	13.0 -0-
CIRRHOSIS OF LIVER	1	1 --	*	* -0-	*	* -0-
DISEASES OF EARLY INFANCY	1	1 --	*	* -0-	16.9	17.0 -0-
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	*	* -0-
MOTOR VEHICLE ACCIDENTS	6	6 --	*	* -0-	54.4	54.8 -0-
ALL OTHER ACCIDENTS	6	6 --	*	* -0-	29.8	30.0 -0-
SUICIDE	2	2 --	*	* -0-	*	* -0-
HOMICIDE	--	-- --	-0-	-0-	*	* -0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	* -0-
ALL OTHER CAUSES	10	10 --	67.1	67.6 -0-	89.5	90.0 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 INDOQUIS COUNTY

SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	73-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	52,600	51,300 1,300			
MALE 65 YEARS +	2,000	2,000			
FEMALE 65 YEARS +	2,000	2,000			
LIVE BIRTHS TOTAL	486	475 11	14.9	14.7 36.7	14.1 14.0 28.4
MALE	256	251 5
FEMALE	230	224 6
TO MOTHERS UNDER 20 YEARS	73	68 5	150.2	143.2 *	177.2 173.0 *
ALL ESTIMATE LIVE BIRTHS	32	25 7	65.2	52.6 *	60.9 52.3 *
TO MOTHERS UNDER 20 YEARS	17	12 5	*	*	510.2 467.7 *
PREMATURE (UNDER 2501 GRAMS)	27	25 2	55.6	52.6 *	63.4 59.9 *
FETAL DEATHS TOTAL	4	4 --	*	*	9.9 10.1 -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3 --	*	*	16.1 16.0 *
INFANT DEATHS (UNDER 1 YEAR)	5	5 --	*	*	20.7 20.7 *
PERINATAL LOSS < 7 DAYS + FETAL	7	7 --	*	*	23.8 23.8 *
MALE	--	-- --	-0-	-0-	22.3 21.8 *
FEMALE	7	7 --	*	*	25.4 25.9 -0-
ABORTION UNSPECIFIED	1	1 --	*	*	5.3 5.0 *
IMMORTALITY UNSPECIFIED	--	-- --	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	356	356 --	1092.0	1102.2 -0-	1109.7 1114.2 630.9
MALE TOTAL	139	139 --
MALE 65 YEARS +	133	133 --	6650.0	6650.0 -0-	6874.4 6888.8 *
FEMALE TOTAL	157	157 --
FEMALE 65 YEARS +	124	124 --	4769.2	4769.2 -0-	4944.5 4942.3 *
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	166	166 --	509.2	513.9 -0-	503.9 506.2 *
ARTERIOSCLEROTIC OR ISCHEMIC	155	155 --	475.5	479.9 -0-	481.6 483.8 *
MALE 65 YEARS +	57	57 --	2850.0	2850.0 -0-	3411.6 3413.6 *
FEMALE 65 YEARS +	67	67 --	2576.9	2576.9 -0-	2502.9 2501.9 *
OTHER HEART DISEASE TOTAL	11	11 --	33.7	34.1 -0-	22.3 22.5 -0-
MALE 65 YEARS +	4	4 --	*	*	102.1 102.5 -0-
FEMALE 65 YEARS +	3	3 --	*	*	107.2 107.8 -0-
CANCER ALL SITES	72	72 --	220.9	222.9 -0-	204.5 205.8 *
MALE 65 YEARS +	22	22 --	1100.0	1100.0 -0-	1195.1 1199.4 -0-
FEMALE 65 YEARS +	22	22 --	846.2	846.2 -0-	811.3 816.0 -0-
CANCER DIGESTIVE ORGANS TOTAL	20	20 --	61.3	61.9 -0-	63.3 63.9 -0-
MALE 65 YEARS +	6	6 --	*	*	367.7 369.0 -0-
FEMALE 65 YEARS +	8	8 --	*	*	283.2 284.8 -0-
CANCER RESPIRATORY SYSTEM	16	16 --	49.1	49.5 -0-	43.9 44.4 -0-
MALE 65 YEARS +	7	7 --	*	*	377.9 379.3 -0-
FEMALE 65 YEARS +	2	2 --	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	41	41 --	125.8	126.9 -0-	109.6 110.6 -0-
MALE 65 YEARS +	16	16 --	800.0	800.0 -0-	817.2 820.1 -0-
FEMALE 65 YEARS +	14	14 --	538.5	538.5 -0-	620.0 623.6 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	6	6 --	*	*	17.0 17.2 -0-
MALE 65 YEARS +	3	3 --	*	*	112.4 112.8 -0-
FEMALE 65 YEARS +	3	3 --	*	*	130.1 130.9 -0-
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	6.4 6.5 -0-
MALE 65 YEARS +	2	2 --	*	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-
OTHER CIRCULATORY DISEASE	8	8 --	*	*	20.5 20.7 -0-
MALE 65 YEARS +	6	6 --	*	*	132.8 133.3 -0-
FEMALE 65 YEARS +	1	1 --	*	*	107.2 107.8 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	8	8 --	*	*	16.4 16.6 -0-
MALE 65 YEARS +	5	5 --	*	*	163.4 164.0 -0-
FEMALE 65 YEARS +	2	2 --	*	*	-0-
PNEUMONIA AND INFLUENZA	6	6 --	*	*	56.5 56.7 -0-
MALE 65 YEARS +	2	2 --	*	*	13.5 13.6 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	10.5 10.6 -0-
INFECTION OF EARLY INFANCY	1	1 --	*	*	18.2 17.7 *
CONGENITAL ANOMALIES	1	1 --	*	*	5.9 5.9 -0-
OTHER UNCLASSIFIED ACCIDENT	7	7 --	*	*	34.6 34.9 -0-
ALL OTHER ACCIDENT	7	7 --	*	*	24.0 22.5 *
MALE	1	1 --	*	*	9.4 9.5 -0-
FEMALE	1	1 --	*	*	-0-
UNCLASSIFIED CATEGORY	1	1 --	*	*	-0-
ALL OTHER CAUSE	22	22 --	67.5	68.1 -0-	71.5 71.6 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE IS CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 LIVINGSTON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	40,900	39,700 1,200				
MALE 65 YEARS +	2,150	2,150				
FEMALE 65 YEARS +	3,200	3,200				
LIVE BIRTHS TOTAL	561	555 6	13.7	14.0 *	14.1	14.4 3.0
MALE	292	290 2
FEMALE	269	265 4
TO MOTHERS UNDER 20 YEARS	85	85 --	151.5	153.2	163.3	163.6 *
ILLEGITIMATE LIVE BIRTHS	30	28 2	53.5	50.5 *	49.6	48.5 *
TO MOTHERS UNDER 20 YEARS	17	17 --	*	*	454.5	460.4 *
PREMATURE (UNDER 2501 GRAMS)	24	24 --	42.8	43.2 -0-	74.5	74.3 *
FETAL DEATHS TOTAL	7	7 --	*	*	10.4	10.5 -0-
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	*	* -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	4	4 --	*	*	*	* -0-
NEONATAL DEATHS (UNDER 28 DAYS)	6	6 --	*	*	16.3	16.4 -0-
INFANT DEATHS (UNDER 1 YEAR)	7	7 --	*	*	19.8	19.9 -0-
PERINATAL LOSS < 7 DAYS + FETAL	12	12 --	21.1	21.4 -0-	25.4	25.5 -0-
MALE	9	9 --	*	*	31.0	31.2 -0-
FEMALE	3	3 --	*	*	19.6	19.7 -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	4.8	4.8 -0-
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	4.1	4.1 -0-
DEATHS TOTAL (EXCEPT FETAL)	436	434 2	1066.0	1093.2 *	1093.0	1120.5 *
MALE TOTAL	249	248 1
MALE 65 YEARS +	179	179 --	8325.6	8325.6 -0-	7394.9	7408.4 -0-
FEMALE TOTAL	187	186 1
FEMALE 65 YEARS +	156	155 1	4875.0	4843.8 *	5109.1	5115.4 -0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	204	203 1	498.8	511.3 *	463.7	476.9 -0-
ARTERIOSCLEROTIC OR ISCHEMIC	191	190 1	467.0	478.6 *	426.6	438.7 -0-
MALE 65 YEARS +	96	96 --	4465.1	4465.1 -0-	3235.8	3241.8 -0-
FEMALE 65 YEARS +	69	68 1	2156.3	2125.0 *	2231.8	2234.5 -0-
OTHER HEART DISEASES TOTAL	13	13 --	31.8	32.7 -0-	37.1	38.2 -0-
MALE 65 YEARS +	2	2 --	*	*	228.5	228.9 -0-
FEMALE 65 YEARS +	7	7 --	*	*	190.6	190.8 -0-
CANCER ALL SITES	63	63 --	154.0	158.7 -0-	188.1	193.0 *
MALE 65 YEARS +	22	22 --	1023.3	1023.3 -0-	1288.8	1291.2 -0-
FEMALE 65 YEARS +	20	20 --	625.0	625.0 -0-	836.2	837.2 -0-
CANCER DIGESTIVE ORGANS TOTAL	22	22 --	53.8	55.4 -0-	52.8	54.3 -0-
MALE 65 YEARS +	7	7 --	*	*	347.3	348.0 -0-
FEMALE 65 YEARS +	9	9 --	*	*	289.0	289.3 -0-
CANCER RESPIRATORY SYSTEM	13	13 --	31.8	32.7 -0-	32.2	33.2 -0-
MALE 65 YEARS +	6	6 --	*	*	274.2	274.7 -0-
FEMALE 65 YEARS +	2	2 --	*	*	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	59	59 --	144.3	148.6 -0-	135.3	139.2 -0-
MALE 65 YEARS +	26	26 --	1209.3	1209.3 -0-	1014.6	1016.5 -0-
FEMALE 65 YEARS +	30	30 --	937.5	937.5 -0-	891.5	892.6 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	9	9 --	*	*	30.8	31.7 -0-
MALE 65 YEARS +	4	4 --	*	*	283.4	283.9 -0-
FEMALE 65 YEARS +	5	5 --	*	*	190.6	190.8 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	*	*	* -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	* -0-
OTHER CIRCULATORY DISEASES	8	8 --	*	*	24.9	25.6 -0-
MALE 65 YEARS +	4	4 --	*	*	219.4	219.8 -0-
FEMALE 65 YEARS +	2	2 --	*	*	92.2	92.3 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6 --	*	*	19.1	19.6 -0-
MALE 65 YEARS +	4	4 --	*	*	182.8	183.2 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	13	13 --	31.8	32.7 -0-	31.3	30.7 *
DIABETES MELLITUS	4	4 --	*	*	17.1	17.6 -0-
CIRRHOSIS OF LIVER	5	5 --	*	*	10.7	11.1 -0-
DISEASES OF EARLY INFANCY	3	3 --	*	*	21.5	22.1 -0-
CONGENITAL ANOMALIES	2	2 --	*	*	5.4	5.5 -0-
MOTOR VEHICLE ACCIDENTS	9	9 --	*	*	38.1	39.2 -0-
ALL OTHER ACCIDENTS	10	10 --	24.4	25.2 -0-	26.9	27.1 *
SUICIDE	1	1 --	*	*	6.4	6.0 *
HOMICIDE	2	2 --	*	*	*	* -0-
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	*	* -0-
ALL OTHER CAUSES	36	35 1	88.0	88.2 *	69.4	70.9 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 MACON COUNTY

SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	127,300	116,400	10,900						
MALE 65 YEARS +	5,550	5,350	200						
FEMALE 65 YEARS +	8,550	8,250	300						
LIVE BIRTHS TOTAL	2,037	1,693	344	16.0	14.5	31.6	16.7	15.3	32.3
MALE	1,079	901	178
FEMALE	958	792	166
TO MOTHERS UNDER 20 YEARS	429	307	122	210.6	181.3	354.7	214.8	187.7	361.1
ILLEGITIMATE LIVE BIRTHS	342	143	199	167.9	84.5	578.5	144.3	82.7	475.8
TO MOTHERS UNDER 20 YEARS	172	73	99	502.9	510.5	497.5	504.3	495.2	512.9
PREMATURE (UNDER 2501 GRAMS)	165	110	55	81.0	65.0	159.9	74.4	67.3	112.8
FETAL DEATHS TOTAL	22	18	4	10.8	10.6	*	10.6	9.1	18.4
ILLEGITIMATE FETAL DEATHS	1	--	1	*	-0-	*	218.2	*	*
TO MOTHERS UNDER 20 YEARS	1	--	1	*	-0-	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	15	12	3	*	*	*	709.1	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	25	14	11	12.3	8.3	32.0	16.9	16.2	20.8
INFANT DEATHS (UNDER 1 YEAR)	40	24	16	19.6	14.2	46.5	22.0	20.6	29.4
PERINATAL LOSS < 7 DAYS + FETAL	44	32	12	21.4	18.7	34.5	25.6	23.7	35.5
MALE	25	19	6	22.9	20.8	*	26.1	24.7	33.8
FEMALE	19	13	6	19.6	16.3	*	25.0	22.6	37.3
ASPHYXIA UNSPECIFIED	4	2	2	*	*	*	2.5	1.9	*
IMMATURITY UNQUALIFIED	4	3	1	*	*	*	4.5	3.7	8.4
DEATHS TOTAL (EXCEPT FETAL)	1,210	1,125	85	950.5	966.5	779.8	951.7	968.6	760.0
MALE TOTAL	650	610	40
MALE 65 YEARS +	395	380	15	7117.1	7102.8	7500.0	7122.0	7129.0	6948.4
FEMALE TOTAL	560	515	45
FEMALE 65 YEARS +	431	413	18	5040.9	5006.1	6000.0	4899.2	4856.9	6121.0
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	485	473	12	381.0	406.4	110.1	362.8	377.1	195.9
ARTERIOSCLEROTIC OR ISCHEMIC	435	423	12	341.7	363.4	110.1	326.7	341.2	162.3
MALE 65 YEARS +	166	163	3	2991.0	3046.7	*	2772.1	2815.9	1690.1
FEMALE 65 YEARS +	170	164	6	1988.3	1947.9	*	1972.6	1949.7	2633.5
OTHER HEART DISEASES TOTAL	50	50	--	39.3	43.0	-0-	36.0	35.9	37.6
MALE 65 YEARS +	12	12	--	216.2	224.3	-0-	263.0	247.0	*
FEMALE 65 YEARS +	28	28	--	327.5	339.4	-0-	214.7	217.2	*
CANCER ALL SITES	204	187	17	160.3	160.7	156.0	178.8	182.7	134.6
MALE 65 YEARS +	69	63	6	1243.2	1177.6	*	1417.1	1402.2	1784.0
FEMALE 65 YEARS +	45	41	4	526.3	497.0	*	691.7	691.0	711.7
CANCER DIGESTIVE ORGANS TOTAL	57	55	2	44.8	47.3	*	48.8	49.3	43.5
MALE 65 YEARS +	18	17	1	324.3	317.8	*	347.0	345.8	*
FEMALE 65 YEARS +	17	16	1	198.8	193.9	*	264.8	261.6	*
CANCER RESPIRATORY SYSTEM	51	49	2	40.1	42.1	*	41.0	42.3	25.7
MALE 65 YEARS +	23	21	2	414.4	392.5	*	511.3	505.4	*
FEMALE 65 YEARS +	6	6	--	*	*	-0-	47.7	49.4	-0-
CEREBROVASCULAR DISEASE TOTAL	180	170	10	141.4	146.0	91.7	129.0	132.5	89.1
MALE 65 YEARS +	51	51	--	918.9	953.3	-0-	1015.3	1003.2	1314.6
FEMALE 65 YEARS +	103	98	5	1204.7	1187.9	*	992.2	987.2	1138.8
GENERAL ARTERIOSCLEROSIS TOTAL	17	16	1	13.4	13.7	*	19.2	20.7	*
MALE 65 YEARS +	8	7	1	*	*	*	153.4	155.8	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	183.7	190.0	-0-
HYPERTENSIVE DISEASE NON-HEART	6	5	1	*	*	*	8.0	7.5	*
MALE 65 YEARS +	2	2	--	*	*	-0-	54.8	45.6	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	69.2	66.6	*
OTHER CIRCULATORY DISEASES	22	21	1	17.3	18.0	*	21.1	21.6	*
MALE 65 YEARS +	10	10	--	180.2	186.9	-0-	211.8	212.8	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	97.8	93.8	*
EMPHYSEMA, BRONCHITIS, ASTHMA	24	23	1	18.9	19.8	*	22.9	23.9	*
MALE 65 YEARS +	15	15	--	270.3	280.4	-0-	303.1	311.6	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	38.2	39.5	-0-
PNEUMONIA AND INFLUENZA	37	36	1	29.1	30.9	*	24.8	24.6	27.7
DIABETES MELLITUS	24	21	3	18.9	18.0	*	21.1	20.9	23.8
CIRRHOSIS OF LIVER	9	6	3	*	*	*	9.1	9.6	*
DISEASES OF EARLY INFANCY	22	12	10	17.3	10.3	91.7	23.2	20.2	57.4
CONGENITAL ANOMALIES	9	5	4	*	*	*	7.7	7.7	*
MOTOR VEHICLE ACCIDENTS	18	16	2	14.1	13.7	*	22.1	21.6	27.7
ALL OTHER ACCIDENTS	30	28	2	23.6	24.1	*	20.2	20.4	*
SUICIDE	17	15	2	13.4	12.9	*	10.7	10.8	*
HOMICIDE	6	4	2	*	*	*	3.5	1.9	21.8
UNDETERMINED EXTERNAL CAUSES	4	3	1	*	*	*	1.9	1.9	*
ALL OTHER CAUSES	96	84	12	75.4	72.2	110.1	65.5	63.1	93.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 MCLEAN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	116,600	113,500 3,100				
MALE 65 YEARS +	4,200	4,150 50				
FEMALE 65 YEARS +	6,700	6,600 100				
LIVE BIRTHS TOTAL	1,571	1,467 104	13.5	12.9 33.5	14.5	14.3 26.4
MALE	857	800 57
FEMALE	714	667 47
TO MOTHERS UNDER 20 YEARS	220	186 34	140.0	126.8 326.9	146.5	139.8 301.2
ILLEGITIMATE LIVE BIRTHS	115	75 36	73.2	53.9 346.2	64.4	51.9 353.8
TO MOTHERS UNDER 20 YEARS	72	46 26	626.1	*	556.2	554.5 562.0
PREMATURE (UNDER 2501 GRAMS)	130	118 12	82.7	80.4 115.4	71.1	70.3 90.6
FETAL DEATHS TOTAL	9	8 1	*	*	11.7	11.7 *
ILLEGITIMATE FETAL DEATHS	2	1 1	*	*	*	*
TO MOTHERS UNDER 20 YEARS	1	-- 1	*	-0-	*	*
PREMATURE (UNDER 2501 GRAMS)	6	5 1	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	21	20 1	13.4	13.6 *	15.2	15.1 *
INFANT DEATHS (UNDER 1 YEAR)	26	25 1	16.5	17.0 *	18.4	18.2 *
PERINATAL LOSS < 7 DAYS + FETAL	27	25 2	17.1	16.9 *	25.5	25.5 *
MALE	16	16 --	18.6	19.9 -0-	25.1	25.7 *
FEMALE	11	9 2	15.3	*	25.9	25.2 *
ASPHYXIA UNSPECIFIED	2	2 --	*	*	2.6	2.6 *
IMMATURITY UNQUALIFIED	5	5 --	*	-0-	2.0	2.0 *
DEATHS TOTAL (EXCEPT FETAL)	914	891 23	785.9	785.0 741.9	818.9	823.3 632.0
MALE TOTAL	486	478 8
MALE 65 YEARS +	301	296 5	7166.7	7132.5 *	7535.0	7549.0 6551.7
FEMALE TOTAL	428	413 15
FEMALE 65 YEARS +	330	323 7	4925.4	4893.9 *	5191.0	5189.3 5352.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	386	380 6	331.0	334.8 *	352.8	357.6 146.4
ARTERIOSCLEROTIC OR ISCHEMIC	355	350 5	304.5	308.4 *	336.2	340.8 138.7
MALE 65 YEARS +	144	144 --	3428.6	3469.9 -0-	3615.3	3652.0 *
FEMALE 65 YEARS +	144	142 2	2149.3	2151.5 *	2531.8	2544.1 *
OTHER HEART DISEASES TOTAL	31	30 1	26.6	26.4 *	16.7	16.9 *
MALE 65 YEARS +	9	9 --	*	*	174.0	176.5 -0-
FEMALE 65 YEARS +	15	15 --	223.9	227.3 -0-	103.1	101.1 *
CANCER ALL SITES	177	172 5	151.8	151.5 *	142.4	142.8 123.3
MALE 65 YEARS +	52	49 3	1238.1	1180.7 *	1184.1	1186.3 *
FEMALE 65 YEARS +	49	48 1	731.3	727.3 *	742.9	732.6 *
CANCER DIGESTIVE ORGANS TOTAL	48	46 2	41.2	40.5 *	41.9	42.2 *
MALE 65 YEARS +	14	13 1	333.3	313.3 *	449.5	451.0 *
FEMALE 65 YEARS +	14	14 --	209.0	212.1 -0-	251.7	248.3 *
CANCER RESPIRATORY SYSTEM	47	45 2	40.3	39.6 *	26.3	26.6 *
MALE 65 YEARS +	22	21 1	523.8	506.0 *	275.5	279.4 -0-
FEMALE 65 YEARS +	6	5 1	*	*	48.5	46.0 *
CEREBROVASCULAR DISEASE TOTAL	109	107 2	93.5	94.3 *	100.8	101.4 77.1
MALE 65 YEARS +	37	37 --	881.0	891.6 -0-	957.0	946.1 *
FEMALE 65 YEARS +	57	56 1	850.7	848.5 *	955.1	956.3 *
GENERAL ARTERIOSCLEROSIS TOTAL	11	11 --	9.4	9.7 -0-	13.3	13.5 *
MALE 65 YEARS +	3	3 --	*	*	140.2	137.3 *
FEMALE 65 YEARS +	8	8 --	*	*	136.4	137.9 -0-
HYPERTENSIVE DISEASE NON-HEART	3	3 --	*	*	2.6	2.5 *
MALE 65 YEARS +	3	3 --	*	-0-	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
OTHER CIRCULATORY DISEASES	18	17 1	15.4	15.0 *	19.6	19.9 *
MALE 65 YEARS +	5	6 --	*	-0-	217.5	220.6 -0-
FEMALE 65 YEARS +	7	6 1	*	*	100.1	101.1 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	18	18 --	15.4	15.9 -0-	16.0	15.8 *
MALE 65 YEARS +	15	15 --	357.1	361.4 -0-	251.3	250.0 *
FEMALE 65 YEARS +	--	-- --	-0-	-0-	42.4	42.9 -0-
PNEUMONIA AND INFLUENZA	24	23 1	20.6	20.3 *	16.8	16.7 *
DIABETES MELLITUS	18	16 2	15.4	14.1 *	10.9	10.4 *
CIRRHOSIS OF LIVER	12	10 2	10.3	8.8 *	10.9	11.1 -0-
DISEASES OF EARLY INFANCY	14	13 1	12.0	11.5 *	16.3	15.6 *
CONGENITAL ANOMALIES	7	7 --	*	*	7.2	7.4 -0-
MOTOR VEHICLE ACCIDENTS	22	22 --	18.9	19.4 -0-	23.0	23.1 *
ALL OTHER ACCIDENTS	20	18 2	17.2	15.9 *	19.3	19.7 -0-
SUICIDE	13	13 --	11.1	11.5 -0-	7.5	7.5 *
HOMICIDE	1	1 --	*	-0-	1.8	*
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	-0-
ALL OTHER CAUSES	61	60 1	52.3	52.9 *	56.3	55.3 100.2

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 MOULTRIE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	13,500	13,500				
MALE 65 YEARS +	850	850				
FEMALE 65 YEARS +	1,350	1,350				
LIVE BIRTHS TOTAL	207	206 1	15.3	15.3	13.9	13.9
MALE	96	95 1
FEMALE	111	111
TO MOTHERS UNDER 20 YEARS	43	43	207.7	208.7	184.5	184.5
ILLEGITIMATE LIVE BIRTHS	9	9	*	*	42.1	42.1
TO MOTHERS UNDER 20 YEARS	6	6	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	20	20	96.6	97.1	57.2	57.2
FETAL DEATHS TOTAL	2	2	*	*	*	*
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	*	*	12.9	12.9
INFANT DEATHS (UNDER 1 YEAR)	4	4	*	*	18.3	18.3
PERINATAL LOSS < 7 DAYS + FETAL	4	4	*	*	20.3	20.3
MALE	--	--	-0-	-0-	23.3	23.3
FEMALE	4	4	*	*	*	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	150	150	1111.1	1111.1	1195.2	1196.2
MALE TOTAL	73	73
MALE 65 YEARS +	52	52	6117.6	6117.6	7156.9	7165.6
FEMALE TOTAL	77	77
FEMALE 65 YEARS +	57	57	4222.2	4222.2	4833.3	4833.3
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	61	61	451.9	451.9	512.9	513.3
ARTERIOSCLEROTIC OR ISCHEMIC	57	57	422.2	422.2	502.4	502.8
MALE 65 YEARS +	22	22	2588.2	2588.2	3161.8	3165.6
FEMALE 65 YEARS +	24	24	1777.8	1777.8	2424.2	2424.2
OTHER HEART DISEASES TOTAL	4	4	*	*	*	*
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	3	3	*	*	*	*
CANCER ALL SITES	25	25	185.2	185.2	209.9	210.1
MALE 65 YEARS +	7	7	*	*	1372.5	1374.2
FEMALE 65 YEARS +	8	8	*	*	454.5	454.5
CANCER DIGESTIVE ORGANS TOTAL	11	11	81.5	81.5	58.5	58.5
MALE 65 YEARS +	3	3	*	*	392.2	392.6
FEMALE 65 YEARS +	5	5	*	*	212.1	212.1
CANCER RESPIRATORY SYSTEM	--	--	-0-	-0-	43.5	43.5
MALE 65 YEARS +	--	--	-0-	-0-	392.2	392.6
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	26	26	192.6	192.6	185.9	186.1
MALE 65 YEARS +	8	8	*	*	1102.9	1104.3
FEMALE 65 YEARS +	10	10	740.7	740.7	1075.8	1075.8
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	*	*	15.0	15.0
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
HYPERTENSIVE DISEASE NON-HEART	2	2	*	*	*	*
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	2	2	*	*	*	*
OTHER CIRCULATORY DISEASES	4	4	*	*	*	*
MALE 65 YEARS +	3	3	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6	*	*	28.5	28.5
MALE 65 YEARS +	6	6	*	*	343.1	343.6
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	2	2	*	*	25.5	25.5
DIABETES MELLITUS	2	2	*	*	19.5	19.5
CIRRHOSIS OF LIVER	1	1	*	*	*	*
DISEASES OF EARLY INFANCY	3	3	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	2	2	*	*	31.5	31.5
ALL OTHER ACCIDENTS	5	5	*	*	22.5	22.5
UNDETERMINED	2	2	*	*	*	*
HOMICIDE	1	1	*	*	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	6	6	*	*	85.6	85.6

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 PIATT COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	15,900	15,900				
MALE 65 YEARS +	800	800				
FEMALE 65 YEARS +	1,150	1,150				
LIVE BIRTHS TOTAL	193	193	12.1	12.1	13.8	13.8
MALE	95	95
FEMALE	98	98
TO MOTHERS UNDER 20 YEARS	36	36	186.5	186.5	168.5	168.7
ILLEGITIMATE LIVE BIRTHS	10	10	51.8	51.8	44.9	44.2
TO MOTHERS UNDER 20 YEARS	6	6	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	9	9	*	*	60.4	60.8
FETAL DEATHS TOTAL	1	1	*	*	18.3	18.4
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	-0-	-0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	12.8	12.9
INFANT DEATHS (UNDER 1 YEAR)	3	3	*	*	16.5	16.6
PERINATAL LOSS < 7 DAYS + FETAL	2	2	*	*	27.9	28.1
MALE	2	2	*	*	29.7	29.9
FEMALE	--	--	-0-	-0-	25.9	26.1
ASPHYXIA UNSPECIFIED	1	1	*	*	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	146	146	918.2	918.2	1092.2	1093.3
MALE TOTAL	74	74
MALE 65 YEARS +	46	46	5750.0	5750.0	7812.1	7812.1
FEMALE TOTAL	72	72
FEMALE 65 YEARS +	53	53	4608.7	4608.7	5520.9	5525.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	62	62	389.9	389.9	453.6	454.1
ARTERIOSCLEROTIC OR ISCHEMIC	57	57	358.5	358.5	420.7	421.1
MALE 65 YEARS +	25	25	3125.0	3125.0	3386.9	3386.9
FEMALE 65 YEARS +	24	24	2087.0	2087.0	2531.2	2531.2
OTHER HEART DISEASES TOTAL	5	5	*	*	32.9	33.0
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	3	3	*	*	178.1	178.3
CANCER ALL SITES	29	29	182.4	182.4	179.9	180.1
MALE 65 YEARS +	7	7	*	*	988.9	988.9
FEMALE 65 YEARS +	8	8	*	*	605.5	606.1
CANCER DIGESTIVE ORGANS TOTAL	7	7	*	*	51.9	52.0
MALE 65 YEARS +	2	2	*	*	420.3	420.3
FEMALE 65 YEARS +	2	2	*	*	*	*
CANCER RESPIRATORY SYSTEM	9	9	*	*	24.1	24.1
MALE 65 YEARS +	4	4	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	21	21	132.1	132.1	126.7	126.8
MALE 65 YEARS +	8	8	*	*	890.0	890.0
FEMALE 65 YEARS +	10	10	869.6	869.6	961.7	962.6
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	*	*	40.5	40.6
MALE 65 YEARS +	1	1	*	*	469.7	469.7
FEMALE 65 YEARS +	3	3	*	*	213.7	213.9
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	*	*
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	1	1	*	*	20.3	20.3
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	*	*	29.1	29.2
MALE 65 YEARS +	--	--	-0-	-0-	346.1	346.1
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	2	2	*	*	29.1	29.2
DIABETES MELLITUS	--	--	-0-	-0-	20.3	20.3
CIRRHOSIS OF LIVER	3	3	*	*	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	*	*
MOTOR VEHICLE ACCIDENTS	5	5	*	*	53.2	53.3
ALL OTHER ACCIDENTS	--	--	-0-	-0-	17.7	17.8
SUICIDE	1	1	*	*	*	*
HOMICIDE	1	1	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	15	15	94.3	94.3	91.2	91.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 SHELBY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	22,900	22,900				
MALE 65 YEARS +	1,500	1,500				
FEMALE 65 YEARS +	1,950	1,950				
LIVE BIRTHS TOTAL	351	351	15.3	15.3	14.7	14.7
MALE	177	177
FEMALE	174	174
TO MOTHERS UNDER 20 YEARS	87	87	247.9	247.9	203.6	203.6
ILLEGITIMATE LIVE BIRTHS	25	25	71.2	71.2	67.3	67.3
TO MOTHERS UNDER 20 YEARS	14	14	*	*	592.9	592.9
PREMATURE (UNDER 2501 GRAMS)	18	18	51.3	51.3	72.0	72.1
FETAL DEATHS TOTAL	5	5	*	*	13.7	13.7
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	*	*	13.7	13.7
INFANT DEATHS (UNDER 1 YEAR)	4	4	*	*	20.2	20.3
PERINATAL LOSS < 7 DAYS + FETAL	7	7	*	*	26.4	26.5
MALE	3	3	*	*	20.3	20.4
FEMALE	4	4	*	*	33.0	33.0
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	275	275	1200.9	1200.9	1281.4	1280.9
MALE TOTAL	161	161
MALE 65 YEARS +	116	116	7733.3	7733.3	7715.1	7714.1
FEMALE TOTAL	114	114
FEMALE 65 YEARS +	93	93	4769.2	4769.2	5670.9	5676.6
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	119	119	519.7	519.7	547.9	548.4
ARTERIOSCLEROTIC OR ISCHEMIC	105	105	458.5	458.5	463.9	464.3
MALE 65 YEARS +	49	49	3266.7	3266.7	3360.2	3371.5
FEMALE 65 YEARS +	38	38	1948.7	1948.7	2126.6	2128.7
OTHER HEART DISEASES TOTAL	14	14	61.1	61.1	84.0	84.1
MALE 65 YEARS +	6	6	*	*	537.6	539.4
FEMALE 65 YEARS +	4	4	*	*	445.6	446.0
CANCER ALL SITES	52	52	227.1	227.1	206.6	206.8
MALE 65 YEARS +	23	23	1533.3	1533.3	1102.2	1105.9
FEMALE 65 YEARS +	11	11	564.1	564.1	850.6	851.5
CANCER DIGESTIVE ORGANS TOTAL	8	8	*	*	58.6	58.7
MALE 65 YEARS +	5	5	*	*	282.3	283.2
FEMALE 65 YEARS +	2	2	*	*	303.8	304.1
CANCER RESPIRATORY SYSTEM	18	18	78.6	78.6	28.9	28.9
MALE 65 YEARS +	11	11	733.3	733.3	215.1	215.8
FEMALE 65 YEARS +	1	1	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	28	28	122.3	122.3	185.6	185.7
MALE 65 YEARS +	14	14	933.3	933.3	1102.2	1105.9
FEMALE 65 YEARS +	12	12	615.4	615.4	1063.3	1064.4
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	*	*	30.6	30.7
MALE 65 YEARS +	--	--	-0-	-0-	174.7	175.3
FEMALE 65 YEARS +	2	2	*	*	212.7	212.9
HYPERTENSIVE DISEASE NON-HEART	1	1	*	*	14.0	14.0
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
OTHER CIRCULATORY DISEASES	9	9	*	*	20.1	20.2
MALE 65 YEARS +	4	4	*	*	134.4	134.4
FEMALE 65 YEARS +	3	3	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5	*	*	21.9	21.9
MALE 65 YEARS +	4	4	*	*	161.3	161.8
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	13	13	56.8	56.8	56.0	56.1
DIABETES MELLITUS	6	6	*	*	*	*
CIRRHOSIS OF LIVER	--	--	-0-	-0-	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	15.8	15.8
CONGENITAL ANOMALIES	1	1	*	*	9.6	9.6
MOTOR VEHICLE ACCIDENTS	12	12	52.4	52.4	35.0	35.0
ALL OTHER ACCIDENTS	9	9	*	*	25.4	24.5
SUICIDE	--	--	-0-	-0-	15.8	15.8
HOMICIDE	--	--	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	17	17	74.2	74.2	80.5	79.7

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 04 VERMILION COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	96,600	90,600 6,000				
MALE 65 YEARS +	5,000	4,750 250				
FEMALE 65 YEARS +	6,950	6,700 250				
LIVE BIRTHS TOTAL	1,543	1,377 166	16.0	15.2 27.7	16.7	15.9 28.9
MALE	805	717 88
FEMALE	738	660 78
TO MOTHERS UNDER 20 YEARS	371	298 73	240.4	216.4 439.8	216.1	196.8 375.3
ILLEGITIMATE LIVE BIRTHS	202	116 86	130.9	84.2 518.1	109.0	68.3 444.4
TO MOTHERS UNDER 20 YEARS	125	71 54	618.8	612.1 *	539.4	487.9 604.6
PREMATURE (UNDER 2501 GRAMS)	112	92 20	72.6	66.8 120.5	80.1	72.3 145.1
FETAL DEATHS TOTAL	14	11 3	9.1	8.0 *	11.9	11.0 19.3
ILLEGITIMATE FETAL DEATHS	5	3 2	*	*	*	*
TO MOTHERS UNDER 20 YEARS	3	2 1	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	9	8 1	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	26	25 1	16.9	18.2 *	13.6	13.2 17.0
INFANT DEATHS (UNDER 1 YEAR)	31	29 2	20.1	21.1 *	18.2	17.5 23.8
PERINATAL LOSS < 7 DAYS + FETAL	40	36 4	25.7	25.9 *	24.3	22.9 35.6
MALE	27	25 2	33.1	34.5 *	24.4	22.8 37.1
FEMALE	13	11 2	17.5	16.6 *	24.1	22.9 34.0
ASPHYXIA UNSPECIFIED	9	8 1	*	*	3.9	3.5 *
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	1,065	1,003 62	1102.5	1107.1 1033.3	1161.8	1172.0 1008.3
MALE TOTAL	578	543 35
MALE 65 YEARS +	345	331 14	6900.0	6968.4 5600.0	7592.1	7654.2 6278.0
FEMALE TOTAL	487	460 27
FEMALE 65 YEARS +	373	355 18	5366.9	5298.5 7200.0	5769.0	5745.6 6416.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	410	390 20	424.4	430.5 333.3	456.3	467.1 294.6
ARTERIOSCLEROTIC OR ISCHEMIC	344	332 12	356.1	366.4 200.0	403.1	416.2 206.3
MALE 65 YEARS +	127	124 3	2540.0	2610.5 *	2917.8	2971.0 1793.7
FEMALE 65 YEARS +	137	132 5	1971.2	1970.1 *	2278.0	2285.0 2083.3
OTHER HEART DISEASES TOTAL	66	58 8	68.3	64.0 *	53.2	50.9 88.4
MALE 65 YEARS +	24	21 3	480.0	442.1 *	339.9	343.3 *
FEMALE 65 YEARS +	24	22 2	345.3	328.4 *	310.5	297.7 *
CANCER ALL SITES	219	206 13	226.7	227.4 216.7	208.4	212.0 153.9
MALE 65 YEARS +	63	60 3	1260.0	1263.2 *	1355.7	1352.0 1435.0
FEMALE 65 YEARS +	64	60 4	920.9	895.5 *	841.6	844.9 *
CANCER DIGESTIVE ORGANS TOTAL	59	55 4	61.1	60.7 *	60.4	62.5 *
MALE 65 YEARS +	23	22 1	460.0	463.2 *	380.4	377.2 *
FEMALE 65 YEARS +	19	17 2	273.4	253.7 *	319.2	321.7 *
CANCER RESPIRATORY SYSTEM	43	40 3	44.5	44.2 *	47.9	47.8 49.1
MALE 65 YEARS +	11	10 1	220.0	210.5 *	424.9	423.8 *
FEMALE 65 YEARS +	6	6 --	*	*	63.8	63.1 *
CEREBROVASCULAR DISEASE TOTAL	113	104 9	117.0	114.8 *	146.2	150.0 88.4
MALE 65 YEARS +	45	42 3	900.0	884.2 *	983.4	1004.5 *
FEMALE 65 YEARS +	51	47 4	733.8	701.5 *	1085.3	1100.4 *
GENERAL ARTERIOSCLEROSIS TOTAL	12	10 2	12.4	11.0 *	27.8	27.5 32.7
MALE 65 YEARS +	3	3 --	*	*	174.0	178.0 *
FEMALE 65 YEARS +	6	5 1	*	*	246.7	237.5 *
HYPERTENSIVE DISEASE NON-HEART	5	4 1	*	*	3.5	3.1 *
MALE 65 YEARS +	--	-- --	-0-	-0-	*	*
FEMALE 65 YEARS +	4	4 --	*	*	*	-0-
OTHER CIRCULATORY DISEASES	26	24 2	26.9	26.5 *	27.8	28.0 *
MALE 65 YEARS +	8	8 --	*	*	214.5	211.9 *
FEMALE 65 YEARS +	5	5 --	*	*	133.5	135.3 *
EMPHYSEMA, BRONCHITIS, ASTHMA	30	30 --	31.1	33.1 -0-	35.2	36.0 *
MALE 65 YEARS +	18	18 --	360.0	378.9 -0-	469.4	470.4 *
FEMALE 65 YEARS +	7	7 --	*	*	52.2	54.1 -0-
PNEUMONIA AND INFLUENZA	51	49 2	52.8	54.1 *	40.1	38.4 65.5
DIABETES MELLITUS	19	18 1	19.7	19.9 *	21.3	19.9 42.6
CIRRHOSIS OF LIVER	6	5 1	*	*	16.0	15.7 *
DISEASES OF EARLY INFANCY	22	21 1	22.8	23.2 *	17.4	15.9 39.3
CONGENITAL ANOMALIES	4	4 --	*	*	7.2	6.8 *
MOTOR VEHICLE ACCIDENTS	13	12 1	13.5	13.2 *	24.6	25.8 *
ALL OTHER ACCIDENTS	28	25 3	29.0	27.6 *	30.5	29.9 39.3
SUICIDE	8	8 --	*	*	10.2	10.9 -0-
HOMICIDE	3	3 --	*	*	4.7	2.2 42.6
UNDETERMINED EXTERNAL CAUSES	2	1 1	*	*	*	*
ALL OTHER CAUSES	94	89 5	97.3	98.2 *	83.1	81.7 104.8

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 SOUTHERN
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	592,300	572,200	20,100			
MALE 65 YEARS +	39,650	38,350	1,300			
FEMALE 65 YEARS +	52,900	51,350	1,550			
LIVE BIRTHS TOTAL	8,195	7,782	413	13.8	13.6	20.5
MALE	4,219	4,010	209
FEMALE	3,976	3,772	204
TO MOTHERS UNDER 20 YEARS	1,797	1,654	143	219.3	212.5	346.2
ILLEGITIMATE LIVE BIRTHS	684	490	194	83.5	63.0	469.7
TO MOTHERS UNDER 20 YEARS	356	251	105	520.5	512.2	541.2
PREMATURE (UNDER 2501 GRAMS)	500	448	52	61.0	57.6	125.9
FETAL DEATHS TOTAL	111	103	8	13.5	13.2	*
ILLEGITIMATE FETAL DEATHS	14	11	3	126.1	106.8	*
TO MOTHERS UNDER 20 YEARS	8	6	2	*	*	*
PREMATURE (UNDER 2501 GRAMS)	62	57	5	558.6	553.4	*
NEONATAL DEATHS (UNDER 28 DAYS)	104	100	4	12.7	12.9	*
INFANT DEATHS (UNDER 1 YEAR)	145	134	11	17.7	17.2	26.6
PERINATAL LOSS < 7 DAYS + FETAL	196	185	11	23.6	23.5	26.1
MALE	119	113	6	27.8	27.8	*
FEMALE	77	72	5	19.1	18.9	*
ASPHYXIA UNSPECIFIED	14	13	1	1.7	1.6	*
IMMATURITY UNQUALIFIED	16	14	2	1.9	1.8	*
DEATHS TOTAL (EXCEPT FETAL)	7,557	7,275	282	1275.9	1271.4	1403.0
MALE TOTAL	4,192	4,038	154
MALE 65 YEARS +	2,861	2,770	91	7215.6	7222.9	7000.0
FEMALE TOTAL	3,365	3,237	128
FEMALE 65 YEARS +	2,649	2,564	85	5007.6	4993.2	5483.9
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	3,256	3,137	119	549.7	548.2	592.0
ARTERIOSCLEROTIC OR ISCHEMIC	3,045	2,939	106	514.1	513.6	527.4
MALE 65 YEARS +	1,262	1,219	43	3182.8	3178.6	3307.7
FEMALE 65 YEARS +	1,214	1,174	40	2294.9	2286.3	2580.6
OTHER HEART DISEASES TOTAL	211	198	13	35.6	34.6	64.7
MALE 65 YEARS +	69	66	3	174.0	172.1	*
FEMALE 65 YEARS +	77	74	3	145.6	144.1	*
CANCER ALL SITES	1,386	1,341	45	234.0	234.4	223.9
MALE 65 YEARS +	522	512	10	1316.5	1335.1	769.2
FEMALE 65 YEARS +	405	398	7	765.6	775.1	*
CANCER DIGESTIVE ORGANS TOTAL	413	396	17	69.7	69.2	84.6
MALE 65 YEARS +	140	135	5	353.1	352.0	*
FEMALE 65 YEARS +	160	158	2	302.5	307.7	*
CANCER RESPIRATORY SYSTEM	337	328	9	56.9	57.3	*
MALE 65 YEARS +	179	175	4	451.5	456.3	*
FEMALE 65 YEARS +	31	31	--	58.6	60.4	-0-
CIRCULATORY DISEASE TOTAL	849	811	38	143.3	141.7	189.1
MALE 65 YEARS +	338	326	12	852.5	850.1	923.1
FEMALE 65 YEARS +	406	385	21	767.5	749.8	1354.8
GENERAL ARTERIOSCLEROSIS TOTAL	127	126	1	21.4	22.0	*
MALE 65 YEARS +	62	61	1	156.4	159.1	*
FEMALE 65 YEARS +	63	63	--	119.1	122.7	-0-
HYPERTENSIVE DISEASE NON-HEART	29	27	2	4.9	4.7	*
MALE 65 YEARS +	12	11	1	30.3	28.7	*
FEMALE 65 YEARS +	14	14	--	26.5	27.3	-0-
OTHER CIRCULATORY DISEASES	185	181	4	31.2	31.6	*
MALE 65 YEARS +	93	91	2	234.6	237.3	*
FEMALE 65 YEARS +	55	54	1	104.0	105.2	*
EMPHYSEMA, BRONCHITIS, ASTHMA	146	144	2	24.6	25.2	*
MALE 65 YEARS +	94	92	2	237.1	239.9	*
FEMALE 65 YEARS +	14	14	--	26.5	27.3	-0-
PNEUMONIA AND INFLUENZA	244	236	8	41.2	41.2	*
DIABETES MELLITUS	143	138	5	24.1	24.1	*
CIRRHOSIS OF LIVER	62	59	3	10.5	10.3	*
DISEASES OF EARLY INFANCY	79	75	4	13.3	13.1	*
CONGENITAL ANOMALIES	44	40	4	7.4	7.0	*
MOTOR VEHICLE ACCIDENTS	186	183	3	31.4	32.0	*
ALL OTHER ACCIDENTS	187	177	10	31.6	30.9	49.8
SUICIDE	44	43	1	7.4	7.5	*
HOMICIDE	24	18	6	4.1	3.1	*
UNDETERMINED EXTERNAL CAUSES	14	14	--	2.4	2.4	-0-
ALL OTHER CAUSES	552	525	27	93.2	91.8	134.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 ALEXANDER COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	11,800	8,500 3,300				
MALE 65 YEARS +	850	550 300				
FEMALE 65 YEARS +	1,200	900 300				
LIVE BIRTHS TOTAL	204	111 93	17.3	13.1 28.2	17.2	13.8 25.7
MALE	105	59 46
FEMALE	99	52 47
TO MOTHERS UNDER 20 YEARS	75	34 41	367.6	306.3 *	326.5	264.9 409.6
ILLEGITIMATE LIVE BIRTHS	67	11 56	328.4	99.1 *	289.5	86.6 562.9
TO MOTHERS UNDER 20 YEARS	38	5 33	*	*	562.3 *	569.1
PREMATURE (UNDER 2501 GRAMS)	24	7 17	117.6	*	88.7	71.3 112.1
FETAL DEATHS TOTAL	9	6 3	*	*	10.7	*
ILLEGITIMATE FETAL DEATHS	3	1 2	*	*	-0-	-0-
TO MOTHERS UNDER 20 YEARS	2	-- 2	*	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	4	3 1	*	*	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3 --	*	*	19.5	18.7 *
INFANT DEATHS (UNDER 1 YEAR)	5	3 2	*	*	29.2	23.8 36.6
PERINATAL LOSS < 7 DAYS + FETAL	10	7 3	46.9	*	28.0	20.3 38.1
MALE	6	4 2	*	*	38.6	50.7
FEMALE	4	3 1	*	*	*	*
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	214	138 76	1813.6	1623.5 2303.0	1840.8	1696.7 2203.3
MALE TOTAL	116	77 39
MALE 65 YEARS +	79	54 25	9294.1	9818.2 8333.3	8722.7	9062.5 8054.6
FEMALE TOTAL	98	61 37
FEMALE 65 YEARS +	72	49 23	6000.0	5444.4 7666.7	6340.6	5792.5 7896.4
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	101	62 39	855.9	729.4 1181.8	799.2	719.8 998.8
ARTERIOSCLEROTIC OR ISCHEMIC	94	60 34	795.6	705.9 1030.3	747.4	670.7 940.1
MALE 65 YEARS +	42	28 14	4941.2	5090.9 4666.7	4096.7	4062.5 4163.8
FEMALE 65 YEARS +	35	22 13	2916.7	2444.4 4333.3	2934.2	2508.6 4142.4
OTHER HEART DISEASES TOTAL	7	2 5	*	*	51.8	49.1 58.8
MALE 65 YEARS +	1	-- 1	*	-0-	*	*
FEMALE 65 YEARS +	3	1 2	*	*	253.0	*
CANCER ALL SITES	38	27 11	322.0	317.6 333.3	264.2	261.7 270.3
MALE 65 YEARS +	11	9 2	1294.1	*	1242.8	1284.7 1160.4
FEMALE 65 YEARS +	12	9 3	1000.0	*	893.8	821.0 1100.3
CANCER DIGESTIVE ORGANS TOTAL	10	6 4	84.7	*	55.2	58.4 *
MALE 65 YEARS +	3	2 1	*	*	230.1	*
FEMALE 65 YEARS +	3	2 1	*	*	320.4	319.3 *
CANCER RESPIRATORY SYSTEM	13	10 3	110.2	117.6 *	68.6	77.1 *
MALE 65 YEARS +	6	5 1	*	*	460.3	486.1 *
FEMALE 65 YEARS +	2	2 --	*	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	20	11 9	169.5	129.4 *	204.0	203.3 205.6
MALE 65 YEARS +	9	5 4	*	*	874.6	1006.9 *
FEMALE 65 YEARS +	8	5 3	*	*	1028.7	1026.2 1035.6
GENERAL ARTERIOSCLEROSIS TOTAL	5	5 --	*	*	18.4	*
MALE 65 YEARS +	2	2 --	*	-0-	*	*
FEMALE 65 YEARS +	3	3 --	*	-0-	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	-- 1	*	-0-	*	-0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
OTHER CIRCULATORY DISEASES	4	4 --	*	-0-	56.8	53.8 64.6
MALE 65 YEARS +	3	3 --	*	-0-	391.3	381.9 *
FEMALE 65 YEARS +	--	-- --	-0-	-0-	168.6	*
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2 --	*	-0-	35.1	42.1 *
MALE 65 YEARS +	1	1 --	*	-0-	276.2	381.9 *
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	5	5 --	*	-0-	65.2	51.4 99.9
DIABETES MELLITUS	7	4 3	*	*	40.1	37.4 *
CIRRHOSIS OF LIVER	--	-- --	-0-	-0-	16.7	*
DISEASES OF EARLY INFANCY	1	1 --	*	-0-	28.4	23.4 *
CONGENITAL ANOMALIES	1	1 --	*	-0-	*	*
MOTOR VEHICLE ACCIDENTS	1	1 --	*	-0-	50.2	46.7 58.8
ALL OTHER ACCIDENTS	7	3 4	*	*	68.6	51.4 111.6
SUICIDE	1	1 --	*	-0-	*	*
HOMICIDE	--	-- --	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	3	3 --	*	-0-	*	-0-
ALL OTHER CAUSES	17	8 9	144.1	*	153.8	135.5 199.8

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 BOND COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	14,500	14,200	300			
MALE 65 YEARS +	950	950				
FEMALE 65 YEARS +	1,250	1,200	50			
LIVE BIRTHS TOTAL	199	195	4	13.7	13.7	*
MALE	99	99	--
FEMALE	100	96	4
TO MOTHERS UNDER 20 YEARS	55	53	2	276.4	271.6	*
ILLEGITIMATE LIVE BIRTHS	8	8	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	2	2	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	10	10	--	50.3	51.3	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	4	4	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	2	2	--	*	*	-0-
MALE	1	1	--	*	*	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	187	180	7	1289.7	1267.6	*
MALE TOTAL	105	99	6
MALE 65 YEARS +	66	62	4	6947.4	6526.3	*
FEMALE TOTAL	82	81	1
FEMALE 65 YEARS +	64	64	--	5120.0	5333.3	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	71	68	3	489.7	478.9	*
ARTERIOSCLEROTIC OR ISCHEMIC	69	66	3	475.9	464.8	*
MALE 65 YEARS +	30	28	2	3157.9	2947.4	*
FEMALE 65 YEARS +	31	31	--	2480.0	2583.3	-0-
OTHER HEART DISEASES TOTAL	2	2	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CANCER ALL SITES	33	33	--	227.6	232.4	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-
CANCER DIGESTIVE ORGANS TOTAL	10	10	--	69.0	70.4	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	7	7	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	24	23	1	165.5	162.0	*
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	13	13	--	1040.0	1083.3	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	3	2	1	*	*	*
MALE 65 YEARS +	2	1	1	*	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	5	5	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9	--	*	*	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	7	7	--	*	*	-0-
DIABETES MELLITUS	2	2	--	*	*	-0-
CIRRHOSIS OF LIVER	1	--	1	*	-0-	*
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-
CONGENITAL ANOMALIES	2	2	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	5	5	--	*	*	-0-
ALL OTHER ACCIDENTS	1	1	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	11	10	1	75.9	10.4	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 CLAY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	15,100	15,100				
MALE 65 YEARS +	1,100	1,100				
FEMALE 65 YEARS +	1,500	1,500				
LIVE BIRTHS TOTAL	202	201	1	13.4	13.3	*
MALE	106	105	1
FEMALE	96	96	--
TO MOTHERS UNDER 20 YEARS	49	49	--	242.6	242.8	-0-
ILLEGITIMATE LIVE BIRTHS	16	16	--	79.2	79.6	-0-
TO MOTHERS UNDER 20 YEARS	8	8	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	9	9	--	*	*	-0-
FETAL DEATHS TOTAL	4	4	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	5	5	--	*	*	-0-
MALE	2	2	--	*	*	-0-
FEMALE	3	3	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	183	183	--	1211.9	1211.9	-0-
MALE TOTAL	96	96	--
MALE 65 YEARS +	68	68	--	6181.8	6181.8	-0-
FEMALE TOTAL	87	87	--
FEMALE 65 YEARS +	73	73	--	4866.7	4866.7	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	79	79	--	523.2	523.2	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	75	75	--	496.7	496.7	-0-
MALE 65 YEARS +	29	29	--	2636.4	2636.4	-0-
FEMALE 65 YEARS +	36	36	--	2400.0	2400.0	-0-
OTHER HEART DISEASES TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
CANCER ALL SITES	36	36	--	238.4	238.4	-0-
MALE 65 YEARS +	12	12	--	1090.9	1090.9	-0-
FEMALE 65 YEARS +	11	11	--	733.3	733.3	-0-
CANCER DIGESTIVE ORGANS TOTAL	14	14	--	92.7	92.7	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	9	9	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	20	20	--	132.5	132.5	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	10	10	--	666.7	666.7	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9	--	*	*	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	5	5	--	*	*	-0-
DIABETES MELLITUS	2	2	--	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	4	4	--	*	*	-0-
ALL OTHER ACCIDENTS	2	2	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-
ALL OTHER CAUSES	14	14	--	92.7	92.7	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 CRAWFORD COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	19,400	19,400				
MALE 65 YEARS +	1,400	1,400				
FEMALE 65 YEARS +	1,900	1,900				
LIVE BIRTHS TOTAL	279	278 1	14.4	14.3 *	13.1	13.0 *
MALE	145	145 --
FEMALE	134	133 1
TO MOTHERS UNDER 20 YEARS	60	60 --	215.1	215.8 -0-	204.4	204.9 -0-
ILLEGITIMATE LIVE BIRTHS	18	18 --	64.5	64.7 -0-	40.1	40.2 -0-
TO MOTHERS UNDER 20 YEARS	7	7 --	*	* -0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	13	13 --	46.6	46.8 -0-	62.1	62.3 -0-
FETAL DEATHS TOTAL	3	3 --	*	* -0-	8.6	8.7 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	* -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	2	2 --	*	* -0-	*	* -0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3 --	*	* -0-	11.8	11.8 -0-
INFANT DEATHS (UNDER 1 YEAR)	6	6 --	*	* -0-	16.5	16.5 -0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4 --	*	* -0-	19.5	19.5 -0-
MALE	3	3 --	*	* -0-	17.7	17.8 -0-
FEMALE	1	1 --	*	* -0-	21.5	21.5 -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	* -0-
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	240	240 --	1237.1	1237.1 -0-	1358.1	1359.4 *
MALE TOTAL	135	135 --
MALE 65 YEARS +	96	96 --	6857.1	6857.1 -0-	7685.4	7685.4 -0-
FEMALE TOTAL	105	105 --
FEMALE 65 YEARS +	93	93 --	4894.7	4894.7 -0-	4932.8	4935.5 -0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	101	101 --	520.6	520.6 -0-	587.2	588.2 -0-
ARTERIOSCLEROTIC OR ISCHEMIC	92	92 --	474.2	474.2 -0-	509.2	510.0 -0-
MALE 65 YEARS +	43	43 --	3071.4	3071.4 -0-	3146.1	3146.1 -0-
FEMALE 65 YEARS +	36	36 --	1894.7	1894.7 -0-	2106.4	2107.5 -0-
OTHER HEART DISEASES TOTAL	9	9 --	*	* -0-	78.0	78.1 -0-
MALE 65 YEARS +	4	4 --	*	* -0-	539.3	539.3 -0-
FEMALE 65 YEARS +	5	5 --	*	* -0-	300.9	301.1 -0-
CANCER ALL SITES	41	41 --	211.3	211.3 -0-	214.5	214.9 -0-
MALE 65 YEARS +	13	13 --	928.6	928.6 -0-	988.8	988.8 -0-
FEMALE 65 YEARS +	13	13 --	684.2	684.2 -0-	569.6	569.9 -0-
CANCER DIGESTIVE ORGANS TOTAL	16	16 --	82.5	82.5 -0-	66.7	66.8 -0-
MALE 65 YEARS +	3	3 --	*	* -0-	299.6	299.6 -0-
FEMALE 65 YEARS +	7	7 --	*	* -0-	247.2	247.3 -0-
CANCER RESPIRATORY SYSTEM	8	8 --	*	* -0-	51.3	51.4 -0-
MALE 65 YEARS +	4	4 --	*	* -0-	329.6	329.6 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	37	37 --	190.7	190.7 -0-	253.6	254.0 -0-
MALE 65 YEARS +	19	19 --	1357.1	1357.1 -0-	1528.1	1528.1 -0-
FEMALE 65 YEARS +	15	15 --	789.5	789.5 -0-	1278.9	1279.6 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1 --	*	* -0-	16.4	16.5 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	* -0-	118.2	118.3 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	* -0-	*	* -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	* -0-	*	* -0-
OTHER CIRCULATORY DISEASES	6	6 --	*	* -0-	21.6	21.6 -0-
MALE 65 YEARS +	2	2 --	*	* -0-	164.8	164.8 -0-
FEMALE 65 YEARS +	2	2 --	*	* -0-	*	* -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6 --	*	* -0-	22.6	22.6 -0-
MALE 65 YEARS +	2	2 --	*	* -0-	209.7	209.7 -0-
FEMALE 65 YEARS +	2	2 --	*	* -0-	*	* -0-
PNEUMONIA AND INFLUENZA	9	9 --	*	* -0-	30.8	29.8 *
DIABETES MELLITUS	--	-- --	-0-	-0-	14.4	14.4 -0-
CIRRHOSIS OF LIVER	5	5 --	*	* -0-	13.3	13.4 -0-
DISEASES OF EARLY INFANCY	2	2 --	*	* -0-	14.4	14.4 -0-
CONGENITAL ANOMALIES	3	3 --	*	* -0-	*	* -0-
MOTOR VEHICLE ACCIDENTS	6	6 --	*	* -0-	33.9	33.9 -0-
ALL OTHER ACCIDENTS	2	2 --	*	* -0-	25.7	25.7 -0-
SUICIDE	2	2 --	*	* -0-	*	* -0-
HOMICIDE	--	-- --	-0-	-0-	*	* -0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	* -0-
ALL OTHER CAUSES	18	18 --	92.8	92.8 -0-	85.2	85.3 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 EDWARDS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	7,300	7,300				
MALE 65 YEARS +	600	600				
FEMALE 65 YEARS +	750	750				
LIVE BIRTHS TOTAL	101	101	--	13.8	13.8	-0-
MALE	55	55	--
FEMALE	46	46	--
TO MOTHERS UNDER 20 YEARS	20	20	--	198.0	198.0	-0-
ILLEGITIMATE LIVE BIRTHS	3	3	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	2	2	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	5	5	--	*	*	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4	--	*	*	-0-
MALE	3	3	--	*	*	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	98	98	--	1342.5	1342.5	-0-
MALE TOTAL	62	62	--
MALE 65 YEARS +	40	40	--	6666.7	6666.7	-0-
FEMALE TOTAL	36	36	--
FEMALE 65 YEARS +	33	33	--	4400.0	4400.0	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	46	46	--	630.1	630.1	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	40	40	--	547.9	547.9	-0-
MALE 65 YEARS +	21	21	--	3500.0	3500.0	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-
OTHER HEART DISEASES TOTAL	6	6	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER ALL SITES	25	25	--	342.5	342.5	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	11	11	--	1466.7	1466.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	6	6	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	2	2	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	9	9	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	1	1	--	*	*	-0-
DIABETES MELLITUS	2	2	--	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	--	--	--	-0-	-0-	-0-
ALL OTHER ACCIDENTS	2	2	--	*	*	-0-
SUICIDE	--	--	--	-0-	-0-	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	7	7	--	*	*	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 EFFINGHAM COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	27,400	27,400				
MALE 65 YEARS +	1,450	1,450				
FEMALE 65 YEARS +	2,050	2,050				
LIVE BIRTHS TOTAL	460	459	1	16.8	15.8	*
MALE	245	244	1
FEMALE	215	215	--
TO MOTHERS UNDER 20 YEARS	70	70	--	152.2	150.9	*
ILLEGITIMATE LIVE BIRTHS	19	19	--	41.3	45.3	-0-
TO MOTHERS UNDER 20 YEARS	8	8	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	15	15	--	32.6	61.3	-0-
FETAL DEATHS TOTAL	5	5	--	*	9.7	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	6	6	--	*	12.1	-0-
INFANT DEATHS (UNDER 1 YEAR)	7	7	--	*	15.1	-0-
PERINATAL LOSS < 7 DAYS + FETAL	10	10	--	21.5	20.7	-0-
MALE	4	4	--	*	18.7	-0-
FEMALE	6	6	--	*	22.8	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	5.8	-0-
DEATHS TOTAL (EXCEPT FETAL)	270	269	1	985.4	1008.5	*
MALE TOTAL	153	153	--
MALE 65 YEARS +	103	103	--	7103.4	6695.1	-0-
FEMALE TOTAL	117	116	1
FEMALE 65 YEARS +	94	93	1	4585.4	4858.5	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	88	87	1	321.2	356.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	80	80	--	292.0	322.1	-0-
MALE 65 YEARS +	34	34	--	2344.8	2516.0	-0-
FEMALE 65 YEARS +	32	32	--	1561.0	1719.0	-0-
OTHER HEART DISEASES TOTAL	8	7	1	*	34.5	-0-
MALE 65 YEARS +	2	2	--	*	255.9	-0-
FEMALE 65 YEARS +	6	5	1	*	164.4	-0-
CANCER ALL SITES	48	48	--	175.2	186.4	*
MALE 65 YEARS +	20	20	--	1379.3	1066.1	-0-
FEMALE 65 YEARS +	16	16	--	780.5	823.5	-0-
CANCER DIGESTIVE ORGANS TOTAL	11	11	--	40.1	66.7	-0-
MALE 65 YEARS +	3	3	--	*	341.2	-0-
FEMALE 65 YEARS +	6	6	--	*	391.1	-0-
CANCER RESPIRATORY SYSTEM	14	14	--	51.1	37.6	*
MALE 65 YEARS +	10	10	--	689.7	341.2	-0-
FEMALE 65 YEARS +	--	--	--	-0-	*	-0-
CEREBROVASCULAR DISEASE TOTAL	23	23	--	83.9	105.1	-0-
MALE 65 YEARS +	10	10	--	689.7	781.8	-0-
FEMALE 65 YEARS +	10	10	--	487.8	679.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	11	11	--	40.1	38.3	-0-
MALE 65 YEARS +	6	6	--	*	326.9	-0-
FEMALE 65 YEARS +	5	5	--	*	267.1	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	*	-0-
MALE 65 YEARS +	--	--	--	-0-	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	*	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	29.1	-0-
MALE 65 YEARS +	3	3	--	*	298.5	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	--	*	19.9	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	19	19	--	69.3	56.8	-0-
DIABETES MELLITUS	11	11	--	40.1	15.3	-0-
CIRRHOSIS OF LIVER	3	3	--	*	11.5	-0-
DISEASES OF EARLY INFANCY	4	4	--	*	16.1	-0-
CONGENITAL ANOMALIES	1	1	--	*	10.7	-0-
MOTOR VEHICLE ACCIDENTS	15	15	--	54.7	28.4	-0-
ALL OTHER ACCIDENTS	7	7	--	*	22.2	-0-
SUICIDE	2	2	--	*	7.7	-0-
HOMICIDE	2	2	--	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	*	-0-
ALL OTHER CAUSES	27	27	--	98.5	99.7	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 FAYETTE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	20,500	20,200	300			
MALE 65 YEARS +	1,500	1,500				
FEMALE 65 YEARS +	1,900	1,900				
LIVE BIRTHS TOTAL	287	285	2	14.0	14.1	*
MALE	157	156	1
FEMALE	130	129	1
TO MOTHERS UNDER 20 YEARS	68	68	--	236.9	238.6	-0-
ILLEGITIMATE LIVE BIRTHS	17	17	--	59.2	59.6	-0-
TO MOTHERS UNDER 20 YEARS	8	8	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	19	18	1	66.2	63.2	*
FETAL DEATHS TOTAL	2	2	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	4	4	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	5	5	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	6	6	--	*	*	-0-
MALE	3	3	--	*	*	-0-
FEMALE	3	3	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	262	262	--	1278.0	1297.0	-0-
MALE TOTAL	140	140	--
MALE 65 YEARS +	103	103	--	6866.7	6866.7	-0-
FEMALE TOTAL	122	122	--
FEMALE 65 YEARS +	90	90	--	4736.8	4736.8	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	124	124	--	604.9	613.9	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	118	118	--	575.6	584.2	-0-
MALE 65 YEARS +	50	50	--	3333.3	3333.3	-0-
FEMALE 65 YEARS +	47	47	--	2473.7	2473.7	-0-
OTHER HEART DISEASES TOTAL	6	6	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER ALL SITES	42	42	--	204.9	207.9	-0-
MALE 65 YEARS +	14	14	--	933.3	933.3	-0-
FEMALE 65 YEARS +	10	10	--	526.3	526.3	-0-
CANCER DIGESTIVE ORGANS TOTAL	11	11	--	53.7	54.5	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	15	15	--	73.2	74.3	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	33	33	--	161.0	163.4	-0-
MALE 65 YEARS +	14	14	--	933.3	933.3	-0-
FEMALE 65 YEARS +	18	18	--	947.4	947.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	10	10	--	48.8	49.5	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-
CONGENITAL ANOMALIES	2	2	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	5	5	--	*	*	-0-
ALL OTHER ACCIDENTS	9	9	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-
ALL OTHER CAUSES	14	14	--	68.3	69.3	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 FRANKLIN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	40,900	40,800	100			
MALE 65 YEARS +	3,200	3,150	50			
FEMALE 65 YEARS +	4,200	4,200				
LIVE BIRTHS TOTAL	538	535	3	13.2	13.1	*
MALE	303	300	3
FEMALE	235	235	--
TO MOTHERS UNDER 20 YEARS	142	141	1	263.9	263.6	*
ILLEGITIMATE LIVE BIRTHS	43	43	--	79.9	80.4	-0-
TO MOTHERS UNDER 20 YEARS	26	26	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	37	37	--	68.8	69.2	-0-
FETAL DEATHS TOTAL	7	7	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	8	8	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	10	10	--	18.6	18.7	-0-
PERINATAL LOSS < 7 DAYS + FETAL	14	14	--	25.7	25.8	-0-
MALE	6	6	--	*	*	-0-
FEMALE	8	8	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	600	599	1	1467.0	1468.1	*
MALE TOTAL	355	354	1
MALE 65 YEARS +	264	264	--	8250.0	8381.0	-0-
FEMALE TOTAL	245	245	--
FEMALE 65 YEARS +	194	194	--	4619.0	4619.0	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	281	280	1	687.0	686.3	*
ARTERIOSCLEROTIC OR ISCHEMIC	268	268	--	655.3	656.9	-0-
MALE 65 YEARS +	124	124	--	3875.0	3936.5	-0-
FEMALE 65 YEARS +	100	100	--	2381.0	2381.0	-0-
OTHER HEART DISEASES TOTAL	13	12	1	31.8	29.4	*
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-
CANCER ALL SITES	111	111	--	271.4	272.1	-0-
MALE 65 YEARS +	51	51	--	1593.8	1619.0	-0-
FEMALE 65 YEARS +	28	28	--	666.7	666.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	34	34	--	83.1	83.3	-0-
MALE 65 YEARS +	12	12	--	375.0	381.0	-0-
FEMALE 65 YEARS +	11	11	--	261.9	261.9	-0-
CANCER RESPIRATORY SYSTEM	34	34	--	83.1	83.3	-0-
MALE 65 YEARS +	20	20	--	625.0	634.9	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	66	66	--	161.4	161.8	-0-
MALE 65 YEARS +	30	30	--	937.5	952.4	-0-
FEMALE 65 YEARS +	24	24	--	571.4	571.4	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	11	11	--	26.9	27.0	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	20	20	--	48.9	49.0	-0-
DIABETES MELLITUS	11	11	--	26.9	27.0	-0-
CIRRHOSIS OF LIVER	5	5	--	*	*	-0-
DISEASES OF EARLY INFANCY	8	8	--	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	8	8	--	*	*	-0-
ALL OTHER ACCIDENTS	11	11	--	26.9	27.0	-0-
SUICIDE	3	3	--	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	49	49	--	119.8	120.1	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 GALLATIN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975	RATES		70-74	RATES	
		WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
POPULATION TOTAL	7,200	7,100	100						
MALE 65 YEARS +	500	500							
FEMALE 65 YEARS +	550	550							
LIVE BIRTHS TOTAL	103	103	--	14.3	14.5	-0-	16.0	16.0	*
MALE	42	42	--
FEMALE	61	61	--
TO MOTHERS UNDER 20 YEARS	23	23	--	223.3	223.3	-0-	274.8	274.5	*
ILLEGITIMATE LIVE BIRTHS	5	5	--	*	*	-0-	87.0	83.9	*
TO MOTHERS UNDER 20 YEARS	4	4	--	*	*	-0-	*	*	*
PREMATURE (UNDER 2501 GRAMS)	12	12	--	116.5	116.5	-0-	62.6	62.9	-0-
FETAL DEATHS TOTAL	2	2	--	*	*	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	4	4	--	*	*	-0-	19.1	19.2	-0-
PERINATAL LOSS < 7 DAYS + FETAL	2	2	--	*	*	-0-	24.1	24.2	-0-
MALE	1	1	--	*	*	-0-	41.5	41.8	-0-
FEMALE	1	1	--	*	*	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	112	112	--	1555.6	1577.5	-0-	1514.5	1504.6	*
MALE TOTAL	66	66	--
MALE 65 YEARS +	46	46	--	9200.0	9200.0	-0-	9224.3	9279.7	*
FEMALE TOTAL	46	46	--
FEMALE 65 YEARS +	35	35	--	6363.6	6363.6	-0-	6162.4	6048.2	*
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	56	56	--	777.8	788.7	-0-	633.6	633.2	*
ARTERIOSCLEROTIC OR ISCHEMIC	50	50	--	694.4	704.2	-0-	591.9	591.2	*
MALE 65 YEARS +	19	19	--	3800.0	3800.0	-0-	4067.1	4110.2	-0-
FEMALE 65 YEARS +	22	22	--	4000.0	4000.0	-0-	2878.2	2857.1	*
OTHER HEART DISEASES TOTAL	6	6	--	*	*	-0-	41.7	42.0	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
CANCER ALL SITES	15	15	--	208.3	211.3	-0-	233.4	235.4	-0-
MALE 65 YEARS +	11	11	--	2200.0	2200.0	-0-	1719.1	1737.3	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	590.4	593.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	3	3	--	*	*	-0-	52.8	53.2	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	461.2	466.1	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	5	5	--	*	*	-0-	55.6	56.0	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	503.1	508.5	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	10	10	--	138.9	140.8	-0-	197.3	196.1	*
MALE 65 YEARS +	4	4	--	*	*	-0-	964.4	974.6	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	1439.1	1410.0	*
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-	*	*	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-	52.8	53.2	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	5	5	--	*	*	-0-	58.4	56.0	*
DIABETES MELLITUS	1	1	--	*	*	-0-	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	2	2	--	*	*	-0-	58.4	58.8	-0-
ALL OTHER ACCIDENTS	3	3	--	*	*	-0-	36.1	30.8	*
SUICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	10	10	--	158.9	140.8	-0-	127.8	126.1	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 HAMILTON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	8,300	8,300				
MALE 65 YEARS +	750	750				
FEMALE 65 YEARS +	900	900				
LIVE BIRTHS TOTAL	115	115	13.9	13.9	11.3	11.3
MALE	67	67
FEMALE	48	48
TO MOTHERS UNDER 20 YEARS	20	20	173.9	173.9	280.1	278.6
ILLEGITIMATE LIVE BIRTHS	6	6	*	*	39.4	39.5
TO MOTHERS UNDER 20 YEARS	2	2	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	5	5	*	*	62.2	62.4
FETAL DEATHS TOTAL	2	2	*	*	*	*
ILLEGITIMATE FETAL DEATHS	1	1	*	*	*	*
TO MOTHERS UNDER 20 YEARS	1	1	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	1	1	*	*	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	*	*	*	*
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	*	*
PERINATAL LOSS < 7 DAYS + FETAL	4	4	*	*	*	*
MALE	3	3	*	*	*	*
FEMALE	1	1	*	*	*	*
ASPHYXIA UNSPECIFIED	1	1	*	*	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	126	126	1518.1	1518.1	1643.3	1645.4
MALE TOTAL	70	70
MALE 65 YEARS +	52	52	6933.3	6933.3	7767.5	7767.5
FEMALE TOTAL	56	56
FEMALE 65 YEARS +	47	47	5222.2	5222.2	5442.9	5448.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	55	55	662.7	662.7	805.2	806.3
ARTERIOSCLEROTIC OR ISCHEMIC	52	52	626.5	626.5	777.2	778.2
MALE 65 YEARS +	24	24	3200.0	3200.0	3857.3	3857.3
FEMALE 65 YEARS +	24	24	2666.7	2666.7	2774.8	2777.8
OTHER HEART DISEASES TOTAL	3	3	*	*	28.1	28.1
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CANCER ALL SITES	23	23	277.1	277.1	224.7	225.0
MALE 65 YEARS +	11	11	1466.7	1466.7	1162.5	1162.5
FEMALE 65 YEARS +	7	7	*	*	448.2	448.7
CANCER DIGESTIVE ORGANS TOTAL	7	7	*	*	49.2	49.2
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	3	3	*	*	*	*
CANCER RESPIRATORY SYSTEM	8	8	*	*	44.5	44.5
MALE 65 YEARS +	6	6	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	13	13	156.6	156.6	264.5	264.9
MALE 65 YEARS +	4	4	*	*	1215.3	1215.3
FEMALE 65 YEARS +	8	8	*	*	1238.0	1239.3
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	*	*	44.5	44.5
MALE 65 YEARS +	4	4	*	*	*	*
FEMALE 65 YEARS +	1	1	*	*	277.5	277.8
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	-0-	-0-
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	1	1	*	*	25.7	25.8
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	*	*	28.1	28.1
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	4	4	*	*	35.1	35.2
DIABETES MELLITUS	2	2	*	*	*	*
CIRRHOSIS OF LIVER	--	--	-0-	-0-	*	*
DISEASES OF EARLY INFANCY	2	2	*	*	*	*
CONGENITAL ANOMALIES	1	1	*	*	*	*
MOTOR VEHICLE ACCIDENTS	2	2	*	*	46.8	46.9
ALL OTHER ACCIDENTS	5	5	*	*	37.5	37.5
SUICIDE	2	2	*	*	*	*
HOMICIDE	--	--	-0-	-0-	*	*
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	*	*
ALL OTHER CAUSES	9	9	*	*	81.9	82.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 HARDIN COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES		70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER
POPULATION TOTAL	5,000	5,000							
MALE 65 YEARS +	350	350							
FEMALE 65 YEARS +	450	450							
LIVE BIRTHS TOTAL	59	58	1	11.8	11.6	*	15.0	15.0	*
MALE	18	18	--
FEMALE	41	40	1
TO MOTHERS UNDER 20 YEARS	16	16	--	*	*	-0-	282.3	283.8	-0-
ILLEGITIMATE LIVE BIRTHS	1	1	--	*	*	-0-	63.3	63.7	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	47.5	47.7	-0-
FETAL DEATHS TOTAL	2	2	--	*	*	-0-	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1	--	*	*	-0-	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	3	3	--	*	*	-0-	*	*	-0-
MALE	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE	3	3	--	*	*	-0-	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	77	77	--	1540.0	1540.0	-0-	1381.8	1380.1	*
MALE TOTAL	48	48	--
MALE 65 YEARS +	32	32	--	9142.9	9142.9	-0-	7256.6	7181.0	*
FEMALE TOTAL	29	29	--
FEMALE 65 YEARS +	17	17	--	3777.8	3777.8	-0-	4776.8	4798.2	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	29	29	--	580.0	580.0	-0-	524.1	526.5	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	29	29	--	580.0	580.0	-0-	496.3	498.6	-0-
MALE 65 YEARS +	11	11	--	3142.9	3142.9	-0-	3126.8	3145.4	-0-
FEMALE 65 YEARS +	10	10	--	2222.2	2222.2	-0-	1875.0	1883.4	-0-
OTHER HEART DISEASES TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER ALL SITES	19	19	--	380.0	380.0	-0-	242.2	239.3	*
MALE 65 YEARS +	11	11	--	3142.9	3142.9	-0-	1002.9	949.6	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	714.3	717.5	-0-
CANCER DIGESTIVE ORGANS TOTAL	5	5	--	*	*	-0-	59.6	55.8	*
MALE 65 YEARS +	4	4	--	*	*	-0-	*	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CANCER RESPIRATORY SYSTEM	4	4	--	*	*	-0-	71.5	71.8	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	3	3	--	*	*	-0-	162.8	159.6	*
MALE 65 YEARS +	2	2	--	*	*	-0-	944.0	890.2	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	982.1	986.5	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	--	--	--	-0-	-0-	-0-	47.6	47.9	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	10	10	--	200.0	200.0	-0-	39.7	39.9	-0-
DIABETES MELLITUS	1	1	--	*	*	-0-	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	3	3	--	*	*	-0-	51.6	51.9	-0-
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-	79.4	79.4	-0-
SUICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
HOMICIDE	1	1	--	*	*	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	5	5	--	*	*	-0-	131.0	131.6	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 JACKSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	51,900	47,200	4,700						
MALE 65 YEARS +	2,250	2,050	200						
FEMALE 65 YEARS +	3,050	2,800	250						
LIVE BIRTHS TOTAL	650	549	101	12.5	11.6	21.5	14.6	13.8	24.6
MALE	329	277	52
FEMALE	321	272	49
TO MOTHERS UNDER 20 YEARS	98	73	25	150.8	133.0	247.5	177.5	164.1	263.9
ILLEGITIMATE LIVE BIRTHS	85	38	47	130.8	69.0	465.3	101.8	57.8	386.2
TO MOTHERS UNDER 20 YEARS	32	13	19	*	*	*	483.6	456.4	509.9
PREMATURE (UNDER 2501 GRAMS)	43	34	9	66.2	61.9	*	67.7	60.4	114.7
FETAL DEATHS TOTAL	3	3	--	*	*	-0-	11.8	9.8	24.9
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	*
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	-0-	*
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	9	8	1	*	*	*	13.6	12.4	21.0
INFANT DEATHS (UNDER 1 YEAR)	13	10	3	20.0	18.2	*	18.2	17.2	24.9
PERINATAL LOSS < 7 DAYS + FETAL	11	10	1	16.8	18.1	*	25.1	22.0	44.8
MALE	9	8	1	*	*	*	26.8	25.2	37.3
FEMALE	2	2	--	*	*	-0-	23.3	18.6	52.2
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-	*	*	*
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	430	381	49	828.5	807.2	1042.6	905.2	883.8	1151.6
MALE TOTAL	241	217	24
MALE 65 YEARS +	160	146	14	7111.1	7122.0	7000.0	7777.8	7676.3	8901.1
FEMALE TOTAL	189	164	25
FEMALE 65 YEARS +	142	124	18	4655.7	4428.6	7200.0	5558.5	5496.7	6240.0
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	167	154	13	321.8	326.3	276.6	389.1	384.2	446.5
ARTERIOSCLEROTIC OR ISCHEMIC	159	146	13	306.4	309.3	276.6	369.2	364.1	427.7
MALE 65 YEARS +	68	64	4	3022.2	3122.0	*	3661.2	3654.4	3736.3
FEMALE 65 YEARS +	63	56	7	2065.6	2000.0	*	2633.0	2567.1	3360.0
OTHER HEART DISEASES TOTAL	8	8	--	*	*	-0-	19.9	20.0	*
MALE 65 YEARS +	2	2	--	*	*	-0-	100.2	109.2	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	146.3	137.8	*
CANCER ALL SITES	71	66	5	136.8	139.8	*	146.9	144.1	178.6
MALE 65 YEARS +	32	30	2	1422.2	1463.4	*	1165.8	1082.4	2087.9
FEMALE 65 YEARS +	15	15	--	491.8	535.7	-0-	684.8	696.2	*
CANCER DIGESTIVE ORGANS TOTAL	16	14	2	30.8	29.7	*	39.1	37.1	61.1
MALE 65 YEARS +	8	7	1	*	*	*	346.1	297.9	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	219.4	232.1	*
CANCER RESPIRATORY SYSTEM	23	22	1	44.3	46.6	*	31.2	31.4	*
MALE 65 YEARS +	11	10	1	488.9	487.8	*	355.2	357.5	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	76	64	12	146.4	135.6	255.3	125.5	121.7	169.2
MALE 65 YEARS +	30	27	3	1333.3	1317.1	*	1184.0	1191.7	1098.9
FEMALE 65 YEARS +	40	31	9	1311.5	1107.1	*	1170.2	1138.5	1520.0
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	--	*	*	-0-	10.5	10.6	*
MALE 65 YEARS +	3	3	--	*	*	-0-	145.7	139.0	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	73.1	79.8	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-	6.0	5.7	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	10	9	1	19.3	*	*	15.8	15.9	*
MALE 65 YEARS +	7	6	1	*	*	*	118.4	119.2	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	146.3	152.3	*
EMPHYSEMA, BRONCHITIS, ASTHMA	8	7	1	*	*	*	24.8	25.3	*
MALE 65 YEARS +	3	2	1	*	*	*	346.1	357.5	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	7	6	1	*	*	*	24.4	24.1	*
DIABETES MELLITUS	7	6	1	*	*	*	9.0	8.6	*
CIRRHOSIS OF LIVER	2	1	1	*	*	*	9.0	9.4	*
DISEASES OF EARLY INFANCY	8	7	1	*	*	*	16.9	14.7	*
CONGENITAL ANOMALIES	6	4	2	*	*	*	5.3	4.1	*
MOTOR VEHICLE ACCIDENTS	12	11	1	23.1	23.3	*	21.4	22.9	*
ALL OTHER ACCIDENTS	11	10	1	21.2	21.2	*	21.0	20.0	*
ALL OTHER	3	3	--	*	*	-0-	8.3	8.6	*
UNDETERMINED	7	5	2	*	*	*	5.3	4.5	*
UNDETERMINED EXTERNAL CAUSES	1	1	--	*	*	-0-	*	*	*
ALL OTHER CAUSE	28	23	5	53.9	48.7	*	62.7	56.3	136.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 JASPER COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	11,100	11,100				
MALE 65 YEARS +	800	800				
FEMALE 65 YEARS +	950	950				
LIVE BIRTHS TOTAL	153	153	13.8	13.8	14.3	14.3
MALE	71	71
FEMALE	82	82
TO MOTHERS UNDER 20 YEARS	35	35	228.8	228.8	186.2	186.7
ILLEGITIMATE LIVE BIRTHS	6	6	*	*	37.8	37.9
TO MOTHERS UNDER 20 YEARS	4	4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	4	4	*	*	67.7	67.9
FETAL DEATHS TOTAL	1	1	*	*	13.0	13.1
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	*	*
INFANT DEATHS (UNDER 1 YEAR)	2	2	*	*	13.0	13.1
PERINATAL LOSS < 7 DAYS + FETAL	2	2	*	*	21.9	21.9
MALE	1	1	*	*	23.8	23.9
FEMALE	1	1	*	*	*	*
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	*	*
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	*	*
DEATHS TOTAL (EXCEPT FETAL)	133	133	1198.2	1198.2	1296.4	1297.6
MALE TOTAL	62	62
MALE 65 YEARS +	47	47	5875.0	5875.0	7315.8	7325.4
FEMALE TOTAL	71	71
FEMALE 65 YEARS +	57	57	6000.0	6000.0	5200.8	5200.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	53	53	477.5	477.5	582.2	582.7
ARTERIOSCLEROTIC OR ISCHEMIC	52	52	468.5	468.5	559.8	560.4
MALE 65 YEARS +	23	23	2875.0	2875.0	3763.2	3768.1
FEMALE 65 YEARS +	23	23	2421.1	2421.1	2304.4	2304.4
OTHER HEART DISEASES TOTAL	1	1	*	*	22.3	22.3
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CANCER ALL SITES	23	23	207.2	207.2	249.2	249.5
MALE 65 YEARS +	8	8	*	*	1078.9	1080.4
FEMALE 65 YEARS +	8	8	*	*	909.1	909.1
CANCER DIGESTIVE ORGANS TOTAL	8	8	*	*	63.2	63.3
MALE 65 YEARS +	2	2	*	*	289.5	289.9
FEMALE 65 YEARS +	3	3	*	*	253.7	253.7
CANCER RESPIRATORY SYSTEM	3	3	*	*	53.9	54.0
MALE 65 YEARS +	2	2	*	*	263.2	263.5
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
CEREBROVASCULAR DISEASE TOTAL	14	14	126.1	126.1	120.9	121.0
MALE 65 YEARS +	4	4	*	*	868.4	869.6
FEMALE 65 YEARS +	8	8	*	*	592.0	592.0
GENERAL ARTERIOSCLEROSIS TOTAL	4	4	*	*	40.9	41.0
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	4	4	*	*	317.1	317.1
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	*	*
MALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
OTHER CIRCULATORY DISEASES	1	1	*	*	*	*
MALE 65 YEARS +	1	1	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	*	*	18.6	18.6
MALE 65 YEARS +	2	2	*	*	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	7	7	*	*	48.4	48.4
DIABETES MELLITUS	3	3	*	*	*	*
CIRRHOSIS OF LIVER	1	1	*	*	*	*
DISEASES OF EARLY INFANCY	1	1	*	*	*	*
CONGENITAL ANOMALIES	--	--	-0-	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	4	4	*	*	33.5	33.5
ALL OTHER ACCIDENTS	2	2	*	*	31.6	31.6
SUICIDE	2	2	*	*	*	*
HOMICIDE	--	--	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	15	15	135.1	135.1	107.9	108.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 JEFFERSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	33,700	32,300 1,400				
MALE 65 YEARS +	2,200	2,150 50				
FEMALE 65 YEARS +	2,900	2,800 100				
LIVE BIRTHS TOTAL	466	433 33	13.8	13.4 23.6	14.8	14.0 33.1
MALE	237	222 15
FEMALE	229	211 18
TO MOTHERS UNDER 20 YEARS	88	71 17	188.8	164.0 *	229.9	212.2 409.1
ILLEGITIMATE LIVE BIRTHS	58	32 26	124.5	73.9 *	127.3	78.2 627.3
TO MOTHERS UNDER 20 YEARS	29	15 14	*	*	517.6	485.7 558.0
PREMATURE (UNDER 2501 GRAMS)	27	24 3	57.9	55.4 *	67.5	64.8 95.5
FETAL DEATHS TOTAL	7	7 --	*	*	-0-	12.6 10.7 *
ILLEGITIMATE FETAL DEATHS	2	2 --	*	*	-0-	* * *
TO MOTHERS UNDER 20 YEARS	2	2 --	*	*	-0-	* * *
PREMATURE (UNDER 2501 GRAMS)	4	4 --	*	*	-0-	* * *
NEONATAL DEATHS (UNDER 28 DAYS)	7	6 1	*	*	*	13.8 13.9 *
INFANT DEATHS (UNDER 1 YEAR)	7	6 1	*	*	*	19.1 18.8 *
PERINATAL LOSS < 7 DAYS + FETAL	14	13 1	29.6	29.5 *	26.1	24.3 44.1
MALE	10	9 1	41.3	*	31.1	28.9 *
FEMALE	4	4 --	*	*	-0-	21.1 19.6 *
ASPHYXIA UNSPECIFIED	1	-- 1	*	-0-	4.8	4.9 *
IMMATURITY UNQUALIFIED	1	1 --	*	*	-0-	* * *
DEATHS TOTAL (EXCEPT FETAL)	435	417 18	1290.8	1291.0 1285.7	1247.4	1244.6 1308.3
MALE TOTAL	250	243 7
MALE 65 YEARS +	172	165 3	7818.2	7860.5 *	7372.8	7301.6 9687.5
FEMALE TOTAL	185	174 11
FEMALE 65 YEARS +	140	133 7	4827.6	4750.0 *	4870.8	4859.5 5238.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	158	152 6	468.8	470.6 *	447.5	449.2 406.0
ARTERIOSCLEROTIC OR ISCHEMIC	130	124 6	385.8	383.9 *	370.5	372.1 330.8
MALE 65 YEARS +	47	47 --	2156.4	2186.0 -0-	2669.2	2674.4 *
FEMALE 65 YEARS +	54	50 4	1862.1	1785.7 *	1458.4	1444.7 *
OTHER HEART DISEASES TOTAL	28	26 --	83.1	86.7 -0-	77.0	77.1 *
MALE 65 YEARS +	13	13 --	590.9	604.7 -0-	485.3	471.4 *
FEMALE 65 YEARS +	5	5 --	*	*	-0-	382.3 386.7 *
CANCER ALL SITES	90	86 4	267.1	266.3 *	209.3	211.1 165.4
MALE 65 YEARS +	41	40 1	1863.6	1860.5 *	1026.6	1010.1 *
FEMALE 65 YEARS +	22	21 1	758.6	750.0 *	792.9	802.6 *
CANCER DIGESTIVE ORGANS TOTAL	36	33 3	106.8	102.2 *	65.0	67.0 *
MALE 65 YEARS +	15	15 --	681.8	697.7 -0-	317.3	327.1 -0-
FEMALE 65 YEARS +	11	10 1	379.3	357.1 *	382.3	394.0 -0-
CANCER RESPIRATORY SYSTEM	20	19 1	59.3	58.8 *	51.7	52.0 *
MALE 65 YEARS +	14	13 1	636.4	604.7 *	280.0	279.0 *
FEMALE 65 YEARS +	2	2 --	*	*	-0-	85.0 87.6 -0-
CEREBROVASCULAR DISEASE TOTAL	52	50 2	154.3	154.8 *	147.4	146.6 165.4
MALE 65 YEARS +	19	17 2	863.6	790.7 *	914.6	894.7 *
FEMALE 65 YEARS +	24	24 --	827.6	857.1 -0-	792.9	780.7 *
GENERAL ARTERIOSCLEROSIS TOTAL	9	9 --	*	*	-0-	51.1 50.7 *
MALE 65 YEARS +	6	6 --	*	*	-0-	373.3 365.6 *
FEMALE 65 YEARS +	3	3 --	*	*	-0-	318.6 313.8 *
HYPERTENSIVE DISEASE NON-HEART	--	-- --	-0-	-0-	-0-	6.6 6.9 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	* * -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	* * -0-
OTHER CIRCULATORY DISEASES	17	16 1	50.4	49.5 *	36.7	37.0 *
MALE 65 YEARS +	8	8 --	*	*	-0-	196.0 182.8 *
FEMALE 65 YEARS +	7	6 1	*	*	-0-	205.3 211.6 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	7	7 --	*	*	-0-	31.9 32.6 *
MALE 65 YEARS +	5	5 --	*	*	-0-	289.3 288.6 *
FEMALE 65 YEARS +	1	1 --	*	*	-0-	* * -0-
PNEUMONIA AND INFLUENZA	15	15 --	44.5	46.4 -0-	48.1	48.2 *
DIABETES MELLITUS	7	7 --	*	*	-0-	29.5 28.8 *
CIRRHOSIS OF LIVER	2	2 --	*	*	-0-	9.6 10.0 -0-
DISEASES OF EARLY INFANCY	8	7 1	*	*	18.6	17.5 *
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	-0-	* * *
MOTOR VEHICLE ACCIDENTS	12	12 --	55.6	57.2 -0-	55.7	55.8 *
ALL OTHER ACCIDENTS	11	10 1	52.6	51.0 *	42.1	41.5 *
ALL OTHER CAUSES	5	5 --	*	*	-0-	13.2 13.2 *
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	-0-	* * -0-
ALL OTHER CAUSES	41	39 2	121.7	120.7 *	113.1	109.6 195.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 JOHNSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	8,700	8,600	100			
MALE 65 YEARS +	650	650				
FEMALE 65 YEARS +	750	750				
LIVE BIRTHS TOTAL	104	102	2	12.0	11.9	*
MALE	50	48	2
FEMALE	54	54	--
TO MOTHERS UNDER 20 YEARS	19	19	--	182.7	186.3	-0-
ILLEGITIMATE LIVE BIRTHS	6	6	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	3	3	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*	-0-
FETAL DEATHS TOTAL	--	--	--	-0-	-0-	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	--	--	--	-0-	-0-	-0-
INFANT DEATHS (UNDER 1 YEAR)	2	2	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	--	--	--	-0-	-0-	-0-
MALE	--	--	--	-0-	-0-	-0-
FEMALE	--	--	--	-0-	-0-	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	100	100	--	1149.4	1162.8	-0-
MALE TOTAL	64	64	--
MALE 65 YEARS +	42	42	--	6461.5	6461.5	-0-
FEMALE TOTAL	36	36	--
FEMALE 65 YEARS +	32	32	--	4266.7	4266.7	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	37	37	--	425.3	430.2	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	33	33	--	379.3	383.7	-0-
MALE 65 YEARS +	16	16	--	2461.5	2461.5	-0-
FEMALE 65 YEARS +	12	12	--	1600.0	1600.0	-0-
OTHER HEART DISEASES TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER ALL SITES	22	22	--	252.9	255.8	-0-
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
CANCER DIGESTIVE ORGANS TOTAL	6	6	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	6	6	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	10	10	--	114.9	116.3	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	1	1	--	*	*	-0-
DIABETES MELLITUS	4	4	--	*	*	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-
DISEASES OF EARLY INFANCY	--	--	--	-0-	-0-	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	1	1	--	*	*	-0-
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-
SUICIDE	1	1	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	1	1	--	*	*	-0-
ALL OTHER CAUSES	7	7	--	*	*	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 LAWRENCE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	10-14 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	17,200	17,000	200			
MALE 65 YEARS +	1,200	1,200				
FEMALE 65 YEARS +	1,850	1,800	50			
LIVE BIRTHS TOTAL	228	223	5	13.3	13.1	*
MALE	113	112	1
FEMALE	115	111	4
TO MOTHERS UNDER 20 YEARS	54	52	2	236.8	233.2	*
ILLEGITIMATE LIVE BIRTHS	12	11	1	52.6	49.3	*
TO MOTHERS UNDER 20 YEARS	8	7	1	*	*	*
PREMATURE (UNDER 2501 GRAMS)	21	20	1	92.1	89.7	*
FETAL DEATHS TOTAL	4	4	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	5	5	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	6	6	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	8	8	--	*	*	-0-
MALE	4	4	--	*	*	-0-
FEMALE	4	4	--	*	*	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	3	3	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	250	248	2	1453.5	1458.8	*
MALE TOTAL	128	127	1
MALE 65 YEARS +	76	76	--	6333.3	6333.3	-0-
FEMALE TOTAL	122	121	1
FEMALE 65 YEARS +	102	101	1	5513.5	5611.1	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	91	90	1	529.1	529.4	*
ARTERIOSCLEROTIC OR ISCHEMIC	84	83	1	488.4	488.2	*
MALE 65 YEARS +	28	28	--	2333.3	2333.3	-0-
FEMALE 65 YEARS +	56	54	1	1891.9	1888.9	*
OTHER HEART DISEASES TOTAL	7	7	--	*	*	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
CANCER ALL SITES	57	56	1	215.1	211.8	*
MALE 65 YEARS +	7	7	--	*	*	-0-
FEMALE 65 YEARS +	17	17	--	918.9	944.4	-0-
CANCER DIGESTIVE ORGANS TOTAL	14	14	--	81.4	82.4	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	5	5	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	22	22	--	127.9	129.4	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	16	16	--	864.9	888.9	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	10	10	--	58.1	58.8	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
OTHER CIRCULATORY DISEASES	7	7	--	*	*	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6	--	*	*	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	12	12	--	69.8	70.6	-0-
DIABETES MELLITUS	10	10	--	58.1	58.8	-0-
DISEASES OF EARLY INFANCY	4	4	--	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-
ALL OTHER ACCIDENTS	17	15	--	75.6	76.5	-0-
UNDETERMINED	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-
ALL OTHER CAUSES	24	24	--	139.5	141.2	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 MARION COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	40,000	38,500 1,500				
MALE 65 YEARS +	2,600	2,500 100				
FEMALE 65 YEARS +	3,600	3,500 100				
LIVE BIRTHS TOTAL	615	591 24	15.4	15.4 16.0	15.2	15.0 20.9
MALE	317	303 14
FEMALE	298	288 10
TO MOTHERS UNDER 20 YEARS	158	149 9	256.9	252.1 *	235.8	229.2 356.3
ILLEGITIMATE LIVE BIRTHS	58	47 11	94.3	79.5 *	99.8	81.9 425.0
TO MOTHERS UNDER 20 YEARS	35	28 7	*	* *	545.8	521.0 *
PREMATURE (UNDER 2501 GRAMS)	57	54 3	92.7	91.4 *	83.8	81.9 118.8
FETAL DEATHS TOTAL	8	8 --	*	* -0-	11.4	11.0 *
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0- -0-	*	* *
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0- -0-	*	* *
PREMATURE (UNDER 2501 GRAMS)	6	6 --	*	* -0-	*	* *
NEONATAL DEATHS (UNDER 28 DAYS)	7	7 --	*	* -0-	15.3	14.8 *
INFANT DEATHS (UNDER 1 YEAR)	11	11 --	17.9	18.6 -0-	18.9	18.2 *
PERINATAL LOSS < 7 DAYS + FETAL	15	15 --	24.1	25.0 -0-	25.8	25.2 *
MALE	11	11 --	34.1	35.6 -0-	28.6	28.1 *
FEMALE	4	4 --	*	* -0-	22.9	22.2 *
ASPHYXIA UNSPECIFIED	2	2 --	*	* -0-	*	* -0-
IMMATURITY UNQUALIFIED	2	2 --	*	* -0-	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	519	502 17	1297.5	1303.9 1133.3	1302.6	1303.9 1268.8
MALE TOTAL	290	276 12
MALE 65 YEARS +	196	188 8	7538.5	7520.0 *	7556.8	7583.4 6567.2
FEMALE TOTAL	229	224 5
FEMALE 65 YEARS +	173	173 --	4805.6	4942.9 -0-	5039.2	5011.5 5961.5
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	231	223 8	577.5	579.2 *	562.4	567.0 444.7
ARTERIOSCLEROTIC OR ISCHEMIC	218	212 6	545.0	550.0 *	525.1	530.3 392.4
MALE 65 YEARS +	95	91 4	3653.8	3640.0 *	3359.4	3369.5 2985.1
FEMALE 65 YEARS +	83	83 --	2305.6	2371.4 -0-	2410.3	2419.2 2115.4
OTHER HEART DISEASES TOTAL	13	11 2	32.5	28.6 *	37.3	36.7 *
MALE 65 YEARS +	3	2 1	*	* *	164.4	168.9 -0-
FEMALE 65 YEARS +	4	4 --	*	* -0-	185.0	179.0 *
CANCER ALL SITES	103	100 3	257.5	259.7 *	231.0	231.3 222.4
MALE 65 YEARS +	33	33 --	1269.2	1320.0 -0-	1292.1	1278.6 *
FEMALE 65 YEARS +	31	31 --	861.1	895.7 -0-	695.1	698.6 *
CANCER DIGESTIVE ORGANS TOTAL	24	24 --	60.0	62.3 -0-	60.6	59.4 *
MALE 65 YEARS +	8	8 --	*	* -0-	368.1	361.5 *
FEMALE 65 YEARS +	8	8 --	*	* -0-	252.2	242.5 *
CANCER RESPIRATORY SYSTEM	27	26 1	67.5	67.5 *	64.1	64.5 *
MALE 65 YEARS +	11	11 --	423.1	440.0 -0-	438.5	434.3 *
FEMALE 65 YEARS +	5	5 --	*	* -0-	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	44	43 1	110.0	111.7 *	129.2	131.2 *
MALE 65 YEARS +	22	22 --	846.2	880.0 -0-	845.7	860.5 *
FEMALE 65 YEARS +	18	18 --	500.0	514.3 -0-	667.0	664.0 *
GENERAL ARTERIOSCLEROSIS TOTAL	2	2 --	*	* -0-	19.4	20.1 -0-
MALE 65 YEARS +	--	-- --	-0-	-0- -0-	195.8	201.0 -0-
FEMALE 65 YEARS +	2	2 --	*	* -0-	61.7	63.5 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	* -0-	9.4	9.8 -0-
MALE 65 YEARS +	--	-- --	-0-	-0- -0-	78.3	80.4 -0-
FEMALE 65 YEARS +	1	1 --	*	* -0-	*	* -0-
OTHER CIRCULATORY DISEASES	13	12 1	32.5	31.2 *	39.2	36.1 *
MALE 65 YEARS +	5	5 --	*	* -0-	187.9	176.9 *
FEMALE 65 YEARS +	6	6 --	*	* -0-	196.2	179.0 *
EMPHYSEMA, BRONCHITIS, ASTHMA	9	9 --	*	* -0-	24.3	24.8 *
MALE 65 YEARS +	6	6 --	*	* -0-	250.6	257.3 -0-
FEMALE 65 YEARS +	1	1 --	*	* -0-	*	* -0-
PNEUMONIA AND INFLUENZA	20	18 2	50.0	46.8 *	52.7	51.6 *
DIABETES MELLITUS	9	8 1	*	* *	27.8	26.9 *
CIRRHOSIS OF LIVER	11	10 1	17.5	26.0 *	12.4	10.8 *
DISEASES OF EARLY INFANCY	7	7 --	*	* -0-	18.9	18.6 *
CONGENITAL ANOMALIES	3	3 --	*	* -0-	5.0	* *
MOTOR VEHICLE ACCIDENTS	9	9 --	*	* -0-	33.8	35.1 -0-
ALL OTHER ACCIDENTS	12	12 --	30.0	31.2 -0-	28.3	29.4 -0-
SUICIDE	4	4 --	*	* -0-	11.4	11.9 -0-
HOMICIDE	2	2 --	*	* -0-	*	* *
UNDETERMINED EXTERNAL CAUSES	2	2 --	*	* -0-	*	* -0-
ALL OTHER CAUSES	37	37 --	92.5	96.1 -0-	91.9	89.9 143.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 MASSACHUSETTS COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	13,700	12,700 1,000				
MALE 65 YEARS +	900	850 50				
FEMALE 65 YEARS +	1,250	1,150 100				
LIVE BIRTHS TOTAL	198	182 16	14.5	14.3 16.0	12.2	12.1 12.5
MALE	105	96 9
FEMALE	93	86 7
TO MOTHERS UNDER 20 YEARS	47	40 7	237.4	219.6 *	247.6	246.1 *
ILLEGITIMATE LIVE BIRTHS	19	11 8	96.0	60.4 *	38.3	20.6 *
TO MOTHERS UNDER 20 YEARS	7	2 5	*	* *	*	* *
PREMATURE (UNDER 2501 GRAMS)	11	9 2	55.6	*	68.2	60.6 *
FETAL DEATHS TOTAL	1	1 --	*	* -0-	13.2	* *
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0- -0-	-0-	-0- -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0- -0-	-0-	-0- -0-
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	* -0-	*	* *
NEONATAL DEATHS (UNDER 28 DAYS)	--	-- --	-0-	-0- -0-	14.4	12.9 *
INFANT DEATHS (UNDER 1 YEAR)	1	1 --	*	* -0-	20.3	18.0 *
PERINATAL LOSS < 7 DAYS + FETAL	1	1 --	*	* -0-	26.0	22.9 *
MALE	1	1 --	*	* -0-	27.8	26.9 *
FEMALE	--	-- --	-0-	-0- -0-	24.0	* *
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0- -0-	*	* -0-
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0- -0-	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	180	163 17	1313.9	1283.5 1700.0	1335.5	1282.8 2035.3
MALE TOTAL	106	94 12
MALE 65 YEARS +	72	65 7	8000.0	7647.1 *	7545.0	7402.0 9166.7
FEMALE TOTAL	74	69 5
FEMALE 65 YEARS +	56	52 4	4480.0	4521.7 *	4820.7	4767.1 5364.6
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	75	71 4	547.4	559.1 *	501.9	489.6 664.6
ARTERIOSCLEROTIC OR ISCHEMIC	72	68 4	525.5	535.4 *	456.8	449.0 560.7
MALE 65 YEARS +	30	27 3	3333.3	3176.5 *	2973.0	2892.2 3888.9
FEMALE 65 YEARS +	26	25 1	2080.0	2173.9 *	1784.8	1790.0 *
OTHER HEART DISEASES TOTAL	3	3 --	*	* -0-	45.1	40.7 *
MALE 65 YEARS +	2	2 --	*	* -0-	382.9	343.1 *
FEMALE 65 YEARS +	1	1 --	*	* -0-	*	* *
CANCER ALL SITES	34	26 8	248.2	204.7 *	224.0	220.6 270.0
MALE 65 YEARS +	19	16 3	2111.1	1882.4 *	968.5	1004.9 *
FEMALE 65 YEARS +	6	5 1	*	* *	617.2	602.7 *
CANCER DIGESTIVE ORGANS TOTAL	11	6 5	80.3	*	69.8	68.8 *
MALE 65 YEARS +	5	3 2	*	* *	382.9	416.7 -0-
FEMALE 65 YEARS +	2	2 --	*	* -0-	216.8	182.6 *
CANCER RESPIRATORY SYSTEM	5	4 1	*	* *	50.9	53.2 *
MALE 65 YEARS +	3	3 --	*	* -0-	225.2	245.1 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	16	15 1	116.8	118.1 *	197.8	178.3 456.9
MALE 65 YEARS +	3	3 --	*	* -0-	1171.2	1053.9 *
FEMALE 65 YEARS +	7	6 1	*	* *	1117.6	1077.6 *
GENERAL ARTERIOSCLEROSIS TOTAL	3	3 --	*	* -0-	21.8	20.3 *
MALE 65 YEARS +	1	1 --	*	* -0-	*	* *
FEMALE 65 YEARS +	2	2 --	*	* -0-	*	* *
HYPERTENSIVE DISEASE NON-HEART	--	-- --	-0-	-0- -0-	*	* *
MALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	* -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	* -0-
OTHER CIRCULATORY DISEASES	9	9 --	*	* -0-	33.5	31.3 *
MALE 65 YEARS +	5	5 --	*	* -0-	270.3	269.6 *
FEMALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	* -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4 --	*	* -0-	29.1	28.2 *
MALE 65 YEARS +	2	2 --	*	* -0-	315.3	318.6 *
FEMALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	* -0-
PNEUMONIA AND INFLUENZA	4	3 1	*	* *	58.2	59.4 *
DIABETES MELLITUS	8	8 --	*	* -0-	23.3	20.3 *
CIRRHOSIS OF LIVER	3	3 --	*	* -0-	*	* -0-
DISEASES OF EARLY INFANCY	--	-- --	-0-	-0- -0-	16.0	* *
CONGENITAL ANOMALIES	1	1 --	*	* -0-	*	* *
MOTOR VEHICLE ACCIDENTS	5	4 1	*	* *	32.0	31.3 *
AND OTHER ACCIDENTS	5	4 1	*	* *	45.1	43.8 *
SUICIDE	1	1 --	*	* -0-	14.5	15.6 -0-
HOMICIDE	--	-- --	-0-	-0- -0-	*	* *
UNDETERMINED (EXTERNAL CAUSES)	--	-- --	-0-	-0- -0-	*	* -0-
ALL OTHER CAUSES	12	12 --	87.6	94.5 -0-	101.8	95.4 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 PERRY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL WHITE OTHER
POPULATION TOTAL	20,300	19,900	400		
MALE 65 YEARS +	1,350	1,300	50		
FEMALE 65 YEARS +	1,800	1,750	50		
LIVE BIRTHS TOTAL	324	316	8	16.0	15.9
MALE	169	167	2
FEMALE	155	149	6
TO MOTHERS UNDER 20 YEARS	58	56	2	179.0	177.2
ILLEGITIMATE LIVE BIRTHS	22	18	4	67.9	67.0
TO MOTHERS UNDER 20 YEARS	10	9	1	*	*
PREMATURE (UNDER 2501 GRAMS)	14	12	2	43.2	38.0
FETAL DEATHS TOTAL	11	11	--	34.0	34.8
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	7	7	--	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	--	*	*
INFANT DEATHS (UNDER 1 YEAR)	3	3	--	*	*
PERINATAL LOSS < 7 DAYS + FETAL	13	13	--	38.8	39.8
MALE	11	11	--	61.8	62.5
FEMALE	2	2	--	*	*
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	259	256	3	1275.9	1286.4
MALE TOTAL	134	133	1
MALE 65 YEARS +	97	96	1	7185.2	7384.6
FEMALE TOTAL	125	123	2
FEMALE 65 YEARS +	104	102	2	5777.8	5828.6
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	115	113	2	566.5	567.8
ARTERIOSCLEROTIC OR ISCHEMIC	112	110	2	551.7	552.8
MALE 65 YEARS +	42	41	1	3111.1	3153.8
FEMALE 65 YEARS +	49	48	1	2722.2	2742.9
OTHER HEART DISEASES TOTAL	3	3	--	*	*
MALE 65 YEARS +	1	1	--	*	*
FEMALE 65 YEARS +	2	2	--	*	*
CANCER ALL SITES	50	50	--	246.3	251.3
MALE 65 YEARS +	22	22	--	1629.6	1652.3
FEMALE 65 YEARS +	17	17	--	944.4	971.4
CANCER DIGESTIVE ORGANS TOTAL	13	13	--	64.0	65.3
MALE 65 YEARS +	5	5	--	*	*
FEMALE 65 YEARS +	7	7	--	*	*
CANCER RESPIRATORY SYSTEM	16	16	--	78.8	80.4
MALE 65 YEARS +	11	11	--	814.8	846.2
FEMALE 65 YEARS +	1	1	--	*	*
CEREBROVASCULAR DISEASE TOTAL	28	28	--	137.9	140.7
MALE 65 YEARS +	6	6	--	*	*
FEMALE 65 YEARS +	17	17	--	944.4	971.4
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*
MALE 65 YEARS +	2	2	--	*	*
FEMALE 65 YEARS +	1	1	--	*	*
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*
MALE 65 YEARS +	--	--	--	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*
OTHER CIRCULATORY DISEASES	9	9	--	*	*
MALE 65 YEARS +	4	4	--	*	*
FEMALE 65 YEARS +	2	2	--	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	8	8	--	*	*
MALE 65 YEARS +	6	6	--	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-
PNEUMONIA AND INFLUENZA	10	10	--	49.3	50.3
DIABETES MELLITUS	8	8	--	*	*
CIRRHOSIS OF LIVER	1	1	--	*	*
DISEASES OF EARLY INFANCY	2	2	--	*	*
CONGENITAL ANOMALIES	--	--	--	-0-	-0-
MOTOR VEHICLE ACCIDENTS	2	2	--	*	*
ALL OTHER ACCIDENTS	1	1	--	*	*
SUICIDE	--	--	--	-0-	-0-
HOMICIDE	--	--	--	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-
ALL OTHER CAUSES	13	12	1	64.0	60.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 POPE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	4,300	4,000 300				
MALE 65 YEARS +	300	300				
FEMALE 65 YEARS +	300	300				
LIVE BIRTHS TOTAL	40	40 --	9.3	10.0 -0-	10.8	11.1 *
MALE	27	27 --
FEMALE	13	13 --
TO MOTHERS UNDER 20 YEARS	11	11 --	*	*	192.0	189.8 *
ILLEGITIMATE LIVE BIRTHS	2	2 --	*	*	*	*
TO MOTHERS UNDER 20 YEARS	1	1 --	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	2	2 --	*	*	44.6	46.3 -0-
FETAL DEATHS TOTAL	3	3 --	*	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0-	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1 --	*	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	1	1 --	*	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	4	4 --	*	*	*	-0-
MALE	2	2 --	*	*	*	-0-
FEMALE	2	2 --	*	*	*	-0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	1	1 --	*	*	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	63	62 1	1465.1	1550.0 *	1327.5	1398.5 *
MALE TOTAL	31	31 --
MALE 65 YEARS +	23	23 --	7666.7	7666.7 -0-	7213.1	7194.7 *
FEMALE TOTAL	32	31 1
FEMALE 65 YEARS +	23	22 1	7666.7	7333.3 *	4462.8	4450.7 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	25	25 --	581.4	625.0 -0-	526.2	560.4 -0-
ARTERIOSCLEROTIC OR ISCHEMIC	23	23 --	534.9	575.0 -0-	502.1	534.7 -0-
MALE 65 YEARS +	9	9 --	*	*	3082.0	3102.3 -0-
FEMALE 65 YEARS +	9	9 --	*	*	1873.3	1915.5 -0-
OTHER HEART DISEASES TOTAL	2	2 --	*	*	*	-0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
CANCER ALL SITES	8	8 --	*	*	265.5	277.6 *
MALE 65 YEARS +	3	3 --	*	*	1245.9	1254.1 -0-
FEMALE 65 YEARS +	2	2 --	*	*	661.2	619.7 *
CANCER DIGESTIVE ORGANS TOTAL	1	1 --	*	*	82.1	82.3 *
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1 --	*	*	*	*
CANCER RESPIRATORY SYSTEM	2	2 --	*	*	53.1	56.6 -0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	12	11 1	279.1	275.0 *	106.2	102.8 *
MALE 65 YEARS +	7	7 --	*	*	655.7	*
FEMALE 65 YEARS +	5	4 1	*	*	661.2	619.7 *
GENERAL ARTERIOSCLEROSIS TOTAL	--	-- --	-0-	-0-	-0-	-0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	--	-- --	-0-	-0-	-0-	-0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	3	3 --	*	*	*	-0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2 --	*	*	*	-0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	2	2 --	*	*	53.1	56.6 -0-
DIABETES MELLITUS	--	-- --	-0-	-0-	*	-0-
CIRRHOSIS OF LIVER	1	1 --	*	*	*	-0-
DISEASES OF EARLY INFANCY	1	1 --	*	*	*	-0-
CONGENITAL ANOMALIES	--	-- --	-0-	-0-	*	-0-
MOTOR VEHICLE ACCIDENTS	3	3 --	*	*	*	-0-
ALL OTHER ACCIDENTS	1	1 --	*	*	77.2	82.3 -0-
SUICIDE	1	1 --	*	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	4	4 --	*	*	115.9	123.4 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.0%.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 PULASKI COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

I T E M	1 9 7 5	N U M B E R		1 9 7 5	R A T E S		1 0 - 1 4	R A T E S	
	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
POPULATION TOTAL	8,600	5,600	3,000						
MALE 65 YEARS +	700	450	250						
FEMALE 65 YEARS +	850	550	300						
LIVE BIRTHS TOTAL	139	78	61	16.2	13.9	20.3	15.1	12.9	19.2
MALE	69	36	33
FEMALE	70	42	28
TO MOTHERS UNDER 20 YEARS	50	24	26	359.7	*	*	308.5	273.0	349.5
ILLEGITIMATE LIVE BIRTHS	40	11	29	287.8	*	*	210.9	37.8	437.5
TO MOTHERS UNDER 20 YEARS	25	5	20	*	*	*	539.6	*	536.0
PREMATURE (UNDER 2501 GRAMS)	12	3	9	86.3	*	*	104.7	70.3	148.8
FETAL DEATHS TOTAL	4	--	4	*	-0-	*	25.8	*	38.1
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	-0-	*
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	*	-0-	*
PREMATURE (UNDER 2501 GRAMS)	3	--	3	*	-0-	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	--	2	*	-0-	*	24.3	*	34.6
INFANT DEATHS (UNDER 1 YEAR)	3	--	3	*	-0-	*	27.3	*	41.5
PERINATAL LOSS < 7 DAYS + FETAL	5	--	5	*	-0-	*	47.3	29.3	70.0
MALE	1	--	1	*	-0-	*	58.5	*	87.8
FEMALE	4	--	4	*	-0-	*	35.9	*	*
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	-0-	*
IMMATURITY UNQUALIFIED	2	--	2	*	-0-	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	128	75	53	1488.4	1339.3	1766.7	1571.2	1532.8	1644.5
MALE TOTAL	67	39	28
MALE 65 YEARS +	47	31	16	6714.3	6888.9	6400.0	7582.0	7655.9	6867.9
FEMALE TOTAL	61	36	25
FEMALE 65 YEARS +	47	27	20	5529.4	4909.1	6666.7	5223.9	5637.1	4475.5
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	58	35	23	674.4	625.0	766.7	666.5	698.5	605.9
ARTERIOSCLEROTIC OR ISCHEMIC	54	33	21	627.9	589.3	700.0	588.6	625.5	499.3
MALE 65 YEARS +	19	12	7	2714.3	2606.7	*	3176.0	3640.6	2415.1
FEMALE 65 YEARS +	22	14	8	2588.2	2545.5	*	2288.4	2625.5	1678.3
OTHER HEART DISEASES TOTAL	4	2	2	*	*	*	77.9	62.8	106.5
MALE 65 YEARS +	1	--	1	*	-0-	*	343.3	*	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	373.1	*	*
CANCER ALL SITES	17	10	7	197.7	178.6	*	284.0	300.3	253.0
MALE 65 YEARS +	6	4	2	*	*	*	1258.9	1336.4	1132.1
FEMALE 65 YEARS +	5	3	2	*	*	*	771.1	772.2	769.2
CANCER DIGESTIVE ORGANS TOTAL	4	3	1	*	*	*	64.1	59.4	73.2
MALE 65 YEARS +	2	1	1	*	*	*	*	*	*
FEMALE 65 YEARS +	2	2	--	*	*	-0-	248.8	*	*
CANCER RESPIRATORY SYSTEM	6	4	2	*	*	*	52.7	55.9	*
MALE 65 YEARS +	4	3	1	*	*	*	400.6	460.8	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	17	12	5	197.7	214.3	*	155.7	143.2	179.8
MALE 65 YEARS +	7	7	--	*	*	-0-	887.0	829.5	981.1
FEMALE 65 YEARS +	9	4	5	*	*	*	572.1	540.5	*
GENERAL ARTERIOSCLEROSIS TOTAL	2	1	1	*	*	*	38.9	38.4	*
MALE 65 YEARS +	2	1	1	*	*	*	286.1	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	*
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	-0-	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	*
OTHER CIRCULATORY DISEASES	5	4	1	*	*	*	*	*	*
MALE 65 YEARS +	4	3	1	*	*	*	*	*	*
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	1	--	1	*	-0-	*	*	*	*
MALE 65 YEARS +	1	--	1	*	-0-	*	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PNEUMONIA AND INFLUENZA	5	3	2	*	*	*	57.5	41.9	86.6
DIABETES MELLITUS	2	2	--	*	*	-0-	27.5	*	*
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-	*	*	*
DISEASES OF EARLY INFANCY	2	--	2	*	-0-	*	34.4	*	66.6
CONGENITAL ANOMALIES	2	--	2	*	-0-	*	*	-0-	*
MOTOR VEHICLE ACCIDENTS	4	3	1	*	*	*	45.8	*	55.2
ALL OTHER ACCIDENTS	7	4	3	*	*	*	58.5	58.4	*
SUICIDE	--	--	--	-0-	-0-	-0-	*	*	*
HOMICIDE	1	--	1	*	-0-	*	*	-0-	*
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	-0-	*
ALL OTHER CAUSES	5	1	4	*	*	*	139.7	139.7	159.8

* ... A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 RANDOLPH COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	32,500	31,000 1,500			
MALE 65 YEARS +	1,900	1,850 50			
FEMALE 65 YEARS +	2,450	2,400 50			
LIVE BIRTHS TOTAL	481	463 18	14.8	14.9 12.0	14.5 14.6 13.7
MALE	260	253 7
FEMALE	221	210 11
TO MOTHERS UNDER 20 YEARS	89	87 2	185.0	187.9 *	182.6 180.6 225.5
ILLEGITIMATE LIVE BIRTHS	29	25 4	60.3	54.0 *	68.4 58.1 294.1
TO MOTHERS UNDER 20 YEARS	18	16 2	*	*	531.3 546.2 *
PREMATURE (UNDER 2501 GRAMS)	30	29 1	62.4	62.6 *	62.0 58.1 147.1
FETAL DEATHS TOTAL	4	4 --	*	*	10.3 10.3 *
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	* * -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	* * -0-
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	*	* * -0-
NEONATAL DEATHS (UNDER 28 DAYS)	9	9 --	*	*	14.1 13.4 *
INFANT DEATHS (UNDER 1 YEAR)	14	14 1	29.1	28.1 *	18.4 17.4 *
PERINATAL LOSS < 7 DAYS + FETAL	12	12 --	24.7	25.7 -0-	23.7 23.5 *
MALE	8	8 --	*	*	27.5 26.9 *
FEMALE	4	4 --	*	*	19.5 19.6 *
ASPHYXIA UNSPECIFIED	2	2 --	*	*	4.2 * *
IMMATURITY UNQUALIFIED	1	1 --	*	*	* * -0-
DEATHS TOTAL (EXCEPT FETAL)	376	365 11	1156.9	1177.4 733.3	1124.5 1143.6 727.8
MALE TOTAL	212	203 9
MALE 65 YEARS +	130	126 4	6842.1	6810.8 *	6900.5 6908.1 6666.7
FEMALE TOTAL	164	162 2
FEMALE 65 YEARS +	127	127 --	5183.7	5291.7 -0-	5552.3 5556.5 5333.3
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	170	164 6	523.1	529.0 *	536.8 549.1 283.0
ARTERIOSCLEROTIC OR ISCHEMIC	152	148 4	467.7	477.4 *	489.0 500.3 256.1
MALE 65 YEARS +	65	62 3	3421.1	3351.4 *	3382.2 3405.4 *
FEMALE 65 YEARS +	61	61 --	2489.8	2541.7 -0-	2896.2 2883.6 *
OTHER HEART DISEASES TOTAL	18	16 2	55.4	51.6 *	47.8 48.8 *
MALE 65 YEARS +	9	9 --	*	*	251.3 248.6 *
FEMALE 65 YEARS +	4	4 --	*	*	264.8 269.8 *
CANCER ALL SITES	67	65 2	206.2	209.7 *	184.3 185.4 161.7
MALE 65 YEARS +	15	15 --	789.5	810.8 -0-	1047.1 1027.0 *
FEMALE 65 YEARS +	21	21 --	857.1	875.0 -0-	678.5 683.0 *
CANCER DIGESTIVE ORGANS TOTAL	29	28 1	89.2	90.3 *	60.8 61.2 *
MALE 65 YEARS +	7	7 --	*	*	366.5 356.8 *
FEMALE 65 YEARS +	11	11 --	449.0	458.3 -0-	215.1 219.2 -0-
CANCER RESPIRATORY SYSTEM	15	15 --	46.2	48.4 -0-	37.2 35.1 *
MALE 65 YEARS +	4	4 --	*	*	272.3 259.5 *
FEMALE 65 YEARS +	1	1 --	*	*	* * -0-
CIRCULATORY DISEASE TOTAL	45	43 2	138.5	138.7 *	104.9 107.3 *
MALE 65 YEARS +	21	20 1	1105.3	1081.1 *	680.6 670.3 *
FEMALE 65 YEARS +	18	18 --	734.7	750.0 -0-	736.5 742.0 *
GENERAL ARTERIOSCLEROSIS TOTAL	4	4 --	*	*	21.1 22.1 -0-
MALE 65 YEARS +	1	1 --	*	*	125.7 129.7 -0-
FEMALE 65 YEARS +	3	3 --	*	*	173.8 177.1 -0-
HYPERTENSIVE DISEASE NON-HEART	1	1 --	*	*	8.7 9.1 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	* * -0-
FEMALE 65 YEARS +	1	1 --	*	*	* * -0-
OTHER CIRCULATORY DISEASES	14	14 --	43.1	45.2 -0-	25.4 26.7 -0-
MALE 65 YEARS +	3	3 --	*	*	209.4 216.2 -0-
FEMALE 65 YEARS +	8	8 --	*	*	107.6 109.6 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5 --	*	*	19.9 20.8 -0-
MALE 65 YEARS +	2	2 --	*	*	219.9 227.0 -0-
FEMALE 65 YEARS +	1	1 --	*	*	* * -0-
PNEUMONIA AND INFLUENZA	4	4 --	*	*	26.7 26.0 *
DIABETES MELLITUS	5	5 --	*	*	20.5 20.2 *
CIRRHOSIS OF LIVER	2	2 --	*	*	8.1 8.5 -0-
DISEASES OF EARLY INFANCY	5	5 --	*	*	16.8 16.3 *
CONGENITAL ANOMALIES	4	4 --	*	*	6.8 6.5 *
MOTOR VEHICLE ACCIDENTS	18	18 --	55.4	58.1 -0-	46.5 48.1 *
ALL OTHER ACCIDENTS	4	4 --	*	*	23.6 24.1 *
SUICIDE	2	2 --	*	*	* * -0-
HOMICIDE	--	-- --	-0-	-0-	-0- -0- -0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	* * -0-
ALL OTHER CAUSES	26	25 1	80.0	80.6 *	70.1 69.0 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 RICHLAND COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	17,200	17,200				
MALE 65 YEARS +	1,050	1,050				
FEMALE 65 YEARS +	1,500	1,500				
LIVE BIRTHS TOTAL	258	257 1	15.0	14.9 *	14.3	14.2 *
MALE	129	128 1
FEMALE	129	129 --
TO MOTHERS UNDER 20 YEARS	55	55 --	213.2	214.0	178.5	178.3 *
ILLEGITIMATE LIVE BIRTHS	8	8 --	*	*	53.8	54.0 -0-
TO MOTHERS UNDER 20 YEARS	5	5 --	*	*	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	14	14 --	54.3	54.5	79.9	80.1 -0-
FETAL DEATHS TOTAL	1	1 --	*	*	13.9	13.9 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	* -0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	* -0-
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	*	*	* -0-
NEONATAL DEATHS (UNDER 28 DAYS)	7	7 --	*	*	17.1	17.2 -0-
INFANT DEATHS (UNDER 1 YEAR)	8	8 --	*	*	19.6	19.6 -0-
PERINATAL LOSS < 7 DAYS + FETAL	7	7 --	*	*	28.9	29.0 -0-
MALE	4	4 --	*	*	23.8	23.9 -0-
FEMALE	3	3 --	*	*	34.3	34.3 -0-
ASPHYXIA UNSPECIFIED	2	2 --	*	*	*	* -0-
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	* -0-
DEATHS TOTAL (EXCEPT FETAL)	185	185 --	1075.6	1075.6	1126.9	1128.5 -0-
MALE TOTAL	111	111 --
MALE 65 YEARS +	71	71 --	6761.9	6761.9	7144.3	7144.3 -0-
FEMALE TOTAL	74	74 --
FEMALE 65 YEARS +	60	60 --	4000.0	4000.0	4989.4	4992.9 -0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	77	77 --	447.7	447.7	519.8	520.6 -0-
ARTERIOSCLEROTIC OR ISCHEMIC	72	72 --	418.6	418.6	502.4	503.1 -0-
MALE 65 YEARS +	34	34 --	3238.1	3238.1	3430.9	3430.9 -0-
FEMALE 65 YEARS +	25	25 --	1666.7	1666.7	2721.5	2723.4 -0-
OTHER HEART DISEASES TOTAL	5	5 --	*	*	17.4	17.5 -0-
MALE 65 YEARS +	2	2 --	*	*	*	* -0-
FEMALE 65 YEARS +	3	3 --	*	*	*	* -0-
CANCER ALL SITES	33	33 --	191.9	191.9	180.3	180.5 -0-
MALE 65 YEARS +	11	11 --	1047.6	1047.6	1069.6	1069.6 -0-
FEMALE 65 YEARS +	6	6 --	*	*	552.8	553.2 -0-
CANCER DIGESTIVE ORGANS TOTAL	11	11 --	64.0	64.0	48.8	48.9 -0-
MALE 65 YEARS +	5	5 --	*	*	*	* -0-
FEMALE 65 YEARS +	4	4 --	*	*	184.3	184.4 -0-
CANCER RESPIRATORY SYSTEM	10	10 --	58.1	58.1	40.7	40.8 -0-
MALE 65 YEARS +	3	3 --	*	*	302.7	302.7 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	* -0-
CEREBROVASCULAR DISEASE TOTAL	15	15 --	87.2	87.2	94.2	94.3 -0-
MALE 65 YEARS +	7	7 --	*	*	686.2	686.2 -0-
FEMALE 65 YEARS +	8	8 --	*	*	552.8	553.2 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	11	11 --	64.0	64.0	38.4	38.4 -0-
MALE 65 YEARS +	6	6 --	*	*	343.1	343.1 -0-
FEMALE 65 YEARS +	5	5 --	*	*	226.8	227.0 -0-
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	*	* -0-
MALE 65 YEARS +	1	1 --	*	*	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	* -0-
OTHER CIRCULATORY DISEASES	4	4 --	*	*	23.3	23.3 -0-
MALE 65 YEARS +	3	3 --	*	*	*	* -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	* -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2 --	*	*	16.3	16.3 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	*	* -0-
FEMALE 65 YEARS +	2	2 --	*	*	*	* -0-
PNEUMONIA AND INFLUENZA	4	4 --	*	*	41.9	41.9 -0-
DIABETES MELLITUS	1	1 --	*	*	19.8	19.8 -0-
CIRRHOSIS OF LIVER	1	1 --	*	*	*	* -0-
DISEASES OF EARLY INFANCY	4	4 --	*	*	20.9	21.0 -0-
CONGENITAL ANOMALIES	4	4 --	*	*	*	* -0-
MOTOR VEHICLE ACCIDENTS	5	5 --	*	*	32.6	32.6 -0-
ALL OTHER ACCIDENTS	4	4 --	*	*	22.1	22.1 -0-
SUICIDE	4	4 --	*	*	11.6	11.6 -0-
HOMICIDE	--	-- --	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	14	14 --	81.4	81.4	83.7	83.9 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 SALINE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	26,400	25,700 700				
MALE 65 YEARS +	2,150	2,050 100				
FEMALE 65 YEARS +	3,050	2,950 100				
LIVE BIRTHS TOTAL	307	291 16	11.6	11.3 12.9	12.4	12.8 16.5
MALE	156	150 6
FEMALE	151	141 10
TO MOTHERS UNDER 20 YEARS	80	75 5	260.6	257.7 *	206.2	207.9 *
ILLEGITIMATE LIVE BIRTHS	26	24 2	84.7	82.5 *	61.2	55.0 *
TO MOTHERS UNDER 20 YEARS	12	11 1	*	*	581.0	*
PREMATURE (UNDER 2501 GRAMS)	18	16 2	58.6	55.0 *	58.8	58.6 *
FETAL DEATHS TOTAL	--	-- --	-0-	-0- -0-	9.3	9.7 -0-
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0- -0-	*	*
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0- -0-	*	*
PREMATURE (UNDER 2501 GRAMS)	--	-- --	-0-	-0- -0-	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	2	2 --	*	*	15.7	15.7 *
INFANT DEATHS (UNDER 1 YEAR)	2	2 --	*	*	17.5	17.5 *
PERINATAL LOSS < 7 DAYS + FETAL	2	2 --	*	*	24.2	24.5 *
MALE	--	-- --	-0-	-0- -0-	27.9	27.3 *
FEMALE	2	2 --	*	*	20.3	21.4 -0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0- -0-	*	*
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	484	471 13	1833.3	1832.7 1857.1	1635.2	1639.5 1487.4
MALE TOTAL	256	251 5
MALE 65 YEARS +	180	176 4	8372.1	8585.4 *	7949.8	8074.6 5168.5
FEMALE TOTAL	228	220 8
FEMALE 65 YEARS +	181	175 6	5934.4	5932.2 *	5302.5	5334.7 4269.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	239	232 7	905.3	902.7 *	755.1	756.2 717.1
ARTERIOSCLEROTIC OR ISCHEMIC	223	216 7	844.7	840.5 *	672.3	672.5 664.0
MALE 65 YEARS +	86	83 3	4000.0	4048.8 *	3714.4	3780.2 2247.2
FEMALE 65 YEARS +	96	92 4	3147.5	3118.6 *	2331.7	2334.4 2247.2
OTHER HEART DISEASES TOTAL	16	16 --	60.6	62.3 -0-	82.8	83.7 *
MALE 65 YEARS +	3	3 --	*	*	414.9	433.5 -0-
FEMALE 65 YEARS +	8	8 --	*	*	271.9	280.4 -0-
CANCER ALL SITES	86	84 2	325.8	326.8 *	268.8	269.6 *
MALE 65 YEARS +	38	38 --	1767.4	1853.7 -0-	1148.1	1159.3 *
FEMALE 65 YEARS +	24	24 --	786.9	813.6 -0-	747.8	757.1 *
CANCER DIGESTIVE ORGANS TOTAL	23	22 1	87.1	85.6 *	75.3	75.9 *
MALE 65 YEARS +	11	11 --	511.6	536.6 -0-	318.4	322.6 *
FEMALE 65 YEARS +	7	7 --	*	*	292.3	301.4 -0-
CANCER RESPIRATORY SYSTEM	21	21 --	79.5	81.7 -0-	58.7	59.7 *
MALE 65 YEARS +	12	12 --	558.1	585.4 -0-	347.3	362.9 -0-
FEMALE 65 YEARS +	3	3 --	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	49	48 1	185.6	186.8 *	197.2	199.1 *
MALE 65 YEARS +	16	16 --	744.2	780.5 -0-	984.1	998.0 *
FEMALE 65 YEARS +	26	25 1	852.5	847.5 *	904.1	918.3 *
GENERAL ARTERIOSCLEROSIS TOTAL	5	5 --	*	*	52.7	48.8 *
MALE 65 YEARS +	2	2 --	*	*	328.0	302.4 *
FEMALE 65 YEARS +	3	3 --	*	*	217.5	203.3 *
HYPERTENSIVE DISEASE NON-HEART	5	5 --	*	*	7.5	7.7 -0-
MALE 65 YEARS +	5	5 --	*	*	*	*
FEMALE 65 YEARS +	--	-- --	-0-	-0- -0-	*	*
OTHER CIRCULATORY DISEASES	6	6 --	*	*	24.8	25.6 -0-
MALE 65 YEARS +	2	2 --	*	*	164.0	171.4 -0-
FEMALE 65 YEARS +	3	3 --	*	*	74.8	77.1 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	11	11 --	41.7	42.8 -0-	33.1	33.3 *
MALE 65 YEARS +	6	6 --	*	*	231.5	241.9 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	*
PNEUMONIA AND INFLUENZA	17	16 1	64.4	62.3 *	48.9	49.6 *
DIABETES MELLITUS	5	5 --	*	*	34.6	34.9 *
CIRRHOSIS OF LIVER	4	4 --	*	*	15.1	15.5 -0-
DISEASES OF EARLY INFANCY	2	2 --	*	*	15.8	15.5 *
CONGENITAL ANOMALIES	--	-- --	-0-	-0- -0-	9.0	9.3 -0-
MOTOR VEHICLE ACCIDENTS	10	10 --	37.9	38.9 -0-	31.6	31.8 *
ALL OTHER ACCIDENTS	8	8 --	*	*	41.4	42.6 -0-
SUICIDE	1	1 --	*	*	*	*
HOMICIDE	1	1 --	*	*	*	*
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	*	*
ALL OTHER CAUSES	34	32 2	128.8	124.5 *	88.1	88.3 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 UNION COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER
POPULATION TOTAL	16,000	15,800	200			
MALE 65 YEARS +	1,250	1,200	50			
FEMALE 65 YEARS +	1,600	1,600				
LIVE BIRTHS TOTAL	199	198	1	12.4	12.5	*
MALE	100	99	1
FEMALE	99	99	--
TO MOTHERS UNDER 20 YEARS	39	39	--	196.0	197.0	-0-
ILLEGITIMATE LIVE BIRTHS	13	13	--	65.3	65.7	-0-
TO MOTHERS UNDER 20 YEARS	8	8	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	9	9	--	*	*	-0-
FETAL DEATHS TOTAL	2	2	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	2	2	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	3	3	--	*	*	-0-
MALE	2	2	--	*	*	-0-
FEMALE	1	1	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	192	191	1	1200.0	1208.9	*
MALE TOTAL	114	113	1
MALE 65 YEARS +	80	79	1	6400.0	6583.3	*
FEMALE TOTAL	78	78	--
FEMALE 65 YEARS +	60	60	--	3750.0	3750.0	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	90	90	--	562.5	569.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	86	86	--	537.5	544.3	-0-
MALE 65 YEARS +	38	38	--	3040.0	3166.7	-0-
FEMALE 65 YEARS +	28	28	--	1750.0	1750.0	-0-
OTHER HEART DISEASES TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER ALL SITES	29	29	--	181.3	183.5	-0-
MALE 65 YEARS +	12	12	--	960.0	1000.0	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
CANCER DIGESTIVE ORGANS TOTAL	7	7	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	5	5	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	24	24	--	150.0	151.9	-0-
MALE 65 YEARS +	13	13	--	1040.0	1083.3	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
OTHER CIRCULATORY DISEASES	6	6	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	2	2	--	*	*	-0-
DIABETES MELLITUS	4	4	--	*	*	-0-
CIRRHOSIS OF LIVER	5	5	--	*	*	-0-
DISEASES OF EARLY INFANCY	1	1	--	*	*	-0-
CONGENITAL ANOMALIES	--	--	--	-0-	-0-	-0-
MOTOR VEHICLE ACCIDENTS	4	4	--	*	*	-0-
ALL OTHER ACCIDENTS	6	6	--	*	*	-0-
SUICIDE	--	--	--	-0-	-0-	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-
ALL OTHER CAUSES	14	13	1	87.5	82.3	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 WABASH COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES		70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER
POPULATION TOTAL	13,200	13,200							
MALE 65 YEARS +	850	850							
FEMALE 65 YEARS +	1,100	1,100							
LIVE BIRTHS TOTAL	188	186	2	14.2	14.1	*	14.7	14.7	*
MALE	96	95	1
FEMALE	92	91	1
TO MOTHERS UNDER 20 YEARS	45	44	1	239.4	236.1	*	191.4	191.8	0-
ILLEGITIMATE LIVE BIRTHS	13	13	--	69.1	69.9	-0-	62.8	62.9	-0-
TO MOTHERS UNDER 20 YEARS	6	6	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	15	15	--	79.8	80.1	-0-	70.1	70.2	-0-
FETAL DEATHS TOTAL	6	6	--	*	*	-0-	14.6	14.7	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	3	3	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	4	4	--	*	*	-0-	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	4	4	--	*	*	-0-	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	9	9	--	*	*	-0-	20.6	20.7	-0-
MALE	6	6	--	*	*	-0-	20.7	20.8	-0-
FEMALE	3	3	--	*	*	-0-	20.5	20.5	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	209	209	--	1583.3	1583.3	-0-	1336.2	1338.1	-0-
MALE TOTAL	107	107	--
MALE 65 YEARS +	63	63	--	7411.8	7411.8	-0-	8015.3	8015.3	-0-
FEMALE TOTAL	102	102	--
FEMALE 65 YEARS +	81	81	--	7363.6	7363.6	-0-	5406.9	5412.0	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	96	96	--	727.3	727.3	-0-	601.1	601.9	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	90	90	--	681.8	681.8	-0-	553.3	554.1	-0-
MALE 65 YEARS +	27	27	--	3176.5	3176.5	-0-	4147.6	4147.6	-0-
FEMALE 65 YEARS +	45	45	--	3909.1	3909.1	-0-	2284.5	2284.6	-0-
OTHER HEART DISEASES TOTAL	6	6	--	*	*	-0-	47.8	47.8	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	243.2	243.4	-0-
CANCER ALL SITES	28	28	--	212.1	212.1	-0-	194.2	194.5	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-	941.5	941.5	-0-
FEMALE 65 YEARS +	11	11	--	1000.0	1000.0	-0-	636.1	636.7	-0-
CANCER DIGESTIVE ORGANS TOTAL	10	10	--	75.8	75.8	-0-	46.2	46.3	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-	224.5	224.7	-0-
CANCER RESPIRATORY SYSTEM	3	3	--	*	*	-0-	46.2	46.3	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	356.2	356.2	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	27	27	--	204.5	204.5	-0-	143.3	143.5	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-	966.9	966.9	-0-
FEMALE 65 YEARS +	15	15	--	1363.6	1363.6	-0-	785.8	786.5	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	--	*	*	-0-	52.4	52.5	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	449.0	449.4	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	4	4	--	*	*	-0-	32.4	32.4	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	4	4	--	*	*	-0-	20.0	20.1	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	8	8	--	*	*	-0-	26.2	26.2	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-	17.0	17.0	-0-
CIRRHOSIS OF LIVER	1	1	--	*	*	-0-	*	*	-0-
DISEASES OF EARLY INFANCY	3	3	--	*	*	-0-	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	*	*	-0-
MAJOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-	53.9	54.0	-0-
ALL OTHER ACCIDENTS	4	4	--	*	*	-0-	41.6	41.7	-0-
SUICIDE	2	2	--	*	*	-0-	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	14	14	--	106.1	106.1	-0-	103.5	103.4	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.0%.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 WASHINGTON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATE TOTAL WHITE OTHER
POPULATION TOTAL	14,700	14,700			
MALE 65 YEARS +	1,200	1,200			
FEMALE 65 YEARS +	1,450	1,450			
LIVE BIRTHS TOTAL	187	187	12.7	12.7	-0- 12.2 12.1
MALE	94	94
FEMALE	93	93
TO MOTHERS UNDER 20 YEARS	36	36	192.5	192.5	-0- 148.5 147.1
ILLEGITIMATE LIVE BIRTHS	5	5	*	*	-0- 36.0 35.1
TO MOTHERS UNDER 20 YEARS	4	4	*	*	-0- * *
PREMATURE (UNDER 2501 GRAMS)	9	9	*	*	-0- 42.7 43.0
FETAL DEATHS TOTAL	4	4	*	*	-0- * *
ILLEGITIMATE FETAL DEATHS	2	2	*	*	-0- * *
TO MOTHERS UNDER 20 YEARS	2	2	*	*	-0- * *
PREMATURE (UNDER 2501 GRAMS)	4	4	*	*	-0- * *
NEONATAL DEATHS (UNDER 28 DAYS)	1	1	*	*	-0- 13.5 13.6
INFANT DEATHS (UNDER 1 YEAR)	1	1	*	*	-0- 15.7 15.8
PERINATAL LOSS < 7 DAYS + FETAL	4	4	*	*	-0- 19.0 19.1
MALE	2	2	*	*	-0- 23.7 23.9
FEMALE	2	2	*	*	-0- * *
ASPHYXIA UNSPECIFIED	--	--	-0-	-0-	-0- * *
IMMATURITY UNQUALIFIED	--	--	-0-	-0-	-0- * *
DEATHS TOTAL (EXCEPT FETAL)	188	185	1278.9	1258.5	* 1413.0 1415.2
MALE TOTAL	107	105
MALE 65 YEARS +	86	85	7166.7	7083.3	* 7008.5 7026.6
FEMALE TOTAL	81	80
FEMALE 65 YEARS +	66	66	4551.7	4551.7	-0- 5463.3 5474.7
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	84	83	571.4	564.6	* 681.1 682.9
ARTERIOSCLEROTIC OR ISCHEMIC	82	81	557.8	551.0	* 641.4 643.0
MALE 65 YEARS +	45	44	3750.0	3666.7	* 3350.4 3359.0
FEMALE 65 YEARS +	33	33	2275.9	2275.9	-0- 2987.6 2993.8
OTHER HEART DISEASES TOTAL	2	2	*	*	-0- 39.7 39.8
MALE 65 YEARS +	1	1	*	*	-0- 222.2 222.8
FEMALE 65 YEARS +	--	--	-0-	-0-	-0- 138.3 138.6
CANCER ALL SITES	35	34	238.1	231.3	* 264.5 265.2
MALE 65 YEARS +	14	14	1166.7	1166.7	-0- 1316.2 1319.6
FEMALE 65 YEARS +	13	13	896.6	896.6	-0- 788.4 790.0
CANCER DIGESTIVE ORGANS TOTAL	8	8	*	*	-0- 104.2 104.4
MALE 65 YEARS +	2	2	*	*	-0- 512.8 514.1
FEMALE 65 YEARS +	5	5	*	*	-0- 373.4 374.2
CANCER RESPIRATORY SYSTEM	5	5	*	*	-0- 41.1 41.2
MALE 65 YEARS +	4	4	*	*	-0- 205.1 205.7
FEMALE 65 YEARS +	1	1	*	*	-0- * *
CEREBROVASCULAR DISEASE TOTAL	24	24	163.3	163.3	-0- 116.5 116.8
MALE 65 YEARS +	11	11	916.7	916.7	-0- 547.0 548.4
FEMALE 65 YEARS +	8	8	*	*	-0- 622.4 623.7
GENERAL ARTERIOSCLEROSIS TOTAL	2	2	*	*	-0- 13.7 13.7
MALE 65 YEARS +	1	1	*	*	-0- * *
FEMALE 65 YEARS +	1	1	*	*	-0- * *
HYPERTENSIVE DISEASE NON-HEART	2	2	*	*	-0- * *
MALE 65 YEARS +	1	1	*	*	-0- * *
FEMALE 65 YEARS +	1	1	*	*	-0- -0- -0-
OTHER CIRCULATORY DISEASES	1	1	*	*	-0- 27.4 27.5
MALE 65 YEARS +	--	--	-0-	-0-	-0- * *
FEMALE 65 YEARS +	--	--	-0-	-0-	-0- 152.1 152.5
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	*	*	-0- 17.8 17.9
MALE 65 YEARS +	3	3	*	*	-0- * *
FEMALE 65 YEARS +	--	--	-0-	-0-	-0- * *
PNEUMONIA AND INFLUENZA	7	6	*	*	-0- 45.2 45.3
DIABETES MELLITUS	5	5	*	*	-0- 19.2 19.2
CIRRHOSIS OF LIVER	1	1	*	*	-0- * *
DISEASES OF EARLY INFANCY	--	--	-0-	-0-	-0- * *
CONGENITAL ANOMALIES	--	--	-0-	-0-	-0- * *
MOTOR VEHICLE ACCIDENTS	6	6	*	*	-0- 34.3 34.4
ALL OTHER ACCIDENTS	5	5	*	*	-0- 46.6 46.7
SUICIDE	--	--	-0-	-0-	-0- * *
HOMICIDE	--	--	-0-	-0-	-0- -0- -0-
UNDETERMINED EXTERNAL CAUSES	--	--	-0-	-0-	-0- -0- -0-
ALL OTHER CAUSES	13	13	88.4	88.4	-0- 108.3 107.2

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 WAYNE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	17,000	17,000				
MALE 65 YEARS +	1,300	1,300				
FEMALE 65 YEARS +	1,650	1,650				
LIVE BIRTHS TOTAL	237	236 1	13.9	13.9 *	13.5	13.5 *
MALE	115	115 --
FEMALE	122	121 1
TO MOTHERS UNDER 20 YEARS	53	53 --	223.6	224.6 -0-	217.7	217.9 -0-
ILLEGITIMATE LIVE BIRTHS	18	18 --	75.9	76.3 -0-	62.8	62.9 -0-
TO MOTHERS UNDER 20 YEARS	9	9 --	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	15	15 --	63.3	63.6 -0-	60.2	60.3 -0-
FETAL DEATHS TOTAL	3	3 --	*	*	15.5	14.6 *
ILLEGITIMATE FETAL DEATHS	1	1 --	*	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2 --	*	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3 --	*	*	11.2	11.2 -0-
INFANT DEATHS (UNDER 1 YEAR)	5	5 --	*	*	12.9	12.9 -0-
PERINATAL LOSS < 7 DAYS + FETAL	5	5 --	*	*	23.7	22.9 *
MALE	2	2 --	*	*	34.2	32.6 *
FEMALE	3	3 --	*	*	*	-0-
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	*	-0-
IMMATURITY UNQUALIFIED	--	-- --	-0-	-0-	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	235	235 --	1382.4	1382.4 -0-	1205.2	1206.8 -0-
MALE TOTAL	129	129 --
MALE 65 YEARS +	90	90 --	6923.1	6923.1 -0-	6323.1	6323.1 -0-
FEMALE TOTAL	106	106 --
FEMALE 65 YEARS +	87	87 --	5272.7	5272.7 -0-	4466.8	4466.8 -0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	113	113 --	664.7	664.7 -0-	602.6	603.4 -0-
ARTERIOSCLEROTIC OR ISCHEMIC	112	112 --	658.8	658.8 -0-	565.4	566.2 -0-
MALE 65 YEARS +	43	43 --	3307.7	3307.7 -0-	3400.0	3400.0 -0-
FEMALE 65 YEARS +	45	45 --	2727.3	2727.3 -0-	2396.5	2396.5 -0-
OTHER HEART DISEASES TOTAL	1	1 --	*	*	37.2	37.2 -0-
MALE 65 YEARS +	--	-- --	-0-	-0-	307.7	307.7 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
CANCER ALL SITES	40	40 --	235.3	235.3 -0-	190.4	190.7 -0-
MALE 65 YEARS +	16	16 --	1230.8	1230.8 -0-	738.5	738.5 -0-
FEMALE 65 YEARS +	10	10 --	606.1	606.1 -0-	577.2	577.2 -0-
CANCER DIGESTIVE ORGANS TOTAL	11	11 --	64.7	64.7 -0-	65.0	65.1 -0-
MALE 65 YEARS +	2	2 --	*	*	230.8	230.8 -0-
FEMALE 65 YEARS +	6	6 --	*	*	301.1	301.1 -0-
CANCER RESPIRATORY SYSTEM	10	10 --	58.8	58.8 -0-	38.3	38.4 -0-
MALE 65 YEARS +	7	7 --	*	*	153.8	153.8 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	30	30 --	176.5	176.5 -0-	114.9	115.1 -0-
MALE 65 YEARS +	13	13 --	1000.0	1000.0 -0-	600.0	600.0 -0-
FEMALE 65 YEARS +	13	13 --	787.9	787.9 -0-	627.4	627.4 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1 --	*	*	*	-0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	-- --	-0-	-0-	-0-	-0-
MALE 65 YEARS +	--	-- --	-0-	-0-	-0-	-0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	-0-
OTHER CIRCULATORY DISEASES	9	9 --	*	*	29.0	29.1 -0-
MALE 65 YEARS +	4	4 --	*	*	184.6	184.6 -0-
FEMALE 65 YEARS +	4	4 --	*	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2 --	*	*	29.0	29.1 -0-
MALE 65 YEARS +	1	1 --	*	*	169.2	169.2 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
PNEUMONIA AND INFLUENZA	3	3 --	*	*	44.1	44.2 -0-
DIABETES MELLITUS	2	2 --	*	*	17.4	17.4 -0-
CIRRHOSIS OF LIVER	3	3 --	*	*	*	-0-
DISEASES OF EARLY INFANCY	2	2 --	*	*	*	-0-
CONGENITAL ANOMALIES	1	1 --	*	*	*	-0-
MOTOR VEHICLE ACCIDENTS	3	3 --	*	*	23.2	23.3 -0-
ALL OTHER ACCIDENTS	1	1 --	*	*	24.4	24.4 -0-
SUICIDE	--	-- --	-0-	-0-	*	-0-
HOMICIDE	--	-- --	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	-0-
ALL OTHER CAUSES	25	25 --	147.1	147.1 -0-	79.0	79.1 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 WHITE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL WHITE OTHER
POPULATION TOTAL	16,300	16,200	100		
MALE 65 YEARS +	1,300	1,300			
FEMALE 65 YEARS +	1,750	1,750			
LIVE BIRTHS TOTAL	193	193	--	11.8	11.9
MALE	96	96	--
FEMALE	97	97	--
TO MOTHERS UNDER 20 YEARS	40	40	--	207.3	207.3
ILLEGITIMATE LIVE BIRTHS	14	14	--	72.5	72.5
TO MOTHERS UNDER 20 YEARS	6	6	--	*	*
PREMATURE (UNDER 2501 GRAMS)	10	10	--	51.8	51.8
FETAL DEATHS TOTAL	3	3	--	*	*
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	--	*	*
INFANT DEATHS (UNDER 1 YEAR)	3	3	--	*	*
PERINATAL LOSS < 7 DAYS + FETAL	5	5	--	*	*
MALE	4	4	--	*	*
FEMALE	1	1	--	*	*
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	255	255	--	1564.4	1574.1
MALE TOTAL	142	142	--
MALE 65 YEARS +	99	99	--	7615.4	7615.4
FEMALE TOTAL	113	113	--
FEMALE 65 YEARS +	89	89	--	5085.7	5085.7
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	116	116	--	711.7	716.0
ARTERIOSCLEROTIC OR ISCHEMIC	108	108	--	662.6	666.7
MALE 65 YEARS +	40	40	--	3076.9	3076.9
FEMALE 65 YEARS +	43	43	--	2457.1	2457.1
OTHER HEART DISEASES TOTAL	8	8	--	*	*
MALE 65 YEARS +	1	1	--	*	*
FEMALE 65 YEARS +	2	2	--	*	*
CANCER ALL SITES	58	58	--	355.8	358.0
MALE 65 YEARS +	24	24	--	1846.2	1846.2
FEMALE 65 YEARS +	17	17	--	971.4	971.4
CANCER DIGESTIVE ORGANS TOTAL	23	23	--	141.1	142.0
MALE 65 YEARS +	7	7	--	*	*
FEMALE 65 YEARS +	10	10	--	571.4	571.4
CANCER RESPIRATORY SYSTEM	10	10	--	61.3	61.7
MALE 65 YEARS +	7	7	--	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	23	23	--	141.1	142.0
MALE 65 YEARS +	13	13	--	1000.0	1000.0
FEMALE 65 YEARS +	9	9	--	*	*
GENERAL ARTERIOSCLEROSIS TOTAL	6	6	--	*	*
MALE 65 YEARS +	3	3	--	*	*
FEMALE 65 YEARS +	3	3	--	*	*
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-
OTHER CIRCULATORY DISEASES	4	4	--	*	*
MALE 65 YEARS +	2	2	--	*	*
FEMALE 65 YEARS +	--	--	--	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	6	6	--	*	*
MALE 65 YEARS +	4	4	--	*	*
FEMALE 65 YEARS +	1	1	--	*	*
PNEUMONIA AND INFLUENZA	7	7	--	*	*
DIABETES MELLITUS	3	3	--	*	*
CIRRHOSIS OF LIVER	3	3	--	*	*
DISEASES OF EARLY INFANCY	1	1	--	*	*
CONGENITAL ANOMALIES	2	2	--	*	*
MOTOR VEHICLE ACCIDENTS	6	6	--	*	*
ALL OTHER ACCIDENTS	6	6	--	*	*
SUICIDE	1	1	--	*	*
HOMICIDE	--	--	--	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	1	1	--	*	*
ALL OTHER CAUSES	12	12	--	73.6	74.1

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 05 WILLIAMSON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	52,100	51,200 900				
MALE 65 YEARS +	3,050	3,000 50				
FEMALE 65 YEARS +	4,400	4,300 100				
LIVE BIRTHS TOTAL	681	663 18	13.1	12.9 20.0	14.1	14.1 17.5
MALE	344	331 13
FEMALE	337	332 5
TO MOTHERS UNDER 20 YEARS	144	141 3	211.5	212.7 *	201.8	200.8 *
ILLEGITIMATE LIVE BIRTHS	47	41 6	69.0	61.8 *	65.3	60.5 *
TO MOTHERS UNDER 20 YEARS	29	27 2	*	*	582.3	581.4 *
PREMATURE (UNDER 2501 GRAMS)	30	28 2	44.1	42.2 *	66.4	65.4 *
FETAL DEATHS TOTAL	6	5 1	*	*	10.1	10.1 *
ILLEGITIMATE FETAL DEATHS	1	-- 1	*	-0-	*	-0-
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	-0-
PREMATURE (UNDER 2501 GRAMS)	4	3 1	*	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	7	7 --	*	*	13.0	13.2 -0-
INFANT DEATHS (UNDER 1 YEAR)	11	10 1	16.2	15.1 *	15.4	15.8 -0-
PERINATAL LOSS < 7 DAYS + FETAL	12	11 1	17.5	16.5 *	21.8	22.0 *
MALE	9	8 1	*	*	21.6	21.5 *
FEMALE	3	3 --	*	*	22.1	22.6 -0-
ASPHYXIA UNSPECIFIED	1	1 --	*	*	*	-0-
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	567	558 9	1088.3	1089.8 *	1273.5	1271.7 1377.7
MALE TOTAL	295	289 6
MALE 65 YEARS +	181	178 3	5934.4	5933.3 *	8148.9	8146.9 8292.7
FEMALE TOTAL	272	269 3
FEMALE 65 YEARS +	210	208 2	4772.7	4837.2 *	5214.5	5208.8 5526.3
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	230	226 4	441.5	441.4 *	554.1	555.8 459.2
ARTERIOSCLEROTIC OR ISCHEMIC	216	212 4	414.6	414.1 *	524.5	527.2 367.4
MALE 65 YEARS +	80	79 1	2623.0	2633.3 *	3715.6	3726.6 *
FEMALE 65 YEARS +	82	81 1	1863.6	1883.7 *	2432.8	2453.2 *
OTHER HEART DISEASES TOTAL	14	14 --	26.9	27.3 -0-	29.6	28.5 *
MALE 65 YEARS +	4	4 --	*	*	167.7	163.2 *
FEMALE 65 YEARS +	5	5 --	*	*	117.9	115.2 *
CANCER ALL SITES	124	123 1	238.0	240.2 *	226.4	226.0 252.6
MALE 65 YEARS +	33	33 --	1082.0	1100.0 -0-	1515.8	1496.1 *
FEMALE 65 YEARS +	47	47 --	1068.2	1093.0 -0-	655.4	652.9 *
CANCER DIGESTIVE ORGANS TOTAL	31	31 --	59.5	60.5 -0-	58.5	59.1 *
MALE 65 YEARS +	8	8 --	*	*	362.2	360.4 *
FEMALE 65 YEARS +	15	15 --	340.9	348.8 -0-	231.0	235.2 -0-
CANCER RESPIRATORY SYSTEM	26	26 --	49.9	50.8 -0-	56.1	55.1 *
MALE 65 YEARS +	12	12 --	393.4	400.0 -0-	556.7	544.0 *
FEMALE 65 YEARS +	6	6 --	*	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	63	60 3	120.9	117.2 *	140.7	138.3 275.5
MALE 65 YEARS +	22	20 2	721.3	666.7 *	858.5	850.1 *
FEMALE 65 YEARS +	36	35 1	818.2	814.0 *	900.5	892.9 *
GENERAL ARTERIOSCLEROSIS TOTAL	14	14 --	26.9	27.3 -0-	20.7	20.2 *
MALE 65 YEARS +	6	6 --	*	*	134.1	136.0 -0-
FEMALE 65 YEARS +	8	8 --	*	*	141.4	139.2 *
HYPERTENSIVE DISEASE NON-HEART	2	2 --	*	*	6.2	6.3 -0-
MALE 65 YEARS +	1	1 --	*	*	*	-0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
OTHER CIRCULATORY DISEASES	8	8 --	*	*	29.2	29.3 *
MALE 65 YEARS +	3	3 --	*	*	187.6	190.4 -0-
FEMALE 65 YEARS +	2	2 --	*	*	155.6	153.6 *
EMPHYSEMA, BRONCHITIS, ASTHMA	13	13 --	25.0	25.4 -0-	27.3	27.7 -0-
MALE 65 YEARS +	10	10 --	327.9	333.3 -0-	288.4	292.4 -0-
FEMALE 65 YEARS +	1	1 --	*	*	*	-0-
PNEUMONIA AND INFLUENZA	14	14 --	26.9	27.3 -0-	28.1	28.5 -0-
DIABETES MELLITUS	15	15 --	28.8	29.3 -0-	24.6	25.0 -0-
CIRRHOSIS OF LIVER	2	2 --	*	*	12.1	11.9 *
DISEASES OF EARLY INFANCY	3	3 --	*	*	13.2	13.5 -0-
CONGENITAL ANOMALIES	6	6 --	*	*	6.2	6.3 -0-
MOTOR VEHICLE ACCIDENTS	13	13 --	25.0	25.4 -0-	34.3	34.9 -0-
ALL OTHER ACCIDENTS	17	17 --	32.6	33.2 -0-	34.7	34.9 *
SUICIDE	6	6 --	*	*	10.1	9.9 *
HOMICIDE	3	3 --	*	*	5.5	4.8 *
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	*	*
ALL OTHER CAUSES	33	32 1	63.3	62.5 *	98.2	96.1 *

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 06 CITY OF CHICAGO
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	3,150,000	2,006,000 1,144,000				
MALE 65 YEARS +	137,559	111,900 25,650				
FEMALE 65 YEARS +	196,150	162,900 33,250				
LIVE BIRTHS TOTAL	54,019	26,509 27,510	17.1	13.2 24.0	19.2	15.1 26.2
MALE	27,726	13,652 14,074
FEMALE	26,293	12,857 13,436
TO MOTHERS UNDER 20 YEARS	12,855	3,965 8,890	238.0	149.6 323.2	229.7	140.7 319.8
ILLEGITIMATE LIVE BIRTHS	18,341	3,425 14,916	339.5	129.2 542.2	299.1	101.1 499.4
TO MOTHERS UNDER 20 YEARS	8,180	1,272 6,908	446.0	371.4 463.1	470.9	368.5 491.8
PREMATURE (UNDER 2501 GRAMS)	5,564	1,727 3,837	103.0	65.1 139.5	103.5	68.4 139.1
FETAL DEATHS TOTAL	804	299 505	14.9	11.3 18.4	16.9	13.0 20.8
ILLEGITIMATE FETAL DEATHS	370	45 325	460.2	150.5 643.6	384.1	141.3 537.1
TO MOTHERS UNDER 20 YEARS	159	13 146	429.7	* 449.2 446.1	340.4	463.6
PREMATURE (UNDER 2501 GRAMS)	576	199 377	716.4	665.6 746.5	720.6	646.8 767.1
NEONATAL DEATHS (UNDER 28 DAYS)	879	316 563	16.3	11.9 20.5	18.8	14.7 23.0
INFANT DEATHS (UNDER 1 YEAR)	1,301	450 851	24.1	17.0 30.9	26.0	19.4 32.8
PERINATAL LOSS < 7 DAYS + FETAL	1,570	574 996	28.6	21.4 35.6	33.1	26.0 40.3
MALE	832	309 523	29.6	22.4 36.5	35.4	27.3 43.6
FEMALE	738	265 473	27.6	20.4 34.6	30.8	24.5 37.0
ASPHYXIA UNSPECIFIED	257	81 176	4.7	3.0 6.3	8.1	5.5 10.7
IMMATURITY UNQUALIFIED	173	65 108	3.2	2.4 3.9	2.4	1.7 3.1
DEATHS TOTAL (EXCEPT FETAL)	34,125	23,549 10,576	1083.3	1173.9 924.5	1223.9	1382.8 945.0
MALE TOTAL	19,276	13,053 6,223
MALE 65 YEARS +	9,846	7,762 2,084	7158.1	6936.6 8124.8	7928.0	8091.8 7262.5
FEMALE TOTAL	14,849	10,496 4,353
FEMALE 65 YEARS +	9,804	7,842 1,962	4998.2	4814.0 5900.8	5597.4	5589.3 5634.4
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	14,687	11,079 3,608	466.3	552.3 315.4	547.7	667.5 337.5
ARTERIOSCLEROTIC OR ISCHEMIC	12,820	10,117 2,703	407.0	504.3 236.3	462.6	592.0 235.6
MALE 65 YEARS +	4,488	3,752 736	3262.8	3353.0 2869.4	3659.8	3915.3 2621.7
FEMALE 65 YEARS +	4,836	3,984 852	2465.5	2445.7 2562.4	2785.6	2890.7 2503.2
OTHER HEART DISEASES TOTAL	1,867	962 905	59.3	48.0 79.1	85.1	75.6 101.9
MALE 65 YEARS +	495	249 206	359.9	258.3 80.6	455.0	375.5 178.0
FEMALE 65 YEARS +	457	274 183	233.0	168.2 50.4	289.7	230.5 561.1
CANCER ALL SITES	6,283	4,496 1,787	199.5	224.1 156.2	209.9	245.8 146.9
MALE 65 YEARS +	1,900	1,426 474	1381.3	1274.4 1848.0	1414.3	1404.7 1453.2
FEMALE 65 YEARS +	1,574	1,279 295	802.4	785.1 887.2	812.6	811.3 818.5
CANCER DIGESTIVE ORGANS TOTAL	1,952	1,369 583	62.0	68.2 51.0	66.5	78.0 46.3
MALE 65 YEARS +	667	487 180	484.9	435.2 701.8	484.8	480.6 501.9
FEMALE 65 YEARS +	577	459 118	294.2	281.8 354.9	320.0	319.5 322.1
CANCER RESPIRATORY SYSTEM	1,520	1,075 445	48.3	53.6 38.9	46.1	52.7 34.4
MALE 65 YEARS +	535	411 124	388.9	367.3 483.4	389.9	394.6 371.0
FEMALE 65 YEARS +	161	130 31	82.1	79.8 93.2	64.4	63.3 69.1
CEREBROVASCULAR DISEASE TOTAL	2,721	1,950 771	86.4	97.2 67.4	102.7	117.9 75.9
MALE 65 YEARS +	896	704 192	651.4	629.1 748.5	738.5	738.0 740.5
FEMALE 65 YEARS +	1,164	923 241	593.4	566.6 724.8	698.1	667.1 840.3
GENERAL ARTERIOSCLEROSIS TOTAL	268	233 35	8.5	11.6 3.1	14.9	20.8 4.5
MALE 65 YEARS +	107	90 17	77.8	80.4 66.3	133.8	149.4 70.5
FEMALE 65 YEARS +	145	130 15	73.9	79.8 45.1	124.6	135.9 73.0
HYPERTENSIVE DISEASE NON-HEART	180	117 63	5.7	5.8 5.5	7.0	7.1 6.9
MALE 65 YEARS +	47	39 8	34.2	34.9 *	49.0	48.9 49.6
FEMALE 65 YEARS +	71	54 17	36.2	33.1 51.1	40.3	37.9 51.3
OTHER CIRCULATORY DISEASES	624	447 177	19.8	22.3 15.5	20.4	22.9 16.0
MALE 65 YEARS +	216	167 49	157.0	149.2 191.0	162.5	160.9 169.0
FEMALE 65 YEARS +	215	170 45	109.6	104.4 135.3	99.1	92.9 127.6
EMPHYSEMA, BRONCHITIS, ASTHMA	387	299 88	12.3	14.9 7.7	13.9	17.4 7.8
MALE 65 YEARS +	190	160 30	138.1	143.0 117.0	154.8	168.2 100.7
FEMALE 65 YEARS +	50	47 3	25.5	28.9 *	31.3	33.3 22.3
PNEUMONIA AND INFLUENZA	1,041	672 369	33.0	33.5 32.3	39.3	40.3 37.7
DIABETES MELLITUS	608	418 190	19.3	20.8 16.6	24.2	27.6 18.3
CIRRHOSIS OF LIVER	870	558 312	27.6	27.8 27.3	30.1	34.3 22.8
DISEASES OF EARLY INFANCY	703	247 456	22.3	12.3 39.9	28.7	17.0 49.3
CONGENITAL ANOMALIES	225	121 104	7.1	6.0 9.1	8.8	7.8 10.5
MOTOR VEHICLE ACCIDENTS	389	238 151	12.3	11.9 13.2	14.1	14.2 13.9
ALL OTHER ACCIDENTS	979	523 456	31.1	26.1 39.9	30.8	27.0 37.6
SUICIDE	279	200 79	8.9	10.0 6.9	9.0	11.2 5.2
HOMICIDE	901	249 652	28.6	12.4 57.0	27.9	11.5 57.9
UNDETERMINED EXTERNAL CAUSES	199	96 103	6.3	4.8 9.0	5.0	4.4 9.9
ALL OTHER CAUSES	2,781	1,606 1,175	88.3	80.1 102.7	89.3	88.2 91.4

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 07 COOK SUBURBAN - - DUPAGE
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	10 - 14 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	2,757,900	2,654,900 103,000				
MALE 65 YEARS +	90,250	87,800 2,450				
FEMALE 65 YEARS +	134,600	131,600 3,000				
LIVE BIRTHS TOTAL	36,212	32,886 3,326	13.1	12.4 32.3	14.2	13.6 29.2
MALE	18,495	16,768 1,727
FEMALE	17,717	16,118 1,599
TO MOTHERS UNDER 20 YEARS	3,358	2,589 769	92.7	78.7 231.2	91.0	77.3 259.0
ILLEGITIMATE LIVE BIRTHS	1,974	899 1,075	54.5	27.3 323.2	49.9	28.2 315.3
TO MOTHERS UNDER 20 YEARS	1,048	471 577	530.9	523.9 536.7	546.2	528.1 566.1
PREMATURE (UNDER 2501 GRAMS)	2,259	1,900 359	62.4	57.8 107.9	62.1	57.4 119.4
FETAL DEATHS TOTAL	357	302 55	9.9	9.2 16.5	10.3	10.0 15.1
ILLEGITIMATE FETAL DEATHS	45	17 28	126.1	56.3 *	91.6	57.5 367.7
TO MOTHERS UNDER 20 YEARS	26	11 15	*	*	521.5	548.1 *
PREMATURE (UNDER 2501 GRAMS)	220	183 37	616.2	606.0 *	661.3	653.2 726.5
NEONATAL DEATHS (UNDER 28 DAYS)	403	347 56	11.1	10.6 16.8	12.1	11.7 17.6
INFANT DEATHS (UNDER 1 YEAR)	524	441 83	14.5	13.4 25.0	15.4	14.6 24.6
PERINATAL LOSS < 7 DAYS + FETAL	704	601 103	19.3	18.1 30.5	21.1	20.4 30.5
MALE	374	319 55	20.0	18.8 31.3	22.8	22.0 32.1
FEMALE	330	282 48	18.5	17.3 29.5	19.4	18.7 28.8
ASPHYXIA UNSPECIFIED	84	78 6	2.3	2.4 *	3.7	3.5 5.2
IMMATURITY UNQUALIFIED	52	46 6	1.4	1.4 *	1.3	1.2 2.0
DEATHS TOTAL (EXCEPT FETAL)	20,114	19,345 769	729.3	728.7 746.6	710.5	710.1 721.0
MALE TOTAL	10,668	10,215 453
MALE 65 YEARS +	5,861	5,720 141	6494.2	6514.8 5755.1	6767.5	6781.9 6251.1
FEMALE TOTAL	9,446	9,130 316
FEMALE 65 YEARS +	6,624	6,467 157	4921.2	4914.1 5233.3	5021.9	5004.7 5770.3
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	8,395	8,172 223	304.4	307.8 216.5	300.2	302.8 230.7
ARTERIOSCLEROTIC OR ISCHEMIC	7,737	7,564 173	280.5	284.9 168.0	275.2	278.7 183.7
MALE 65 YEARS +	2,594	2,553 41	2874.2	2907.7 1673.5	3110.0	3135.9 2186.1
FEMALE 65 YEARS +	3,125	3,065 60	2321.7	2329.0 2000.0	2353.3	2356.5 2211.1
OTHER HEART DISEASES TOTAL	658	608 50	23.9	22.9 48.5	24.9	24.1 47.0
MALE 65 YEARS +	164	152 12	181.7	173.1 489.8	175.1	172.4 272.2
FEMALE 65 YEARS +	210	199 11	156.0	151.2 366.7	165.8	161.6 349.5
CANCER ALL SITES	4,438	4,304 134	160.9	162.1 130.1	145.0	145.8 122.0
MALE 65 YEARS +	1,235	1,194 41	1368.4	1359.9 1673.5	1309.6	1302.0 1580.3
FEMALE 65 YEARS +	1,148	1,119 29	852.9	850.3 966.7	790.1	790.9 756.1
CANCER DIGESTIVE ORGANS TOTAL	1,270	1,226 44	46.0	46.2 42.7	41.9	41.9 40.9
MALE 65 YEARS +	404	388 16	447.6	441.9 653.1	417.5	414.9 509.2
FEMALE 65 YEARS +	409	398 11	303.9	302.4 366.7	296.6	295.2 356.6
CANCER RESPIRATORY SYSTEM	1,068	1,034 34	38.7	38.9 33.0	29.8	29.9 26.7
MALE 65 YEARS +	382	367 15	423.3	418.0 612.2	367.7	366.2 421.4
FEMALE 65 YEARS +	114	112 2	84.7	85.1 *	57.4	57.6 *
CEREBROVASCULAR DISEASE TOTAL	1,928	1,862 66	69.9	70.1 64.1	72.1	72.2 69.5
MALE 65 YEARS +	633	617 16	701.4	702.7 653.1	747.4	746.2 790.2
FEMALE 65 YEARS +	927	900 27	688.7	683.9 900.0	788.2	781.9 1062.8
GENERAL ARTERIOSCLEROSIS TOTAL	296	279 17	10.7	10.5 16.5	10.1	9.9 15.8
MALE 65 YEARS +	113	109 4	125.2	124.1 *	113.9	111.7 193.2
FEMALE 65 YEARS +	162	152 10	120.4	115.5 333.3	137.2	132.2 356.6
HYPERTENSIVE DISEASE NON-HEART	114	105 9	4.1	4.0 *	3.2	3.1 7.1
MALE 65 YEARS +	46	42 4	51.0	47.8 *	40.0	38.9 *
FEMALE 65 YEARS +	50	47 3	37.1	35.7 *	29.5	28.0 92.7
OTHER CIRCULATORY DISEASES	384	375 9	13.9	14.1 *	14.7	14.7 14.2
MALE 65 YEARS +	159	155 4	176.2	176.5 *	183.3	183.7 166.8
FEMALE 65 YEARS +	118	117 1	87.7	88.9 *	103.9	102.8 149.8
EMPHYSEMA, BRONCHITIS, ASTHMA	283	278 5	10.3	10.5 *	10.3	10.3 9.9
MALE 65 YEARS +	147	145 2	162.9	165.1 *	182.3	182.5 175.6
FEMALE 65 YEARS +	66	66 --	49.0	50.2 --	40.6	40.7 *
PNEUMONIA AND INFLUENZA	469	447 22	17.0	16.8 21.4	18.7	18.4 26.7
DIABETES MELLITUS	347	334 13	12.6	12.6 12.6	12.2	12.0 17.0
CIRRHOSIS OF LIVER	327	314 13	11.9	11.8 12.6	12.8	12.9 10.7
DISEASES OF EARLY INFANCY	513	265 248	11.3	10.0 46.6	13.4	12.4 42.1
CONGENITAL ANOMALIES	143	130 13	5.2	4.9 12.6	6.5	6.2 13.4
MOTOR VEHICLE ACCIDENTS	406	388 18	14.7	14.6 17.5	14.9	14.8 17.2
ALL OTHER ACCIDENTS	441	399 42	16.0	15.0 40.8	15.4	15.1 23.3
SUICIDE	257	249 8	9.3	9.4 *	8.6	8.7 6.3
HOMICIDE	146	102 44	5.3	3.8 42.7	3.6	2.8 24.3
UNDETERMINED EXTERNAL CAUSES	68	55 13	2.5	2.1 12.6	2.4	2.4 3.6
ALL OTHER CAUSES	1,359	1,287 72	49.3	48.5 69.9	46.3	45.5 67.3

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 07 COOK COUNTY (EXCL CHGO)
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	2,215,400	2,117,800	97,600		
MALE 65 YEARS +	75,950	73,600	2,350		
FEMALE 65 YEARS +	113,650	110,750	2,900		
LIVE BIRTHS TOTAL	28,322	26,244	2,078	11.1	31.5
MALE	14,496	12,887	1,609
FEMALE	13,826	13,357	1,469
TO MOTHERS UNDER 20 YEARS	2,821	2,063	758	81.7	46.5
ILLEGITIMATE LIVE BIRTHS	1,782	721	1,061	62.9	34.7
TO MOTHERS UNDER 20 YEARS	950	375	575	55.1	34.2
PREMATURE (UNDER 2501 GRAMS)	1,852	1,505	347	65.9	112.7
FETAL DEATHS TOTAL	289	237	52	10.2	16.1
ILLEGITIMATE FETAL DEATHS	42	15	27	14.3	63.3
TO MOTHERS UNDER 20 YEARS	23	9	14	*	52.3
PREMATURE (UNDER 2501 GRAMS)	178	143	35	615.9	603.4
NEONATAL DEATHS (UNDER 28 DAYS)	328	272	56	11.6	10.8
INFANT DEATHS (UNDER 1 YEAR)	432	349	83	15.3	13.8
PERINATAL LOSS < 7 DAYS + FETAL	570	470	100	19.9	18.4
MALE	303	251	52	20.7	19.3
FEMALE	267	219	48	19.1	17.6
ASPHYXIA UNSPECIFIED	68	63	5	2.4	2.5
IMMATURITY UNQUALIFIED	47	41	6	1.6	1.5
DEATHS TOTAL (EXCEPT FETAL)	17,004	16,249	755	767.5	767.3
MALE TOTAL	9,016	8,569	447
MALE 65 YEARS +	5,000	4,860	140	5543.3	6603.3
FEMALE TOTAL	7,988	7,680	308
FEMALE 65 YEARS +	5,670	5,476	194	4953.8	5110.5
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	7,182	6,963	219	529.2	528.2
ARTERIOSCLEROTIC OR ISCHIMIC	6,640	6,470	170	299.1	174.2
MALE 65 YEARS +	2,262	2,201	61	291.2	299.5
FEMALE 65 YEARS +	2,694	2,635	59	2370.4	2379.2
OTHER HEART DISEASES TOTAL	542	497	45	24.5	23.3
MALE 65 YEARS +	139	128	11	183.0	173.9
FEMALE 65 YEARS +	175	164	11	154.0	148.1
CANCER ALL SITES	3,712	3,582	130	167.6	169.1
MALE 65 YEARS +	1,035	994	41	1362.7	1350.5
FEMALE 65 YEARS +	964	936	28	848.2	845.1
CANCER DIGESTIVE ORGANS TOTAL	1,054	1,011	43	47.6	47.7
MALE 65 YEARS +	332	316	16	437.1	429.3
FEMALE 65 YEARS +	343	332	11	301.8	299.9
CANCER RESPIRATORY SYSTEM	910	876	34	41.1	41.4
MALE 65 YEARS +	325	310	15	427.9	421.2
FEMALE 65 YEARS +	94	92	2	82.7	83.1
CEREBROVASCULAR DISEASE TOTAL	1,616	1,550	66	72.9	73.2
MALE 65 YEARS +	531	515	16	699.1	699.7
FEMALE 65 YEARS +	768	741	27	675.8	669.1
GENERAL ARTERIOSCLEROSIS TOTAL	252	235	17	11.4	11.1
MALE 65 YEARS +	97	93	4	127.7	126.4
FEMALE 65 YEARS +	134	124	10	117.9	112.0
HYPERTENSIVE DISEASE NON-HEART	102	93	9	4.6	4.4
MALE 65 YEARS +	43	39	4	56.6	53.0
FEMALE 65 YEARS +	43	40	3	37.8	36.1
OTHER CIRCULATORY DISEASES	326	317	9	14.7	15.0
MALE 65 YEARS +	132	128	4	173.8	173.9
FEMALE 65 YEARS +	105	104	1	92.4	93.9
EMPHYSEMA, BRONCHITIS, ASTHMA	232	227	5	10.5	10.7
MALE 65 YEARS +	120	118	2	158.0	160.3
FEMALE 65 YEARS +	52	52	--	45.8	47.0
PNEUMONIA AND INFLUENZA	391	370	21	17.6	17.5
DIABETES MELLITUS	305	292	13	13.6	13.8
CIRRHOSIS OF LIVER	276	263	13	12.5	12.4
DISEASES OF EARLY INFANCY	261	213	48	11.8	10.1
CONGENITAL ANOMALIES	102	90	12	4.6	4.2
MOTOR VEHICLE ACCIDENTS	570	503	67	14.4	14.5
ALL OTHER ACCIDENTS	345	344	1	17.4	17.2
SUICIDE	198	190	8	8.9	9.0
HOMICIDE	133	90	43	6.0	4.2
UNDETERMINED EXTERNAL CAUSES	62	49	13	2.8	2.5
ALL OTHER CAUSES	1,149	1,078	71	51.9	50.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 07 D U P A G E C O U N T Y
S E L E C T E D V I T A L S T A T I S T I C S A M O N G R E S I D E N T S

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER	1975 TOTAL	RATIOS WHITE OTHER
POPULATION TOTAL	542,500	537,100	5,400			
MALE 65 YEARS +	14,300	14,200	100			
FEMALE 65 YEARS +	20,950	20,850	100			
LIVE BIRTHS TOTAL	7,890	7,642	248	14.5	14.2	45.9
MALE	3,999	3,881	118
FEMALE	3,891	3,761	130
TO MOTHERS UNDER 20 YEARS	537	526	11	68.1	68.8	44.4
ILLEGITIMATE LIVE BIRTHS	192	178	14	24.3	23.3	56.5
TO MOTHERS UNDER 20 YEARS	98	92	6	510.4	516.9	*
PREMATURE (UNDER 2501 GRAMS)	407	395	12	51.6	51.7	48.4
FETAL DEATHS TOTAL	68	65	3	8.6	8.5	*
ILLEGITIMATE FETAL DEATHS	3	2	1	*	*	*
TO MOTHERS UNDER 20 YEARS	3	2	1	*	*	*
PREMATURE (UNDER 2501 GRAMS)	42	40	2	*	*	*
NEONATAL DEATHS (UNDER 24 DAYS)	75	75	--	9.5	9.8	-0-
INFANT DEATHS (UNDER 1 YEAR)	92	92	--	11.7	11.0	-0-
PERINATAL LOSS < 7 DAYS + FETAL	134	131	3	16.8	17.0	*
MALE	71	68	3	17.6	17.4	*
FEMALE	63	63	--	16.1	16.6	-0-
ASPHYXIA UNSPECIFIED	16	15	1	2.0	1.9	*
IMMATURITY UNSPECIFIED	5	5	--	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	5,110	5,096	14	573.3	576.4	259.3
MALE TOTAL	1,652	1,646	6
MALE 65 YEARS +	861	860	1	6021.0	6056.5	*
FEMALE TOTAL	1,458	1,450	8
FEMALE 65 YEARS +	994	991	3	4744.6	4753.0	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	1,213	1,209	4	223.6	225.1	*
ARTERIOSCLEROTIC OR ISCHEMIC	1,097	1,094	3	202.2	203.7	*
MALE 65 YEARS +	352	352	--	2461.5	2478.9	-0-
FEMALE 65 YEARS +	431	430	1	2057.3	2062.4	*
OTHER HEART DISEASES TOTAL	116	115	1	21.4	21.4	*
MALE 65 YEARS +	25	24	1	174.8	169.0	*
FEMALE 65 YEARS +	35	35	--	167.1	167.9	-0-
CANCER ALL SITES	726	722	4	133.8	134.4	*
MALE 65 YEARS +	200	200	--	1398.6	1408.5	-0-
FEMALE 65 YEARS +	184	183	1	878.3	877.7	*
CANCER DIGESTIVE ORGANS TOTAL	216	215	1	39.8	40.0	*
MALE 65 YEARS +	72	72	--	503.5	507.0	-0-
FEMALE 65 YEARS +	66	66	--	315.0	316.5	-0-
CANCER RESPIRATORY SYSTEM	158	158	--	29.1	29.4	-0-
MALE 65 YEARS +	57	57	--	398.6	401.4	-0-
FEMALE 65 YEARS +	20	20	--	95.5	95.9	-0-
CEREBROVASCULAR DISEASE TOTAL	312	312	--	57.5	58.1	-0-
MALE 65 YEARS +	102	102	--	713.3	718.3	-0-
FEMALE 65 YEARS +	159	159	--	758.9	762.6	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	44	44	--	8.1	8.2	-0-
MALE 65 YEARS +	16	16	--	111.9	112.7	-0-
FEMALE 65 YEARS +	28	28	--	133.7	134.3	-0-
HYPERTENSIVE DISEASE NON-HEART	12	12	--	2.2	2.2	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	7	7	--	*	*	-0-
OTHER CIRCULATORY DISEASES	58	58	--	10.7	10.8	-0-
MALE 65 YEARS +	27	27	--	188.8	190.1	-0-
FEMALE 65 YEARS +	13	13	--	62.1	62.4	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	51	51	--	9.4	9.5	-0-
MALE 65 YEARS +	27	27	--	188.8	190.1	-0-
FEMALE 65 YEARS +	14	14	--	66.8	67.1	-0-
PNEUMONIA AND INFLUENZA	78	77	1	14.4	14.3	*
DIABETES MELLITUS	42	42	--	7.7	7.8	-0-
CIRRHOSIS OF LIVER	51	51	--	9.4	9.5	-0-
DISEASES OF EARLY INFANCY	52	52	--	9.6	9.7	-0-
CONGENITAL ANOMALIES	41	40	1	7.6	7.4	*
MOTOR VEHICLE ACCIDENTS	86	85	1	15.9	15.8	*
ALL OTHER ACCIDENTS	56	55	1	10.3	10.2	*
SUICIDE	59	59	--	10.9	11.0	-0-
HOMICIDE	13	12	1	2.4	2.2	*
UNDETERMINED EXTERNAL CAUSES	6	6	--	*	*	-0-
ALL OTHER CAUSES	210	209	1	38.7	38.9	*

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 08 K-L-M

SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	787,900	751,700 36,200			
MALE 65 YEARS +	26,850	26,250 600			
FEMALE 65 YEARS +	36,350	35,600 750			
LIVE BIRTHS TOTAL	12,355	11,265 1,090	15.7	15.0 30.1	16.7 16.1 29.4
MALE	6,289	5,752 537
FEMALE	6,066	5,513 553
TO MOTHERS UNDER 20 YEARS	1,965	1,651 314	159.0	146.6 288.1	154.4 143.1 289.0
ILLEGITIMATE LIVE BIRTHS	1,115	650 465	90.2	57.7 426.6	74.3 49.9 315.2
TO MOTHERS UNDER 20 YEARS	591	347 244	530.0	533.8 524.7	524.0 514.7 539.1
PREMATURE (UNDER 2501 GRAMS)	701	590 111	56.7	52.4 101.8	68.1 63.6 121.3
FETAL DEATHS TOTAL	110	91 19	8.9	8.1 17.4	12.5 11.9 19.7
ILLEGITIMATE FETAL DEATHS	23	13 10	209.1	*	133.8 92.6 *
TO MOTHERS UNDER 20 YEARS	12	6 6	*	*	467.3 * *
PREMATURE (UNDER 2501 GRAMS)	66	52 14	600.0	*	605.0 594.0 *
NEONATAL DEATHS (UNDER 28 DAYS)	146	129 17	11.8	11.5 15.6	13.3 12.8 18.5
INFANT DEATHS (UNDER 1 YEAR)	199	176 23	16.1	15.6 21.1	17.4 16.9 22.7
PERINATAL LOSS < 7 DAYS + FETAL	239	206 33	19.2	18.1 29.8	23.9 22.9 35.7
MALE	141	120 21	22.2	20.7 38.3	25.8 24.8 37.8
FEMALE	98	86 12	16.0	15.5 21.4	22.0 21.0 33.6
ASPHYXIA UNSPECIFIED	28	22 6	2.2	1.9 *	2.9 2.8 3.9
IMMATURITY UNQUALIFIED	24	23 1	1.9	2.0 *	1.6 1.4 3.7
DEATHS TOTAL (EXCEPT FETAL)	5,532	5,330 202	702.1	709.1 558.0	731.8 738.5 586.7
MALE TOTAL	3,098	2,982 116
MALE 65 YEARS +	1,693	1,658 35	6305.4	6316.2 5633.3	6881.6 6889.2 6549.3
FEMALE TOTAL	2,434	2,348 86
FEMALE 65 YEARS +	1,706	1,672 34	4693.3	4696.6 4533.3	4816.2 4826.7 4325.1
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	2,099	2,050 49	266.4	272.7 155.4	286.8 292.9 154.6
ARTERIOSCLEROTIC OR ISCHIMIC	1,940	1,899 41	246.2	247.6 113.3	266.0 272.2 132.0
MALE 65 YEARS +	757	745 12	2819.4	2838.1 2000.0	3106.7 3118.0 2605.6
FEMALE 65 YEARS +	748	736 12	2057.8	2067.4 1600.0	2174.9 2185.4 1609.4
OTHER HEART DISEASES TOTAL	159	151 8	20.2	20.1 *	20.8 20.7 22.6
MALE 65 YEARS +	43	41 2	160.1	156.2 *	167.5 169.3 *
FEMALE 65 YEARS +	38	38 --	104.5	106.7 -0-	135.3 134.7 *
CANCER ALL SITES	1,133	1,093 40	143.8	145.4 110.5	154.9 156.7 96.9
MALE 65 YEARS +	309	304 5	1150.8	1158.1 *	1251.6 1246.4 1478.9
FEMALE 65 YEARS +	309	299 10	859.1	859.5 1533.3	701.4 698.7 826.4
CANCER DIGESTIVE ORGANS TOTAL	317	308 9	40.2	41.0 *	38.1 38.6 27.3
MALE 65 YEARS +	89	89 --	331.5	329.0 -0-	356.6 355.2 457.7
FEMALE 65 YEARS +	119	117 2	327.4	328.7 *	272.4 274.6 *
CANCER RESPIRATORY SYSTEM	249	238 11	31.6	31.7 50.4	29.4 29.7 23.2
MALE 65 YEARS +	91	91 --	338.9	346.7 -0-	359.9 358.5 422.5
FEMALE 65 YEARS +	22	21 1	60.5	59.0 *	46.6 45.9 *
CEREBROVASCULAR DISEASE TOTAL	534	519 15	67.8	69.0 41.4	79.5 80.5 55.9
MALE 65 YEARS +	177	172 5	659.2	655.2 *	756.4 796.1 809.9
FEMALE 65 YEARS +	267	260 7	734.5	730.3 *	866.6 866.3 861.5
GENERAL ARTERIOSCLEROSIS TOTAL	77	76 1	9.8	10.1 *	10.9 11.2 *
MALE 65 YEARS +	35	35 --	130.4	133.3 -0-	139.0 139.7 *
FEMALE 65 YEARS +	39	38 1	107.3	106.7 *	120.9 123.5 -0-
HYPERTENSIVE DISEASE NON-HEART	32	32 --	4.1	4.3 -0-	4.4 4.5 *
MALE 65 YEARS +	13	13 --	48.4	49.5 -0-	57.8 59.1 -0-
FEMALE 65 YEARS +	16	16 --	44.0	44.9 -0-	36.9 36.5 *
OTHER CIRCULATORY DISEASES	117	110 7	14.8	14.6 *	14.9 14.9 16.0
MALE 65 YEARS +	43	42 1	160.1	160.0 *	162.4 161.3 *
FEMALE 65 YEARS +	36	35 1	99.0	98.3 *	99.6 99.4 *
EMPHYSEMA, BRONCHITIS, ASTHMA	99	97 2	12.6	12.9 *	13.2 13.4 9.5
MALE 65 YEARS +	60	60 --	223.5	228.6 -0-	207.7 206.0 *
FEMALE 65 YEARS +	12	12 --	33.0	33.7 -0-	36.3 36.5 *
PNEUMONIA AND INFLUENZA	144	139 5	18.3	18.5 *	20.9 20.9 20.8
DIABETES MELLITUS	82	75 7	10.4	10.0 *	11.6 11.8 6.5
CIRRHOSIS OF LIVER	97	89 8	12.3	11.6 *	13.3 13.3 11.9
DISEASES OF EARLY INFANCY	120	105 15	15.2	14.0 41.4	16.2 15.0 40.4
CONGENITAL ANOMALIES	49	48 1	6.2	6.4 *	7.7 7.7 17.2
MOTOR VEHICLE ACCIDENTS	203	191 12	25.8	25.4 55.1	26.9 27.2 19.6
ALL OTHER ACCIDENTS	174	169 5	22.1	22.5 *	20.5 20.1 25.0
SUICIDE	72	70 2	9.1	9.5 *	9.5 9.7 *
HOMICIDE	24	18 6	3.0	2.4 *	3.8 3.7 7.5
UNDETERMINED EXTERNAL CAUSES	18	17 1	2.3	2.5 *	2.4 2.5 5.9
ALL OTHER CAUSES	458	432 26	58.1	57.5 71.8	54.7 54.2 67.2

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 08 KANE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	1975 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	266,800	254,300 12,500						
MALE 65 YEARS +	9,850	9,650 200						
FEMALE 65 YEARS +	14,550	14,300 250						
LIVE BIRTHS TOTAL	4,647	4,262 385	17.4	16.8 30.8	18.2	17.6 33.0		
MALE	2,388	2,209 179
FEMALE	2,259	2,053 206
TO MOTHERS UNDER 20 YEARS	851	726 125	183.1	170.3 324.7	166.6	157.3 286.0		
ILLEGITIMATE LIVE BIRTHS	496	327 169	106.7	76.7 439.0	82.5	59.9 374.2		
TO MOTHERS UNDER 20 YEARS	273	178 95	550.4	544.3 562.1	494.6	491.7 500.8		
PREMATURE (UNDER 2501 GRAMS)	276	232 44	59.4	54.4 114.3	69.4	65.2 124.3		
FETAL DEATHS TOTAL	37	32 5	8.0	7.5 *	13.7	12.7 27.4		
ILLEGITIMATE FETAL DEATHS	7	5 2	*	*	131.9	89.6 *		
TO MOTHERS UNDER 20 YEARS	3	2 1	*	*	*	*		
PREMATURE (UNDER 2501 GRAMS)	16	11 5	*	*	549.1	530.5 *		
NEONATAL DEATHS (UNDER 28 DAYS)	60	54 6	12.9	12.7 *	14.7	13.9 25.1		
INFANT DEATHS (UNDER 1 YEAR)	80	74 6	17.2	17.4 *	19.2	18.4 29.8		
PERINATAL LOSS < 7 DAYS + FETAL	93	83 10	19.9	19.3 25.6	26.7	25.0 48.3		
MALE	62	55 7	25.7	24.7 *	28.2	26.5 49.7		
FEMALE	31	28 3	13.6	13.5 *	25.2	23.5 46.9		
ASPHYXIA UNSPECIFIED	8	7 1	*	*	4.2	3.9 8.5		
IMMATURITY UNQUALIFIED	12	12 --	2.6	2.8 -0-	2.1	1.8 5.7		
DEATHS TOTAL (EXCEPT FETAL)	2,024	1,971 53	758.6	775.1 424.0	781.2	787.9 620.3		
MALE TOTAL	1,106	1,077 29		
MALE 65 YEARS +	622	614 8	6314.7	6362.7 *	6754.4	6766.0 6117.6		
FEMALE TOTAL	918	894 24		
FEMALE 65 YEARS +	667	652 15	4584.2	4559.4 6000.0	4529.5	4550.0 3347.3		
DEATHS BY SELECTED CAUSE								
HEART DISEASE TOTAL	809	791 18	303.2	311.0 144.0	306.3	312.8 150.3		
ARTERIOSCLEROTIC OR ISCHEMIC	751	736 15	281.5	289.4 120.0	285.8	292.3 129.1		
MALE 65 YEARS +	297	292 5	3015.2	3025.9 *	3053.9	3075.3 1882.4		
FEMALE 65 YEARS +	303	296 7	2082.5	2069.9 *	2078.7	2084.3 1757.3		
OTHER HEART DISEASES TOTAL	58	55 3	21.7	21.6 *	20.5	20.5 21.2		
MALE 65 YEARS +	12	12 --	121.8	124.4 -0-	130.6	130.8 *		
FEMALE 65 YEARS +	19	19 --	130.6	132.9 -0-	118.3	120.4 -0-		
CANCER ALL SITES	379	375 4	142.1	147.5 *	142.6	143.7 115.6		
MALE 65 YEARS +	99	99 --	1005.1	1025.9 -0-	1242.6	1231.0 1882.4		
FEMALE 65 YEARS +	112	110 2	769.8	769.2 *	665.8	665.7 *		
CANCER DIGESTIVE ORGANS TOTAL	104	103 1	39.0	40.5 *	41.6	41.8 38.5		
MALE 65 YEARS +	31	31 --	314.7	321.2 -0-	372.8	368.9 *		
FEMALE 65 YEARS +	41	40 1	281.8	279.7 *	276.6	279.9 *		
CANCER RESPIRATORY SYSTEM	82	80 2	30.7	31.5 *	30.5	30.8 25.0		
MALE 65 YEARS +	28	28 --	284.3	290.2 -0-	351.7	343.1 *		
FEMALE 65 YEARS +	8	8 --	*	*	38.5	39.2 -0-		
CEREBROVASCULAR DISEASE TOTAL	226	219 7	84.7	86.1 *	95.3	97.6 38.5		
MALE 65 YEARS +	83	81 2	842.6	839.4 *	949.9	952.2 *		
FEMALE 65 YEARS +	104	100 4	714.8	699.3 *	868.3	877.5 *		
GENERAL ARTERIOSCLEROSIS TOTAL	24	23 1	9.0	9.0 *	11.0	11.4 *		
MALE 65 YEARS +	9	9 --	*	*	124.3	124.4 *		
FEMALE 65 YEARS +	15	14 1	103.1	97.9 *	105.5	107.3 -0-		
HYPERTENSIVE DISEASE NON-HEART	15	15 --	5.6	5.9 -0-	4.8	4.9 *		
MALE 65 YEARS +	5	5 --	*	*	61.1	62.2 -0-		
FEMALE 65 YEARS +	8	8 --	*	*	28.5	29.0 -0-		
OTHER CIRCULATORY DISEASES	37	36 1	13.9	14.2 *	16.3	16.3 *		
MALE 65 YEARS +	15	14 1	152.3	145.1 *	141.1	143.7 -0-		
FEMALE 65 YEARS +	13	13 --	89.3	90.9 -0-	94.1	92.8 *		
EMPHYSEMA, BRONCHITIS, ASTHMA	36	36 --	13.5	14.2 -0-	12.6	13.0 *		
MALE 65 YEARS +	21	21 --	213.2	217.6 -0-	187.4	186.6 *		
FEMALE 65 YEARS +	5	5 --	*	*	22.8	23.2 -0-		
PNEUMONIA AND INFLUENZA	48	48 --	18.0	18.9 -0-	20.6	20.3 27.0		
DIABETES MELLITUS	24	23 1	9.0	9.0 *	10.6	10.8 *		
CIRRHOSIS OF LIVER	29	27 2	10.9	10.6 *	13.2	13.1 *		
DISEASES OF EARLY INFANCY	48	43 5	18.0	16.9 *	20.2	18.7 55.9		
CONGENITAL ANOMALIES	22	21 1	8.2	8.3 *	8.6	7.9 25.0		
MOTOR VEHICLE ACCIDENTS	73	69 4	27.4	27.1 *	26.0	26.1 25.0		
ALL OTHER ACCIDENTS	66	65 1	24.7	25.6 *	20.9	20.8 23.1		
SUICIDE	22	21 1	8.2	8.3 *	9.9	9.7 *		
HOMICIDE	10	9 1	3.7	*	4.5	3.3 32.7		
UNDETERMINED EXTERNAL CAUSES	1	1 --	*	*	2.7	2.6 *		
ALL OTHER CAUSES	155	149 6	58.1	58.6 *	55.2	54.8 63.6		

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 08 LAKE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 RATES TOTAL WHITE OTHER
POPULATION TOTAL	396,800	373,500 23,300			
MALE 65 YEARS +	11,800	11,400 400			
FEMALE 65 YEARS +	15,200	14,700 500			
LIVE BIRTHS TOTAL	5,845	5,154 691	14.7	13.8 29.7	16.2 15.4 28.0
MALE	2,969	2,620 349
FEMALE	2,876	2,534 342
TO MOTHERS UNDER 20 YEARS	889	701 188	152.1	136.0 272.1	154.3 138.4 294.3
ILLEGITIMATE LIVE BIRTHS	546	250 296	93.4	48.5 428.4	76.9 44.1 365.2
TO MOTHERS UNDER 20 YEARS	281	132 149	514.7	528.0 503.4	537.3 516.1 559.8
PREMATURE (UNDER 2501 GRAMS)	329	262 67	56.3	50.8 97.0	68.1 62.1 120.8
FETAL DEATHS TOTAL	57	43 14	9.8	8.3 20.3	11.6 11.1 15.9
ILLEGITIMATE FETAL DEATHS	14	6 8	*	*	151.1 99.0 *
TO MOTHERS UNDER 20 YEARS	8	3 5	*	*	* *
PREMATURE (UNDER 2501 GRAMS)	37	28 9	*	*	656.6 648.6 *
NEONATAL DEATHS (UNDER 28 DAYS)	60	49 11	10.3	9.5 15.9	12.1 11.7 15.3
INFANT DEATHS (UNDER 1 YEAR)	82	65 17	14.0	12.6 24.6	15.9 15.5 19.4
PERINATAL LOSS < 7 DAYS + FETAL	108	85 23	18.3	16.4 32.6	21.9 21.0 29.5
MALE	58	44 14	19.3	16.7 39.0	23.3 22.4 31.9
FEMALE	50	41 9	17.2	16.0 *	20.3 19.5 27.2
ASPHYXIA UNSPECIFIED	14	9 5	2.4	*	2.0 2.1 *
IMMATURITY UNQUALIFIED	7	6 1	*	*	1.4 1.3 *
DEATHS TOTAL (EXCEPT FETAL)	2,519	2,372 147	634.8	635.1 630.9	663.6 669.2 575.6
MALE TOTAL	1,417	1,331 86
MALE 65 YEARS +	740	714 26	6271.2	6263.2 6500.0	6929.7 6933.6 6821.7
FEMALE TOTAL	1,102	1,041 61
FEMALE 65 YEARS +	755	736 19	4967.1	5006.8 3600.0	4973.5 4974.7 4936.7
DEATHS BY SELECTED CAUSE					
HEART DISEASE TOTAL	903	873 30	227.6	233.7 128.8	255.4 261.5 158.1
ARTERIOSCLEROTIC OR ISCHEMIC	825	800 25	207.9	214.2 107.3	234.8 241.1 134.5
MALE 65 YEARS +	306	300 6	2593.2	2631.6 *	3101.4 3106.9 2945.7
FEMALE 65 YEARS +	317	312 5	2085.5	2122.4 *	2186.2 2203.1 1687.8
OTHER HEART DISEASES TOTAL	78	73 5	19.7	19.5 *	20.6 20.5 23.6
MALE 65 YEARS +	20	18 2	169.5	157.9 *	200.8 204.3 *
FEMALE 65 YEARS +	17	17 --	111.8	115.6 -0-	153.0 149.6 *
CANCER ALL SITES	548	513 35	138.1	137.3 150.2	126.5 128.9 88.2
MALE 65 YEARS +	147	142 5	1245.8	1245.6 *	1285.0 1284.7 1292.0
FEMALE 65 YEARS +	143	135 8	940.8	918.4 *	758.2 752.4 928.3
CANCER DIGESTIVE ORGANS TOTAL	154	146 8	38.8	39.1 *	34.5 35.3 21.0
MALE 65 YEARS +	36	36 --	305.1	315.8 -0-	414.1 416.0 *
FEMALE 65 YEARS +	58	57 1	381.6	387.8 *	293.6 296.4 *
CANCER RESPIRATORY SYSTEM	129	120 9	32.5	32.1 *	28.6 28.9 22.7
MALE 65 YEARS +	46	46 --	389.8	403.5 -0-	380.3 384.7 *
FEMALE 65 YEARS +	14	13 1	92.1	88.4 *	56.5 54.2 *
CEREBROVASCULAR DISEASE TOTAL	223	215 8	56.2	57.6 *	65.3 65.4 64.6
MALE 65 YEARS +	69	66 3	584.7	578.5 *	675.4 670.0 826.9
FEMALE 65 YEARS +	117	114 3	769.7	775.5 *	873.9 863.6 1181.4
GENERAL ARTERIOSCLEROSIS TOTAL	33	33 --	8.3	8.8 -0-	8.7 9.0 *
MALE 65 YEARS +	15	15 --	127.1	131.6 -0-	128.0 128.8 *
FEMALE 65 YEARS +	16	16 --	105.3	108.8 -0-	115.8 119.7 -0-
HYPERTENSIVE DISEASE NON-HEART	7	7 --	*	*	3.1 3.0 *
MALE 65 YEARS +	3	3 --	*	*	42.7 44.2 -0-
FEMALE 65 YEARS +	4	4 --	*	*	31.7 29.9 *
OTHER CIRCULATORY DISEASES	49	43 6	12.3	11.5 *	13.7 13.5 16.6
MALE 65 YEARS +	17	17 --	144.1	149.1 -0-	191.9 187.7 *
FEMALE 65 YEARS +	14	13 1	92.1	88.4 *	102.0 102.6 *
EMPHYSEMA, BRONCHITIS, ASTHMA	43	41 2	10.8	11.0 *	12.8 12.9 12.2
MALE 65 YEARS +	27	27 --	228.8	236.8 -0-	222.2 219.0 *
FEMALE 65 YEARS +	3	3 --	*	*	45.5 45.6 *
PNEUMONIA AND INFLUENZA	69	64 5	17.4	17.1 *	19.5 19.6 17.5
DIABETES MELLITUS	45	39 6	11.3	10.4 *	11.1 11.4 *
CIRRHOSIS OF LIVER	49	43 6	12.3	11.5 *	12.8 12.9 10.5
DISEASES OF EARLY INFANCY	50	40 10	12.6	10.7 42.9	14.0 12.7 34.1
CONGENITAL ANOMALIES	18	18 --	4.5	4.8 -0-	6.7 6.3 13.1
MOTOR VEHICLE ACCIDENTS	94	86 8	23.7	23.0 *	25.8 26.4 17.5
ALL OTHER ACCIDENTS	71	71 4	18.9	19.0 *	19.5 19.1 25.3
SUICIDE	7	6 1	9.3	9.6 *	9.1 9.6 *
HOMICIDE	10	5 5	2.6	*	5.7 2.4 25.5
UNDETERMINED EXTERNAL CAUSES	14	13 1	3.6	3.5 *	3.2 1.9 *
ALL OTHER CAUSES	252	232 20	63.4	62.1 85.8	55.7 52.7 69.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 08 MC HENRY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	124,300	123,900	400			
MALE 65 YEARS +	5,200	5,200				
FEMALE 65 YEARS +	6,600	6,600				
LIVE BIRTHS TOTAL	1,863	1,849	14	15.0	14.9	35.0
MALE	932	923	9
FEMALE	931	926	5
TO MOTHERS UNDER 20 YEARS	225	224	1	120.8	121.1	122.2
ILLEGITIMATE LIVE BIRTHS	73	73	--	39.2	39.5	43.7
TO MOTHERS UNDER 20 YEARS	37	37	--	*	*	589.3
PREMATURE (UNDER 2501 GRAMS)	96	96	--	51.5	51.9	64.6
FETAL DEATHS TOTAL	16	16	--	8.6	8.7	12.3
ILLEGITIMATE FETAL DEATHS	2	2	--	*	*	*
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	*
PREMATURE (UNDER 2501 GRAMS)	13	13	--	*	*	600.0
NEONATAL DEATHS (UNDER 28 DAYS)	26	26	--	14.0	14.1	13.6
INFANT DEATHS (UNDER 1 YEAR)	37	37	--	19.9	20.0	17.9
PERINATAL LOSS < 7 DAYS + FETAL	38	38	--	20.2	20.4	23.8
MALE	21	21	--	22.3	22.6	27.9
FEMALE	17	17	--	18.1	18.2	19.5
ASPHYXIA UNSPECIFIED	6	6	--	*	*	2.3
IMMATURITY UNQUALIFIED	5	5	--	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	989	987	2	795.7	796.6	844.7
MALE TOTAL	575	574	1
MALE 65 YEARS +	331	330	1	6365.4	6346.2	7018.7
FEMALE TOTAL	414	413	1
FEMALE 65 YEARS +	284	284	--	4303.0	4303.0	5096.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	387	386	1	311.3	311.5	346.0
ARTERIOSCLEROTIC OR ISCHEMIC	364	363	1	292.8	293.0	324.0
MALE 65 YEARS +	154	153	1	2961.5	2942.3	3221.7
FEMALE 65 YEARS +	128	128	--	1939.4	1939.4	2366.0
OTHER HEART DISEASES TOTAL	23	23	--	18.5	18.6	21.9
MALE 65 YEARS +	11	11	--	211.5	211.5	164.4
FEMALE 65 YEARS +	2	2	--	*	*	132.3
CANCER ALL SITES	206	205	1	165.7	165.5	145.5
MALE 65 YEARS +	63	63	--	1211.5	1211.5	1191.7
FEMALE 65 YEARS +	54	54	--	818.2	818.2	648.8
CANCER DIGESTIVE ORGANS TOTAL	59	59	--	47.5	47.6	42.1
MALE 65 YEARS +	22	22	--	423.1	423.1	402.7
FEMALE 65 YEARS +	20	20	--	303.0	303.0	213.0
CANCER RESPIRATORY SYSTEM	38	38	--	30.6	30.7	29.6
MALE 65 YEARS +	17	17	--	326.9	326.9	328.7
FEMALE 65 YEARS +	--	--	--	-0-	-0-	42.0
CEREBROVASCULAR DISEASE TOTAL	85	85	--	68.4	68.6	90.8
MALE 65 YEARS +	25	25	--	480.8	480.8	776.7
FEMALE 65 YEARS +	46	46	--	697.0	697.0	845.7
GENERAL ARTERIOSCLEROSIS TOTAL	20	20	--	16.1	16.1	17.6
MALE 65 YEARS +	11	11	--	211.5	211.5	193.1
FEMALE 65 YEARS +	8	8	--	*	*	167.9
HYPERTENSIVE DISEASE NON-HEART	10	10	--	8.0	8.1	8.0
MALE 65 YEARS +	5	5	--	*	*	86.3
FEMALE 65 YEARS +	4	4	--	*	*	67.8
OTHER CIRCULATORY DISEASES	31	31	--	24.9	25.0	16.0
MALE 65 YEARS +	11	11	--	211.5	211.5	135.6
FEMALE 65 YEARS +	9	9	--	*	*	106.5
EMPHYSEMA, BRONCHITIS, ASTHMA	20	20	--	16.1	16.1	16.0
MALE 65 YEARS +	12	12	--	230.8	230.8	213.7
FEMALE 65 YEARS +	4	4	--	*	*	45.2
PNEUMONIA AND INFLUENZA	27	27	--	21.7	21.8	25.8
DIABETES MELLITUS	13	13	--	10.5	10.5	15.5
CIRRHOSIS OF LIVER	19	19	--	15.3	15.3	15.0
DISEASES OF EARLY INFANCY	22	22	--	17.7	17.8	14.5
CONGENITAL ANOMALIES	9	9	--	*	*	8.6
MOTOR VEHICLE ACCIDENTS	36	36	--	29.0	29.1	31.9
ALL OTHER ACCIDENTS	33	33	--	26.5	26.6	21.6
SUICIDE	13	13	--	10.5	10.5	10.0
HOMICIDE	4	4	--	*	*	2.3
UNDETERMINED EXTERNAL CAUSES	3	3	--	*	*	2.7
ALL OTHER CAUSES	51	51	--	41.0	41.2	57.2

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 09 W K K G
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	440,800	406,900	33,900			
MALE 65 YEARS +	14,850	13,950	900			
FEMALE 65 YEARS +	20,150	19,200	950			
LIVE BIRTHS TOTAL	7,639	6,671	968	17.3	16.4	28.9
MALE	3,997	3,491	506
FEMALE	3,642	3,180	462
TO MOTHERS UNDER 20 YEARS	1,175	863	312	153.8	129.4	322.3
ILLEGITIMATE LIVE BIRTHS	802	342	460	105.0	51.3	475.2
TO MOTHERS UNDER 20 YEARS	422	185	237	526.2	540.9	515.2
PREMATURE (UNDER 2501 GRAMS)	557	416	141	72.9	62.4	145.7
FETAL DEATHS TOTAL	63	57	6	8.2	8.4	10.7
ILLEGITIMATE FETAL DEATHS	14	10	4	*	*	171.3
TO MOTHERS UNDER 20 YEARS	7	6	1	*	*	75.2
PREMATURE (UNDER 2501 GRAMS)	30	28	2	*	*	463.5
NEONATAL DEATHS (UNDER 28 DAYS)	88	64	24	11.5	9.6	24.8
INFANT DEATHS (UNDER 1 YEAR)	118	86	32	15.4	12.9	33.1
PERINATAL LOSS < 7 DAYS + FETAL	143	116	27	18.6	17.2	27.7
MALE	68	57	11	16.9	16.2	21.6
FEMALE	75	59	16	20.4	16.4	34.5
ASPHYXIA UNSPECIFIED	19	15	4	2.5	2.2	3.9
IMMATURITY UNQUALIFIED	20	14	6	2.6	2.1	2.3
DEATHS TOTAL (EXCEPT FETAL)	3,208	2,969	239	727.8	729.7	705.0
MALE TOTAL	1,812	1,676	136
MALE 65 YEARS +	1,030	983	47	6936.0	7046.6	5222.2
FEMALE TOTAL	1,396	1,293	103
FEMALE 65 YEARS +	962	928	34	4774.2	4833.3	3578.9
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	1,350	1,272	78	306.3	312.6	230.1
ARTERIOSCLEROTIC OR ISCHEMIC	1,257	1,187	70	285.2	291.7	206.5
MALE 65 YEARS +	494	476	18	3326.6	3412.2	2000.0
FEMALE 65 YEARS +	466	449	17	2312.7	2338.5	1789.5
OTHER HEART DISEASES TOTAL	93	85	8	21.1	20.9	*
MALE 65 YEARS +	32	28	4	215.5	200.7	*
FEMALE 65 YEARS +	29	29	--	143.9	151.0	-0-
CANCER ALL SITES	619	579	40	140.4	142.3	118.0
MALE 65 YEARS +	190	179	11	1279.5	1283.2	1222.2
FEMALE 65 YEARS +	158	152	6	784.1	791.7	762.3
CANCER DIGESTIVE ORGANS TOTAL	156	149	7	35.4	36.6	*
MALE 65 YEARS +	53	51	2	356.9	365.6	367.6
FEMALE 65 YEARS +	54	53	1	268.0	276.0	283.8
CANCER RESPIRATORY SYSTEM	153	146	7	34.7	35.9	*
MALE 65 YEARS +	65	63	2	437.7	451.6	366.2
FEMALE 65 YEARS +	10	10	--	49.6	52.1	-0-
CEREBROVASCULAR DISEASE TOTAL	272	258	14	61.7	63.4	41.3
MALE 65 YEARS +	96	94	2	646.5	673.8	810.5
FEMALE 65 YEARS +	129	123	6	640.2	640.6	738.7
GENERAL ARTERIOSCLEROSIS TOTAL	47	45	2	10.7	11.1	*
MALE 65 YEARS +	20	19	1	134.7	136.2	140.6
FEMALE 65 YEARS +	25	24	1	124.1	125.0	204.9
HYPERTENSIVE DISEASE NON-HEART	10	10	--	2.3	2.5	-0-
MALE 65 YEARS +	4	4	--	*	*	44.6
FEMALE 65 YEARS +	5	5	--	*	*	27.7
OTHER CIRCULATORY DISEASES	48	45	3	10.9	11.1	*
MALE 65 YEARS +	20	20	--	134.7	143.4	-0-
FEMALE 65 YEARS +	11	11	--	54.6	57.3	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	51	47	4	11.6	11.6	*
MALE 65 YEARS +	35	34	1	235.7	243.7	236.7
FEMALE 65 YEARS +	2	2	--	*	*	-0-
PNEUMONIA AND INFLUENZA	75	72	3	17.0	17.7	*
DIABETES MELLITUS	84	77	7	19.1	18.9	*
CIRRHOSIS OF LIVER	37	34	3	8.4	8.4	*
DISEASES OF EARLY INFANCY	68	49	19	15.4	12.0	56.0
CONGENITAL ANOMALIES	23	20	3	5.2	4.9	*
MOTOR VEHICLE ACCIDENTS	104	94	10	23.6	23.1	29.5
ALL OTHER ACCIDENTS	97	88	9	22.0	21.6	*
SUICIDE	55	55	--	1.5	1.1	-0-
HOMICIDE	56	55	1	8.2	8.1	6.4
UNDETERMINED EXTERNAL CAUSES	15	14	1	3.4	3.4	2.4
ALL OTHER CAUSES	259	209	50	54.2	51.4	88.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 09 GRUNDY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATES WHITE	OTHER	70-74 TOTAL	RATES WHITE	OTHER
POPULATION TOTAL	27,500	27,400	100						
MALE 65 YEARS +	1,200	1,200							
FEMALE 65 YEARS +	1,500	1,500							
LIVE BIRTHS TOTAL	453	452	1	16.5	16.5	*	16.9	16.9	*
MALE	239	239	--
FEMALE	214	213	1
TO MOTHERS UNDER 20 YEARS	83	83	--	183.2	183.6	-0-	168.5	168.2	*
ILLEGITIMATE LIVE BIRTHS	17	17	--	37.5	37.6	-0-	36.7	36.3	*
TO MOTHERS UNDER 20 YEARS	8	8	--	*	*	-0-	*	*	*
PREMATURE (UNDER 2501 GRAMS)	39	39	--	86.1	86.3	-0-	61.4	61.5	-0-
FETAL DEATHS TOTAL	3	3	--	*	*	-0-	9.4	9.4	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	9	9	--	*	*	-0-	15.8	15.8	-0-
INFANT DEATHS (UNDER 1 YEAR)	10	10	--	22.1	22.1	-0-	18.3	18.4	-0-
PERINATAL LOSS < 7 DAYS + FETAL	12	12	--	26.3	26.4	-0-	23.7	23.7	-0-
MALE	8	8	--	*	*	-0-	23.2	23.2	-0-
FEMALE	4	4	--	*	*	-0-	24.2	24.2	-0-
ASPHYXIA UNSPECIFIED	2	2	--	*	*	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	237	235	2	861.8	857.7	*	929.7	932.0	*
MALE TOTAL	130	128	2
MALE 65 YEARS +	76	74	2	6333.3	6166.7	*	7721.4	7741.4	-0-
FEMALE TOTAL	107	107	--
FEMALE 65 YEARS +	70	70	--	4666.7	4666.7	-0-	5349.8	5349.8	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	100	98	2	363.6	357.7	*	381.4	382.6	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	89	87	2	323.6	317.5	*	341.8	342.9	-0-
MALE 65 YEARS +	35	33	2	2916.7	2750.0	*	3370.6	3379.3	-0-
FEMALE 65 YEARS +	32	32	--	2133.3	2133.3	-0-	2332.0	2332.0	-0-
OTHER HEART DISEASES TOTAL	11	11	--	40.0	40.1	-0-	39.6	39.7	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	326.7	327.6	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	288.1	288.1	-0-
CANCER ALL SITES	41	41	--	149.1	149.6	-0-	152.5	153.1	-0-
MALE 65 YEARS +	11	11	--	916.7	916.7	-0-	1152.2	1155.2	-0-
FEMALE 65 YEARS +	6	6	--	*	*	-0-	672.2	672.2	-0-
CANCER DIGESTIVE ORGANS TOTAL	11	11	--	40.0	40.1	-0-	39.6	39.7	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	378.3	379.3	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	233.2	233.2	-0-
CANCER RESPIRATORY SYSTEM	14	14	--	50.9	51.1	-0-	30.2	30.3	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	275.2	275.9	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	15	15	--	54.5	54.7	-0-	106.5	106.8	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	997.4	1000.0	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-	877.9	877.9	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	1	1	--	*	*	-0-	8.6	8.7	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-	7.9	7.9	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	2	2	--	*	*	-0-	13.0	13.0	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-	23.7	23.8	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	326.7	327.6	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	7	7	--	*	*	-0-	18.7	18.8	-0-
DIABETES MELLITUS	7	7	--	*	*	-0-	18.0	18.0	-0-
CIRRHOSIS OF LIVER	2	2	--	*	*	-0-	8.6	8.7	-0-
DISEASES OF EARLY INFANCY	8	8	--	*	*	-0-	22.3	22.4	-0-
CONGENITAL ANOMALIES	2	2	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	13	13	--	47.3	47.4	-0-	48.2	47.6	*
ALL OTHER ACCIDENTS	9	9	--	*	*	-0-	19.4	19.5	-0-
SUICIDE	1	1	--	*	*	-0-	12.2	12.3	-0-
HOMICIDE	1	1	--	*	*	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	1	1	--	*	*	-0-	*	*	-0-
ALL OTHER CAUSES	23	23	--	83.6	83.9	-0-	75.6	75.8	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 09 KANKAKEE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	95,800	84,500 11,300				
MALE 65 YEARS +	4,550	3,950 600				
FEMALE 65 YEARS +	6,150	5,500 650				
LIVE BIRTHS TOTAL	1,651	1,302 349	17.2	15.4 30.9	18.0	16.2 31.6
MALE	852	671 181
FEMALE	799	631 168
TO MOTHERS UNDER 20 YEARS	349	217 132	211.4	166.7 378.2	212.1	165.7 391.6
ILLEGITIMATE LIVE BIRTHS	306	98 208	185.3	75.3 596.0	157.6	60.9 530.9
TO MOTHERS UNDER 20 YEARS	158	51 107	516.3	*	514.4	545.5 519.0 557.2
PREMATURE (UNDER 2501 GRAMS)	109	65 44	66.0	49.9 126.1	81.3	64.9 144.3
FETAL DEATHS TOTAL	17	12 5	10.3	9.2 *	12.4	10.0 21.7
ILLEGITIMATE FETAL DEATHS	7	3 4	*	*	277.8	*
TO MOTHERS UNDER 20 YEARS	3	2 1	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	11	10 1	*	*	694.4	*
NEONATAL DEATHS (UNDER 28 DAYS)	19	11 8	11.5	8.4 *	18.3	16.2 26.7
INFANT DEATHS (UNDER 1 YEAR)	33	18 15	20.0	13.8 43.0	23.8	19.9 39.0
PERINATAL LOSS < 7 DAYS + FETAL	34	23 11	20.4	17.5 31.1	29.1	25.3 43.6
MALE	14	8 6	16.2	*	30.2	25.3 49.4
FEMALE	20	15 5	24.8	23.5 *	27.9	25.3 37.7
ASPHYXIA UNSPECIFIED	4	2 2	*	*	4.1	2.6 9.8
IMMATURITY UNQUALIFIED	6	3 3	*	*	2.9	2.9 *
DEATHS TOTAL (EXCEPT FETAL)	845	728 117	882.0	861.5 1035.4	904.9	898.9 950.0
MALE TOTAL	490	421 69
MALE 65 YEARS +	293	259 34	6439.6	6557.0 5666.7	6241.6	6505.7 4511.8
FEMALE TOTAL	355	307 48
FEMALE 65 YEARS +	240	225 15	3902.4	4050.9 2307.7	4576.0	4763.8 2990.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	373	333 40	389.4	394.1 354.0	391.5	402.9 306.1
ARTERIOSCLEROTIC OR ISCHEMIC	352	316 36	367.4	374.0 318.6	365.7	377.6 276.2
MALE 65 YEARS +	149	137 12	3274.7	3468.4 2000.0	3045.0	3196.3 2053.9
FEMALE 65 YEARS +	128	122 6	2081.3	2218.2 *	2296.3	2424.4 1215.0
OTHER HEART DISEASES TOTAL	21	17 4	21.9	20.1 *	25.8	25.3 29.9
MALE 65 YEARS +	6	4 2	*	*	169.4	164.4 *
FEMALE 65 YEARS +	4	4 --	*	*	118.8	125.5 *
CANCER ALL SITES	179	156 23	186.8	184.6 203.5	171.8	175.5 144.3
MALE 65 YEARS +	65	56 9	1428.6	1417.7 *	1208.2	1259.0 875.4
FEMALE 65 YEARS +	38	34 4	617.9	618.2 *	699.4	734.3 405.0
CANCER DIGESTIVE ORGANS TOTAL	38	35 3	39.7	41.4 *	48.9	50.3 38.7
MALE 65 YEARS +	18	17 1	395.6	430.4 *	379.0	385.4 336.7
FEMALE 65 YEARS +	11	11 --	178.9	200.0 -0-	240.8	254.6 *
CANCER RESPIRATORY SYSTEM	51	48 3	53.2	56.8 *	39.4	41.4 24.6
MALE 65 YEARS +	22	20 2	483.5	506.3 *	343.3	370.0 *
FEMALE 65 YEARS +	3	3 --	*	*	42.9	48.0 -0-
CEREBROVASCULAR DISEASE TOTAL	60	52 8	62.6	61.5 *	66.7	65.5 75.6
MALE 65 YEARS +	20	18 2	439.6	455.7 *	517.2	508.7 572.4
FEMALE 65 YEARS +	30	26 4	487.8	472.7 *	504.8	520.3 373.8
GENERAL ARTERIOSCLEROSIS TOTAL	6	5 1	*	*	23.7	25.5 *
MALE 65 YEARS +	3	2 1	*	*	156.0	169.6 *
FEMALE 65 YEARS +	2	2 --	*	*	244.1	265.7 *
HYPERTENSIVE DISEASE NON-HEART	3	3 --	*	*	5.2	4.7 *
MALE 65 YEARS +	1	1 --	*	*	58.0	61.7 *
FEMALE 65 YEARS +	2	2 --	*	*	*	*
OTHER CIRCULATORY DISEASES	8	8 --	*	*	15.3	15.7 *
MALE 65 YEARS +	4	4 --	*	*	115.9	128.5 *
FEMALE 65 YEARS +	2	2 --	*	*	75.9	70.1 *
EMPHYSEMA, BRONCHITIS, ASTHMA	13	10 3	13.6	11.8 *	15.3	16.4 *
MALE 65 YEARS +	8	7 1	*	*	182.8	210.7 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	36.3	36.9 *
PNEUMONIA AND INFLUENZA	23	20 3	24.0	23.7 *	17.8	16.1 29.9
DIABETES MELLITUS	19	18 1	19.8	21.3 *	21.1	20.4 26.4
CIRRHOSIS OF LIVER	6	6 --	*	*	8.5	7.5 *
DISEASES OF EARLY INFANCY	13	8 5	13.6	*	27.9	22.2 70.4
CONGENITAL ANOMALIES	10	8 2	10.4	*	7.6	7.0 *
MOTOR VEHICLE ACCIDENTS	32	25 7	33.4	29.6 *	29.1	27.1 44.0
ALL OTHER ACCIDENTS	28	21 7	29.2	24.9 *	23.3	20.6 44.0
SUICIDE	8	8 --	*	*	6.8	7.0 *
HOMICIDE	4	4 2	*	*	8.3	3.7 42.2
UNDETERMINED EXTERNAL CAUSES	7	6 1	*	*	5.4	5.4 *
ALL OTHER CAUSES	53	39 14	55.3	46.2 123.9	59.7	55.7 89.7

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 09 KENDALL COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	30,400	30,300	100			
MALE 65 YEARS +	850	850				
FEMALE 65 YEARS +	1,100	1,100				
LIVE BIRTHS TOTAL	520	512	8	17.1	16.9	*
MALE	283	278	5
FEMALE	237	234	3
TO MOTHERS UNDER 20 YEARS	48	48	--	92.3	93.8	-0-
ILLEGITIMATE LIVE BIRTHS	19	19	--	36.5	37.1	-0-
TO MOTHERS UNDER 20 YEARS	10	10	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	33	31	2	63.5	60.5	*
FETAL DEATHS TOTAL	5	5	--	*	*	-0-
ILLEGITIMATE FETAL DEATHS	1	1	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	1	1	--	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	2	2	--	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	4	4	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	5	5	--	*	*	-0-
PERINATAL LOSS < 7 DAYS + FETAL	9	9	--	*	*	-0-
MALE	5	5	--	*	*	-0-
FEMALE	4	4	--	*	*	-0-
ASPHYXIA UNSPECIFIED	1	1	--	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	184	183	1	605.3	604.0	*
MALE TOTAL	108	108	--
MALE 65 YEARS +	62	62	--	7294.1	7294.1	-0-
FEMALE TOTAL	76	75	1
FEMALE 65 YEARS +	53	53	--	4818.2	4818.2	-0-
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	83	82	1	273.0	270.6	*
ARTERIOSCLEROTIC OR ISCHEMIC	79	78	1	259.9	257.4	*
MALE 65 YEARS +	36	36	--	4235.3	4235.3	-0-
FEMALE 65 YEARS +	23	23	--	2090.9	2090.9	-0-
OTHER HEART DISEASES TOTAL	4	4	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CANCER ALL SITES	57	57	--	121.7	122.1	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-
FEMALE 65 YEARS +	13	13	--	1181.8	1181.8	-0-
CANCER DIGESTIVE ORGANS TOTAL	12	12	--	39.5	39.6	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-
CANCER RESPIRATORY SYSTEM	7	7	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	8	8	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	5	5	--	*	*	-0-
MALE 65 YEARS +	3	3	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	--	--	--	-0-	-0-	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	3	3	--	*	*	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	5	5	--	*	*	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-
PNEUMONIA AND INFLUENZA	4	4	--	*	*	-0-
DIABETES MELLITUS	3	3	--	*	*	-0-
CIRRHOSIS OF LIVER	--	--	--	-0-	-0-	-0-
DISEASES OF EARLY INFANCY	4	4	--	*	*	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	9	9	--	*	*	-0-
ALL OTHER ACCIDENTS	4	4	--	*	*	-0-
SUICIDE	3	3	--	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	2	2	--	*	*	-0-
ALL OTHER CAUSES	13	13	--	42.8	42.9	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 09 WILL COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	287,100	264,700 22,400				
MALE 65 YEARS +	8,250	7,950 300				
FEMALE 65 YEARS +	11,400	11,100 300				
LIVE BIRTHS TOTAL	5,015	4,405 610	17.5	16.6 27.2	17.2	16.4 27.4
MALE	2,623	2,303 320
FEMALE	2,392	2,102 290
TO MOTHERS UNDER 20 YEARS	695	515 180	138.6	116.9 295.1	151.6	130.5 312.8
ILLEGITIMATE LIVE BIRTHS	460	208 252	91.7	47.2 413.1	81.7	43.2 375.5
TO MOTHERS UNDER 20 YEARS	246	116 130	534.8	557.7 515.9	547.0	544.4 549.3
PREMATURE (UNDER 2501 GRAMS)	376	281 95	75.0	63.8 155.7	73.6	65.3 137.0
FETAL DEATHS TOTAL	38	37 1	7.6	8.4 *	10.4	9.9 14.3
ILLEGITIMATE FETAL DEATHS	6	6 --	*	*	134.7	63.1 *
TO MOTHERS UNDER 20 YEARS	3	3 --	*	*	-0-	*
PREMATURE (UNDER 2501 GRAMS)	15	14 1	*	*	367.3	325.2 *
NEONATAL DEATHS (UNDER 28 DAYS)	56	40 16	11.2	9.1 26.2	16.8	15.1 29.7
INFANT DEATHS (UNDER 1 YEAR)	70	53 17	14.0	12.0 27.9	20.7	18.5 37.4
PERINATAL LOSS < 7 DAYS + FETAL	88	72 16	17.4	16.2 26.2	25.5	23.4 41.5
MALE	41	36 5	15.5	15.5 *	27.9	25.3 47.6
FEMALE	47	36 11	19.5	17.0 37.8	23.0	21.4 35.1
ASPHYXIA UNSPECIFIED	12	10 2	2.4	2.3 *	4.1	3.4 9.4
IMMATURITY UNQUALIFIED	13	10 3	2.6	2.3 *	2.0	1.1 8.7
DEATHS TOTAL (EXCEPT FETAL)	1,942	1,823 119	676.4	688.7 531.3	719.0	729.3 587.4
MALE TOTAL	1,084	1,019 65
MALE 65 YEARS +	599	588 11	7260.6	7396.2 3666.7	7507.3	7529.0 6850.4
FEMALE TOTAL	858	804 54
FEMALE 65 YEARS +	599	580 19	5254.4	5225.2 6333.3	5295.9	5308.8 4854.4
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	794	759 35	276.6	286.7 156.3	292.2	303.8 144.6
ARTERIOSCLEROTIC OR ISCHEMIC	737	706 31	256.7	266.7 138.4	267.8	279.0 124.5
MALE 65 YEARS +	274	270 4	3321.2	3396.2 *	3507.3	3547.8 2283.5
FEMALE 65 YEARS +	283	272 11	2482.5	2450.5 3666.7	2442.5	2457.0 1941.7
OTHER HEART DISEASES TOTAL	57	53 4	19.9	20.0 *	24.4	24.7 20.1
MALE 65 YEARS +	20	18 2	242.4	226.4 *	229.9	224.5 *
FEMALE 65 YEARS +	19	19 --	166.7	171.2 -0-	202.8	195.5 *
CANCER ALL SITES	362	345 17	126.1	130.3 75.9	130.7	134.1 87.4
MALE 65 YEARS +	106	104 2	1284.8	1308.2 *	1278.6	1260.9 1811.0
FEMALE 65 YEARS +	101	99 2	886.0	891.9 *	812.9	819.6 *
CANCER DIGESTIVE ORGANS TOTAL	95	91 4	33.1	34.4 *	36.2	37.3 21.1
MALE 65 YEARS +	32	31 1	387.9	389.9 *	371.4	370.7 *
FEMALE 65 YEARS +	33	32 1	289.5	288.3 *	305.1	306.4 *
CANCER RESPIRATORY SYSTEM	81	77 4	28.2	29.1 *	27.7	28.4 19.1
MALE 65 YEARS +	35	35 --	424.2	440.3 -0-	404.3	404.6 *
FEMALE 65 YEARS +	4	4 --	*	*	49.3	50.8 -0-
CEREBROVASCULAR DISEASE TOTAL	189	183 6	65.8	69.1 *	73.7	75.2 55.2
MALE 65 YEARS +	68	68 --	824.2	855.3 -0-	929.9	929.4 944.9
FEMALE 65 YEARS +	87	85 2	763.2	765.8 *	823.9	812.1 1229.8
GENERAL ARTERIOSCLEROSIS TOTAL	35	34 1	12.2	12.8 *	12.5	13.2 *
MALE 65 YEARS +	13	13 --	157.6	163.5 -0-	136.4	138.4 *
FEMALE 65 YEARS +	21	20 1	184.2	180.2 *	195.5	195.5 *
HYPERTENSIVE DISEASE NON-HEART	5	5 --	*	*	2.6	2.2 *
MALE 65 YEARS +	2	2 --	*	*	25.3	*
FEMALE 65 YEARS +	2	2 --	*	*	18.3	*
OTHER CIRCULATORY DISEASES	35	32 3	12.2	12.1 *	13.4	13.6 10.0
MALE 65 YEARS +	14	14 --	169.7	176.1 -0-	171.8	172.3 *
FEMALE 65 YEARS +	9	9 --	*	*	91.3	92.1 *
EMPHYSEMA, BRONCHITIS, ASTHMA	31	30 1	10.8	11.3 *	12.7	13.3 *
MALE 65 YEARS +	21	21 --	254.5	264.2 -0-	247.6	253.2 *
FEMALE 65 YEARS +	1	1 --	*	*	42.0	43.2 -0-
PNEUMONIA AND INFLUENZA	41	41 --	14.3	15.5 -0-	14.8	14.3 22.1
DIABETES MELLITUS	55	49 6	19.2	18.5 *	17.8	18.4 10.0
CIRRHOSIS OF LIVER	29	26 3	10.1	9.8 *	12.3	12.2 13.1
DISEASES OF EARLY INFANCY	43	29 14	15.0	11.0 62.5	22.9	19.3 68.3
CONGENITAL ANOMALIES	10	9 1	3.5	*	8.8	8.6 11.0
MOTOR VEHICLE ACCIDENTS	50	47 3	17.4	17.8 *	23.1	22.7 28.1
ALL OTHER ACCIDENTS	56	54 2	19.5	20.4 *	20.4	19.6 30.1
SUICIDE	21	21 --	7.3	7.9 -0-	7.9	7.9 *
HOMICIDE	31	20 11	10.8	7.6 49.1	6.4	4.4 31.1
UNDETERMINED EXTERNAL CAUSES	5	5 --	*	*	1.0	1.1 -0-
ALL OTHER CAUSES	150	134 16	52.2	50.6 71.4	45.9	45.5 52.2

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 10 ILLINOIS
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	237,200	228,500 8,700				
MALE 65 YEARS +	11,550	11,300 250				
FEMALE 65 YEARS +	16,100	15,850 250				
LIVE BIRTHS TOTAL	3,614	3,324 290	15.2	14.5 33.3	15.6	15.1 28.6
MALE	1,855	1,711 144
FEMALE	1,759	1,613 146
TO MOTHERS UNDER 20 YEARS	693	603 90	191.8	181.4 310.3	182.7	173.0 315.7
ILLEGITIMATE LIVE BIRTHS	368	229 139	101.8	68.9 479.3	89.3	64.1 434.5
TO MOTHERS UNDER 20 YEARS	182	117 65	494.6	510.9 467.6	528.7	526.0 534.2
PREMATURE (UNDER 2501 GRAMS)	232	198 34	64.2	59.6 117.2	66.1	60.7 140.6
FETAL DEATHS TOTAL	42	30 12	11.6	9.0 41.4	11.8	11.6 15.3
ILLEGITIMATE FETAL DEATHS	10	5 5	*	*	119.8	85.9 *
TO MOTHERS UNDER 20 YEARS	6	2 4	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	30	21 9	*	*	576.0	565.7 *
NEONATAL DEATHS (UNDER 28 DAYS)	36	33 3	10.0	9.9	15.1	14.5 24.1
INFANT DEATHS (UNDER 1 YEAR)	54	51 3	14.9	15.3	19.6	18.6 33.7
PERINATAL LOSS < 7 DAYS + FETAL	75	61 14	20.5	18.2 46.4	25.3	24.4 38.0
MALE	47	41 6	25.0	23.7	28.1	26.8 45.1
FEMALE	28	20 8	15.8	12.3	22.4	21.8 30.6
ASPHYXIA UNSPECIFIED	11	11 --	3.0	3.3	3.4	3.2 *
IMMATURITY UNQUALIFIED	2	2 --	*	*	1.5	1.2 *
DEATHS TOTAL (EXCEPT FETAL)	2,325	2,270 55	980.2	993.4 632.2	984.7	995.2 710.9
MALE TOTAL	1,271	1,237 34
MALE 65 YEARS +	784	771 13	6787.9	6823.0 5200.0	7285.3	7306.8 6255.5
FEMALE TOTAL	1,054	1,033 21
FEMALE 65 YEARS +	792	782 10	4919.3	4923.8 4000.0	4974.2	4992.1 3871.0
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	1,100	1,080 20	463.7	472.6 229.9	442.4	450.8 224.7
ARTERIOSCLEROTIC OR ISCHEMIC	1,038	1,020 18	437.6	446.4 206.9	415.0	423.1 204.1
MALE 65 YEARS +	390	383 7	3376.6	3389.4	3594.9	3605.6 3083.7
FEMALE 65 YEARS +	442	439 3	2745.3	2769.7	2423.9	2435.8 1693.5
OTHER HEART DISEASES TOTAL	62	60 2	26.1	26.3	27.4	27.7 *
MALE 65 YEARS +	19	19 --	164.5	168.1	167.6	165.6 *
FEMALE 65 YEARS +	24	23 1	149.1	145.1	167.7	170.4 -0-
CANCER ALL SITES	417	409 8	175.8	179.0	172.9	176.4 80.3
MALE 65 YEARS +	129	127 2	1116.9	1123.9	1191.1	1199.4 *
FEMALE 65 YEARS +	109	108 1	677.0	681.4	725.0	735.4 *
CANCER DIGESTIVE ORGANS TOTAL	110	107 3	46.4	46.8	45.9	46.8 22.9
MALE 65 YEARS +	42	40 2	363.6	354.0	318.9	321.9 *
FEMALE 65 YEARS +	34	34 --	211.2	214.5	246.4	249.1 *
CANCER RESPIRATORY SYSTEM	94	92 2	39.6	40.3	36.4	36.8 25.2
MALE 65 YEARS +	35	35 --	303.0	309.7	338.8	340.3 *
FEMALE 65 YEARS +	5	5 --	*	*	51.6	52.4 -0-
CEREBROVASCULAR DISEASE TOTAL	196	190 6	82.6	83.2	96.9	97.2 89.4
MALE 65 YEARS +	76	75 1	658.0	663.7	794.7	791.0 969.2
FEMALE 65 YEARS +	93	88 5	577.6	555.2	708.2	701.4 1129.0
GENERAL ARTERIOSCLEROSIS TOTAL	32	32 --	13.5	14.0	15.7	16.1 *
MALE 65 YEARS +	10	10 --	86.6	88.5	127.9	128.8 *
FEMALE 65 YEARS +	18	18 --	111.8	113.6	129.0	128.5 *
HYPERTENSIVE DISEASE NON-HEART	10	10 --	4.2	4.4	5.5	5.5 *
MALE 65 YEARS +	3	3 --	*	*	54.1	51.5 *
FEMALE 65 YEARS +	5	5 --	*	*	31.0	31.5 -0-
OTHER CIRCULATORY DISEASES	49	47 2	20.7	20.6	19.1	19.5 *
MALE 65 YEARS +	20	20 --	173.2	177.0	165.8	167.4 *
FEMALE 65 YEARS +	16	16 --	99.4	100.9	76.1	76.0 *
EMPHYSEMA, BRONCHITIS, ASTHMA	47	47 --	19.8	20.6	18.2	18.7 *
MALE 65 YEARS +	30	30 --	259.7	265.5	232.5	233.6 *
FEMALE 65 YEARS +	5	5 --	*	*	36.1	36.7 -0-
PNEUMONIA AND INFLUENZA	50	49 1	21.1	21.4	24.9	24.8 27.5
DIABETES MELLITUS	41	41 --	17.3	17.9	19.5	19.6 *
CIRRHOSIS OF LIVER	25	24 1	10.5	10.5	11.4	11.3 *
DISEASES OF EARLY INFANCY	24	23 1	10.1	10.1	18.2	16.3 66.5
CONGENITAL ANOMALIES	18	18 --	7.6	7.9	7.6	7.8 *
MOTOR VEHICLE ACCIDENTS	58	58 --	24.5	25.4	27.9	28.1 25.2
ALL OTHER ACCIDENTS	57	55 4	24.0	23.2	25.7	25.3 36.7
SUICIDE	28	28 --	11.8	12.5	8.8	9.1 *
HOMICIDE	9	4 5	*	*	3.2	2.6 *
UNDETERMINED EXTERNAL CAUSES	2	1 1	*	*	1.9	1.4 *
ALL OTHER CAUSES	162	156 6	68.5	68.5	64.8	64.8 66.5

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 10 HENRY COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	55,100	54,300	800			
MALE 65 YEARS +	3,050	3,000	50			
FEMALE 65 YEARS +	4,250	4,200	50			
LIVE BIRTHS TOTAL	796	782	14	14.4	14.4	17.5
MALE	405	396	9
FEMALE	391	386	5
TO MOTHERS UNDER 20 YEARS	134	129	5	168.3	165.0	*
ILLEGITIMATE LIVE BIRTHS	41	37	4	51.5	47.3	*
TO MOTHERS UNDER 20 YEARS	21	17	4	*	*	570.7
PREMATURE (UNDER 2501 GRAMS)	51	50	1	64.1	63.9	*
FETAL DEATHS TOTAL	11	10	1	13.8	12.8	*
ILLEGITIMATE FETAL DEATHS	2	2	--	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	8	7	1	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	8	8	--	*	*	-0-
INFANT DEATHS (UNDER 1 YEAR)	16	16	--	20.1	20.5	-0-
PERINATAL LOSS < 7 DAYS + FETAL	19	18	1	23.5	22.7	*
MALE	12	12	--	29.1	29.7	-0-
FEMALE	7	6	1	*	*	19.4
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-
DEATHS TOTAL (EXCEPT FETAL)	626	621	5	1136.1	1143.6	*
MALE TOTAL	357	354	3
MALE 65 YEARS +	240	239	1	7868.9	7966.7	*
FEMALE TOTAL	269	267	2
FEMALE 65 YEARS +	216	214	2	5082.4	5095.2	*
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	276	276	--	500.9	508.3	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	258	258	--	468.2	475.1	-0-
MALE 65 YEARS +	107	107	--	3508.2	3566.7	-0-
FEMALE 65 YEARS +	108	108	--	2541.2	2571.4	-0-
OTHER HEART DISEASES TOTAL	18	18	--	32.7	33.1	-0-
MALE 65 YEARS +	8	8	--	*	*	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-
CANCER ALL SITES	102	102	--	185.1	187.8	-0-
MALE 65 YEARS +	36	36	--	1180.3	1200.0	-0-
FEMALE 65 YEARS +	30	30	--	705.9	714.3	-0-
CANCER DIGESTIVE ORGANS TOTAL	31	31	--	56.3	57.1	-0-
MALE 65 YEARS +	14	14	--	459.0	466.7	-0-
FEMALE 65 YEARS +	11	11	--	258.8	261.9	-0-
CANCER RESPIRATORY SYSTEM	21	21	--	38.1	38.7	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
CEREBROVASCULAR DISEASE TOTAL	74	72	2	134.3	132.6	*
MALE 65 YEARS +	27	27	--	885.2	900.0	-0-
FEMALE 65 YEARS +	35	33	2	823.5	785.7	*
GENERAL ARTERIOSCLEROSIS TOTAL	12	12	--	21.8	22.1	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	9	9	--	*	*	-0-
HYPERTENSIVE DISEASE NON-HEART	2	2	--	*	*	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	12	12	--	21.8	22.1	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	13	13	--	23.6	23.9	-0-
MALE 65 YEARS +	9	9	--	*	*	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-
PNEUMONIA AND INFLUENZA	13	13	--	23.6	23.9	-0-
DIABETES MELLITUS	21	21	--	38.1	38.7	-0-
CIRRHOSIS OF LIVER	6	5	1	*	*	-0-
DISEASES OF EARLY INFANCY	7	7	--	*	*	-0-
CONGENITAL ANOMALIES	3	3	--	*	*	-0-
MOTOR VEHICLE ACCIDENTS	20	20	--	36.3	36.6	-0-
ALL OTHER ACCIDENTS	11	10	1	20.0	18.4	*
SUICIDE	7	7	--	*	*	-0-
HOMICIDE	3	3	1	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	1	1	--	*	*	-0-
ALL OTHER CAUSES	43	43	--	78.0	79.2	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 10 MERCER COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	17,300	17,300				
MALE 65 YEARS +	1,100	1,100				
FEMALE 65 YEARS +	1,300	1,300				
LIVE BIRTHS TOTAL	276	276	16.0	16.0	14.7	14.7
MALE	149	149
FEMALE	127	127
TO MOTHERS UNDER 20 YEARS	55	55	199.3	199.3	211.3	210.7
ILLEGITIMATE LIVE BIRTHS	10	10	36.2	36.2	61.3	60.5
TO MOTHERS UNDER 20 YEARS	3	3	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	17	17	61.6	61.6	58.1	58.2
FETAL DEATHS TOTAL	2	2	*	*	12.6	12.6
ILLEGITIMATE FETAL DEATHS	--	--	-0-	-0-	*	*
TO MOTHERS UNDER 20 YEARS	--	--	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	1	1	*	*	*	*
NEONATAL DEATHS (UNDER 28 DAYS)	3	3	*	*	9.4	9.4
INFANT DEATHS (UNDER 1 YEAR)	4	4	*	*	14.1	14.2
PERINATAL LOSS < 7 DAYS + FETAL	4	4	*	*	20.2	20.2
MALE	2	2	*	*	20.5	20.5
FEMALE	2	2	*	*	19.8	19.9
ASPHYXIA UNSPECIFIED	1	1	*	*	*	*
IMMATURITY UNQUALIFIED	1	1	*	*	*	*
DEATHS TOTAL (EXCEPT FETAL)	181	181	1046.2	1046.2	1206.6	1210.3
MALE TOTAL	102	102
MALE 65 YEARS +	69	69	6272.7	6272.7	7976.8	7984.5
FEMALE TOTAL	79	79
FEMALE 65 YEARS +	62	62	4769.2	4769.2	5734.7	5734.7
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	101	101	583.8	583.8	560.0	561.7
ARTERIOSCLEROTIC OR ISCHEMIC	101	101	583.8	583.8	520.8	522.3
MALE 65 YEARS +	41	41	3727.5	3727.5	3949.7	3953.5
FEMALE 65 YEARS +	44	44	3384.6	3384.6	2668.8	2668.8
OTHER HEART DISEASES TOTAL	--	--	-0-	-0-	39.3	39.4
MALE 65 YEARS +	--	--	-0-	-0-	232.3	232.6
FEMALE 65 YEARS +	--	--	-0-	-0-	206.5	206.5
CANCER ALL SITES	27	27	156.1	156.1	189.4	189.9
MALE 65 YEARS +	10	10	909.1	909.1	1122.9	1124.0
FEMALE 65 YEARS +	5	5	*	*	889.6	889.6
CANCER DIGESTIVE ORGANS TOTAL	6	6	*	*	61.2	61.4
MALE 65 YEARS +	4	4	*	*	406.6	407.0
FEMALE 65 YEARS +	1	1	*	*	333.6	333.6
CANCER RESPIRATORY SYSTEM	7	7	*	*	39.3	39.4
MALE 65 YEARS +	2	2	*	*	309.8	310.1
FEMALE 65 YEARS +	1	1	*	*	*	*
CEREBROVASCULAR DISEASE TOTAL	13	13	75.1	75.1	112.0	112.3
MALE 65 YEARS +	6	6	*	*	871.2	872.1
FEMALE 65 YEARS +	7	7	*	*	635.4	635.4
GENERAL ARTERIOSCLEROSIS TOTAL	--	--	-0-	-0-	12.7	12.7
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
HYPERTENSIVE DISEASE NON-HEART	--	--	-0-	-0-	*	*
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	--	--	-0-	-0-	-0-	-0-
OTHER CIRCULATORY DISEASES	3	3	*	*	21.9	22.0
MALE 65 YEARS +	--	--	-0-	-0-	*	*
FEMALE 65 YEARS +	1	1	*	*	*	*
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3	*	*	23.1	23.2
MALE 65 YEARS +	2	2	*	*	251.7	251.9
FEMALE 65 YEARS +	--	--	-0-	-0-	*	*
PNEUMONIA AND INFLUENZA	5	5	*	*	58.9	59.1
DIABETES MELLITUS	2	2	*	*	33.5	33.6
CIRRHOSIS OF LIVER	--	--	-0-	-0-	*	*
DISEASES OF EARLY INFANCY	2	2	*	*	*	*
CONGENITAL ANOMALIES	1	1	*	*	*	*
MOTOR VEHICLE ACCIDENTS	1	1	*	*	50.8	51.0
ALL OTHER ACCIDENTS	10	10	57.8	57.8	19.6	19.7
SUICIDE	--	--	-0-	-0-	*	*
HOMICIDE	--	--	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSE	--	--	-0-	-0-	-0-	-0-
ALL OTHER CAUSES	9	9	*	*	83.1	83.4

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 10 ROCK ISLAND COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE	OTHER	1975 TOTAL	RATIOS WHITE	OTHER	70-74 TOTAL	RATIOS WHITE	OTHER
POPULATION TOTAL	164,800	156,900	7,900						
MALE 65 YEARS +	7,400	7,200	200						
FEMALE 65 YEARS +	10,550	10,350	200						
LIVE BIRTHS TOTAL	2,542	2,266	276	15.4	14.4	34.9	16.0	15.4	29.0
MALE	1,301	1,166	135
FEMALE	1,241	1,100	141
TO MOTHERS UNDER 20 YEARS	504	419	85	198.3	184.9	308.0	182.9	170.1	317.3
ILLEGITIMATE LIVE BIRTHS	317	182	135	124.7	80.3	489.1	103.1	71.7	434.4
TO MOTHERS UNDER 20 YEARS	158	97	61	498.4	533.0	451.9	519.1	509.8	535.2
PREMATURE (UNDER 2501 GRAMS)	164	151	33	64.5	57.8	119.6	68.8	61.5	145.1
FETAL DEATHS TOTAL	29	18	11	11.4	7.9	39.9	11.8	11.5	14.9
ILLEGITIMATE FETAL DEATHS	8	3	5	*	*	*	160.3	115.1	*
TO MOTHERS UNDER 20 YEARS	6	2	4	*	*	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	21	13	8	*	*	*	576.9	568.3	*
NEONATAL DEATHS (UNDER 28 DAYS)	25	22	3	9.8	9.7	*	15.7	14.9	23.6
INFANT DEATHS (UNDER 1 YEAR)	34	31	3	13.4	13.7	*	20.4	19.1	34.1
PERINATAL LOSS < 7 DAYS + FETAL	52	39	13	20.2	17.1	45.3	25.8	24.7	37.0
MALE	33	27	6	25.1	22.9	*	28.0	26.7	42.1
FEMALE	19	12	7	15.2	10.8	*	23.5	22.7	31.7
ASPHYXIA UNSPECIFIED	10	10	--	5.9	4.4	-0-	3.6	3.4	*
IMMATURITY UNQUALIFIED	1	1	--	*	*	-0-	1.5	1.1	*
DEATHS TOTAL (EXCEPT FETAL)	1,518	1,468	50	921.1	935.6	632.9	933.4	944.6	711.7
MALE TOTAL	812	761	31
MALE 65 YEARS +	475	463	12	6418.9	6450.6	6000.0	7325.7	7350.3	6395.9
FEMALE TOTAL	706	687	19
FEMALE 65 YEARS +	514	506	8	4872.0	4888.9	*	4872.2	4899.9	3557.7
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	723	703	20	438.7	448.1	253.2	422.1	431.9	227.9
ARTERIOSCLEROTIC OR ISCHEMIC	679	661	18	412.0	421.3	227.8	397.6	407.3	205.1
MALE 65 YEARS +	242	235	7	3270.3	3263.9	*	3694.3	3709.9	3147.2
FEMALE 65 YEARS +	290	287	3	2748.8	2772.9	*	2417.3	2433.7	1634.6
OTHER HEART DISEASES TOTAL	44	42	2	26.7	26.8	*	24.6	24.6	*
MALE 65 YEARS +	11	11	--	148.6	152.8	-0-	160.7	156.6	*
FEMALE 65 YEARS +	19	18	1	180.1	173.9	*	168.4	172.0	-0-
CANCER ALL SITES	288	280	8	174.8	178.5	*	167.4	171.6	83.6
MALE 65 YEARS +	83	81	2	1121.6	1125.0	*	1215.5	1229.9	*
FEMALE 65 YEARS +	74	73	1	701.4	705.3	*	709.3	722.2	*
CANCER DIGESTIVE ORGANS TOTAL	73	70	3	44.3	44.6	*	44.1	45.2	*
MALE 65 YEARS +	24	22	2	324.3	305.6	*	321.5	327.8	*
FEMALE 65 YEARS +	22	22	--	208.5	212.6	-0-	235.7	242.8	*
CANCER RESPIRATORY SYSTEM	66	64	2	40.0	40.6	*	35.0	35.5	25.3
MALE 65 YEARS +	24	24	--	324.3	333.3	-0-	338.4	342.3	*
FEMALE 65 YEARS +	4	4	--	*	*	-0-	55.5	56.6	-0-
CEREBROVASCULAR DISEASE TOTAL	109	105	4	66.1	66.9	*	85.9	86.4	76.0
MALE 65 YEARS +	43	42	1	581.1	583.3	*	767.1	760.0	1015.2
FEMALE 65 YEARS +	51	48	3	483.4	463.6	*	657.8	653.4	*
GENERAL ARTERIOSCLEROSIS TOTAL	20	20	--	12.1	12.7	-0-	16.2	16.6	*
MALE 65 YEARS +	8	8	--	*	*	-0-	143.8	145.0	*
FEMALE 65 YEARS +	9	9	--	*	*	-0-	138.7	137.6	*
HYPERTENSIVE DISEASE NON-HEART	8	8	--	*	*	-0-	6.2	6.1	*
MALE 65 YEARS +	1	1	--	*	*	-0-	70.5	66.7	*
FEMALE 65 YEARS +	5	5	--	*	*	-0-	39.6	40.5	-0-
OTHER CIRCULATORY DISEASES	34	32	2	20.6	20.4	*	16.7	17.0	*
MALE 65 YEARS +	14	14	--	189.2	194.4	-0-	155.1	156.6	*
FEMALE 65 YEARS +	11	11	--	194.3	106.3	-0-	73.3	72.8	*
EMPHYSEMA, BRONCHITIS, ASTHMA	31	31	--	18.8	19.8	-0-	18.1	18.8	*
MALE 65 YEARS +	19	19	--	256.8	263.9	-0-	236.9	237.9	*
FEMALE 65 YEARS +	3	3	--	*	*	-0-	45.6	46.5	-0-
PNEUMONIA AND INFLUENZA	32	31	1	19.4	19.8	*	22.0	21.7	27.9
DIABETES MELLITUS	18	18	--	10.9	11.4	-0-	16.0	16.1	*
CIRRHOSIS OF LIVER	19	19	--	11.5	12.1	-0-	11.7	11.5	*
DISEASES OF EARLY INFANCY	14	14	1	9.1	8.9	*	19.8	17.5	65.8
CONGENITAL ANOMALIES	14	14	--	8.5	8.9	-0-	6.9	7.1	*
MOTOR VEHICLE ACCIDENTS	33	33	--	20.0	21.0	-0-	24.1	24.4	*
ALL OTHER ACCIDENTS	36	33	3	21.8	21.0	*	26.5	25.8	40.5
SUICIDE	21	21	--	12.7	13.4	-0-	10.2	10.6	*
HOMICIDE	6	2	4	*	*	*	4.0	3.2	*
UNDETERMINED EXTERNAL CAUSES	1	--	1	*	-0-	*	2.1	1.4	*
ALL OTHER CAUSES	110	104	6	66.7	66.3	*	57.6	56.9	70.9

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 11 ILLMO
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	575,000	494,900 80,100				
MALE 65 YEARS +	24,650	21,850 2,800				
FEMALE 65 YEARS +	34,400	31,200 3,200				
LIVE BIRTHS TOTAL	8,833	6,509 2,324	15.4	13.2 29.0	16.8	14.7 30.7
MALE	4,502	3,312 1,190
FEMALE	4,331	3,197 1,134
TO MOTHERS UNDER 20 YEARS	2,039	1,203 836	230.8	184.8 359.7	222.2	181.2 349.0
ILLEGITIMATE LIVE BIRTHS	1,929	516 1,413	218.4	79.3 608.0	181.3	67.0 535.1
TO MOTHERS UNDER 20 YEARS	947	266 681	490.9	515.5 482.0	502.9	534.0 490.9
PREMATURE (UNDER 2501 GRAMS)	741	414 327	83.9	65.6 140.7	87.0	68.7 143.6
FETAL DEATHS TOTAL	100	59 41	11.3	9.1 17.6	12.6	10.8 18.2
ILLEGITIMATE FETAL DEATHS	24	4 20	240.0	*	256.5	74.6 591.7
TO MOTHERS UNDER 20 YEARS	12	4 8	*	*	371.1	* 372.1
PREMATURE (UNDER 2501 GRAMS)	67	36 31	670.0	*	601.6	547.3 701.8
NEONATAL DEATHS (UNDER 28 DAYS)	126	78 48	14.3	12.0 20.7	15.5	13.9 20.4
INFANT DEATHS (UNDER 1 YEAR)	175	103 72	19.8	15.8 31.0	20.8	17.9 29.7
PERINATAL LOSS < 7 DAYS + FETAL	201	119 82	22.5	18.1 34.7	26.6	23.4 36.4
MALE	108	71 37	23.7	21.2 30.7	29.0	25.5 39.6
FEMALE	93	48 45	21.2	14.9 38.8	24.1	21.2 33.0
ASPHYXIA UNSPECIFIED	27	16 11	3.0	2.4 4.7	3.8	3.0 6.2
IMMATURITY UNQUALIFIED	10	5 5	1.1	*	2.3	2.0 3.4
DEATHS TOTAL (EXCEPT FETAL)	5,314	4,475 839	924.2	904.2 1047.4	952.2	936.3 1055.2
MALE TOTAL	3,056	2,558 498
MALE 65 YEARS +	1,736	1,527 209	7042.6	6988.6 7464.3	7422.4	7498.7 6838.1
FEMALE TOTAL	2,258	1,917 341
FEMALE 65 YEARS +	1,571	1,401 170	4566.9	4490.4 5312.5	5011.8	4980.7 5312.5
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	2,088	1,817 271	363.1	367.1 338.3	398.0	398.9 391.6
ARTERIOSCLEROTIC OR ISCHEMIC	1,880	1,652 228	327.0	333.8 284.6	358.2	364.9 315.0
MALE 65 YEARS +	760	684 76	3083.2	3130.4 2714.3	3375.7	3417.4 3056.9
FEMALE 65 YEARS +	675	598 77	1962.2	1916.7 2406.3	2343.8	2317.7 2595.7
OTHER HEART DISEASES TOTAL	208	165 43	36.2	33.3 53.7	39.7	34.1 76.6
MALE 65 YEARS +	49	43 6	198.8	196.8 *	267.7	254.4 369.4
FEMALE 65 YEARS +	70	61 9	203.5	195.5 *	216.3	208.3 293.4
CANCER ALL SITES	1,057	905 152	183.8	182.9 189.8	165.5	168.4 146.5
MALE 65 YEARS +	337	288 49	1367.1	1318.1 1750.0	1257.4	1263.7 1209.7
FEMALE 65 YEARS +	256	227 29	744.2	727.6 906.3	683.0	695.0 567.6
CANCER DIGESTIVE ORGANS TOTAL	273	237 36	47.5	47.9 44.9	47.4	48.4 41.0
MALE 65 YEARS +	86	72 14	348.9	329.5 500.0	378.1	381.2 354.9
FEMALE 65 YEARS +	94	86 8	273.3	275.6 *	261.2	268.5 191.3
CANCER RESPIRATORY SYSTEM	269	230 39	46.8	46.5 48.7	39.9	40.5 36.4
MALE 65 YEARS +	117	107 10	474.6	489.7 357.1	389.0	397.3 326.0
FEMALE 65 YEARS +	17	13 4	49.4	41.7 *	50.3	50.9 *
CEREBROVASCULAR DISEASE TOTAL	556	472 84	96.7	95.4 104.9	102.4	103.0 98.4
MALE 65 YEARS +	208	176 32	843.8	805.5 1142.9	878.4	890.0 789.6
FEMALE 65 YEARS +	262	234 28	761.6	750.0 875.0	829.2	820.6 912.0
GENERAL ARTERIOSCLEROSIS TOTAL	88	80 8	15.3	16.2 *	17.9	19.6 6.7
MALE 65 YEARS +	37	34 3	150.1	155.6 *	164.8	176.9 72.4
FEMALE 65 YEARS +	41	40 1	119.2	128.2 *	171.4	183.8 *
HYPERTENSIVE DISEASE NON-HEART	28	20 8	4.9	4.0 *	5.3	5.2 6.1
MALE 65 YEARS +	9	6 3	*	*	59.4	61.5 *
FEMALE 65 YEARS +	11	8 3	32.0	*	35.3	35.7 *
OTHER CIRCULATORY DISEASES	91	83 8	15.8	16.8 *	20.2	20.4 19.2
MALE 65 YEARS +	42	40 2	170.4	183.1 *	180.7	187.3 130.4
FEMALE 65 YEARS +	27	23 4	78.5	73.7 *	111.4	110.4 121.2
EMPHYSEMA, BRONCHITIS, ASTHMA	90	79 11	15.7	16.0 13.7	15.2	16.5 6.9
MALE 65 YEARS +	52	47 5	211.0	215.1 *	205.8	223.2 72.4
FEMALE 65 YEARS +	9	8 1	*	*	28.8	30.4 *
PNEUMONIA AND INFLUENZA	148	115 33	25.7	23.2 41.2	25.5	22.4 45.6
DIABETES MELLITUS	78	65 13	13.6	13.1 16.2	16.5	15.6 22.5
CIRRHOSIS OF LIVER	71	64 7	12.3	12.9 *	10.8	10.7 11.8
DISEASES OF EARLY INFANCY	101	63 38	17.6	12.7 47.4	20.7	15.5 54.0
CONGENITAL ANOMALIES	39	31 8	6.8	6.3 *	7.0	6.6 9.0
MOTOR VEHICLE ACCIDENTS	160	148 12	27.8	29.9 15.0	29.7	30.1 26.9
ALL OTHER ACCIDENTS	165	127 38	28.7	25.7 47.4	24.9	24.0 31.0
SUICIDE	52	50 2	9.0	10.1 *	7.5	8.3 2.8
HOMICIDE	43	31 12	14.4	6.3 64.9	12.3	4.9 60.4
UNDETERMINED EXTERNAL CAUSES	22	12 10	3.8	2.4 12.5	5.2	4.0 12.8
ALL OTHER CAUSES	397	313 84	69.0	63.2 104.9	67.6	62.2 103.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 11 CLINTON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	29,400	29,100 300				
MALE 65 YEARS +	1,450	1,400 50				
FEMALE 65 YEARS +	1,800	1,800				
LIVE BIRTHS TOTAL	472	467 5	16.1	16.0 *	15.5	15.5 13.9
MALE	235	232 3
FEMALE	237	235 2
TO MOTHERS UNDER 20 YEARS	80	78 2	169.5	167.0 *	132.6	132.3 *
ILLEGITIMATE LIVE BIRTHS	28	27 1	59.3	57.8 *	42.4	40.5 *
TO MOTHERS UNDER 20 YEARS	21	20 1	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	30	29 1	63.6	62.1 *	67.2	66.8 *
FETAL DEATHS TOTAL	2	2 --	*	*	13.3	13.4 --
ILLEGITIMATE FETAL DEATHS	--	-- --	-0-	-0-	*	* --
TO MOTHERS UNDER 20 YEARS	--	-- --	-0-	-0-	*	* --
PREMATURE (UNDER 2501 GRAMS)	1	1 --	*	*	*	* --
NEONATAL DEATHS (UNDER 28 DAYS)	2	1 1	*	*	11.9	12.0 --
INFANT DEATHS (UNDER 1 YEAR)	4	3 1	*	*	17.7	17.8 --
PERINATAL LOSS < 7 DAYS + FETAL	4	3 1	*	*	24.9	25.1 --
MALE	3	3 --	*	*	27.3	27.5 --
FEMALE	1	-- 1	*	-0-	22.3	22.5 --
ASPHYXIA UNSPECIFIED	--	-- --	-0-	-0-	-0-	-0-
IMMATURITY UNQUALIFIED	1	1 --	*	*	*	* --
DEATHS TOTAL (EXCEPT FETAL)	270	266 4	918.4	914.1 *	915.0	913.8 1061.2
MALE TOTAL	158	158 --
MALE 65 YEARS +	97	97 --	6689.7	6928.6 -0-	7010.0	7029.0 *
FEMALE TOTAL	112	108 4
FEMALE 65 YEARS +	89	86 3	4944.4	4777.8 *	4826.0	4836.2 *
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	117	115 2	398.0	395.2 *	389.0	389.6 *
ARTERIOSCLEROTIC OR ISCHEMIC	107	106 1	363.9	364.3 *	362.3	362.6 *
MALE 65 YEARS +	50	50 --	3448.3	3571.4 -0-	3047.2	3072.5 *
FEMALE 65 YEARS +	40	39 1	2222.2	2166.7 *	2323.2	2316.4 *
OTHER HEART DISEASES TOTAL	10	9 1	34.0	*	26.7	26.9 -0-
MALE 65 YEARS +	2	2 --	*	*	200.3	202.9 -0-
FEMALE 65 YEARS +	5	4 1	*	*	202.0	203.4 -0-
CANCER ALL SITES	52	52 --	176.9	178.7 -0-	160.3	158.9 *
MALE 65 YEARS +	15	15 --	1034.5	1071.4 -0-	1301.9	1304.3 *
FEMALE 65 YEARS +	18	18 --	1000.0	1050.0 -0-	594.8	598.9 -0-
CANCER DIGESTIVE ORGANS TOTAL	10	10 --	34.0	34.4 -0-	39.7	39.4 *
MALE 65 YEARS +	2	2 --	*	*	357.7	362.3 -0-
FEMALE 65 YEARS +	5	5 --	*	*	179.6	180.8 -0-
CANCER RESPIRATORY SYSTEM	13	13 --	44.2	44.7 -0-	38.4	38.0 *
MALE 65 YEARS +	8	8 --	*	*	372.0	376.8 -0-
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* --
CEREBROVASCULAR DISEASE TOTAL	20	19 1	68.0	65.3 *	97.9	97.4 *
MALE 65 YEARS +	9	9 --	*	*	858.4	840.6 *
FEMALE 65 YEARS +	8	7 1	*	*	729.5	734.5 -0-
GENERAL ARTERIOSCLEROSIS TOTAL	5	5 --	*	*	19.2	19.3 -0-
MALE 65 YEARS +	2	2 --	*	*	157.4	159.4 -0-
FEMALE 65 YEARS +	3	3 --	*	*	168.4	169.5 -0-
HYPERTENSIVE DISEASE NON-HEART	4	4 --	*	*	8.9	9.0 -0-
MALE 65 YEARS +	1	1 --	*	*	*	* --
FEMALE 65 YEARS +	2	2 --	*	*	*	* --
OTHER CIRCULATORY DISEASES	6	6 --	*	*	29.5	29.7 -0-
MALE 65 YEARS +	4	4 --	*	*	214.6	217.4 -0-
FEMALE 65 YEARS +	1	1 --	*	*	190.8	192.1 -0-
EMPHYSEMA, BRONCHITIS, ASTHMA	3	3 --	*	*	15.1	15.2 -0-
MALE 65 YEARS +	2	2 --	*	*	*	* --
FEMALE 65 YEARS +	--	-- --	-0-	-0-	*	* --
PNEUMONIA AND INFLUENZA	7	7 --	*	*	22.6	22.1 *
DIABETES MELLITUS	6	6 --	*	*	17.8	16.6 *
CIRRHOSIS OF LIVER	1	1 --	*	*	7.5	7.6 -0-
DISEASES OF EARLY INFANCY	2	1 1	*	*	16.4	16.6 -0-
CONGENITAL ANOMALIES	2	2 --	*	*	*	* --
MOTOR VEHICLE ACCIDENTS	16	16 --	54.4	55.0 -0-	44.5	44.9 -0-
ALL OTHER ACCIDENTS	11	11 --	37.4	37.8 -0-	22.6	22.8 -0-
SUICIDE	1	1 --	*	*	*	* --
HOMICIDE	--	-- --	-0-	-0-	-0-	-0-
UNDETERMINED EXTERNAL CAUSES	--	-- --	-0-	-0-	*	* --
ALL OTHER CAUSES	17	17 --	57.8	58.4 -0-	54.8	55.3 -0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCY.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 11 MADISON COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	10-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	247,600	233,096 14,500				
MALE 65 YEARS +	11,000	10,400 600				
FEMALE 65 YEARS +	15,400	14,700 700				
LIVE BIRTHS TOTAL	3,443	3,133 310	15.9	13.4 21.1	16.1	15.5 17.9
MALE	1,767	1,615 152
FEMALE	1,676	1,518 158
TO MOTHERS UNDER 20 YEARS	711	596 115	206.5	190.2 371.0	201.6	188.0 327.1
ILLEGITIMATE LIVE BIRTHS	449	266 183	130.4	84.9 590.3	108.5	72.2 468.7
TO MOTHERS UNDER 20 YEARS	223	129 94	496.7	485.0 513.7	527.1	516.5 543.2
PREMATURE (UNDER 2501 GRAMS)	245	204 41	71.2	65.1 132.3	71.7	67.2 117.0
FETAL DEATHS TOTAL	34	29 5	9.9	9.3 *	9.8	9.1 17.3
ILLEGITIMATE FETAL DEATHS	5	3 2	*	*	160.8	71.9 *
TO MOTHERS UNDER 20 YEARS	5	3 2	*	*	*	*
PREMATURE (UNDER 2501 GRAMS)	19	17 2	*	*	522.6	509.0 *
NEONATAL DEATHS (UNDER 28 DAYS)	39	35 4	11.3	11.2 *	14.5	13.7 22.1
INFANT DEATHS (UNDER 1 YEAR)	52	45 7	15.1	14.4 *	18.2	16.8 31.8
PERINATAL LOSS < 7 DAYS + FETAL	63	54 9	18.1	17.1 *	22.7	21.4 35.5
MALE	39	34 5	21.8	20.8 *	22.6	21.8 30.4
FEMALE	24	20 4	14.2	13.1 *	22.8	20.9 41.2
ASPHYXIA UNSPECIFIED	7	6 1	*	*	3.0	2.8 5.3
IMMATURITY UNQUALIFIED	3	3 --	*	*	-0-	1.9 5.3
DEATHS TOTAL (EXCEPT FETAL)	2,215	2,074 141	894.6	890.1 965.8	917.0	909.8 1042.7
MALE TOTAL	1,276	1,193 83
MALE 65 YEARS +	749	702 47	6809.1	6750.0 7833.3	7229.8	7288.0 6282.9
FEMALE TOTAL	939	881 58
FEMALE 65 YEARS +	679	647 32	4409.1	4401.4 4571.4	4963.8	4957.5 5099.8
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	886	856 30	571.8	568.8 542.5	584.1	581.6 426.7
ATHERIOSCLEROTIC OR ISCHEMIC	883	861 22	569.3	566.7 538.7	584.9	582.4 434.9
MALE 65 YEARS +	577	505 72	2976.4	2952.7 5000.0	5184.9	5210.8 2763.2
FEMALE 65 YEARS +	501	288 213	1954.5	1959.2 1857.1	2314.0	2298.7 2642.1
OTHER HEART DISEASES TOTAL	83	75 8	33.5	32.2 *	37.8	34.7 91.7
MALE 65 YEARS +	18	17 1	163.6	163.5 *	274.0	262.5 460.5
FEMALE 65 YEARS +	29	26 3	188.3	176.9 *	232.1	212.9 645.2
CANCER ALL SITES	455	431 24	183.8	185.0 164.4	162.8	164.4 135.4
MALE 65 YEARS +	143	134 9	1300.0	1288.5 *	1242.4	1246.0 1184.2
FEMALE 65 YEARS +	109	103 6	707.8	700.7 *	685.3	697.2 430.1
CANCER DIGESTIVE ORGANS TOTAL	119	114 5	48.1	48.9 *	46.4	46.3 49.5
MALE 65 YEARS +	38	36 2	345.5	346.2 *	353.9	347.3 460.5
FEMALE 65 YEARS +	41	40 1	266.2	272.1 *	271.7	275.7 *
CANCER RESPIRATORY SYSTEM	123	116 7	49.7	49.8 *	39.1	39.4 34.9
MALE 65 YEARS +	57	54 3	518.2	519.2 *	407.2	409.9 361.8
FEMALE 65 YEARS +	8	7 1	*	*	50.5	51.4 *
CEREBROVASCULAR DISEASE TOTAL	220	201 19	88.9	86.5 130.1	95.6	96.4 85.9
MALE 65 YEARS +	90	79 11	818.2	759.6 1833.3	818.1	830.0 625.0
FEMALE 65 YEARS +	100	96 4	649.4	653.1 *	768.6	777.2 583.7
GENERAL ATHERIOSCLEROSIS TOTAL	33	31 2	13.3	13.3 *	17.6	18.1 *
MALE 65 YEARS +	17	16 1	154.5	153.8 *	169.3	175.7 *
FEMALE 65 YEARS +	14	14 --	90.9	95.2 -0-	161.1	162.9 *
HYPERTENSIVE DISEASE NON-HEART	8	4 4	*	*	4.4	4.3 *
MALE 65 YEARS +	1	-- 1	*	-0-	49.5	48.5 *
FEMALE 65 YEARS +	3	2 1	*	*	31.4	31.4 *
OTHER CIRCULATORY DISEASES	42	40 2	17.0	17.2 *	20.1	19.9 23.3
MALE 65 YEARS +	20	20 --	181.8	192.5 -0-	186.5	191.8 *
FEMALE 65 YEARS +	13	12 1	84.4	81.6 *	98.3	98.6 *
EMPHYSEMA, BRONCHITIS, ASTHMA	54	50 4	21.8	21.5 *	16.7	17.0 *
MALE 65 YEARS +	52	51 1	290.9	298.1 *	239.7	252.4 *
FEMALE 65 YEARS +	6	5 --	*	*	-0-	28.7 30.0 -0-
PNEUMONIA AND INFLUENZA	65	56 9	25.4	24.0 *	25.2	24.1 45.1
DIABETES MELLITUS	51	50 1	12.5	12.9 *	17.2	16.7 24.8
CIRRHOSIS OF LIVER	29	29 --	11.7	12.4 -0-	9.5	9.2 16.0
DISEASES OF EARLY INFANCY	28	26 2	11.3	11.2 *	17.3	15.7 45.1
CONGENITAL ANOMALIES	18	16 2	7.3	6.9 *	6.8	6.6 *
MOTOR VEHICLE ACCIDENTS	68	66 2	27.5	28.3 *	29.0	28.9 30.6
ALL OTHER ACCIDENTS	54	52 2	21.8	22.3 *	23.9	23.7 27.7
SUICIDE	24	23 1	9.7	9.9 *	7.4	7.7 *
HOMICIDE	16	15 1	6.5	5.6 *	5.8	4.2 55.5
UNDETERMINED EXTERNAL CAUSE	5	5 --	*	*	-0-	5.6 5.2 *
ALL OTHER CAUSES	181	165 16	73.1	70.8 109.6	67.8	66.0 99.0

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.0%.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 11 MONROE COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER		1975 TOTAL	RATES		70-74 TOTAL	RATES	
		WHITE	OTHER		WHITE	OTHER		WHITE	OTHER
POPULATION TOTAL	18,600	18,600							
MALE 65 YEARS +	1,050	1,050							
FEMALE 65 YEARS +	1,300	1,300							
LIVE BIRTHS TOTAL	241	240	1	13.0	12.9	*	13.7	13.7	*
MALE	122	122	--
FEMALE	119	118	1
TO MOTHERS UNDER 20 YEARS	41	41	--	170.1	170.8	-0-	140.8	140.1	*
ILLEGITIMATE LIVE BIRTHS	11	11	--	45.6	45.8	-0-	34.8	34.8	-0-
TO MOTHERS UNDER 20 YEARS	6	6	--	*	*	-0-	*	*	-0-
PREMATURE (UNDER 2501 GRAMS)	13	13	--	53.9	54.2	-0-	55.7	55.7	-0-
FETAL DEATHS TOTAL	1	1	--	*	*	-0-	15.5	15.5	-0-
ILLEGITIMATE FETAL DEATHS	--	--	--	-0-	-0-	-0-	*	*	-0-
TO MOTHERS UNDER 20 YEARS	--	--	--	-0-	-0-	-0-	-0-	-0-	-0-
PREMATURE (UNDER 2501 GRAMS)	--	--	--	-0-	-0-	-0-	*	*	-0-
NEONATAL DEATHS (UNDER 28 DAYS)	2	2	--	*	*	-0-	12.4	12.4	-0-
INFANT DEATHS (UNDER 1 YEAR)	2	2	--	*	*	-0-	17.0	17.0	-0-
PERINATAL LOSS < 7 DAYS + FETAL	2	2	--	*	*	-0-	25.9	25.9	-0-
MALE	1	1	--	*	*	-0-	27.8	27.8	-0-
FEMALE	1	1	--	*	*	-0-	23.8	23.9	-0-
ASPHYXIA UNSPECIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
IMMATURITY UNQUALIFIED	--	--	--	-0-	-0-	-0-	*	*	-0-
DEATHS TOTAL (EXCEPT FETAL)	193	193	--	1037.6	1037.6	-0-	1001.4	1002.4	-0-
MALE TOTAL	118	118	--
MALE 65 YEARS +	84	84	--	8000.0	8000.0	-0-	6996.0	6996.0	-0-
FEMALE TOTAL	75	75	--
FEMALE 65 YEARS +	57	57	--	4384.6	4384.6	-0-	4838.5	4838.5	-0-
DEATHS BY SELECTED CAUSE									
HEART DISEASE TOTAL	98	98	--	526.9	526.9	-0-	477.9	478.3	-0-
ARTERIOSCLEROTIC OR ISCHEMIC	86	86	--	462.4	462.4	-0-	448.1	448.6	-0-
MALE 65 YEARS +	43	43	--	4095.2	4095.2	-0-	3588.7	3588.7	-0-
FEMALE 65 YEARS +	32	32	--	2461.5	2461.5	-0-	2505.9	2505.9	-0-
OTHER HEART DISEASES TOTAL	12	12	--	64.5	64.5	-0-	29.7	29.8	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	4	4	--	*	*	-0-	*	*	-0-
CANCER ALL SITES	35	35	--	188.2	188.2	-0-	166.7	166.9	-0-
MALE 65 YEARS +	14	14	--	1333.3	1333.3	-0-	1048.4	1048.4	-0-
FEMALE 65 YEARS +	5	5	--	*	*	-0-	819.5	819.5	-0-
CANCER DIGESTIVE ORGANS TOTAL	11	11	--	59.1	59.1	-0-	45.7	45.7	-0-
MALE 65 YEARS +	5	5	--	*	*	-0-	302.4	302.4	-0-
FEMALE 65 YEARS +	2	2	--	*	*	-0-	283.7	283.7	-0-
CANCER RESPIRATORY SYSTEM	7	7	--	*	*	-0-	27.6	27.6	-0-
MALE 65 YEARS +	4	4	--	*	*	-0-	302.4	302.4	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
CEREBROVASCULAR DISEASE TOTAL	16	16	--	86.0	86.0	-0-	82.8	82.9	-0-
MALE 65 YEARS +	6	6	--	*	*	-0-	746.0	746.0	-0-
FEMALE 65 YEARS +	8	8	--	*	*	-0-	441.3	441.3	-0-
GENERAL ARTERIOSCLEROSIS TOTAL	6	6	--	*	*	-0-	53.1	53.1	-0-
MALE 65 YEARS +	2	2	--	*	*	-0-	362.9	362.9	-0-
FEMALE 65 YEARS +	3	3	--	*	*	-0-	488.6	488.6	-0-
HYPERTENSIVE DISEASE NON-HEART	1	1	--	*	*	-0-	*	*	-0-
MALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
OTHER CIRCULATORY DISEASES	2	2	--	*	*	-0-	10.6	10.6	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	*	*	-0-
FEMALE 65 YEARS +	1	1	--	*	*	-0-	-0-	-0-	-0-
EMPHYSEMA, BRONCHITIS, ASTHMA	2	2	--	*	*	-0-	20.2	20.2	-0-
MALE 65 YEARS +	1	1	--	*	*	-0-	302.4	302.4	-0-
FEMALE 65 YEARS +	--	--	--	-0-	-0-	-0-	*	*	-0-
PNEUMONIA AND INFLUENZA	1	1	--	*	*	-0-	14.9	14.9	-0-
DIABETES MELLITUS	5	5	--	*	*	-0-	13.8	13.8	-0-
CIRRHOSIS OF LIVER	3	3	--	*	*	-0-	10.6	10.6	-0-
DISEASES OF EARLY INFANCY	2	2	--	*	*	-0-	14.9	14.9	-0-
CONGENITAL ANOMALIES	1	1	--	*	*	-0-	*	*	-0-
MOTOR VEHICLE ACCIDENTS	5	5	--	*	*	-0-	40.4	40.4	-0-
ALL OTHER ACCIDENTS	5	5	--	*	*	-0-	15.9	15.9	-0-
SUICIDE	1	1	--	*	*	-0-	*	*	-0-
HOMICIDE	--	--	--	-0-	-0-	-0-	*	*	-0-
UNDETERMINED EXTERNAL CAUSES	--	--	--	-0-	-0-	-0-	*	*	-0-
ALL OTHER CAUSES	10	10	--	53.8	53.8	-0-	58.4	58.5	-0-

* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.

-- QUANTITY IS ZERO.

0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.

-0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.

SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

HEALTH SERVICE AREA 11 ST. CLAIR COUNTY
SELECTED VITAL STATISTICS AMONG RESIDENTS

ITEM	1975 TOTAL	NUMBER WHITE OTHER	1975 TOTAL	RATES WHITE OTHER	70-74 TOTAL	RATES WHITE OTHER
POPULATION TOTAL	279,400	214,200 65,200				
MALE 65 YEARS +	11,150	9,000 2,150				
FEMALE 65 YEARS +	15,900	13,400 2,500				
LIVE BIRTHS TOTAL	4,677	2,669 2,008	16.7	12.5 30.8	17.8	13.8 31.5
MALE	2,378	1,343 1,035
FEMALE	2,299	1,326 973
TO MOTHERS UNDER 20 YEARS	1,207	486 719	258.1	182.8 358.1	250.8	183.7 351.4
ILLEGITIMATE LIVE BIRTHS	1,441	212 1,229	308.1	79.4 612.1	259.7	67.4 547.7
TO MOTHERS UNDER 20 YEARS	697	111 586	483.7	523.6 476.8	493.3	550.4 482.8
PREMATURE (UNDER 2501 GRAMS)	453	168 285	96.9	62.5 141.9	102.6	71.9 148.5
FETAL DEATHS TOTAL	63	27 36	13.5	10.1 17.9	14.7	12.2 18.4
ILLEGITIMATE FETAL DEATHS	19	1 18	*	*	334.2	81.1 586.0
TO MOTHERS UNDER 20 YEARS	7	1 6	*	*	387.1	* 403.7
PREMATURE (UNDER 2501 GRAMS)	47	16 29	*	*	657.7	594.6 720.4
NEONATAL DEATHS (UNDER 28 DAYS)	83	40 43	17.7	15.0 21.4	16.8	14.6 20.1
INFANT DEATHS (UNDER 1 YEAR)	117	53 64	25.0	19.9 31.9	23.4	19.4 29.4
PERINATAL LOSS < 7 DAYS + FETAL	132	60 72	27.8	22.3 35.2	29.9	25.4 36.6
MALE	65	33 32	27.0	24.3 30.5	34.3	29.6 41.4
FEMALE	67	27 40	28.7	20.1 40.2	25.3	21.0 31.6
ASPHYXIA UNSPECIFIED	20	10 10	4.2	3.7 4.9	4.8	3.8 6.4
IMMATURITY UNQUALIFIED	6	1 5	*	*	2.4	2.0 3.1
DEATHS TOTAL (EXCEPT FETAL)	2,636	1,942 694	943.5	906.6 1064.4	984.0	962.4 1058.2
MALE TOTAL	1,504	1,089 415
MALE 65 YEARS +	806	644 162	7228.7	7155.6 7534.9	7697.2	7863.3 7007.0
FEMALE TOTAL	1,132	853 279
FEMALE 65 YEARS +	746	611 135	4691.8	4559.7 5400.0	5091.8	5038.2 5378.1
DEATHS BY SELECTED CAUSE						
HEART DISEASE TOTAL	987	768 219	353.3	358.5 335.9	405.9	412.1 384.5
ARTERIOSCLEROTIC OR ISCHEMIC	884	699 185	316.4	326.3 283.7	362.4	377.4 310.8
MALE 65 YEARS +	344	286 58	5085.2	5177.8 2697.7	5580.5	3682.5 3156.9
FEMALE 65 YEARS +	302	239 63	1899.4	1783.6 2520.0	2361.0	2320.0 2579.9
OTHER HEART DISEASES TOTAL	103	69 34	36.9	32.2 52.1	43.5	34.7 73.6
MALE 65 YEARS +	24	19 5	219.2	211.1 *	281.7	266.1 346.6
FEMALE 65 YEARS +	32	27 5	201.3	201.5 *	210.5	212.0 202.2
CANCER ALL SITES	515	387 128	184.3	180.7 196.3	168.3	174.2 148.2
MALE 65 YEARS +	165	125 40	1479.8	1388.9 1860.5	1285.0	1301.2 1217.8
FEMALE 65 YEARS +	124	101 23	779.9	753.7 920.0	679.8	693.6 606.6
CANCER DIGESTIVE ORGANS TOTAL	133	102 31	47.6	47.6 47.5	49.1	52.1 39.0
MALE 65 YEARS +	41	25 12	367.7	322.2 558.1	410.8	430.7 327.9
FEMALE 65 YEARS +	46	39 7	289.3	291.0 *	258.9	271.1 194.1
CANCER RESPIRATORY SYSTEM	126	94 32	45.1	43.9 49.1	41.6	43.1 36.5
MALE 65 YEARS +	48	41 7	439.5	455.6 *	381.7	396.9 318.5
FEMALE 65 YEARS +	8	5 3	*	*	51.0	51.5 *
CEREBROVASCULAR DISEASE TOTAL	300	236 64	107.4	110.2 98.2	109.9	112.6 100.8
MALE 65 YEARS +	103	82 21	923.8	911.1 976.7	950.6	980.9 824.4
FEMALE 65 YEARS +	146	123 23	918.2	917.9 920.0	928.6	914.7 1002.8
GENERAL ARTERIOSCLEROSIS TOTAL	44	38 6	15.7	17.7 *	15.6	18.4 6.2
MALE 65 YEARS +	16	14 2	143.5	155.8 *	143.6	160.1 *
FEMALE 65 YEARS +	21	20 1	132.1	149.3 *	155.6	178.7 *
HYPERTENSIVE DISEASE NON-HEART	15	11 4	5.4	5.1 *	5.9	5.8 6.2
MALE 65 YEARS +	7	5 2	*	*	69.1	76.7 *
FEMALE 65 YEARS +	6	4 2	*	*	34.4	34.8 *
OTHER CIRCULATORY DISEASES	41	35 6	14.7	16.3 *	20.0	20.4 18.4
MALE 65 YEARS +	17	15 2	152.5	166.7 *	176.3	184.9 140.5
FEMALE 65 YEARS +	12	9 3	75.5	*	123.7	122.7 129.4
EMPHYSEMA, BRONCHITIS, ASTHMA	31	24 7	11.1	11.2 *	13.6	15.8 5.9
MALE 65 YEARS +	17	13 4	152.5	144.4 *	178.1	200.7 *
FEMALE 65 YEARS +	4	3 1	*	*	29.3	31.8 *
PNEUMONIA AND INFLUENZA	77	51 26	27.6	23.8 39.9	26.7	21.2 45.6
DIABETES MELLITUS	36	24 12	12.9	11.2 18.4	16.0	14.4 21.5
CIRRHOSIS OF LIVER	38	31 7	13.6	14.5 *	12.3	12.7 10.9
DISEASES OF EARLY INFANCY	69	34 35	24.7	15.9 53.7	24.5	15.3 56.2
CONGENITAL ANOMALIES	18	12 6	6.4	5.6 *	7.5	7.2 8.7
MOTOR VEHICLE ACCIDENTS	71	61 10	25.4	28.5 14.3	28.1	28.6 26.2
ALL OTHER ACCIDENTS	95	59 36	34.0	27.5 55.2	26.7	25.2 31.8
ALL OTHER CAUSES	26	25 1	9.3	11.7 *	8.2	9.6 3.1
UNDETERMINED	67	18 49	24.0	8.4 75.4	19.9	6.4 66.5
UNDETERMINED EXTERNAL CAUSES	17	7 10	6.1	*	15.3	5.5 13.1
ALL OTHER CAUSES	189	121 68	67.6	56.5 104.3	69.4	59.2 104.2


* A RATE OR RATIO DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.
 ... CATEGORY IS NOT APPLICABLE OR DATA ARE NOT AVAILABLE.
 -- QUANTITY IS ZERO.
 0.0 RATE IS MORE THAN 0 BUT LESS THAN 0.05.
 -0- RATE 0 CORRESPONDING TO -- ON FREQUENCIES.
 SEE APPENDIX, PART IV, FOR CODES FOR CAUSES OF DEATH LISTED ABOVE AND FOR DEFINITIONS.

INDEX TO HEALTH SERVICE AREAS AND COUNTIES

HEALTH SERVICE AREA

<u>NO.</u>	<u>NAME</u>	<u>PAGE</u>
01	Northwest	II.002
02	North Central	II.012
03	West Central	II.026
04	East Central	II.045
05	Southern	II.062
06	Chicago	II.093
07	Cook Suburban—DuPage	II.094
08	K—L—M	II.097
09	W—K—K—G	II.101
10	Illowa	II.106
11	Illmo	II.110

<u>County Name</u>	<u>Page</u>	<u>County Name</u>	<u>Page</u>	<u>County Name</u>	<u>Page</u>
Adams	II.027	Hardin	II.073	Morgan	II.040
Alexander	II.063	Henderson	II.015	Moultrie	II.058
Bond	II.064	Henry	II.107	Ogle	II.008
Boone	II.003	Iroquois	II.054	Peoria	II.020
Brown	II.028	Jackson	II.074	Perry	II.081
Bureau	II.013	Jasper	II.075	Piatt	II.059
Calhoun	II.029	Jefferson	II.076	Pike	II.041
Carroll	II.004	Jersey	II.034	Pope	II.082
Cass	II.030	JoDaviess	II.006	Pulaski	II.083
Champaign	II.046	Johnson	II.077	Putnam	II.021
Christian	II.031	Kane	II.098	Randolph	II.084
Clark	II.047	Kankakee	II.103	Richland	II.085
Clay	II.065	Kendall	II.104	Rock Island	II.109
Clinton	II.111	Knox	II.016	Saline	II.086
Coles	II.048	Lake	II.099	Sangamon	II.042
Cook	II.095	LaSalle	II.017	Schuyler	II.043
Crawford	II.066	Lawrence	II.078	Scott	II.044
Cumberland	II.049	Lee	II.007	Shelby	II.060
DeKalb	II.005	Livingston	II.055	Stark	II.022
DeWitt	II.050	Logan	II.035	St.Clair	II.114
Douglas	II.051	Macon	II.056	Stephenson	II.009
DuPage	II.096	Macoupin	II.036	Tazewell	II.023
Edgar	II.052	Madison	II.112	Union	II.087
Edwards	II.067	Marion	II.079	Vermilion	II.061
Effingham	II.068	Marshall	II.018	Wabash	II.088
Fayette	II.069	Mason	II.037	Warren	II.024
Ford	II.053	Massac	II.080	Washington	II.089
Franklin	II.070	McDonough	II.019	Wayne	II.090
Fulton	II.014	McHenry	II.100	White	II.091
Gallatin	II.071	McLean	II.057	Whiteside	II.010
Greene	II.032	Menard	II.038	Will	II.105
Grundy	II.072	Mercer	II.108	Williamson	II.092
Hamilton	II.072	Monroe	II.113	Winnebago	II.011
Hancock	II.033	Montgomery	II.039	Woodford	II.025



PART III

TABLE 1. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND FETAL DEATHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975

CITY	L I V E B I R T H S			I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ADDISON	513	501	12	11	11	--	8	8	--	2	2	--
ALTON	549	366	183	5	5	2	3	3	--	7	5	4
ARLINGTON HEIGHTS	796	778	18	6	6	--	3	3	--	13	13	--
AURORA	1,723	1,498	225	28	25	3	24	21	3	11	9	2
BELLEVIEW	501	496	5	14	14	--	12	12	--	7	7	--
BERWYN	431	424	7	12	12	--	9	9	--	3	3	--
BLOOMINGTON	704	655	71	15	14	1	11	10	1	3	2	1
BOLINGBROOK	722	692	30	4	4	--	3	3	--	9	9	--
BURBANK	345	343	2	8	8	--	6	6	--	4	4	--
CALUMET CITY	497	481	16	10	10	--	8	8	--	3	3	--
CARBONDALE	227	147	80	5	3	2	3	3	--	1	1	--
CARPENTERSVILLE	457	453	4	10	9	1	5	4	1	2	2	--
CHAMPAIGN	681	461	200	14	9	5	7	6	1	3	2	1
CHICAGO	54,019	26,509	27,510	1,301	450	851	875	316	563	804	299	505
CHICAGO HEIGHTS	700	443	257	16	5	11	9	4	5	19	4	14
CICERO	821	808	13	19	19	--	13	13	--	8	8	--
DANVILLE	712	556	156	13	11	2	10	9	1	7	4	3
DE KALB	282	260	22	6	4	2	5	3	2	1	1	--
DECATUR	1,596	1,254	342	35	19	16	20	9	11	19	15	4
DES PLAINES	944	900	44	9	9	--	7	7	--	14	13	1
DOLTON	295	289	6	9	9	--	8	8	--	3	3	--
DOWNERS GROVE	578	561	17	6	6	--	7	7	--	5	5	--
EAST ST. LOUIS	1,882	116	1,766	63	5	58	43	4	39	33	1	32
ELGIN	1,157	1,043	114	25	23	2	19	17	2	5	4	1
ELK GROVE	405	382	23	1	1	--	1	1	--	4	4	--
ELMHURST	505	491	14	7	7	--	6	6	--	2	2	--
ELMWOOD PARK	255	249	6	4	4	--	4	4	--	1	1	--
EVANSTON	913	636	277	16	9	7	13	7	6	9	5	4
EVERGREEN PARK	159	154	5	2	2	--	1	1	--	5	5	--
FREEDPORT	386	329	57	3	3	--	2	3	--	5	5	--
GALESBURG	434	436	48	10	9	1	5	5	--	4	4	--
GLENVIEW	401	387	14	3	3	--	2	2	--	5	5	--
GRANITE CITY	570	567	3	8	8	--	7	7	--	6	6	--
HARVEY	732	251	481	24	5	19	18	4	14	5	1	4
HIGHLAND PARK	240	237	3	2	2	--	1	1	--	--	--	--
HOFFMAN ESTATES	492	477	15	6	6	--	4	4	--	5	5	--
JOLIET	1,434	1,015	419	29	16	13	24	12	12	10	10	--
KANKAKEE	562	325	237	13	6	7	9	5	4	8	5	3
LANSING	380	376	4	9	9	--	9	9	--	3	3	--
LOMBARD	500	480	20	8	8	--	7	7	--	8	8	--
MAYWOOD	513	121	392	11	5	6	7	3	4	9	--	9
MOLINE	607	592	15	6	6	--	4	4	--	2	2	--
MORTON GROVE	172	162	10	2	2	--	1	1	--	2	2	--
MOUNT PROSPECT	549	524	25	8	7	1	5	5	--	5	5	--
NAPERVILLE	352	348	4	6	6	--	6	6	--	6	6	--
NILES	228	220	8	1	1	--	1	1	--	2	2	--
NORMAL	346	316	30	4	4	--	4	4	--	1	1	--
NORTH CHICAGO	346	160	186	6	1	5	3	1	2	3	--	3
NORTHBROOK	284	274	10	3	3	--	3	3	--	2	2	--
OAK LAWN	558	551	7	7	7	--	5	5	--	7	7	--
OAK PARK	693	577	116	15	9	6	13	8	5	4	4	--
PALATINE	548	539	9	6	6	--	5	5	--	5	4	1
PARK FOREST	483	418	65	9	8	1	7	6	1	8	5	3
PARK RIDGE	318	311	7	3	3	--	3	3	--	5	5	--
PEKIN	553	553	--	9	9	--	7	7	--	5	5	--
PEORIA	2,175	1,632	543	47	25	22	38	21	17	17	11	6
QUINCY	649	608	41	15	10	5	12	8	4	7	7	--
RANTOUL	560	530	60	8	7	1	5	4	1	8	4	4
ROCK ISLAND	816	619	199	16	13	3	11	8	3	16	6	10
ROCKFORD	2,247	1,785	462	25	16	9	23	15	8	25	15	10
ROMEDEVILLE	222	220	2	--	--	--	--	--	--	2	2	--
SCHAUMBURG	737	716	21	6	6	--	6	6	--	11	11	--
SKOKIE	475	427	48	3	1	2	3	1	2	5	4	1
SOUTH HOLLAND	197	193	4	1	1	--	1	1	--	2	2	--
SPRINGFIELD	1,480	1,238	242	24	11	13	19	10	9	21	18	3
URBANA	381	218	103	8	4	4	7	4	3	7	7	--
VILLA PARK	361	346	15	4	4	--	3	3	--	2	2	--
WAUKEGAN	1,380	1,028	352	23	14	9	14	8	6	13	5	8
WHEATON	551	527	24	4	4	--	4	4	--	3	2	1
WILMETTE	241	231	10	2	2	--	2	2	--	4	2	2

TABLE 2. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND FETAL DEATH RACE SPECIFIC RATES
AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1975. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

	L I V E B I R T H S T O T A L S	I N F A N T D E A T H S			N E O N A T A L D E A T H S			F E T A L D E A T H S		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ADDISON	19.9	21.4	22.0	-0-	15.6	16.0	-0-	3.9	4.0	-0-
ALTON	13.7	9.1	8.2	10.9	5.5	8.2	-0-	12.8	8.2	21.9
ARLINGTON HEIGHTS	10.7	10.1	10.3	-0-	10.1	10.3	-0-	15.3	16.7	-0-
AURORA	22.3	16.3	16.7	13.3	13.9	14.0	13.3	6.4	6.0	8.9
BELLEVIEWE	11.4	27.9	28.2	-0-	24.0	24.2	-0-	14.0	14.1	-0-
BERWYN	8.4	27.8	28.3	-0-	20.9	21.2	-0-	7.0	7.1	-0-
BLOOMINGTON	17.0	21.3	22.1	14.1	15.6	15.8	14.1	4.3	3.2	14.1
BOLINGBROOK	25.8	5.5	5.8	-0-	4.2	4.3	-0-	12.5	13.0	-0-
BURBANK	11.3	23.2	23.3	-0-	17.4	17.5	-0-	11.6	11.7	-0-
CALUMET CITY	13.7	20.1	20.8	-0-	16.1	16.6	-0-	6.0	6.2	-0-
CARBONDALE	8.5	22.0	20.4	25.0	13.2	20.4	-0-	4.4	6.8	-0-
CARPENTERSVILLE	18.3	21.9	19.9	250.0	10.9	8.8	250.0	4.4	4.4	-0-
CHAMPAIGN	11.4	20.6	18.7	25.0	10.3	12.5	5.0	4.4	4.2	5.0
CHICAGO	17.1	24.1	17.0	30.9	16.3	11.9	20.5	14.9	11.3	18.4
CHICAGO HEIGHTS	16.9	22.9	11.3	42.8	12.9	9.0	19.5	25.7	9.0	54.5
CICERO	12.9	23.1	23.5	-0-	15.6	16.1	-0-	9.7	9.9	-0-
DANVILLE	16.8	18.3	19.8	12.8	14.0	16.2	6.4	9.8	7.2	19.2
DE KALB	9.4	21.3	15.4	90.9	17.7	11.5	90.9	3.5	3.8	-0-
DECATUR	17.5	21.9	15.2	45.8	12.3	7.2	32.2	11.9	12.0	11.7
DES PLAINES	16.4	9.5	10.0	-0-	7.4	7.8	-0-	14.8	14.4	22.7
DOLTON	11.2	30.5	31.1	-0-	27.1	27.7	-0-	10.2	10.4	-0-
DOWNEY GROVE	14.9	13.8	14.3	-0-	12.1	12.5	-0-	8.7	8.9	-0-
EAST ST LOUIS	30.0	33.5	43.1	32.8	22.8	34.5	22.1	17.5	8.6	18.1
ELGIN	20.2	21.6	22.1	17.5	16.4	16.3	17.5	4.3	3.8	8.8
ELK GROVE	16.1	2.5	2.5	-0-	2.5	2.6	-0-	9.9	10.5	-0-
ELMHURST	19.4	13.9	14.3	-0-	11.9	12.2	-0-	4.0	4.1	-0-
ELMWOOD PARK	9.7	15.7	16.1	-0-	15.7	16.1	-0-	3.9	4.0	-0-
EVANSTON	11.4	17.5	14.2	25.3	14.2	11.0	21.7	9.9	7.9	14.4
EVERGREEN PARK	6.0	12.6	13.0	-0-	6.3	6.5	-0-	31.4	32.5	-0-
FREEDPORT	14.0	7.8	9.1	-0-	7.8	9.1	-0-	13.0	15.2	-0-
GALESBURG	13.6	20.7	20.6	20.8	10.3	11.5	-0-	8.3	9.2	-0-
GLENVIEW	13.1	7.5	7.8	-0-	5.0	5.2	-0-	12.5	12.9	-0-
GRANITE CITY	14.0	14.0	14.1	-0-	12.3	12.3	-0-	10.5	10.6	-0-
HARVEY	21.0	32.8	19.9	39.5	24.6	15.9	29.1	6.8	4.0	8.3
HIGHLAND PARK	7.5	8.3	8.4	-0-	4.2	4.2	-0-	-0-	-0-	-0-
HOFFMAN ESTATES	15.7	12.2	12.6	-0-	8.1	8.4	-0-	10.2	10.5	-0-
JOLIET	18.2	20.2	15.8	31.0	16.7	11.8	28.6	7.0	9.9	-0-
KANKAKEE	18.1	23.1	18.5	29.5	16.0	15.4	16.9	14.2	15.4	12.7
LANSING	13.4	23.7	23.9	-0-	23.7	23.9	-0-	7.9	8.0	-0-
LUMBARD	13.4	16.0	16.7	-0-	14.0	14.6	-0-	16.0	16.7	-0-
MAYWOOD	17.6	21.4	41.3	15.3	13.6	24.8	10.2	17.5	-0-	23.0
MOLINE	13.2	9.9	10.1	-0-	6.6	6.8	-0-	3.3	3.4	-0-
MORTON GROVE	6.4	11.6	12.5	-0-	5.8	6.2	-0-	11.6	12.3	-0-
MOUNT PROSPECT	11.2	14.6	13.4	40.0	9.1	9.5	-0-	9.1	9.5	-0-
NAPERVILLE	12.1	17.0	17.2	-0-	17.0	17.2	-0-	17.0	17.2	-0-
NILES	7.0	4.4	4.5	-0-	4.4	4.5	-0-	8.8	9.1	-0-
NORMAL	10.8	11.6	12.7	-0-	11.6	12.7	-0-	2.9	3.2	-0-
NORTH CHICAGO	7.4	17.3	6.3	20.9	8.7	6.3	10.8	8.7	-0-	16.1
NORTHBROOK	10.2	10.5	10.9	-0-	10.5	10.9	-0-	7.0	7.3	-0-
OAK LAWN	9.0	12.5	12.7	-0-	9.0	9.1	-0-	12.5	12.7	-0-
OAK PARK	11.2	21.6	15.6	51.7	18.8	13.9	43.1	5.8	6.9	-0-
PALATINE	18.7	10.9	11.1	-0-	9.1	9.3	-0-	9.1	7.4	111.1
PARK FOREST	15.0	18.6	19.1	15.4	14.5	14.4	15.4	16.6	12.0	46.2
PARK RIDGE	7.3	9.4	9.6	-0-	9.4	9.6	-0-	15.7	16.1	-0-
PEKIN	17.1	16.3	16.3	-0-	12.7	12.7	-0-	9.0	9.0	-0-
PEORIA	16.9	21.6	15.3	40.5	17.3	12.9	31.3	7.8	6.7	11.0
PLAINFIELD	14.3	23.1	16.4	122.0	16.5	13.2	97.6	10.8	11.5	-0-
RANTOUL	21.9	14.3	14.0	16.7	8.9	8.0	16.7	14.3	8.0	66.7
ROCK ISLAND	16.3	19.6	21.0	13.1	13.4	12.9	15.1	19.6	9.7	50.3
ROCKFORD	15.0	11.1	9.0	19.5	10.2	8.4	17.3	11.1	8.4	21.6
ROMEOVILLE	8.8	-0-	-0-	-0-	-0-	-0-	-0-	9.9	9.1	-0-
SCHAUMBURG	20.0	8.1	6.4	-0-	8.1	8.4	-0-	14.9	15.4	-0-
SKOKIE	6.8	6.3	2.3	41.7	6.3	2.3	41.7	10.5	9.4	20.8
SOUTH HOLLAND	7.7	5.1	5.2	-0-	5.1	5.2	-0-	10.2	10.4	-0-
SPRINGFIELD	16.0	16.2	8.9	55.7	12.8	8.1	57.2	14.2	14.5	12.4
URBANA	10.9	21.0	14.4	38.8	18.4	14.4	29.1	18.4	25.2	-0-
VILLA PARK	14.1	11.1	11.6	-0-	8.3	8.7	-0-	5.5	5.8	-0-
WAUKEGAN	21.2	16.7	13.6	25.6	10.1	7.8	17.0	9.4	4.9	22.7
WHEATON	15.1	7.3	7.6	-0-	7.3	7.6	-0-	5.4	3.8	41.7
WILMETTE	7.5	8.3	8.7	-0-	8.3	8.7	-0-	16.6	8.7	200.0

TABLE 3. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975

CITY	L I V E B I R T H S I N F A N T D E A T H S B Y A G E										M A T E R N A L S	
	TOTAL	PREMATURE BIRTHS		HOSPITAL BIRTHS		UNDER 7 DAYS		7 TO 27 DAYS		28 DAYS TO 1 YR		
		NUMBER	PERCENT OF TOTAL	NUMBER	PERCENT OF TOTAL	NUMBER	RATE	NUMBER	RATE	NUMBER		PATE
ADDISON	513	32	6.24	508	99.03	8	15.6	--	-0-	3	5.8	--
ALTON	549	41	7.47	530	96.54	1	1.8	2	3.6	2	3.6	--
ARLINGTON HEIGHTS	756	39	4.90	790	99.25	6	7.5	2	2.5	--	-0-	--
AURORA	1,723	119	6.91	1,716	99.59	23	13.3	1	0.6	4	2.3	1
BELLEVILLE	501	38	7.56	477	95.21	11	22.0	1	2.0	2	4.0	--
BERWYN	431	36	8.35	426	98.84	9	20.4	--	-0-	3	7.0	--
BLOOMINGTON	704	71	10.09	702	99.72	10	14.2	1	1.4	4	5.7	--
BOLINGBROOK	722	42	5.82	720	99.72	3	4.2	--	-0-	1	1.4	--
BURBANK	343	20	5.80	343	100.00	1	17.4	--	-0-	2	5.8	--
CALUMET CITY	457	25	5.03	224	45.07	6	13.1	1	4.0	2	4.0	--
CARLE PLACE	227	14	6.17	214	95.15	2	8.4	1	4.4	2	8.8	--
CARPENTERSVILLE	457	24	5.25	452	98.91	5	10.9	--	-0-	5	10.9	--
CHAMPAIGN	681	52	7.64	678	99.56	5	7.3	2	2.9	7	10.3	--
CHICAGO	54,019	5,564	10.30	53,503	99.09	768	14.2	113	2.1	422	7.8	13
CHICAGO HEIGHTS	700	63	9.00	679	97.00	5	12.9	--	-0-	7	10.0	--
CICERO	821	64	7.80	804	98.54	9	11.0	4	4.9	6	7.3	--
DANVILLE	712	55	7.72	710	99.72	10	14.0	--	-0-	3	4.2	--
DE KALB	282	13	4.61	281	99.65	4	14.2	1	3.5	1	3.5	--
DECATUR	1,596	142	8.90	1,569	99.56	17	10.7	3	1.9	15	9.4	1
DES PLAINES	544	73	7.73	535	99.05	7	7.4	--	-0-	2	2.1	--
DOLTON	255	19	6.44	275	93.22	8	27.1	--	-0-	1	3.4	--
DOWNS GROVE	378	33	5.71	576	99.65	7	12.1	--	-0-	1	1.7	--
EAST ST LOUIS	1,882	271	14.40	1,464	77.79	35	18.6	8	4.3	20	10.6	--
ELGIN	1,157	82	7.09	1,150	99.39	17	14.7	2	1.7	6	5.2	--
ELK GROVE	405	21	5.19	402	99.26	1	2.5	--	-0-	--	-0-	--
ELMHURST	505	22	4.36	501	99.21	3	5.9	3	5.9	1	2.0	--
ELMWOOD PARK	255	19	7.45	254	99.61	4	15.7	--	-0-	--	-0-	--
EVANSTON	913	69	7.56	901	98.69	11	12.0	2	2.2	3	3.3	--
EVERGREEN PARK	159	6	3.77	159	100.00	1	6.3	--	-0-	1	6.3	--
FREEPORT	386	25	6.48	373	96.63	2	5.2	1	2.6	--	-0-	--
GALESBURG	464	35	7.23	484	100.00	5	10.3	--	-0-	5	10.3	--
GLENVIEW	401	20	4.99	397	99.00	2	5.0	--	-0-	1	2.5	--
GRANITE CITY	570	41	7.19	501	87.89	7	12.3	--	-0-	1	1.8	--
HARVEY	732	77	10.52	727	99.04	17	23.2	1	1.4	6	8.2	1
HIGHLAND PARK	240	10	4.17	239	99.58	1	4.2	--	-0-	1	4.2	--
HOFFMAN ESTATES	492	31	6.30	489	99.39	4	8.1	--	-0-	2	4.1	--
JOLIET	1,434	127	8.86	1,430	99.72	21	14.6	3	2.1	5	3.5	--
KANKAKEE	562	47	8.36	561	99.82	8	14.2	1	1.8	4	7.1	--
LANSING	380	27	7.11	156	41.58	9	23.7	--	-0-	--	-0-	--
LOMBARD	500	34	6.80	486	97.20	7	14.0	--	-0-	1	2.0	--
MAYWOOD	513	55	10.33	504	99.22	2	3.9	2	9.7	4	7.8	--
MOLINE	607	34	5.60	568	93.57	3	4.9	1	1.6	2	3.3	--
MORTON GROVE	172	19	11.05	172	100.00	1	5.8	--	-0-	1	5.8	--
MOUNT PROSPECT	549	26	4.74	544	99.09	5	9.1	--	-0-	3	5.5	--
NAPERVILLE	352	21	5.97	346	98.30	5	14.2	1	2.8	--	-0-	--
NILES	228	13	5.70	228	100.00	1	4.4	--	-0-	--	-0-	--
NORMAL	346	22	6.36	345	99.71	3	8.7	1	2.9	--	-0-	--
NORTH CHICAGO	346	32	9.25	343	99.13	3	8.7	--	-0-	3	8.7	--
NORTHEROCK	284	17	5.99	282	99.30	3	10.6	--	-0-	--	-0-	--
OAK LAWN	558	25	4.48	554	99.28	5	9.0	--	-0-	2	3.6	--
OAK PARK	653	35	5.05	677	97.69	11	15.9	2	2.9	2	2.9	--
PALATINE	548	33	6.02	539	98.36	4	7.3	1	1.8	1	1.8	--
PARK FOREST	483	26	5.36	472	97.72	6	12.4	1	2.1	2	4.1	--
PARK RIDGE	316	15	5.97	315	99.06	1	3.1	2	6.3	--	-0-	--
PEKIN	553	35	6.33	552	99.82	7	12.7	--	-0-	2	3.6	--
PEORIA	2,175	199	9.15	2,162	99.40	32	14.7	6	2.8	9	4.1	2
QUINCY	649	44	6.76	640	98.61	12	18.5	--	-0-	3	4.6	--
RANTOUL	560	49	8.75	552	98.57	5	8.9	--	-0-	3	5.4	--
ROCK ISLAND	818	53	6.48	764	93.40	10	12.2	1	1.2	5	6.1	--
ROCKFORD	2,247	157	6.99	2,231	99.29	20	8.9	3	1.3	2	0.9	--
ROMEIOVILLE	222	14	6.11	221	99.55	--	-0-	--	-0-	--	-0-	--
SCHAUMBURG	737	43	5.83	734	99.59	6	8.1	--	-0-	--	-0-	--
SKOKIE	475	17	7.75	474	99.79	1	6.2	--	-0-	--	-0-	--
SOUTH HOLLAND	157	12	6.05	175	88.85	1	5.1	--	-0-	--	-0-	--
SPRINGFIELD	1,480	104	7.36	1,468	99.19	16	10.8	1	2.0	5	3.4	--
URBANA	381	24	6.30	381	100.00	7	18.4	--	-0-	1	2.6	2
VILLA PARK	361	18	4.99	357	98.89	2	5.5	1	2.8	1	2.8	--
WAUKEGAN	1,389	91	6.59	1,359	98.19	10	7.2	4	2.9	9	6.5	--
WHEATON	551	31	5.63	547	99.27	4	7.3	--	-0-	--	-0-	--
WILMETTE	241	17	7.05	237	98.34	2	8.3	--	-0-	--	-0-	--

PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN PART II, HCA, COUNTY, STATE TABLES.
RATES PER 1,000 LIVE BIRTHS.

TABLE 4. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E								EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES		
			ARTERIO- SCLEROTIC	OTHER						
ADDISON	94	44	32	3	6	--	2	1	--	
ALTON	444	272	162	24	62	9	5	10	8	
ARLINGTON HEIGHTS	447	267	194	10	52	7	1	3	8	
AURORA	678	365	243	21	79	8	4	10	9	
BELLEVIEW	595	332	199	15	84	13	7	14	3	
BERWYN	740	440	312	22	75	8	3	20	5	
BLOOMINGTON	467	276	190	22	47	5	2	13	5	
BOLINGBROOK	49	16	13	2	1	--	--	--	--	
BURBANK	212	117	81	17	13	2	1	3	4	
CALUMET CITY	396	223	166	7	31	4	4	11	1	
CARBONDALE	143	82	45	3	26	4	1	3	2	
CARPENTERSVILLE	114	53	43	2	7	--	--	1	1	
CHAMPAIGN	334	174	101	5	50	10	2	6	4	
CHICAGO	34,126	18,481	12,821	1,867	2,721	268	180	624	254	
CHICAGO HEIGHTS	334	180	101	13	36	22	3	5	2	
CICERO	843	466	319	45	72	11	6	13	4	
DANVILLE	538	276	150	32	67	7	4	16	11	
DE KALB	140	62	35	12	10	2	--	3	2	
DECATUR	992	568	356	38	142	8	6	18	18	
DES PLAINES	503	291	223	5	51	--	--	12	4	
DULTON	204	111	75	4	22	1	2	7	3	
DOWNERS GROVE	319	164	106	15	30	9	--	4	3	
EAST ST LOUIS	821	376	227	34	91	8	3	7	8	
ELGIN	586	342	223	17	76	7	5	14	8	
ELK GROVE	87	45	34	2	8	--	--	1	--	
ELMHURST	377	196	126	15	43	1	2	9	4	
ELMWOOD PARK	273	160	115	8	30	1	1	5	4	
EVANSTON	848	500	320	23	113	21	8	15	10	
EVERGREEN PARK	298	189	146	10	21	9	--	3	2	
FREEPORT	329	180	128	2	37	2	3	8	5	
GALESBURG	382	218	151	7	42	10	3	5	2	
GLENVIEW	259	152	100	7	33	4	2	6	1	
GRANITE CITY	321	166	122	13	27	1	--	3	10	
HARVEY	299	138	92	15	25	1	1	4	3	
HIGHLAND PARK	168	86	56	2	23	1	2	2	2	
HOFFMAN ESTATES	99	37	28	1	7	1	--	--	1	
JOLIET	866	495	344	26	99	12	2	12	9	
KANKAKEE	343	184	144	7	25	3	2	3	3	
LA SALLE	208	107	73	5	22	5	--	2	--	
LOMBARD	263	133	86	9	31	1	--	6	5	
MAYWOOD	215	105	85	6	11	1	2	--	--	
MOLINE	454	264	201	7	41	5	4	6	7	
MORTON GROVE	176	95	72	4	16	1	1	1	5	
MOUNT PROSPECT	268	132	89	8	24	3	5	3	1	
NAPERVILLE	176	95	63	11	13	3	--	5	2	
NILES	269	180	130	7	29	4	6	4	--	
NORMAL	124	80	50	5	23	--	--	2	1	
NORTH CHICAGO	103	46	29	5	8	2	--	2	2	
NORTHBROOK	190	105	62	6	28	5	--	4	--	
OAK LAWN	570	342	245	14	53	11	4	15	4	
OAK PARK	640	372	243	28	72	8	3	19	6	
PALATINE	213	121	79	4	26	6	1	5	1	
PARK FOREST	140	68	52	3	8	1	--	4	1	
PARK RIDGE	307	180	117	13	39	5	1	5	6	
PEKIN	286	150	97	11	31	2	1	8	5	
PEORIA	1,227	657	384	43	168	17	7	38	22	
QUINCY	712	411	256	16	94	17	6	22	10	
RANTOUL	61	29	19	2	3	3	1	1	4	
ROCK ISLAND	525	316	237	20	32	10	3	14	9	
ROCKFORD	1,270	693	434	36	147	34	10	32	18	
ROMEDEVILLE	39	21	13	--	7	--	--	1	--	
SCHAUMBURG	102	43	27	3	12	--	--	1	--	
SKOKIE	511	294	214	9	51	5	6	9	7	
SOUTH HOLLAND	172	108	81	8	14	--	1	4	2	
SPRINGFIELD	1,125	630	397	30	144	21	10	28	23	
URBANA	198	112	70	3	24	12	--	3	2	
VILLA PARK	182	102	70	3	23	1	2	3	2	
WAUKEGAN	563	243	173	17	34	7	1	11	7	
WHEATON	219	126	75	8	27	9	2	5	5	
WILMETTE	229	145	104	4	25	2	3	7	1	

TABLE 4. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

CITY	CANCER	A C C I D E N T S			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHO-SIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	15	7	2	5	4	5	3	2	3	1
ALTON	73	16	9	7	10	2	2	11	8	5
ARLINGTON HEIGHTS	94	16	10	6	11	5	2	7	6	4
AURORA	129	39	12	27	17	17	3	11	9	8
BELLEVILLE	128	31	15	16	17	9	3	8	8	9
BERWYN	175	21	8	13	14	9	--	18	7	4
BLOOMINGTON	86	12	5	7	15	8	3	7	9	7
BOLINGBROOK	10	4	1	3	--	3	--	1	1	3
BURBANK	45	6	4	2	1	4	3	6	2	3
CALUMET CITY	85	15	11	4	11	6	4	7	11	2
CARBONDALE	20	6	3	3	2	2	4	4	--	2
CARPENTERSVILLE	23	8	6	2	5	5	2	3	--	1
CHAMPAIGN	68	21	11	10	8	5	5	8	5	7
CHICAGO	6,283	1,368	389	979	1,041	703	225	608	870	279
CHICAGO HEIGHTS	56	22	6	16	6	7	3	7	3	5
CICERO	195	25	8	17	20	10	1	23	19	3
DANVILLE	117	22	6	16	26	8	1	10	5	2
DE KALB	44	9	3	6	2	3	1	1	1	2
DECATUR	165	41	17	24	31	17	9	20	9	15
DES PLAINES	95	26	10	16	9	4	6	8	12	12
DOLTON	48	5	1	4	5	7	1	2	3	2
DOWNERS GROVE	90	11	6	5	4	7	1	7	6	5
EAST ST LOUIS	166	60	18	42	28	36	6	15	6	1
ELGIN	102	34	17	17	11	16	8	4	6	7
ELK GROVE	14	8	4	4	2	1	--	1	1	--
ELMHURST	98	12	8	4	10	1	5	5	8	7
ELMWOOD PARK	55	8	5	3	13	2	3	4	6	2
EVANSTON	162	20	6	14	24	12	4	10	13	8
EVERGREEN PARK	73	5	2	3	6	--	1	5	6	1
FREEPORT	73	14	8	6	8	1	1	4	3	2
GALESBURG	78	14	6	8	9	2	4	5	2	3
GLENVIEW	61	8	5	3	7	2	2	3	4	4
GRANITE CITY	69	12	6	6	15	5	2	1	3	3
HARVEY	62	14	4	10	6	15	3	5	5	3
HIGHLAND PARK	42	6	3	3	6	--	1	1	2	--
HOFFMAN ESTATES	24	7	4	3	3	3	4	--	1	2
JOLIET	158	35	15	20	21	18	3	25	15	5
KANKAKEE	75	19	6	13	14	6	3	6	2	3
LA SANG	46	11	6	5	6	9	--	9	1	2
LOMBARD	67	16	14	2	2	5	3	5	2	4
MAYWOOD	45	12	6	6	7	4	3	9	3	1
MOBILE	98	19	6	13	15	3	2	3	5	3
MORTON GROVE	36	10	6	4	6	1	--	4	2	2
MOUNT PROSPECT	70	12	6	6	5	5	2	4	7	4
NAPERVILLE	40	11	6	5	7	5	1	3	2	1
NILES	55	6	2	4	12	1	--	5	5	1
NORMAL	25	3	2	1	2	2	2	2	1	--
NORTH CHICAGO	24	3	2	1	4	3	--	1	4	2
NORTHBROOK	52	6	1	5	4	3	--	1	--	3
OAK LAWN	122	17	9	8	12	4	--	16	10	2
OAK PARK	148	19	5	14	12	9	4	9	7	6
PALATINE	43	8	4	4	4	4	--	1	4	6
PARK FOREST	34	4	1	3	1	5	1	1	3	3
PARK RIDGE	72	11	3	8	8	2	--	3	4	4
PEKIN	54	20	8	12	14	6	--	5	4	7
PEORIA	241	55	22	33	48	28	7	12	18	21
QUINCY	124	28	13	15	41	12	--	6	6	14
RANTOUL	6	5	3	2	2	4	3	2	2	1
ROCK ISLAND	98	20	6	14	8	4	6	7	5	7
ROCKFORD	261	55	21	34	39	16	6	20	21	12
ROMEOVILLE	9	1	1	--	--	--	--	3	1	--
SCHAUMBURG	23	11	8	3	3	6	--	3	2	2
SKOKIE	136	12	7	5	10	1	4	6	3	6
SOUTH HOLLAND	29	7	2	5	5	1	--	1	2	3
SPRINGFIELD	234	46	14	32	17	20	2	22	17	6
URBANA	39	12	5	7	4	6	3	1	4	2
VILLA PARK	43	5	2	3	4	2	1	--	3	4
WAUKEGAN	132	40	21	19	23	13	3	13	11	12
WHEATON	47	7	3	4	6	4	--	6	3	--
WILMETTE	48	7	3	4	3	1	1	1	3	1

TABLE 5. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975


(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1975)

CITY	ALL CAUSES	C A R D I O V A S C U L A R D I S E A S E							EMPHY- SEMA
		TOTAL	HEART DISEASE		CEREBRO- VASCULAR DISEASE	GENERAL ARTERIO- SCLEROSIS	HYPER- TENSION WITHOUT MENTION OF HEART	OTHER CIRCULATORY DISEASES	
			ARTERIO- SCLEROTIC	OTHER					
ADDISON	364.3	170.5	124.0	11.6	23.3	-0-	7.8	3.9	-0-
ALTON	1,107.2	678.3	404.0	59.9	154.6	22.4	12.5	24.9	20.0
ARLINGTON HEIGHTS . .	600.0	358.4	260.4	13.4	69.8	9.4	1.3	4.0	10.7
AURORA	879.4	473.4	315.2	27.2	102.5	10.4	5.2	13.0	11.7
BELLEVILLE	1,358.4	758.0	454.3	34.2	191.6	29.7	16.0	32.0	6.8
BERWYN	1,448.1	861.1	610.6	43.1	146.8	15.7	5.9	39.1	9.8
BLOOMINGTON	1,128.0	666.7	458.9	53.1	113.5	12.1	4.8	24.2	12.1
BOLINGBROOK	175.0	57.1	46.4	7.1	3.6	-0-	-0-	-0-	-0-
BURBANK	697.4	384.9	266.4	55.9	42.8	6.6	3.3	9.9	13.2
CALUMET CITY	1,090.9	614.3	457.3	19.3	85.4	11.0	11.0	30.3	2.8
CARBONDALE	533.6	306.0	167.9	11.2	97.0	14.9	3.7	11.2	7.5
CARPENTERSVILLE . .	456.0	212.0	172.0	8.0	28.0	-0-	-0-	4.0	4.0
CHAMPAIGN	558.5	291.0	168.9	8.4	83.6	16.7	3.3	10.0	6.7
CHICAGO	1,083.4	586.7	407.0	59.3	86.4	8.5	5.7	19.8	8.1
CHICAGO HEIGHTS . . .	808.7	435.8	244.6	31.5	87.2	53.3	7.3	12.1	4.8
CICERO	1,329.7	735.0	503.2	71.0	113.6	17.4	9.5	20.5	6.3
DANVILLE	1,265.9	649.4	352.9	75.3	157.6	16.5	9.4	37.6	25.9
DE KALB	465.1	206.0	116.3	39.9	33.2	6.6	-0-	10.0	6.6
DECATUR	1,087.7	622.8	390.4	41.7	155.7	8.6	6.6	19.7	19.7
DES PLAINES	874.8	506.1	387.8	8.7	88.7	-0-	-0-	20.9	7.0
DULTON	775.7	422.1	285.2	15.2	83.7	3.8	7.6	26.6	11.4
DUNNERS GROVE	824.3	423.8	273.9	38.8	77.5	23.3	-0-	10.3	7.8
EAST ST LOUIS	1,307.3	589.2	361.5	54.1	144.9	12.7	4.8	11.1	12.7
ELGIN	1,024.5	597.9	389.9	29.7	132.5	12.2	8.7	24.5	14.0
ELK GROVE	346.6	179.3	135.5	8.0	31.5	-0-	-0-	4.0	-0-
ELMHURST	777.3	404.1	259.8	30.9	86.7	2.1	4.1	18.6	8.2
ELMWOOD PARK	1,038.0	608.4	437.3	30.4	114.1	3.8	3.8	19.0	15.2
EVANSTON	1,062.7	626.6	401.0	28.8	141.6	26.3	10.0	18.8	12.5
EVERGREEN PARK . . .	1,128.8	715.9	553.0	37.9	79.5	34.1	-0-	11.4	7.6
FREEPORT	1,192.0	652.2	463.8	7.2	134.1	7.2	10.9	29.0	18.1
GALESBURG	1,070.0	610.6	423.0	19.6	117.6	28.0	8.4	14.0	5.6
GLENVIEW	846.4	496.7	326.8	22.9	167.8	13.1	6.5	19.6	3.3
GRANITE CITY	790.6	408.9	300.5	32.0	66.5	2.5	-0-	7.4	24.6
HARVEY	859.2	396.6	264.4	43.1	71.8	2.9	2.9	11.5	8.6
HIGHLAND PARK	521.7	267.1	173.9	6.2	71.4	3.1	6.2	6.2	6.2
HOFFMAN ESTATES . . .	286.6	117.8	89.2	3.2	22.3	3.2	-0-	-0-	3.2
JOLIET	1,099.0	628.2	436.5	33.0	125.6	15.2	2.5	15.2	11.4
KANKAKEE	1,106.5	593.5	464.5	22.6	80.6	9.7	6.5	9.7	9.7
LANING	732.4	376.8	257.0	17.6	77.5	17.6	-0-	7.0	-0-
LOMBARD	705.1	356.6	230.6	24.1	83.1	2.7	-0-	16.1	13.4
MAYWOOD	738.8	360.8	292.1	20.6	37.8	3.4	6.9	-0-	-0-
MOLINE	989.1	575.2	437.9	15.3	89.3	10.9	8.7	13.1	15.3
MORTON GROVE	656.7	354.5	268.7	14.9	59.7	3.7	3.7	3.7	18.7
MOUNT PROSPECT	548.1	269.9	182.0	16.4	49.1	6.1	10.2	6.1	2.0
NAPERVILLE	606.9	327.6	217.2	37.9	44.8	10.3	-0-	17.2	6.9
NILES	881.1	548.8	396.3	21.3	88.4	12.2	18.3	12.2	-0-
NORMAL	386.3	249.2	155.8	15.6	71.7	-0-	-0-	6.2	3.1
NORTH CHICAGO	219.1	97.9	61.7	10.6	17.0	4.3	-0-	4.3	4.3
NORTHBROOK	683.5	377.7	223.0	21.6	100.7	18.0	-0-	14.4	-0-
OAK LAWN	914.9	549.0	393.3	22.5	85.1	17.7	6.4	24.1	6.4
OAK PARK	1,032.3	600.0	391.9	45.2	116.1	12.9	4.8	29.0	9.7
PALATINE	727.0	413.0	269.6	13.7	86.7	20.5	3.4	17.1	3.4
PARK FOREST	434.8	211.2	161.5	9.3	24.6	3.1	-0-	12.4	3.1
PARK RIDGE	705.7	415.8	269.0	29.9	89.7	11.5	2.3	11.5	13.8
PERIN	885.4	464.4	300.3	34.1	96.0	6.2	3.1	24.8	15.5
PEORIA	954.1	510.9	298.6	33.4	130.6	13.2	5.4	29.5	17.1
QUINCY	1,571.7	907.3	565.1	35.3	207.5	37.5	13.2	48.6	22.1
RANTOUL	238.3	113.3	74.2	7.8	11.7	11.7	3.9	3.9	15.6
ROCK ISLAND	1,045.8	629.5	472.1	39.8	63.7	19.9	6.0	27.9	17.9
ROCKFORD	846.7	462.0	289.3	24.0	96.0	22.7	6.7	21.3	12.0
ROSEMONT	155.4	83.7	51.8	-0-	27.9	-0-	-0-	4.0	-0-
SHAMBOURG	277.2	116.6	73.4	8.2	32.6	-0-	-0-	2.7	-0-
SPRINGFIELD	735.3	423.0	307.9	12.9	73.4	7.2	8.6	12.9	10.1
SOUTH HOLLAND	671.9	421.9	316.4	31.3	54.7	-0-	3.9	15.6	7.8
SPRINGFIELD	1,216.2	681.1	429.2	32.4	155.7	22.7	10.8	30.3	24.9
URBANA	565.7	320.0	200.0	8.6	68.6	54.3	-0-	8.6	5.7
VILLA PARK	710.9	394.4	273.4	11.7	89.8	5.9	7.8	11.7	7.8
WAUKEGAN	863.5	372.7	265.3	26.1	52.1	10.7	1.5	16.9	10.7
WHEATON	600.0	345.2	205.5	21.9	74.0	24.7	5.5	13.7	13.7
WILMETTE	709.0	448.9	322.0	12.4	77.4	6.2	9.3	21.7	3.1

TABLE 5. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1975
--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1975)

CITY	CANCER	ACCIDENTS			PNEU- MONIA AND INFLUENZA	DISEASES OF EARLY INFANCY	CON- GENITAL ANOM- ALIES	DIABETES MELLITUS	CIRRHOSIS OF LIVER	SUI- CIDE
		TOTAL	MOTOR VEHICLE	OTHER						
ADDISON	58.1	27.1	7.8	19.4	15.5	19.4	11.6	7.8	11.6	3.9
ALTON	182.0	39.9	22.4	17.5	24.9	5.0	5.0	27.4	20.0	12.5
ARLINGTON HEIGHTS	126.2	21.5	13.4	8.1	14.8	6.7	2.7	9.4	8.1	5.4
AURORA	167.3	50.6	15.6	35.0	22.0	22.0	10.4	14.3	11.7	10.4
BELLEVIEW	292.2	70.8	34.2	36.5	38.8	20.5	6.8	18.3	18.3	20.5
BERWYN	342.5	41.1	15.7	25.4	27.4	17.6	-0-	35.2	13.7	7.8
BLOOMINGTON	207.7	29.0	12.1	16.9	36.2	19.3	7.2	16.9	21.7	16.9
BOLINGBROOK	35.7	14.3	3.6	10.7	-0-	10.7	-0-	3.6	3.6	10.7
BURBANK	148.0	19.7	13.2	6.6	3.3	13.2	9.9	19.7	6.6	9.9
CALUMET CITY	234.2	41.3	30.3	11.0	36.3	16.5	11.0	19.3	30.3	5.5
CARBONDALE	74.6	22.4	11.2	11.2	7.5	7.5	14.9	14.9	-0-	7.5
CARPENTERSVILLE	92.0	32.0	24.0	8.0	20.0	20.0	8.0	12.0	-0-	4.0
CHAMPAIGN	113.7	35.1	18.4	16.7	13.4	8.4	8.4	13.4	8.4	11.7
CHICAGO	199.5	43.4	12.3	31.1	33.0	22.3	7.1	19.3	27.6	8.9
CHICAGO HEIGHTS	135.6	53.3	14.5	38.7	14.5	16.9	7.3	16.9	7.3	12.1
CICERO	307.6	39.4	12.6	26.8	31.5	15.8	1.6	36.3	30.0	4.7
DANVILLE	275.3	51.8	14.1	37.6	61.2	18.8	2.4	23.5	11.8	4.7
DE KALB	146.2	29.9	10.0	19.9	6.6	10.0	3.3	3.3	3.3	6.6
DECATUR	180.9	45.0	18.6	26.3	34.0	18.6	9.9	21.9	9.9	16.4
DES PLAINES	165.2	45.2	17.4	27.8	15.7	7.0	10.4	13.9	20.9	20.9
DOLTON	182.5	19.0	3.8	15.2	19.0	26.6	3.8	7.6	11.4	7.6
DOWNERS GROVE	232.6	28.4	15.5	12.9	10.3	18.1	2.6	18.1	15.5	12.9
EAST ST LOUIS	264.3	95.5	28.7	66.9	44.6	57.3	9.6	23.9	9.6	1.6
ELGIN	178.3	59.4	29.7	29.7	19.2	28.0	14.0	7.0	10.5	12.2
ELK GROVE	55.8	31.9	15.9	15.9	8.0	4.0	-0-	4.0	4.0	-0-
ELMHURST	202.1	24.7	16.5	8.2	20.6	2.1	10.3	10.3	16.5	14.4
ELMWOOD PARK	209.1	30.4	19.0	11.4	49.4	7.6	11.4	15.2	22.8	7.6
EVANSTON	203.0	25.1	7.5	17.5	30.1	15.0	5.0	12.5	16.3	10.0
EVERGREEN PARK	276.5	18.9	7.6	11.4	22.7	-0-	3.8	18.9	22.7	3.8
FREEPORT	264.5	50.7	29.0	21.7	29.0	3.6	3.6	14.5	10.9	7.2
GALESBURG	218.5	39.2	16.8	22.4	25.2	5.6	11.2	14.0	5.6	8.4
GLENVIEW	199.3	26.1	16.3	9.8	22.9	6.5	6.5	9.8	13.1	13.1
GRANITE CITY	170.0	29.6	14.8	14.8	32.0	12.3	4.9	2.5	7.4	7.4
HARVEY	178.2	40.2	11.5	28.7	17.2	43.1	8.6	14.4	14.4	8.6
HIGHLAND PARK	130.4	18.6	9.3	9.3	18.6	-0-	3.1	3.1	6.2	-0-
HOFFMAN ESTATES	76.4	22.3	12.7	9.6	9.6	9.6	12.7	-0-	3.2	6.4
JOLIET	200.5	44.4	19.0	25.4	26.6	22.8	3.8	31.7	19.0	6.3
KANKAKEE	241.9	61.3	19.4	41.9	45.2	19.4	9.7	19.4	6.5	7.7
LANSING	162.0	38.7	21.1	17.6	21.1	31.7	-0-	31.7	3.5	7.0
LOMBARD	179.6	42.9	37.5	5.4	5.4	13.4	8.0	13.4	5.4	10.7
MAYWOOD	154.6	41.2	20.6	20.6	24.1	13.7	10.3	30.9	10.3	3.4
MOLINE	213.5	41.4	13.1	28.3	32.7	6.5	4.4	6.5	10.9	6.5
MORTON GROVE	134.3	37.3	22.4	14.9	22.4	3.7	-0-	14.9	7.5	7.5
MOUNT PROSPECT	143.1	24.5	12.3	12.3	10.2	10.2	4.1	8.2	14.3	8.2
NAPERVILLE	137.9	37.9	20.7	17.2	24.1	17.2	3.4	10.3	6.9	3.4
NILES	167.7	18.3	6.1	12.2	36.6	3.0	-0-	15.2	15.2	3.0
NORMAL	77.9	9.3	6.2	3.1	6.2	6.2	6.2	3.1	3.1	-0-
NORTH CHICAGO	51.1	6.4	4.3	2.1	8.5	6.4	-0-	2.1	8.5	4.3
NORTHBROOK	187.1	21.6	3.6	18.0	14.4	10.8	-0-	3.6	-0-	10.8
OAK LAWN	195.8	27.3	14.4	12.8	19.3	6.4	-0-	25.7	16.1	3.2
OAK PARK	238.7	30.6	8.1	22.6	19.4	14.5	6.5	14.5	11.3	9.7
PALATINE	146.8	27.3	13.7	13.7	13.7	13.7	-0-	3.4	13.7	20.5
PARK FOREST	105.6	12.4	3.1	9.3	3.1	15.5	3.1	3.1	9.3	9.3
PARK RIDGE	165.5	25.3	6.9	18.4	18.4	4.6	-0-	6.9	9.2	9.2
PEKIN	167.2	61.9	24.8	37.2	43.3	18.6	-0-	15.5	12.4	21.7
PEORIA	187.4	42.8	17.1	25.7	37.3	21.8	5.4	9.3	14.0	16.3
QUINCY	273.7	61.8	28.7	33.1	90.5	20.5	-0-	13.2	13.2	30.9
RANTOUL	23.4	19.5	11.7	7.8	7.8	15.6	11.7	7.8	7.8	3.9
ROCK ISLAND	195.2	39.8	12.0	27.9	15.9	8.0	12.0	13.9	10.0	13.9
ROCKFORD	174.0	36.7	14.0	22.7	26.0	10.7	4.0	13.3	14.0	8.0
ROMEIOVILLE	35.9	4.0	4.0	-0-	-0-	-0-	-0-	12.0	4.0	-0-
SCHAUMBURG	62.5	29.9	21.7	8.2	8.2	16.3	-0-	8.2	5.4	5.4
SKOKIE	195.7	17.3	10.1	7.2	14.4	1.4	5.6	8.6	4.3	8.6
SOUTH HOLLAND	113.3	27.3	7.8	19.5	19.5	3.9	-0-	3.9	7.8	11.7
SPRINGFIELD	253.0	49.7	15.1	34.6	18.4	21.6	2.2	23.8	18.4	6.5
URBANA	111.4	34.3	14.3	20.0	11.4	17.1	8.6	2.9	11.4	5.7
VILLA PARK	168.0	19.5	7.8	11.7	15.6	7.8	3.9	-0-	11.7	15.6
WAUKEGAN	202.5	61.3	32.2	29.1	35.3	19.9	4.6	19.9	16.9	18.4
WHEATON	128.8	19.2	8.2	11.0	16.4	11.0	-0-	16.4	8.2	-0-
WILMETTE	148.6	21.7	9.3	12.4	9.3	3.1	3.1	3.1	9.3	3.1



APPENDIX 1. DATA SOURCES AND ANALYSIS

THE REGISTRATION SYSTEM

The Illinois Vital Statistics Registration system directly affects all residents of the state at some time during their lives. Each birth, death, fetal death, marriage and divorce is required by law to be registered with the State Registrar of Vital Records. (*See Exhibits 1 through 6 for copies of these certificates.*) Certificates of these events are the official records used by the individual for legal proof of the event's occurrence. These certificates are also the source of statistical information important to planners and analysts in the health fields and other disciplines.

The first statewide registration system for births and deaths was included in the legislation that established the State Board of Health in 1877. Within 10 years, the system had failed because of the lack of central legal control of the data collection process. After several attempts, a law embodying the elements of an efficient system became effective on January 1, 1916. Slight modifications were made over the years until January 1, 1962, when the current law, including several new significant provisions, was made effective. Central registration of marriages and divorces also began on that date. Prior to 1962, annual counts of marriages and divorces by county had been made intermittently since 1867.

Unique to Illinois is the coroner's physician whose position was established by the 1957 Coroner's Act. The coroner's physician at the request of the coroner makes the medical investigation and an autopsy, if necessary, for a death involving a motor vehicle accident, a fall or other form of violence, for a death involving suspicious circumstances, or for a person found dead. Programs relating to boating, recreational gun usage, highway safety, hazardous substance control, drug abuse, law enforcement, suicide prevention, hospital and nursing home construction, home safety and pesticide control rely heavily on the findings of the coroner and the coroner's physician.

The vital statistics system depends on the interaction among three essential components: registration, tabulation and analysis. The original live birth, death, and fetal death certificates are collected by local registrars of vital records who are appointed by, and are under the direct supervision of, the State Registrar of Vital Records. The local registrar prepares a copy of each certificate for his files and for the files of the county clerk and sends the original certificate to the Illinois Department of Public Health (*See Figure 1*).

Insuring that a certificate of live birth is filed is the responsibility of the hospital administrator or other person in charge of an institution if the birth occurs in an institution. The physician in attendance verifies or provides the date of birth and required medical information. For births outside hospitals and institutions, the physician or other attendant at birth prepares and files the certificate.

A fetal death certificate is prepared if the fetus is determined to be a product of 20 completed weeks'

gestation and not born alive, or independently of gestation period, if the fetus is a member of a multiple birth of which at least one is born alive. For both deaths and fetal deaths, the funeral director is responsible for filing the certificate with the local registrar in the area in which the death occurred. Medical certification, including determination of the cause of death, is completed by the physician in charge of the patient's care, except when a coroner's certificate is filed. The coroner is responsible for completing a certificate of death in cases of suicides, homicides, accidents, and unattended deaths. In addition, a physician may request a coroner's review in any death.

The marriage certificate is filed directly with the Illinois Department of Public Health by the County Clerk. The certificate combines information supplied by the applicants for the license and by the marriage officiant.

The certificate of divorce or annulment is filed directly with the Department by the Circuit Clerk. Each certificate contains information supplied by the attorney for the plaintiff and from the divorce or annulment decree.

The Division of Vital Records inspects the certificates and requests supplemental information on those that are incomplete, inconsistent, or unclear. When a certificate is judged to be acceptable, the information is keyed directly to magnetic tape for storage and retrieval. (*See Figure 2*.)

The Division of Data Processing maintains two types of files for each vital event — one which includes the individual's name, address and other identifying information needed to locate that document for legal uses and the other from which all personal identification is removed. Thus, an individual's right of access to records about himself is maintained while his right of privacy is also protected.

Also included in the registration process are amendments of birth and death certificates, preparation of new documents for adopted and legitimated children, and the certification of the contents of a record when a citizen needs it.

COMPLETENESS OF VITAL EVENTS REPORTING

As one product of the health care delivery system, the vital record is available for planning and analysis. Since the vital record is both a legal document and a source of data, errors and omissions can create serious problems.

With an already established network of office and field personnel involved in the registration process, the completeness and accuracy of the contents of a vital record can readily be monitored. With adequate monitoring, the vital record can be brought to a sufficiently high standard of excellence that the records of physicians, coroners and hospitals will seldom need to be queried to obtain the information required for many legal and health purposes.

While essentially every vital record required by law is reported, the quality and completeness of many are insufficient for either legal or planning use. For example, when the name on a live birth certificate does not agree with that on the death certificate for the same child, not only are the records not matched for use in health programs dealing with high-risk infants and special diseases, but legal problems are also involved. As an example, of the 43 resident deaths reported as being due to infectious encephalitis, only 14 carried the adjective "St. Louis". In contrast, in the epidemic described on page 1.04, 47 deaths occurring in Illinois were identified as St. Louis encephalitis. This example of the incomplete work-up of medical records and/or incomplete detail in reporting has a counterpart in another example. Statewide, in 1975 there were 889 perinatal deaths assigned to asphyxia, unspecified, and immaturity, unqualified out of a total of 3,880 deaths, or 22.9 percent. Such a high percentage of inadequately described causes prevents adequate assessment of programs dealing with high-risk mothers and infants. In the marriage and divorce tables, the entries labeled "unknown" again show the frequency of inadequate attention to details.

Records that are completed by face-to-face contact between the recorder and supplier of the information should be complete and accurate. On the other hand, since fetal death and death records require personal particulars from sources not in a position to know all of the details and require the detailed diagnosis of the attending physician, they can be incomplete and inaccurate because of the maximum of only three days allowed by law to present the record to the local registrar of vital records in exchange for a burial, removal, or transit permit. Both legal and administrative procedures for providing the needed supplemental reports for these records are available, but are too infrequently used.

CUTOFF DATES AND INTERSTATE EXCHANGE

For all tabulations in this report, those events occurring during 1975 for which a vital record was received on or before February 15, 1976 are included. There is no cutoff date for the filing of a vital record as a legal document. An elaborate exchange of data on live birth, fetal death, and death records is carried out, usually on a monthly basis, with all of the states and the Canadian provinces. The original vital record is never released or received in these transactions. The cutoff date for data received on Illinois residents born or dying outside of the state was also February 15, 1976. There is no exchange of marriage, divorce and annulment data.

CONSTRUCTION OF THE POPULATION BASES

Population bases by race for all ages and by sex-race for the age group 65 years and over were constructed for 1975 and for the five-year period 1970 to 1974. For the five-year period, the provisional estimates for the year 1973 as generated for United States Department of

Treasury for its Revenue Sharing Program were used. For 1975, the preliminary county estimates were used. Both sets were prepared by the United States Bureau of the Census, except that an independent estimate for Chicago City was used in 1975.

For each period and for each of the 102 counties and Chicago the proportion nonwhite as derived from Table 34, *1970 Census of Population: Illinois (Chicago from Table 33)* was applied to the estimate to obtain the number of persons among the nonwhite races. The number of white persons was found by subtraction. Minor adjustments for each year made the race totals for Illinois and Chicago conform to independently prepared estimates. The 1973 estimates were used as prepared and the 1975 estimates were rounded to the nearest 100.

The population estimates by sex-race for the age group 65 years and over were generated from the 1973 and 1975 county populations for this group as developed by the United States Bureau of the Census for its Component Method II estimating procedure. The Chicago populations were obtained separately by linear trend from the 1970 and 1974 populations prepared by the Bureau of the Census for the National Clearinghouse on Aging, Administration on Aging.

For each of the years, the proportion nonwhite in each county as derived from Table 35, *1970 Census of Population: Illinois (Chicago from Table 24)* was applied to the total population in the age group to obtain the number of persons among the nonwhite races. The number of white persons was found by subtraction. Minor adjustments to each year made the race totals for Illinois and Chicago conform to independently prepared estimates for the age group 65 years and over. The fraction male in each race group obtained from the same sources was applied to the race estimates. The female populations were found by subtraction. The 1975 estimates were rounded to nearest 50.

VITAL RATE ANALYSIS

A true rate is a probability. It is defined as the ratio of the number of persons experiencing a risk to the number exposed to the risk; for example, the proportion of infant deaths occurring in a group of live-born children. Lack of precise populations exposed to risk requires using estimates that are often rather crude. In addition to the usual rates, the tables present several rates and ratios that are designed to focus special attention, such as the illegitimacy rates by race among teenage mothers and death rates by sex and race among persons ages 65 years and over for selected causes.

During the past century, European actuaries have developed an extensive literature on vital statistics theory and application. (9) In the United States, the Connecticut vital statistics reports from 1925 to 1941 represent an example. (10) It has been noted that the simpler theories may not be adequate. (11) Nevertheless, they are useful in establishing criteria for determining the stability and reliability of vital rates for comparisons. The simplest

theory is outlined below. It is based on simple random sampling from a binomial universe. This theory provides a rapid and easily determined estimate of a confidence interval.

To introduce the binomial theory, suppose that a population of size P in a health service area and its n constituent counties contain a varying number of t persons per county. Among the t persons in a selected county, suppose that e experience a specified vital event. Let e/t be an estimate of the probability of experiencing this event in a given county of size t . The fraction of P in the county is t/P . Then, in terms of P , the probability that the event occurs in the health service area is $S[(e/t)(t/P)] = Se/P$. Altogether, $E = Se$ experience the event in P , where S represents summation over all n counties, some of which may have no occurrences. So, for the entire health service area, the estimate of the probability may be written $E/P = R$. (12)

Assume now that the probability that the event will occur is the same throughout the entire health service area and that every member of the population has an equal and independent opportunity of experiencing the event. The standard deviation of R for such a universe is $\sqrt{R(1-R)/P}$. This reduces to $R\sqrt{(1-R)/E}$. Further, if R is small enough so that $1-R$ is close to unity, the Poisson approximation to the binomial is available. Then the standard deviation of R is simply R/\sqrt{E} , that is, the rate divided by the square root of the number of events experienced. (13)

To obtain an estimate of the stability of R , the confidence interval is used. A lower limit and an upper limit are computed from R to establish the interval. To set these limits, the value of R actually experienced in P is considered as but one of the many values of R that could be obtained from P through repeated sampling of P by the same procedure as R was found. For each R obtained by sampling, new limits are computed with the result that of the large number of intervals produced, a fixed percentage (say 95 percent) of the samples will generate intervals inside of which the true value of R can be found. (14)

When E is not so small relative to P that R becomes less than 0.1, the error in using the normal curve in place of the Poisson approximation for setting the confidence interval may often be neglected. Then the confidence interval can be written as $R \pm uR/\sqrt{E}$, where u is taken as 1.96 from the normal curve for a 95-percent interval. This formula may also be written as $(E \pm u\sqrt{E})/P$, a form that emphasizes the importance of the number of events experienced. These considerations lead to the choices of $E = 10$ and $P = 100$ for the lower limits of the numerator and denominator for the printing of the rates in this report. (15)

When the numerator of R is less than 10 and/or the denominator is less than 100, a star (*) appears in the rate columns in the state, health service area, and county tables in Part II. In these tables, the rates based on the 1973 population were computed from the unrounded estimates and the rates based on the 1975 population were computed from the rounded estimates.

RATE STABILITY

To obtain an idea of the concept of rate stability, suppose first that there are 2,500 infant deaths among 100,000 live births, a rate of 25.0 per 1,000. The second formula at the end of the vital rate analysis section shows that the number of infant deaths will range from 2,500 - $1.96\sqrt{2,500}$ to 2,500 + $1.96\sqrt{2,500}$, or from 2,402 to 2,598. For 100,000 live births, this gives a rate spread from 24.0 to 26.0 per 1,000. Now suppose there are 250 infant deaths among 10,000 live births. The rate is still 25.0, but the rate spread is now from 21.9 to 28.1 per 1,000. Lastly, suppose that there are 25 infant deaths among 1,000 live births. The rate spread is now from 15.2 to 34.8 per 1,000. Thus, as the number of infant deaths decreases the rate spread increases, and vice versa, even though the rate remains fixed.

The user can compute the vital rate where a star appears in the 1975 rate columns. After computing the spread as above, he will usually find the rate almost useless by itself for program planning. When he encounters a star in the 1970 to 1974 rate columns, he needs to be even more alert.

EXHIBIT 1

Type or Print in
PERMANENT INK
See Hospital
or Physician's
Handbook for
INSTRUCTIONS

MATCHING IDC
REGISTRATION
DISTRICT NO.
REGISTERED
NUMBER

STATE OF ILLINOIS

CERTIFICATE OF LIVE BIRTH

CHILD'S BIRTH NUMBER

112-

1	CHILD—NAME	FIRST	MIDDLE	LAST	DATE OF BIRTH (MONTH, DAY, YEAR)	HOUR
2	SEX	THIS BIRTH—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY)			IF NOT SINGLE BIRTH—BORN FIRST SECOND, THIRD, ETC. (SPECIFY)	
					2a	2b M.
	3	4a			4b	
		CITY, TOWN, TWP OR ROAD DISTRICT NO.			HOSPITAL—NAME	
		5b			5c	
		5d			5e	
		5f			5g	
4	MOTHER—MAIDEN NAME	FIRST	MIDDLE	LAST	AGE (AT TIME OF THIS BIRTH)	BIRTHPLACE
	6a	6b			6c	
		RESIDENCE STATE			COUNTY	
		CITY, TOWN, TWP OR ROAD DISTRICT NO.			INSIDE CITY (YES/NO)	
		7a			7b	
		7c			7d	
		7e			7f	
		7g			7h	
		7i			7j	
		7k			7l	
		7m			7n	
		7o			7p	
		7q			7r	
		7s			7t	
		7u			7v	
		7w			7x	
		7y			7z	
		7aa			7ab	
		7ac			7ad	
		7ae			7af	
		7ag			7ah	
		7ai			7aj	
		7ak			7al	
		7am			7an	
		7ao			7ap	
		7aq			7ar	
		7as			7at	
		7au			7av	
		7aw			7ax	
		7ay			7az	
		7ba			7bb	
		7bc			7bd	
		7be			7bf	
		7bg			7bh	
		7bi			7bj	
		7bk			7bl	
		7bm			7bn	
		7bo			7bp	
		7bq			7br	
		7bs			7bt	
		7bu			7bv	
		7bw			7bx	
		7by			7bz	
		7ca			7cb	
		7cc			7cd	
		7ce			7cf	
		7cg			7ch	
		7ci			7cj	
		7ck			7cl	
		7cm			7cn	
		7co			7cp	
		7cq			7cr	
		7cs			7ct	
		7cu			7cv	
		7cw			7cx	
		7cy			7cz	
		7da			7db	
		7dc			7dd	
		7de			7df	
		7dg			7dh	
		7di			7dj	
		7dk			7dl	
		7dm			7dn	
		7do			7dp	
		7dq			7dr	
		7ds			7dt	
		7du			7dv	
		7dw			7dx	
		7dy			7dz	
		7ea			7eb	
		7ec			7ed	
		7ee			7ef	
		7eg			7eh	
		7ei			7ej	
		7ek			7el	
		7em			7en	
		7eo			7ep	
		7eq			7er	
		7es			7et	
		7eu			7ev	
		7ew			7ex	
		7ey			7ez	
		7fa			7fb	
		7fc			7fd	
		7fe			7ff	
		7fg			7fh	
		7fi			7fj	
		7fk			7fl	
		7fm			7fn	
		7fo			7fp	
		7fq			7fr	
		7fs			7ft	
		7fu			7fv	
		7fw			7fx	
		7fy			7fz	
		7ga			7gb	
		7gc			7gd	
		7ge			7gf	
		7gg			7gh	
		7gi			7gj	
		7gk			7gl	
		7gm			7gn	
		7go			7gp	
		7gq			7gr	
		7gs			7gt	
		7gu			7gv	
		7gw			7gx	
		7gy			7gz	
		7ha			7hb	
		7hc			7hd	
		7he			7hf	
		7hg			7hh	
		7hi			7hj	
		7hk			7hl	
		7hm			7hn	
		7ho			7hp	
		7hq			7hr	
		7hs			7ht	
		7hu			7hv	
		7hw			7hx	
		7hy			7hz	
		7ia			7ib	
		7ic			7id	
		7ie			7if	
		7ig			7ih	
		7ii			7ij	
		7ik			7il	
		7im			7in	
		7io			7ip	
		7iq			7ir	
		7is			7it	
		7iu			7iv	
		7iw			7ix	
		7iy			7iz	
		7ja			7jb	
		7jc			7jd	
		7je			7jf	
		7jg			7jh	
		7ji			7jj	
		7jk			7jl	
		7jm			7jn	
		7jo			7jp	
		7jq			7jr	
		7js			7jt	
		7ju			7jv	
		7jw			7jx	
		7jy			7jz	
		7ka			7kb	
		7kc			7kd	
		7ke			7kf	
		7kg			7kh	
		7ki			7kj	
		7kk			7kl	
		7km			7kn	
		7ko			7kp	
		7kq			7kr	
		7ks			7kt	
		7ku			7kv	
		7kw			7kx	
		7ky			7kz	
		7la			7lb	
		7lc			7ld	
		7le			7lf	
		7lg			7lh	
		7li			7lj	
		7lk			7ll	
		7lm			7ln	
		7lo			7lp	
		7lq			7lr	
		7ls			7lt	
		7lu			7lv	
		7lw			7lx	
		7ly			7ly	
		7ma			7mb	
		7mc			7md	
		7me			7mf	
		7mg			7mh	
		7mi			7mj	
		7mk			7ml	
		7mm			7mn	
		7mo			7mp	
		7mq			7mr	
		7ms			7mt	
		7mu			7mv	
		7mw			7mx	
		7my			7my	
		7na			7nb	
		7nc			7nd	
		7ne			7nf	
		7ng			7nh	
		7ni			7nj	
		7nk			7nl	
		7nm			7nn	
		7no			7np	
		7nq			7nr	
		7ns			7nt	
		7nu			7nv	
		7nw			7nx	
		7ny			7ny	
		7oa			7ob	
		7oc			7od	
		7oe			7of	
		7og			7oh	
		7oi			7oj	
		7ok			7ol	
		7om			7on	
		7oo			7op	
		7oq			7or	
		7os			7ot	
		7ou			7ov	
		7ow			7ox	
		7oy			7oy	
		7pa			7pb	
		7pc			7pd	
		7pe			7pf	
		7pg			7ph	
		7pi			7pj	
		7pk			7pl	
		7pm			7pn	
		7po			7pp	
		7pq			7pr	
		7ps			7pt	
		7pu			7pv	
		7pw			7px	
		7py			7py	
		7qa			7qb	
		7qc			7qd	
		7qe			7qf	
		7qg			7qh	
		7qi			7qj	
		7qk			7ql	
		7qm			7qn	
		7qo			7qp	
		7qq			7qr	
		7qs			7qt	
		7qu			7qv	
		7qw			7qx	
		7qy			7qy	
		7ra			7rb	
		7rc			7rd	
		7re			7rf	
		7rg			7rh	
		7ri			7rj	
		7rk			7rl	
		7rm			7rn	
		7ro			7rp	
		7rq			7rr	
		7rs			7rt	
		7ru			7rv	
		7rw			7rx	
		7ry			7ry	
		7sa			7sb	
		7sc			7sd	
		7se			7sf	
		7sg			7sh	
		7si			7sj	
		7sk			7sl	
		7sm			7sn	
		7so			7sp	
		7sq			7sr	
		7ss			7st	
		7su			7sv	
		7sw			7sx	
		7sy			7sy	
		7ta			7tb	
		7tc			7td	
		7te			7tf	
		7tg			7th	
		7ti			7tj	
		7tk			7tl	
		7tm			7tn	
		7to			7tp	
		7tq			7tr	
		7ts			7tt	
		7tu			7tv	
		7tw			7tx	
		7ty			7ty	
		7ua			7ub	
		7uc			7ud	
		7ue			7uf	
		7ug			7uh	
		7ui			7uj	
		7uk			7ul	
		7um			7un	
		7uo			7up	
		7uq			7ur	
		7us			7ut	
		7uu			7uv	
		7uw			7ux	
		7uy			7uy	
		7va			7vb	
		7vc			7vd	
		7ve			7vf	
		7vg			7vh	
		7vi			7vj	
		7vk			7vl	

EXHIBIT 2

Type or Print in PERMANENT INK See Funeral Directors Hospital Physicians or Coroners Handbook for INSTRUCTIONS		STATE OF ILLINOIS CERTIFICATE OF FETAL DEATH		STATE FILE NUMBER
REGISTRATION DISTRICT NO.		REGISTERED NUMBER		
FETUS—NAME FIRST MIDDLE LAST		DATE OF DELIVERY (MONTH, DAY, YEAR) HOUR M.		
FETUS	1. SEX	THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY)		IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY)
	3. CITY, TOWN, TWP OR ROAD DISTRICT NO.	4a. INSIDE CITY (YES/NO)	4b. HOSPITAL—NAME	IF NOT IN HOSPITAL, GIVE STREET AND NUMBER
MOTHER	5b. MOTHER—MAIDEN NAME FIRST MIDDLE LAST	5c.	5d.	6b. AGE (AT TIME OF THIS DELIVERY)
	6a. RESIDENCE STATE	COUNTY	CITY, TOWN, TWP OR ROAD DISTRICT NO.	6c. BIRTHPLACE
FATHER	7a. FATHER—NAME FIRST MIDDLE LAST	7b.	7c.	7d. BIRTHPLACE
	8a. INFORMANT'S SIGNATURE	RELATIONSHIP	MAILING ADDRESS	STREET AND NO OR R.F.D., CITY, OR TOWN, STATE, ZIP
8.1		8.2	8.3	
9. PART 1. FETAL DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR 1a, 1b, AND 1c)				SPECIFY FETAL OR MATERNAL
CAUSE	1a. FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH			IMMEDIATE CAUSE
	1b. FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE			DUE TO OR AS A CONSEQUENCE OF
	1c. FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE			DUE TO OR AS A CONSEQUENCE OF
PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER, CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I				
I CERTIFY THAT THIS FETUS WAS BORN DEAD AT THE PLACE AND TIME AND ON THE DATE STATED ABOVE		DATE SIGNED (MONTH, DAY, YEAR)		ATTENDANT—M.D., D.O., MIDWIFE, OTHER (SPECIFY)
CERTIFIER	12a. SIGNATURE		12b.	12c.
	CERTIFIER'S COMPLETE MAILING ADDRESS (STREET AND NO OR R.F.D., CITY, OR TOWN, STATE, ZIP)			
BURIAL	13a. BURIAL, CREMATION, REMOVAL (SPECIFY)		13b. CEMETERY OR CREMATORY—NAME	13c. LOCATION
	14a. FUNERAL HOME		14b. NAME	14c. STREET AND NUMBER OR R.F.D.
	15a. FUNERAL DIRECTOR'S SIGNATURE		FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER	
	16a. LOCAL REGISTRAR'S SIGNATURE		DATE REC'D BY LOCAL REGISTRAR (MONTH, DAY, YEAR)	
INFORMATION FOR HEALTH AND STATISTICAL USE ONLY				
FATHER	17. RAC SPECIFY WHITE, NEGRO, AMERICAN INDIAN, ETC.		18. EDUCATION—CIRCLE HIGHEST GRADE COMPLETED	
	19a. PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN ARE NOW LIVING		19b. WERE BORN ALIVE—NOW DEAD	
MOTHER	20. DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR)		21. MONTH OF PREGNANCY PRENATAL CARE BEGAN—1ST, 2ND, 3RD, ETC. (SPECIFY)	
	22a. PRENATAL VISITS—TOTAL NUMBER IF NONE, SO STATE		22b. IS FETUS LEGITIMATE (YES/NO)	
23. DATE OF MOTHER'S BLOOD TEST FOR SYPHILIS (MONTH, DAY, YEAR)		24. LABORATORY DOING THE SEROLOGY		
25. WEIGHT OF FETUS (LBS. OZ.)		26. DATE OF LAST FETAL DEATH (MONTH, DAY, YEAR)		
27. COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE")		28. CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (DESCRIBE OR WRITE "NONE")		
29. COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE")		30.		
31.				

DO NOT DETACH

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WILL DETACH AND DESTROY THIS SECTION AND USE THE DATA IN CODE FORM ONLY

VR 110—(11969)
ILLINOIS DEPARTMENT OF PUBLIC HEALTH—BUREAU OF VITAL RECORDS
BASED ON 1968 U.S. STANDARD CERTIFICATE

EXHIBIT 3

DECEASED'S BIRTH-NT		REGISTRATION DISTRICT NO. REGISTERED NUMBER		STATE OF ILLINOIS		STATE FILE NUMBER	
MEDICAL CERTIFICATE OF DEATH							
DECEASED—NAME				FIRST	MIDDLE	LAST	SEX
DATE OF DEATH				(MONTH, DAY, YEAR)			
1		2		3		4	
RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		AGE—LAST BIRTHDAY (YRS.)		UNDER 1 YEAR UNDER DAY		DATE OF BIRTH (MONTH, DAY, YEAR)	
4		5a.		5b.		5c.	
CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER		INSIDE CITY (YES/NO)		HOSPITAL OR OTHER INSTITUTION—NAME		(IF NOT IN EITHER, GIVE STREET AND NUMBER)	
7b		7c.		7d.			
BIRTHPLACE (STATE OR FOREIGN COUNTRY)		CITIZEN OF WHAT COUNTRY		MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY)		NAME OF SURVIVING SPOUSE (MAIDEN NAME, IF WIFE)	
8		9.		10.		11.	
SOCIAL SECURITY NUMBER		USUAL OCCUPATION		KIND OF BUSINESS OR INDUSTRY		U.S. WAR VETERAN (YES/NO)	
12		13a.		13b.		13c.	
RESIDENCE		STATE		CITY, TOWN, TWP. OR ROAD DISTRICT NO.		INSIDE CITY (YES/NO)	
14a		14b.		14c.		14d.	
FATHER—NAME		MOTHER—MAIDEN NAME		FIRST		MIDDLE	
15		16		17a.		17b.	
INFORMANT'S SIGNATURE		RELATIONSHIP		MAILING ADDRESS (STREET AND NO. OR R. F. D., CITY OR TOWN, STATE, ZIP)			
18		19a.		19b.		19c.	
DEATH WAS CAUSED BY		[ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)]		APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH			
PART I		IMMEDIATE CAUSE					
(a)		DUE TO OR AS A CONSEQUENCE OF					
(b)		DUE TO OR AS A CONSEQUENCE OF					
(c)							
PART II		OTHER SIGNIFICANT CONDITIONS, CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a)		AUTOPSY (YES/NO)		IF YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH?	
20a.		20b.		19a.		19b.	
DATE OF OPERATION, IF ANY		MAJOR FINDINGS OF OPERATION					
21a.		21b.		21c.		21d.	
I ATTENDED THE DECEASED FROM		TO		AND LAST SAW HIM/HER ALIVE ON		HOUR OF DEATH	
22a.		22b.		22c.		22d.	
I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE THIS DEATH OCCURRED ON THE DATE, AT THE TIME AND PLACE, AND FROM THE CAUSE(S) STATED		NOTE: IF AN INJURY WAS INVOLVED IN THIS DEATH, THE CORONER MUST BE NOTIFIED.					
23		24a.		24b.		24c.	
SIGNATURE		DATE SIGNED		ILLINOIS LICENSE NUMBER			
25a.		25b.		25c.		25d.	
MAILING ADDRESS—CERTIFIER		STREET AND NUMBER OR R. F. D.		CITY OR TOWN		STATE	
26a.		26b.		26c.		26d.	
BURIAL, CREMATION, REMOVAL (SPECIFY)		CEMETERY OR CREMATORY—NAME		LOCATION		CITY OR TOWN	
27a.		27b.		27c.		27d.	
FUNERAL HOME		NAME		STREET AND NUMBER OR R. F. D.		CITY OR TOWN	
28a.		28b.		28c.		28d.	
FUNERAL DIRECTOR'S SIGNATURE		FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER					
29a.		29b.		29c.		29d.	
LOCAL REGISTRAR'S SIGNATURE		DATE REC'D BY LOCAL REGISTRAR (MONTH, DAY, YEAR)					
30a.		30b.		30c.		30d.	

EXHIBIT 4

<input type="checkbox"/> PERMANENT CERTIFICATE <input type="checkbox"/> TEMPORARY CERTIFICATE		STATE OF ILLINOIS		STATE FILE NUMBER		
DECEDENT'S BIRTH NO.		REGISTRATION DISTRICT NO.		REGISTERED NUMBER		
CORONER'S CERTIFICATE OF DEATH						
DECEASED—NAME		FIRST	MIDDLE	LAST	SEX	DATE OF DEATH (MONTH, DAY, YEAR)
1. RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		AGE—LAST BIRTHDAY (YRS.)		UNDER 1 YEAR	UNDER 1 DAY	DATE OF BIRTH (MONTH, DAY, YEAR)
4. CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER		5a. INSIDE CITY (YES/NO)	5b. MOS.	5c. DAYS	5d. HOURS	5e. MIN.
7b. BIRTHPLACE (STATE OR FOREIGN COUNTRY)		9. CITIZEN OF WHAT COUNTRY		10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY)		11. NAME OF SURVIVING SPOUSE (MAIDEN NAME, IF WIFE)
8. SOCIAL SECURITY NUMBER		13a. USUAL OCCUPATION		13b. KIND OF BUSINESS OR INDUSTRY		13c. U.S. WAR VETERAN (YES/NO)
12. RESIDENCE		STATE	COUNTY	CITY, TOWN, TWP. OR ROAD DISTRICT NO.	INSIDE CITY (YES/NO)	STREET AND NUMBER
14a. FATHER—NAME		FIRST	MIDDLE	LAST	MOTHER—MAIDEN NAME FIRST MIDDLE LAST	
15. INFORMANT'S SIGNATURE		16. RELATIONSHIP		17. MAILING ADDRESS (STREET AND NO. OR R. F. D., CITY OR TOWN, STATE, ZIP)		
17a. DEATH WAS CAUSED BY:		17b. (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c))				17c. APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH
PART I. IMMEDIATE CAUSE		(a) DUE TO OR AS A CONSEQUENCE OF				
(b) DUE TO OR AS A CONSEQUENCE OF						
(c) DUE TO OR AS A CONSEQUENCE OF						
PART II OTHER SIGNIFICANT CONDITIONS: (CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I—(SEE PART II, ITEM 18))		AUTOPSY (YES/NO)		19b. YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH		
18a. ACCIDENT, SUICIDE, HOMICIDE OR UNDETERMINED (SPECIFY)		DATE OF INJURY (MONTH, DAY, YEAR)		HOUR		HOW INJURY OCCURRED (ENTER NATURE OF INJURY MENTIONED IN PART I—(SEE PART II, ITEM 18))
20a. INJURY AT WORK (YES/NO)		20b. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BUILDING, ETC. (SPECIFY)		20c. LOCATION (CITY, VIL. OR TOWN, OR TWP. OR RD. DIST. NO., COUNTY, STATE)		20d. M.
20e. I CERTIFY THAT IN MY OPINION, BASED UPON MY INVESTIGATION AND OR THE INQUIRY, THIS DEATH OCCURRED ON THE DATE, AT THE PLACE AND DUE TO THE CAUSE(S) STATED, AND THAT — — —		20f. THE DECEDENT WAS PRONOUNCED DEAD ON		AT		
21a. CORONER'S SIGNATURE		21b. MONTH DAY YEAR		21c. DATE SIGNED (MONTH, DAY, YEAR)		M.
22a. CORONER'S PHYSICIAN'S SIGNATURE		22b. DATE SIGNED (MONTH, DAY, YEAR)		22c. DATE SIGNED (MONTH, DAY, YEAR)		
23a. BURIAL, CREMATION, REMOVAL (SPECIFY)		23b. CEMETERY OR CREMATORY—NAME		23c. LOCATION		23d. CITY OR TOWN STATE DATE (MONTH, DAY, YEAR)
24a. FUNERAL HOME		24b. NAME		24c. STREET AND NUMBER OR R. F. D.		24d. CITY OR TOWN STATE ZIP
25a. FUNERAL DIRECTOR'S SIGNATURE		25b. FUNERAL DIRECTOR'S ILLINOIS LICENSE NUMBER		25c. DATE REC'D. BY LOCAL REGISTRAR (MONTH, DAY, YEAR)		
26a. LOCAL REGISTRAR'S SIGNATURE		26b. DATE REC'D. BY LOCAL REGISTRAR (MONTH, DAY, YEAR)		26c. DATE REC'D. BY LOCAL REGISTRAR (MONTH, DAY, YEAR)		

VR 207 (1971)

Illinois Department of Public Health - Office of Vital Records

(BASED ON 1968 U.S. STANDARD CERTIFICATE)

EXHIBIT 5

ORIGINAL		STATE OF ILLINOIS MARRIAGE APPLICATION AND RECORD				STATE FILE NUMBER
TYPE OR PRINT IN PERMANENT INK COUNTY		LICENSE NUMBER				
GROOM 1 GROOM NAME FIRST MIDDLE LAST 2 RESIDENCE STATE 3 CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER 4 INSIDE CITY (YES/NO)		5a FATHER NAME FIRST MIDDLE LAST 5b FATHER PLACE OF BIRTH 6a MOTHER MAIDEN NAME 6b MOTHER PLACE OF BIRTH 7a BRIDE NAME FIRST MIDDLE LAST 7b BRIDE MAIDEN NAME — IF DIFFERENT 8a BRIDE RESIDENCE STATE 8b CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER 8c INSIDE CITY (YES/NO)				2d 3 4 5b 6b 7b 8c 9 10 12a 12b
BRIDE 9 FATHER NAME FIRST MIDDLE LAST 10 FATHER PLACE OF BIRTH 11a MOTHER MAIDEN NAME 11b MOTHER PLACE OF BIRTH 12a BRIDE RESIDENCE STATE 12b CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER 12c INSIDE CITY (YES/NO)						
AFFIDAVIT WE HEREBY CERTIFY that the information given in this application is true to the best of our knowledge, that we are free to intermarry under the laws of this State and the laws of the jurisdiction where we reside, that we are the identical persons named in the accompanying Physicians' Certificates with laboratory reports attached and that we each signed said certificates in the presence of the physician whose name appears thereon.						
MARRIAGE RECORD 13 GROOM SIGN FULL NAME 14 BRIDE SIGN FULL NAME 15 SUBSCRIBED AND SWORN TO BEFORE ME 16 DATE OF MARRIAGE (MONTH DAY YEAR) 17 NAME OF OFFICIANT 18 DATE RECORDED (MONTH DAY YEAR)		16 SIGNATURE OF COUNTY CLERK BY 17 PLACE OF MARRIAGE (CITY, VIL OR TOWN, IF RURAL GIVE TWP. NAME OR ROAD DIST. NUMBER) 18 TITLE 19 SIGNATURE OF COUNTY CLERK BY 20 DEPUTY				
VS 600 (1968) ILLINOIS DEPARTMENT OF PUBLIC HEALTH — BUREAU OF STATISTICS (BASED ON 1968 U. S. STANDARD FORM)						
CONFIDENTIAL STATISTICAL SECTION						
RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		IF PREVIOUSLY MARRIED FIRST MARRIAGE (BY DEATH, DIVORCE OR ANNULMENT) SPECIFY HOW SPECIFY WHEN (MONTH, YEAR)		EDUCATION — SPECIFY HIGHEST GRADE COMPLETED ELEMENTARY (1-8) HIGH SCHOOL (1-12) COLLEGE (1-4 OR 5+) SPECIAL		
GROOM 23	24	25a	25b	26	27	28
BRIDE 27	28	29a	29b	30	31	32

EXHIBIT 6

ORIGINAL

TYPE, OR PRINT
IN PERMANENT INK

STATE OF ILLINOIS CERTIFICATE OF DIVORCE OR ANNULMENT

STATE FILE NUMBER

NAME OF COUNTY		COURT FILE NUMBER	
<div>HUSBAND</div> <div>WIFE</div>			
HUSBAND NAME		WIFE NAME	
FIRST		LAST	
RESIDENCE STATE		CITY, TOWN, TWP. OR ROAD DISTRICT NUMBER	
2a		2b	
STREET AND NUMBER OR R.F.D.		STATE OF BIRTH (IF NOT IN U.S. NAME COUNTRY)	
2c		4a	
DATE OF BIRTH (MONTH DAY YEAR)		AGE NOW	
2d		4b	
DATE OF THIS MARRIAGE (MONTH DAY YEAR)		AGE AT TIME OF THIS MARRIAGE (HUSBAND / WIFE)	
9a		9b	
PLACE OF THIS MARRIAGE (IF NOT IN U.S. NAME COUNTRY)		STATE	
9c		9d	
APPROXIMATE DATE (MONTH YEAR) COUPLE SEPARATED		LIVING CHILDREN (TOTAL)	
10		11a	
TYPE OF DECREE (SPECIFY DIVORCE OR ANNULMENT)		DECREE GRANTED TO (SPECIFY HUSBAND OR WIFE)	
13a		13b	
LEGAL GROUNDS FOR DECREE (SPECIFY)		13c	
ATTORNEY FOR PLAINTIFF NAME		ADDRESS (STREET OR R.F.D. CITY OR TOWN STATE ZIP)	
14a		14b	

CONFIDENTIAL STATISTICAL SECTION

RACE		NUMBER OF THIS MARRIAGE		IF PREVIOUSLY MARRIED HOW MANY ENDED BY		EDUCATION — SPECIFY HIGHEST GRADE COMPLETED			
WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)		FIRST, SECOND, ETC. (SPECIFY)		DEATH	DIV. OR ANNUL	ELEMENTARY (1-8)	HIGH SCHOOL (1-2, 3, 4)	COLLEGE (1, 2, 3, 4 OR 5+)	SPECIAL
HUSBAND		15	16	17	18	18	18	18	18
WIFE		19	20	21	22	22	22	22	22

FOR COURT CLERK ONLY

DATE OF RECORDING DECREE (MONTH DAY YEAR)	SIGNATURE OF COURT CLERK
23	24

VS 700- (1968)

ILLINOIS DEPARTMENT OF PUBLIC HEALTH BUREAU OF STATISTICS

(BASED ON 1968 U.S. STANDARD CERTIFICATE)

FIGURE 1. PATTERN OF VITAL REGISTRATION AND STATISTICS IN ILLINOIS

RESPONSIBLE PERSON OR AGENCY	BIRTH CERTIFICATE	DEATH CERTIFICATE	FETAL DEATH CERTIFICATE (STILLBIRTH)	REPORTING OFFICIALS	MARRIAGE RECORD
Physician, Other Professional Attendant, Hospital Authority, or Coroner	<ol style="list-style-type: none"> 1. Completes entire certificate in consultation with parent(s). Physician's signature required. 2. Files certificate with local office of district in which birth occurred. 	<ol style="list-style-type: none"> 1. Completes medical certification and signs certificate. 2. Returns certificate to funeral director. 	<ol style="list-style-type: none"> 1. Completes or reviews medical items on certificate. 2. Certifies to the cause of fetal death and signs certificate. 3. Returns certificate to funeral director. 4. In absence of funeral director, files certificate. 	COUNTY CLERK	<ol style="list-style-type: none"> 1. Receives application for marriage license, and reviews application for completeness, accuracy, and compliance with law. 2. Issues marriage license, and records date. 3. Checks completeness of entries about the marriage ceremony. 4. Sends specified information regarding marriage to State Registrar.
FUNERAL DIRECTOR		<ol style="list-style-type: none"> 1. Obtains personal facts about deceased. 2. Takes certificate to physician or coroner for medical certification. 3. Delivers completed certificate to local office of district where death occurred and obtains burial permit. 	<ol style="list-style-type: none"> 1. Obtains the facts about fetal death. 2. Takes certificate to physician or coroner for entry of causes of fetal death. 3. Delivers completed certificate to local office of district where delivery occurred and obtains burial permit. 	MARRIAGE OFFICIANT	<ol style="list-style-type: none"> 1. Checks the validity of the marriage license. 2. Performs the marriage ceremony. 3. Certifies to the facts of the marriage ceremony. 4. Returns the record to the license clerk within the legally prescribed time.
LOCAL REGISTRAR (May be City or County Health Department)	<ol style="list-style-type: none"> 1. Verifies completeness and accuracy of certificate. 2. Makes copy, ledger entry, or index for local use, and for County Clerk. 3. Sends certificates to State Registrar. 	<ol style="list-style-type: none"> 1. Verifies completeness and accuracy of certificate. 2. Makes copy for local use, and for County Clerk. 3. Issues burial permit to funeral director and verifies return of permit from cemetery attendant. 4. Sends certificates to State Registrar. 		CIRCUIT CLERK	DIVORCE OR ANNULMENT RECORD <ol style="list-style-type: none"> 1. Provides form for report to plaintiff or attorney, or makes entries on such form from petition for decree. 2. Verifies entries on return form. 3. Enters information on final decree. 4. Sends completed report to State Registrar.
City and county health departments use certificates in allocating medical and nursing services, followups on infectious diseases, planning programs, measuring effectiveness of services, and conducting research studies.					<ol style="list-style-type: none"> 1. Enters personal characteristics of spouses. 2. Returns form to Clerk of Court.

DIVISION OF VITAL RECORDS -

1. Queries incomplete and inconsistent information.
2. Maintains files for permanent reference and as source for certified copies.
3. Transmits copies of vital records to the National Center for Health Statistics for statistical uses only.


DIVISION OF DATA PROCESSING -

1. Maintains magnetic tape files of vital records.
2. Prepares indexes for Division of Vital Records.
3. Transmits information to the National Center for Health Statistics for use in the Federal-State Cooperative Health Statistics System.
4. Prepares tabulations devoid of personal identification for program and research uses.

CENTER FOR HEALTH STATISTICS -

1. Prepares the annual vital statistics report and special reports on selected topics.
2. Transmits vital data to the United States Bureau of the Census to use in the Federal-State Cooperative Program on Population Estimates.
3. Carries out special analyses of vital data to aid in evaluation of programs.

**FIGURE 2. VITAL RECORDS PROCESSING
WITHIN ILLINOIS DEPARTMENT OF PUBLIC HEALTH
DIVISION OF DATA PROCESSING**



LEGEND



APPENDIX 2. DEFINITIONS OF TERMS

LIVE BIRTH

The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

ILLEGITIMATE BIRTH

Birth in which there is no marital tie between mother and father.

GESTATION PERIOD

Length of time, usually expressed in weeks, elapsed between the first day of the last normal menstrual period and date of delivery.

BIRTH WEIGHT

Weight of fetus or infant at time of delivery.

PREMATURE

A live birth or fetal death in which the weight is 2,500 grams (approximately 5 lb. 8 oz.) or less at time of delivery.

FETAL DEATH

Death prior to the complete expulsion or extraction from its mother of a product of conception, having passed through at least the 20th week of gestation; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

PERINATAL DEATH

A fetal death or a death occurring to an individual less than seven days of age.

HEBDOMADAL DEATH

A death under seven days of age.

NEONATAL DEATH

Death occurring to an individual less than 28 days of age.

INFANT DEATH

Death occurring to an individual of less than one year of age.

MATERNAL DEATH

Death attributable to a condition related to pregnancy, childbirth, or the puerperium.

AGE

Age in years as of last birthday. For infants, age may be stated in days, weeks or months.

RACE

The race is recorded as the individual states on certificate for mother, father, decedent, couple being married or divorced. Race of child is determined by race of parents. American Indian and unknown races are included with white in the tables.

OCCURRENCE

The place where the event occurred.

RESIDENCE

Usual place of residence. For births and fetal deaths, usual place of residence of mother is used. May be different than mailing address.

METROPOLITAN COUNTY

A county with at least one city of 50,000 inhabitants, or with "twin cities" with a combined population of at least 50,000; part of a metropolitan statistical area (SMSA).

RURAL

As used in Table J, any area not within an incorporated place with a population of 10,000 or more, whether or not in a metropolitan county.

UNDERLYING CAUSE OF DEATH

Disease or condition which gave rise to the chain of morbid events leading to death, or the circumstances of the accident or violence that produced the fatal injury. Appendix 4 lists the causes and ICDA numbers used in this report.

APPENDIX 3. DEFINITION OF RATES AND RATIOS

"One of the primary objectives of the study of vital statistics data is to measure the 'probability' or chance that some event will occur. . . . Not all vital statistics relative numbers(*rates and ratios*) have a direct interpretation in terms of the chance that an event will occur." (16) This probability for vital statistics can be measured thus: "If the relative frequency of success approaches a limit when the trial is repeated indefinitely under the same set of circumstances, this limit is called the probability of success in one trial. (17)

Because there is no clear-cut division in the usage of the terms "rate" and "ratio" in vital statistics, a few of the definitions below may differ from those used elsewhere. Further, some of the commonly used "rates" do not relate very closely to the population at risk. Among them, the live birth rate, the marriage rate and the divorce rate are based on the entire population. To these, the word "crude" is prefixed. Others, such as the perinatal mortality rate, are based on only a part of the population exposed to risk. Also, some "ratios" are, in fact, "conditional rates." For example, the crude illegitimate live birth *rate* which is the risk of finding oneself at birth to be an illegitimate child in the general population, can be stated as the product of the risk of being born alive and the proportion of illegitimate children among all live-born children. The first risk is defined herein as the crude live birth *rate* and the second as the illegitimate live birth *ratio*.

The underlying concept of a "rate" is the chance that some specified event will occur to members of a identifiable and measurable population. The concept of "ratio" is limited in this report either to the relation of one part of a group of vital events to the whole group, as the proportion of premature among all live births, or to the indicated division involving two disparate events, as the number of fetal deaths divided by the number of live births.

The power of 10 used as a multiplier in the definitions is selected so as to put at least one non-zero digit before the decimal point as often as possible.

Except for marriages and divorces, all rates and ratios in the report are based on data tabulated by place of residence. Marriage and divorce rates are based on data tabulated by place of occurrence. The population base includes the armed forces complement, the college, mental hospital and prison population in the county or city.

(Crude) Live birth rate =	1,000	X	$\frac{\text{number of live births}}{\text{population}}$
(Crude) Death rate =	100,000	X	$\frac{\text{number of deaths}}{\text{population}}$
Cause - specific death rate =	100,000	X	$\frac{\text{number of deaths from the cause}}{\text{population}}$
Race - specific death rate =	100,000	X	$\frac{\text{number of deaths for the race}}{\text{population of that race}}$
Age - specific death rate =	100,000	X	$\frac{\text{number of deaths for the age}}{\text{population of that age}}$
Sex - specific death rate =	100,000	X	$\frac{\text{number of deaths for the sex}}{\text{population of that sex}}$
(Crude) Marriage rate =	1,000	X	$\frac{\text{number of marriages}}{\text{population}}$
(Crude) Divorce rate =	1,000	X	$\frac{\text{number of divorces}}{\text{population}}$

Neonatal death rate =	1,000	X	$\frac{\text{number of deaths under age 28 days}}{\text{number of live births}}$
Postneonatal death rate =	1,000	X	$\frac{\text{number of deaths from ages 28 days to one year}}{\text{number of live births}}$
Infant death rate =	1,000	X	$\frac{\text{number of deaths under age of one year}}{\text{number of live births}}$
Perinatal death rate =	1,000	X	$\frac{\text{number of deaths under age of 7 days plus fetal deaths}}{\text{number of live births plus fetal deaths}}$
Cause-specific perinatal death rate =	1,000	X	$\frac{\text{number of perinatal deaths from the cause}}{\text{number of live births plus fetal deaths}}$
Teenage live birth ratio =	1,000	X	$\frac{\text{number of live births among mothers under age 20 years}}{\text{number of live births to mothers of all ages}}$
Illegitimate live birth ratio =	1,000	X	$\frac{\text{number of children born alive out of wedlock}}{\text{number of live births}}$
Teenage illegitimate live birth ratio =	1,000	X	$\frac{\text{number of children born alive out of wedlock among mothers under age 20 yrs.}}{\text{number of children born alive out of wedlock to mothers of all ages}}$
Illegitimate fetal death ratio =	1,000	X	$\frac{\text{number of children born dead out of wedlock}}{\text{number of children born dead}}$
Teenage illegitimate fetal death ratio =	1,000	X	$\frac{\text{number of children born dead out of wedlock among mothers under age 20 yrs.}}{\text{number of children born dead out of wedlock to mothers of all ages}}$
Premature live birth ratio =	1,000	X	$\frac{\text{number of children born alive of weight less than 2,501 grams}}{\text{number of live births of all weights}}$
Premature fetal death ratio =	1,000	X	$\frac{\text{number of children born dead of weight less than 2,501 grams}}{\text{number of fetal deaths of all weights}}$

APPENDIX 4. CAUSES OF DEATH
BASED ON EIGHTH REVISION INTERNATIONAL CLASSIFICATION
OF DISEASES ADAPTED FOR USE IN THE UNITED STATES (1965)

I.	Infective and Parasitic Diseases	000-136
	Intestinal infectious diseases	000-009
	Salmonella infections	003
	Dysentery (Bacillary)	004
	Diarrheal disease	009
	Gastroenteritis and Colitis	009.2
	Other diseases arising in the intestinal tract	Remainder of 000-009
	Tuberculosis	010-019
	Respiratory system	010-012
	Diphtheria	032
	Whooping Cough	033
	Meningococcal infections	036
	Tetanus	037
	Septicemias	038
	Poliomyelitis, acute	040-044
	Late effects	044
	Chickenpox	052
	Herpes zoster	053
	Herpes simplex	054
	Measles (rubeola)	055
	Rubella (German measles)	056
	Acute infectious encephalitis	062-065
	St. Louis encephalitis	062.3
	Infectious hepatitis	070
	Rocky Mountain spotted fever	082.0
	Syphilis	090-097
	Fungus infections	110-117
	Moniliasis	112
	Histoplasmosis	115
	Boeck's Sarcoidosis	135
II.	Malignant neoplasms	140-209
	Buccal cavity and pharynx	140-149
	Digestive organs	150-159
	Stomach	151
	Respiratory system	160-163
	Bronchus, trachea, lung	162
	Breast	174
	Genital organs	180-189
	Other and unspecified sites	190-199
	Nervous system, inc. brain	191-192
	Leukemia and aleukemia	204-207
	Other lymphatic	200-203, 208-209
III.	Endocrine Nutritional and Metabolic Diseases	240-279
	Diabetes Mellitus	250
	Cystic Fibrosis of pancreas	273.0
IV.	Mental Disorders	290-315
	Drug dependence	304
V.	Diseases of the Circulatory System	390-458
	Acute rheumatic fever	390-392
	Heart Disease	393-429
		Exc. 400, 401, 403


Chronic rheumatic	393-398
Arteriosclerotic Inc. coronary	410-412
Other ischemic heart	411, 413, 414
Acute and subacute bacterial endocarditis	421
Acute myocarditis not specified as rheumatic	422
Acute pericarditis specified as non-rheumatic	420
Functional disease	427.2-427.9
Congestive heart failure	427.0
Hypertensive	402-404
Other and unspecified	Remainder of 393-429 Except 400, 401, 403.1
Hypertension without heart	400, 401, 403
General arteriosclerosis	440
Other circulatory	390-392, 441-448, 450-458
Cerebrovascular disease	430-438
Subarachnoid hemorrhage	430
Cerebral hemorrhage	431
Cerebral thrombosis	433
Cerebral embolism	434
Other cerebrovascular diseases	432, 435-438
VI. Diseases of the Respiratory System	460-519
Acute respiratory infections, exc. influenza	460-466
Influenza	470-474
Pneumonia	480-486
Bronchitis	490-491
Emphysema	492
Asthma	493
Bronchiectasis	518
Other respiratory	500-517, 519
VII. Diseases of the Digestive System	520-577
Ulcer of the stomach and duodenum	531-533
Hernia and intestinal obstruction	550-553, 560
Cirrhosis of liver	571
VIII. Diseases of the Genitourinary System	580-629
Chronic nephritis and renal sclerosis	582-584
Infections of Kidney	590
IX. Complications of pregnancy, childbirth & the puerperium	630-678
X. Congenital anomalies	740-759
Nervous system	740-743
Heart	746
XI. Certain causes of perinatal morbidity and mortality	760-779
Maternal unrelated to pregnancy	760-761
Circulatory and genitourinary diseases	760
Diabetes mellitus	761.1
Other	761.0, 761.2-761.9
Toxemias of pregnancy	762
Maternal infections	763

Birth injury	764.0-764.3, 765.0-765.3, 766.0-766.3 767.0-767.3, 768.0-768.3, 772
Difficult Labor	764.0-764.3, 765.0-765.3, 766.0-766.3 767.0-767.3, 768.0-768.3
Other	772
Asphyxia, anoxia, hypoxia	764.4, 765.4, 766.4., 767.4, 768.4, 776
Asphyxia unspecified	776.9
Difficult labor	764.4, 765.4, 766.4, 767.4, 768.4
Other	776.0-776.4
Other difficult labor	764.9, 765.9, 766.9, 767.9, 768.9
Premature rupture of membranes	769.1
Member of multiple pregnancy	769.4
Other complications of pregnancy	769.0, 769.2, 769.3, 769.5-769.9
Premature separation of placenta	770.1
Other placental conditions	770.0, 770.2-770.9
Prolapsed cord	771.0-771.1
Other cord conditions	771.2-771.9
Rh incompatibility	774.0, 775.0
Other hemolytic diseases	774.1-774.9, 775.1-775.9
Immaturity, unqualified	777.0
Other fetal conditions	773.0, 778.0-778.9
Fetal death, cause unknown	779.0-779.9
Respiratory distress syndrome	776.2
Hyaline membrane disease	776.1
 XII. Symptoms and ill-defined conditions	 780-796
Unknown cause	795.0-796.9
Sudden infant death syndrome	795.0
 XIII. Accidents	 E800-E949
Motor vehicle	E810-E823
Collision	E810-E815
Pedestrian	E814
Other motor vehicle	E812
Railroad train	E810
Bicycle	E813.6
Fixed object	E815
Other collision	E811, E813.0-E813.5, E813.7-E813.9
Non-collision	E816-E823
Running off road	E816
Other traffic	E817-E819
Non-traffic	E820-E823
Non-motor vehicle transport	E800-E807, E825-E845
Other road vehicle	E825-E827
Water transport	E830-E838
Aircraft	E840-E845
Railway	E800-E807
Non-transport accidents	E850-E949
Poisonings	E850-E877
Drugs and medicaments	E850-E859
Falls	E880-E887
Fire and explosives	E890-E899


Firearms	E922
Mechanical suffocation	E911—E913
Drownings	E910
Other and late effects	E940—E949
	remainder of E800—E929
Therapeutic and non-therapeutic complications	E930—E936
XIV. Suicide and self-inflicted injury	E950—E959
Drugs and medicaments	E950.0—E950.3
XV. Homicide and injury purposely inflicted by other persons	E960—E969
XVI. Injury undetermined whether accidentally or purposely inflicted	E980—E989
Drugs and medicaments	E980.0—E980.3

APPENDIX 5. REFERENCES AND NOTES

1. *Health Planning and Resources Development Act of 1974*, DHEW Publication (HRA) 76-14015, (20 pages); carries a brief description of the Act provisions.
2. "Estimates of the Population of States by Age: July 1, 1974 and July 1, 1975 (Advance Report) " *Current Population Reports*. Series P-25, No. 619 (January, 1976). United States Bureau of the Census.
3. "Abridged Live Tables by Color and Sex: United States, 1974". *Monthly Vital Statistics Report, Advance Report, Final Mortality Statistics, 1974* vol. 24, no.11, Supplement, February 3, 1976. DHEW Publication (HRA) 76-1120. (24 pages)
4. "Abridged Live Tables by Color and Sex: United States, 1970". *Vital Statistics of the United States: 1970*. vol. II, Mortality Part, A. DHEW Publication (HRA) 75-1101. Page 5-3
5. Taback, Matthew, "Birthweight and Length of Gestation with Relation to Prematurity". *J.A.M.A.* 146: 899-901 (July 7, 1951).
6. *The Sudden Infant Death Syndrome*. DHEW Publication (HSA) 75-5137. (34 pages)
7. "Vital Statistics: Instructions for Classifying the Underlying Cause of Death, 1974". *Instruction Manual, Data Preparation*, Part 2a. (December, 1973) National Center for Health Statistics, DHEW., page 78
8. *Sixteenth Annual Report of the Illinois Department of Public Health, 1932-1933*. page 7.
9. Westergaard, Harald, "Vital Statistics and Theory in the Congress Period" *Contributions to the History of Statistics*. London: P. S. King & Son, Ltd. 1932.
10. *Fortieth Report of the Connecticut State Department of Health, 1925*. Page 317. (William C. Welling, State Director of Vital Statistics, introduced the Lexian Ratio into his vital statistics reports in 1925. He continued publishing it until his retirement in 1941.)
11. Yule, G. Udny, and Kendall, M. A. *An Introduction to the Theory of Statistics*. London; Charles Griffin, 1937, pages 357-359.
12. Ottestad, Per, "On Bernoullian, Lexis, Poisson and Poisson-Lexis Series" *Skandinavisk Aktuarietidskrift*. Vol. 26, 1943, pages 15-67.
13. Lexis, William. *Einleitung in die Theorie der Bevölkerungsstatistik*. Strassburg: Karl J. Trubner. 1875. pages 93 to 124. (Lexis uses the Poisson limit to the binomial and the normal curve for testing significance, including setting the confidence interval.)
14. Anderson, R. L., and Bancroft, T. A., *Statistical Theory in Research*. New York: McGraw-Hill, 1952, page 107.
15. Wolfenden, H. H. *The Fundamental Principles of Mathematical Statistics*. Toronto: MacMillan Company of Canada, Ltd. 1942, page 267.
16. Linder, Forrest E., and Grove, Robert D. *Vital Statistics Rates in the United States: 1900-1940*. United States Bureau of the Census, 1943. pages 28-59.
17. Rietz, Henry Lewis. *Mathematical Statistics*. Chicago: The Open Court Publishing Company, 1927, page 8.









UNIVERSITY OF ILLINOIS-URBANA



3 0112 003477871